

NOVEMBER 1983

Volume 245/Number 5

Part 2 of Two Parts

ISSN-0002-9513

# American Journal of Physiology

Author and Subject Indexes  
Volumes 230-243

PUBLISHED BY  
THE AMERICAN PHYSIOLOGICAL SOCIETY



# American Journal of Physiology

---

## **AJP: Cell Physiology**

Editor: H. E. MORGAN

---

## **AJP: Endocrinology and Metabolism**

Editor: J. D. NEILL

---

## **AJP: Gastrointestinal and Liver Physiology**

Editor: L. R. JOHNSON

---

## **AJP: Heart and Circulatory Physiology**

Editor: E. PAGE

---

## **AJP: Regulatory, Integrative and Comparative Physiology**

Editor: F. E. YATES

---

## **AJP: Renal, Fluid and Electrolyte Physiology**

Editor: T. E. ANDREOLI

---

### ***Publications Committee of the American Physiological Society***

H. E. MORGAN, *Chairman*  
L. E. FARHI  
E. E. WINDHAGER

S. R. GEIGER  
*Publications Manager and  
Executive Editor*

B. B. RAUNER  
*Production Manager*

W. A. SONNENBERG  
*Business Manager*

J. BLOOMER, L. BRIGGS,  
A. CAHNMANN, R. FOUST,  
K. LAMAR, K. LATTERELL,  
S. MANN, G. O'BRIEN,  
J. PERRY, A. RAEFSKY,  
J. RENO, J. SALIVE

*Editorial Staff*

*Address all editorial and business correspondence to:*

**AMERICAN JOURNAL OF  
PHYSIOLOGY**  
9650 Rockville Pike,  
Bethesda, MD 20814

*The American Journal of Physiology* (ISSN-0002-9513) is published monthly (two volumes per year) by the American Physiological Society, 9650 Rockville Pike, Bethesda, MD 20814. *Subscription Price:* \$315.00 per year postpaid U.S.; \$365.00 elsewhere. Subscriptions

from outside the United States are payable in U.S. currency or full equivalent. Subscriptions are accepted on a calendar-year basis only. *Single Copies: Back Issues:* When available, \$45.00 each postpaid. Second-class postage paid at Bethesda, MD and at additional mailing offices. **POSTMASTER:** send address changes to the American Physiological Society, 9650 Rockville Pike, Bethesda, MD 20814. Copyright © 1983 by the American Physiological Society. Printed in the United States of America. The code at the bottom of the first page of an article indicates the copyright

owner's consent that copies of that article may be made beyond that permitted by sections 107 and 108 of the U.S. Copyright Law—unless the copies are for general distribution, for advertising, for creating new works, or for resale—provided the per-copy fee is paid through the Copyright Clearance Center, Inc., 21 Congress St., Salem, MA 01970.

*Change of Address:* The Journal must be advised of a change of address at least 6 weeks prior to date of issue, with both the subscriber's old and new address given. Undelivered copies resulting from address change will not be replaced.

# American Journal of Physiology

**Author and Subject Index to  
Volumes 230-243 (1976-1982)**

The American Physiological Society  
Bethesda, Maryland

Individual copies of cumulative indexes to journals published by the American Physiological Society may be purchased from the Subscription Office, American Physiological Society, 9650 Rockville Pike, Bethesda, Maryland 20814.

<i>American Journal of Physiology</i> , 1938-1951 (volumes 121-167). 325 pages.	\$5.00
<i>American Journal of Physiology</i> , 1952-1975 (volumes 168-229). 490 pages.	\$15.00
<i>American Journal of Physiology</i> , 1976-1982 (volumes 230-243). 404 pages.	\$5.00
<i>Journal of Applied Physiology</i> , 1948-1975 (volumes 1-39). 260 pages.	\$8.00
<i>Journal of Applied Physiology:</i> <i>Respiratory, Environmental and Exercise Physiology</i> , 1976-1982 (volumes 40-53). 182 pages.	\$5.00
<i>Journal of Neurophysiology</i> , 1938-1977 (volumes 1-40). 173 pages.	\$10.00
<i>Physiological Reviews</i> , 1936-1951 (volumes 16-31). 118 pages.	\$5.00
<i>Physiological Reviews</i> , 1952-1966 (volumes 32-46). 207 pages.	\$5.00
<i>Physiological Reviews</i> , 1967-1981 (volumes 47-61). 179 pages.	\$5.00

## Introduction

The Publications Committee of the American Physiological Society is pleased to continue the series of cumulative indexes to the journals published by the Society. This segment is for the *American Journal of Physiology* of 1976 and for the consolidated journal and its specialty journals of 1977-1982.

The author indexes include all of the authors' names for a particular article, complete title, volume number, and initial page number of the article. Coauthors are listed alphabetically with a *see* reference to the first author. In the subject indexes main headings are printed in bold face and secondary headings in regular type. *See* and *see also* cross-references are included.

A unique key to each of the journals exists by using the volume number and letter code that precedes the page number (see following table). In the indexes the volume number of the consolidated journal is printed in regular type after the title or index terms. This is followed by the volume number of the specialty journal printed in bold face. If you are using the consolidated journal you need not be concerned with the bold face volume numbers.

The author indexes were prepared at Waverly Press from the table of contents. A computer program that sorted and merged entries was designed and run at Science Press. The subject indexes were prepared from the indexes that are printed in the last issue of each volume. B. B. Rauner coordinated the project. The indexes are being distributed to all regular subscribers to the Journal.

Publications Committee  
H. E. Morgan, *Chairman*  
L. E. Farhi  
E. E. Windhager

# Year-Volume Guide

	1976	1977	1978	1979	1980	1981	1982	Letter Code
<i>Am. J. Physiol. (Consolidated)</i>	230,231	232,233	234,235	236,237	238,239	240,241	242,243	
<i>Am. J. Physiol.: Cell Physiol.</i>		1,2	3,4	5,6	7,8	9,10	11,12	C
<i>Am. J. Physiol.: Endocrinol. Metab. Gastrointest. Physiol.</i>		1,2	3,4	5,6				E
<i>Am. J. Physiol.: Endocrinol. Metab.</i>					1,2	3,4	5,6	E
<i>Am. J. Physiol.: Gastrointest. Liver Physiol.</i>					1,2	3,4	5,6	G
<i>Am. J. Physiol.: Heart Circ. Physiol.</i>		1,2	3,4	5,6	7,8	9,10	11,12	H
<i>Am. J. Physiol.: Regulatory Integrative Comp. Physiol.</i>		1,2	3,4	5,6	7,8	9,10	11,12	R
<i>Am. J. Physiol.: Renal Fluid Electrolyte Physiol.</i>		1,2	3,4	5,6	7,8	9,10	11,12	F

A

- Aamodt, R. L.** *see* Foster, D. M.  
**Abbasi, A.** *see* Lei, K. Y.  
**Abbott, W. M.**  
*see* Baird, R. N.  
 L'Italien, G. J.  
**Abboud, F. M.**  
*see* Marcus, M. L.  
 Mark, A. L.  
 Takeshita, A.  
 Thames, M. D.  
 Walker, J. L.  
**Abdelmoumene, S.**, and Gardner, J. D.  
 Cholecystokinin-induced desensitization of enzyme secretion in dispersed acini from guinea pig pancreas. 239,2:G272  
**Abdelmoumene, S.**, and Gardner, J. D.  
 Effect of extracellular manganese on amylase release from dispersed pancreatic acini. 241,4:G359  
**Abdelmoumene, S.** *see* Collins, S. M.  
**Abe, H.**  
*see* Kimura, G.  
 Matsumoto, M.  
**Abe, R.** *see* Morimoto, S.  
**Abe, Y.**, Kishimoto, T., and Yamamoto, K.  
 Effect of angiotensin II antagonist infusion on autoregulation of renal blood flow. 231:1267  
**Abe, Y.** *see* Okahara, T.  
**Abel, F. L.** Simple analog circuitry for measuring time to peaks. 236,5:H785  
**Abel, F. L.** Maximal negative  $dp/dt$  as an indicator of end of systole. 240,9:H676  
**Abel, P. W.**, Trapani, A., Matsuki, N., Ingram, M. J., Ingram, F. D., and Hermes-meyer, K. Unaltered membrane properties of arterial muscle in Dahl strain genetic hypertension. 241,10:H224  
**Abel, F. B.** *see* George, D. T.  
**Abelmann, W. H.**  
*see* Cohen, E. M.  
 Pine, M. B.  
 Role, L.  
**Abendschein, D. R.** *see* Fewell, J. E.  
**Abercrombie, R. F.** Single-file diffusion: a relationship between membrane conductance and unidirectional flux (Letter to the Editor). 232,1:C163  
**Abercrombie, R. F.**, and De Weer, P.  
 Electric current generated by squid giant axon sodium pump: external K and internal ADP effects. 235,4:C63  
**Abesamis, C.**  
*see* Aloia, J. F.  
 Cohn, S. H.  
**Abiko, Y.** *see* Ichihara, K.  
**Abildskov, J. A.**, Evans, A. K., Lux, R. L., and Burgess, M. J. Ventricular recovery properties and QRST deflection area in cardiac electrograms. 239,8:H227  
**Abildskov, J. A.** *see* Hayashi, H.  
**Abou-Donia, M. B.** *see* Strauss, H. C.  
**Abou-Mourad, N.** *see* Cherrington, A. D.  
**Abramson, R. G.**, King, V. F., Reif, M. C., Leal-Pinto, E., and Baruch, S. B. Urate uptake in membrane vesicles of rat renal cortex: effect of copper. 242,11:F158  
**Abramson, R. G.**, and Levitt, M. F. Use of pyrazinamide to assess renal uric acid transport in the rat: a micropuncture study. 230:1276  
**Abramson, R. G.** *see* Briggs, J. P.  
**Abu-Erreish, G. M.**, Neely, J. R., Whitmer, J. T., Whitman, V., and Sanadi, D. R. Fatty acid oxidation by isolated perfused working hearts of aged rats. 232,1:E258  
**Abu-Hamdan, D. K.**, Migdal, S. D., Whitehouse, R., Rabbani, P., Prasad, A. S., and McDonald, F. D. Renal handling of zinc: effect of cysteine infusion. 241,10:F487  
**Abumrad, N. A.** *see* Abumrad, N. N.  
**Abumrad, N. N.**, Cherrington, A. D., Williams, P. E., Lacy, W. W., and Rabin, D. Absorption and disposition of a glucose load in the conscious dog. 242,5:E398  
**Abumrad, N. N.**, Wise, K. L., Williams, P. E., Abumrad, N. A., and Lacy, W. W. Disposal of  $\alpha$ -ketoisocaproate: roles of liver, gut, and kidneys. 243,6:E123  
**Acara, M.**, Roch-Ramel, F., and Rennick, B. Bidirectional renal tubular transport of free choline: a micropuncture study. 236,5:F112  
**Acara, M.**  
*see* Koschier, F. J.  
 Rennick, B.  
**Achs, M. J.**, and Garfinkel, D. Computer simulation of energy metabolism in anoxic perfused rat heart. 232,1:R164  
**Achs, M. J.**, and Garfinkel, D. Computer simulation of rat heart metabolism after adding glucose to the perfusate. 232,1:R175  
**Achs, M. J.**, and Garfinkel, D. Metabolism of the acutely ischemic dog heart. I. Construction of a computer model. 236,5:R21  
**Achs, M. J.**, and Garfinkel, D. Metabolism of totally ischemic excised dog heart. I. Construction of a computer model. 237,6:R318  
**Achs, M. J.**, and Garfinkel, D. Computer simulation of energy metabolism, in acidotic cardiac ischemia. 242,11:R533  
**Achs, M. J.**, Garfinkel, D., and Opie, L. H. Computer simulation of metabolism of glucose-perfused rat heart in a work-jump. 243,12:R389  
**Achs, M. J.**, Kohn, M. C., and Garfinkel, D. Computer simulation of metabolism in pyruvate-perfused rat heart. IV. Model behavior. 237,6:R174  
**Achs, M. J.**  
*see* Garfinkel, D.  
 Kohn, M. C.  
**Ackerly, J. A.**, Blumberg, A. L., Brooker, G., and Peach, M. J. Angiotensin II on the release of D $\beta$ h and atrial cyclic AMP concentrations. 235,4:H281  
**Ackerman, R. A.** *see* Crawshaw, L. I.  
**Ackermann, U.** Cardiac output and renal excretion rates during acute blood volume expansion in rats. 234,3:H21  
**Ackermann, U.** Apparent escape rate of RIHSA and  $^{51}\text{Cr}$ -labeled erythrocytes from the blood of volume-expanded rats. 234,3:F386  
**Ackermann, U.** Cardiac output, GFR, and renal excretion rates during maintained volume load in rats. 235,4:H670  
**Acott, K. M.** *see* Bissonnette, J. M.  
**Adachi, A.**, Nijima, A., and Jacobs, H. L. An hepatic osmoreceptor mechanism in the rat: electrophysiological and behavioral studies. 231:1043  
**Adachi, R. I.** *see* Levin, S. R.  
**Adair, J. R.** *see* Ward, D. G.  
**Adair, T.** *see* Drake, R.  
**Adair, T. H.**, Moffatt, D. S., Paulsen, A. W., and Guyton, A. C. Quantitation of changes in lymph protein concentration during lymph node transit. 243,12:H351  
**Adair, T. H.** *see* Gabel, J. C.  
**Adam, P. A. J.**, Schwartz, A. L., Rahiala, E.-L., and Kekomäki, M. Glucose production in midterm human fetus. I. Auto-regulation of glucose uptake. 234,3:E560  
**Adam, P. A. J.** *see* Kliegman, R. M.  
**Adams, C. K.** *see* Dawson, W. W.  
**Adams, D. B.** *see* Mink, J. W.  
**Adams, G. A.**, and Feuerstein, I. A. Platelet adhesion and release: interfacial concentration of released materials. 240,9:H99  
**Adams, H. R.**  
*see* Durrett, L. R.  
 Krishnamurty, V. S. R.  
 Parker, J. L.  
**Adams, K. G.** *see* Whitsett, J. A.  
**Adams, T.**, Heisey, S. R., Smith, M. C., Steinmetz, M. A., Hartman, J. C., and Fry, H. K. Thermodynamic technique for the quantification of regional blood flow. 238,7:H682  
**Adaniya, H.** *see* Sano, T.  
**Adashi, E. Y.**, Hsueh, A. J. W., Bambino, T. H., and Yen, S. S. C. Disparate effect of clomiphene and tamoxifen on pituitary gonadotropin release in vitro. 240,3:E125  
**Adcock, E. W., III.** *see* Malloy, M. H.  
**Adcock, R.**  
*see* Crie, J. S.  
 Templeton, G.  
**Adcock, R. C.** *see* Willerson, J. T.  
**Addonizio, V. P.** *see* Barnathan, E. S.  
**Adham, N. F.** *see* Song, M. K.  
**Adibi, S. A.**, and Morse, E. L. Enrichment of glycine pool in plasma and tissues by glycine, di-, tri-, and tetraglycine. 243,6:E413  
**Adibi, S. A.**, Morse, E. L., and Mirsky, I. A. Dietary regulation of liver and muscle transport of amino acid. 230:245  
**Adibi, S. A.**  
*see* Hagg, S. A.  
 Krzysik, B. A.  
 Paul, H. S.  
 Schedl, H. P.  
 Wald, A.  
**Adler, R. J.** *see* Sayeed, M. M.  
**Adolph, E. F.** Development of dependence on oxygen in embryo salamanders. 236,5:R282  
**Adolph, E. F.** Look at physiological integration. 237,6:R255  
**Adolph, E. F.** Regulations of intakes: clearances. 240,9:R356  
**Adrian, T. E.**, Mitchener, P., Sagor, G., and Bloom, S. R. Effect of pancreatic polypeptide on gallbladder pressure and hepatic bile secretion. 243,6:G204  
**Adrogué, H. J.**, Brensilver, J., and Madias, N. E. Changes in the plasma anion gap during chronic metabolic acid-base disturbances. 235,4:F291  
**Adrogué, H. J.** *see* Madias, N. E.

- Aeberhard, P. F., Magnenat, L. D., and Zimmermann, W. A. Nervous control of migratory myoelectric complex of the small bowel. 238,1:G102
- Aeschlimann, A. A. *see* Kaufman, W. R.
- Aftiring, R. P. *see* May, M. E.
- Agarwal, J. B. *see* Hattori, S.
- Agrawal, P., and Laloraya, M. M. Ascorbate and peroxidase changes during pregnancy in albino rat and Swiss mouse. 236,5:E386
- Aguilera, A. J., Kirk, K. L., and DiBona, G. F. Effect of magnesium on sodium transport in toad urinary bladder. 234,3:F192
- Agulian, S. K. *see* Khuri, R. N.
- Agus, Z. S., Chiu, P. J. S., and Goldberg, M. Regulation of urinary calcium excretion in the rat. 232,1:F545
- Agus, Z. S. *see* Goldfarb, S. Lau, K. Shareghi, G. R.
- Ahearn, G. A. Intestinal electrophysiology and transmural ion transport in freshwater prawns. 239,8:C1
- Ahearn, G. A., and Hadley, N. F. Water transport in perfused scorpion ileum. 233,2:R198
- Ahearn, G. A. *see* Wyban, J. A.
- Ahlborg, G., and Felig, P. Substrate utilization during prolonged exercise preceded by ingestion of glucose. 233,2:E188
- Ahlborg, G. *see* Juhlin-Dannfelt, A.
- Ahmad, M. *see* Vinay, P.
- Ahumada, G., Sobel, B. E., and Friedman, W. F. Age-dependent mechanical and biochemical responses to glucagon. 230:1590
- Airhart, J., Arnold, J. A., Stirewalt, W. S., and Low, R. B. Insulin stimulation of protein synthesis in cultured skeletal and cardiac muscle cells. 243,12:C81
- Airhart, J. A. *see* Besterman, J. M.
- Aisenbrey, G. A. *see* Berl, T.
- Aithal, H. N., Toback, F. G., and Cryst, C. Enhancement of renal medullary pyruvate kinase activity during cell proliferation induced by potassium depletion. 238,1:E377
- Aiton, J. F. *see* Horres, C. R.
- Aizawa, C., and Honda, N. Failure to abolish reactive hyperemia by indomethacin in denervated kidneys of rabbits. 233,2:F89
- Aizawa, I. *see* Itoh, Z.
- Akaike, N. Hyperpolarization of mammalian skeletal muscle fibers in K-free media. 242,11:C12
- Akande, B. *see* Parks, D. L.
- Akanuma, Y. *see* Kasuga, M.
- Akera, T. *see* Lin, M. H.
- Akiyama, T. Intracellular recording of in situ ventricular cells during ventricular fibrillation. 240,9:H465
- Akiyama, T., and Fozzard, H. A. Ca and Na selectivity of the active membrane of rabbit AV nodal cells. 236,5:C1
- Akiyama, T., and Serrino, P. Intracellular recording from beating heart in situ using a special micropipette holder. 237,6:H392
- Aksoy, M. O., Murphy, R. A., and Kamm, K. E. Role of  $Ca^{2+}$  and myosin light chain phosphorylation in regulation of smooth muscle. 242,11:C109
- Aksoy, M. O. *see* Driska, S. P.
- Al-Awqati, Q.  $H^{+}$  transport in urinary epithelia. 235,4:F77
- Al-Awqati, Q., Mueller, A., and Steinmetz, P. R. Transport of  $H^{+}$  against electrochemical gradients in turtle urinary bladder. 233,2:F502
- Al-Awqati, Q. *see* Beauwens, R.
- Albala, A. *see* Fenoglio, J. J., Jr.
- Al-Bander, H. A., Weiss, R. A., Humphreys, M. H., and Morris, R. C., Jr. Dysfunction of the proximal tubule underlies maleic acid-induced type II renal tubular acidosis. 243,12:F604
- Al-Bazzaz, F., Yadava, V. P., and Westenfelter, C. Modification of Na and Cl transport in canine tracheal mucosa by prostaglandins. 240,9:F101
- Albers, H. E. Gonadal hormones organize and modulate the circadian system of the rat. 241,10:R62
- Albers, H. E. *see* Fuller, C. A.
- Alberti, K. G. M. M. *see* Cobelli, C.
- Albertini, R., Seino, M., Scicli, A. G., and Carretero, O. A. Uteroplacental renin in regulation of blood pressure in the pregnant rabbit. 239,8:H266
- Albertini, R. *see* Baccelli, G. Seino, M.
- Albertson, B. D. *see* Schiebinger, R. J.
- Albisser, A. M. *see* Goriya, Y. Minuk, H. L. Nelson, J. D. Tiran, J.
- Alborch, E. *see* Gómez, B. Manrique, M.
- Albright, R. J., and Peterson, J. R. A signal-processing system for real-time ultrasonic measurement of urine flow parameters. 232,1:F471
- Alexander, E. A., Bengel, H. H., and McNamara, E. R. Effect of adrenal enucleation on sodium excretion in the rat. 231:1421
- Alexander, E. A. *see* Bengel, H. H. Churchill, S. Churchill, S. E. Eisenstein, B. Graber, M. L. Perrone, R. D.
- Alexander, J. *see* Gold, R. M.
- Alexander, J. E. *see* Alleyne, G. A. O. Campbell, K. B.
- Alexander, J. T. *see* Nastuk, W. L.
- Alexander, N. Plasma volumes and hematocrits in rats with chronic sinoaortic denervation hypertension. 236,5:H92
- Alexander, N., Velasquez, M. T., Decuir, M., and Maronde, R. F. Indices of sympathetic activity in the sinoaortic-denervated hypertensive rat. 238,7:H521
- Alexander, N. *see* Velasquez, M. T.
- Alexander, R. S. Series elasticity of urinary bladder smooth muscle. 231:1337
- Alexson, S. *see* Nedergaard, J.
- Ali, M., Ellis, A., and Glick, G. Effects of methylprednisolone on cardiac lymph in acute myocardial ischemia in dogs. 232,1:H602
- Ali, M., Ellis, A., Pick, R., and Glick, G. Effects of hypertonic mannitol on cardiac lymph in nonischemic myocardium. 236,5:H112
- Alihanka, J., Vaahoranta, K., and Saarikivi, I. A new method for long-term monitoring of the ballistocardiogram, heart rate, and respiration. 240,9:R384
- Alla, V. *see* Arruda, J. A. L.
- Allard, J. R., Conhaim, R. L., Vlahakes, G. J., O'Neill, M. J., and Hoffman, J. I. E. Rapid-freezing transmural cardiac biopsy drill. 240,9:H126
- Allard, J. R., O'Neill, M. J., Jr., and Hoffman, J. I. E. Valvar subcoronary aortic stenosis in dogs. 236,5:H780
- Allen, C. *see* Crofton, J. T.
- Allen, G. J. *see* Wiegner, A. W.
- Allen, H. V., Anderson, M. F., and Meindl, J. D. Direct calibration of a totally implantable pulsed Doppler ultrasonic blood flowmeter. 232,1:H537
- Allen, J. C. *see* Seidel, C. L.
- Allenby, P. *see* Samarel, A. M.
- Alleyne, G. A. O., Barnswell, J., McFarlane-Anderson, N., and Alexander, J. E. Renal ammoniagenic factor in the plasma of rats with acute metabolic acidosis. 241,10:F112
- Allison, M. E. M. *see* Colindres, R. E.
- Allison, T. B., Bruttig, S. P., Crass, M. F., III, Eliot, R. S., and Shipp, J. C. Reduced high-energy phosphate levels in rat hearts. I. Effects of alloxan diabetes. 230:1744
- Allison, T. B., and Holsinger, J. W., Jr. Transmural metabolic gradients in the normal dog left ventricle: effect of right atrial pacing. 233,2:H217
- Allison, T. B., Pieper, G. M., Clayton, F. C., and Eliot, R. S. Reduced high-energy phosphate levels in rat hearts. II. Effects of sodium cyanate. 230:1751
- Allotte, J. B. K., and Klassen, G. A. Autoregulation of cerebral blood flow during early experimental renal hypertension in the conscious dog. 234,3:H35
- Alm, P., Owman, C., Sjöberg, N.-O., and Thorbert, G. Uptake of metabolism of [ $^3H$ ]norepinephrine in uterine nerves of pregnant guinea pig. 236,5:C277
- Alm, P. *see* Thorbert, G.
- Almeida, A. J., and Burg, M. B. Sodium transport in the rabbit connecting tubule. 243,12:F330
- Aloia, J. F., Cohn, S. H., Ross, P., Vaswani, A., Abesamis, C., Ellis, K., and Zanzi, I. Skeletal mass in postmenopausal women. 235,4:E82
- Aloia, J. F., Ross, P., Vaswani, A., Zanzi, I., and Cohn, S. H. Rate of bone loss in postmenopausal and osteoporotic women. 242,5:E82
- Aloia, J. F. *see* Cohn, S. H.
- Alonso, D. *see* Chacin, J.
- Alonso, G. *see* Szafarczyk, A.
- Alpers, R. J., Cogan, M. G., and Rector, F. C., Jr. Effect of luminal bicarbonate concentration on proximal acidification in the rat. 243,12:F53
- Alpers, D. H. *see* Paquette, T. L. Rosenblum, J. L. Seetharam, B. Young, G. P.
- Alpert, B. E. *see* Schlondorff, D.
- Alpert, H. *see* Michael, U. F.
- Alpert, N. R. *see* Mulieri, L. A.
- Al-Sadir, J. *see* Brooks, H.
- Alt, J. M. *see* Schurek, H.-J.
- Alteveer, R. J., Jaffe, M. J., and Van Dam, J. Hemodynamics and metabolism of the in vivo vascularly isolated canine pancreas. 236,5:E626
- Alto, L. E., and Dhalla, N. S. Myocardial cation contents during induction of calcium paradox. 237,6:H713
- Altomonte, L. *see* Greco, A. V.
- Altose, M. D. *see* Kelsen, S. G.
- Altschuld, R. *see* Hohl, C.
- Altschuler, P., Klahr, S., Rosenbaum, R., and Slatopolsky, E. Effects of inhibitors of prostaglandin synthesis on renal sodium excretion in normal dogs and dogs with decreased renal mass. 235,4:F338
- Altura, B. M. Sex and estrogens in protection against circulatory stress reactions. 231:842
- Altura, B. M. *see* Johansson, B. Turlapaty, P. D. M. V.
- Altura, B. T. *see* Johansson, B. Turlapaty, P. D. M. V.
- Alvarado, R. H. *see* Cox, T. C.
- Alvey, T. R. *see* Brehe, J. E.



- Alving, B. M.**, Bell, W. R., and Evatt, B. L. Fibrinogen synthesis in rabbits: effects of altered levels of circulating fibrinogen. 232,1:H478
- Alving, B. M.**, Evatt, B. L., and Bell, W. R. Stimulation of fibrinogen synthesis by thrombin in rabbits with anorexia-induced afibrinogenemia. 233,2:H562
- Amano, T.** *see* Tomita, M.
- Amatruda, J. M.** *see* Caro, J. F.
- Livingston, J. N.**
- Amat-y-Leon, F.** *see* Teague, S.
- Ambos, H. D.** *see* Lerch, R. A.
- Amiel, C.** *see* Sterkers, O.
- Amin, P.** *see* Fromm, H.
- Amini-Sereshtki, L.** Brainstem control of shivering in the cat. I. Inhibition. 232,1:R190
- Amini-Sereshtki, L.** Brainstem control of shivering in the cat. II. Facilitation. 232,1:R198
- Aminoff, M. J.** *see* Sampson, S. R.
- Ammons, W. S.**, Koyama, S., and Manning, J. W. Neural and vascular interaction in renin response to graded renal nerve stimulation. 242,11:R552
- Ammons, W. S.**, Santiesteban, H. L., Koyama, S., and Manning, J. W. Carotid baroreflex regulation of plasma renin levels. 239,8:H342
- Ammons, W. S.** *see* Koyama, S.
- Amos, E. C.**, III *see* Rau, E. E.
- Amsler, K.**, and Cook, J. S. Development of Na<sup>+</sup>-dependent hexose transport in a cultured line of porcine kidney cells. 242,11:C94
- Amsterdam, A.**, Nimrod, A., Lamprecht, S. A., Burstein, Y., and Lindner, H. R. Internalization and degradation of receptor-bound hCG in granulosa cell cultures. 236,5:E129
- Amundsen, E.** *see* Kjekshus, J. K.
- Anagnostopoulos, T.** *see* Bentzel, C. J.
- Edelman, A.**
- Ganeval, D.**
- Teulon, J.**
- Anand, A.** *see* Fitzgerald, R. S.
- Anand, R. S.**, Ganguli, S., and Sperling, M. A. Effect of insulin-induced maternal hypoglycemia on glucose turnover in maternal and fetal sheep. 238,1:E524
- Anand, R. S.**, Sperling, M. A., Prior, R. L., and Christenson, R. K. Gluconeogenesis from alanine in vivo by the ovine fetus and lamb (Letter to the Editor). 235,4:E448
- Anast, C. S.** *see* Carnes, D. L.
- Nickols, G. A.**
- Thomas, M. L.**
- Anderson, D. K.** *see* Elahi, D.
- Anderson, D.** *see* Manohar, M.
- Rankin, J. H. G.**
- Anderson, D. E.**, and Yingling, J. E. Aversive conditioning of elevations in total peripheral resistance in dogs. 236,5:H880
- Anderson, D. E.**, Yingling, J. E., and Saga-wa, K. Minute-to-minute covariations in cardiovascular activity of conscious dogs. 236,5:H434
- Anderson, D. F.**, Bissonnette, J. M., Faber, J. J., and Thornburg, K. L. Central shunt flows and pressures in the mature fetal lamb. 241,10:H60
- Anderson, D. K.** *see* Hernandez-Perez, M. J.
- Anderson, D. L.** *see* Ely, S. W.
- Anderson, F. L.**, Jubiz, W., and Tsagaris, T. J. Degradation of prostaglandin E<sub>2</sub> and F<sub>2α</sub> by the canine liver. 231:426
- Anderson, F. L.** *see* Terashima, R.
- Anderson, G. H.** *see* Johnson, D. J.
- Woodger, T. L.**
- Anderson, G. J.** *see* Reiser, J.
- Anderson, J. E.** *see* Kotchen, T. A.
- Anderson, L. D.** *see* DePaolo, L. V.
- Anderson, L. L.** Development in calves and heifers after hypophyseal stalk transection or hypophysectomy. 232,1:E497
- Anderson, L. L.**, and Dunseth, D. W. Dietary restriction and ovarian steroids on fetal development in the pig. 234,3:E190
- Anderson, L. L.**, Hard, D. L., and Kertiles, L. P. Progesterone secretion and fetal development during prolonged starvation in the pig. 236,5:E335
- Anderson, L. L.** *see* Hard, D. L.
- Anderson, M. E.** *see* Strand, J. C.
- Anderson, M. F.** *see* Allen, H. V.
- Anderson, N. C., Jr.** *see* Bruce, B. R.
- Anderson, P. J.** *see* Stetson, M. H.
- Anderson, R. G. W.** Mutations that affect membrane receptor for LDL are useful for studying normal receptor function. 243,6:E5
- Anderson, R. H.** *see* Billette, J.
- Anderson, R. J.**, Rose, C. E., Jr., Berns, A. S., Erickson, A. L., and Arnold, P. E. Mechanism of effect of hypercapnic acidosis on renin secretion in the dog. 238,7:F119
- Anderson, R. J.** *see* Berns, A. S.
- Gordon, J. A.**
- Gross, P. A.**
- Henrich, W. L.**
- Schrier, R. W.**
- Anderson, R. W.** *see* Durán, W. N.
- Edwards, C. H., II**
- Ling, D.**
- Vrobel, T. R.**
- Anderson, S.** *see* Wilkening, R. B.
- Anderson, W. P.** *see* Pullan, P. T.
- Ando, M.** *see* Dinno, M. A.
- Andreoli, T. E.** Some comments about a new venture (Editorial). 232,1:F3
- Andreoli, T. E.**, Berliner, R. W., Kokko, J. P., and Marsh, D. J. Questions and replies: renal mechanisms for urinary concentrating and diluting processes. 235,4:F1
- Andreoli, T. E.**, and Schafer, J. A. Volume absorption in the pars recta. III. Luminal hypotonicity as a driving force for isotonic volume absorption. 234,3:F349
- Andreoli, T. E.**, and Schafer, J. A. Effective luminal hypotonicity: the driving force for isotonic proximal tubular fluid absorption. 236,5:F89
- Andreoli, T. E.**, Schafer, J. A., Troutman, S. L., and Watkins, M. L. Solvent drag component of Cl<sup>-</sup> flux in superficial proximal straight tubules: evidence for a paracellular component of isotonic fluid absorption. 237,6:F455
- Andreoli, T. E.** *see* Hebert, S. C.
- Schafer, J. A.**
- Andres, J.** *see* Badke, F. R.
- Andres, R.** *see* DeFronzo, R. A.
- Elahi, D.**
- Andrias, C. W.** *see* Gaasch, W. H.
- Anfinson, M. S.** *see* Davis, S. L.
- Angelakos, E. T.** *see* Hodgkin, B. C.
- Angell-James, J. E.**, De Burgh Daly, M., and Elsner, R. Arterial baroreceptor reflexes in the seal and their modification during experimental dives. 234,3:H730
- Angell-James, J. E.**, Elsner, R., and De Burgh Daly, M. Lung inflation: effects on heart rate, respiration, and vagal afferent activity in seals. 240,9:H190
- Angell-James, J. E.** *see* De Burgh Daly, M.
- Elsner, R.**
- Angelski, S.** *see* Hoppe, A.
- Rogulski, J.**
- Szczepańska, M.**
- Anika, S. M.**, Houpt, T. R., and Houpt, K. A. Cholecystokinin and satiety in pigs. 240,9:R310
- Anika, S. M.** *see* Houpt, T. R.
- Anliker, M.** *see* Mahler, F.
- Anosa, V. O.** Postsplenectomy blood values, marrow cytology, erythrocyte lifespan, and sequestration in mice. 231:1254
- Ansel, A.** *see* Hohl, C.
- Antakly, T.** *see* Lagacé, L.
- Antonaccio, M. J.** *see* DeForrest, J. M.
- Anuras, S.** cAMP and calcium in generation of slow waves in cat colon. 242,5:G124
- Anuras, S.**, Chien, S. M., and Christensen, J. Metabolic dependence of the electromyogram of the cat colon. 239,2:G173
- Anuras, S.**, and Christensen, J. Effects of autonomic drugs on cat colonic muscle. 240,3:G361
- Anuras, S.**, Christensen, J., and Cooke, A. R. A comparison of intrinsic nerve supplies of two muscular layers of duodenum. 233,2:E28
- Anuras, S.**, and Cooke, A. R. Effects of some gastrointestinal hormones on two muscle layers of duodenum. 234,3:E60
- Anuras, S.**, Faulk, D. L., and Christensen, J. Effects of some autonomic drugs on duodenal smooth muscle. 236,5:E33
- Anuras, S.** *see* Brown, B. P.
- Christensen, J.**
- Anversa, P.**, Beghi, C., Levicky, V., McDonald, S. L., and Kikkawa, Y. Morphometry of right ventricular hypertrophy induced by strenuous exercise in rat. 243,12:H856
- Anwer, M. S.**, Chapman, T. E., and Gronwall, R. Glucose utilization and recycling in ponies. 230:138
- Anzai, T.**, Turner, M. D., Gibson, W. H., and Neely, W. A. Blood flow distribution in dogs during hypothermia and posthypothermia. 234,3:H706
- Aoki, T. T.** *see* Goodman, M. N.
- Aperia, A.**, and Elinder, G. Distal tubular sodium reabsorption in the developing rat kidney. 240,9:F487
- Aperia, A.**, Larsson, L., and Zetterström, R. Hormonal induction of Na-K-ATPase in developing proximal tubular cells. 241,10:F356
- Appelbaum, M.** *see* Mandenoff, A.
- Aponte, G.** *see* Seal, A.
- Appel, M. C.**, Like, A. A., Rossini, A. A., Carp, D. B., and Miller, T. B., Jr. Hepatic carbohydrate metabolism in spontaneously diabetic Bio-Breeding Worcester rat. 240,3:E83
- Appel, S. H.**, Blosser, J. C., McManaman, J. L., and Ashizawa, T. Acetylcholine receptor turnover in myasthenia gravis. 243,6:E31
- Appelbaum, K. A.** *see* Scalfani, A.
- Appelgren, L.** *see* Gustafsson, L.
- Aprigliano, O.** *see* Hermesmyer, K.
- Apstein, C. S.**, Deckelbaum, L., Hagopian, L., and Hood, W. B., Jr. Acute cardiac ischemia and reperfusion: contractility, relaxation, and glycolysis. 235,4:H637
- Apstein, C. S.** *see* Connelly, C.
- Pine, M. B.**
- Arai, S.** *see* Nomura, G.
- Arai, T.** *see* Kakiuchi, Y.
- Arakelian, M. C.** *see* Mersmann, H. J.



- Araki, H.**, and **Lefer, A. M.** Cytoprotective actions of prostacyclin during hypoxia in the isolated perfused cat liver. 238,7:H176
- Arant, B. S., Jr.** Glomerulotubular balance following saline loading in the developing canine kidney. 235,4:F417
- Arbitt, J.** see **Burt, M. E.**
- Arbel, E. R.**, **Liberthson, R.**, **Langendorf, R.**, **Pick, A.**, **Lev, M.**, and **Fishman, A. P.** Electrophysiological and anatomical observations on the heart of the African lungfish. 232,1:H24
- Arbel, E. R.**, **Prabhu, R.**, **Ramesh, V.**, **Pick, R.**, and **Glick, G.** A perfused canine right bundle branch-septal model for electrophysiological studies. 236,5:H379
- Arbogast, R.** see **Heusner, A. A.**
- Arce, J. M.** see **Naughton, B. A.**
- Archer, L. T.**, **Benjamin, B.**, **Lane, M. M.**, and **Hinshaw, L. B.** Renal gluconeogenesis and increased glucose utilization in shock. 231:872
- Archer, L. T.** see **Hinshaw, L. B.**
- Archer, P. G.** see **Zerbe, G. O.**
- Arcilla, R. A.** see **Cutilletta, A. F.**
- Ardailou, R.** see **Beaufils, M.**
- Ardailou, R.** **Chaumet-Riffaud, P.** **Sraer, J.**
- Ardell, J. L.**, **Barman, S. M.**, and **Gebber, G. L.** Sympathetic nerve discharge in chronic spinal cat. 243,12:H463
- Ardito, T. A.** see **Forrest, J. N., Jr.**
- Arendshorst, W. J.**, and **Beierwaltes, W. H.** Renal and nephron hemodynamics in spontaneously hypertensive rats. 236,5:F246
- Arendshorst, W. J.**, and **Beierwaltes, W. H.** Renal tubular reabsorption in spontaneously hypertensive rats. 237,6:F38
- Arendshorst, W. J.**, **Cook, M. A.**, and **Mills, I. H.** Effect of substance P on proximal tubular reabsorption in the rat. 230:1662
- Arendshorst, W. J.**, and **Finn, W. F.** Renal hemodynamics in the rat before and during inhibition of angiotensin II. 233,2:F290
- Arendshorst, W. J.**, and **Gottschalk, C. W.** Glomerular ultrafiltration dynamics: euolemic and plasma volume-expanded rats. 239,8:F171
- Arendshorst, W. J.** see **Finn, W. F.**
- Arevalo, G. J.** see **Westenfelder, C.**
- Arfors, K.-E.** see **Svensjö, E.**
- Arfors, K.-E.** **Tuma, R. F.**
- Argel, M.** see **Vittone, L.**
- Argenzio, R. A.**, **Southworth, M.**, **Lowe, J. E.**, and **Stevens, C. E.** Interrelationship of Na, HCO<sub>3</sub>, and volatile fatty acid transport by equine large intestine. 233,2:E469
- Arias, I. M.** see **Goresky, C. A.**
- Arias, I. M.** **Lichter, M.** **Stein, L. B.** **Wolkoff, A. W.**
- Arief, A. I.**, **Kerian, A.**, **Massry, S. G.**, and **DeLima, J.** Intracellular pH of brain: alterations in acute respiratory acidosis and alkalosis. 230:804
- Arief, A. I.**, **Leach, W.**, **Park, R.**, and **Lazarowitz, V. C.** Systemic effects of NaHCO<sub>3</sub> in experimental lactic acidosis in dogs. 242,11:F586
- Arief, A. I.**, **Park, R.**, **Leach, W. J.**, and **Lazarowitz, V. C.** Pathophysiology of experimental lactic acidosis in dogs. 239,8:F135
- Arief, A. I.** see **Park, R.**
- Arief, A. I.** **Pollock, A. S.**
- Ariel, M.** see **Eilam, Y.**
- Arimura, A.** see **DuVal, J. W.**
- Arimura, A.** **Konturek, S. J.**
- Armayer, M. R.** see **Arrendondo, M. T.**
- Armbrrecht, H. J.**, **Zenser, T. V.**, **Bruns, M. E. H.**, and **Davis, B. B.** Effect of age on intestinal calcium absorption and adaptation to dietary calcium. 236,5:E769
- Armbrrecht, H. J.**, **Zenser, T. V.**, **Gross, C. J.**, and **Davis, B. B.** Adaptation to dietary calcium and phosphorus restriction changes with age in the rat. 239,2:E322
- Armentrout, T.**, **Katz, S.**, **Thornburg, K. L.**, and **Faber, J. J.** Osmotic flow through the placental barrier of chronically prepared sheep. 233,2:H466
- Armstrong, C. M.** see **Bezanilla, F.**
- Armstrong, M. L.** see **Heistad, D. D.**
- Armstrong, R. B.** see **Laughlin, M. H.**
- Armstrong, W. McD.** see **Holland, D. R.**
- Arndorfer, R. C.** see **Dent, J.**
- Arndorfer, R. C.** **Dodds, W. J.**
- Arnold, J. A.** see **Airhart, J.**
- Arnold, P. E.** see **Anderson, R. J.**
- Arnsdorf, M. F.** see **Holland, R. P.**
- Aronson, P. S.** Identifying secondary active solute transport in epithelia. 240,9:F1
- Aronson, P. S.**, and **Bounds, S. E.** Harmaline inhibition of Na-dependent transport in renal microvillus membrane vesicles. 238,7:F210
- Aronson, P. S.**, **Hayslett, J. P.**, and **Kashgarian, M.** Dissociation of proximal tubular glucose and Na<sup>+</sup> reabsorption by amphotericin B. 236,5:F392
- Aronson, P. S.** see **Barrett, P. Q.**
- Aronson, P. S.** **Hayslett, J. P.** **Kinsella, J. L.**
- Aronson, R. S.** see **Keung, E. C. H.**
- Arrascae, J. F.** see **Dobyan, D. C.**
- Arrendondo, M. T.**, **Armayer, M. R.**, **Clavin, O. E.**, **Valentinuzzi, M. E.**, and **Scida, E. E.** Effect of body hypothermia on transventricular simple-capacitor-discharge defibrillation thresholds. 238,7:H675
- Arroyave, C. M.** see **Newman, J. H.**
- Arruda, J. A. L.**, **Alla, V.**, **Rubinstein, H.**, **Cruz-Soto, M.**, **Sabatini, S.**, **Battle, D. C.**, and **Kurtzman, N. A.** Parathyroid hormone and extrarenal acid buffering. 239,8:F533
- Arruda, J. A. L.**, and **Kurtzman, N. A.** Mechanisms and classification of degraded distal urinary acidification. 239,8:F515
- Arruda, J. A. L.**, **Nascimento, L.**, **Westenfelder, C.**, and **Kurtzman, N. A.** Effect of parathyroid hormone on urinary acidification. 232,1:F429
- Arruda, J. A. L.**, **Richardson, J. M.**, **Wolfson, J. A.**, **Nascimento, L.**, **Rademacher, D. R.**, and **Kurtzman, N. A.** Lithium administration and phosphate excretion. 231:1140
- Arruda, J. A. L.**, and **Sabatini, S.** Cholinergic modulation of water transport in the toad bladder. 239,8:F154
- Arruda, J. A. L.**, **Westenfelder, C.**, **Lockwood, R.**, and **Kurtzman, N. A.** Glucose and bicarbonate reabsorption in edematous dogs. 231:749
- Arruda, J. A. L.** see **Cruz-Soto, M.**
- Arruda, J. A. L.** **Sabatini, S.** **Sehy, J. T.** **Thirakomen, K.** **Westenfelder, C.**
- Arslan, Y.**, **Diezi, J.**, and **Peters, G.** Interactions between volume expansion or diuretics and compensatory adaptation. 235,4:F528
- Arthur, C.** see **Christensen, J.**
- Arts, T.**, **Kruger, R. T. I.**, **Van Gerven, W.**, **Lambregts, J. A. C.**, and **Reneman, R. S.** Propagation velocity and reflection of pressure waves in the canine coronary artery. 237,6:H469
- Arts, T.**, and **Reneman, R. S.** Measurement of deformation of canine epicardium in vivo during cardiac cycle. 239,8:H432
- Arts, T.**, **Veenstra, P. C.**, and **Reneman, R. S.** Epicardial deformation and left ventricular wall mechanics during ejection in the dog. 243,12:H379
- Arvanitakis, C.**, **Ruhlen, J.**, **Folscroft, J.**, and **Rhodes, J. B.** Digestion of tripeptides and disaccharides: relationship with brush-border hydrolases. 231:87
- Arvanitakis, C.** see **Cooke, H. J.**
- Asai, T.** see **Matsumoto, M.**
- Asarkof, N.** see **Donowitz, M.**
- Asayama, J.** see **Chiu, Y.-L.**
- Ashby, J. K.** see **Cserr, H. F.**
- Ashihara, T.** see **Imaizumi, T.**
- Ashizawa, T.** see **Appel, S. H.**
- Ashkar, E.** Twenty-four-hour pattern of circulation by radiotelemetry in the unrestrained dog. 236,5:E231
- Ashmore, C. R.** Stretch-induced growth in chicken wing muscles: effects on hereditary muscular dystrophy. 242,11:C178
- Ashmore, C. R.**, and **Summers, P. J.** Stretch-induced growth in chicken wing muscles: myofibrillar proliferation. 241,10:C93
- Ashmore, C. R.** see **Barnett, J. G.**
- Ashmore, C. R.** **Holly, R. G.**
- Ashton, J. H.**, **Iwamoto, G. A.**, **Longhurst, J. C.**, and **Mitchell, J. H.** Reflex cardiovascular depression induced by capsaicin injection into canine liver. 242,11:H955
- Asimakis, G. K.**, and **Sordahl, L. A.** Intramitochondrial adenine nucleotides and energy-linked functions of heart mitochondria. 241,10:H672
- Ask, P.**, **Öberg, P. A.**, and **Tibbling, L.** Static and dynamic characteristics of fluid-filled esophageal manometry systems. 233,2:E389
- Ask, P.**, **Öberg, P. A.**, and **Tibbling, L.** Frequency content of esophageal peristaltic pressure. 236,5:E296
- Ask, P.**, and **Tibbling, L.** Effect of time interval between swallows on esophageal peristalsis. 238,1:C485
- Asplin, C. M.** see **Werner, P. L.**
- Assali, N. S.** see **Lieb, S. M.**
- Assali, N. S.** **Tabsh, K.** **Woods, J. R., Jr.**
- Assan, R.** see **Girard, J. R.**
- Assenmacher, I.** see **Szafarczyk, A.**
- Assimakopoulos-Jeannot, F.** see **Loten, E. G.**
- Astley, C. A.**, **Hohimer, A. R.**, **Stephenson, R. B.**, **Smith, O. A.**, and **Spelman, F. A.** Effect of implant duration on in vivo sensitivity of electromagnetic flow transducers. 236,5:H508
- Astley, C. A.** see **Smith, O. A.**
- Asztalos, B.** see **Bencsáth, P.**
- Athey, G. R.**, **Cooke, A. R.**, and **Wood, J. D.** Synaptic activation of erratic burst-type myenteric neurons in cat small intestine. 240,3:G437
- Atkins, J. M.** see **Fixler, D. E.**
- Atkins, J. M.** **Galosy, R. A.**
- Atkinson, E. R.** see **Bynum, G. D.**
- Atkinson, R. L.**, and **Brent, E. L.** Appetite suppressant activity in plasma of rats after intestinal bypass surgery. 243,12:R60

- Atkinson, R. L., Whipple, J. H., Atkinson, S. H., and Stewart, C. C. Role of the small bowel in regulating food intake in rats. 242,11:R429
- Atkinson, S. H. *see* Atkinson, R. L.
- Attallah, A. A. *see* Stahl, R. A. K.
- Atwater, I. *see* Frankel, B. J.
- Augée, M. L., Raison, J. K., and Hulbert, A. J. Seasonal changes in membrane lipid transitions and thyroid function in the hedgehog. 236,5:E589
- Augeron, C. *see* Merlet-Benichou, C.
- Augustine, S. L., and Swick, R. W. Turnover of total proteins and ornithine aminotransferase during liver regeneration in rats. 238,1:E46
- Aukland, K. *see* Ørskog, E. S.
- Aulick, L. H., Wilmore, D. W., Mason, A. D., Jr., and Pruitt, B. A., Jr. Influence of the burn wound on peripheral circulation in thermally injured patients. 233,2:H520
- Aung-Din, R. *see* Crayton, S. C.
- Aurbach, G. D. *see* Spiegel, A. M.
- Aures, D. *see* Kauffman, G. L., Jr.
- Ausiello, D. A., Rosenblatt, M., and Dayer, J.-M. Parathyroid hormone modulates protein kinase in giant cell tumors of human bone. 239,2:E144
- Ausiello, D. A. *see* Mills, J. W.
- Ausman, L. M., and Gallina, D. L. Response to glucose loading of the lean squirrel monkey in unrestrained conditions. 234,3:R20
- Ausman, L. M., Rasmussen, K. M., and Gallina, D. L. Spontaneous obesity in maturing squirrel monkeys fed semipurified diets. 241,10:R316
- Austic, R. E., and Cole, R. K. Hereditary variation in uric acid transport by avian kidney slices. 231,1:147
- Austin, J. E. *see* Clark, K. E.
- Austin, M., Wenger, T. L., Harrell, F. E., Jr., Luzzi, F. A., and Strauss, H. C. Effect of myocardium at risk on outcome after coronary artery occlusion and release. 243,12:H340
- Avakian, E. V., and Horvath, S. M. Starvation suppresses sympathoadrenal medullary response to cold exposure in rats. 241,4:E316
- Avery, K. S. *see* Hogan, R. D.
- Aviles, L. *see* Ouellette, A. J.
- Avioli, L. V. *see* Baran, D. T. Hough, S.
- Avioli, R. C. *see* Birge, S. J.
- Avitall, B. *see* Gaasch, W. H.
- Aviv, A., Kobayashi, T., Higashino, H., Bauman, J. W., Jr., and Yu, S. S. Chronic sodium deficit in the immature rat: its effect on adaptation to sodium excess. 242,5:E241
- Avner, D. L., and Berenson, M. M. Effect of choleretics on canalicular transport of protoporphyrin in the rat liver. 242,5:G347
- Avogaro, A. *see* Cobelli, C.
- Avolio, A. P., O'Rourke, M. F., Bullman, B. T., Webster, M. E., and Mang, K. Systemic arterial hemodynamics in the diamond python *Morelia spilotes*. 243,12:R205
- Avolio, A. P., O'Rourke, M. F., Mang, K., Bason, P. T., and Gow, B. S. A comparative study of pulsatile arterial hemodynamics in rabbits and guinea pigs. 230:868
- Avolio, A. P., Spaan, J. A. E., and Laird, J. D. Plasma protein concentration and control of coronary vascular resistance in isolated rat heart. 238,7:H471
- Avruch, L. I. *see* Tiran, J.
- Avventi, G. L. *see* Doni, M. G.
- Axen, K. V., and Pi-Sunyer, F. X. Altered insulin and glucagon secretion is perfused ethionine-treated rat pancreases. 243,6:E505
- Ayabe, T. *see* Hirsch, L. J.
- Ayalon, A., Corcia, A., Klemperer, G., and Caplan, S. R. Suppression of gastric acid secretion by furosemide in isolated gastric mucosa of guinea pig. 239,2:G532
- Aynedjian, H. S. *see* Bank, N.
- Ayres, J. J. *see* Ward, A.
- Ayus, J. C., and Humphreys, M. H. Hemodynamic and renal functional changes after acute unilateral nephrectomy in the dog: role of carotid sinus baroreceptors. 242,11:F181
- Ayuso-Parrilla, M. S. *see* Pérez-Díaz, J.
- Azain, M. *see* McNamara, J. P.
- Azhar, S., and Reaven, E. Effect of antimicrotubule agents on microtubules and steroidogenesis in luteal cells. 243,6:E380
- Azizi, F. Changes in pituitary and thyroid function with increasing age in young male rats. 237,6:E224
- Azizi, F., Mannix, J. E., Howard, D., and Nelson, R. A. Effect of winter sleep on pituitary-thyroid axis in American black bear. 237,6:E227
- Azizi, F. *see* Theodoropoulos, T.
- Azukizawa, M. *see* Ohtake, M.
- Azuma, T. *see* Nakayama, R. Ohhashi, T.
- B**
- Baba, S. *see* Otsuki, M.
- Babbs, C. F., Whistler, S. J., and Yim, G. K. W. Temporal stability and precision of ventricular defibrillation threshold data. 235,4:H553
- Babbs, C. F. *see* Fitzgerald, K. R.
- Babino, H. *see* Sansom, S. C. Sheth, A. U.
- Babu, M. *see* Maude, D. L.
- Baccelli, G., Albertini, R., Del Bo, A., Mancía, G., and Zanchetti, A. Role of sinoaortic reflexes in hemodynamic patterns of natural defense behaviors in the cat. 240,9:H421
- Baccelli, G., Mancía, G., Del Bo, A., Albertini, R., and Zanchetti, A. Cardiovascular changes during spontaneous micturition in conscious cats. 237,6:H213
- Bacchus, A. N., Ely, S. W., Knabb, R. M., Rubio, R., and Berne, R. M. Adenosine and coronary blood flow in conscious dogs during normal physiological stimuli. 243,12:H628
- Bache, R. J., McHale, P. A., and Greenfield, J. C., Jr. Transmural myocardial perfusion during restricted coronary inflow in the awake dog. 232,1:H645
- Bache, R. J. *see* Rivas, F. Strauss, H. C. Vrobel, T. R.
- Bacheller, C. D. *see* Beesley, R. C.
- Bachur, N. R. *see* LaBrecque, D. R.
- Backman, K. A. *see* Hayslett, J. P.
- Bacon, B. F. *see* Krawitt, E. L.
- Baconnier, P., Benchetrit, G., and Tanche, M. Liver heat production and temperature regulation in the anesthetized dog. 237,6:R334
- Bacsik, J. *see* Krueger, J. M.
- Baczynski, R. *see* Brautbar, N.
- Badder, E. *see* Santen, R. J.
- Badger, T. M. *see* Loughlin, J. S.
- Badke, F. R. Left ventricular dimensions and function during right ventricular pressure overload. 242,11:H611
- Badke, F. R., Boinay, P., and Covell, J. W. Effects of ventricular pacing on regional left ventricular performance in the dog. 238,7:H858
- Badke, F. R., White, F. C., Le Winter, M., Covell, J., Andres, J., and Bloor, C. Effects of experimental volume-overload hypertrophy on myocardial blood flow and cardiac function. 241,10:H564
- Baer, P. G. *see* Diz, D. I.
- Baer, R. W. *see* Bellamy, R. F. Consigny, P. M.
- Baertschi, A. J. Portal vascular route from hypophyseal stalk/neural lobe to adenohypophysis. 239,8:R463
- Baertschi, A. J., Ward, D. G., and Gann, D. S. Role of atrial receptors in the control of ACTH. 231:692
- Baertschi, A. J. *see* Charlton, J. D. Ward, D. G.
- Baez, S., Feldman, S. M., and Gootman, P. M. Central neural influence on precapillary microvessels and sphincter. 233,2:H141
- Bagby, G. J., and Spitzer, J. A. Lipoprotein lipase activity in rat heart and adipose tissue during endotoxic shock. 238,7:H325
- Bagby, G. J. *see* Kelleher, D. L. Long, W. M. Montini, J. Romanosky, A. J.
- Bagby, R. M. *see* Fisher, B. A. McGuffee, L. J.
- Bagshaw, R. J. *see* Cox, R. H.
- Báguena, J. *see* Martin, G.
- Bahl, O. P. *see* Moyle, W. R.
- Bahoric, A. *see* Goriya, Y.
- Bahr, J. P. *see* Kaplan, S.
- Baig, H. *see* Heyndrickx, G. R. Millard, R. W.
- Baile, C. A. *see* Boden, G. McLaughlin, C. L.
- Bailey, A. C. *see* Sankaran, H.
- Bailey, A. C. *see* Korc, M.
- Bailey, R. B. *see* Lichtenberger, L. M.
- Baillie, M. D. *see* Osborn, J. L. Wallace, K. B.
- Bailin, G. Phosphorylation of a bovine cardiac actin complex. 236,5:C41
- Baines, A. D., Basmadjian, D., and Wang, B.-C. Effects of lumen volume transit time and pressure on loop of Henle function. 237,6:F196
- Baines, A. D., and Ross, B. D. Nonoxidative glucose metabolism a prerequisite for formation of dilute urine. 242,11:F491
- Baines, A. D. *see* Morgunov, N. Stephenson, R. K.
- Bainton, C. R. *see* Hammel, H. T.
- Baird, R. N., and Abbott, W. M. Elasticity and compliance of canine femoral and jugular vein segments. 233,2:H15
- Baird, R. N., Kidson, I. G., L'Italien, G. J., and Abbott, W. M. Dynamic compliance of arterial grafts. 233,2:H568
- Baker, C. H., Davis, D. L., and Sutton, E. T. Neural control of nutritional and nonnutritional circuits in the dog hind-paw. 234,3:H384
- Baker, C. H., Sutton, E. T., and Davis, D. L. Microvessel mean transit time and blood flow velocity of sulfhemoglobin-RBC. 238,7:H745
- Baker, C. H., Wilmoth, F. R., Sutton, E. T., and Takach, K. Red blood cell and plasma distribution in SHR cremaster muscle microvessels. 242,11:H381
- Baker, C. H. *see* Menninger, R. P.

- Baker, G. R.** see Chertow, B. S.
- Baker, M. A.,** Cronin, M. J., and Mountjoy, D. G. Variability of skin temperature in the waking monkey. 230:449
- Baker, N. J.** see Kerr, J. S.
- Baker, P. J.,** Ramey, E. R., and Ramwell, P. W. Androgen-mediated sex differences of cardiovascular responses in rats. 235:4:H242
- Baksi, S. N.,** and Kenny, A. D. Vitamin D metabolism in aged Japanese quail: gonadal hormones and dietary calcium effects. 234:3:E622
- Baksi, S. N.,** and Kenny, A. D. Vitamin D metabolism in aged Japanese quail: dietary calcium and estrogen effects. 241:4:E275
- Balaban, R. S.,** and Blum, J. J. Hormone-induced changes in NADH fluorescence and  $O_2$  consumption of rat hepatocytes. 242:11:C172
- Balaban, R. S.,** Dennis, V. W., and Mandel, L. J. Microfluorometric monitoring of NAD redox state in isolated perfused renal tubules. 240:9:F337
- Balaban, R. S.,** Soltoff, S. P., Storey, J. M., and Mandel, L. J. Improved renal cortical tubule suspension: spectrophotometric study of  $O_2$  delivery. 238:7:F50
- Balaban, R. S.,** and Sylvia, A. L. Spectrophotometric monitoring of  $O_2$  delivery to the exposed rat kidney. 241:10:F257
- Balaban, R. S.** see Epstein, F. H.  
Mandel, L. J.
- Balakis, R.** see Liang, C. T.
- Balch, O. K.** see Ritter, R. C.
- Baldwin, D., Jr.,** Prince, M., Tsai, P., Johnson, C., Lotan, R., Rubenstein, A. H., and Olefsky, J. M. Insulin binding, internalization, and receptor regulation in cultured human fibroblasts. 241:4:E251
- Baldwin, G.** see Watlington, C. O.
- Baldwin, G. F.,** and Bentley, P. J. Roles of the skin and gills in sodium and water exchanges in neonatal urodele amphibians. 242:11:R94
- Baldwin, G. F.** see Bentley, P. J.
- Baldwin, K. M.,** Campbell, P. J., Hooker, A. M., and Lewis, R. E. Effects of thyroid deficiency and sympathectomy on cardiac enzymes. 236:5:C30
- Baldwin, K. M.,** Hooker, A. M., Campbell, P. J., and Lewis, R. E. Enzyme changes in neonatal skeletal muscle: effect of thyroid deficiency. 235:4:C97
- Baldwin, K. M.** see Hooker, A. M.  
Tibbits, G. F.
- Balfe, J. W.** see Hall, J. E.
- Balikian, H. M.** see Collins, D. C.
- Balint, J. A.** see Tso, P.
- Balis, M. E.** see Yip, L. C.
- Balistreri, W. F.** see Tarao, K.
- Ball, C. R.** see Pfaffman, M. A.
- Ball, S. G.,** Gunn, I. G., and Douglas, I. H. S. Renal handling of dopa, dopamine, norepinephrine, and epinephrine in the dog. 242:11:F56
- Ballard, P. L.** see Clyman, R. I.
- Bambino, T. H.** see Adashi, E. Y.
- Bamford, O. S.** see Jones, D. R.
- Banchero, N.** see Zerbe, G. O.
- Banet, M.,** and Hensel, H. Nonshivering thermogenesis induced by repetitive hypothalamic cooling in the rat. 230:522
- Banet, M.,** and Hensel, H. Nonshivering thermogenesis induced by repetitive cooling of spinal cord in the rat. 230:720
- Bang, N. U.** see Edmondson, J. W.
- Bank, D. E.** see Zilenovskii, A. M.
- Bank, N.,** Lief, P. D., Aynedjian, H. S., and Mutz, B. F. Studies of the urinary acidification defect induced by lithium. 242:11:F23
- Bank, N.** see Lief, P. D.  
Weinstein, S. W.  
Zilenovskii, A. M.
- Banka, V. S.** see Hattori, S.
- Bankir, L.** see Trinh-Trang-Tan, M.-M.
- Banks, R. O.,** Fondacaro, J. D., Schwaiger, M. M., and Jacobson, E. D. Renal histamine  $H_1$  and  $H_2$  receptors: characterization and functional significance. 235:4:F570
- Banks, R. O.** see Kleinman, L. I.  
Mullins, M. M.
- Barac-Nieto, M.** Effects of lactate and glutamine on palmitate metabolism in rat kidney cortex. 231:14
- Barac-Nieto, M.,** Murer, H., and Kinne, R. Lactate-sodium cotransport in rat renal brush border membranes. 239:8:F496
- Barajas, L.** Anatomy of the juxtaglomerular apparatus. 237:6:F333
- Baran, D. T.,** Teitelbaum, S. L., Bergfeld, M. A., Parker, G., Cruvant, E. M., and Avioli, L. V. Effect of alcohol ingestion on bone and mineral metabolism in rats. 238:1:E507
- Baranowski, R. L.** see Westenfelder, C.
- Bárány, K.** see Bárány, M.
- Bárány, M.,** and Bárány, K. Protein phosphorylation in cardiac and vascular smooth muscle. 241:10:H117
- Bárány, M.** see Kopp, S. J.
- Barba, W.** see Kirk, R. G.
- Barber, B. J.,** Quillen, E. W., Jr., and Cowley, A. W., Jr. An inexpensive pressure telemetry system. 239:8:H570
- Barber, B. J.** see Hester, R. L.
- Barber, M. J.,** Thomas, J. X., Jr., Jones, S. B., and Randall, W. C. Effect of sympathetic nerve stimulation and cardiac denervation on MBF during LAD occlusion. 243:12:H566
- Barbosa, M. C.,** and Migliorini, R. H. Free fatty acid mobilization in rats following intracerebroventricular norepinephrine. 242:5:E248
- Barclay, J. K.** see Maxwell, L. C.  
Stainsby, W. N.  
Wendt, I. R.
- Barfuss, D. W.,** and Dantzer, W. H. Glucose transport in isolated perfused tubules of snake kidney. 231:1716
- Barfuss, D. W.,** Mays, J. M., and Schafer, J. A. Peritubular uptake and transepithelial transport of glycine in isolated proximal tubules. 238:7:F324
- Barfuss, D. W.,** and Schafer, J. A. Active amino acid absorption by proximal convoluted and proximal straight tubules. 236:5:F149
- Barfuss, D. W.,** and Schafer, J. A. Flow dependence of nonelectrolyte absorption in the nephron. 236:5:F163
- Barfuss, D. W.,** and Schafer, J. A. Differences in active and passive glucose transport along the proximal nephron. 241:10:F322
- Barfuss, D. W.,** and Schafer, J. A. Collection and analysis of absorbate from proximal straight tubules. 241:10:F597
- Barfuss, D. W.** see Schafer, J. A.
- Barger, A. C.** see Fray, J. C. S.  
Johnson, M. D.  
Rocchini, A. P.  
Zimpher, M.
- Bark, H.,** Le Roith, D., Nyska, M., and Glick, S. M. Elevations in plasma ADH levels during PEEP ventilation in the dog: mechanisms involved. 239:2:E474
- Barker, A. T.,** Jaffe, L. F., and Venable, J. W., Jr. The glabrous epidermis of cavies contains a powerful battery. 242:11:R358
- Barker, D. R.,** and Diana, L. M. Measurement errors and curve fitting (Letter to the Editor). 237:6:R366
- Barker, N. D.** see Rand, P. W.
- Barlas, N.,** Jensen, R. T., Beinfeld, M. C., and Gardner, J. D. Cyclic nucleotide antagonists of cholecystokinin: structural requirements for interaction with the cholecystokinin receptor. 242:5:G161
- Barlas, N.,** Jensen, R. T., and Gardner, J. D. Cholecystokinin-induced restricted stimulation of pancreatic enzyme secretion. 242:5:G464
- Barlow, C.** see Chance, B.
- Barlow, C. H.** see Bashford, C. L.  
Franke, H.  
Harken, A. H.
- Barman, S. M.,** and Gebber, G. L. Basis for synchronization of sympathetic and phrenic nerve discharges. 231:1601
- Barman, S. M.,** and Gebber, G. L. Sympathetic nerve rhythm of brain stem origin. 239:8:R42
- Barman, S. M.,** and Gebber, G. L. Brain stem neuronal types with activity patterns related to sympathetic nerve discharge. 240:9:R335
- Barman, S. M.,** and Gebber, G. L. Hypothalamic neurons with activity patterns related to sympathetic nerve discharge. 242:11:R34
- Barman, S. M.,** McCaffrey, T., and Wurster, R. D. Cardiovascular and electrophysiological responses to sympathetic pathway stimulation. 230:1095
- Barman, S. M.,** and Wurster, R. D. Interaction of descending spinal sympathetic pathways and afferent nerves. 234:3:H223
- Barman, S. M.** see Ardell, J. L.  
Gebber, G. L.  
McCall, R. B.
- Barnard, R. J.** see Tibbits, G. F.  
Vinten-Johansen, J.
- Barnathan, E. S.,** Addonizio, V. P., and Shattil, S. J. Interaction of verapamil with human platelet  $\alpha$ -adrenergic receptors. 242:11:H19
- Barnes, C. D.** see Janssen, H. F.
- Barnes, F. S.** see Schwartz, R. S.
- Barnes, G. E.,** Chevis, B. C., and Granger, H. J. Regulation of cardiac output during rapid volume loading. 237:6:R197
- Barnes, G. E.** see Jones, C. E.  
Norris, C. P.
- Barnes, J.** see Liang, C. T.
- Barnes, J. L.** see Reineck, H. J.
- Barnes, K. M.** see Schiebinger, R. J.
- Barnes, L. D.** see Dousa, T. P.  
Hall, D. A.  
Stein, J. H.
- Barnett, J. G.,** Holly, R. G., and Ashmore, C. R. Stretch-induced growth in chicken wing muscles: biochemical and morphological characterization. 237:6:C39
- Barnett, J. G.** see Holly, R. G.
- Barney, C. C.** see Katovich, M. J.
- Barnhart, J. L.,** and Combes, B. Biliary excretion of dye in dogs infused with BSP or its glutathione conjugate. 231:399
- Barnhart, J. L.,** and Combes, B. Erythritol and mannitol clearances with taurocholate and secretin-induced cholerese. 234:3:E146
- Barnhart, J. L.** see Gilmore, I. T.
- Barnswell, J.** see Alleyne, G. A. O.
- Baron, M.,** and Eyzaguirre, C. Effects of temperature on some membrane characteristics of carotid body cells. 233:2:C35
- Baroody, R. A.** see Bito, L. Z.
- Barrett, G.** see Geis, G. S.
- Barrett, J.** see Handwerker, S.



- Barrett, J. D.**, Eggena, P., Sowers, J. R., and Sambhi, M. P. Effects of stimulation of renin release on trypsin-activable renin in rat plasma. 243,6:E206
- Barrett, J. D.** *see* Sowers, J. R.
- Barrett, P. Q.**, and Aronson, P. S. Glucose and alanine inhibition of phosphate transport in renal microvillus membrane vesicles. 242,11:F126
- Barrett, P. Q.**, Gertner, J. M., and Rasmussen, H. Effect of dietary phosphate on transport properties of pig renal microvillus vesicles. 239,8:F352
- Barrie, S. E.**, and Harris, P. Effects of chronic hypoxia and dietary restriction on myocardial enzyme activities. 231:1308
- Barrie, S. E.**, and Harris, P. Myocardial enzyme activities in guinea pigs during development. 233,2:H707
- Barrio, J. R.** *see* Krivokapich, J.
- Barrios, M. C.** *see* Dawson, W. W.
- Barron, D. H.** *see* Caton, D.
- Barron, E. A.** *see* Nathan, R. D.
- Barron, K. W.**, and Bishop, V. S. Reflex cardiovascular changes with veratridine in the conscious dog. 242,11:H810
- Barron, N. D.** *see* Jungreis, A. M.
- Barrowman, J. A.**, Perry, M. A., Kvietys, P. R., and Granger, D. N. Exclusion phenomenon in the liver interstitium. 243,6:G410
- Barry, S.** *see* Handwerger, S.
- Barry, W. H.**, Pober, J., Marsh, J. D., Frankel, S. R., and Smith, T. W. Effects of graded hypoxia on contraction of cultured chick embryo ventricular cells. 239,8:H651
- Barsamian, E. M.** *see* Khuri, S. F.
- Barsotti, R. J.** *see* Spath, J. A., Jr.
- Bartels, H.**, Bartels, R., Baumann, R., Fons, R., Jürgens, K. D., and Wright, P. Blood oxygen transport and organ weights of two shrew species (*S. etruscus* and *C. russula*). 236,5:R221
- Bartels, R.** *see* Bartels, H.
- Barth, R.**, and Elce, J. S. Immunofluorescent localization of  $Ca^{2+}$ -dependent neutral protease in hamster muscle. 240,3:E493
- Bartley, J. C.**, Emerman, J. T., and Bissell, M. J. Metabolic cooperativity between epithelial cells and adipocytes of mice. 241,10:C204
- Barton, G. N.** *see* Schramm, L. P.
- Barton, J. C.**, Conrad, M. E., Harrison, L., and Nuby, S. Effects of vitamin D on the absorption and retention of lead. 238,1:G124
- Barton, J. C.** *see* DeLuca, H. F.
- Barton, R. N.**, and Passingham, B. J. Early responses to hemorrhage in the conscious rat: effects of corticosterone. 243,12:R416
- Bartter, F. C.** *see* Yun, J. C. H.
- Baruch, S. R.** *see* Abramson, R. G.
- Barzen, K. A.** *see* Quissell, D. O.
- Barzilai, A.** *see* Schiessel, R.
- Basagni, M.** *see* Scalabrino, G.
- Basbaum, C. B.** *see* Widdicombe, J. H.
- Bashford, C. L.**, Barlow, C. H., Chance, B., Haselgrove, J., and Sorge, J. Optical measurements of oxygen delivery and consumption in gerbil cerebral cortex. 242,11:C265
- Basbour, F. A.** *see* Crystal, G. J.
- Baskin, R. J.** *see* Sabbadini, R. A.
- Basmadjian, D.** *see* Baines, A. D.
- Bason, P. T.** *see* Avolio, A. P.
- Bass, B. G.** *see* Khouri, E. M.
- Bass, P.** *see* Gullikson, G. W.
- Bassett, A. L.**, Fenoglio, J. J., Jr., Wit, A. L., Myerburg, R. J., and Gelband, H. Electrophysiologic and ultrastructural characteristics of the canine tricuspid valve. 230:1366
- Bassett, D. J. P.**, and Fisher, A. B. Metabolic response to carbon monoxide by isolated rat lungs. 230:658
- Bassett, D. J. P.**, and Fisher, A. B. Stimulation of rat lung metabolism with 2,4-dinitrophenol and phenazine methosulfate. 231:898
- Bassett, D. J. P.**, and Fisher, A. B. Pentose cycle activity of the isolated perfused rat lung. 231:1527
- Bassett, D. J. P.**, and Fisher, A. B. Alterations of glucose metabolism during perfusion of rat lung with paraquat. 234,3:E653
- Bassett, D. J. P.** *see* Kerr, J. S.
- Bassingthwaite, J. B.** *see* Bridge, J. H. B.
- Bastl, C.**, Finkelstein, F. O., Sherwin, R., Hendler, R., Felig, P., and Hayslett, J. P. Renal extraction of glucagon in rats with normal and reduced renal function. 233,2:F67
- Bastl, C.**, Klinger, A. S., Binder, H. J., and Hayslett, J. P. Characteristics of potassium secretion in the mammalian colon. 234,3:F48
- Bastl, C. P.**, Binder, H. J., and Hayslett, J. P. Role of glucocorticoids and aldosterone in maintenance of colonic cation transport. 238,7:F181
- Batey, R.**, and Gallagher, N. Effect of iron stores and hysterectomy on iron absorption and distribution in pregnant mice. 232,1:E57
- Batey, R. G.**, Williams, K., and Milsom, J. P. A physiological model for hepatic metabolism of transferrin-bound iron. 238,1:G30
- Battle, D.** *see* Cruz-Soto, M.
- Battle, D. C.** *see* Arruda, J. A. L.
- Batshaw, M.** *see* Stewart, P. M.
- Batt, R.**, and McKenzie, J. M. Hyperpolarization of thyroid cells in vitro by thyrotropin and cyclic AMP. 231:52
- Batt, R. M.** *see* Scott, J.
- Battagin, R.** *see* Rubin, S. A.
- Battagin, R. L.**, and Glantz, S. A. Multiplex displays two pressure signals on single oscilloscope channel. 242,11:H288
- Battaglia, F. C.** *see* Hay, W. W., Jr.
- Battilana, C. A.** *see* Gelbart, D. R.
- Battle, W.** *see* Wright, S. H.
- Battler, A.** *see* Gallagher, K. P.
- Battles, D. R.** *see* Pinshow, B.
- Batzri, S.** *see* Peikin, S. R.
- Baudinette, R. V.**, Loveridge, J. P., Wilson, K. J., Mills, C. D., and Schmidt-Nielsen, K. Heat loss from feet of herring gulls at rest and during flight. 230:920
- Baue, A. E.** *see* Chaudry, I. H.
- Bauer, A. J.** *see* Sanders, K. M.
- Bauer, B. J.** *see* Van Trigt, P., III
- Bauer, J. H.** *see* Willis, L. R.
- Baum, D.**, Griep, R., and Porte, D., Jr. Glucose-induced insulin release during acute and chronic hypoxia. 237,6:E45
- Baum, D.**, and Oyer, P. Norepinephrine-stimulated lipolysis in acute and chronic hypoxemia. 241,4:E28
- Baum, D.**, Porte, D., Jr., and Ensink, J. Hyperglucagonemia and  $\alpha$ -adrenergic receptor in acute hypoxia. 237,6:E404
- Bauman, J. W., Jr.** Corticoid effects of angiotensin- and norepinephrine-induced proteinuria in rats. 237,6:F133
- Bauman, J. W., Jr.** *see* Aviv, A.
- Baumann, R.** *see* Bartels, H.
- Baumgarten, C. M.** An improved liquid ion exchanger for chloride ion-selective microelectrodes. 241,10:C258
- Baumgarten, C. M.**, and Fozzard, H. A. Intracellular chloride activity in mammalian ventricular muscle. 241,10:C121
- Baur, H. R.**, and Pierach, C. A. Electrocardiographic changes after bilateral carotid sinus denervation in the rat. 237,6:H475
- Baust, J. G.** *see* Brown, R. T.
- Bautista, J.** *see* Berman, W.
- Baverel, G.** *see* Lemieux, G.
- Baxi, L. V.** *see* Daniel, S. S.
- Baylan, M.** *see* De Belle, R. C.
- Baylé, J.-D.** *see* Herbuté, S.
- Baylerian, M. S.** *see* Penney, D. G.
- Baylink, D. J.** *see* Rader, J. I.
- Baylis, C.** Glomerular ultrafiltration in the pseudopregnant rat. 243,12:F300
- Baylis, C.**, and Brenner, B. M. Mechanism of the glucocorticoid-induced increase in glomerular filtration rate. 234,3:F166
- Baylis, C.**, Deen, W. M., Myers, B. D., and Brenner, B. M. Effects of some vasodilator drugs on transcapillary fluid exchange in renal cortex. 230:1148
- Baylis, C.**, Ichikawa, I., Willis, W. T., Wilson, C. B., and Brenner, B. M. Dynamics of glomerular ultrafiltration. IX. Effects of plasma protein concentration. 232,1:F58
- Bayliss, C. E.** *see* Sherman, I. A.
- Bazer, F. W.** *see* Caton, D.
- Bazer, G. T.** *see* Welbourne, T. C.
- Bazin, R.**, and Lavau, M. Effects of high-fat diet on glucose metabolism in isolated pancreatic acini of rats. 243,6:G448
- Bealer, S. L.**, Phillips, M. I., Johnson, A. K., and Schmid, P. G. Anteroventricular third ventricle lesions reduce antidiuretic responses to angiotensin II. 236,5:E610
- Beam, H. E.**, and Henning, S. J. Development of the circadian rhythm of jejunal sucrose activity in the weanling rat. 235,4:E437
- Beardsley, W.** *see* Blass, E. M.
- Beattie, M. A.** *see* Winder, W. W.
- Beatty, O., III**, Lorenz, R. R., and Shepherd, J. T. Increased reactivity of venous smooth muscle by small decreases in extracellular sodium. 235,4:H581
- Beatty, O., III**, Sloop, C. H., Schmid, H. E., Jr., and Buckalew, V. M., Jr. Renin response and angiotensinogen control during graded hemorrhage and shock in the dog. 231:1300
- Beaudry, M.-A.**, Chiasson, J.-L., and Exton, J. H. Glucocorticogenesis in the suckling rat. 233,2:E175
- Beaufils, M.**, Sraer, J., Lepreux, C., and Ardaillou, R. Angiotensin II binding to renal glomeruli from sodium-loaded and sodium-depleted rats. 230:1187
- Beaumont, J. E.** *see* Galla, J. H.
- Beauwens, R.**, and Al-Awqati, Q. Further studies on coupling between sodium transport and respiration in toad urinary bladder. 231:222
- Beazell, J.** *see* Laks, M. M.
- Beck, I. T.** *see* Dinda, P. K.
- Beck, L. Y.** *see* Jones, C. E.
- Beck, N.** Phosphaturia after release of bilateral ureteral obstruction in rats. 237,6:F14

- Beck, N. Effect of metabolic acidosis on renal response to parathyroid hormone in phosphorus-depleted rats. 241,10:F23
- Beck, N., and Shaw, J. O. Thromboxane  $B_2$  and prostaglandin  $E_2$  in the  $K^+$ -depleted rat kidney. 240,9:F151
- Beck, N., and Webster, S. K. Effects of acute metabolic acidosis on PTH action and calcium mobilization. 230:127
- Beck, N., and Webster, S. K. Impaired urinary concentrating ability and cyclic AMP in  $K^+$ -depleted rat kidney. 231:1204
- Beck, N., Webster, S. K., and Reineck, H. J. Effect of fasting on tubular phosphorus reabsorption. 237,6:F241
- Beck, N., and Yu, B. P. Effect of aging on urinary concentrating mechanism and vasopressin-dependent cAMP in rats. 243,12:F121
- Beck, N. *see* Whinnery, M. A.
- Beck, R. R. *see* Guleff, P. S.
- Becker, D. P. *see* Sullivan, H. G.
- Becker, E. L. *see* Petroski, R. J.
- Becker, J. H. *see* Willis, J. S.
- Becker, L. Effect of tachycardia on left ventricular blood flow distribution during coronary occlusion. 230:1072
- Becker, L. C. *see* Jugdutt, B. I.
- Becker, R. O. *see* Marino, A. A.
- Becker, S., Chubb, C., and Ewing, L. Mathematical model of steroidogenesis in rat and rabbit testes. 239,8:R184
- Becker-McKenna, B. *see* Churchill, P.
- Beckett, S. D. *see* Purohit, R. C.
- Beckles, A. D. *see* DeFronzo, R. A.
- Beckman, A. L., Satinoff, E., and Stanton, T. L. Characterization of midbrain component of the trigger for arousal from hibernation. 230:368
- Beckman, A. L., and Stanton, T. L. Changes in CNS responsiveness during hibernation. 231:810
- Beckman, A. L., Stanton, T. L., and Satinoff, E. Inhibition of the CNS trigger process for arousal from hibernation. 230:1018
- Beckman, B. *see* Przyla, F.
- Beckman, J. K., Owens, K., Knauer, T. E., and Weglicki, W. B. Hydrolysis of sarcolemma by lysosomal lipases and inhibition by chlorpromazine. 242,11:H652
- Beck-Nielsen, H. *see* Pedersen, O.
- Bedynek, J. L. *see* Khouri, E. M.
- Beeler, G. W., Jr. *see* Paradise, N. F.
- Beesley, R. C., and Bacheller, C. D. Divalent cations and vitamin  $B_{12}$  uptake by intestinal brush-border membrane vesicles. 239,2:G452
- Beuwkes, R., III *see* Dunn, M. J.
- Johnson, M. D.
- Kinter, L. B.
- Beghi, C. *see* Anversa, P.
- Behar, J., Bianciani, P., and Zabinski, M. P. Characterization of feline gastroduodenal junction by neural and hormonal stimulation. 236,5:E45
- Behar, J., and Kerstein, M. D. Intestinal calcium absorption: differences in transport between duodenum and ileum. 230:1255
- Behar, J. *see* Bianciani, P.
- Behrman, H. R. *see* Pang, C. Y.
- Behsudi, F. M. *see* Bruce, L. A.
- Beierholm, E. A. *see* O'Keefe, D. D.
- Beierwaltes, W. H., Schryver, S., Olson, P. S., and Romero, J. C. Interaction of the prostaglandin and renin-angiotensin systems in isolated rat glomeruli. 239,8:F602
- Beierwaltes, W. H., Schryver, S., Sanders, E., Strand, J., and Romero, J. C. Renin release selectively stimulated by prostaglandin  $I_2$  in isolated rat glomeruli. 243,12:F276
- Beierwaltes, W. H. *see* Arendshorst, W. J.
- Beigelman, P. M. *see* Ribalet, B.
- Beilin, L. J. *see* Bhattacharya, J.
- Beinfeld, M. C. *see* Barlas, N.
- Beirwaltes, W. H. *see* Sexton, J. M.
- Bekey, G. A. *see* Grove, T. M.
- Belardinelli, L. *see* Pelleg, A.
- Tominaga, S.
- Belbeck, L. *see* Garnett, E. S.
- Sarna, S.
- Belenkie, I., and Rademaker, A. Acute and chronic changes after aortic valve damage in the intact dog. 241,10:H95
- Belic, N. *see* McGee, J.
- Belizon, I. J. *see* Faubert, P. F.
- Bell, A. W., and Thompson, G. E. Free fatty acid oxidation in bovine muscle in vivo: effects of cold exposure and feeding. 237,6:E309
- Bell, D. *see* Williams, R. H.
- Bell, D. R., and Mullins, R. J. Effects of increased venous pressure on albumin- and IgG-excluded volumes in skin. 242,11:H1038
- Bell, D. R., and Mullins, R. J. Effects of increased venous pressure on albumin- and IgG-excluded volumes in muscle. 242,11:H1044
- Bell, D. R., Watson, P. D., and Renken, E. M. Exclusion of plasma proteins in interstitium of tissues from the dog hind paw. 239,8:H532
- Bell, D. R. *see* Watson, P. D.
- Bell, P. D., McLean, C. B., and Navar, L. G. Dissociation of tubuloglomerular feedback responses from distal tubular chloride concentration in the rat. 240,9:F111
- Bell, P. D., and Navar, L. G. Stop-flow pressure feedback responses during reduced renal vascular resistance in the dog. 237,6:F204
- Bell, P. D., Thomas, C., Williams, R. H., and Navar, L. G. Filtration rate and stop-flow pressure feedback responses to nephron perfusion in the dog. 234,3:F154
- Bell, P. D. *see* Chomdej, B.
- Navar, L. G.
- Bell, T. G. *see* Hilliker, K. S.
- Smith, W. L.
- Bell, W. R. *see* Alving, B. M.
- Bellamy, R. F., and Lowensohn, H. S. Effect of systole on coronary pressure-flow relations in the right ventricle of the dog. 236,7:H481
- Bellamy, R. F., Lowensohn, H. S., Ehrlich, W., and Baer, R. W. Effect of coronary sinus occlusion on coronary pressure-flow relations. 239,8:H57
- Bellaton, C. *see* Pansu, D.
- Beller, B. K. *see* Hinshaw, L. B.
- Beller-Todd, B. *see* Murphy, T. L.
- Bellinger, L. L., and Bernardis, L. L. Water regulation in weanling hypodipsic dorsomedial hypothalamic-lesioned rats. 242,11:R285
- Bellinger, L. L., Bernardis, L. L., and Brooks, S. Feeding responses of rats with dorsomedial hypothalamic lesions given ip 2DG or glucose. 235,4:R168
- Belloni, F. L., and Sparks, H. V. Dynamics of myocardial oxygen consumption and coronary vascular resistance. 233,2:H34
- Belloni, F. L. *see* Harlan, D. M.
- Bello-Reuss, E. Effect of catecholamines on fluid reabsorption by the isolated proximal convoluted tubule. 238,7:F347
- Bello-Reuss, E., Higashi, Y., and Kaneda, Y. Dopamine decreases fluid reabsorption in straight portions of rabbit proximal tubule. 242,11:F634
- Bello-Reuss, E., Pastoriza-Muñoz, E., and Colindres, R. E. Acute unilateral renal denervation in rats with extracellular volume expansion. 232,1:F26
- Bello-Reuss, E. *see* Dennis, V. W.
- Bellorin-Font, E., and Martin, K. J. Regulation of the PTH-receptor-cyclase system of canine kidney: effects of calcium, magnesium, and guanine nucleotides. 241,10:F364
- Bellorin-Font, E., Tamayo, J., and Martin, K. J. Regulation of PTH receptor-adenylate cyclase system of canine kidney: influence of  $Mn^{2+}$  on effects of  $Ca^{2+}$ , PTH, and GTP. 242,11:F457
- Belur, E. B. *see* Chidekel, E. W.
- Belur, E. R. *see* Richter, E. A.
- Benabe, J. E. *see* Cruz-Soto, M. A.
- Bencheitrit, G. *see* Baconnier, P.
- Bencsáth, P., Asztalos, B., Szalay, L., and Takács, L. Renal handling of sodium after chronic renal sympathectomy in the anesthetized rat. 236,5:F513
- Bencsáth, P. *see* Szénási, G.
- Vandewalle, A.
- Benedetti, E. L. *see* Bentzel, C. J.
- Benevenga, N. J. *see* Harney, M. E.
- Ben-Galim, E. *see* Clarke, W. L.
- Bengele, H. H., and Alexander, E. A. Effect of adrenal enucleation on inner medullary collecting duct function in the rat. 242,11:F453
- Bengele, H. H., Alexander, E. A., and Lechene, C. P. Calcium and magnesium transport along the inner medullary collecting duct of the rat. 239,8:F24
- Bengele, H. H., Evan, A., McNamara, E. R., and Alexander, E. A. Tubular sites of potassium regulation in the normal and uninephrectomized rat. 234,3:F146
- Bengele, H. H., Lechene, C., and Alexander, E. A. Sodium and chloride transport along the inner medullary collecting duct: effect of saline expansion. 238,7:F504
- Bengele, H. H., Lechene, C. P., and Alexander, E. A. Phosphate transport along the inner medullary collecting duct of the rat. 237,6:F48
- Bengele, H. H., Mathias, R. S., Perkins, J. H., and Alexander, E. A. Urinary concentrating defect in the aged rat. 240,9:F147
- Bengele, H. H., McNamara, E. R., and Alexander, E. A. Volume-expansion natriuresis: nephron function beyond the superficial late distal tubule. 232,1:F566
- Bengele, H. H., McNamara, E. R., and Alexander, E. A. Natriuresis after adrenal enucleation: effect of spironolactone and dexamethasone. 233,2:F8
- Bengele, H. H., McNamara, E. R., and Alexander, E. A. Potassium secretion along the inner medullary collecting duct. 236,5:F278
- Bengele, H. H., and Solomon, S. Development of the renal response to blood volume expansion in normal and fast-growing rats. 231:832
- Bengele, H. H. *see* Alexander, E. A.
- Churchill, S. E.
- Churchill, S. E.
- Eisenstein, B.
- Graber, M. L.
- Perrone, R. D.
- Bengis, R. G., and Guyton, A. C. Some pressure and fluid dynamic characteristics of the canine epidural space. 232,1:H255
- Bengis, R. G. *see* Young, D. B.
- Benitez, L. *see* Shaklai, N.
- Benjamin, B. *see* Archer, L. T.

- Benjamin, L. E.**, and Steele, R. D. Effect of portacaval shunt on sulfur amino acid metabolism in rats. 241,4:G503
- Bennett, A. F.**  
see Gleeson, T. T.  
John-Alder, H. B.  
Mitchell, G. S.
- Bennett, C. M.** see Weitzman, R. E.
- Bennett, P. H.** see Ishibashi, F.
- Bennett, T. D.**, MacAnespie, C. L., and Rothe, C. F. Active hepatic capacitance responses to neural and humoral stimuli in dogs. 242,11:H1000
- Bennett, T. D.**, and Rothe, C. F. Hepatic capacitance responses to changes in flow and hepatic venous pressure in dogs. 240,9:H18
- Bennett, T. D.**  
see Rothe, C. F.  
Wyss, C. R.
- Bennett, W. M.** see Porter, G. A.
- Bennett Clark, S.**, Clark, V. E., and Small, D. M. Effects of lecithin ingestion on plasma and lymph lipoproteins of normo- and hyperlipemic rats. 241,4:G422
- Bennetts, R.**, and Ramaswamy, K. Transport of glucose and leucine by intestinal membrane vesicles in genetic diabetes. 238,1:G419
- Benos, D. J.** Amiloride: a molecular probe of sodium transport in tissues and cells. 242,11:C131
- Ben-Sira, I.** see Riva, C. E.
- Benson, J. W.** see Werner, P. L.
- Bentley, P. J.**, and Baldwin, G. F. Comparison of transcutaneous permeability in skins of larval and adult salamanders. (*Ambystoma tigrinum*). 239,8:R505
- Bentley, P. J.**  
see Baldwin, G. F.  
Yorio, T.
- Bentley, S. K.** see Dantzer, W. H.
- Bentzel, C. J.**, Hainau, B., Ho, S., Hui, S. W., Edelman, A., Anagnostopoulos, T., and Benedetti, E. L. Cytoplasmic regulation of tight-junction permeability: effect of plant cytokinins. 239,8:C75
- Bentzel, C. J.**, and Reczek, P. R. Permeability changes in *Necturus* proximal tubule during volume expansion. 234,3:F225
- Beranbei, R.** see Carbonin, P.
- Berbari, E. J.**, Scherlag, B. J., and Lazzara, R. Recordings of AV nodal potentials during junctional rhythms utilizing signal averaging. 235,4:H110
- Berdeaux, A.** see Giudicelli, J.-F.
- Berecek, K. H.**, and Brody, M. J. Evidence for a neurotransmitter role for epinephrine derived from the adrenal medulla. 242,11:H593
- Berecek, K. H.**, Schwertschlag, U., and Gross, F. Alterations in renal vascular resistance and reactivity in spontaneous hypertension of rats. 238,7:H287
- Bereiter, D. A.**, Berthoud, H.-R., Brunsman, M., and Jeanrenaud, B. Nucleus ambiguus stimulation increases plasma insulin levels in the rat. 241,4:E22
- Bereiter, D. A.** see Berthoud, H. R.
- Berelowitz, M.**  
see Favus, M. J.  
Goto, Y.
- Berenson, M. M.** see Avner, D. L.
- Berger, A. J.**, and Mitchell, R. A. Lateralized phrenic nerve responses to stimulating respiratory afferents in the cat. 230:1314
- Berger, M.** see MacDonald, M.
- Berger, P. J.** see Smith, D. G.
- Berger, R. J.** see Walker, J. M.
- Bergfeld, M. A.** see Baran, D. T.
- Berggren, P.-O.** see Gylfe, E.
- Berglindh, T.**, Dibona, D. R., Ito, S., and Sachs, G. Probes of parietal cell function. 238,1:G165
- Berglindh, T.**, Sachs, G., and Takeguchi, N.  $\text{Ca}^{2+}$ -dependent secretagogue stimulation in isolated rabbit gastric glands. 239,2:G90
- Berglindh, T.**  
see Chew, C. S.  
Fellenius, E.  
Koelz, H. R.
- Bergman, E. N.** see Heitmann, R. N.
- Bergman, R. N.**, Ider, Y. Z., Bowden, C. R., and Cobelli, C. Quantitative estimation of insulin sensitivity. 236,5:E667
- Bergman, R. N.**  
see Bowden, C. R.  
El-Refai, M.
- Bergmann, P.** see Schoutens, A.
- Bergmann, S. R.**, Clark, R. E., and Sobel, B. E. An improved isolated heart preparation for external assessment of myocardial metabolism. 236,5:H644
- Bergmann, S. R.**, Ferguson, T. B., Jr., and Sobel, B. E. Effects of amphiphiles on erythrocytes, coronary arteries, and perfused hearts. 240,9:H229
- Bergmann, S. R.** see Lerch, R. A.
- Berjal, G.** see Bonvalet, J. P.
- Berkich, D. A.** see Reibel, D. K.
- Berkowitz, J. M.**, Praissman, M., and LeFevre, M. E. Effects of peptide hormone structure on  $\text{H}^+$  secretion by *Necturus* gastric mucosa. 231:573
- Berkowitz, J. M.** see Fara, J. W.
- Berkowitz, M.**, Daughtridge, D., and Sherwin, J. R. Autoregulation of thyroid iodide transport: possible mediation by modification in sodium cotransport. 240,3:E37
- Berkowitz, S.** see Sanborn, T.
- Berl, T.**, Aisenbrey, G. A., and Linas, S. L. Renal concentrating defect in the hypokalemic rat is prostaglandin independent. 238,7:F37
- Berl, T.**, and Erickson, A. E. Calcium-prostaglandin interaction on the action of antidiuretic hormone in the dog. 242,11:F313
- Berl, T.**, Henrich, W. L., Erickson, A. L., and Schrier, R. W. Prostaglandins in the beta-adrenergic and baroreceptor-mediated secretion of renin. 236,5:F472
- Berl, T.**, Raz, A., Wald, H., Horowitz, J., and Czaczkes, W. Prostaglandin synthesis inhibition and the action of vasopressin: studies in man and rat. 232,1:F529
- Berl, T.**  
see Henrich, W. L.  
Schrier, R. W.
- Berliner, R. W.** see Andreoli, T. E.
- Berlyne, G. M.** see Yagil, R.
- Berman, B. J.** see Cserr, H. F.
- Berman, M.**  
see Foster, D. M.  
Hall, S. E. H.  
Hetenyi, G., Jr.
- Berman, W.**, Rogers, S., Bautista, J., and Segal, S. Galactose metabolism in isolated perfused suckling-rat liver. 236,5:E633
- Berman, W., Jr.**, and Musselman, J. Myocardial performance in the newborn lamb. 237,6:H66
- Bern, H. A.**  
see Foskett, J. K.  
Loretz, C. A.
- Bernardis, L. L.** see Bellinger, L. L.
- Berndt, T.**  
see Haas, J. A.  
Knox, F. G.
- Berndt, T. J.**, Pfeifer, J. D., Knox, F. G., Kempson, S. A., and Dousa, T. P. Nicotinamide restores phosphaturic effect of PTH and calcitonin in phosphate deprivation. 242,11:F447
- Berndt, T. J.** see Hoppe, A.
- Berne, R. M.**  
see Bacchus, A. N.  
Bockman, E. L.  
Fenton, R. A.  
Fishman, A. P.  
Foley, D. H.  
Herlihy, J. T.  
Rubio, R.  
Thompson, C. I.  
Tominaga, S.  
Van Harn, G. L.  
Watkinson, W. P.  
Winn, H. R.
- Bernheim, H. A.**, and Kluger, M. J. Fever and antipyresis in the lizard *Dipsosaurus dorsalis*. 231:198
- Berns, A. S.**, Pluss, R. G., Erickson, A. L., Anderson, R. J., McDonald, K. M., and Schrier, R. W. Renin-angiotensin system and cardiovascular homeostasis in adrenal insufficiency. 233,2:F509
- Berns, A. S.** see Anderson, R. J.
- Berns, M. W.** see Kitzes, M. C.
- Bernstein, E. F.** see Shoor, P. M.
- Bernstein, M. H.**, Curtis, M. B., and Hudson, D. M. Independence of brain and body temperatures in flying American kestrels, *Falco sparverius*. 237,6:R58
- Bernstein, M. H.** see Pinshow, B.
- Berry, C. A.** Electrical effects of acidification in the rabbit proximal convoluted tubule. 240,9:F459
- Berry, C. A.**, and Rector, F. C., Jr. Relative sodium-to-chloride permeability in the proximal convoluted tubule. 235,4:F592
- Berry, C. A.**, Warnock, D. G., and Rector, F. C., Jr. Ion selectivity and proximal salt reabsorption. 235,4:F234
- Bers, D. M.** A simple method for the accurate determination of free  $[\text{Ca}]$  in Ca-EGTA solutions. 242,11:C404
- Bers, D. M.**, and Langer, G. A. Uncoupling cation effects on cardiac contractility and sarcolemmal  $\text{Ca}^{2+}$  binding. 237,6:H332
- Bers, D. M.**, Philipson, K. D., and Langer, G. A. Cardiac contractility and sarcolemmal calcium binding in several cardiac muscle preparations. 240,9:H576
- Bers, D. M.** see Philipson, K. D.
- Bersohn, M. M.**, Philipson, K. D., and Fukushima, J. Y. Sodium-calcium exchange and sarcolemmal enzymes in ischemic rabbit hearts. 242,11:C288
- Bersohn, M. M.**, and Scheuer, J. Effect of ischemia on the performance of hearts from physically trained rats. 234,3:H215
- Bersohn, M. M.**, Shine, K. I., and Sterman, W. D. Effect of increased magnesium on recovery from ischemia in rat and rabbit hearts. 242,11:H89
- Bersohn, M. M.** see Bridge, J. H. B.
- Berssenbrugge, A.** see Rankin, J. H. G.
- Berthelot, F.** see Mahu, J.-L.
- Berthoud, H. R.**, and Jeanrenaud, B. Sham feeding-induced cephalic phase insulin release in the rat. 242,5:E280
- Berthoud, H. R.**, and Mogenson, G. J. Ingestive behavior after intracerebral and intracerebroventricular infusions of glucose and 2-deoxy-D-glucose. 233,2:R127
- Berthoud, H. R.**, Trimble, E. R., Siegel, E. G., Bereiter, D. A., and Jeanrenaud, B. Cephalic-phase insulin secretion in normal and pancreatic islet-transplanted rats. 238,1:E336
- Berthoud, H. R.**  
see Bereiter, D. A.  
Trimble, E. R.
- Berti, G. A.** see Brosnihan, K. B.
- Bertiger, G.** see Mathias, J. R.
- Bertoli, A.** see Greco, A. V.
- Bertrand, H. A.** see Liepa, G. U.
- Bertuzzi, A.** see Pescatori, M.



- Besarab, A., Silva, P., Landsberg, L., and Epstein, F. H. Effect of catecholamines on tubular function in the isolated perfused rat kidney. 233,2:F39
- Besarab, A. *see* Swanson, J. W.
- Besedovsky, H. O.  
*see* Del Rey, A.  
Jungi, T. W.
- Besseghir, K., Pearce, L. B., and Rennick, B. Renal tubular transport and metabolism of organic cations by the rabbit. 241,10:F308
- Besseghir, K., and Rennick, B. Direct renal tubular effects of choline on electrolyte excretion in the chicken. 240,9:F211
- Best, C. F. *see* Harris, R. H.
- Besterman, J. M., Airhart, J. A., and Low, R. B. Macrophage phagocytosis: analysis of particle binding and internalization. 242,11:C339
- Bethell, D. R., Hibasami, H., and Pegg, A. E. Regulation of polyamine content in cultured fibroblasts. 243,12:C262
- Bethencourt, D.  
*see* Norby, L. H.  
Schwartz, J. H.
- Betz, A. L., Csejtey, J., and Goldstein, G. W. Hexose transport and phosphorylation by capillaries isolated from rat brain. 236,5:C96
- Betz, A. L. *see* Fitzpatrick, J. H., Jr.
- Beuving, R. de M. *see* Mersmann, H. J.
- Bevan, J. A. *see* McCalden, T. A.
- Bever, K., Chenoweth, M., and Dunn, A. Glucose turnover in kelp bass (*Paralabrax* sp.): in vivo studies with [6-<sup>3</sup>H,6-<sup>14</sup>C]glucose. 232,1:R66
- Bever, K., Chenoweth, M., and Dunn, A. Amino acid gluconeogenesis and glucose turnover in kelp bass (*Paralabrax* sp.). 240,9:R246
- Beyenbach, K. W., and Dantzer, W. H. Generation of transepithelial potentials by isolated perfused reptilian distal tubules. 234,3:F238
- Beyenbach, K. W., Koeppen, B. M., Dantzer, W. H., and Helman, S. I. Luminal Na concentration and the electrical properties of the snake distal tubule. 239,8:F412
- Beyenbach, K. W. *see* Koeppen, B. M.
- Bezani, F., and Armstrong, C. M. A low-cost signal averager and data-acquisition device. 232,1:C211
- Bhalla, R. C., Webb, R. C., Singh, D., and Brock, T. Role of cyclic AMP in rat aortic microsomal phosphorylation and calcium uptake. 234,3:H508
- Bhan, A. K. *see* Malhotra, A.
- Bhargava, V., and Goldberger, A. L. New method for measuring QRS duration using high-frequency electrocardiography. 242,11:H507
- Bhargava, V., and Goldberger, A. L. Effect of exercise in healthy men on QRS power spectrum. 243,12:H964
- Bhasin, S., and Shambaugh, G. E., III. Fetal fuels. V. Ketone bodies inhibit pyrimidine biosynthesis in fetal rat brain. 243,6:E234
- Bhat, S. *see* Zilenovski, A. M.
- Bhatnagar, R. K.  
*see* McNamara, R. F.  
Schmid, P. G.  
Tomanek, R. J.
- Bhattacharya, J., and Beilin, L. J. Left ventricular cannulation for microsphere estimation of rabbit renal blood flow. 238,7:H736
- Bhattacharya, J. *see* Gelbart, D. R.
- Bhattacharyya, A. K. Uptake and esterification of plant sterols by rat small intestine. 240,3:G50
- Bhattacharyya, A. K., Goodpasture, J. C., and Zaneveld, L. J. D. Acrosin of mouse spermatozoa. 237,6:E40
- Bhattacharyya, M. L., and Vassalle, M. Role of calcium and sodium in strophanthidin inotropy in cardiac Purkinje fibers. 240,9:H561
- Bia, M. J., and DeFronzo, R. A. Extrarenal potassium homeostasis. 240,9:F257
- Bia, M. J., Dewitt, S., and Forrest, J. N., Jr. Dissociation between plasma, urine, and renal papillary cyclic AMP content following vasopressin and DDAVP. 237,6:F218
- Bia, M. J., Tyler, K. A., and DeFronzo, R. A. Regulation of extrarenal potassium homeostasis by adrenal hormones in rats. 242,11:F641
- Biagi, H. *see* Pagani, M.
- Biagi, B., Kubota, T., Sohtell, M., and Giebisch, G. Intracellular potentials in rabbit proximal tubules perfused in vitro. 240,9:F200
- Biagi, B., Sohtell, M., and Giebisch, G. Intracellular potassium activity in the rabbit proximal straight tubule. 241,10:F677
- Biagi, B. *see* Chan, Y. L.
- Biagi, B. A., and Giebisch, G. Temperature dependence of transepithelial potential in isolated perfused rabbit proximal tubules. 236,5:F302
- Biancani, P., Behar, J., and Zabinski, M. P. Age-related changes in force, stress, and pressure of lower esophageal sphincter of the rat. 233,2:E407
- Biancani, P., Hausman, M., and Weiss, R. M. Effect of obstruction on ureteral circumferential force-length relations. 243,12:F204
- Biancani, P., Jabinski, M. P., and Weiss, R. M. Time course of ureteral changes with obstruction. 231:393
- Biancani, P.  
*see* Behar, J.  
Zabinski, M. P.
- Bianchi, J. *see* Mazgalev, T.
- Biber, T. U. L., and Mullen, T. L. Saturation kinetics of sodium efflux across isolated frog skin. 231:995
- Biber, T. U. L., and Mullen, T. L. Effect of inhibitors on transepithelial efflux of Na and nonelectrolytes in frog skin. 232,1:C67
- Biber, T. U. L.  
*see* Cruz, L. J.  
Fidelman, M. L.  
Mullen, T. L.
- Bichara, M., Paillard, M., Levie, F., and Gardin, J.-P. Hydrogen transport in rabbit kidney proximal tubules—Na:H exchange. 238,7:F445
- Bickerton, M. *see* Schrör, K.
- Bidani, A. *see* Churchill, P.
- Bidani, A. K., and Churchill, P. C. Na intake, renal renin, and the severity of myohemoglobinuric renal failure in rats. 241,10:F34
- Bie, P. *see* Wade, C. E.
- Biebuyck, J. F. *see* Hawkins, R. A.
- Bieger, D. *see* Weerasuriya, A.
- Biemesderfer, D. *see* Mullen, T. L.
- Bier, D. M.  
*see* Conway, J. M.  
Frazer, T. E.  
Matthews, D. E.  
Motil, K. J.
- Bierer, D. W. *see* Shideman, J. R.
- Biermann, E. *see* Häring, H. U.
- Biglieri, E. G. *see* Hulter, H. N.
- Bignall, K. E., Heggeness, F. W., and Palmer, J. E. Sympathetic inhibition of thermogenesis in the infant rat: possible glucostatic control. 233,2:R23
- Billette, J. Short time constant for rate-dependent changes of atrioventricular conduction in dogs. 241,10:H26
- Billette, J., Janse, M. J., Van Capelle, F. J. L., Anderson, R. H., Touboul, P., and Durrer, D. Cycle-length-dependent properties of AV nodal activation in rabbit hearts. 231:1129
- Billman, G. E., Dickey, D. T., Teoh, K. K., and Stone, H. L. Effects of central venous blood volume shifts on arterial baroreflex control of heart rate. 241,10:H571
- Binder, H. J., Lemp, G. F., and Gardner, J. D. Receptors for vasoactive intestinal peptide and secretin on small intestinal epithelial cells. 238,1:G190
- Binder, H. J.  
*see* Bastl, C. P.  
Fisher, K. A.  
Hayslett, J. P.  
Marusic, E. T.  
Zimmerman, T. W.
- Binder, N. D. *see* Thornburg, K. L.
- Binet, S., Delage, Y., and Erlinger, S. Influence of taurocholate, taurochenodeoxycholate, and taurodehydrocholate on sulfobromophthalein transport into bile. 236,5:E10
- Bing, O. H. L.  
*see* Cohen, E. M.  
Frezza, W. A.  
Gaasch, W. H.  
Levine, H. J.  
Pine, M. B.  
Wiegner, A. W.
- Binkerd, P. E. *see* Sachtjen, E.
- Binswanger, U.  
*see* Blum, J. W.  
Koller, M.  
Schiff, H.
- Biondi, R., and Viola-Magni, M. P. Regulatory mechanisms of hepatic phosphorylase in fetal and neonatal livers of rats. 232,1:E370
- Bird, J. W. C.  
*see* McElligott, M. A.  
Sloane, B. F.
- Birge, S. J., and Avioli, R. C. Intestinal phosphate transport and alkaline phosphatase activity in the chick. 240,3:E384
- Birkett, D. H. *see* Schoetz, D. J., Jr.
- Birkhahn, R. H., Long, C. L., Fitkin, D., Jeevanandam, M., and Blakemore, W. S. Whole-body protein metabolism due to trauma in man as estimated by l-[<sup>15</sup>N]alanine. 241,4:E64
- Birnbaum, M., Schultz, J., and Fain, J. N. Hormone-stimulated glycogenolysis in isolated goldfish hepatocytes. 231:191
- Bisbee, C. A. Prolactin effects on ion transport across cultured mouse mammary epithelium. 240,9:C110
- Bisbee, C. A. Transepithelial electrophysiology of cultured mouse mammary epithelium: sensitivity to prolactins. 241,4:E410
- Bisgard, G. E. *see* Manohar, M.
- Bishai, I. *see* Coceani, F.
- Bishop, B. *see* Hirsch, J. A.
- Bishop, J. H. V. *see* Green, R.
- Bishop, M. B. *see* Tso, P.
- Bishop, S. P. *see* Katholi, R. E.
- Bishop, T. *see* Williams, R. S.
- Bishop, V. S., Lombardi, F., Malliani, A., Pagani, M., and Recordati, G. Reflex sympathetic tachycardia during intravenous infusions in chronic spinal cats. 230:25
- Bishop, V. S., and Peterson, D. F. Pathways regulating cardiovascular changes during volume loading in awake dogs. 231:854

- Bishop, V. S.**  
see Barron, K. W.  
Chen, H. I.  
Dole, W. P.  
Horwitz, L. D.  
Iwamura, N.  
Peterson, D. F.  
Shimizu, T.  
Stinnett, H. O.
- Bissell, D. M., Levine, G. A., and Bissell, M. J.** Glucose metabolism by adult hepatocytes in primary culture and by cell lines from rat liver. 234,3:C122
- Bissell, D. M.** see Hartmann, F.
- Bissell, M. J.**  
see Bartley, J. C.  
Bissell, D. M.
- Bissonnette, J. M., Black, J. A., Thornburg, K. L., Acott, K. M., and Koch, P. L.** Reconstitution of D-glucose transporter from human placental microvillous plasma membranes. 242,11:C166
- Bissonnette, J. M., Cronan, J. Z., Richards, L. L., and Wickham, W. K.** Placental transfer of water and nonelectrolytes during a single circulatory passage. 236,5:C47
- Bissonnette, J. M.**  
see Anderson, D. F.  
Mueggler, P. A.  
Thornburg, K. L.
- Bitar, K. N., and Makhlof, G. M.** Receptors on smooth muscle cells: characterization by contraction and specific antagonists. 242,5:G400
- Bitar, K. N., Zfass, A. M., and Makhlof, G. M.** Interaction of acetylcholine and cholecystokinin with dispersed smooth muscle cells. 237,6:E172
- Bitar, K. N.**  
see Saffouri, B.  
Schubert, M. L.
- Bito, L. Z., and Baroody, R. A.** Comparison of renal prostaglandin and *p*-aminohippuric acid transport processes. 234,3:F80
- Bito, L. Z., Baroody, R. A., and Reitz, M. E.** Dependence of pulmonary prostaglandin metabolism on carrier-mediated transport processes. 232,1:E382
- Björntorp, P.** see Wirth, A.
- Black, A. J.**  
see Cohen, J. J.  
Gregg, C. M.  
Merkens, L. S.
- Black, J. A.**  
see Bissonnette, J. M.  
Forte, J. G.  
Mueggler, P. A.
- Black, L. L.** see Wiederhielm, C. A.
- Blacklow, N. R.** see De Belle, R. C.
- Blackshear, G. L.** see Vargas, F. F.
- Blackshear, J. L., Spielman, W. S., Knox, F. G., and Romero, J. C.** Dissociation of renin release and renal vasodilation by prostaglandin synthesis inhibitors. 237,6:F20
- Blackshear, P. L.** see Vargas, C. B.
- Blaine, E. H., and Zimmerman, M. B.** Renin secretion during dynamic changes in renal perfusion pressure. 236,5:F546
- Blair, M. L.** Inhibition of renin secretion by intrarenal  $\alpha$ -adrenoceptor blockade. 240,3:E682
- Blair, M. L., Feigl, E. O., and Smith, O. A.** Elevation of plasma renin activity during avoidance performance in baboons. 231,772
- Blair-West, J. R., Coghlan, J. P., Denton, D. A., Hardy, K. J., Scoggins, B. A., and Wright, R. D.** Effect of adrenal arterial infusion of P-113 on aldosterone secretion in Na-deficient sheep. 236,5:F333
- Blair-West, J. R.** see Sawyer, W. H.
- Blakemore, W. S.** see Birkhahn, R. H.
- Blandau, R. J.** see Halbert, S. A.
- Blantz, R. C., and Konnen, K. S.** Relation of distal tubular delivery and reabsorptive rate to nephron filtration. 233,2:F315
- Blantz, R. C.**  
see Hargens, A. R.  
Steiner, R. W.  
Tucker, B. J.
- Blase, D.** see Greenwood, M. R. C.
- Blasingham, M. C., and Nasjletti, A.** Contribution of renal prostaglandins to the natriuretic action of bradykinin in the dog. 237,6:F182
- Blasingham, M. C., and Nasjletti, A.** Differential renal effects of cyclooxygenase inhibition in sodium-replete and sodium-deprived dog. 239,8:F360
- Blass, E. M., Beardsley, W., and Hall, W. G.** Age-dependent inhibition of suckling by cholecystokinin. 236,5:E567
- Blättler, W., Straub, P. W., Jeanneret, C., and Horak, G. S.** Effect of low fibrinogen concentrations on the rheology of human blood in vitro. 236,5:H447
- Blaufox, M. D.** see Goldsmith, D. I.
- Blaustein, A. S.** see Gaasch, W. H.
- Blaustein, M. P.** Sodium ions, calcium ions, blood pressure regulation, and hypertension: a reassessment and a hypothesis. 232,1:C165
- Blazer-Yost, B., Reynolds, R., and Segal, S.** Amino acid content of rat renal cortex and the response to in vitro incubation. 236,5:F398
- Blazquez, E.**  
see Muñoz-Barragan, L.  
Perez-Castillo, A.
- Bledsoe, S. W.** see Poulsen, J. H.
- Bleecker, E. R.** see Pinsky, M. R.
- Blei, A. T.** see Groszmann, R. J.
- Bleyaert, A. L.** see Morita, H.
- Blitzer, B. L., Ratoosh, S. L., Donovan, C. B., and Boyer, J. L.** Effects of inhibitors of Na<sup>+</sup>-coupled ion transport on bile acid uptake by isolated rat hepatocytes. 243,6:G48
- Blix, A. S., Grav, H. J., and Ronald, K.** Some aspects of temperature regulation in newborn harp seal pups. 236,5:R188
- Blix, A. S., and Lentfer, J. W.** Modes of thermal protection in polar bear cubs—at birth and on emergence from the den. 236,5:R67
- Blix, A. S., Miller, L. K., Keyes, M. C., Grav, H. J., and Elsner, R.** Newborn northern fur seals (*Callorhinus ursinus*)—do they suffer from cold? 236,5:R322
- Blix, A. S.** see Kjekshus, J. K.
- Bloch, D. L.** see Stahl, R. A. K.
- Bloch, E. H., and Iherall, A. S.** Toward a concept of the functional unit of mammalian skeletal muscle. 242,11:R411
- Blomstrand, E.** see Henriksson, J.
- Bloom, A. S.** see Tapper, E. J.
- Bloom, D. S.** see Eidelman, B. H.
- Bloom, G. D.** see Røjdmark, S.
- Bloom, G. D., Hellman, B., Sehlin, J., and Täljedal, L.-B.** Glucose-stimulated and La<sup>3+</sup>-nondisplaceable Ca<sup>2+</sup> pool in pancreatic islets. 232,1:E114
- Bloom, S. R.** see Adrian, T. E.
- Bloomer, J. R., and Zaccaria, J.** Effect of graded bilirubin loads on bilirubin transport by perfused rat liver. 230,736
- Bloomfield, M. E.** see Moreno, A. H.
- Bloomgarden, Z. T., Liljenquist, J., Lacy, W., and Rabin, D.** Amino acid disposition by liver and gastrointestinal tract after protein and glucose ingestion. 241,4:E90
- Bloomquist, E. I.** see Findlay, S. R.
- Bloor, C.** see Badke, F. R.
- Bloor, C. M.**  
see Crozatier, B.  
Sanders, M.
- Blosser, J. C.** see Appel, S. H.
- Blouch, K. L.** see Roy, D. R.
- Blum, A. L.**  
see Koelz, H. R.  
Müller-Lissner, S. A.  
Sonnenberg, A.
- Blum, J. J.**  
see Balaban, R. S.  
Wood, C. L.
- Blum, J. W., Kunz, P., Fischer, J. A., Binswanger, U., Lichtensteiger, W., and Da Prada, M.** Parathyroid hormone response to dopamine in cattle. 239,2:E255
- Blum, M. S.** see Popovtzer, M. M.
- Blumberg, A. L., Denny, S. E., Marshall, G. R., and Needleman, P.** Blood vessel-hormone interactions: angiotensin, bradykinin, and prostaglandins. 232,1:H305
- Blumberg, A. L.** see Ackerly, J. A.
- Blumenschine, R. J.** see Mink, J. W.
- Blumenstock, F., Weber, P., Saba, T. M., and Laffin, R.** Electroimmunoassay of alpha-2-opsonic protein during reticuloendothelial blockade. 232,1:R80
- Boatwright, R. B.** see Crystal, G. J.
- Bockman, E. L., Berne, R. M., and Rubio, R.** Adenosine and active hyperemia in dog skeletal muscle. 230:1531
- Bockman, E. L., McKenzie, J. E., and Ferguson, J. L.** Resting blood flow and oxygen consumption in soleus and gracilis muscles of cats. 239,8:H516
- Bockman, E. L.**  
see Downey, H. F.  
Herlihy, J. T.  
McKenzie, J. E.  
Romanosky, A. J.
- Bodach, E.** see Coceani, F.
- Bodai, B. I.** see Kramer, G. C.
- Bodanszky, M.** see Villanueva, M. L.
- Boden, G., Baile, C. A., McLaughlin, C. L., and Matschinsky, F. M.** Effects of starvation and obesity on somatostatin, insulin, and glucagon release from an isolated perfused organ system. 241,4:E215
- Bodenheimer, M. M.** see Hattori, S.
- Boelkins, J. N.**  
see Boerboom, L. E.  
Syftestad, G. T.
- Boer, P., Roos, J. C., Geyskes, G. G., and Dorhout Mees, E. J.** Measurement of cardiac output by impedance cardiography under various conditions. 237,6:H491
- Boerboom, L. E., and Boelkins, J. N.** Dye-dilution cardiac output without blood withdrawal in the conscious rabbit. 235,4:H258
- Boerth, R. C.**  
see Erath, H. G., Jr.  
Olson, R. D.
- Boettcher, D.** see McRitchie, R. J.
- Boettcher, D. H., Vatner, S. F., Heyndrickx, G. R., and Braunwald, E.** Extent of utilization of the Frank-Starling mechanism in conscious dogs. 234,3:H338
- Boettcher, D. H., Zimpher, M., and Vatner, S. F.** Phylogenesis of the Bainbridge reflex. 242,11:R244
- Boettcher, D. H.** see Heyndrickx, G. R.
- Bogart, B. I., and Picarelli, J.** Agonist-induced secretions and potassium release from rat submandibular gland slices. 235,4:C256
- Bogen, D.** see Role, L.
- Boggs, D. R.** see Stang, H. D.
- Bogharian, K. K.** see Khuri, R. N.
- Bohannon, N.** see Gerich, J.
- Bohlen, H. G.** Arteriolar closure mediated by hyperresponsiveness to non-pinephrine in hypertensive rats. 236,5:H157
- Bohlen, H. G.** Intestinal tissue PO<sub>2</sub> and microvascular responses during glucose exposure. 238,7:H164



- Bohlen, H. G.** Intestinal mucosal oxygenation influences absorptive hyperemia. 239,8:H489
- Bohlen, H. G.** Na<sup>+</sup>-induced intestinal interstitial hyperosmolality and vascular responses during absorptive hyperemia. 242,11:H785
- Bohlen, H. G., Henrich, H., Gore, R. W., and Johnson, P. C.** Intestinal muscle and mucosal blood flow during direct sympathetic stimulation. 235,4:H40
- Bohlen, H. G.** *see* Gore, R. W.
- Bohr, D. F.**  
*see* Bonaccorsi, A.  
Koehler, M. F.  
Webb, R. C.
- Bohrer, M. P., Deen, W. M., Robertson, C. R., and Brenner, B. M.** Mechanism of angiotensin II-induced proteinuria in the rat. 233,2:F13
- Boinay, P.** *see* Badke, F. R.
- Boineau, J. P., Schuessler, R. B., Hackel, D. B., Miller, C. B., Brockus, C. W., and Wylds, A. C.** Widespread distribution and rate differentiation of the atrial pacemaker complex. 239,8:H406
- Boivieux, J.-F.** *see* Marinovic, Y.
- Bojsen, J., Möller, U., Christensen, P., and Lippert, J.** Storage telemetry of radionuclide tracers by implantable thermoluminescent dosimeters. 233,2:E479
- Boling, J. L.** *see* Halbert, S. A.
- Bolli, P.** *see* Butt, T. J.
- Bollinger, A.** *see* Mahler, F.
- Bolt, M. J. G.** *see* Sitrin, M. D.
- Bolter, C. J., and Ledsome, J. R.** Effect of cervical sympathetic nerve stimulation on canine carotid sinus reflex. 230:1026
- Bonaccorsi, A., Hermesmyer, K., Smith, C. B., and Bohr, D. F.** Norepinephrine release in isolated arteries induced by K-free solution. 232,1:H140
- Bonaccorso, G.** *see* Doni, M. G.
- Bonadiman, L.** *see* Doni, M. G.
- Bond, C. H.** *see* Bond, R. F.
- Bond, J. H., and Levitt, M. D.** Use of micropheres to measure small intestinal villus blood flow in the dog. 236,5:E577
- Bond, J. H., and Levitt, M. D.** Effect of glucagon on gastrointestinal blood flow of dogs in hypovolemic shock. 238,1:G434
- Bond, J. H.**  
*see* Levitt, D. G.  
Micflikier, A. B.
- Bond, J. S.** *see* Duncan, W. E.
- Bond, R. F., Bond, C. H., Peissner, L. C., and Manning, E. S.** Distribution of adrenergic innervation to canine visceral, gracilis, and saphenous arteries. 239,8:H252
- Bond, R. F., Bond, C. H., Peissner, L. C., and Manning, E. S.** Prostaglandin modulation of adrenergic vascular control during hemorrhagic shock. 241,10:H85
- Bondar, N. P.** *see* Cadnapaphornchai, P.
- Bondiolotti, G. P.** *see* Del Rey, A.
- Bonds, D. R.** *see* Meier, P. R.
- Bonjour, J.-P., Troehler, U., Preston, C., and Fleisch, H.** Parathyroid hormone and renal handling of P<sub>i</sub>: effect of dietary P<sub>i</sub> and diphosphonates. 234,3:F497
- Bonjour, J.-P.**  
*see* Caverzasio, J.  
Haldimann, B.  
Hugi, K.  
Mühlbauer, R. C.  
Rizzoli, R.  
Stoll, R.  
Trechsel, U.  
Tröhler, U.
- Bonner, E. L., Jr.** *see* Hultner, H. N.
- Bonnin, C. M., Sparrow, M. P., and Taylor, R. R.** Collagen synthesis and content in right ventricular hypertrophy in the dog. 241,10:H708
- Bonorris, G.** *see* Handelsman, B.
- Bonvalet, J. P., Champion, M., Wanstok, F., and Berjal, G.** Nephron filtration rate in conscious rats recovering from anesthesia. 232,1:F329
- Bonvalet, J. P.**  
*see* Farman, N.  
Vandewalle, A.
- Bonvalet, J.-P.** *see* Farman, N.
- Bonventre, J. V., Karnovsky, M. J., and Lechene, C. P.** Renal papillary epithelial morphology in antidiuresis and water diuresis. 235,4:F69
- Bonventre, J. V., and Lechene, C.** Renal medullary concentrating process: an integrative hypothesis. 239,8:F578
- Bonventre, J. V., Roman, R. J., and Lechene, C.** Effect of urea concentration of pelvic fluid on renal concentrating ability. 239,8:F609
- Bonventre, J. V.** *see* Cheung, J. Y.
- Boom, H. B. K.** *see* Wallinga-de Jonge, W.
- Boon, K. L.** *see* Wallinga-de Jonge, W.
- Boonjarern, S., Mehta, P. K., Laski, M. E., Earnest, W. R., and Kurtzman, N. A.** Effect of furosemide on renal handling of glucose in the rat. 232,1:F438
- Boonjarern, S.** *see* Westenfelder, C.
- Boonyaparakob, U.** *see* Stinson, D. A.
- Booth, F. W.** *see* Seider, M. J.
- Booz, G.** *see* Pritchard, J. B.
- Borchard, R. E.** *see* Meyers, K. M.
- Borensztajn, J.**  
*see* Kotlar, T. J.  
McGarr, J. A.
- Borer, K. T., and Kelch, R. P.** Increased serum growth hormone and somatic growth in exercising adult hamsters. 234,3:E611
- Borer, K. T., Rowland, N., Mirow, A., Borer, R. C., Jr., and Kelch, R. P.** Physiological and behavioral responses to starvation in the golden hamster. 236,5:E105
- Borer, R. C., Jr.** *see* Borer, K. T.
- Borgia, J. F., and Horvath, S. M.** Reflex cardiac effects of local cutaneous cold exposure in dogs. 239,8:H114
- Borle, A. B., and Clark, I.** Effects of phosphate-induced hyperparathyroidism and parathyroidectomy on rat kidney calcium in vivo. 241,4:E136
- Borle, A. B.** *see* Uchikawa, T.
- Born, W.** *see* Huwyler, R.
- Bornancin, M.** Contribution of Jean Maetz to the study of branchial ionic exchange. 238,7:R143
- Bornancin, M., De Renzis, G., and Naon, R.** Cl<sup>-</sup>-HCO<sub>3</sub><sup>-</sup>-ATPase in gills of the rainbow trout: evidence for its microsomal localization. 238,7:R251
- Bornstein, J.**  
*see* Cooke, H. J.  
Ng, F. M.  
Weerasinghe, C.
- Boron, W. F.** Intracellular pH transients in giant barnacle muscle fibers. 233,2:C61
- Boron, W. F., McCormick, W. C., and Roos, A.** pH regulation in barnacle muscle fibers: dependence on intracellular and extracellular pH. 237,6:C185
- Boron, W. F., McCormick, W. C., and Roos, A.** pH regulation in barnacle muscle fibers: dependence on extracellular sodium and bicarbonate. 240,9:C80
- Boron, W. F., and Roos, A.** Comparison of microelectrode, DMO, and methylamine methods for measuring intracellular pH. 231:799
- Boron, W. F.** *see* Roos, A.
- Borst, C., Wieling, W., Van Brederode, J. F. M., Hond, A., De Rijk, L. G., and Dunning, A. J.** Mechanisms of initial heart rate response to postural change. 243,12:H676
- Borst, C.** *see* Karemker, J. M.
- Bortoff, A., and Gilloteaux, J.** Specific tissue impedances of estrogen- and progesterone-treated rabbit myometrium. 238,7:C34
- Bortoff, A., Michaels, D., and Mistretta, P.** Dominance of longitudinal muscle in propagation of intestinal slow waves. 240,9:C135
- Borucki, L. J., Levenson, D., and Hollenberg, N. K.** Cardiovascular responses to blockade of angiotensin and alpha-adrenergic receptors. 235,4:F199
- Bosanac, P.** *see* Goldfarb, S.
- Bosch, J. P., Goldstein, M. H., Levitt, M. F., and Kahn, T.** Effect of chronic furosemide administration on hydrogen and sodium excretion in the dog. 232,1:F397
- Bosch, J. P.** *see* Kahn, T.
- Boschero, A. C., and Malaisse, W. J.** Stimulus-secretion coupling of glucose-induced insulin release. XXIX. Regulation of <sup>86</sup>Rb<sup>+</sup> efflux from perfused islets. 236,5:E139
- Boschiero, R.** *see* Velussi, C.
- Bose, D.** Increase in resting tension of tracheal muscle due to rigor during metabolic inhibition. 231:1470
- Bose, D.**  
*see* Bose, R.  
Ma, T. S.
- Bose, R., and Bose, D.** Excitation-contraction coupling in multiunit tracheal smooth muscle during metabolic depletion: induction of rhythmicity. 233,2:C8
- Bose, R., Hinton, A., and King, G. M.** Temperature- and Mg-ATP-dependent regulation of Ca<sup>2+</sup> sensitivity of smooth muscle actomyosin ATPase. 237,6:C213
- Boshes, M.** *see* Zucker, I.
- Bosnjak, Z. J., Seagard, J. L., and Kampine, J. P.** Peripheral neural input to neurons of the stellate ganglion in dog. 242,11:R237
- Botelho, S. Y., Fuenmayor, N., and Hisada, M.** Flow and potentials during perfusion of lacrimal gland with electrolyte solutions. 235,4:C8
- Botelho, S. Y., Martinez, E. V., Pholpramool, C., Van Prooyen, H. C., Janssen, J. T., and De Palau, A.** Modification of stimulated lacrimal gland flow by sympathetic nerve impulses in rabbit. 230:80
- Botelho, S. Y.** *see* Pholpramool, C.
- Botwin, A. J.** *see* Schloerb, P. R.
- Boucher, M., Duchêne-Marullaz, P., and Lavarenne, J.** Catecholamines and cardiac rhythms in the unanesthetized dog with chronic AV block. 237,6:H10
- Boucher, R.**  
*see* Lis, M.  
Mann, J. F. E.
- Boudry, J. F., Stoner, L. C., and Burg, M. B.** Effect of acid lumen pH on potassium transport in renal cortical collecting tubules. 239:239
- Boulange, A.** *see* Planche, E.
- Boulant, J. A.** *see* Kelso, S. R.
- Boullier, J.** *see* Winder, W. W.
- Boulpaep, E. L.**  
*see* Hayslett, J. P.  
O'Neil, R. G.  
Sackin, H.
- Boumendil-Podevin, E. F., and Podevin, R. A.** Nicotinic acid transport by brush border membrane vesicles from rabbit kidney. 240,9:F185
- Boumendil-Podevin, E. F., Podevin, R. A., and Priol, C.** Uric acid transport in brush border membrane vesicles isolated from rabbit kidney. 236,5:F519
- Boumendil-Podevin, E. F.** *see* Podevin, R. A.
- Bounds, S. E.** *see* Aronson, P. S.
- Bourassa, M. G.** *see* Ferguson, R. J.

- Bourdage, R. J.**, and Halbert, S. A. In vivo recording of oviductal contractions in rabbits during the periovulatory period. 239,8:R332
- Bourdage, R. J.** see Halbert, S. A.
- Bourdeau, J. E.**, and Burg, M. B. Voltage dependence of calcium transport in the thick ascending limb of Henle's loop. 236,5:F357
- Bourdeau, J. E.**, and Burg, M. B. Effect of PTH on calcium transport across the cortical thick ascending limb of Henle's loop. 239,8:F121
- Bourdeau, J. E.**, and Hellstrom-Stein, R. J. Voltage-dependent calcium movement across the cortical collecting duct. 242,11:F285
- Bourgoignie, J. J.**, Hwang, K. H., Pennell, J. P., and Bricker, N. S. Renal excretion of 2,3-dihydro-3-oxobenzisofurazone (saccharin). 238,7:F10
- Bourgoignie, J. J.** see Favre, H.
- Bourgoignie, J. J.** see Mouw, D. R.
- Bourgoignie, J. J.** see Pennell, J. P.
- Bourguet, J.** see Parisi, M.
- Bourland, J. D.** see Geddes, L. A.
- Bouskela, E.**, and Wiederhielm, C. A. Microvascular myogenic reaction in the wall of the intact unanesthetized bat. 237,6:H59
- Bove, A. A.** see Carey, R. A.
- Bove, A. A.** see Meier, G. D.
- Bove, A. A.** see Natarajan, G.
- Bove, A. A.** see Santamore, W. P.
- Bowden, C. R.**, Bergman, R. N., and Marsh, D. J. Cause of glucose oscillations during glucose infusion: periodic variation in glucose uptake. 238,1:E395
- Bowden, C. R.** see Bergman, R. N.
- Bowen, P. D.** see Stern, M. D.
- Bowers, W. D.** see Hubbard, R. W.
- Bowersox, E.** see Lei, K. Y.
- Bowes, K. L.** see Kingma, Y. J.
- Bowler, E. G.** see Brown, W. L.
- Bowman, G. S.** see Hernández, M. J.
- Bowman, R. L.** see Stern, M. D.
- Boyd, D. D.**, Carney, C. N., and Powell, D. W. Neurohumoral control of esophageal epithelial electrolyte transport. 239,2:G5
- Boyd, L. M.** see Rembert, J. C.
- Boyd, M. A.** see Yarger, W. E.
- Boyd, R. D. H.** see Stacey, T. E.
- Boyd, R. D. H.** see Weedon, A. P.
- Boyd, T. A.**, and Goldstein, L. Kidney metabolite levels and ammonia production in acute acid-base alterations in the rat. 236,5:E289
- Boyden, C. M.** see Culebras, J. M.
- Boyer, J.**, Schwarz, J., and Smith, N. Biliary secretion in elasmobranchs. I. Bile collection and composition. 230:970
- Boyer, J.** see Verine, A.
- Boyer, J. L.**, Schwarz, J., and Smith, N. Biliary secretion in elasmobranchs. II. Hepatic uptake and biliary excretion of organic anions. 230:974
- Boyer, J. L.** see Blitzer, B. L.
- Boyer, J. L.** see Forrest, J. N., Jr.
- Boyer, J. L.** see Reed, J. S.
- Boyer, J. L.** see Smith, N. D.
- Boyer, J. L.** see Tavaloni, N.
- Boylan, J. G.** see Cole, B. R.
- Boylan, J. M.** see Goldstein, L.
- Boyle, J. T.**, Kelly, K., Krulich, L., and Koldovsky, O. Site of thyroxine-evoked decrease of jejunal lactase in the rat. 243,6:G359
- Boyle, P. C.**, Storlien, L. H., Harper, A. E., and Keesey, R. E. Oxygen consumption and locomotor activity during restricted feeding and realimentation. 241,10:R392
- Boynar, J. W., Jr.** see Wen, S.-F.
- Brace, R. A.** Fitting straight lines to experimental data. 233,2:R94
- Brace, R. A.**, and Christian, J. L. Transcapillary Starling pressures in the fetus, newborn, adult, and pregnant adult. 240,9:H843
- Brace, R. A.**, and Guyton, A. C. Interaction of transcapillary Starling forces in the isolated dog forelimb. 233,2:H136
- Brace, R. A.**, Guyton, A. C., and Taylor, A. E. Determinants of isogravimetric capillary pressure in the isolated dog hindlimb. 233,2:H130
- Brace, R. A.**, and Power, G. G. Thoracic duct lymph flow and protein flux dynamics: responses to intravascular saline. 240,9:R282
- Brace, R. A.** see Christian, J. L.
- Brace, R. A.** see Lawler, F. H.
- Brace, R. A.** see Levine, S. E.
- Bradbury, M. W. B.**, Cserr, H. F., and Westrop, R. J. Drainage of cerebral interstitial fluid into deep cervical lymph of the rabbit. 240,9:F329
- Bradley, I. B.** see Holloway, L. S., Jr.
- Bradley, S. E.**, and Herz, R. Permeability of biliary canalicular membrane in rats: clearance probe analysis. 235,4:E570
- Brady, A. J.**, Tan, S. T., and Ricchiuti, N. V. Perturbation measurements of papillary muscle elasticity. 241,10:H155
- Brady, A. J.** see Leach, J. K.
- Brady, A. J.** see Roos, K. P.
- Brady, J. V.** see Randall, D. C.
- Brady, L. J.**, Goodman, M. N., Kalish, F. N., and Ruderman, N. B. Insulin binding and sensitivity in rat skeletal muscle: effect of starvation. 240,3:E184
- Brady, L. M.**, and Williams, G. H. Rat adrenal cell sensitivity to angiotensin II,  $\alpha^{25}$ -ACTH, and potassium: a comparative study. 233,2:E402
- Brammer, G. L.**, Morley, J. E., Geller, E., Yuwiler, A., and Hershman, J. M. Hypothalamus-pituitary-thyroid axis interactions with pineal gland in the rat. 236,5:E416
- Branch, R. A.** see Gerber, J. G.
- Brand, J. S.** see Hefley, T.
- Brand, P. H.**, and Stansbury, R. Peritubular uptake of lactate by *Thamnophis* proximal tubule. 238,7:F296
- Brand, P. H.**, and Stansbury, R. S. Lactate absorption in *Thamnophis* proximal tubule: transport versus metabolism. 238,7:F218
- Brand, P. H.**, and Stansbury, R. S. Lactate transport by *Thamnophis* proximal tubule: sodium dependence. 240,9:F388
- Brandt, T. A.** see Michael, L. H.
- Brandt, P. W.** see Orentlicher, M.
- Brasel, J.** see Steingrimsdottir, L.
- Brasel, J. A.** see Cleary, M. P.
- Brash, D. W.** see Lonigro, A. J.
- Brasitus, T. A.**, Field, M., and Kimberg, D. V. Intestinal mucosal cyclic GMP: regulation and relation to ion transport. 231:275
- Bratusch-Marrain, P.** see Waldhäusl, W. K.
- Braun, E. J.** Intrarenal blood flow distribution in the desert quail following salt loading. 231:1111
- Braun, E. J.** Renal response of the starling (*Sturnus vulgaris*) to an intravenous salt load. 234,3:F270
- Braun, E. J.**, Roy, D. R., and Jamison, R. L. Micropuncture study of the superficial nephron of *Perognathus penicillatus*. 241,10:F612
- Braun, E. J.** see Clark, N. B.
- Braun, E. J.** see Dantzier, W. H.
- Braun, E. J.** see Wideman, R. F., Jr.
- Braun, L. D.** see Cornford, E. M.
- Braun, T.** see Collins, J. A.
- Braunwald, E.** see Boettcher, D. H.
- Braunwald, E.** see Darsee, J. R.
- Braunwald, E.** see Khuri, S. F.
- Braunwald, E.** see Kloner, R. A.
- Braunwald, E.** see McRitchie, R. J.
- Braunwald, E.** see Pfeffer, J. M.
- Braunwald, E.** see Rutherford, J. D.
- Brautbar, N.**, Baczynski, R., Carpenter, C., Moser, S., Geiger, P., Finander, P., and Massry, S. G. Impaired energy metabolism in rat myocardium during phosphate depletion. 242,11:F699
- Brautbar, N.**, Lee, D. B. N., Coburn, J. W., and Kleeman, C. R. Normophosphatemic phosphate depletion in growing rat. 236,5:E283
- Brautbar, N.**, Lee, D. B. N., Coburn, J. W., and Kleeman, C. R. Influence of dietary magnesium in experimental phosphate depletion: bone and soft tissue mineral changes. 237,6:E152
- Brautbar, N.**, Levine, B. S., Coburn, J. W., and Kleeman, C. R. Interaction of somatostatin with PTH and AVP: renal effects. 237,6:E428
- Brautbar, N.**, Levine, B. S., Walling, M. W., and Coburn, J. W. Intestinal absorption of calcium: role of dietary phosphate and vitamin D. 241,4:G49
- Brautbar, N.** see Lee, D. B. N.
- Brautbar, N.** see Levine, B. S.
- Braverman, B.** see Johnson, J. A.
- Braverman, L. E.** see Coiro, V.
- Braverman, L. E.** see Theodoropoulos, T.
- Bravo, E. L.** see Brosnihan, K. B.
- Brawley, R. K.** see O'Riordan, J. B.
- Bray, G. A.**, Sclafani, A., and Novin, D. Obesity-inducing hypothalamic knife cuts: effects on lipolysis and blood insulin levels. 243,12:R445
- Bray, G. A.** see Inoue, S.
- Bray, G. A.** see Nishizawa, Y.
- Bray, G. A.** see Ohtake, M.
- Bray, G. A.** see Schemmel, R. A.
- Brazeau, P.** see Buckley, N. M.
- Brazy, P. C.**, and Dennis, V. W. Characteristics of glucose-phlorizin interactions in isolated proximal tubules. 234,3:F279
- Brazy, P. C.**, and Dennis, V. W. Sulfate transport in rabbit proximal convoluted tubules: presence of anion exchange. 241,10:F300
- Brazy, P. C.** see Guillans, S. R.
- Brazy, P. C.** see McKeown, J. W.
- Brecher, P.** see Kowaloff, H.
- Brehe, J. E.**, Chan, A. W. K., Alvey, T. R., and Burch, H. B. Effect of methionine sulfoximine on glutathione and amino acid levels in the nephron. 231:1536
- Breisch, E. A.** see Houser, S. R.
- Brengelmann, G. L.**, Freund, P. R., Rowell, L. B., Olerud, J. E., and Kraning, K. K. Absence of active cutaneous vasodilation associated with congenital absence of sweat glands in humans. 240,9:H571
- Brengelmann, G. L.** see Proppe, D. W.
- Brennan, M. F.** see Burt, M. E.
- Brennan, M. F.** see Culebras, J. M.
- Brennan, M. F.** see Popp, M. B.
- Brennan, R. W.** see Hernández, M. J.
- Brennan, R. W.** see Page, R. B.
- Brenner, A.** see Dzau, V. J.

- Brenner, B. M., Hostetter, T. H., and Humes, H. D.** Glomerular permselectivity: barrier function based on discrimination of molecular size and charge. 234,3:F455
- Brenner, B. M.** see Baylis, C.
- Bohrer, M. P.**
- Deen, W. M.**
- Hostetter, T. H.**
- Humes, H. D.**
- Ichikawa, I.**
- Schor, N.**
- Brensilver, J.** see Adrogué, H. J.
- Brent, E. L.** see Atkinson, R. L.
- Brent, R. L.** see Miller, R. K.
- Brenton, B. C.** see Diana, J. N.
- Breslau, N. A.** see Spiegel, A. M.
- Bresler, E. H.** A model for transepithelial fluid transport. 235,4:F626
- Bresler, E. H., and Groome, L. J.** On equations for combined convective and diffusive transport of neutral solute across porous membranes. 241,10:F469
- Bresler, E. H., Nielsen, K. T., Miller, M. C., III, and Stroud, M. R.** Renal tubular reabsorptive response to hypernatremia. 231:642
- Bresler, E. H., Nielsen, K. T., O'Dell, R. M., and Cazenavette, L. L.** Direct measurement of transepithelial force: an in vivo technique. 238,7:F466
- Bresnahan, M. R., Hatzinikolaou, P., Brunner, H. R., and Gavras, H.** Effects of tyrosine infusion in normotensive and hypertensive rats. 239,8:H206
- Bricker, N. S.** see Bourgoignie, J. J.
- Brickman, A. L., Calaresu, F. R., and Mogenson, G. J.** Bradycardia during stimulation of the septum and somatic afferents in the rabbit. 236,5:R225
- Brickman, A. L.** see Gimpl, M. P.
- Bridenbaugh, G. A., Flynn, J. T., and Lefer, A. M.** Arachidonic acid in splanchnic artery occlusion shock. 231:112
- Bridenbaugh, G. A.** see Flynn, J. T.
- Bridge, J. H. B., Bersohn, M. M., Gonzalez, F., and Bassingthwaite, J. B.** Synthesis and use of radio colbaltic EDTA as an extracellular marker in rabbit heart. 242,11:H671
- Bridges, C. R.** see Deen, W. M.
- Bridson, W. E.** see Terasawa, E.
- Brierley, G. P.** see Hohl, C.
- Briggs, J.** see Schnermann, J.
- Briggs, J. P., Levitt, M. F., and Abramson, R. G.** Renal excretion of allantoin in rats: a micropuncture and clearance study. 233,2:F373
- Briggs, J. P., Schnermann, J., and Wright, F. S.** Failure of tubule fluid osmolarity to affect feedback regulation of glomerular filtration. 239,8:F427
- Briggs, J. P., and Wright, F. S.** Feedback control of glomerular filtration rate: site of the effector mechanism. 236,5:F40
- Briggs, J. P.** see Wright, F. S.
- Brimley, C. C., and Mogenson, G. J.** Oral motor deficits following lesions of the central nervous system in the rat. 237,6:R126
- Brink, G. W.** see Resnik, R.
- Brinkhous, K. M.** see Webster, W. P.
- Brinkman, C. R., III** see Lieb, S. M.
- Tabsh, K.**
- Woods, J. R., Jr.**
- Briñones, E.** see Núñez, R.
- Bristow, D. G., and Clark, J. W.** A mathematical model of primary pacemaking cell in SA node of the heart. 243,12:H207
- Britton, S. L.** Intrarenal vascular effects of angiotensin I and angiotensin II. 240,9:H914
- Britton, S. L., and Donald, D. E.** Response of large hindlimb veins of dog to aortic arch chemoreceptor stimulation. 242,11:H1050
- Britton, S. L.** see Sexton, J. M.
- Brock, M. L.** see Hayward, M. A.
- Brock, P. J.** see Greenleaf, J. E.
- Brock, T.** see Bhalla, R. C.
- Brock, T. A., and Diana, J. N.** Effect of DOCA-NaCl hypertension on pre- and postcapillary resistance in isolated hindlimbs of dogs. 236,5:H586
- Brockus, C. W.** see Boineau, J. P.
- Brodal, P., Ingjer, F., and Hermansen, L.** Capillary supply of skeletal muscle fibers in untrained and endurance-trained men. 232,1:H705
- Brodrick, J. W., Geokas, M. C., Largman, C., Fasset, M., and Johnson, J. H.** Molecular forms of immunoreactive pancreatic cationic trypsin in pancreatitis patient sera. 237,6:E474
- Brodrick, J. W., Largman, C., Geokas, M. C., O'Rourke, M., and Ray, S. B.** Clearance of circulating anionic and cationic pancreatic trypsinogens in the rat. 239,2:G511
- Brodrick, J. W.** see Geokas, M. C.
- Largman, C.**
- Brodsky, J. B.** see Werner, P. L.
- Brodwick, M. S.** see Horn, R.
- Brody, M. J.** see Berecek, K. H.
- Falcon, J. C., II**
- Fink, G. D.**
- Haywood, J. R.**
- Powell, J. R.**
- Takeshita, A.**
- Tomanek, R. J.**
- Broisman, L.** see Regan, T. J.
- Bromberger-Barnea, B.** see Pinsky, M. R.
- Brommage, R., and Neuman, W. F.** Mechanism of mobilization of bone mineral by 1,25-dihydroxyvitamin D<sub>3</sub>. 237,6:E113
- Brommage, R.** see Neuman, W. F.
- Brondum, J.** see Sellers, A. F.
- Bronner, C.** see Kirk, R. G.
- Bronner, F.** see Pansu, D.
- Bronson, F. H.** see Maruniak, J. A.
- Brook, D.** see Yasumura, S.
- Brooke, M. H.** see Fitts, R. H.
- Brooker, G.** see Ackery, J. A.
- Linden, J.**
- Brookhart, J. M.** see Talbott, R. E.
- Brooks, G. A.** see Davies, K. J. A.
- White, T. P.**
- Brooks, H., Holland, R., and Al-Sadir, J.** Right ventricular performance during ischemia: an anatomic and hemodynamic analysis. 233,2:H505
- Brooks, H. L.** see Warltier, D. C.
- Brooks, S.** see Bellinger, L. L.
- Lee, P. C.**
- Brooks, V. L., and Malvin, R. L.** Intracerebroventricular infusion of angiotensin II inhibits aldosterone secretion. 239,2:E447
- Brooks, V. L.** see Reid, I. A.
- Brooks, W. W., Verrier, R. L., and Lown, B.** Influence of vagal tone on stellotomy-induced changes in ventricular electrical stability. 234,3:H503
- Brooks, W. W.** see Pine, M. B.
- Verrier, R. L.**
- Brosnan, J. T., McPhee, P., Hall, B., and Parry, D. M.** Renal glutamine metabolism in rats fed high-protein diets. 235,4:E261
- Brosnan, J. T.** see Epstein, F. H.
- Brosnihan, K. B., Berti, G. A., and Ferrario, C. M.** Hemodynamics of central infusion of angiotensin II in normal and sodium-depleted dogs. 237,6:H139
- Brosnihan, K. B., and Bravo, E. L.** Graded reductions of atrial pressure and renin release. 235,4:H175
- Brosnihan, K. B.** see Szilagyi, J. E.
- Brotherton, S.** see Hillis, L. D.
- Brown, A. J., Casals-Stenzel, J., Gofford, S., Lever, A. F., and Morton, J. J.** Comparison of fast and slow pressor effects of angiotensin II in the conscious rat. 241,10:H381
- Brown, A. M.** see Schwartz, P. J.
- Brown, B. P., Anuras, S., and Heistad, D. D.** Responsiveness of longitudinal and circular muscle layers of the portal vein. 242,5:G498
- Brown, C. B., Drum, D. E., and Hollenberg, N. K.** A smooth muscle active factor isolated from renal cortex of the rabbit. 232,1:F84
- Brown, C. J.** see Thrasher, T. N.
- Brown, D.** see Roth, J.
- Brown, E. B.** see McLane, J. A.
- Brown, F. C., Dubois, A., and Castell, D. O.** Histaminergic pharmacology of primate lower esophageal sphincter. 235,4:E42
- Brown, F. C.** see Bybee, D. E.
- Brown, J. A., Oliver, J. A., Henderson, I. W., and Jackson, B. A.** Angiotensin and single nephron glomerular function in the trout *Salmo gairdneri*. 239,8:R509
- Brown, J. C.** see Elahi, D.
- Brown, J. D.** see Sakurada, O.
- Brown, L. J.** see Mersmann, H. J.
- Brown, O. M.** Cat heart acetylcholine: structural proof and distribution. 231:781
- Brown, P. S.** see Brown, S. C.
- Brown, R. T., and Baust, J. G.** Time course of peripheral heterothermy in a homeotherm. 239,8:R126
- Brown, S. C., and Brown, P. S.** Water balance in the California newt, *Taricha torosa*. 238,7:R113
- Brown, S. F.** see Robinson, A. J.
- Brown, T. R.** see Meyer, R. A.
- Brown, W. H.** see Kaminski, D. L.
- Brown, W. L., Bowler, E. G., Mason, A. D., Jr., and Pruitt, B. A., Jr.** Protein metabolism in burned rats. 231:476
- Brown, W. V.** see Melish, J.
- Turner, J. D.**
- Brown, W. W., Zenser, T. V., and Davis, B. B.** Prostaglandin E<sub>2</sub> production by rabbit urinary bladder. 239,8:F452
- Brown, W. W.** see Kleinman, J. G.
- Brownfield, G. L., Gilbert, R. D., and Power, G. G.** Maternal placental vascular compliance in rabbits. 234,3:H289
- Browning, D. J., and Strauss, H. C.** Effects of stimulation frequency on potassium activity and cell volume in cardiac tissue. 240,9:C39
- Bruce, B. K., King, B. M., Phelps, G. R., and Veitia, M. C.** Effects of adrenalectomy and corticosterone administration of hypothalamic obesity in rats. 243,6:E152
- Bruce, B. R., and Anderson, N. C., Jr.** Hyperpolarization in mouse parathyroid cells by low calcium. 236,5:C15
- Bruce, L. A., Behsudi, F. M., and Danhof, I. E.** Smooth muscle mechanical responses in vitro to bethanechol after progesterone in male rat. 235,4:E422
- Bruni, F. D., Komwatana, P., Soulsby, M. E., and Hess, M. L.** Endotoxin and myocardial failure: role of the myofibril and venous return. 235,4:H150
- Brunner, D. B.** see Müller, J.
- Rossier, B. C.**

- Brunner, H.** *see* Textor, S. C.  
**Brunner, H. R.**  
*see* Bresnahan, M. R.  
 Hatzinikolaou, P.  
**Bruns, D. E.** *see* Bruns, M. E. H.  
**Bruns, M. E. H.,** Wallsh, V., and Bruns, D. E. Regulation of calcium-binding protein in mouse placenta and intestine. 242,5:E47  
**Bruns, M. E. H.** *see* Armbricht, H. J.  
**Brunsmann, M.** *see* Bereiter, D. A.  
**Brunsmann, M. J. A.** *see* Seydoux, J.  
**Brutsaert, D. L.**  
*see* Goethals, M. A.  
 Lecarpentier, Y. C.  
 Stephens, N. L.  
**Bruttig, S. P.**  
*see* Allison, T. B.  
 Fenton, R. A.  
**Bryan, R. M., Jr.,** and Jones, D. R. Cerebral energy metabolism in mallard ducks during apneic asphyxia: the role of oxygen conservation. 239,8:R352  
**Bryan, W. J.** *see* Fink, G. D.  
**Bryant, S. H.**  
*see* DeCoursey, T. E.  
 Entrikin, R. K.  
**Brynolfsson, G.**  
*see* Jones, S. B.  
 Randall, W. C.  
**Bryson, J. C.** *see* Powell, D. W.  
**Brzezińska, Z.** *see* Greenleaf, J. E.  
**Buch, K. L.** *see* Tso, P.  
**Buchanan, B. J.,** and Filkins, J. P. Endotoxin clearance in vivo and by perfused liver. 231:258  
**Buchanan, B. J.,** and Filkins, J. P. Hypoglycemic depression of RES function. 231:265  
**Buck, J. D.** *see* Gross, G. J.  
**Buckalew, V. M., Jr.,** and Dimond, K. A. Effect of vasopressin on sodium excretion and plasma antinatriotic activity in the dog. 231:28  
**Buckalew, V. M., Jr.** *see* Beaty, O., III  
**Buckberg, G. D.** *see* Vinten-Johansen, J.  
**Buckley, N. M.,** Brazeau, P., Frasier, I. D., and Gootman, P. M. Femoral circulatory responses to lumbar nerve stimulation in developing swine. 240,9:H505  
**Buckley, N. M.,** Brazeau, P., Gootman, P. M., and Frasier, I. D. Renal circulatory effects of adrenergic stimuli in anesthetized piglets and mature swine. 237,6:H690  
**Buckley, N. M.,** Charney, A. N., Brazeau, P., Cabili, S., and Frasier, I. D. Changes in cardiovascular and renal function during catecholamine infusions in developing swine. 240,9:F276  
**Buda, M.** *see* Yuwiler, A.  
**Buño, L.,** and Ruckebusch, M. Insulin and jejunal electrical activity in dogs and sheep. 230:1538  
**Buño, L.,** and Ruckebusch, Y. Perinatal development of intestinal myoelectrical activity in dogs and sheep. 237,6:E61  
**Buño, L.**  
*see* Fioramonti, J.  
 Fleckenstein, P.  
 Ruckebusch, Y.  
**Buerk, D. G.,** and Goldstick, T. K. Arterial wall oxygen consumption rate varies spatially. 243,12:H948  
**Buerkert, J.,** Martin, D., and Head, M. Effect of acute ureteral obstruction on terminal collecting duct function in the weanling rat. 236,5:F260  
**Buerkert, J.,** Martin, D., Prasad, J., Chambless, S., and Klahr, S. Response of deep nephrons and the terminal collecting duct to a reduction in renal mass. 236,5:F454  
**Buerkert, J.,** Martin, D., Prasad, J., and Trigg, D. Role of deep nephrons and the terminal collecting duct in a mannitol-induced diuresis. 240,9:F411  
**Buggy, J.,** Hoffman, W. E., Phillips, M. I., Fisher, A. E., and Johnson, A. K. Osmosensitivity of rat third ventricle and interactions with angiotensin. 236,5:R75  
**Buggy, J.,** and Johnson, A. K. Preoptic-hypothalamic periventricular lesions: thirst deficits and hypernatremia. 233,2:R44  
**Buggy, J.**  
*see* Fink, G. D.  
 Haywood, J. R.  
 Johnson, A. K.  
**Buitrago, A.** *see* Gylfe, E.  
**Buja, L. M.**  
*see* Burton, K. P.  
 Mukherjee, A.  
**Bukowiecki, L.,** Collet, A. J., Follea, N., Guay, G., and Jahjah, L. Brown adipose tissue hyperplasia: a fundamental mechanism of adaptation to cold and hyperphagia. 242,5:E353  
**Bukowiecki, L.,** Folléa, N., Paradis, A., and Collet, A. Stereospecific stimulation of brown adipocyte respiration by catecholamines via  $\beta_1$ -adrenoreceptors. 238,1:E552  
**Bukowiecki, L.,** Lupien, J., Follea, N., Paradis, A., Richard, D., and LeBlanc, J. Mechanism of enhanced lipolysis in adipose tissue of exercise-trained rats. 239,2:E422  
**Bulger, R. E.** *see* Dobyan, D. C.  
**Bulkley, G. B.**  
*see* Kviety, P. R.  
 Perry, M. A.  
**Bull, J. M.**  
*see* Bynum, G. D.  
 Kim, Y. D.  
**Bull, L. S.** *see* Pitts, G. C.  
**Bullard, V.** *see* Manohar, M.  
**Bullaro, J. C.** *see* Przybylski, R. J.  
**Bullman, B. T.** *see* Avolio, A. P.  
**Bumpus, F. M.**  
*see* Muñoz-Ramírez, H.  
 Nishimura, H.  
 Sen, S.  
**Buñag, R. D.,** Riley, E., and Montello, M. Sustained pressor responsiveness to prolonged hypothalamic stimulation in awake rats. 231:1708  
**Buñag, R. D.,** and Takeda, K. Sympathetic hyperresponsiveness to hypothalamic stimulation in young hypertensive rats. 237,6:R39  
**Bunce, R.** *see* Reichard, S. M.  
**Bundgaard, M.** *see* Cserr, H. F.  
**Bunge, M.** Levels and reduction. 233,2:R75  
**Bunger, R.,** Permanetter, B., Sommer, O., and Yaffe, S. Adaptive changes of pyruvate oxidation in perfused heart during adrenergic stimulation. 242,11:H30  
**Bunner, D. L.,** McNamee, G. A., Jr., Dinterman, R. E., and Wannemacher, R. W., Jr. Lack of enhanced nocturnal growth hormone release in tethered cynomolgus monkeys. 243,12:R213  
**Buono, R. A.** *see* Solez, K.  
**Bur, J. A.,** and Conde, R. D. Decreased rate of protein breakdown during nutritional recovery of mouse kidney. 243,6:E360  
**Burch, H. B.,** Narins, R. G., Chu, C., Fagioli, S., Choi, S., McCarthy, W., and Lowry, O. H. Distribution along the rat nephron of three enzymes of gluconeogenesis in acidosis and starvation. 235,4:F246  
**Burch, H. B.**  
*see* Brehe, J. E.  
 Cole, B. R.  
**Burch, R. M.,** and Halushka, P. V. Vasopressin stimulates prostaglandin and thromboxane synthesis in toad bladder epithelial cells. 243,12:F593  
**Burch, R. M.,** Knapp, D. R., and Halushka, P. V. Vasopressin-stimulated water flow is decreased by thromboxane synthesis inhibition or antagonism. 239,8:F160  
**Burch, W. M.,** and Lebovitz, H. E. Hormonal activation of ornithine decarboxylase in embryonic chick pelvic cartilage. 241,4:E454  
**Burchfield, D. M.,** Rall, J. A., and Rahman, R. G. Effects of 2-n-butyl-methylenedioxindene on skeletal muscle mechanics and energetics. 242,11:C347  
**Burg, M.,** and Green, N. Bicarbonate transport by isolated perfused rabbit proximal convoluted tubules. 233,2:F307  
**Burg, M.,** Green, N., Sohraby, S., Steele, R., and Handler, J. Differentiated function in cultured epithelia derived from thick ascending limbs. 242,11:C229  
**Burg, M.,** Patlak, C., Green, N., and Villey, D. Organic solutes in fluid absorption by renal proximal convoluted tubules. 231:627  
**Burg, M. B.**  
*see* Almeida, A. J.  
 Boudry, J. F.  
 Bourdeau, J. E.  
 Garg, L. C.  
 Iino, Y.  
 Knepper, M. A.  
 McKinney, T. D.  
 Schwartz, G. J.  
 Warnock, D. G.  
**Burgar, C. G.** *see* Shepherd, A. P.  
**Burger, H. G.** *see* Healy, D. L.  
**Burger, R. E.** *see* Osborne, J. L.  
**Burgess, M. J.** Relation of ventricular repolarization to electrocardiographic T wave-form and arrhythmia vulnerability. 236,5:H391  
**Burgess, M. J.**  
*see* Abildskov, J. A.  
 Hayashi, H.  
**Burk, T. L.** *see* Garlick, P. J.  
**Burke, D.** *see* Dasse, K. A.  
**Burke, J. F.**  
*see* Conway, J. M.  
 Matthews, D. E.  
 Motil, K. J.  
 Wolfe, R. R.  
**Burke, K. M.** *see* Hogan, R. D.  
**Burke, M. J.** *see* Lombard, J. H.  
**Burke, T. J.,** Cronin, R. E., Duchin, K. L., Peterson, L. N., and Schrier, R. W. Ischemia and tubule obstruction during acute renal failure in dogs: mannitol in protection. 238,7:F305  
**Burke, T. J.**  
*see* Conger, J. D.  
 Marchand, G. R.  
**Burke, V.** *see* Burr, I. M.  
**Burkett, D. E.** *see* Hodgkin, B. C.  
**Burkhardt, S. S.,** Mercer, L. P., Schweithal, M. R., and Cole, T. B. Kinetics of specific food intake and weight gain in rat. 243,12:R531  
**Burkhoff, D.** *see* Sunagawa, K.  
**Burks, D.** *see* Harris, T. R.  
**Burks, T. F.**  
*see* Shepherd, A. P.  
 Stewart, J. J.  
**Burleson, P. D.** *see* Iguchi, A.  
**Burnatowska, M. A.,** Harris, C. A., Sutton, R. A. L., and Dirks, J. H. Effects of PTH and cAMP on renal handling of calcium, magnesium, and phosphate in the hamster. 233,2:F514  
**Burnatowska, M. A.** *see* Harris, C. A.



- Burnell, J. M.,** Teubner, E., Korn, D., and Miller, A. Role of calcium in bone maturation arrest after thyroparathyroidectomy in the rat. 232,1:F33
- Burnell, J. M.** see Larsen, L. A.
- Burnett, J. C., Jr.,** Haas, J. A., and Knox, F. G. Segmental analysis of sodium reabsorption during renal vein constriction. 243,12:F19
- Burnett, J. C., Jr.,** and Knox, F. G. Renal interstitial pressure and sodium excretion during renal vein constriction. 238,7:F279
- Burnett, J. C., Jr.** see Hartupée, D. A.
- Burns, A.** see Katz, J.
- Burns, A. H.,** and Reddy, W. J. Hexose monophosphate shunt in isolated cardiac myocytes from normal rats. 232,1:E570
- Burns, A. H.,** and Reddy, W. J. Amino acid stimulation of oxygen and substrate utilization by cardiac myocytes. 235,4:E461
- Burns, A. H.** see Fintel, M. Montini, J.
- Burns, B.** see Stene, J. K.
- Burns, E. M.** see Taylor, J. J.
- Burns, T. W.,** Mathias, J. R., Carlson, G. M., Martin, J. L., and Shields, R. P. Effect of toxigenic *Escherichia coli* on myoelectric activity of small intestine. 235,4:E311
- Burns, T. W.,** Mathias, J. R., Martin, J. L., Carlson, G. M., and Shields, R. P. Alteration of myoelectric activity of small intestine by invasive *Escherichia coli*. 238,1:G57
- Burns, T. W.** see Sinar, D. R.
- Burnweit, C. A.** see Ouellette, A. J.
- Burr, I. M.,** Slonim, A. E., Burke, V., and Fletcher, T. Extracellular calcium and adrenergic and cholinergic effects on islet  $\beta$ -cell function. 231:1246
- Burrows, M. E.,** and Johnson, P. C. Diameter, wall tension, and flow in mesenteric arterioles during autoregulation. 241,10:H829
- Burstein, Y.** see Amsterdam, A.
- Burt, M. E.,** Arbeit, J., and Brennan, M. F. Chronic arterial and venous access in the unrestrained rat. 238,7:H599
- Burton, K. P.,** Hagler, H. K., Willerson, J. T., and Buja, L. M. Abnormal lanthanum accumulation due to ischemia in isolated myocardium: effect of chlorpromazine. 241,10:H714
- Burton, K. S.** see Johnson, P. C.
- Buse, M. G.** see Galbraith, R. A. Hedden, M. P. May, M. E.
- Bushinsky, D. A.,** Favus, M. J., Schneider, A. B., Sen, P. K., Sherwood, L. M., and Coe, F. L. Effect of metabolic acidosis on PTH and  $1,25(\text{OH})_2\text{D}_3$  response to low calcium diet. 243,12:F570
- Busija, D. W.,** and Heistad, D. D. Atropine does not attenuate cerebral vasodilation during hypercapnia. 242,11:H683
- Busija, D. W.,** Heistad, D. D., and Marcus, M. L. Continuous measurement of cerebral blood flow in anesthetized cats and dogs. 241,10:H228
- Busija, D. W.** see Heistad, D. D.
- Buskirk, E. R.** see Lukaski, H. C.
- Butkus, D. E.,** and Schwartz, J. H. Modulation of vasopressin action by reducing agents in *Bufo marinus*. 243,12:C52
- Butkus, D. E.** see Gagnon, J. A.
- Butler, C. F.** see Sanders, S. S.
- Butler, D. O.** see Collier, V. U.
- Butler, S. H.** see Freund, P. R.
- Butler, T. M.,** Siegman, M. J., and Davies, R. E. Rigor and resistance to stretch in vertebrate smooth muscle. 231:1509
- Butler, T. M.,** Siegman, M. J., Mooers, S. U., and Davies, R. E. Chemical energetics of single isometric tetani in mammalian smooth muscle. 235,4:C1
- Butler, T. M.** see Siegman, M. J.
- Butt, T. J.,** Bolli, P., Jones, D. R., Wallis, A. T., and Simpson, F. O. A method of intrarenal blood flow measurement using xenon-133 in the intact rat. 237,6:H395
- Butte, J.** see Hofmann, W. W.
- Büttner, D.** see Hackbarth, H.
- Buu, N. T.** see Fauchoux, B. Unger, T.
- Buynitzky, S. J.** see Misbin, R. I.
- Buzby, G. P.** see Stein, T. P.
- Bybee, D. E.,** Brown, F. C., Georges, L. P., Castell, D. O., and McGuigan, J. E. Somatostatin effects on lower esophageal sphincter function. 237,6:E77
- Bynum, G. D.,** Pandolf, K. B., Schuette, W. H., Goldman, R. F., Lees, D. E., Whang-Peng, J., Atkinson, E. R., and Bull, J. M. Induced hyperthermia in sedated humans and the concept of critical thermal maximum. 235,4:R228
- Bynum, G. D.** see Hutchison, V. H.
- Bynum, T. E.,** and Fara, J. W. Hepatic artery response to vasopressin. 239,2:G378
- Byrd, L. D.** A tethering system for direct measurement of cardiovascular function in the caged baboon. 236,5:H775
- C
- Cabalum, T.** see Lieb, S. M.
- Cabili, S.** see Buckley, N. M.
- Cacini, W.** see Chink, T. Y.
- Cadenhead, A.** see Simmonds, H. A.
- Cadnapaphornchai, P.,** Bondar, N. P., and McDonald, F. D. Effect of imidazole on the recovery from bilateral ureteral obstruction in dogs. 243,12:F532
- Cadnapaphornchai, P.,** Taher, S. M., and McDonald, F. D. Mechanism of dopamine-induced diuresis in the dog. 232,1:F524
- Cadot, M.** see Senault, C.
- Cafisch, C. R.,** Solomon, S., and Galey, W. R. In situ micropuncture study of pancreatic duct pH. 238,1:G263
- Cafisch, C. R.** see Gennari, F. J.
- Cagnard, M.** see Le Maho, Y.
- Cahill, A. L.,** and Ehret, C. F.  $\alpha$ -Methyl-p-tyrosine shifts circadian temperature rhythms. 243,12:R218
- Caille, J.-P.,** Ruiz-Ceretti, E., and Schanne, O. F. Intracellular chloride activity in rabbit papillary muscle: effect of ouabain. 240,9:C183
- Caille, J.-P.** see Ruiz-Ceretti, E.
- Caillet, D.** see Crozatier, B.
- Cain, S. M.,** and Chapler, C. K. Hindlimb resistance in hypoxic dogs after adrenergic blockade or denervation. 243,12:H1010
- Calaresu, F. R.,** and Ciriello, J. Projections to the hypothalamus from buffer nerves and nucleus tractus solitarius in the cat. 239,8:R130
- Calaresu, F. R.** see Brickman, A. L. Ciriello, J. Thomas, M. R.
- Calderon, J.** see Friedman, H. S.
- Calderon, F.,** Furnelle, J., and Christophe, J. Phosphatidylinositol turnover and calcium movement in the rat pancreas. 238,1:G247
- Caldini, P.** see Sharf, S. M. Stene, J. K.
- Caldwell, M. D.** see O'Connor, J. A.
- Caldwell, F. R. B.** see Cole, R. F.
- Caligiuri, M.** see Hance, A. J.
- Callanan, D.** see Hubel, K. A.
- Calva, E.** see Núñez, R.
- Calvano, S. E.** see Laudenslager, M. L.
- Camacho, A.,** and Phillips, M. I. Separation of drinking and pressor responses to central angiotensin by monoamines. 240,9:R106
- Cameron, D. P.** see Poon, T. K.-Y.
- Cameron, J. S.** see Roch-Ramel, F. Simmonds, H. A.
- Camiscoli, J. F.** see Rothmann Hamburger, S. A.
- Campanha, V. D.-P.** see Mill, J. G.
- Campbell, C.** see Steinberg, S. E.
- Campbell, K. B.,** Rhode, E. A., Cox, R. H., Hunter, W. C., and Noordergraaf, A. Functional consequences of expanded aortic bulb: a model study. 240,9:R200
- Campbell, K. B.,** Ringo, J. A., Wakao, Y., Klavano, P. A., and Alexander, J. E. Internal capacitance and resistance allow prediction of right ventricle outflow. 243,12:H99
- Campbell, L.** see Hersey, S. J.
- Campbell, P. A.** see Vannucci, R. C.
- Campbell, P. J.** see Baldwin, K. M.
- Campbell, R. G.** see Pi-Sunyer, F. X. Thompson, D. A. Welle, S. L.
- Campbell, W. B.,** and Jackson, E. K. Modulation of adrenergic transmission by angiotensins in the perfused rat mesentery. 236,5:H211
- Campfield, L. A.** see Inoue, S.
- Candia, O. A.** Reduction of chloride fluxes by amiloride across the short-circuited frog skin. 234,3:F437
- Candia, O. A.,** Montoreano, R., and Podos, S. M. Effect of the ionophore A23187 on chloride transport across isolated frog cornea. 233,2:F94
- Candia, O. A.,** and Reinach, P. S. Thermodynamic analysis of active sodium and potassium transport in the frog corneal epithelium. 242,11:F690
- Candia, O. A.,** and Schoen, H. F. Selective effects of bumetanide on chloride transport in bullfrog cornea. 234,3:F297
- Candia, O. A.,** Schoen, H. F., Low, L., and Podos, S. M. Chloride transport inhibition by piretanide and MK-196 in bullfrog corneal epithelium. 240,9:F25
- Candia, O. A.** see Montoreano, R. Reinach, P. S. Schoen, H. F.
- Canfield, T.** see Dobrin, P.
- Cañizales, A.** see Chacín, J.
- Cannon, B.** see Nedergaard, J.
- Cannon, J. G.** see Diana, J. N.
- Cannon, J. K.** see Horsburgh, T.
- Cannon, P. J.** see Gunther, S. Oliver, J. A.
- Cant, J. R.** see Rocchini, A. P.
- Canterbury, W. J., Jr.** see Sobocinski, P. Z.
- Cantraine, F. R.** see Rocmans, P. A.
- Canty, J. M.,** and Mates, R. E. A programmable pressure control system for coronary flow studies. 243,12:H796
- Capasso, J. M.,** Remily, R. M., and Sonnenblick, E. H. Alterations in mechanical properties of rat papillary muscle during maturation. 242,11:H359
- Capasso, J. M.,** Strobeck, J. E., Malhotra, A., Scheuer, J., and Sonnenblick, E. H. Contractile behavior of rat myocardium after reversal of hypertensive hypertrophy. 242,11:H882
- Capasso, J. M.,** Strobeck, J. E., and Sonnenblick, E. H. Myocardial mechanical alterations during gradual onset long-term hypertension in rats. 241,10:H435
- Capito, K.** see Formby, B.

- Caplan, S. R.**  
see Ayalon, A.  
Corcia, A.  
Essig, A.  
Lang, M. A.
- Caraballo, B. A.,** Mee, R., Collins, J. J., Jr., Kloner, R. A., Levin, D., and Grossman, W. Contractile function in chronic gradually developing subcoronary aortic stenosis. 240,9:H80
- Caraballo, B. A.** see Serizawa, T.
- Caralis, D. G.,** Edwards, L., and Davis, P. J. Serum total and free thyroxine and triiodothyronine during dynamic muscular exercise in man. 233,2:E115
- Carbin, G. L.** see Sakurada, O.
- Carbonin, P.,** Di Gennaro, M., Valle, R., Beranbei, R., and Habel, A. Intracellular calcium and electrogram in ischemic isolated rat heart. 239,8:H380
- Carbonin, P.,** Di Gennaro, M., Valle, R., and Weisz, A. M. Inhibitory effect of anoxia on reperfusion- and digitalis-induced ventricular tachyarrhythmias. 240,9:H730
- Cardinal, J.,** and Duchesneau, D. Effect of potassium on proximal tubular function. 234,3:F381
- Cardinal, J.**  
see Corman, B.  
Gagnon, J.  
Le Grimelec, C.
- Cardinal, R.** see Stephens, N. L.
- Cardona, R.** see Huang, C. T.
- Cardoso, M.** see Gougoux, A.
- Cardwell, B. A.,** Rubin, M. R., Snape, W. J., Jr., and Cohen, S. Properties of the cat ileocecal sphincter muscle. 241,4:G22
- Cardwell, T.** see Rabinowitz, J. L.
- Carew, T. E.,** and Covell, J. W. Fiber orientation in hypertrophied canine left ventricle. 236,5:H487
- Carew, T. E.** see Kent, R. S.
- Carey, F. G.** see Stevens, E. D.
- Carey, L. C.** see Yovos, J. G.
- Carey, M. C.** see Patton, J. S.
- Carey, R.**  
see Houser, S. R.  
Santamore, W. P.
- Carey, R. A.,** Bove, A. A., Coulson, R. L., and Spann, J. F. Normal cardiac myosin ATPase and mechanics in pressure overload with digitalis treatment. 234,3:H253
- Carey, R. A.,** Bove, A. A., Coulson, R. L., and Spann, J. F. Recovery of myosin ATPase after relief of pressure-overload hypertrophy and failure. 234,3:H711
- Carey, R. A.**  
see Natarajan, G.  
Santamore, W. P.
- Carey, R. M.,** Smith, J. R., and Ortt, E. M. Gastrointestinal control of sodium excretion in sodium-depleted conscious rabbits. 230:1504
- Carey, R. M.** see Levens, N. R.
- Caride, V. J.** see Fernandez, L. A.
- Carlisle, H. J.** see Laudenslager, M. L.
- Carlson, C. J.**  
see Fellw, J. E.  
Mendelsohn, S.  
Rubinstein, M. L.
- Carlson, D.** see Schlenker, E. H.
- Carlson, D. E.,** and Schramm, L. P. Humoral and mechanical factors modulating neural input to the renal vasculature. 235,4:R64
- Carlson, E. L.,** Selinger, S. L., Utley, J., and Hoffman, J. I. E. Intramyocardial distribution of blood flow in hemorrhagic shock in anesthetized dogs. 230:41
- Carlson, G. L.** see Fromm, H.
- Carlson, G. M.**  
see Burns, T. W.  
Mathias, J. R.
- Carlson, H. E.** see Lamers, C. B.
- Carlson, R. P.,** and Lefer, A. M. Hepatic cell integrity in hypodynamic states. 231:1408
- Carlson, T. H.,** Fradl, D. C., Leonard, B. D., Wentland, S. H., and Reeve, E. B. Fibrinogen synthesis stimulation by prostaglandin E<sub>1</sub> and some other vasodilators. 233,2:H1
- Carlson, T. H.,** Wentland, S. H., Leonard, B. D., Ruder, M. A., and Reeve, E. B. Effects of prostaglandin E<sub>2</sub> analogs, fatty acids, and indomethacin on fibrinogen level. 235,4:H223
- Carlson, T. H.** see Reeve, E. B.
- Carmines, P. K.** see Tanner, G. A.
- Carneiro, J. J.,** and Donald, D. E. Blood reservoir function of dog spleen, liver, and intestine. 232,1:H67
- Carnes, D. L.,** Nickols, G. A., Anast, C. S., and Forte, L. R. Regulation of renal adenylyl cyclase by parathyroid hormone. 239,2:E396
- Carnes, D. L.** see Nickols, G. A.
- Carney, C. N.** see Boyd, D. D.
- Carney, S.,** and Thompson, L. Acute effect of calcitonin on rat renal electrolyte transport. 240,9:F12
- Carney, S.,** and Thompson, L. Effect of differing concentrations of parathyroid hormone on rat renal electrolyte excretion. 243,12:F514
- Caro, J. F.,** and Amatrua, J. M. Evidence for modulation of insulin action and degradation independently of insulin binding. 240,3:E325
- Caron, C.** see Jobin, J.
- Carone, F. A.,** and Peterson, D. R. Hydrolysis and transport of small peptides by the proximal tubule. 238,7:F151
- Carone, F. A.,** Pullman, T. N., Oparil, S., and Nakamura, S. Micropuncture evidence of rapid hydrolysis of bradykinin by rat proximal tubule. 230:1420
- Carone, F. A.**  
see Oparil, S.  
Peterson, D. R.  
Pullman, T. N.
- Carp, D. B.** see Appel, M. C.
- Carpenter, C.** see Brauthar, N.
- Carpenter, M. B.** see Huang, T. F.
- Carpi-Medina, P.** see González, E.
- Carr, F. K.** see Loegering, D. J.
- Carrasquer, G.,** Chu, T.-C., Rehm, W. S., and Schwartz, M. Evidence for electrogenic Na-Cl symport in the in vitro frog stomach. 242,5:G620
- Carrasquer, G.**  
see Holloman, T. L.  
Schwartz, M.
- Carretero, O. A.,** and Scicli, A. G. The renal kallikrein-kinin system. 238,7:F247
- Carretero, O. A.**  
see Albertini, R.  
Ørstavik, T. B.  
Rabito, S. F.  
Scicli, A. G.  
Seino, M.
- Carrière, B.** see Le Grimelec, C.
- Carrière, S.,** Lalumière, G., Daigneault, A., and De Champlain, J. Sequential changes in catecholamine plasma levels during isotonic volume expansion in dogs. 235,4:F119
- Carrière, S.**  
see Corman, B.  
Gagnon, J.  
Le Grimelec, C.
- Carroll, G. C.,** and Snyder, J. V. Hyperdynamic severe intravascular sepsis depends on fluid administration in cynomolgus monkey. 243,12:R131
- Carroll, R. G.** Vascular response of the dogfish and sculpin to angiotensin II. 240,9:R139
- Carroll, R. G.,** and Opdyke, D. F. Evolution of angiotensin II-induced catecholamine release. 243,12:R65
- Carroll, R. G.,** Opdyke, D. F., and Keller, N. E. Dogfish pressor response to potassium blocked by magnesium and phentolamine. 242,11:R185
- Carroll, R. G.** see Opdyke, D. F.
- Carson, B. S.** see Phillips, A. F.
- Carson, E. R.,** Cobelli, C., and Finkelstein, L. Modeling and identification of metabolic systems. 240,9:R120
- Carter, D.** see Miller, J.
- Carter, D. C.** see Taylor, I. L.
- Carter, N. W.**  
see DuBose, T. D., Jr.  
Lucci, M. S.
- Carter-Su, C.,** and Kimmich, G. A. Membrane potentials and sugar transport by ATP-depleted intestinal cells: effect of anion gradients. 237,6:C64
- Carter-Su, C.,** and Kimmich, G. A. Effect of membrane potential on Na<sup>+</sup>-dependent sugar transport by ATP-depleted intestinal cells. 238,7:C73
- Carter-Su, C.** see Kimmich, G. A.
- Carter, P.** see Vinay, P.
- Carvalho, M. H.,** Prat, J. C., Garcia, A. G., and Kirpekar, S. M. Ionomycin stimulates secretion of catecholamines from cat adrenal gland and spleen. 242,5:E137
- Carvounis, C. P.** see Schlondorff, D.
- Cary, P.** see Williams, J. A.
- Casals-Stenzel, J.** see Brown, A. J.
- Casanello-Ertl, D.** see Pardridge, W. M.
- Case, R. B.,** Felix, A., and Wachter, M. Measurement of myocardial PCO<sub>2</sub> with a microelectrode: its relation to coronary sinus PCO<sub>2</sub>. 236,5:H29
- Casey, C.** see Kachadorian, W. A.
- Cashore, W. J.** see Shepherd, R. E.
- Casillas, E.,** Smith, L. S., Woodward, J. J., and D'Aoust, B. G. Hematologic response of fish to changes in gas or hydrostatic pressure. 239,8:R161
- Caspary, F.** see Singer, M. V.
- Cassidy, S. S.,** Mitchell, J. H., and Johnson, R. L., Jr. Dimensional analysis of right and left ventricles during positive-pressure ventilation in dogs. 242,11:H549
- Cassin, S.,** Tod, M., Philips, J., Frisinger, J., Jordan, J., and Gibbs, C. Effects of prostaglandin D<sub>2</sub> on perinatal circulation. 240,9:H755
- Cassin, S.,** Tyler, T., Leffler, C., and Wallis, R. Pulmonary and systemic vascular responses of perinatal goats to prostaglandins E<sub>1</sub> and E<sub>2</sub>. 236,5:H828
- Cassin, S.**  
see Hessler, J. R.  
Leffler, C. W.  
Noel, S.
- Cassuto, Y.** see Rabi, T.
- Castaner, A.** see Kostreva, D. R.
- Castell, D. O.**  
see Brown, F. C.  
Bybee, D. E.  
Higgs, R. H.  
Meyer, G. W.
- Castellana, F. S.** see Goodman, C. A.
- Castillo, G. A.** see Orce, G. B.
- Castracane, V. D.,** Cutler, G. B., Jr., and Loriaux, D. L. Pubertal endocrinology of the baboon: adrenarche. 241,4:E305
- Castranova, V.** see Miles, P. R.
- Castro, G. A.** Immunological regulation of epithelial function. 243,6:G321
- Castro, G. A.**  
see Dembinski, A. B.  
Schanbacher, L. M.  
Smith, J. W.
- Cataland, S.** see Yovos, J. G.

- Caton, D., and Bazer, F. W. Respiratory gases in uterine circulation of pregnant domestic swine as sampled by indwelling catheters. 234,3:R25
- Caton, D., Crenshaw, C., Wilcox, C. J., and Barron, D. H.  $O_2$  delivery to the pregnant uterus: its relationship to  $O_2$  consumption. 237,6:R52
- Cavagna, G. A., Heglund, N. C., and Taylor, C. R. Mechanical work in terrestrial locomotion: two basic mechanisms for minimizing energy expenditure. 233,2:R243
- Caverzasio, J., Bonjour, J.-P., and Fleisch, H. Tubular handling of  $P_i$  in young growing and adult rats. 242,11:F705
- Cazenavette, L. L. see Bresler, E. H.
- Ceccarelli, S. see Charney, A. N.
- Celler, B. G., and Schramm, L. P. Pre- and postganglionic sympathetic activity in splanchnic nerves of rats. 241,10:R55
- Celsis, P., Marc-Vergnes, J.-P., Charlet, J.-P., and Sevin, A. Scattering of cerebral blood flow estimates using  $^{133}Xe$  intracarotid injection. 236,5:H680
- Celsis, P. see Marc-Vergnes, J.-P.
- Cerejido, M., Meza, I., and Martínez-Palomo, A. Occluding junctions in cultured epithelial monolayers. 240,9:C96
- Cevese, A., and Guyton, A. C. Isohemmic blood volume expansion in normal and areflexive dogs. 231:104
- Cha, C.-J. M. see Mullin, J. M.
- Chace, K. V. see Odyssey, R.
- Chacin, J., Martínez, G., and Severin, E. Role of fatty acid oxidation in mechanisms of action of gastric secretagogues. 238,1:G255
- Chacin, J., Park, O. H., Harris, J. B., and Alonso, D. Role of oxalacetate in lipate effect on frog gastric mucosa. 231:209
- Chacin, J., Rincón, R., Inciarte, D., Cañizales, A., Martínez, G., and Alonso, D. Effect of Krebs cycle intermediates and inhibitors on toad gastric mucosa. 236,5:E692
- Chagrasulis, R. W., and Downey, J. M. Selective coronary embolization in closed-chest dogs. 232,1:H335
- Chagrasulis, R. W. see Downey, J. M.
- Chai, C. Y. see Chen, H. I.
- Chambers, D. see Eddy, L. J.
- Chambless, S. see Buerkert, J.
- Champion, M. see Bonvalet, J. P.
- Chan, A. W. K. see Brehe, J. E.
- Chan, C. P., Koong, L. J., and Stern, J. S. Effect of insulin on fat and protein deposition in diabetic lean and obese rats. 242,5:E19
- Chan, C. P., and Stern, J. S. Adipose lipoprotein lipase in insulin-treated diabetic lean and obese Zucker rats. 242,5:E445
- Chan, W. see Mitch, W. E.
- Chan, W. W.-L., and Diamant, N. E. Electrical off response of cat esophageal smooth muscle: an analog simulation. 230:233
- Chan, Y. L., Biagi, B., and Giebisch, G. Control mechanisms of bicarbonate transport across the rat proximal convoluted tubule. 242,11:F532
- Chan, Y. L., and Giebisch, G. Relationship between sodium and bicarbonate transport in the rat proximal convoluted tubule. 240,9:F222
- Chan, Y. L., and Kurtzman, N. A. Effects of lysine on bicarbonate and fluid absorption in the rat proximal tubule. 242,11:F604
- Chance, B., Barlow, C., Nakase, Y., Take-da, H., Mayevsky, A., Fischetti, R., Graham, N., and Sarge, J. Heterogeneity of oxygen delivery in normoxic and hypoxic states: a fluorometer study. 235,4:H809
- Chance, B. see Bashford, C. L.
- Fisher, A. B.
- Franke, H.
- Ji, S.
- Chance, R. E. see Lin, T.-M.
- Chandra, A. see Lin, M. T.
- Chandrasena, L. G. see Reilly, P. E. B.
- Chang, A. E., and Detar, R. Oxygen and vascular smooth muscle contraction revisited. 238,7:H716
- Chang, E. B., Field, M., and Miller, R. J.  $\alpha_2$ -Adrenergic receptor regulation of ion transport in rabbit ileum. 242,5:G237
- Chang, H. W. see Nastuk, W. L.
- Chang, L. C. T. see Data, J. L.
- Chang, L. K. see Thompson, W. J.
- Chang, S.-S. P. see Henning, S. J.
- Chang, T. M. see Chey, W. Y.
- Chansel, D. see Sraer, J.
- Chapler, C. K. see Cain, S. M.
- Graham, T. E.
- Chapman, J. B. see Wendt, I. R.
- Chapman, L. W. see Hiatt, N.
- Chapman, S. K., and Hoover, M. S. Acetazolamide and renal ammoniogenesis. 234,3:F235
- Chapman, T. E. see Anwer, M. S.
- Chapnick, B. M., Feigen, L. P., Hyman, A. L., and Kadowitz, P. J. Differential effects of prostaglandins in the mesenteric vascular bed. 235,4:H326
- Chapnick, B. M. see Feigen, L. P.
- Hyman, A. L.
- Char, V. C., and Creasy, R. K. Acetate as a metabolic substrate in the fetal lamb. 230:357
- Charlebois, J. see Ferguson, R. J.
- Charles, L. G. see Sinar, D. R.
- Charlet, J.-P. see Celsis, P.
- Marc-Vergnes, J.-P.
- Charlier, A. A. see Pouleur, H.
- Charlton, J. D., and Baertschi, A. J. Responses of aortic baroreceptors to changes of aortic blood flow and pressure in rat. 242,11:H520
- Charlton, V. E., and Reis, B. L. Effects of gastric nutritional supplementation on fetal umbilical uptake of nutrients. 241,4:E178
- Charney, A. N., and Donowitz, M. Functional significance of intestinal  $Na^+$ - $K^+$ -ATPase: in vivo ouabain inhibition. 234,3:E629
- Charney, A. N., Wallach, J., Ceccarelli, S., Donowitz, M., and Costenbader, C. L. Effects of spironolactone and amiloride on corticosteroid-induced changes in colonic function. 241,4:G300
- Charney, A. N., Wallach, J. D., Donowitz, M., and Johnstone, N. Effect of cycloheximide on corticosteroid-induced changes in colonic function. 243,6:G112
- Charney, A. N. see Buckley, N. M.
- Donowitz, M.
- Feldman, G. M.
- Tai, Y.-H.
- Charocopoulos, F., Hatzinikolaou, P., North, W. G., and Gavras, H. Systemic and regional hemodynamic effects of endogenous vasopressin stimulation in rats. 243,12:H560
- Chase, D. see Dasse, K. A.
- Chatelain, R. E. see Muñoz-Ramírez, H.
- Chatonnet, J. see Le Maho, Y.
- Chatrand, C. see Péronnet, F.
- Chatterjee, K. see Stowe, D. F.
- Chau, N. P., Coleman, T. G., London, G. M., and Safar, M. E. Meaning of the cardiac output-blood volume relationship in essential hypertension. 243,12:R318
- Chau, N. P. see Simon, A. C.
- Chaudhuri, R. see Muttart, C.
- Chaudry, I. H. Preparation of ATP-MgCl<sub>2</sub> and precautions for its use in the study and treatment of shock and ischemia. 242,11:R604
- Chaudry, I. H., Sayeed, M. M., and Baue, A. E. Evidence for enhanced uptake of ATP by liver and kidney in hemorrhagic shock. 233,2:R83
- Chaudry, I. H. see Sayeed, M. M.
- Chaumet-Riffaud, P., Oudinet, J.-P., Sraer, J., Lajotte, C., and Ardailou, R. Altered PGE<sub>2</sub> and PGF<sub>2α</sub> production by glomeruli and papilla of sodium-depleted and sodium-loaded rats. 241,10:F517
- Chawla, R. K. see Rudman, D.
- Chen, D.-S., Donald, D. E., and Romero, J. C. Collection of urine from each kidney in the rabbit without ureteral cannulation. 233,2:F615
- Chen, D.-S., Donald, D. E., and Romero, J. C. Role of vagal afferents in vasodepressor effects of PGE<sub>2</sub> in spontaneously hypertensive rats. 236,5:H635
- Chen, H. C. see Chen, H. I.
- Chen, H. I. Interaction between the baroreceptor and Bezold-Jarisch reflexes. 237,6:H655
- Chen, H. I. An extracorporeal reservoir device for continuous monitoring of tissue volume change. 242,11:H698
- Chen, H. I., and Chai, C. Y. Integration of the cardiovascular mechanism in the medulla oblongata of the cat. 231:454
- Chen, H. I., Chai, C. Y., Tung, C. S., and Chen, H. C. Modulation of the carotid baroreflex function during volume expansion. 237,6:H153
- Chen, H. I., Lin, J. D., and Liao, J. F. Participation of regional sympathetic outflows in the centrogenic pulmonary pathology. 240,9:H109
- Chen, H. I., Stinnett, H. O., Peterson, D. F., and Bishop, V. S. Enhancement of vagal restraint on systemic blood pressure during hemorrhage. 234,3:H192
- Chen, I. I. H., Prewitt, R. L., and Dowell, R. F. Microvascular rarefaction in spontaneously hypertensive rat cremaster muscle. 241,10:H306
- Chen, I. I. H. see Prewitt, R. L.
- Chen, J. S., and Walser, M. Bicarbonate ions in active sodium transport across toad bladder. 232,1:F210
- Chen, J. S., and Walser, M. Effects of electrochemical gradients on active sodium transport in toad urinary bladder. 236,5:F405
- Chen, R. Y. Z., and Chien, S. Plasma volume, red cell volume, and thoracic duct lymph flow in hypothermia. 233,2:H605
- Chen, R. Y. Z., and Chien, S. Hemodynamic functions and blood viscosity in surface hypothermia. 235,4:H136
- Chen, R. Y. Z., Fan, F.-C., Schuessler, G. B., and Chien, S. Baroreflex control of heart rate in humans during nitroprusside-induced hypotension. 243,12:R18
- Chen, R. Y. Z. see Fan, F.-C.
- Cheng, L. see Liang, C. T.
- Chenitz, W. R., Nevins, B. A., and Hollenberg, N. K. Preglomerular resistance and glomerular perfusion in the rat and dog. 231:961
- Chenoweth, M., and Dunn, A. Fructose-6-phosphate substrate cycling and hormonal regulation of gluconeogenesis in vivo. 235,4:E295



- Chenoweth, M.**  
see Bever, K.  
Dunn, A.  
Golden, S.
- Chern, S. I.** see Lin, M. T.
- Chern, Y. F.** see Lin, M. T.
- Cherniack, N. S.** see Kelsen, S. G.
- Chernick, S. S.** see Linder, C.
- Cheron, R. G.** see Koletsky, R. J.
- Cherqui, G.** see Senault, C.
- Cherrington, A. D., Liljenquist, J. E., Shulman, G. I., Williams, P. E., and Lacy, W. W.** Importance of hypoglycemia-induced glucose production during isolated glucagon deficiency. 236,5:E263
- Cherrington, A. D., Williams, P. E., Abou-Mourad, N., Lacy, W. W., Steiner, K. E., and Liljenquist, J. E.** Insulin as a mediator of hepatic glucose uptake in the conscious dog. 242,5:E97
- Cherrington, A. D.**  
see Abumrad, N. N.  
Keller, U.
- Cherry, J. M.** see Fenton, T. R.
- Chertow, B. S., Baker, G. R., Henry, H. L., and Norman, A. W.** Effects of vitamin D metabolites on bovine parathyroid hormone release in vitro. 238,1:E384
- Cheung, J. Y., Conover, C., Regen, D. M., Whitfield, C. F., and Morgan, H. E.** Effect of insulin on kinetics of sugar transport in heart muscle. 234,3:E70
- Cheung, J. Y., Thompson, I. G., and Bonventre, J. V.** Effects of extracellular calcium removal and anoxia on isolated rat myocytes. 243,12:C184
- Cheung, L. Y.** Topical effects of 16,16-dimethyl prostaglandin  $E_2$  on gastric blood flow in dogs. 238,1:G514
- Cheung, L. Y., Moody, F. G., Larson, K., and Lowry, S. F.** Oxygen consumption during cimetidine and prostaglandin  $E_2$  inhibition of acid secretion. 234,3:E445
- Cheung, P. W., and McCormack, C. E.** Failure of pinealectomy or melatonin to alter circadian activity rhythm of the rat. 242,11:R261
- Chevalier, J.** see Parisi, M.
- Chevalier, R. L.** Functional adaptation to reduced renal mass in early development. 242,11:F190
- Chevis, B. C.** see Barnes, G. E.
- Chevrier, J.-L.** see Crozatier, B.
- Chew, C. S., and Hersey, S. J.** Dissociation between oxyntic cell cAMP formation and HCl secretion in bullfrog gastric mucosa. 235,4:E140
- Chew, C. S., and Hersey, S. J.** Gastrin stimulation of isolated gastric glands. 242,5:G504
- Chew, C. S., Hersey, S. J., Sachs, G., and Berglindh, T.** Histamine responsiveness of isolated gastric glands. 238,1:G312
- Chew, C. S.**  
see Hersey, S. J.  
Koelz, H. R.
- Chew, P.** see Taylor, I. L.
- Chey, W. Y., Kim, M. S., Lee, K. Y., and Chang, T. M.** Secretin is an enterogastroin in the dog. 240,3:G239
- Chey, W. Y.**  
see Kim, M. S.  
Lee, K. Y.  
You, C. H.
- Chez, R. A.** see Schut, H. A. J.
- Chi, M. M.-Y.** see Hintz, C. S.
- Chia, W. Y.** see Lin, M. T.
- Chiang, M.-J., Kishi, F., Whitney, P., and Massaro, D.** Proteolysis in the rat lung: hypoxia and evidence for an inhibitor of proteolysis. 241,4:E101
- Chiappe, L.** see Vittone, L.
- Chiariello, M.** see Rengo, F.
- Chiasson, J.-L., Dietz, M. R., Shikama, H., Wootten, M., and Exton, J. H.** Insulin regulation of skeletal muscle glycogen metabolism. 239,2:E69
- Chiasson, J.-L.** see Beaudry, M.-A.
- Chideckel, E. W., Goodner, C. J., Koerker, D. J., Johnson, D. G., and Ensinn, J. W.** Role of glucagon in mediating metabolic effects of epinephrine. 232,1:E464
- Chideckel, E. W., Rosovski, S. J., and Belur, E. B.** Catecholamine-thyroid hormone interaction on myocardial ornithine decarboxylase. 243,6:E305
- Chien, K. R.** see Mukherjee, A.
- Chien, S.**  
see Chen, R. Y. Z.  
Fan, F.-C.  
Jan, K.-M.  
Simchon, S.
- Chien, S. M.** see Anuras, S.
- Chikamori, K.** see Noda, K.
- Child, R. K.** see Lab, M. J.
- Childers, J. W., and Schneider, E. G.** Aldosterone and the enhanced natriuresis of hypertonic infusions in the dog. 242,11:F30
- Childers, J. W.** see Hanson, R. C.
- Childs, M. T.** see Humphrey, J. L.
- Chimosky, J. E.** see Stern, M. D.
- Chin, T. Y., Cacini, W., Zmuda, M. J., and Quebbemann, A. J.** Quantification of renal acid synthesis in the rat. 238,7:F481
- Chin, T. Y., and Quebbemann, A. J.** Quantitation of renal acid synthesis in the chicken. 234,3:F446
- Chinard, F. P.**  
see Garrick, R. A.  
Perl, W.
- Chiu, H.-H.** see Moreno, A. H.
- Chiu, P. J. S.** see Agus, Z. S.
- Chiu, Y.-L., Asayama, J., and Ford, L. E.** A sensitive photoelectric force transducer with a resonant frequency of 6 kHz. 243,12:C299
- Chiu, Y.-L., Karwash, S., and Ford, L. E.** A piezoelectric force transducer for single muscle cells. 235,4:C143
- Chiueh, C. C., and Kopin, I. J.** Hyperresponsivity of spontaneously hypertensive rat to indirect measurement of blood pressure. 234,3:H690
- Cho, K. W., and Malvin, R. L.** Renin inactivation during in vitro experiments. 236,5:F501
- Cho, K. W.**  
see Corwin, E. J.  
Park, C. J.
- Choe, S.-S.** see Freidman, H. S.
- Choi, S.** see Burch, H. B.
- Choi, S. C.** see Oken, D. E.
- Chojkier, M., and Groszmann, R. J.** Measurement of portal-systemic shunting in the rat by using  $\gamma$ -labeled microspheres. 240,3:G371
- Chomdej, B., Bell, P. D., and Navar, L. G.** Renal hemodynamic and autoregulatory responses to acute hypercalcemia. 232,1:F490
- Chomety-Diezi, F.** see Roch-Ramel, F.
- Chong, C.** see Sonnenberg, H.
- Chonko, A. M.** Urate secretion in isolated rabbit renal tubules. 239,8:F545
- Chonko, A. M.** see Shimomura, A.
- Chornoboy, E. S.** see Schramm, L. P.
- Chou, C. C., and Grassmick, B.** Motility and blood flow distribution within the wall of the gastrointestinal tract. 235,4:H34
- Chou, C. C., Hsieh, C. P., and Dabney, J. M.** Comparison of vascular effects of gastrointestinal hormones on various organs. 232,1:H103
- Chou, C. C., Hsieh, C. P., Yu, Y. M., Kvietys, P., Yu, L. C., Pittman, R., and Dabney, J. M.** Localization of mesenteric hyperemia during digestion in dogs. 230:583
- Chou, C. C., Kvietys, P., Post, J., and Sit, S. P.** Constituents of chyme responsible for postprandial intestinal hyperemia. 235,4:H677
- Chou, C. C., and Siregar, H.** Role of histamine  $H_1$ - and  $H_2$ -receptors in postprandial intestinal hyperemia. 243,6:G248
- Chou, C. C.**  
see Gallavan, R. H., Jr.  
Kvietys, P. R.  
Siregar, H.
- Chou, L. Y.** see Humphreys, M. H.
- Chou, M. C. Y.** see Røjdmark, S.
- Chou, S.-Y.** see Faubert, P. F.
- Chovan, J. P.** see Kramer, J. H.
- Chow, L.** see Redinger, R. N.
- Chrabaszcz, G.** see Peterson, D. R.
- Chrétien, M.** see Lis, M.
- Christakos, S.** see Moyle, W. R.
- Christensen, A. C., Huebers, H., and Finch, C. A.** Effect of transferrin saturation on iron delivery in rats. 235,4:R18
- Christensen, E. I.** see Peterson, D. R.
- Christensen, J., Anuras, S., and Arthur, C.** Influence of intrinsic nerves on electromyogram of cat colon in vitro. 234,3:E641
- Christensen, J.**  
see Anuras, S.  
De Carle, D. J.  
Dodds, W. J.  
Macagno, E. O.  
Schulze, K.
- Christensen, N. J.** see Richter, E. A.
- Christensen, P.** see Boisen, J.
- Christensen, R.** see Ganguli, S.
- Christensen, R. K.**  
see Anand, R. S.  
Prior, R. L.
- Christian, J. L., and Brace, R. A.** Transcapillary Starling forces using membrane osmometry. 238,7:H886
- Christian, J. L.** see Brace, R. A.
- Christiansen, L.** see Keiding, S.
- Christophe, J.**  
see Calderon, P.  
Pector, J.-C.  
Vandermeers-Piret, M. C.
- Chu, C.** see Burch, H. B.
- Chu, D. T. W.** see Shikama, H.
- Chu, T.-C.**  
see Carrasquer, G.  
Schwartz, M.
- Chua, B. H. L., Siehl, D. L., and Morgan, H. E.** A role for leucine in regulation of protein turnover in working rat hearts. 239,2:E510
- Chua, B. H. L.**  
see Morgan, H. E.  
Williams, I. H.
- Chubb, C., and Ewing, L. L.** Steroid secretion by in vitro perfused testes: secretions of rabbit and rat testes. 237,6:E231
- Chubb, C., and Ewing, L. L.** Steroid secretion by in vitro perfused testes: inhibitors of testosterone biosynthesis. 237,6:E239
- Chubb, C., and Ewing, L. L.** Steroid secretion by in vitro perfused testes: testosterone biosynthetic pathways. 237,6:E247
- Chubb, C.** see Becker, S.
- Chuck, L.**  
see Wikman-Coffelt, J.  
Wyatt, H. L.
- Chuck, L. H. S.** see Lecarpentier, Y. C.
- Chui, F.** see Myers, B. D.
- Chung, J. M., Webber, C. L., Jr., and Wurster, R. D.** Ascending spinal pathways for the somatosympathetic A and C reflexes. 237,6:H342
- Chung, J. M., and Wurster, R. D.** Ascending pressor and depressor pathways in the cat spinal cord. 231:786
- Churchill, M. C.** see Churchill, P. C.
- Churchill, P., Bidani, A., Fleischmann, L., and Becker-McKenna, B.** Glycerol-induced acute renal failure in the two-kidney Goldblatt rat. 233,2:F247



- Churchill, P. C., Churchill, M. C., and McDonald, F. D. Renin secretion and distal tubule  $\text{Na}^+$  in rats. 235,4:F611
- Churchill, P. C., Malvin, R. L., Churchill, M. C., and McDonald, F. D. Renal function in *Lophius americanus*: effects of angiotensin II. 236,5:R297
- Churchill, P. C. see Bidani, A. K.
- Churchill, S., Bengel, H. H., Melby, J. C., and Alexander, E. A. Role of aldosterone in sodium retention of pregnancy in the rat. 240,9:R175
- Churchill, S. E., Bengel, H. H., and Alexander, E. A. Sodium balance during pregnancy in the rat. 239,8:R143
- Chwalbinska-Moneta, J. Role of hepatic portal osmoreception in the control of ADH release. 236,5:E603
- Ciaccia, P. J. see Hamilton, C. L.
- Cianci, T. see Franzini, C.
- Ciaraldi, T. P., Kolterman, O. G., Siegel, J. A., and Olefsky, J. M. Insulin-stimulated glucose transport in human adipocytes. 236,5:E621
- Cicala, M. see Saccà, L.
- Cieszkowski, M. see Konturek, S. J.
- Cilento, E. V., McCuskey, R. S., Reilly, F. D., and Meineke, H. A. Compartmental analysis of circulation of erythrocytes through the rat spleen. 239,8:H272
- Cimo, P. L. see Moake, J. L.
- Cingolani, H. E. see Grassi de Gende, A. O. Mattiazzi, A. R. Vittone, L.
- Cipola-Neto, J. see Lopes, O. U.
- Cipolle, M. D. see Zehr, J. E.
- Ciriello, J., and Calaresu, F. R. Lateral reticular nucleus: a site of somatic and cardiovascular integration in the cat. 233,2:R100
- Ciriello, J., and Calaresu, F. R. Vagal bradycardia elicited by stimulation of the external cuneate nucleus in the cat. 235,4:R286
- Ciriello, J., and Calaresu, F. R. Distribution of vagal cardioinhibitory neurons in the medulla of the cat. 238,7:R57
- Ciriello, J., and Calaresu, F. R. Role of paraventricular and supraoptic nuclei in central cardiovascular regulation in the cat. 239,8:R137
- Ciriello, J. see Calaresu, F. R. Patel, K. P.
- Cittadini, A. see Dani, A. M.
- Civan, M. M. Intracellular activities of sodium and potassium. 234,3:F261
- Civan, M. M. see Lin, L.-E. Siegel, B.
- Claffin, D. R. see Faulkner, J. A.
- Claire, M. see Rossier, B. C.
- Clamag, D. M., Sanford, C. S., Vander, A. J., and Mouw, D. R. Effects of psychosocial stimuli on plasma renin activity in rats. 231:1290
- Clancy, R. L., Gonzalez, N. C., and Fenton, R. A. Effect of beta-adrenoreceptor blockade on rat cardiac and skeletal muscle pH. 230:959
- Clancy, R. L. see Strome, D. R.
- Clapman, R. see Satinoff, E.
- Clark, D. P. see Flaim, S. F.
- Clark, G. M. see McGuire, W. L.
- Clark, I. see Borle, A. B.
- Clark, J. W. see Bristow, D. G.
- Clark, K. E., Durnwald, M., and Austin, J. E. A model for studying chronic reduction in uterine blood flow in pregnant sheep. 242,11:H297
- Clark, N. B., Braun, E. J., and Wideman, R. F., Jr. Parathyroid hormone and renal excretion of phosphate and calcium in normal starlings. 231:1152
- Clark, N. B., and Wideman, R. F., Jr. Renal excretion of phosphate and calcium in parathyroidectomized starlings. 233,2:F138
- Clark, N. B., and Wideman, R. F., Jr. Calcitonin stimulation of urine flow and sodium excretion in the starling. 238,7:R406
- Clark, N. B. see Wideman, R. F., Jr.
- Clark, R. E. see Bergmann, S. R.
- Clark, S. B. Chylomicron composition during duodenal triglyceride and lecithin infusion. 235,4:E183
- Clark, V. E. see Bennett Clark, S.
- Clarke, L. K. see Galosy, R. A.
- Clarke, W. L., Santiago, J. V., Thomas, L., Ben-Galim, E., Haymond, M. W., and Cryer, P. E. Adrenergic mechanisms in recovery from hypoglycemia in man: adrenergic blockade. 236,5:E147
- Clausen, G. see Øjford, E. S.
- Clavin, O. E. see Arrondondo, M. T.
- Claybaugh, J. R. Effect of dehydration on stimulation of ADH release by heterologous renin infusions in conscious dogs. 231:655
- Clayton, F. C. see Allison, T. B.
- Clayton, R. B. see Doell, R. G.
- Cleary, M. P., Brasel, J. A., and Greenwood, M. R. C. Developmental changes in thymidine kinase, DNA, and fat cellularity in Zucker rats. 236,5:E508
- Cleary, M. P., Vasselli, J. R., and Greenwood, M. R. C. Development of obesity in Zucker obese (*fa/fa*) rat in absence of hyperphagia. 238,1:E284
- Cleary, M. P. see Greenwood, M. R. C.
- Clement, J. see Gaasch, W. H.
- Clench, J., Ferrell, R. E., and Schull, W. J. Effect of chronic altitude hypoxia on hematologic and glycolytic parameters. 242,11:R447
- Clerch, L. see Massaro, D.
- Clermont, C. P., and Schraer, H. Effect of estrogen on rate of  $^{59}\text{Fe}$  uptake by hemopoietic tissue in Japanese quail. 236,5:E342
- Cloix, J.-F. see Koutouzov, S.
- Clugston, G. A. see Garlick, P. J.
- Clyman, R. I., Manganiello, V. C., Lovell-Smith, C. J., and Vaughan, M. Calcium uptake by subcellular fractions of human umbilical artery. 231:1074
- Clyman, R. I., Mauray, F., Roman, C., Heymann, M. A., Ballard, P. L., Rudolph, A. M., and Payne, B. Effects of antenatal glucocorticoid administration on ductus arteriosus of preterm lambs. 241,10:H415
- Cobb, F. R. see Rivas, F.
- Cobelli, C., and DiStefano, J. J., III. Parameter and structural identifiability concepts and ambiguities: a critical review and analysis. 239,8:R7
- Cobelli, C., Nosadini, R., Toffolo, G., McCulloch, A., Avogaro, A., Tiengo, A., and Alberti, K. G. M. M. Model of the kinetics of ketone bodies in humans. 243,12:R7
- Cobelli, C. see Bergmann, R. N. Carson, E. R. Okolicanyi, L.
- Coburn, J. W. see Brautbar, N. Gafter, U. Lee, D. B. N. Levine, B. S.
- Coburn, R. F. Electromechanical coupling in canine trachealis muscle: acetylcholine contractions. 236,5:C177
- Coburn, R. F. Evidence for oscillation of prostaglandin release from spontaneously contracting guinea pig taenia coli. 239,8:G53
- Coburn, R. F., and Pendleton, M. Effects of norepinephrine on oxygenation of resting skeletal muscle. 236,5:H307
- Coburn, R. F., and Soltoff, S.  $\text{Na}^+/\text{K}^+$ -ATPase inhibition stimulates PGE release in guinea pig taenia coli. 232,1:C191
- Coburn, R. F. see Yamaguchi, T.
- Cocceani, F., Bishai, I., White, E., Bodach, E., and Olley, P. M. Action of prostaglandins, endoperoxides and thromboxanes on the lamb ductus arteriosus. 234,3:H117
- Cocceani, F. see Lock, J. E.
- Cochran, G. V. B. see Reddy, N. P.
- Cockbain, S. see Sewell, R. B.
- Cockeram, A. W. see Pittman, Q. J.
- Code, C. F., Green, W. E. R., Kennedy, J. C., Ritchie, H. D., and Schlegel, J. F. Metabolism of histamine in secreting intact and isolated canine stomach. 230:219
- Code, C. F. see Marlett, J. A. Poitras, P.
- Coe, F. L. see Bushinsky, D. A. Favus, M. J. Ito, H. Lehne, C.
- Coelho, J. B. Heterogeneity of intracortical peritubular plasma flow in the rat kidney. 233,2:F333
- Coenraads, T. see Vonk, R. J.
- Cogan, M. G., Maddox, D. A., Warnock, D. G., Lin, E. T., and Rector, F. C., Jr. Effect of acetazolamide on bicarbonate reabsorption in the proximal tubule of the rat. 237,6:F447
- Cogan, M. G., and Rector, F. C., Jr. Determinants of proximal bicarbonate, chloride, and water reabsorption during carbonic anhydrase inhibition. 242,11:F274
- Cogan, M. G., and Rector, F. C., Jr. Proximal reabsorption during metabolic acidosis in the rat. 242,11:F499
- Cogan, M. G. see Alpern, R. J.
- Coghlan, J. P. see Blair-West, J. R. Weisinger, R. S.
- Cohen, D. I., Illowsky, B., and Linder, M. C. Altered copper absorption in tumor-bearing and estrogen-treated rats. 236,5:E309
- Cohen, E. B. see Dodds, W. J.
- Cohen, E. M., Abelman, W. H., Messer, J. V., and Bing, O. H. L. Mechanical properties of rat cardiac muscle during experimental thiamine deficiency. 231:1390
- Cohen, E. N. see Kendig, J. J.
- Cohen, J. A. see Weiss, H. R.
- Cohen, J. J. Is the function of the renal papilla coupled exclusively to an anaerobic pattern of metabolism? 236,5:F423
- Cohen, J. J., and Black, A. J. Substrate-selective maintenance of tissue  $\text{K}^+$  in perfused rat kidney. 242,11:F360
- Cohen, J. J., Merckens, L. S., and Peterson, O. W. Relation of  $\text{Na}^+$  reabsorption to utilization of  $\text{O}_2$  and lactate in the perfused rat kidney. 238,7:F415
- Cohen, J. J. see Gennari, F. J. Gregg, C. M. Kaehny, W. D. Kraut, J. A. Madias, N. E. Merckens, L. S.
- Cohen, J. M. see Yin, F. C. P.
- Cohen, L.  $\text{HCO}_3^-/\text{Cl}^-$  exchange transport in the adaptive response to alkalosis by turtle bladder. 239,8:F167

- Cohen, M. L.**, and Wiley, K. S. Comparison of arteries with longitudinal and circular venous muscle from the rat. 232,1: H131
- Cohen, M. P.**, Surma, M. L., and Wu, V.-Y. In vivo biosynthesis and turnover of glomerular basement membrane in diabetic rats. 242,11:F385
- Cohen, M. V.** Quantitation of collateral and ischemic flows with microspheres and diffusible indicator. 234,3:H487
- Cohen, M. V.**, and Yipintsoi, T. Myocardial performance and collateral flow after transient coronary occlusion in exercising dogs. 237,6:H520
- Cohen, M. V.**, and Yipintsoi, T. Restoration of cardiac function and myocardial flow by collateral development in dogs. 240,9:H811
- Cohen, P.** see Pickett, W. C.
- Cohen, S.**  
see Cardwell, B. A.  
Fisher, R. S.  
Fournet, J.  
Kravitz, J. J.  
Mathias, J. R.  
Ouyang, A.  
Reynolds, J. C.  
Ryan, J.  
Ryan, J. P.  
Snape, W. J., Jr.  
Tucker, H. J.  
Wright, S. H.
- Cohen, W. R.**, Piasecki, G. J., and Jackson, B. T. Plasma catecholamines during hypoxemia in fetal lamb. 243,12:R520
- Cohn, D. E.**, Hruska, K. A., Klahr, S., and Hammerman, M. R. Increased  $\text{Na}^+\text{H}^+$  exchange in brush border vesicles from dogs with renal failure. 243,12:F293
- Cohn, J. N.**  
see Franciosa, J. A.  
Goldsmith, S. R.  
Mashiro, I.
- Cohn, S. H.**, Abesamis, C., Zanzi, I., Aloia, J. F., Yasumura, S., and Ellis, K. J. Body elemental composition: comparison between black and white adults. 232,1: E419
- Cohn, S. H.**, Vartsky, D., Yasumura, S., Sawitsky, A., Zanzi, I., Vaswani, A., and Ellis, K. J. Compartmental body composition based on total-body nitrogen, potassium, and calcium. 239,2:E524
- Cohn, S. H.**, Vaswani, A., Zanzi, I., and Ellis, K. J. Effect of aging on bone mass in adult women. 230:143
- Cohn, S. H.**  
see Aloia, J. F.  
Lukaski, H. C.  
Yasumura, S.
- Coimbra, C. C.**, Gross, J. L., and Migliorini, R. H. Intraventricular 2-deoxyglucose, glucose, insulin, and free fatty acid mobilization. 236,5:E317
- Coiro, V.**, Frick, G. P., Braverman, L. E., and Goodman, H. M. Effects of hypophysectomy and thyroidectomy on leucine metabolism in adipose tissue. 240,3: E669
- Colacino, J. M.** see Grubb, B.
- Cole, B. R.**, Hays, A. E., Boylan, J. G., Burch, H. B., and Lowry, O. H. Distribution of enzymes of adenylate and guanylate nucleotide metabolism in rat nephron. 243,12:F349
- Cole, B. R.** see Grantham, J. J.
- Cole, D. R.** see Dewey, H. G.
- Cole, J. S.** see Cornish, A. L.
- Cole, R. K.** see Austic, R. E.
- Cole, R. P.**, Wittenberg, B. A., and Caldwell, P. R. B. Myoglobin function in the isolated fluorocarbon-perfused dog heart. 234,3:H567
- Cole, T. B.** see Burkhardt, S. S.
- Coleman, B.** see Feigen, L. P.
- Coleman, R. J.** see Reppert, S. M.
- Coleman, T. G.** Arterial baroreflex control of heart rate in the conscious rat. 238,7:H515
- Coleman, T. G.**  
see Chau, N. P.  
Hall, J. E.  
Huikeshoven, F.  
Manning, R. D., Jr.  
Samar, R. E.  
Trippodo, N. C.
- Colindres, R. E.**, Kramp, R. A., Allison, M. E. M., and Gottschalk, C. W. Hydrodynamic alterations during distal tubular fluid collections in the rat kidney. 232,1: F497
- Colindres, R. E.**, Spielman, W. S., Moss, N. G., Harrington, W. W., and Gottschalk, C. W. Functional evidence for renorenal reflexes in the rat. 239,8:F265
- Colindres, R. E.**  
see Bello-Reuss, E.  
Pastoriza-Muñoz, E.
- Collen, M. J.**, Sutcliffe, V. E., Pan, G.-Z., and Gardner, J. D. Postreceptor modulation of action of VIP and secretin on pancreatic enzyme secretion by secretagogues that mobilize cellular calcium. 242,5:G423
- Collet, A.** see Bukowiecki, L.
- Collie, N.** see Pang, P. K. T.
- Collier, V. U.**, Butler, D. O., and Mitch, W. E. Metabolic effects of L-phenyllactate in perfused kidney, liver, and muscle. 238,1:E450
- Collins, D. C.**, Balikian, H. M., Robinson, H. R., and Preedy, J. R. K. Estrasplanchnic effect of sulfobromophthalein (BSP) on plasma estrogen levels in the dog. 236,5:E347
- Collins, J. A.**, Sepsenwol, S., and Braun, T. FSH and testosterone effects in seminiferous tubules of immature hypophysectomized rats. 241,4:E233
- Collins, J. J.** see Carabello, B. A.
- Collins, S. M.**, Abdelmoumene, S., Jensen, R. T., and Gardner, J. D. Cholecystokinin-induced persistent stimulation of enzyme secretion from pancreatic acini. 240,3:G459
- Collins, S. M.**, Abdelmoumene, S., Jensen, R. T., and Gardner, J. D. Reversal of cholecystokinin-induced persistent stimulation of pancreatic enzyme secretion by dibutyl cyclic GMP. 240,3:G466
- Collins, S. M.**, and Gardner, J. D. Cholecystokinin-induced contraction of dispersed smooth muscle cells. 243,6:G497
- Collins, S. M.** see Villanueva, M. L.
- Colman, R. W.** see Hennessy, V. L., Jr.
- Colston, K. W.** see Pike, J. W.
- Colton, C. A.**, and Colton, J. S. Effects of a thioreactive agent, diamide, on neuromuscular transmission in lobster. 242,11: C59
- Colton, C. A.** see Colton, J. S.
- Colton, J. S.**, and Colton, C. A. Effect of oxygen at high pressure on spontaneous transmitter release. 235,4:C233
- Colton, J. S.** see Colton, C. A.
- Columbo, J. M.** see Sweet, C. S.
- Comai, K.**, and Sullivan, A. C. Effect of phenoxybenzamine on development of adipose tissue in lean and obese Zucker rats. 243,6:E398
- Comai, K.** see Levin, B. E.
- Combes, B.** see Barnhart, J. L.
- Combs, W.** see Geddes, L. A.
- Comer, H. T.** see Munch, D. F.
- Conant, S.** see Pace, C. S.
- Conde, M. V.**, Marin, J., Salafes, M., Marco, E. J., Gómez, B., and Lluch, S. Adrenergic vasoconstriction of the goat middle cerebral artery. 235,4:H131
- Conde, R. D.** see Bur, J. A.
- Condorelli, M.**  
see Peschle, C.  
Rengo, F.
- Conger, J. D.**, and Burke, T. J. Effects of anesthetic agents on autoregulation of renal hemodynamics in the rat and dog. 230:652
- Conhaim, R. L.** see Allard, J. R.
- Conklin, J. L.** see Schulze, K.
- Conlee, R. K.**, Hickson, R. C., Winder, W. W., Hagberg, J. M., and Holloszy, J. O. Regulation of glycogen resynthesis in muscles of rats following exercise. 235,4: R145
- Conlee, R. K.**, McLane, J. A., Rennie, M. J., Winder, W. W., and Holloszy, J. O. Reversal of phosphorylase activation in muscle despite continued contractile activity. 237,6:R291
- Conlee, R. K.**, Rennie, M. J., and Winder, W. W. Skeletal muscle glycogen content: diurnal variation and effects of fasting. 231:614
- Conlon, J. M.** see Schusdziarra, V.
- Conlon, T. P.** see May, R. J.
- Conn, A. R.**, and Steele, R. D. Transport of  $\alpha$ -keto analogues of amino acids across blood-brain barrier in rats. 243,6:E272
- Conn, H. O.** see Groszmann, R. J.
- Conn, P. M.**  
see Handwerger, S.  
Stern, J. E.
- Connelly, C.**, Vogel, W. M., Hernandez, Y. M., and Apstein, C. S. Movement of necrotic wavefront after coronary artery occlusion in rabbit. 243,12:H682
- Connett, R. J.** Association of increased pH with calcium ion release in skeletal muscle. 234,3:C110
- Connett, R. J.** Glyconeogenesis from lactate in frog striated muscle. 237,6:C231
- Connett, R. J.**, and Hays, E. T. Energy coupling to sodium transport in frog skeletal muscle. 235,4:C25
- Connett, R. J.** see Pearce, F. J.
- Connor, J. A.**, Mangel, A. W., and Nelson, B. Propagation and entrainment of slow waves in cat small intestine. 237,6:C237
- Connor, J. A.**  
see Mangel, A. W.  
Partridge, L. D.  
Weigel, R. J.
- Connors, J. M.**, and Hedge, G. A. Feed-back regulation of thyrotropin by thyroxine under physiological conditions. 240,3:E308
- Connors, N.** see Senay, L. C., Jr.
- Conover, C.** see Cheung, J. Y.
- Conrad, E. E., Jr.**, and Faber, J. J. Water and electrolyte acquisition across the placenta of the sheep. 233,2:H475
- Conrad, J. T.** Bioelectrical and contractile behavior of rabbit mesotubarium superius: estrogen withdrawal. 233,2: C180
- Conrad, M. C.** Anatomic response of canine hindlimb vasculature to chronic venous occlusion. 232,1:H584
- Conrad, M. C.** see Curd, L. H., Jr.
- Conrad, M. E.**  
see Barton, J. C.  
DeLuca, H. F.
- Considine, P.** see Weisinger, R. S.
- Consigny, P. M.**, Verrier, E. D., Payne, B. D., Edelist, G., Jester, J., Baer, R. W., Vlahakes, G. J., and Hoffman, J. I. E. Acute and chronic microsphere loss from canine left ventricular myocardium. 242,11:H392
- Constantinou, C. E.**, and Djurhuus, J. C. Pyeloureteral dynamics in the intact and chronically obstructed multicalyceal kidney. 241,10:R398
- Constantinou, C. E.**, and Yamaguchi, O. Multiple-coupled pacemaker system in renal pelvis of the unicalyceal kidney. 241,10:R412
- Conte, F. P.** Biology of the chloride cell. 238,7:R141

- Conte, F. P.** Role of C-4 pathway in crustacean chloride cell function. 238,7:R269
- Conte, F. P.** *see* Ewing, R. D.
- Condney, S. J.**  
*see* Harder, D. R.  
Lombard, J. H.  
Willems, W. J.
- Conway, E. S.** *see* Trout, D. L.
- Conway, J. M., Bier, D. M., Motil, K. J., Burke, J. F., and Young, V. R.** Whole-body lysine flux in young adult men: effects of reduced total protein and of lysine intake. 239,2:E192
- Conway, J. M.** *see* Pi-Sunyer, F. X.
- Conway, M.** *see* Eaton, R. P.
- Conway, W. P.** *see* Drewes, L. R.
- Cook, D. L., Porte, D., Jr., and Crill, W. E.** Voltage dependence of rhythmic plateau potentials of pancreatic islet cells. 240,3:E290
- Cook, J. S.**  
*see* Amsler, K.  
Pollack, L. R.
- Cook, M. A.** *see* Arendshorst, W. J.
- Cooke, A. R.**  
*see* Anuras, S.  
Athey, G. R.  
Cooke, H. J.  
Dawson, D. C.  
Stemper, T. J.  
Stephens, J. R.  
Vermillion, D. L.
- Cooke, H. J., Arvanitakis, C., Folscroft, J., and Bornstein, J.** Effect of aspirin on sugar, amino acid, and sodium transport in rat jejunum. 236,5:E495
- Cooke, H. J., and Cooke, A. R.** Effect of tryptophan on transport properties of newborn rabbit jejunum. 242,5:G308
- Cooke, H. J., and Dawson, D. C.** Transport characteristics of isolated newborn rabbit ileum. 234,3:E257
- Cooke, H. J., Henning, H. J., Jr., Wood, J. D., and Cooke, A. R.** Jejunal transport properties of piebald mouse model for Hirschsprung's disease. 239,2:G123
- Cooke, H. J., Pfankuche, L., and Cooke, A. R.** Tryptophan transport by isolated newborn rabbit jejunum. 239,2:G306
- Cooke, H. J.** *see* McCabe, R.
- Cooke, P.** *see* Montoreano, R.
- Coon, R. L.**  
*see* Hopp, F. A.  
Kostreva, D. R.
- Cooney, D. A.** *see* Milman, H. A.
- Coons, L. W.** *see* Harper, M. J. K.
- Cooper, A. D., Shrewsbury, M. A., and Erickson, S. K.** Comparison of binding and removal of remnants of triglyceride-rich lipoproteins of intestinal and hepatic origin by rat liver in vitro. 243,6:G389
- Cooper, D. N.** *see* Cserr, H. F.
- Cooper, G., IV.** Myocardial energetics during isometric twitch contractions of cat papillary muscle. 236,5:H244
- Cooper, G. P., and Steinberg, D.** Effects of cadmium and lead on adrenergic neuromuscular transmission in the rabbit. 232,1:C128
- Cooper, J. D.**  
*see* Fountain, S. W.  
Osada, H.
- Cooper, K.** *see* Read, N. W.
- Cooper, K. E.**  
*see* Eagan, P. C.  
Kasting, N. W.  
Pittman, Q. J.
- Cooper, M. W.** *see* Lust, R. M., Jr.
- Cooper, S.** *see* Nishiki, K.
- Cooperstein, S. J., and Lazarow, A.** Uptake of amino acids by islet of Langerhans and other tissues of the toadfish. 233,2:E19
- Copeland, E. M.**  
*see* Johnson, L. R.  
Mukhopadhyay, A. K.  
Ryan, G. P.  
Thor, P. J.
- Copenhaver, M. E.** *see* Flaim, K. E.
- Copinschi, G.** *see* Van Cauter, E.
- Copley, D. P.** *see* Reichlin, M.
- Coquelin, A., and Desjardins, C.** Luteinizing hormone and testosterone secretion in young and old male mice. 243,6:E257
- Coraboeuf, E.** Ionic basis of electrical activity in cardiac tissues. 234,3:H101
- Coraboeuf, E., Deroubaix, E., and Coulombe, A.** Effect of tetrodotoxin on action potentials of the conducting system in the dog heart. 236,5:H561
- Corbett, S. W., and Keesey, R. E.** Energy balance of rats with lateral hypothalamic lesions. 242,5:E273
- Corbin, J. D.**  
*see* Keely, S. L.  
Keely, S. L., Jr.
- Corbin, L. V., II** *see* Montgomery, G. D.
- Corbo, L.** *see* Neufeld, N. D.
- Corcia, A., and Caplan, S. R.** Effect of furosemide on the electrical parameters of frog skin. 243,12:F581
- Corcia, A., and Caplan, S. R.** Effect of furosemide on the thermodynamic parameters of frog skin. 243,12:F588
- Corcia, A.** *see* Ayalon, A.
- Corey, D. P.** *see* Hudspeth, A. J.
- Corman, B., Carriere, S., Le Grimmelc, C., and Cardinal, J.** Proximal tubular response to variations in extracellular sodium concentration. 238,7:F256
- Corman, B., Touvy, C., Poujeol, P., and De Rouffignac, C.** Glucose-mediated inhibition of phosphate reabsorption in rat kidney. 235,4:F430
- Cornblath, M.** *see* Ozand, P. T.
- Cornell, L.**  
*see* Hance, A. J.  
Robin, E. D.
- Cornell, R. P.** Mechanisms of acute hyperinsulinemia after Kupffer cell phagocytosis. 238,1:E276
- Cornell, R. P.** Hyperinsulinemia and hyperglucagonemia in fasted rats during liver regeneration. 240,3:E112
- Cornell, R. P.** RES hyperphagocytosis by rats with streptozotocin-induced diabetes mellitus. 240,3:G225
- Cornell, R. P.** Endotoxin-induced hyperinsulinemia and hyperglucagonemia after experimental liver injury. 241,4:E428
- Cornford, E. M., Braun, L. D., Oldendorf, W. H., and Hill, M. A.** Comparison of lipid-mediated blood-brain-barrier penetrability in neonates and adults. 243,12:C161
- Cornford, E. M., Braun, L. D., Pardridge, W. M., and Oldendorf, W. H.** Blood flow rate and cellular influx of glucose and arginine in mouse liver in vivo. 238,7:H553
- Cornish, A. L., Hanley, H. G., O'Connor, W., Slack, J. D., Patrick, T. A., and Cole, J. S.** Limitations of postextrasystolic potentiation in identifying ischemic myocardium. 241,10:H654
- Cornish, K. G., and Gilmore, J. P.** Increased left atrial pressure does not alter renal function in the conscious primate. 243,12:R119
- Coroneos, N. J.** *see* Keaney, N. P.
- Corr, P. B., Snyder, D. W., Lee, B. I., Gross, R. W., Keim, C. R., and Sobel, B. E.** Pathophysiological concentrations of lysophosphatides and the slow response. 243,12:H187
- Corr, P. B.** *see* Snyder, D. W.
- Corrent, G., and Eskin, A.** Transmitter-like action of serotonin in phase shifting a rhythm from the *Aplysia* eye. 242,11:R333
- Corrent, G., Eskin, A., and Kay, I.** Entrainment of the circadian rhythm from the eye of *Aplysia*: role of serotonin. 242,11:R326
- Corry, R. J.** *see* Lund, D. D.
- Corso, G.** *see* Sacca, L.
- Cortell, S.**  
*see* Gennari, F. J.  
Lefavour, G. S.
- Cortes, P., Levin, N. W., Dumler, F., Rubenstein, A. H., Verghese, C. P., and Venkatachalam, K. K.** Uridine triphosphate and RNA synthesis during diabetes-induced renal growth. 238,1:E349
- Cortes, P., Verghese, C. P., Venkatachalam, K. K., Schoenberger, A. M., and Levin, N. W.** Phosphoribosylpyrophosphate bioavailability in diabetic rat renal cortex in vivo. 238,1:E341
- Cortes, P.** *see* Scicli, A. G.
- Corthorn, J.** *see* Roblero, J.
- Corvol, P.**  
*see* Nakane, H.  
Rossier, B. C.
- Corwin, E. J., Cho, K. W., and Malvin, R. L.** Temperature-induced conversion of the renal adrenoceptor: modulating renin release. 243,12:F23
- Coscina, D. V.** *see* Hogan, S.
- Cosgrove, A. E.** *see* Moyle, W. R.
- Cosin, J.** *see* Martin, G.
- Costa, D. P., and Ortiz, C. L.** Blood chemistry homeostasis during prolonged fasting in the northern elephant seal. 242,11:R591
- Costa, D. P.** *see* Nagy, K. A.
- Costanzo, L. S., and Weiner, I. M.** Relationship between clearances of Ca and Na: effect of distal diuretics and PTH. 230:67
- Costanzo, L. S., and Windhager, E. E.** Calcium and sodium transport by the distal convoluted tubule of the rat. 235,4:F492
- Costanzo, L. S., and Windhager, E. E.** Effects of PTH, ADH, and cyclic AMP on distal tubular Ca and Na reabsorption. 239,8:F478
- Costello, D. J.** *see* Kintner, D.
- Costello, L. C.** *see* Gold, A. J.
- Costenbader, C. L.**  
*see* Charney, A. N.  
Gardner, J. D.
- Costrini, N. V., Ganeshappa, K. P., Wu, W., Whalen, G. E., and Soergel, K. H.** Effect of insulin, glucose, and controlled diabetes mellitus on human jejunal function. 233,2:E181
- Cote, I.** *see* Priola, D. V.
- Côté, P.** *see* Ferguson, R. J.
- Cotner, C. L.** *see* Hondeghem, L. M.
- Coulombe, A.** *see* Coraboeuf, E.
- Coulombe, P.** *see* Ruel, J.
- Coulson, R., and Harrington, W. W.** Renal metabolism of  $N^5$ ,  $O^2$ -dibutyladenosine 3',5'-monophosphate. 237,6:F75
- Coulson, R. L.**  
*see* Carey, R. A.  
Houser, S. R.  
Natarajan, G.
- Courtright, J. B.** *see* Fitts, R. H.
- Cousin, J. L.** *see* Motais, R.
- Cousins, R. J.** *see* McCormick, C. C.
- Coutu, M. D.** *see* Pappano, A. J.
- Couturier, E.** *see* Herchuelz, A.
- Covell, J. W.**  
*see* Badke, F. R.  
Carew, T. E.  
Kent, R. S.  
LeWinter, M. M.  
Raines, R. A.  
Yoran, C.
- Cowley, A. W.** *see* Goldsmith, S. R.

- Cowley, A. W., Jr., Switzer, S. J., and Skelton, M. M. Vasopressin, fluid, and electrolyte response to chronic angiotensin II infusion. 240,9:R130
- Cowley, A. W., Jr. see Barber, B. J.  
Hall, J. E.  
Hockel, G. M.  
Lohmeier, T. E.  
Smith, M. J., Jr.  
Trippodo, N. C.
- Cox, A. C. see Walsh, G. M.
- Cox, J. see Vander, A. J.
- Cox, J. E., and Powley, T. L. Intragastric pair feeding fails to prevent VMH obesity or hyperinsulinemia. 240,3:E566
- Cox, J. E., and Powley, T. L. Prior vagotomy blocks VMH obesity in pair-fed rats. 240,3:E573
- Cox, M., and Singer, I. Insulin-mediated  $\text{Na}^+$  transport in the toad urinary bladder. 232,1:F270
- Cox, M. see Guzzo, J.
- Cox, P. S., Rothenburg, B. A., and Kluger, M. J. Characterization of an endogenous cryogen that appears in the urine. 243,12:R241
- Cox, R. H. Mechanics of canine iliac artery smooth muscle in vitro. 230:462
- Cox, R. H. Effects of norepinephrine on mechanics of arteries in vitro. 231:420
- Cox, R. H. Determination of series elasticity in arterial smooth muscle. 233,2:H248
- Cox, R. H. Effects of age on the mechanical properties of rat carotid artery. 233,2:H256
- Cox, R. H. Influence of muscle length on series elasticity in arterial smooth muscle. 234,3:C146
- Cox, R. H. Comparison of carotid artery mechanics in the rat, rabbit, and dog. 234,3:H280
- Cox, R. H. Passive mechanics and connective tissue composition of canine arteries. 234,3:H533
- Cox, R. H. Regional variation of series elasticity in canine arterial smooth muscles. 234,3:H542
- Cox, R. H. Differences in mechanics of arterial smooth muscle from hindlimb arteries. 235,4:H649
- Cox, R. H. Comparison of arterial wall mechanics in normotensive and spontaneously hypertensive rats. 237,6:H159
- Cox, R. H. Alterations in active and passive mechanics of rat carotid artery with experimental hypertension. 237,6:H597
- Cox, R. H. Comparison of mechanical and chemical properties of extra- and intralobar canine pulmonary arteries. 242,11:H245
- Cox, R. H. Changes in arterial wall properties during development and maintenance of renal hypertension. 242,11:H477
- Cox, R. H., and Bagshaw, R. J. Influence of anesthesia on the response to carotid hypotension in dogs. 237,6:H424
- Cox, R. H., and Bagshaw, R. J. Effects of pulsations on carotid sinus control of regional arterial hemodynamics. 238,7:H182
- Cox, R. H., and Bagshaw, R. J. Carotid sinus control of pulsatile hemodynamics in halothane-anesthetized dogs. 238,7:H294
- Cox, R. H., and Bagshaw, R. J. Effects of anesthesia on carotid sinus reflex control of arterial hemodynamics in the dog. 239,8:H681
- Cox, R. H., and Bagshaw, R. J. Reflex control of canine hindlimb resistance under different modes of perfusion. 241,10:H789
- Cox, R. H., Bagshaw, R. J., and Detweiler, D. K. Arterial baroreceptor reflexes in young and old racing greyhounds. 240,9:H383
- Cox, R. H., and Detweiler, D. K. Arterial wall properties and dietary atherosclerosis in the racing greyhound. 236,5:H790
- Cox, R. H., Jones, A. W., and Swain, M. L. Mechanics and electrolyte composition of arterial smooth muscle in developing dogs. 231:77
- Cox, R. H., Peterson, L. H., and Detweiler, D. K. Comparison of arterial hemodynamics in the mongrel dog and the racing greyhound. 230:211
- Cox, R. H., Peterson, L. H., and Detweiler, D. K. Hemodynamic responses to stellate ganglion stimulation in mongrels and greyhounds. 231:1062
- Cox, R. H. see Campbell, K. B.  
Monos, E.
- Cox, T. C., and Alvarado, R. H. Electrical and transport characteristics of skin of larval *Rana catesbeiana*. 237,6:R74
- Coy, D. H. see Thor, P.
- Crafford, W. A., Jr. see Snyder, D. W.
- Craig, A. B. see Thompson, D. A.
- Craig, C. see Jolly, D. W.
- Cramer, C. F., and McMillan, J. Phosphorus adaptation in rats in absence of vitamin D or parathyroid glands. 239,2:G261
- Crandall, E. D., Critz, A. M., Osher, A. S., Keljo, D. J., and Forster, R. E. Influence of pH on elastic deformability of the human erythrocyte membrane. 235,4:C269
- Crandall, E. D. see Goodman, B. E.  
Obaid, A. L.
- Crandall, S. S. see Lichtenberger, L. M.
- Crane, R. K., Malathi, P., Preiser, H., and Fairclough, P. Some characteristics of kidney  $\text{Na}^+$ -dependent glucose carrier reconstituted into sonicated liposomes. 234,3:E1
- Crane, S. A. see Schulze-Delrieu, K.
- Crane, P. F. see Wit, A. L.
- Crankshaw, D. J. see Grover, A. K.  
Janis, R. A.
- Crankshaw, J. see Daniel, E. E.  
Grover, A. K.
- Cranston, W. I. see Kluger, M. J.
- Crapo, J. D., and McCord, J. M. Oxygen-induced changes in pulmonary superoxide dismutase assayed by antibody titrations. 231:1196
- Crass, M. F., III see Allison, T. B.  
Paulson, D. J.
- Craven, P. A., and DeRubertis, F. R. Effects of vasopressin and urea on  $\text{Ca}^{2+}$ -calmodulin-dependent renal prostaglandin E. 241,10:F649
- Crawshaw, L. I. Effect of rapid temperature change on mean body temperature and gill ventilation in carp. 231:837
- Crawshaw, L. I., Ackerman, R. A., White, F. N., and Heath, M. E. Metabolic and acid-base changes during selection of warmer water by cold-acclimated fish. 242,11:R157
- Crawshaw, L. I., Johnston, M. H., and Lemons, D. E. Acclimation, temperature selection, and heat exchange in the turtle, *Chrysemys scripta*. 238,7:R443
- Crayton, S. C., Aung-Din, R., Fixler, D. E., and Mitchell, J. H. Distribution of cardiac output during induced isometric exercise in dogs. 236,5:H218
- Crayton, S. C., Mitchell, J. H., and Payne, F. C., III. Reflex cardiovascular response during injection of capsaicin into skeletal muscle. 240,9:H315
- Creasy, R. K. see Char, V. C.
- Creighton, G. K. see Yacco, M. E.
- Crenshaw, C. see Caton, D.
- Crettaz, M. see Wardzala, L. J.
- Crie, J. S., Wildenthal, K., Adcock, R., Templeton, G., and Willerson, J. T. Inhibition on inotropic effect of hyperosmotic mannitol by lactate in vitro. 231:1209
- Crill, W. E. see Cook, D. L.
- Crisp, B. see Langille, B. L.
- Critz, A. M. see Crandall, E. D.
- Crockett, J. L. see Maier, A.
- Crofton, J. T., Share, L., Shade, R. E., Allen, C., and Tarnowski, D. Vasopressin in the rat with spontaneous hypertension. 235,4:H361
- Crofton, J. T. see Wang, B. C.
- Cronan, J. Z. see Bissonnette, J. M.
- Cronin, M. J. see Baker, M. A.
- Cronin, R. E., Ferguson, E. R., Shannon, W. A., Jr., and Knochel, J. P. Skeletal muscle injury after magnesium depletion in the dog. 243,12:F113
- Cronin, R. E., Nix, K. L., Ferguson, E. R., Southern, P. M., and Henrich, W. L. Renal cortex ion composition and  $\text{Na}^+$ -ATPase activity in gentamicin nephrotoxicity. 242,11:F477
- Cronin, R. E. see Burke, T. J.  
De Torrente, A.
- Crook, W. J. see Perry, M. A.
- Crosby, S. see Farrell, A. P.
- Cross, C. E. see Kimball, R. E.
- Crouse, J. D. see Schanbacher, B. D.
- Crowe, A. see Fowler, W. S.
- Crowe, W., Mayevsky, A., and Mela, L. Application of a solid membrane ion-selective electrode to in vivo measurements. 233,2:C56
- Crowley, W. F., Jr. see Loughlin, J. S.
- Croxatto, H. see Roblero, J.
- Crozatier, B., Caillet, D., Chevrier, J. L., and Hatt, P. Y. Nonsympathetic increased inotropic state early after aortic insufficiency. 242,11:H973
- Crozatier, B., Caillet, D., Thuilleux, C., Chevrier, J.-L., Peronneau, P., and Hatt, P.-Y. Preload changes modify systolic pressure-diameter relations in the conscious dog. 240,9:H354
- Crozatier, B., Franklin, D., Theroux, P., Tomoike, H., Sasayama, S., and Ross, J., Jr. Loss of regional ventricular postextrasystolic potentiation after coronary occlusion in dogs. 233,2:H392
- Crozatier, B., Ross, J., Jr., Franklin, D., Bloor, C. M., White, F. C., Tomoike, H., and McKown, D. P. Myocardial infarction in the baboon: regional function and the collateral circulation. 235,4:H413
- Crozatier, B. see Hirakawa, S.
- Crumb, C. K., Minuth, A. N., Flasterstein, A. H., Hebert, C. S., Eknayan, G., Martinez-Maldonado, M., and Suki, W. N. Sodium excretion and intrarenal hemodynamics in thoracic inferior vena cava constriction. 232,1:F507
- Crutchfield, F. L. see Dratman, M. B.
- Cruvart, E. M. see Baran, D. T.
- Cruz, L. J., and Biber, T. U. L. Transepithelial transport kinetics and  $\text{Na}$  entry in frog skin: effects of novobiocin. 231:1866
- Cruz-Soto, M., Batlle, D., Sabatini, S., Arruda, J. A. L., and Kurtzman, N. A. Distal acidification in the rabbit: role of diet and blood pH. 243,12:F364
- Cruz-Soto, M. see Arruda, J. A. L.
- Cruz-Soto, M. A., Benabe, J. E., López-Novoa, J. M., and Martínez-Maldonado, M. Renal  $\text{Na}^+$ -K<sup>+</sup>-ATPase in renin release. 243,12:F598
- Cryer, G. L. see Gann, D. S.



- Cryer, P.** see Gerich, J.  
Rizza, R.
- Cryer, P. E.** see Clarke, W. L.  
Rizza, R. A.  
Saccà, L.  
Silverberg, A. B.
- Cryst, C.** see Aithal, H. N.
- Crystal, G. J.,** Boatwright, R. B., Downey, H. F., and Bashour, F. A. Shunting of microspheres across the canine coronary circulation. 236,5:H7
- Crystal, G. J.,** Downey, H. F., and Bashour, F. A. Small vessel and total coronary blood volume during intracoronary adenosine. 241,10:H194
- Crystal, G. J.** see Downey, H. F.
- Csejtey, J.** see Betz, A. L.
- Cserr, H. F.,** and Berman, B. J. Iodide and thiocyanate efflux from brain following injection into rat caudate nucleus. 235,4:F331
- Cserr, H. F.,** Bundgaard, M., Ashby, J. K., and Murray, M. On the anatomic relation of choroid plexus to brain: a comparative study. 238,7:R76
- Cserr, H. F.,** Cooper, D. N., Suri, P. K., and Patlak, C. S. Efflux of radiolabeled polyethylene glycols and albumin from rat brain. 240,9:F319
- Cserr, H. F.,** Fenstermacher, J. D., and Rall, D. P. Comparative aspects of brain barrier systems for nonelectrolytes. 234,3:R52
- Cserr, H. F.** see Bradbury, M. W. B.  
Ehrlich, B. E.
- Cuche, J. L.,** Ott, C. E., Marchand, G. R., Diaz-Buxo, J. A., and Knox, F. G. Intrarenal calcium in phosphate handling. 230:790
- Cuche, J. L.** see Diaz-Buxo, J. A.
- Cugali, N.** see Tibbitts, G. F.
- Cuisinier-Gleizes, P.** see Thomasset, M.
- Culebras, J. M.,** Fitzpatrick, G. F., Brennan, M. F., Boyden, C. M., and Moore, F. D. Total body water and the exchangeable hydrogen. II. A review of comparative data from animals based on isotope dilution and desiccation, with a report of new data from the rat. 232,1:R60
- Culebras, J. M.,** and Moore, F. D. Total body water and the exchangeable hydrogen. I. Theoretical calculation of nonaqueous exchangeable hydrogen in man. 232,1:R54
- Cullen, J. M.** see Marino, A. A.
- Culpepper, R. M.** see Hebert, S. C.
- Culver, N. G.,** and Fischman, D. A. Pharmacological analysis of sympathetic function in the embryonic chick heart. 232,1:R116
- Cummings, J. W.** see Yacoe, M. E.
- Cunningham, S. G.,** Feigl, E. O., and Scher, A. M. Carotid sinus reflex influence on plasma renin activity. 234,3:H670
- Cuppige, F. E.** see Deeds, D. G.  
Linshaw, M. A.
- Curd, L. H., Jr.,** and Conrad, M. C. Role of sympathetics in the response to acute venous occlusion. 233,2:H264
- Curnish, R. R.** see Tominaga, S.  
Winn, H. R.
- Curnow, R. T.,** Rayfield, E. J., George, D. T., Zenser, T. V., and DeRubertis, F. R. Altered hepatic glycogen metabolism and glucoregulatory hormones during sepsis. 230:1296
- Curro, F. A.** see Greenberg, S.
- Curry, D. L.** see Striffler, J. S.
- Curry, F. E.** Effects of temperature on hydraulic conductivity of single capillaries. 240,9:H29
- Curry, F. E.** Antipyrine and aminopyrine permeability of individually perfused frog capillaries. 240,9:H597
- Curthoys, N. P.** see Hughey, R. P.
- Curtis, B. A.,** Kreulen, D., and Prosser, C. L. Effect of external ions on  $^{45}\text{Ca}$  efflux from cat intestinal muscle. 238,1:G520
- Curtis, F. C.** see Hubbard, R. W.
- Curtis, M. B.** see Bernstein, M. H.
- Curtis, M. T.,** and Lefer, A. M. Protective actions of naloxone in hemorrhagic shock. 239,8:H416
- Cushing, J.** see Hefley, T.
- Cushman, S. W.,** Noda, D., and Salans, L. B. Adipose cell size-function relationships: insulin binding and degradation. 240,3:E166
- Cushman, S. W.** see Foley, J. E.  
Salans, L. B.
- Cusick, J. F.** see Kostreva, D. R.
- Custer, P.** see Harris, T. R.
- Cutiletta, A. F.** Muscle and nonmuscle cell RNA polymerase activities in early myocardial hypertrophy. 240,9:H901
- Cutiletta, A. F.,** Rudnik, M., Arcilla, R. A., and Straube, R. Effect of prophylactic digitalization on the development of myocardial hypertrophy. 233,2:H600
- Cutiletta, A. F.** see Dowell, R. T.
- Cutler, G. B., Jr.** see Castracane, V. D.  
Schiebinger, R. J.
- Cysyk, R. L.** see Monks, A.
- Czaczkas, W.** see Berl, T.
- Czajka-Narins, D.** see Obst, B. E.
- Czech, M. P.** see Richardson, D. K.
- Czeisler, C. A.** see Kronauer, R. E.
- Czernichow, P.** see Simonnet, G.
- D**
- Dabney, J. M.** see Chou, C. C.
- Dacey, R. G., Jr.,** and Duling, B. R. A study of rat intracerebral arterioles: methods, morphology, and reactivity. 243,12:H598
- Dacey, R. G., Jr.** see Duling, B. R.
- Da Costa, J.** see Dworkin, B. R.
- Daggett, W. M.** see Geffin, G. A.  
Jacobs, M. L.  
Lorell, B. H.  
Martin, G.  
O'Keefe, D. D.  
Vasu, M. A.
- Dagorn, J. C.** see La Bella, A.
- D'Agostino, J. B.,** and Henning, S. J. Hormonal control of postnatal development of corticosteroid-binding globulin. 240,3:E402
- D'Agostino, J. B.,** and Henning, S. J. Role of thyroxine in coordinate control of corticosterone and CBG in postnatal development. 242,5:E33
- D'Agrosa, L. S.** Cardiac arrhythmias of sympathetic origin in the dog. 233,2:H535
- D'Agrosa, L. S.** see Kopp, S. J.  
Taylor, J. J.
- Daigneault, A.** see Carrière, S.
- Dail, W. G.** see Priola, D. V.
- Dal Brun, G.** see Okolicsanyi, L.
- Dale, H. E.** see Miller, W. L.
- Dale, P. S.** see Power, G. G.
- Dale, S. L.** see Perrone, R. D.
- D'Alecy, L. G.,** Rose, C. J., Sellers, S. A., and Manfredi, J. P. Cerebral sodium extraction in the dog: a test for extracerebral contamination. 238,7:H868
- Dallman, M. F.,** Engeland, W. C., Rose, J. C., Wilkinson, C. W., Shinsako, J., and Siedenbueg, F. Nycthemeral rhythm in adrenal responsiveness to ACTH. 235,4:R210
- Dallman, M. F.,** Engeland, W. C., and Shinsako, J. Compensatory adrenal growth: a neurally mediated reflex. 231:408
- Dallman, M. F.** see Doell, R. G.  
Kaneko, M.  
Wilkinson, C. W.  
Wood, C. E.
- Dallman, P. R.** see Davies, K. J. A.  
Lister, G.
- Dal Ri, H.** see Vetterlein, F.
- Dalton, D. P.** see Loeb, J. M.
- Da Luz, P. L.** see Vas, R.
- Daly, D. S.** see Goresky, C. A.
- Daly, M. J.** see Karmazyn, M.
- Daly, M. M.** Effects of age and hypertension on utilization of glucose by rat aorta. 230:30
- Damon, D. N.** see Duling, B. R.  
Proctor, K. G.  
Sarelius, I. H.
- D'Amour, P.,** Huet, P.-M., Segre, G. V., and Rosenblatt, M. Characteristics of bovine parathyroid hormone extraction by dog liver in vivo. 241,4:E208
- Dampney, R. A. L.,** and Moon, E. A. Role of ventrolateral medulla in vasomotor response to cerebral ischemia. 239,8:H349
- Dampney, R. A. L.,** Stella, A., Golin, R., and Zanchetti, A. Vagal and sinoaortic reflexes in postural control of circulation and renin release. 237,6:H146
- Dampney, R. A. L.** see Kumada, M.
- Dancis, J.,** Jansen, V., and Levitz, M. Placental transfer of steroids: effect of binding to serum albumin and to placenta. 238,1:E208
- Dandavino, A.** see Woods, J. R., Jr.
- Danforth, E., Jr.** see Hood, V. L.
- Danguir, J.,** and Nicolaidis, S. Circadian sleep and feeding patterns in the rat: possible dependence on lipogenesis and lipolysis. 238,1:E223
- Danguir, J.,** and Nicolaidis, S. Intravenous infusions of nutrients and sleep in the rat: an ischymetric sleep regulation hypothesis. 238,1:E307
- Danhof, I. E.** see Bruce, L. A.
- Danhof, M.** see Vonk, R. J.
- Dani, A. M.,** Cittadini, A., and Inesi, G. Calcium transport and contractile activity in dissociated mammalian heart cells. 237,6:C147
- Daniel, E. E.,** Crankshaw, J., and Sarna, S. Prostaglandins and tetrodotoxin-insensitive relaxation of opossum lower esophageal sphincter. 236,5:E153
- Daniel, E. E.** see Fox, J. E. T.  
Garfield, R. E.  
Grover, A. K.  
Janis, R. A.  
Kannan, M. S.
- Daniel, S. S.,** Stark, R. I., Husain, M. K., Baxi, L. V., and James, L. S. Role of vasopressin in fetal homeostasis. 242,11:F740
- Danielli-Betto, D.** see Velussi, C.
- Danilo, P., Jr.** see Hordof, A. J.
- Danisi, G.** see Hildmann, B.
- Danon, A.,** Knapp, H. R., Oelz, O., and Oates, J. A. Stimulation of prostaglandin biosynthesis in the renal papilla by hypertonic mediums. 234,3:F64
- Danos, L. M.** see Weaver, L. C.
- Dantzler, W. H.** Significance of comparative studies for renal physiology. 238,7:F437
- Dantzler, W. H.,** and Bentley, S. K. Low  $\text{Na}^+$  effects on PAH transport and permeabilities in isolated snake renal tubules. 230:256

- Dantzer, W. H.**, and Bentley, S. K. Fluid absorption with and without sodium in isolated perfused snake proximal tubules. 234,3:F68
- Dantzer, W. H.**, and Bentley, S. K. Effects of inhibitors in lumen on PAH and urate transport by isolated renal tubules. 236,5:F379
- Dantzer, W. H.**, and Bentley, S. K. Bath and lumen effects of SITS on PAH transport by isolated perfused renal tubules. 238,7:F16
- Dantzer, W. H.**, and Bentley, S. K. Effects of chloride substitutes on PAH transport by isolated perfused renal tubules. 241,10:F632
- Dantzer, W. H.**, and Braun, E. J. Comparative nephron function in reptiles, birds, and mammals. 239,8:R197
- Dantzer, W. H.**  
see Barfuss, D. W.  
Beyenbach, K. W.  
Irish, J. M., III  
Koeppen, B. M.  
Laverty, G.
- D'Aoust, B. G.** see Casillas, E.
- Da Prada, M.**  
see Blum, J. W.  
Del Rey, A.
- Darby, A.** see Pfaffman, M. A.
- Darovec-Beckerman, C.** see Whitsett, J. A.
- D'Arrigo, J. S.** Screening of membrane surface charges by divalent cations: an atomic representation. 235,4:C109
- Darrow, R. M.** see Varandani, P. T.
- Darsee, J. R.**, Kloner, R. A., and Braunwald, E. Time course of regional function after coronary occlusions of 1- to 120-min duration. 240,9:H399. See also 244,13:H470
- Darsee, J. R.** see Kloner, R. A.
- Dasse, K. A.**, Chase, D., Burke, D., and Ullrick, W. C. Mechanical properties of tenotomized and denervated-tenotomized muscles. 241,10:C150
- Data, J. L.**, Chang, L. C. T., and Nies, A. S. Alteration of canine renal vascular response to hemorrhage by inhibitors of prostaglandin synthesis. 230:940
- Dauchot, P. J.** see Katona, P. G.
- Daughaday, W. H.** see Hammerman, M. R.
- Daughtridge, D.** see Berkowitz, M.
- Dávalos, M.**, Frega, N. S., Saker, B., and Leaf, A. Effect of exogenous and endogenous angiotensin II in the isolated perfused rat kidney. 235,4:F605
- Davidheiser, S.**, and Davies, R. E. Energy utilization by *Limulus* telson muscle at different sarcomere and A-band lengths. 242,11:R394
- Davidman, M.** see Mandin, H.
- Davidson, B. J.** see Pardridge, W. M.
- Davidson, K.** see Hanley, M. J.
- Davidson, M. B.**  
see Frank, H. J. L.  
Hiatt, N.
- Davidson, S. B.** see Smith, O. L. K.
- Davies, D. G.**  
see Nolan, W. F.  
Smith, E. N.
- Davies, D. R.** see Hughes, S. P. F.
- Davies, K. J. A.**, Maguire, J. J., Brooks, G. A., Dallman, P. R., and Packer, L. Muscle mitochondrial bioenergetics, oxygen supply, and work capacity during dietary iron deficiency and repletion. 242,5:E418
- Davies, P. J. A.** see Moake, J. L.
- Davies, R. E.**  
see Butler, T. M.  
Davidheiser, S.  
Siegman, M. J.
- Davis, B.** see Marin, M. G.
- Davis, B. B.**  
see Armbrrecht, H. J.  
Brown, W. W.  
Zenser, T. V.
- Davis, B. M.** see Miller, R. K.
- Davis, C.** see Hillis, L. D.
- Davis, C. W.**, and Hagadorn, I. R. Neuroendocrine control of Na<sup>+</sup> balance in the fiddler crab *Uca pugnator*. 242,11:R505
- Davis, D. L.**  
see Baker, C. H.  
Price, J. M.
- Davis, F. C.**, and Menaker, M. Hamsters through time's window: temporal structure of hamster locomotor rhythmicity. 239,8:R149
- Davis, J.**  
see Gerich, J.  
Henry, P. D.
- Davis, J. A.** see Schmid, P. G.
- Davis, J. L.** see Johnson, J. A.
- Davis, J. O.**  
see DeForrest, J. M.  
Dietz, J. R.  
Echtenkamp, S. F.  
Freeman, R. H.  
Johnson, J. A.  
Lohmeier, T. E.  
Seymour, A. A.  
Stephens, G. A.  
Watkins, B. E.  
Williams, G. M.
- Davis, J. R.** see Hickson, R. C.
- Davis, P. J.** see Caralis, D. G.
- Davis, P. L.**, Raff, G. L., and Glantz, S. A. A method to identify implanted radiopaque markers despite rotation of the heart. 239,8:H573
- Davis, R. W.**  
see Fitzgerald, K. R.  
Robin, E. D.
- Davis, S. L.**, Ohlson, D. L., Klindt, J., and Anfinson, M. S. Episodic growth hormone secretory patterns in sheep: relationship to gonadal steroid hormones. 233,2:E519
- Davis, S. L.** see Marques, P. R.
- Davison, J. S.**, Heisler, S., and Gagnon, C. Stimulus-secretion coupling and protein carboxyl methylation (Letter to the Editor). 242,5:G76
- Davson, H.** see Fenstermacher, J. D.
- Dawson, A. K.**, Leon, A. S., and Taylor, H. L. Effect of pentobarbital anesthesia on vulnerability to ventricular fibrillation. 239,8:H427
- Dawson, D. C.**, and Cooke, A. R. Parallel pathways for ion transport across rat gastric mucosa: effect of ethanol. 235,4:E7
- Dawson, D. C.** see Cooke, H. J.
- Dawson, T. J.** see Skadhauge, E.
- Dawson, W. R.** see Marsh, R. L.
- Dawson, W. W.**, Adams, C. K., Barris, M. C., and Litzkow, C. A. Static and kinetic properties of the dolphin pupil. 237,6:R301
- Day, S. R.** see Huntsman, L. L.
- Dayer, J.-M.**  
see Ausiello, D. A.  
Mills, J. W.
- Dayton, P. G.** see McNay, J. L.
- Deagen, J. T.** see Oh, S. H.
- Debas, H.** see Seal, A.
- Debas, H. T.**, and Yamagishi, T. Evidence for pyloropancreatic reflex for pancreatic exocrine secretion. 234,3:E468
- Debas, H. T.**  
see Elahi, D.  
Yamagishi, T.
- De Belle, R. C.**, Blacklow, N. R., Baylan, M., Little, J. M., and Lester, R. Bile acid conjugation in fetal hepatic organ cultures. 231:1124
- DeBoer, L. W. V.** see Kloner, R. A.
- De Burgh Daly, M.**, Elsner, R., and Angell-James, J. E. Cardiorespiratory control by carotid chemoreceptors during experimental dives in the seal. 232,1:H508
- De Burgh Daly, M.**, Korner, P. I., Angell-James, J. E., and Oliver, J. R. Cardiovascular-respiratory reflex interactions between carotid bodies and upper-airways receptors in the monkey. 234,3:H293
- De Burgh Daly, M.**  
see Angell-James, J. E.  
Elsner, R.
- De Caprio, L.** see Rengo, F.
- De Carle, D. J.**, Christensen, J., Szabo, A. C., Templeman, D. C., and McKinley, D. R. Calcium dependence of neuromuscular events in esophageal smooth muscle of the opossum. 232,1:E547
- De Carle, D. J.**, Szabo, A. C., and Christensen, J. Temperature dependence of responses of esophageal smooth muscle to electrical field stimulation. 232,1:E432
- De Champlain, J.**  
see Carrière, S.  
Ferguson, R. J.  
Péronnet, F.
- Deckelbaum, L.** see Apstein, C. S.
- Decker, R. A.**  
see Swabb, E. A.  
Tai, Y.-H.
- De Clerck, N. M.** see Lecarpentier, Y. C.
- DeClue, J. W.** see Norman, R. A., Jr.
- DeCoursey, T. E.**, Bryant, S. H., and Owenburg, K. M. Dependence of membrane potential on extracellular ionic concentrations in myotonic goats and rats. 240,9:C56
- Decuir, M.** see Alexander, N.
- Deeds, D. G.**, Sullivan, L. P., Fenton, R. A., Tucker, J. M., and Cuppage, F. E. Function and structure of perfused bullfrog kidney. 233,2:F481
- Deeds, D. G.**, Sullivan, L. P., and Welling, D. J. Potassium reabsorption and secretion in the perfused bullfrog kidney. 235,4:F26
- Deeds, D. G.**  
see Sullivan, L. P.  
Wilkinson, H. L.
- Deen, W. M.**, and Bridges, C. R. Addenda and correction. Molecular charge of horseradish peroxidase (Letter to the Editor). 242,11:F750
- Deen, W. M.**, and Satvat, B. Determinants of the glomerular filtration of proteins. 241,10:F162
- Deen, W. M.**, Satvat, B., and Jamieson, J. M. Theoretical model for glomerular filtration of charged solutes. 238,7:F126
- Deen, W. M.**, Ueki, I. F., and Brenner, B. M. Permeability of renal peritubular capillaries to neutral dextrans and endogenous albumin. 231:283
- Deen, W. M.**  
see Baylis, C.  
Bohrer, M. P.
- DeForrest, J. M.**, Davis, J. O., Freeman, R. H., Watkins, B. E., and Stephens, G. A. Separate renal function studies in conscious dogs with renovascular hypertension. 235,4:F310
- DeForrest, J. M.**, and Hollis, T. M. Shear stress and aortic histamine synthesis. 234,3:H701
- DeForrest, J. M.**, Waldron, T. L., and Antonaccio, M. J. Renal response to captopril in conscious dogs pretreated with indomethacin. 243,12:F543
- DeForrest, J. M.**  
see Dietz, J. R.  
Freeman, R. H.  
Seymour, A. A.  
Williams, G. M.

- DeFronzo, R. A.**, and Beckles, A. D. Glucose intolerance following chronic metabolic acidosis in man. 236,5:E328
- DeFronzo, R. A.**, Felig, P., Ferrannini, E., and Wahren, J. Effect of graded doses of insulin on splanchnic and peripheral potassium metabolism in man. 238,1:E421
- DeFronzo, R. A.**, Tobin, J. D., and Andres, R. Glucose clamp technique: a method for quantifying insulin secretion and resistance. 237,6:E214
- DeFronzo, R. A.**  
see Bia, M. J.  
Ferrannini, E.
- DeFuria, R. R.**, and Kushmerick, M. J. ATP utilization associated with recovery metabolism in anaerobic frog muscle. 232,1:C30
- De Gasquet, P.** see Planche, E.
- Degnan, K. J.**, and Zadunaisky, J. A. Ionic contributions to the potential and current across the opercular epithelium. 238,7:R231
- Deguchi, T.** Circadian rhythms of enzyme and running activity under ultradian lighting schedule. 232,1:E375
- DeGuzman, A.** see Swanson, J. W.
- DeHaan, R. L.** see Shrier, A.
- DeHaye, J.-P.** see Pector, J.-C.
- De Jong, A.**, Strubbe, J. H., and Steffens, A. B. Hypothalamic influence on insulin and glucagon release in the rat. 233,2:E380
- De Jong, W.** see Leenen, F. H. H.
- Delage, Y.**, Dumont, M., and Erlinger, S. Effect of glycodihydrofusidate on sulfobromophthalein transport maximum in the hamster. 231:1875
- Delage, Y.** see Binet, S.
- Deland, E. C.** see Walsh, G. M.
- DeLaney, R. G.**, and Fishman, A. P. Analysis of lung ventilation in the aestivating lungfish *Protopterus aethiopicus*. 233,2:R181
- DeLaney, R. G.**, Lahiri, S., Hamilton, R., and Fishman, A. P. Acid-base balance and plasma composition in the aestivating lungfish (*Protopterus*). 232,1:R10
- De Lano, F. A.**, and Zweifach, B. W. Anesthesia and microvascular dynamics in spontaneously hypertensive rats. 241,10:H821
- Del Bo, A.** see Baccelli, G.
- Delclitte, P.** see Le Maho, Y.
- Delea, A. C.** see Perl, W.
- Delea, C. S.** see Yun, J. C. H.
- De Lean, A.**, and Labrie, F. Sensitizing effect of treatment with estrogens on TSH response to TRH in male rats. 233,2:E235
- De Lean, A.**, Munson, P. J., and Rodbard, D. Simultaneous analysis of families of sigmoidal curves: application to bioassay, radioligand assay, and physiological dose-response curves. 235,4:E97
- Delehunt, J. R.** see Horstman, D. H.
- Delgado, J. M.** see Manrique, M.
- DeLima, J.** see Arief, A. I.
- DeLisi, C.** see Wiegell, F. W.
- Dellasega, M.** see Grantham, J. J.
- Del Rey, A.**, Besedovsky, H. O., Sorkin, E., Da Prada, M., and Bondiolotti, G. P. Sympathetic immunoregulation: difference between high- and low-responder animals. 242,11:R30
- DeLuca, C.** see Gold, R. M.
- DeLuca, H. F.**, Barton, J. C., and Conrad, M. E. Vitamin D on absorption and retention of lead (Letter to the Editor). 239,2:G437
- DeLuca, H. F.**  
see Halloran, B. P.  
Horst, R. L.  
Kabakoff, B.
- DeLuca, M.** see Roeske, W. R.
- DeLuca, M. A.** see Kaufman, I. A.
- DeMason, L. J.** see Gumucio, J. J.
- Dembinski, A.** see Konturek, S. J.
- Dembinski, A. B.**, and Johnson, L. R. Role of gastrin in gastrointestinal adaptation after small bowel resection. 243,6:G16
- Dembinski, A. B.**, Johnson, L. R., and Castro, G. A. Influence of enteric parasitism on hormone-regulated pancreatic secretion in dogs. 237,6:R232
- Demchenko, I. T.** see Sándor, P.
- De Mello, G.**, and Maack, T. Nephron function of the isolated perfused rat kidney. 231:1699
- De Mello Aires, M.**, and Malnic, G. Sodium in renal tubular acidification kinetics. 236,5:F434
- De Mello Aires, M.** see Silva-Netto, C. R.
- Demers, L.** see Santen, R. J.
- De Mey, J. G.**, and Vanhoutte, P. M.  $\text{Na}^+$ - $\text{K}^+$  exchanges in canine arterial and venous smooth muscle. 243,12:H551
- Demiéville, H. N.**, and Partridge, L. D. Probability of peripheral interaction between motor units and implications for motor control. 238,7:R119
- Demling, L.** see Konturek, S. J.
- Demling, R. H.**, Smith, M., Gunther, R., Flynn, J. T., and Gee, M. H. Pulmonary injury and prostaglandin production during endotoxemia in conscious sheep. 240,9:H348
- Demling, R. H.**  
see Kramer, G. C.  
Vreim, C. E.
- Denbow, D. M.**, and Edens, F. W. Effects of intraventricular injections of sodium and calcium on body temperature in the chicken. 239,8:R62
- Dencker, H.** see Tranberg, K. G.
- Denef, J.-F.** see Meda, P.
- Denenberg, V. H.** General systems theory, brain organization, and early experiences. 238,7:R3
- Denenberg, V. H.** see Thoman, E. B.
- Denes, P.** see Teague, S.
- Denham, S. C.** see Rabinowitz, L.
- Dennis, V. W.**, Bello-Reuss, E., and Robinson, R. R. Response of phosphate transport to parathyroid hormone in segments of rabbit nephron. 233,2:F29
- Dennis, V. W.**, Woodhall, P. B., and Robinson, R. R. Characteristics of phosphate transport in isolated proximal tubule. 231:979
- Dennis, V. W.**  
see Balaban, R. S.  
Brazy, P. C.  
Gullans, S. R.  
McKeown, J. W.
- Denniss, A. R.**, Schneyer, L. H., Sucanathapree, C., and Young, J. A. Actions of adrenergic agonists on isolated excretory ducts of submandibular glands. 235,4:F548
- Denny, S. E.** see Blumberg, A. L.
- Denson, S. E.** see Malloy, M. H.
- Dent, J.**, Dodds, W. J., Hogan, W. J., Arndorfer, R. C., and Teeter, B. C. Effect of cholecystokinin-octapeptide on opossum lower esophageal sphincter. 239,2:G230
- Dent, J.** see Dodds, W. J.
- Denton, D. A.**  
see Blair-West, J. R.  
McKinley, M. J.  
Weisinger, R. S.
- Denton, R. M.** see Loten, E. G.
- Denton, W.** see Geddes, L. A.
- DePalau, A.** see Botelho, S. Y.
- DePaolo, L. V.**, Anderson, L. D., and Hirshfield, A. N. Possible existence of a long-loop feedback system between FSH and inhibin in female rats. 240,3:E544
- Derelanko, M. J.** see Rothmann Hamburger, S. A.
- Deren, J. A.** see Levine, G. M.
- De Renzis, G.** see Bornancin, M.
- Dériaz, O.** see Liard, J. F.
- De Rijk, L. G.** see Borst, C.
- Deroubaix, E.** see Coraboeuf, E.
- De Rouffignac, C.**  
see Corman, B.  
Jamison, R. L.  
Merlet-Benichou, C.  
Poujeol, P.
- De Rougemont, D.**, Henchoz, M., and Roch-Ramel, F. Renal urate excretion at various plasma concentrations in the rat: a free-flow micropuncture study. 231:387
- De Rougemont, D.** see Roch-Ramel, F.
- DeRubertis, F. R.**  
see Craven, P. A.  
Curnow, R. T.
- De Ruiter, L.** see Parameswaran, S. V.
- Deshmukh, V. D.** see Keaney, N. P.
- Deshpande, Y. G.** see Kaminski, D. L.
- Desir, D.** see Van Cauter, E.
- Desjardins, C.**  
see Coquelin, A.  
Maruniak, J. A.
- Desjeux, J. F.** see Heyman, M.
- Desjeux, J.-F.**  
see Ducroc, R.  
Garzon, B.  
Heyman, M.  
Tai, Y.-H.
- Destro, M.** see Hoppe, A.
- Detar, R.** Mechanism of physiological hypoxia-induced depression of vascular smooth muscle contraction. 238,7:H761
- Detar, R.**  
see Chang, A. E.  
Skaug, N.
- Deth, R. C.** Effect of lanthanum and reduced temperature on  $^{45}\text{Ca}$  efflux from rabbit aorta. 234,3:C139
- Deth, R. C.**, and Lynch, C. J. Mobilization of a common source of smooth muscle  $\text{Ca}^{2+}$  by norepinephrine and methylxanthines. 240,9:C239
- De Torrente, A.**, Miller, P. D., Cronin, R. E., Paulsen, P. E., Erickson, A. L., and Schrier, R. W. Effects of furosemide and acetylcholine in norepinephrine-induced acute renal failure. 235,4:F131
- Detweiler, D. K.**  
see Cox, R. H.  
Melbin, J.
- Deutsch, S.** see Lesser, G. T.
- Devaskar, S. U.**, Ganguli, S., Devaskar, U. P., and Sperling, M. A. Glucocorticoids and hypothyroidism modulate development of fetal lung insulin receptors. 242,5:E384
- Devaskar, U. P.** see Devaskar, S. U.
- De Vito, E.** see Roblero, J.
- Devitt, P. G.** see Guzman, S.
- Devous, M. D.** see Jones, C. E.
- De Wardener, H. E.** The control of sodium excretion. 235,4:F163
- Dewasmes, G.** see Le Maho, Y.
- De Weer, P.**, and Geduldig, D. Contribution of sodium pump to resting potential of squid giant axon. 235,4:C55
- De Weer, P.** see Abercrombie, R. F.
- De Wever, I.**, Eeckhout, C., Vantrappen, G., and Hellemans, J. Disruptive effect of test meals on interdigestive motor complex in dogs. 235,4:E661
- De Wever, I.** see Eeckhout, C.
- Dewey, H. G.**, and Cole, D. R. Critical thermal maxima: correction of equation (Letter to the Editor). 243,12:R563
- De Wied, D.** see Dogterom, J.
- De Witt, E. H.**, and Lack, L. Effects of sulfation patterns on intestinal transport of bile salt sulfate esters. 238,1:G34
- Dewitt, S.** see Bia, M. J.
- Dhalla, N. S.**, Lee, S. L., Singal, P. K., Yates, J. C., and Unruh, H. W. Subcellular changes in rat hearts perfused with potassium-free medium. 237,6:C1

- Dhalla, N. S.**  
see Alto, L. E.  
Karmazyn, M.  
Lee, S. L.
- Dhumeaux, D.** see Mahu, J.-L.
- Dial, O. K.** see Navickis, R. J.
- Diamant, N. E.**  
see Chan, W. W.-L.  
Hall, K. E.
- Diamond, G. A.** see Vas, R.
- Diamond, H. S.** see Meisel, A. D.
- Diamond, J. M.** see Ehrlich, B. E.
- Diana, J. N., Brenton, B. C., Long, J. P., Cannon, J. G., Laughlin, M. H., Dittrich, H. C., and Montag, M. J.** Increase in blood flow to ischemic myocardium caused by a new dopamine analog. 235,4:H118
- Diana, J. N.**  
see Brock, T. A.  
Edwards, M. T.
- Diana, L. M.** see Barker, D. R.
- Diaz, M.** see Trinh-Trang-Tan, M.-M.
- Diaz-Buxo, J. A.**  
see Cuche, J. L.  
Ott, C. E.
- Diaz-Buxo, J.-A., Haas, J. A., Ott, C. E., Cuche, J. L., Marchand, G. R., and Knox, F. G.** Sodium balance and the natriuretic of hypertonic saline infusion in dogs. 230:1183
- Dibona, D. R.**  
see Berglin, T.  
Hardy, M. A.
- DiBona, G. F.** Neurogenic regulation of renal tubular sodium reabsorption. 233,2:F73
- DiBona, G. F., and Rios, L. L.** Mechanism of exaggerated diuresis in spontaneously hypertensive rats. 235,4:F409
- DiBona, G. F., and Rios, L. L.** Renal nerves in compensatory renal response to contralateral renal denervation. 238,7:F26
- DiBona, G. F., and Sawin, L. L.** Effect of hypermagnesemia in rat jejunal sodium and water transport. 231:1771
- DiBona, G. F., and Sawin, L. L.** Effect of renal nerve stimulation on NaCl and H<sub>2</sub>O transport in Henle's loop of the rat. 243,12:F576
- DiBona, G. F.**  
see Aguilera, A. J.  
Francisco, L. L.  
Holdaas, H.  
Kaloyanides, G. J.  
Osborn, J. L.  
Plath, D. W.  
Prosnitz, E. H.  
Zambraski, E. J.
- Dickey, D. T.** see Billman, G. E.
- Dickman, K. G.** see Renfro, J. L.
- Dieguez, G.**  
see Gómez, B.  
López de Pablo, A. L.
- Diehl, P. A.** see Kaufman, W. R.
- Diekema, K. A., McCann, P. P., and Lipfert, B. J.** Effect of GABA and isogabaculine on ornithine decarboxylase and putrescine metabolism. 243,12:C35
- Dienstag, J.** see Jablonski, C.
- Dies, F., Valdez, J. M., Vilet, R., and Garza, R.** Lactate oxidation and sodium reabsorption by dog kidney in vivo. 240,9:F343
- Dietrich, W. D., Wei, E. P., Povlishock, J. T., and Kontos, H. A.** Method for morphophysiological study of specific pial microvessels. 238,7:H172
- Dietrich, W. D.** see Kontos, H. A.
- Dietschy, J. J.** see Thomson, A. B. R.
- Dietz, J.** see Zucker, I. H.
- Dietz, J. R., Davis, J. O., DeForrest, J. M., Freeman, R. H., Echtenkamp, S. F., and Seymour, A. A.** Effects of indomethacin in dogs with acute and chronic renovascular hypertension. 240,9:H533
- Dietz, J. R.**  
see Echtenkamp, S. F.  
Seymour, A. A.
- Dietz, M. R.** see Chiasson, J.-L.
- Dietz, R.** see Mann, J. F. E.
- Dietz, T. H.** Sodium transport in the freshwater mussel, *Carunculus texensis* (Lea). 235,4:R35
- Diez, A.** see Moret, M.
- Diezi, J., Nenniger, M., and Giebisch, G.** Distal tubular function in superficial rat tubules during volume expansion. 239,8:F228
- Diezi, J.** see Arslan, Y.
- Di Gennaro, M.** see Carbonin, P.
- DiGirolamo, M., and Owens, J. L.** Water content of rat adipose tissue and isolated adipocytes in relation to cell size. 231:1568
- Dikman, S.** see Safirstein, R.
- Dilley, R. B.** see Shoor, P. M.
- Dillman, E., Gale, C., Green, W., Johnson, D. G., Mackler, B., and Finch, C.** Hypothermia in iron deficiency due to altered triiodothyronine metabolism. 239,8:R377
- Dillmann, E., Johnson, D. G., Martin, J., Mackler, B., and Finch, C.** Catecholamine elevation in iron deficiency. 237,6:R297
- Dillon, B. C., and Saba, T. M.** Fibronectin deficiency and intestinal transvascular fluid balance during bacteremia. 242,11:H557
- Dillon, P. F., and Murphy, R. A.** Tonic force maintenance with reduced shortening velocity in arterial smooth muscle. 242,11:C102
- Dimond, K. A.** see Buckalew, V. M., Jr.
- Dinda, P. K., and Beck, I. T.** Effect of ethanol on peptidases of hamster jejunal brush-border membrane. 242,5:G442
- Dinda, P. K., Hurst, R. O., and Beck, I. T.** Effect of ethanol on disaccharidases of hamster jejunal brush border membrane. 237,6:E68
- Dinelle, Y.** see Ferguson, R. J.
- Dinerstein, R. J.** see Holt, J. A.
- Di Nicolantonio, R., Mendelsohn, F. A. O., Hutchinson, J. S., Takata, Y., and Doyle, A. E.** Dissociation of dipsogenic and pressor responses to chronic central angiotensin II in rats. 242,11:R498
- Dinno, F. H.** see Dinno, M. A.
- Dinno, M. A., Ando, M., Dinno, F. H., Huang, K. C., and Rehm, W. S.** Effect of nicotine on gastric acid secretion: evidence of electrogenic pump theory. 232,1:E251
- Dinno, M. A.**  
see Holloman, T. L.  
Kaufman, M. E.
- Dinterman, R. E.**  
see Bunner, D. L.  
Sobocinski, P. Z.
- DiPette, D. J.** see Flaim, S. F.
- Dirks, J. H.**  
see Burnatowska, M. A.  
Guignard, J.-P.  
Harris, C. A.  
Quamme, G. A.  
Roch-Ramel, F.  
Wen, S. F.
- DiSalvo, J.** see Silver, P. J.
- DiScala, V. A.**  
see Harmanci, M. C.  
Kachadorian, W. A.  
Lebwohl, D. J.  
Wade, J. B.
- DiStefano, J. J., III.** Tracer experiment design for unique identification of nonlinear physiological systems. 230:476
- DiStefano, J. J., III.** Modeling methodology forum: a new department (Editorial). 240,9:R257
- DiStefano, J. J., III.** Optimized blood sampling protocols and sequential design of kinetic experiments. 240,9:R259
- DiStefano, J. J., III.** Noncompartmental vs. compartmental analysis: some bases for choice. 243,12:R1
- DiStefano, J. J., III, and Mak, P. H.** On model and data requirements for determining the bioavailability of oral therapeutic agents: application to gut absorption of thyroid hormones. 236,5:R137
- DiStefano, J. J., III, and Mori, F.** Parameter identifiability and experiment design: thyroid hormone metabolism parameters. 233,2:R134
- DiStefano, J. J., III**  
see Cobelli, C.  
Weitzman, R. E.
- Dittrich, H. C.** see Diana, J. N.
- Diz, D. L., Baer, P. G., and Nasjletti, A.** Effect of norepinephrine and renal denervation on renal PGE<sub>2</sub> and kallikrein in rats. 241,10:F477
- Dju, M. Y., and Yü, T.-F.** Uric acid metabolism in homozygous and heterozygous muscular dystrophic mice. 234,3:E421
- Djurhuus, J. C.** see Constantinou, C. E.
- Dluhy, R. G.** see Koletsky, R. J.
- Dobbins, D. E.**  
see Inciarte, D. J.  
Marciniak, D. L.
- Dobbins, J. W.** see Zimmerman, T. W.
- Dobbins, W. O., III.** Gut immunophysiology: a gastroenterologist's view with emphasis on pathophysiology. 242,5:G1
- Dobbs, R. E.** see Muñoz-Barragan, L.
- Dobrin, P., and Canfield, T.** Identification of smooth muscle series elastic component in intact carotid artery. 232,1:H122
- Dobrzańska, M.** see Konturek, S. J.
- Dobson, A., Sellers, A. F., and Gatewood, V. H.** Absorption and exchange of water across rumen epithelium. 231:1588
- Dobson, A., Sellers, A. F., and Gatewood, V. H.** Dependence of Cr-EDTA absorption from the rumen on luminal osmotic pressure. 231:1595
- Dobson, J. G., Jr.** Protein kinase regulation of cardiac phosphorylase activity and contractility. 234,3:H638
- Dobson, J. G., Jr.** see Rockoff, J. B.
- Dobyan, D. C., Arrascue, J. F., and Jamison, R. L.** Terminal papillary collecting duct reabsorption of water, sodium, and potassium in *Psammomys obesus*. 239,8:F539
- Dobyan, D. C., and Bulger, R. E.** Renal carbonic anhydrase. 243,12:F311
- Dodd, K. T.** see Gross, D. R.
- Dodd, L.** see Hudlická, O.
- Dodd, L. R.** see Renkin, E. M.
- Dodd, R. C.** see Toback, F. G.
- Dodds, W. J., Christensen, J., Dent, J., Arndorfer, R. C., and Wood, J. D.** Pharmacologic investigation of primary peristalsis in smooth muscle portion of opossum esophagus. 237,6:E561
- Dodds, W. J., Christensen, J., Dent, J., Wood, J. D., and Arndorfer, R. C.** Esophageal contractions induced by vagal stimulation in the opossum. 235,4:E392
- Dodds, W. J., Dent, J., Hogan, W. J., and Arndorfer, R. C.** Effect of atropine on esophageal motor function in humans. 240,3:G290
- Dodds, W. J., Stef, J. J., Stewart, E. T., Hogan, W. J., Arndorfer, R. C., and Cohen, E. B.** Responses of feline esophagus to cervical vagal stimulation. 235,4:E63
- Dodds, W. J.**  
see Dent, J.  
Schulze, K.  
Toouli, J.
- Dodia, C.** see Fisher, A. B.



- Doell, R. G., Dallman, M. F., Clayton, R. B., Gray, G. D., and Levine, S.** Dissociation of adrenal corticosteroid production from ACTH in water-restricted female rats. 241,10:R21
- Dogterom, J., Van Wimersma Greidanus, T. J. B., and De Wied, D.** Vasopressin in cerebrospinal fluid and plasma of man, dog, and rat. 234,3:E463
- Doherty, R. A.** see Keller, C. A.
- Dole, W. P., Jackson, D. L., Rosenblatt, J. L., and Thompson, W. L.** Relative error and variability in blood flow measurements with radiolabeled microspheres. 243,12:H371
- Dole, W. P., Montville, W. J., and Bishop, V. S.** Dependency of myocardial reactive hyperemia on coronary artery pressure in the dog. 240,9:H709
- Dolkas, C. B.** see Mondon, C. E.
- Dominguez, A. A.** see Holt, P. R.
- Dominguez, G., and Fozzard, H. A.** Effect of stretch on conduction velocity and cable properties of cardiac Purkinje fibers. 237,6:C119
- Domschke, S.** see Konturek, S. J.
- Domschke, W.** see Konturek, S. J.
- Donahue, M. J., Yacoub, N. J., and Harris, B. G.** Correlation of muscle activity with glycogen metabolism in muscle of *Ascaris suum*. 242,11:R514
- Donahue, R. P.** see Gaasch, W. H.
- Donald, D. E.** see Britton, S. L.  
Carneiro, J. J.  
Chen, D. S.  
Mancia, G.  
Melcher, A.  
Powis, D. A.  
Stephenson, R. B.  
Walgenbach, S. C.
- Donald, T. C., Peterson, D. M., Walker, A. A., and Hefner, L. L.** Afterload-induced homeometric autoregulation in isolated cardiac muscle. 231:545
- Donald, T. C., Reeves, D. N. S., Reeves, R. C., Walker, A. A., and Hefner, L. L.** Effect of damaged ends in papillary muscle preparations. 238,7:H14
- Doni, M. G., Avventi, G. L., Bonadiman, L., and Bonaccorso, G.** Glutathione peroxidase, selenium, and prostaglandin synthesis in platelets. 240,9:H800
- Donnell, J. J.** see Schmid, P. G.
- D'Onofrio, F.** see Giugliano, D.
- Donohue, T. M.** see Enders, R. H.
- Donovan, C. B.** see Blitzer, B. L.
- Donowitz, M., and Asarkof, N.** Calcium dependence of basal electrolyte transport in rabbit ileum. 243,6:G28
- Donowitz, M., Charney, A. N., and Hefner, J. M.** Effect of serotonin treatment on intestinal transport in the rabbit. 232,1:E85
- Donowitz, M., Tai, Y.-H., and Asarkof, N.** Effect of serotonin on active electrolyte transport in rabbit ileum, gallbladder, and colon. 239,2:G463
- Donowitz, M., Wickel, D., Reynolds, D. G., Hynes, R. A., Charney, A. N., and Zinner, M. J.** Effect of altered intestinal water transport on rabbit ileal blood flow. 236,5:E482
- Donowitz, M.** see Charney, A. N.  
Fogel, R.  
Swabb, E. A.  
Tai, Y.-H.
- Dora, E.** see Gyulai, L.
- Dorhout Mees, E. J.** see Boer, P.
- Dormer, K. J., Foreman, R. D., and Ohata, C. A.** Fastigial nucleus stimulation and excitatory spinal sympathetic activity in dog. 243,12:R25
- Dormer, R. L., Poulsen, J. H., Licko, V., and Williams, J. A.** Calcium fluxes in isolated pancreatic acini: effects of secretagogues. 240,3:G38
- Dormer, R. L., and Williams, J. A.** Secretagogue-induced changes in subcellular  $Ca^{2+}$  distribution in isolated pancreatic acini. 240,3:G130
- Dormer, R. L.** see Ponnappa, B. C.  
Williams, J. A.
- Dorner, M.** see Konturek, S. J.
- Doucet, A., and Katz, A. I.** Renal potassium adaptation: Na-K-ATPase activity along the nephron after chronic potassium loading. 238,7:F380
- Doucet, A., and Katz, A. I.** Short-term effect of aldosterone on Na-K-ATPase in single nephron segments. 241,10:F273
- Doucet, A., and Katz, A. I.** Mineralocorticoid receptors along the nephron: [ $^3H$ ]aldosterone binding in rabbit tubules. 241,10:F605
- Doucet, A., and Katz, A. I.** High-affinity Ca-Mg-ATPase along the rabbit nephron. 242,11:F346
- Doucet, A., Katz, A. I., and Morel, F.** Determination of Na-K-ATPase activity in single segments of the mammalian nephron. 237,6:F105
- Doucet, A.** see Katz, A. I.
- Douglas, A. M.** see Rau, E. E.  
Shine, K. I.
- Douglas, B. H.** see Norman, R. A., Jr.
- Douglas, I. H. S.** see Ball, S. G.
- Douglas, J. G.** Changes in potassium balance: inverse relationship between number and affinity of angiotensin II receptors of smooth muscle and adrenal target tissues. 237,6:E519
- Douglas, J. G.** Potassium ion as a regulator of adrenal angiotensin II receptors. 239,2:E317
- Dousa, T. P., and Barnes, L. D.** Lithium-induced diuretic effect of antidiuretic hormone in rats. 231:1754
- Dousa, T. P., and Barnes, L. D.** Regulation of protein kinase by vasopressin in renal medulla in situ. 232,1:F50
- Dousa, T. P., Duarte, C. G., and Knox, F. G.** Effect of colchicine on urinary phosphate and regulation by parathyroid hormone. 231:61
- Dousa, T. P.** see Berndt, T. J.  
Dozois, R. R.  
Edwards, R. M.  
Hall, D. A.  
Ichikawa, I.  
Kempson, S. A.  
Northrup, T. E.  
Turner, S. T.
- Dowell, R.** see Prewitt, R. L.
- Dowell, R. F.** see Chen, I. I. H.
- Dowell, R. T.** Myofibrillar ATPase activity in rat heart after chronic propranolol administration. 237,6:C195
- Dowell, R. T., Cutiletta, A. F., Rudnik, M. A., and Sadt, P. C.** Heart functional responses to pressure overload in exercised and sedentary rats. 230:199
- Downing, K.** see Goodlett, M.
- Downar, E.** see Parson, I.
- Downey, H. F., Crystal, G. J., Bockman, E. L., and Bashour, F. A.** Nonischemic myocardial hypoxia: coronary dilation without increased tissue adenosine. 243,12:H512
- Downey, H. F.** see Crystal, G. J.
- Downey, J.** see Trimble, J.
- Downey, J. M.** Myocardial contractile force as a function of coronary blood flow. 230:1
- Downey, J. M., Chagrasulis, R. W., and Hemphill, V.** Quantitative study of intramyocardial compression in the fibrillating heart. 237,6:H191
- Downey, J. M.** see Chagrasulis, R. W.  
Eddy, L. J.  
Goodlett, M.  
Munch, D. F.  
Russell, R. E.
- Downing, S. E., Hellenbrand, W. E., Lee, J. C., and Nudel, D. B.** Adrenal contribution to coronary regulation in the newborn. 234,3:H173
- Downing, S. E., and Lee, J. C.** Myocardial and coronary vascular responses to insulin in the diabetic lamb. 237,6:H514
- Downing, S. E., Lee, J. C., and Matisoff, D. N.** Coronary blood flow in the diabetic lamb with metabolic acidosis. 238,7:H263
- Downing, S. E., Lee, J. C., and Taylor, J. F. N.** Cardiac function and metabolism during cholinergic stimulation in the newborn lamb. 233,2:H451
- Downing, S. E., Lee, J. C., and Weinstein, E. M.** Coronary dilator actions of adenosine and  $CO_2$  in experimental diabetes. 243,12:H252
- Downing, S. E., Lee, J. C., and Werner, J. C.** Effects of insulin on ventricular function in diabetic lambs with acidosis. 241,10:H401
- Downing, S. E.** see Fagenholz, S. A.  
Lee, J. C.  
Matisoff, D. N.  
Nudel, D. B.  
Werner, J. C.
- Downs, R. W., Jr.** see Spiegel, A. M.
- Doyle, A. E.** see Di Nicolantonio, R.
- Doyle, T. F.** see Martins, A. N.
- Dozois, R. R., Kim, J. K., and Dousa, T. P.** Interaction of prostaglandins with canine gastric mucosal adenylate cyclase-cyclic AMP system. 235,4:E546
- Dozois, R. R., Wolin, A., Rettmann, R. D., and Dousa, T. P.** Effect of histamine on canine gastric mucosal adenylate cyclase. 232,1:E35
- Drake, R., Adair, T., Traber, D., and Gabel, J.** Contamination of caudal mediastinal node efferent lymph in sheep. 241,10:H354
- Drake, R., Gaar, K. A., and Taylor, A. E.** Estimation of the filtration coefficient of pulmonary exchange vessels. 234,3:H266
- Drake, R. E., and Gabel, J. C.** Effect of histamine and alloxan on canine pulmonary vascular permeability. 239,8:H96
- Drake, R. E., Smith, J. H., and Gabel, J. C.** Estimation of the filtration coefficient in intact dog lungs. 238,7:H430
- Drake, R. E.** see Gabel, J. C.
- Dratman, M. B., and Crutchfield, F. L.** Synaptosomal [ $^{125}I$ ]triiodothyronine after intravenous [ $^{125}I$ ]thyroxine. 235,4:E638
- Drees, F.** see Randall, D. J.
- Dreifus, L. S.** see Mazgalev, T.
- Drewes, L. R., Conway, W. P., and Gilboe, D. D.** Net amino acid transport between plasma and erythrocytes and perfused dog brain. 233,2:E320
- Drewes, L. R., Conway, W. P., and Gilboe, D. D.** Blood-brain amino acid transport and content during anoxia and reoxygenation. 233,2:E326
- Drewes, L. R.** see Fitzpatrick, J. H., Jr.
- Driedzie, W. R., and Hochachka, P. W.** Control of energy metabolism in fish white muscle. 230:579
- Driessens, M., and Vanhoutte, P. M.** Vascular reactivity of the isolated tibia of the dog. 236,5:H904

- Driessens, M.**, and Vanhoutte, P. M. Effect of calcitonin, hydrocortisone, and parathyroid hormone on canine bone blood vessels. 241,10:H91
- Driscoll, D. J.** see Park, I.-S.
- Driska, S. P.**, Aksoy, M. O., and Murphy, R. A. Myosin light chain phosphorylation associated with contraction in arterial smooth muscle. 240,9:C222
- Drown, C.** see Wilson, D. F.
- Drukker, A.** see Goldsmith, D. I.
- Drum, D. E.** see Brown, C. B.
- Drummond, W. H.**, Rudolph, A. M., Keil, L. C., Gluckman, P. D., MacDonald, A. A., and Heymann, M. A. Arginine vasopressin and prolactin after hemorrhage in the fetal lamb. 238,1:E214
- Duane, W. C.**, Gilbertstadt, M. L., and Wiegand, D. M. Diurnal rhythms of bile acid production in the rat. 236,5:R175
- Duane, W. C.**, Wiegand, D. M., and Sievert, C. E. Bile acid and bile salt disrupt gastric mucosal barrier in the dog by different mechanisms. 242,5:G95
- Duarte, C. G.** Magnesium metabolism in potassium-depleted rats. 234,3:F466
- Duarte, C. G.** see Dousa, T. P.
- Dubinsky, W. P.** see Lichtenberger, L. M.
- Dubois, A.**, Natelson, B. H., Van Eerde- wegh, P., and Gardner, J. D. Gastric emptying and secretion in the rhesus monkey. 232,1:E186
- Dubois, A.** see Brown, F. C.
- Dubois, A. B.** see Ogilvy, C. S.
- DuBose, T. D., Jr.**, Pucacco, L. R., and Carter, N. W. Determination of disequilibrium pH in the rat kidney in vivo: evidence for hydrogen secretion. 240,9: F138
- DuBose, T. D., Jr.**, Seldin, D. W., and Kokko, J. P. Segmental chloride reabsorption in the rat nephron as a function of load. 234,3:F97
- DuBose, T. D., Jr.** see Higashihara, E. Lucci, M. S.
- Dubuc, P. U.** Effects of limited food intake on the obese-hyperglycemic syndrome. 230:1474
- Dubuc, P. U.**, Leshin, L. S., and Willis, P. L. Glucose and endocrine responses to hypothalamic electrical stimulation in rats. 242,11:R220
- Dubyak, G. R.** see Kleinzeller, A.
- Duchêne-Marullaz, P.** see Boucher, M.
- Duchesneau, D.** see Cardinal, J.
- Duchin, K. L.** see Burke, T. J.
- Duckworth, W. C.** see Petersen, J.
- Ducroc, R.**, Desjeux, J.-F., Garzon, B., Onolfo, J.-P., and Geloso, J.-P. Acid secretion in fetal rat stomach in vitro. 240,3:G206
- Ducroc, R.** see Garzon, B. Heyman, M.
- Dudley, G. A.** see Kaciuba-Uscilko, H.
- Dudley, S. D.** see Gray, J. M.
- Dudrick, S. J.** see Johnson, L. R. Thor, P. J.
- Duducgian-Vartavarian, L.** see Pardridge, W. M.
- Duffin, J.** see Fountain, S. W. Osada, H.
- Duffy, K. R.** see Ryan, J. P.
- Duffy, T. E.** see Vannucci, R. C.
- Dugan, R. C.** see Trippodo, N. C.
- Dugas, M. C.**, Schade, R. R., Lhotsky, D., and Van Thiel, D. Comparison of methods for analyzing gastric isotopic emptying. 243,6:G237
- Dugas, M. C.**, and Wechsler, R. L. Validity of iodoantipyrine clearance for measuring gastrointestinal tissue blood flow. 243,6:G155
- Duguay, L.** see Huet, P.-M.
- Dujardin, J.-P.**, Paul, L. T., and Pieper, H. P. Effect of acute volume loading on aortic smooth muscle activity in intact dogs. 238,7:H379
- Dujardin, J.-P.**, Stone, D. N., Paul, L. T., and Pieper, H. P. Response of systemic arterial input impedance to volume expansion and hemorrhage. 238,7:H902
- Dujardin, J.-P.**, Stone, D. N., Forcino, C. D., Paul, L. T., and Pieper, H. P. Effects of blood volume changes on characteristic impedance of the pulmonary artery. 242,11:H197
- Duke, G. E.**, Evanson, O. A., Redig, P. T., and Rhoades, D. D. Mechanism of pellet egestion in great-horned owls (*Bubo virginianus*). 231:1824
- Duling, B. R.**, Gore, R. W., Dacey, R. G., Jr., and Damon, D. N. Methods for isolation, cannulation, and in vitro study of single microvessels. 241,10:H108
- Duling, B. R.** see Dacey, R. G., Jr. Gorczynski, R. J. Klitzman, B. Lombard, J. H. Proctor, K. G. Sarelus, I. H.
- Dumler, F.** see Cortes, P.
- Dumont, J. E.** see Rocmans, P. A.
- Dumont, M.** see Delage, Y. Zouboulis-Vafiadis, I.
- Dumontier, A.-M.** see Heyman, M.
- Duncan, H. W.** see Vinten-Johansen, J.
- Duncan, J. R.**, and Hurley, L. S. Intestinal absorption of zinc: a role for a zinc-binding ligand in milk. 235,4:E556
- Duncan, W. E.**, and Bond, J. S. Decreased turnover of soluble liver proteins in mice with alloxan-induced diabetes. 241,4: E151
- Dunel, S.** see Laurent, P.
- Dunham, B.** see Krausz, M. M. Utsunomiya, T.
- Dunham, B. M.**, Grindlinger, G. A., Utsunomiya, T., Krausz, M. M., Hechtman, H. B., and Shepro, D. Role of prostaglandins in positive end-expiratory pressure-induced negative inotropism. 241,10: H783
- Dunham, E. W.** see Sakr, H. M.
- Dunn, A.**, and Chenoweth, M. Fructose-6-phosphate substrate cycling and glucose and insulin regulation of gluconeogenesis in vivo. 236,5:E410
- Dunn, A.**, Katz, J., Golden, S., and Chenoweth, M. Estimation of glucose turnover and recycling in rabbits using various [ $^3\text{H}$ ,  $^{14}\text{C}$ ] glucose labels. 230:1159
- Dunn, A.** see Bever, K. Chenoweth, M. Golden, S.
- Dunn, C. D. R.** Effect of food or water restriction on erythropoiesis in mice: relevance to "anemia" of space flight. 238,7:R301
- Dunn, F. G.** see Pfeffer, M. A.
- Dunn, M. J.**, Greeley, H. P., Valtin, H., Kinter, L. B., and Beeuwkes, R., III. Renal excretion of prostaglandins  $\text{E}_2$  and  $\text{F}_{2\alpha}$  in diabetes insipidus rats. 235,4: E624
- Dunn, M. J.**, and Hood, V. L. Prostaglandins and the kidney. 233,2:F169
- Dunn, M. J.** see Zambraski, E. J.
- Dunning, A. J.** see Borst, C.
- Dunseth, D. W.** see Anderson, L. L.
- Dunson, W. A.** Role of the skin in sodium and water exchange of aquatic snakes placed in seawater. 235,4:R151
- Dunson, W. A.** see Stokes, G. D.
- Duplain, M.** see Gougoux, A.
- DuPont, E.** see Jones, C. E.
- Durán, W. N.**, Marsicano, T. H., and Anderson, R. W. Capillary reserve in isometrically contracting dog hearts. 233,2:H276
- Durán, W. N.**, and Renkin, E. M. Influence of sympathetic nerves on oxygen uptake of resting mammalian skeletal muscle. 231:529
- Durbin, R. P.** Osmotic flow of water in isolated frog gastric mucosa. 236,5:E63
- Durbin, R. P.**, and Hanzel, D. Uptake and incorporation of phosphate by frog gastric mucosa. 239,2:G411
- Durbin, R. P.** see France, V. M. Helander, H. F.
- Durham, J. S.** see Latt, W. W.
- Durkot, M. J.**, and Wolfe, R. R. Effects of adrenergic blockade on glucose kinetics in septic and burned guinea pig. 241,10: R222
- Durkot, M. J.** see Wolfe, R. R.
- Durnwald, M.** see Clark, K. E.
- Durrer, D.** see Billette, J.
- Durrett, L. R.**, and Adams, H. R. Inotropic responsiveness of atrial myocardium bathed in Tris- or bicarbonate-buffered solutions. 237,6:H318
- Dusdieker, N. S.**, and Summers, R. W. Longitudinal and circumferential spread of spike bursts in canine jejunum in vivo. 239,2:G311
- Du Souich, P.** see Huet, P.-M.
- Dussault, J. H.** see Ruel, J.
- Dusseau, J. W.**, and Hutchins, P. M. Stimulation of arteriolar number by salbutamol in spontaneously hypertensive rats. 236,5:H134
- Dusseau, J. W.**, and Hutchins, P. M. Elevated arteriolar adenosine 3',5'-cyclic monophosphate production by SHR. 243,12:H398
- DuVal, J. W.**, Saffouri, B., Weir, G. C., Walsh, J. H., Arimura, A., and Makhlouf, G. M. Stimulation of gastrin and somatostatin secretion from the isolated rat stomach by bombesin. 241,4:G242
- Duvaldestin, P.** see Mahu, J.-L.
- Dworkin, B. R.**, Filewich, R. J., Da Costa, J., Eissenberg, E., and Miller, N. E. A chronic arterial catheter and low compliance system for recording blood pressure and heart rate from the rat. 239,8: H137
- Dworkin, G. H.** see Lorenzen, J. R.
- Dykstra, R. H.** see Schmid, P. G.
- Dzau, V. J.**, Brenner, A., and Emmett, N. L. Evidence for renin in rat brain: differentiation from other reninlike enzymes. 242,5:E292
- Dzielak, D. J.** see Norman, R. A., Jr.

## E

- Eaddy, C.** see Regan, T. J.
- Eagan, P. C.**, Kasting, N. W., Veale, W. L., and Cooper, K. E. Absence of endotoxin fever but not prostaglandin  $\text{E}_2$  fever in the Brattleboro rat. 242,11:R116
- Eakin, D. J.**, Schroeder, L. A., Whanger, P. D., and Weswig, P. H. Cadmium and nickel influence on blood pressure, plasma renin, and tissue mineral concentrations. 238,1:E53
- Earle, A. M.** see Zucker, I. H.
- Earnest, W. R.** see Boonjarnern, S.
- Eastham, C. L.** see Koyanagi, S. Marcus, M. L. Thames, M. D.
- Eastwood, A. B.** see Suarez-Kurtz, G.
- Eaton, B. M.**, and Yudilevich, D. L. Uptake and asymmetric efflux of amino acids at maternal and fetal sides of placenta. 241,10:C106

- Eaton, B. M. see Yudilevich, D. L.  
 Eaton, D. C. see Horn, R.  
 Eaton, D. L. see Iga, T.  
 Eaton, R. P., Conway, M., and Schade, D. S. Endogenous glucagon regulation in genetically hyperlipemic obese rats. 230:1336  
 Eaton, R. P. see Simonelli, C.  
 Eberhart, R. see Hillis, L. D.  
 Eberhart, R. C. see Hernandez, E. J.  
 Ebert, P. A. see Mavroudis, C.  
 Eby, B. see Guntupalli, J.  
 Echtenkamp, S. see Gilmore, J. P.  
 Echtenkamp, S. F., Davis, J. O., Freeman, R. H., Dietz, J. R., and Villarreal, D. Effects of prostacyclin on hepatic vasculature and metabolism of renin in conscious dogs. 243,12:H584  
 Echtenkamp, S. F., and Gilmore, J. P. Intravascular mechanoreceptor modulation of renal sympathetic nerve activity in the cat. 238,7:H801  
 Echtenkamp, S. F. see Dietz, J. R.  
 Seymour, A. A.  
 Eckberg, D. L. Parasympathetic cardiovascular control in human disease: a critical review of methods and results. 239,8:H581  
 Eckberg, D. L., and Eckberg, M. J. Human sinus node responses to repetitive, ramped carotid baroreceptor stimuli. 242,11:H638  
 Eckberg, D. L. see Takeshita, A.  
 Wallin, B. G.  
 Eckberg, M. J. see Eckberg, D. L.  
 Ecknauer, R., Thompson, W. J., Johnson, L. R., and Rosenfeld, G. C. Isolated parietal cells: [ $^3$ H]QNB binding to putative cholinergic receptors. 239,2:G204  
 Eddy, L. J., Chambers, D., Honig, S., and Downey, J. M. Lack of a direct metabolic effect of fructose 1,6-diphosphate in ischemic myocardium. 241,10:H576  
 Eddy, L. J. see Goodlett, M.  
 Edelist, G. see Consigny, P. M.  
 Edelman, A., and Anagnostopoulos, T. Further studies on ion permeation in proximal tubule of *Necturus* kidney. 235,4:F89  
 Edelman, A. see Bentzel, C. J.  
 Edelman, I. S. Receptors and effectors in hormone action on the kidney. 241,10:F333  
 Edelman, I. S. see Farman, N.  
 Kusch, M.  
 Mishina, T.  
 Philipson, K. D.  
 Rayson, B. M.  
 Rossier, B. C.  
 Scholer, D. W.  
 Somjen, D.  
 Edelmann, C. M., Jr. see Goldsmith, D. I.  
 Edelstone, D. I., and Holzman, I. R. Oxygen consumption by the gastrointestinal tract and liver in conscious newborn lambs. 240,3:G297  
 Edelstone, D. I., and Holzman, I. R. Gastrointestinal tract  $O_2$  uptake and regional blood flows during digestion in conscious newborn lambs. 241,4:G289  
 Edelstone, D. I., and Holzman, I. R. Fetal intestinal oxygen consumption at various levels of oxygenation. 242,11:H50  
 Edelstone, D. I., and Rudolph, A. M. Preferential streaming of ductus venosus blood to the brain and heart in fetal lambs. 237,6:H724  
 Edelstone, D. I., Rudolph, A. M., and Heymann, M. A. Effects of hypoxemia and decreasing umbilical flow on liver and ductus venosus blood flows in fetal lambs. 238,7:H656  
 Eden, S. W. see Passmore, J. C.  
 Edens, F. W. see Denbow, D. M.  
 Edgerton, V. R. see Gardiner, P. F.  
 Maier, A.  
 Edmonds, M. see Molitch, M.  
 Edmondson, J. W., and Bang, N. U. Deliberate effects of calcium deprivation on freshly isolated hepatocytes. 241,10:C3  
 Edmunds, L. H., Jr. see Hennessy, V. L., Jr.  
 Edström, L. see Sahlin, K.  
 Edvinsson, L. see McCulloch, J.  
 Edwards, B. R., Gellai, M., and Valtin, H. Concentration of urine in the absence of ADH with minimal or no decrease in GFR. 239,8:F84  
 Edwards, B. R. see Gellai, M.  
 Edwards, B. S. see Strand, J. C.  
 Edwards, C. H., II, Rankin, J. S., McHale, P. A., Ling, D., and Anderson, R. W. Effects of ischemia on left ventricular regional function in the conscious dog. 240,9:H413  
 Edwards, C. H., II. see Ling, D.  
 Edwards, L. see Caralis, D. G.  
 Steiner, R. A.  
 Edwards, M. T., and Diana, J. N. Effect of exercise on pre- and postcapillary resistance in the spontaneously hypertensive rat. 234,3:H439  
 Edwards, N. L., Recker, D., Manfredi, J., Rembecki, R., and Fox, I. H. Regulation of purine metabolism by plasma membrane and cytoplasmic 5'-nucleotidases. 243,12:C270  
 Edwards, R. see Shimomura, A.  
 Edwards, R. M., Jackson, B. A., and Dousta, T. P. Protein kinase activity in isolated tubules of rat renal medulla. 238,7:F269  
 Edwards, R. M., Jackson, B. A., and Dousta, T. P. ADH-sensitive cAMP system in papillary collecting duct: effect of osmolality and PGE<sub>2</sub>. 240,9:F311  
 Eckhout, C., De Wever, I., Peeters, T., Hellemans, J., and Vantrappen, G. Role of gastrin and insulin in postprandial disruption of migrating complex in dogs. 235,4:E666  
 Eckhout, C., De Wever, I., Vantrappen, G., and Janssens, J. Local disorganization of interdigestive migrating complex by perfusion of a Thiry-Vella loop. 238,1:G509  
 Eckhout, C. see De Wever, I.  
 Efron, M. B., Guarnieri, T., Frederiksen, J. W., Greene, H. L., and Weisfeldt, M. L. Effect of tris(hydroxymethyl)aminomethane on ischemic myocardium. 235,4:H167  
 Egan, E. A., Nelson, R. M., and Gessner, I. H. Solute permeability of the alveolar epithelium in acute hemodynamic pulmonary edema in dogs. 233,2:H80  
 Egbert, J. R., and Katona, P. G. Development of autonomic heart rate control in the kitten during sleep. 238,7:H829  
 Egdahl, R. H. see Ryan, N. T.  
 Egeberg, L. see Formby, B.  
 Egenes, K. M. see Franklin, T. D., Jr.  
 Eggena, P. Toad bladder compliance and water permeability in response to stretch. 242,11:F8  
 Eggena, P. see Barrett, J. D.  
 Petrucci, R. J., II  
 Ehlers, C. L., and Killam, E. K. Circadian periodicity of brain activity and urinary excretion in the epileptic baboon. 239,8:R35  
 Ehrenfeld, J., and Garcia-Romeu, F. Active hydrogen excretion and sodium absorption through isolated frog skin. 233,2:F46  
 Ehrenfeld, J., and Garcia-Romeu, F. Coupling between chloride absorption and base excretion in isolated skin of *Rana esculenta*. 235,4:F33  
 Ehrenfeld, J., Masoni, A., and Garcia-Romeu, F. Mitochondria-rich cells of frog skin in transport mechanisms: morphological and kinetic studies on transepithelial excretion of methylene blue. 231:120  
 Ehret, C. F. see Cahill, A. L.  
 Horseman, N. D.  
 Ehrhardt, J. see Marcus, M. L.  
 Ehrlich, B. E., and Cserr, H. F. Comparative aspects of brain barrier systems for iodide. 234,3:R61  
 Ehrlich, B. E., and Diamond, J. M. Lithium fluxes in human erythrocytes. 237,6:C102  
 Ehrlich, W., and Stokland, O. Hemodynamic responses to aortic occlusion (Letter to the Editor). 239,8:H710  
 Ehrlich, W. see Bellamy, R. F.  
 Eichling, J. O. see Raichle, M. E.  
 Eide, I. see Holdaas, H.  
 Eidelman, B. H., Mendelow, A. D., McCalden, T. A., and Bloom, D. S. Potentiation of the cerebrovascular response to intra-arterial 5-hydroxytryptamine. 234,3:H300  
 Eidelman, B. H. see McCalden, T. A.  
 Eiger, S. see Malvin, R. L.  
 Eigler, N. see Sacca, L.  
 Eilam, Y., Ariel, M., Jablonska, M., and Grossowicz, N. On the mechanism of folate transport in isolated intestinal epithelial cells. 240,3:G170  
 Einzig, S. see Tripp, M. R.  
 Eiring, A. see Keely, S. L.  
 Eisenberg, B. R., Mathias, R. T., and Gilai, A. Intracellular localization of markers within injected or cut frog muscle fibers. 237,6:C50  
 Eisenhofer, G., and Johnson, R. H. Effect of ethanol ingestion of plasma vasopressin and water balance in humans. 242,11:R522  
 Eisenman, J. see Goldfarb, R. D.  
 Eisenstein, A. B., Strack, I., Gallo-Torres, H., Georgiadis, A., and Miller, O. N. Increased glucagon secretion in protein-deficient rats: lack of relationship to plasma amino acids. 236,5:E20  
 Eisenstein, A. B. see Morley, M. G.  
 Pi-Sunyer, F. X.  
 Eisenstein, B., Bengel, H. H., and Alexander, E. A. Sodium balance after adrenal enucleation. 238,1:E220  
 Eisman, J. A. see Trechsel, U.  
 Eissenberg, E. see Dworkin, B. R.  
 Ekas, R. D., Jr., and Lokhandwala, M. F. Sympathetic nerve function and vascular reactivity in Doca-salt hypertensive rats. 239,8:R303  
 Ekas, R. D., Jr., and Lokhandwala, M. F. Sympathetic nerve function and vascular reactivity in spontaneously hypertensive rats. 241,10:R379  
 Ekblad, E. B. M. Histamine and cAMP as possible mediators of acetylcholine-induced acid secretion. 239,2:G255  
 Ekblad, E. B. M. see Machen, T. E.  
 Eke, A., Hutiray, G., and Kováč, A. G. B. Induced hemodilution detected by reflectometry for measuring microregional blood flow and blood volume in cat brain cortex. 236,5:H759  
 Eknayan, G. see Crumb, C. K.  
 Weinman, E. J.  
 Elahi, D., Andersen, D. K., Brown, J. C., Debas, H. T., Hersheop, R. J., Raizes, G. S., Tobin, J. D., and Andres, R. Pancreatic  $\alpha$ - and  $\beta$ -cell responses to GIP infusion in normal man. 237,6:E185

- Elahi, D., Raizes, G. S., Andres, R., Herschcopf, R. J., Muller, D. C., Tobin, J. D., and Andersen, D. K. Interaction of arginine and gastric inhibitory polypeptide on insulin release in man. 242,5:E343
- Elahi, D. see Wolfe, R. R.
- Elander, B. see Fellenius, E.
- Elashoff, J.  
see Mayer, E. A.  
Miller, J.  
Solomon, T. E.
- Elashvili, I. see Sklar, F. H.
- Elce, J. S. see Barth, R.
- Elfont, R. M. see Fitzsimons, J. T.
- El Halawani, M. E., and Waibel, P. E. Brain indole and catecholamines of turkeys during exposure to temperature stress. 230:110
- Elharrar, V. A computer-controlled stimulator with application to cardiac electrophysiology. 239,8:H278
- Elharrar, V., and Lovelace, D. E. On-line analysis of intracellular electrophysiological data using a microcomputer system. 237,6:H400
- Elharrar, V., and Zipes, D. P. Cardiac electrophysiologic alterations during myocardial ischemia. 233,2:H329
- Elijovich, F., and Krakoff, L. R. Effect of converting enzyme inhibition glucocorticoid hypertension in the rat. 238,7:H844
- Elinder, G. see Aperia, A.
- Eliot, R. S. see Allison, T. B.
- Elizondo, R. S. see Hunter, W. S.
- Elkayam, U. see Vas, R.
- Ellinwood, W. E. see Resko, J. A.
- Ellis, A. see Ali, M.
- Ellis, C. J. see Levitt, M. D.
- Ellis, E. F., Wei, E. P., and Kontos, H. A. Vasodilation of cat cerebral arterioles by prostaglandins  $D_2$ ,  $E_2$ ,  $G_2$ , and  $I_2$ . 237,6:H381
- Ellis, E. F.  
see Kontos, H. A.  
Rosenblum, W. I.  
Wei, E. P.
- Ellis, G. B., McKlveen, R. E., and Turek, F. W. Dark pulses affect the circadian rhythm of activity in hamsters kept in constant light. 242,11:R44
- Ellis, K. see Aloia, J. F.
- Ellis, K. J.  
see Cohn, S. H.  
Yasumura, S.
- Ellis, S. J. see Kachadorian, W. A.
- Ellory, J. C. see Willis, J. S.
- El Lozy, M. see Mordès, J. P.
- Eloy, L. see Ganeval, D.
- El-Refai, M., and Bergman, R. N. Simulation study of control of hepatic glycogen synthesis by glucose and insulin. 231:1608
- El-Refai, M., and Bergman, R. N. Glucagon-stimulated glycogenolysis: time-dependent sensitivity to insulin. 236,5:E246
- Els, W. J., and Helman, S. I. Vasopressin, theophylline,  $PGE_2$ , and indomethacin on active Na transport in frog skin: studies with microelectrodes. 241,10:F279
- El-Sabban, F. see Rosenblum, W. I.
- Else, P. L., and Hulbert, A. J. Comparison of the "mammal machine" and the "reptile machine": energy production. 240,9:R3
- Else, P. L. see Hulbert, A. J.
- El-Sharkawy, T. Y. see Hall, K. E.
- Elsner, R., Angell-James, J. E., and De Burgh Daly, M. Carotid body chemoreceptor reflexes and their interactions in the seal. 232,1:H517
- Elsner, R.  
see Angell-James, J. E.  
Blix, A. S.  
De Burgh Daly, M.  
Kjekshus, J. K.
- Elsner, R. W. see Hammel, H. T.
- Elson, J. see McGee, J.
- Elson, J. J., Ten Eick, R. E., and Singer, D. H. Autonomic nervous system and cellular injury from circumflex ligation in dogs. 240,9:H738
- Elwyn, D. H., Parikh, H. C., Stahr, L. J., Kim, S. I., and Shoemaker, W. C. Interorgan transport of amino acids in hemorrhagic shock. 231:377
- Ely, S. W., Sawyer, D. C., Anderson, D. L., and Scott, J. B. Carotid sinus reflex vasoconstriction in right coronary circulation of dog and pig. 241,10:H149
- Ely, S. W. see Bacchus, A. N.
- Emerman, J. T. see Bartley, J. C.
- Emerson, C. P. see Spector, J. I.
- Emerson, T. E., Jr., and Raymond, R. M. Involvement of adenosine in cerebral hypoxic hyperemia in the dog. 241,10:H134
- Emerson, T. E., Jr. see Raymond, R. M.
- Emery, R. W. see Vrobel, T. R.
- Emmanouel, D. S., Fang, V. S., and Katz, A. I. Prolactin metabolism in the rat: role of the kidney in degradation of the hormone. 240,9:F437
- Emmett, N. L. see Dzau, V. J.
- Enders, R. H., Judd, R. M., Donohue, T. M., and Smith, C. H. Placental amino acid uptake. III. Transport systems for neutral amino acids. 230:706
- Endoh, M., and Iijima, T. Twitch potentiation by rest in canine ventricular muscle: effects of theophylline. 241,10:H583
- Endoh, M., Iijima, T., and Motomura, S. Inhibition of theophylline of the early component of canine ventricular contraction. 242,11:H349
- Eng, R. see Gold, R. M.
- Engeland, W. C.  
see Dallman, M. F.  
Wilkinson, C. W.
- Engelhardt, W. V. see Rübsamen, K.
- Engeset, A. see Olszewski, W. L.
- Engler, R. L. see LeWinter, M. M.
- Enobakhare, J. A. see Norman, R. A., Jr.
- Enochs, M. R., and Johnson, L. R. Changes in protein and nucleic acid synthesis in rat gastric mucosa after pentagastrin. 232,1:E223
- Ensinnck, J.  
see Baum, D.  
Robin, E. D.
- Ensinnck, J. W. see Chideckel, E. W.
- Entman, M. L.  
see Michael, L. H.  
Pinsky, W. W.
- Entrikin, R. K., and Bryant, S. H. Suppression of myotonia in dystrophic chicken muscle by phenytoin. 237,6:C131
- Epps, D. E. see Rouslin, W.
- Epstein, A. N. see Wirth, J. B.
- Epstein, F. H., Balaban, R. S., and Ross, B. D. Redox state of cytochrome  $a_2$  in isolated perfused rat kidney. 243,12:F356
- Epstein, F. H., Brosnan, J. T., Tange, J. D., and Ross, B. D. Improved function with amino acids in the isolated perfused kidney. 243,12:F284
- Epstein, F. H., Silva, P., and Kormanik, G. Role of Na-K-ATPase in chloride cell function. 238,7:R246
- Epstein, F. H.  
see Besarab, A.  
Silva, P.  
Stoff, J. S.
- Epstein, M. see Perez, G. O.
- Epstein, M. A. F.  
see Haddad, G. G.  
Law, H. F.
- Epstein, R. A.  
see Haddad, G. G.  
Law, H. F.
- Erath, H. G., Jr., Boerth, R. C., and Graham, T. P., Jr. Functional significance of reduced cardiac sympathetic innervation in the newborn dog. 243,12:H20
- Erdmann, A. J., III. see Geffin, G. A.
- Erecińska, M., Wilson, D. F., and Nishiki, K. Homeostatic regulation of cellular energy metabolism: experimental characterization in vivo and fit to a model. 234,3:C82
- Erecińska, M.  
see Nishiki, K.  
Nuutinen, E. M.  
Wilson, D. F.
- Erickson, A. E. see Berl, T.
- Erickson, A. L.  
see Anderson, R. J.  
Berl, T.  
Berns, A. S.  
De Torrente, A.
- Erickson, G. see Moyle, W. R.
- Erickson, S. K. see Cooper, A. D.
- Ericson, A.-C., and Spring, K. R. Coupled NaCl entry into *Necturus* gallbladder epithelial cells. 243,12:C140
- Ericson, A.-C., and Spring, K. R. Volume regulation by *Necturus* gallbladder: apical  $\text{Na}^+\text{H}^-$  and  $\text{Cl}^-\text{HCO}_3^-$  exchange. 243,12:C146
- Eriksson, A. see Thornell, L.-E.
- Erkkola, R.  
see Lieb, S. M.  
Tabsh, K.
- Erlanger, M.  
see Kopp, S. J.  
Perry, H. M., Jr.
- Erlj, D., Shen, W. K., Reinach, P., and Schoen, H. Effects of dantrolene and  $\text{D}_2\text{O}$  on  $\text{K}^+$ -stimulated respiration of skeletal muscle. 243,12:C87
- Erlinger, S. Does  $\text{Na}^+\text{K}^+\text{ATPase}$  have any role in bile secretion? 243,6:G243
- Erlinger, S.  
see Binet, S.  
Delage, Y.  
Gilmore, I. T.  
Marinovic, Y.  
Zouboulis-Vafiadis, I.
- Ernst, C. B. see Kotchen, T. A.
- Ernst, E. A. see Gelman, S.
- Ernst, S. A. see Hootman, S. R.
- Erspamer, V. see May, R. J.
- Ertel, P. J. see Mueller, S. M.
- Erwald, R., Wiechel, K.-L., and Strandell, T. Effect of vasopressin on the mixing of portal venous blood in awake man. 233,2:H50
- Erwin, D. N. see Wood, J. D.
- Eskew, M. L. see Rhoades, R. A.
- Eskin, A. see Corrent, G.
- Espeland, M. A. see Gregg, C. M.
- Espinosa, E. A. see Lun, S.
- Essig, A., and Caplan, S. R. The use of linear nonequilibrium thermodynamics in the study of renal physiology. 236,5:F211
- Essig, A., Wolff, D., O'Neil, R. G., Fisher, R. S., Macchia, D. D., and Helman, S. I. Sodium flux ratios and electromotive force of sodium transport (Letter to the Editor). 233,2:C188
- Essig, A.  
see Lang, M. A.  
Rosenthal, S. J.
- Estrada, E. see Rosenberg, G. A.
- Etzion, Z. see Yagil, R.
- Euler, D.  
see Randall, W. C.  
Simson, M. B.
- Euler, D. E. Norepinephrine release by ventricular stimulation: effect of fibrillation thresholds. 238,7:H406
- Euler, D. E. Release of autonomic neuromediators by local ventricular electrical stimulation. 238,7:H794



- Euler, D. E.**  
see Hardie, E. L.  
Jones, S. B.  
Nattel, S.  
Yelich, M. R.
- Evan, A.** see Bengel, H. H.
- Evans, A. K.** see Abildskov, J. A.
- Evans, B. K.** see Smith, D. G.
- Evans, D. C.** see Lin, T.-M.
- Evans, D. E., and Gillis, R. A.** Reflex mechanisms involved in cardiac arrhythmias induced by hypothalamic stimulation. 234,3:H199
- Evans, D. H.** Kinetic studies of ion transport by fish gill epithelium. 238,7:R224
- Evans, H. J.** see Sheng, H. P.
- Evans, J. M., Knapp, C. F., and Lowery, T. R.** Pressor response buffering by  $\beta$ -adrenergic and cholinergic vasodilation in tranquilized dogs. 236,5:H165
- Evans, J. M.** see Knapp, C. F.
- Evans, R. L.** see Shideman, J. R.
- Evans, R. M., and Scholz, R. W.** Pulmonary fatty acid synthesis. I. Mitochondrial acetyl transfer by rat lung in vitro. 232,1:E358
- Evans, R. M.** see Scholz, R. W.
- Evans, S.** see Steiner, G.
- Evanson, O. A.** see Duke, G. E.
- Evanson, R. L.** see Wen, S. F.
- Evatt, B. L.** see Alving, B. M.
- Eveloff, J., Kinne, R., and Kinter, W. B.** p-Aminohippuric acid transport into brush border vesicles isolated from flounder kidney. 237,6:F291
- Eveloff, J.** see Warnock, D. G.
- Evered, M. D., and Mogenson, G. J.** Regulatory and secondary water intake in rats with lesions of the zona incerta. 230:1049
- Evered, M. D., and Mogenson, G. J.** Impairment in fluid ingestion in rats with lesions of the zona incerta. 233,2:R53
- Eversole, W. J.** see Paulson, D. J.
- Ewing, L.** see Becker, S.
- Ewing, L. L.** see Chubb, C.
- Ewing, R. D., Conte, F. P., and Peterson, G. L.** Regulation of nucleic acid synthesis in *Artemia salina* nauplii by environmental salinity. 238,7:R91
- Exton, J. H.** Mechanisms involved in  $\alpha$ -adrenergic phenomena: role of calcium ions in actions of catecholamines in liver and other tissues. 238,1:E3
- Exton, J. H., Miller, T. B., Jr., Harper, S. C., and Park, C. R.** Carbohydrate metabolism in perfused livers of adrenalectomized steroid-replaced rat. 230:163
- Exton, J. H.**  
see Beaudry, M.-A.  
Chiasson, J.-L.  
Shikama, H.
- Eyzaguirre, C., and Fidone, S. J.** Transduction mechanisms in carotid body: glomus cells, putative neurotransmitters, and nerve endings. 239,8:C135
- Eyzaguirre, C.** see Baron, M.
- Ezekowitz, M. D., Parker, K. H., Salpido, N., and Oxenham, R. C. K.** Effect of aging on permeability of cockerel aorta to  $^{125}$ I-albumin. 239,8:H642
- F**
- Faber, J. E., Harris, P. D., and Joshua, I. G.** Microvascular response to blockade of prostaglandin synthesis in rat skeletal muscle. 243,12:H51
- Faber, J. E., Harris, P. D., and Miller, F. N.** Microvascular sensitivity to PGE<sub>2</sub> and PGI<sub>2</sub> in skeletal muscle of decerebrate rat. 243,12:H844
- Faber, J. E., Harris, P. D., and Wiegman, D. L.** Anesthetic depression of microcirculation, central hemodynamics, and respiration in decerebrate rats. 243,12:H837
- Faber, J. J., Thornburg, K. L., Wilbur, W. J., Power, G. G., and Longo, L. D.** A mathematical model: comment on the placental water exchange model of Wilbur, Power, and Longo (Letter to the Editor). 237,6:R89
- Faber, J. J.**  
see Anderson, D. F.  
Armentrout, T.  
Conrad, E. E., Jr.  
Thornburg, K. L.  
Woods, L. L.
- Fabian, M.** see Hernandez, E. J.
- Fabiato, A., and Wist, A. O.** A dual-channel signal averager for spontaneous signals. 242,11:H291
- Fadem, S. Z.** see Patak, R. V.
- Faden, A. I.** see Holaday, J. W.
- Fagenholz, S. A., Lee, J. C., and Downing, S. E.** Laryngeal reflex apnea in the chemodenervated newborn piglet. 237,6:R10
- Fagioli, S.** see Burch, H. B.
- Fagrell, B., Fronek, A., and Intaglietta, M.** A microscope-television system for studying flow velocity in human skin capillaries. 233,2:H318
- Faguet, G. B.** Leukoagglutinin binding to human lymphocytes: experimental support for negative cooperativity. 237,6:E207
- Fahim, R. E. F.** see Forstner, J. F.
- Fahrenkrug, J., Schaffalitzky de Muckadell, O. B., Holst, J. J., and Jensen, S. L.** Vasoactive intestinal polypeptide in vagally mediated pancreatic secretion of fluid and HCO<sub>3</sub><sup>-</sup>. 237,6:E535
- Fahrenkrug, J.**  
see Hilsted, J.  
Jensen, S. L.  
Ottesen, B.
- Fahri, E. R.** see Johnson, M. D.
- Fain, J. N.**  
see Birnbaum, M.  
Litosch, I.  
Shepherd, R. E.
- Fairchild, E.** see Yasumura, S.
- Fairclough, P.** see Crane, R. K.
- Falasco, J. D.** see Gibbs, J.
- Falcon, J. C., II, Phillips, M. I., Hoffman, W. E., and Brody, M. J.** Effects of intraventricular angiotensin II mediated by the sympathetic nervous system. 235,4:H392
- Falcone, R. A.** see Simson, M. B.
- Falvo, R. E.** see Worgul, T. J.
- Fan, C.-C.** see Powell, D. W.
- Fan, F.-C., Chen, R. Y. Z., Schuessler, G. B., and Chien, S.** Effects of hematocrit variations on regional hemodynamics and oxygen transport in the dog. 238,7:H545
- Fan, F.-C., Schuessler, G. B., Chen, R. Y. Z., and Chien, S.** Determinations of blood flow and shunting of 9- and 15- $\mu$ m spheres in regional beds. 237,6:H25
- Fan, F.-C.** see Chen, R. Y. Z.
- Fan, J. S. K.** see Weisinger, R. S.
- Fanestil, D. D., and Park, C. S.** Effects of inhibitors of F<sub>0</sub>F<sub>1</sub> proton-translocating ATPase on urinary acidification. 240,9:C201
- Fanestil, D. D., and Vaughn, D. A.** Inhibition of short-circuit current by triaminopyrimidine in isolated toad urinary bladder. 236,5:C221
- Fanestil, D. D.**  
see Harms, V.  
Park, C. S.
- Fang, S.-L.** see Theodoropoulos, T.
- Fang, V. S.**  
see Ernanouel, D. S.  
Rabkin, R.
- Fanning, C. M.** see Penney, D. G.
- Fara, J. W., Praissman, M., and Berkowitz, J. M.** Interaction between gastrin, CCK, and secretin on canine antral smooth muscle in vitro. 236,5:E39
- Fara, J. W.** see Bynum, T. E.
- Faraci, F. M., Shiner, H. W., Orr, J. A., and Trank, J. W.** Circulatory mechanoreceptors in the pond turtle *Pseudemys scripta*. 242,11:R216
- Farber, M. O.** see Heyes, M. P.
- Farivar, S.** see Fromm, H.
- Farman, N., Kusch, M., and Edelman, I. S.** Aldosterone receptor occupancy and sodium transport in the urinary bladder of *Bufo marinus*. 235,4:C90
- Farman, N., Vandewalle, A., and Bonvallet, J. P.** Aldosterone binding in isolated tubules. I. Biochemical determination in proximal and distal parts of the rabbit nephron. 242,11:F63
- Farman, N., Vandewalle, A., and Bonvallet, J. P.** Aldosterone binding in isolated tubules. II. An autoradiographic study of concentration dependency in the rabbit nephron. 242,11:F69
- Farman, N., Vandewalle, A., and Bonvallet, J. P.** Autoradiographic study of aldosterone and dexamethasone binding in isolated glomeruli of rabbit kidney. 243,12:F235
- Farman, N., Vandewalle, A., and Bonvallet, J.-P.** Binding of aldosterone to cytoplasmic and nuclear receptors of the rabbit kidney. 240,9:C20
- Farman, N.**  
see Kusch, M.  
Vandewalle, A.
- Farmer, B. B.** see Gilmour, R. F., Jr.
- Farnham, C. J.** see Watson, E. L.
- Farnham, W.** see Watson, E. L.
- Farr, B. M.** see Hall, J. E.
- Farrar, E. L.** see Posner, P.
- Farrell, A. P., Sobin, S. S., Randall, D. J., and Crosby, S.** Intralamellar blood flow patterns in fish gills. 239,8:R428
- Farrell, K. J., Witte, C. L., Witte, M. H., Mobley, W. P., and Kintner, K.** Oxygen exchange in the mesenteric microcirculation of the dog. 236,5:H846
- Fassett, M.**  
see Brodrick, J. W.  
Geokas, M. C.  
Largman, C.
- Fastenow, C.** see Haywood, J. R.
- Fater, D. C., Schultz, H. D., Sundet, W. D., Mapes, J. S., and Goetz, K. L.** Effects of left atrial stretch in cardiac-denervated and intact conscious dogs. 242,11:H1056
- Fater, D. C.** see Schultz, H. D.
- Faubert, P. F., Chou, S.-Y., Porush, J. G., Belizon, I. J., and Spitalowitz, S.** Papillary plasma flow and tissue osmolality in chronic caval dogs. 242,11:F370
- Faucheux, B., Buu, N. T., and Kuchel, O.** Effects of saline and albumin on plasma and urinary catecholamines in dogs. 232,1:F23
- Faulk, D. L.** see Anuras, S.
- Faulkner, J. A., Clafin, D. R., McCully, K. K., and Jones, D. A.** Contractile properties of bundles of fiber segments from skeletal muscles. 243,12:C66
- Faulkner, J. A., Niemeyer, J. H., Maxwell, L. C., and White, T. P.** Contractile properties of transplanted extensor digitorum longus muscles of cats. 238,7:C120
- Faulkner, J. A.**  
see Maxwell, L. C.  
White, T. P.
- Faust, I. M., Johnson, P. R., and Hirsch, J.** Noncompensation of adipose mass in partially lipectomized mice and rats. 231:538



- Faust, I. M.**, Johnson, P. R., Stern, J. S., and Hirsch, J. Diet-induced adipocyte number increase in adult rats: a new model of obesity. 235,4:E279
- Faust, I. M.**  
see Miller, W. H., Jr.  
Schneider, B. S.
- Favre, H.**, Hwang, K. H., and Bourgoignie, J. J. Osmolar influences on urinary acidification and metabolism in the Colombian toad bladder. 239,8:F565
- Favus, M. J.**, Berelowitz, M., and Coe, F. L. Effects of somatostatin on intestinal calcium transport in the rat. 241,4:G215
- Favus, M. J.**, Coe, F. L., Kathpalia, S. C., Porat, A., Sen, P. K., and Sherwood, L. M. Effects of chlorothiazide on 1,25-dihydroxyvitamin D<sub>3</sub> parathyroid hormone, and intestinal calcium absorption in the rat. 242,5:G575
- Favus, M. J.**, Kathpalia, S. C., and Coe, F. L. Kinetic characteristics of calcium absorption and secretion by rat colon. 240,3:G350
- Favus, M. J.**, Kathpalia, S. C., Coe, F. L., and Mond, A. E. Effects of diet calcium and 1,25-dihydroxyvitamin D<sub>3</sub> on colon calcium active transport. 238,1:G75
- Favus, M. J.** see Bushinsky, D. A.
- Fawcett, C. P.**  
see Naor, Z.  
Snyder, G.
- Fay, F. S.**, and Singer, J. J. Characteristics of response of isolated smooth muscle cells to cholinergic drugs. 232,1:C144
- Fay, F. S.** see Singer, J. J.
- Fayad, R.** see Hunter, F. R.
- Fedak, M. A.** see Pinshow, B.
- Fedor, J. M.**, McIntosh, D. M., Rembert, J. C., and Greenfield, J. C., Jr. Coronary and transmural myocardial blood flow responses in awake domestic pigs. 235,4:H435
- Fedor, J. M.** see Kleinman, L. H.
- Feeney, G. A.** see Lau, Y. T.
- Feher, J. J.**, and Wasserman, R. H. Calcium absorption and intestinal calcium-binding protein: quantitative relationship. 236,5:E556
- Fehlmann, M.** see Le Cam, A.
- Feig, P. U.**, Wetzel, G. D., and Frazier, H. S. Dependence of the driving force of the sodium pump on rate of transport. 232,1:F448
- Feigen, L. P.**, Chapnick, B. M., Flemming, J. E., Flemming, J. M., and Kadowitz, P. J. Renal vascular effects of endoperoxide analogs, prostaglandins, and arachidonic acid. 233,2:H573
- Feigen, L. P.**, Chapnick, B. M., Flemming, J. E., and Kadowitz, P. J. Prostaglandins: renal vascular responses to bradykinin, histamine, and nitroglycerine. 234,3:H496
- Feigen, L. P.**, Coleman, B., and Glaviano, V. V. Effects of alpha-adrenergic blockade on renal function in hemorrhagic shock. 232,1:F409
- Feigen, L. P.** see Chapnick, B. M.
- Feigl, E. O.**  
see Blair, M. L.  
Cunningham, S. G.  
Hamilton, F. N.
- Fein, H.** see Karlmark, B.
- Feinberg, H.**  
see Kornecki, E.  
Owen, N. E.
- Feintuch, J. J.** see Loegering, D. J.
- Felt, P. W.** see Palfrey, H. C.
- Fejes-Tóth, G.**, Magyar, A., and Walter, J. Renal response to vasopressin after inhibition of prostaglandin synthesis. 232,1:F416
- Fejes-Tóth, G.**, Zahajszky, T., and Filep, J. Effect of vasopressin on renal kallikrein excretion. 239,8:F388
- Feke, G. T.** see Riva, C. E.
- Felbabel, H.** see Le Maho, Y.
- Felder, D.** see Wallick, D. W.
- Felder, D. S.** see Wallick, D. W.
- Felder, R. B.**, and Thames, M. D. Responses to activation of cardiac sympathetic afferents with epicardial bradykinin. 242,11:H148
- Feldman, D.** Glucocorticoid receptors and regulation of phosphoenolpyruvate carboxykinase activity in rat kidney and adipose tissue. 233,2:E147
- Feldman, D.**, and Hirst, M. Glucocorticoids and regulation of phosphoenolpyruvate carboxykinase activity in rat brown adipose tissue. 235,4:E197
- Feldman, D.**, Loose, D. S., and Tan, S. Y. Nonsteroidal anti-inflammatory drugs cause sodium and water retention in the rat. 234,3:F490
- Feldman, D.**, Mondon, C. E., Horner, J. A., and Weiser, J. N. Glucocorticoid and estrogen regulation of corticosteroid-binding globulin production by rat liver. 237,6:E493
- Feldman, D.** see Sakauye, C.
- Feldman, E. J.**, and Grossman, M. I. Liver extract and its free amino acids equally stimulate gastric acid secretion. 239,2:G493
- Feldman, G. M.**, and Charney, A. N. Effect of acute metabolic alkalosis and acidosis on intestinal electrolyte transport in vivo. 239,2:G427
- Feldman, G. M.**, and Charney, A. N. Effect of acute respiratory alkalosis and acidosis on intestinal ion transport in vivo. 242,5:G486
- Feldman, H. A.** A numerical method for fitting compartmental models directly to tracer data. 233,2:R1
- Feldman, J. F.** see Nakashima, H.
- Feldman, S. M.** see Baez, S.
- Feldstein, M. L.**, Henquell, L., and Honig, C. R. Frequency analysis of coronary intercapillary distances: site of capillary control. 235,4:H321
- Feldstein, M. L.**  
see Gregg, C. M.  
Honig, C. R.
- Felig, P.**  
see Ahlborg, G.  
Bastl, C.  
DeFronzo, R. A.  
Juhlin-Dannfelt, A.  
Maehlum, S.  
Saccà, L.  
Zawalich, W.
- Felipe, I.** see Gagnon, J. A.
- Felix, A.** see Case, R. B.
- Felix, R.**, Neuman, W. F., and Fleisch, H. Aerobic glycolysis in bone: lactic acid production by rat calvaria cells in culture. 234,3:C51
- Fell, R. D.**, McLane, J. A., Winder, W. W., and Holloszy, J. O. Preferential resynthesis of muscle glycogen in fasting rats after exhausting exercise. 238,7:R328
- Fell, R. D.**, Terblanche, S. E., Winder, W. W., and Holloszy, J. O. Adaptive responses of rats to prolonged treatment with epinephrine. 241,10:C55
- Fell, R. D.**  
see Hintz, C. S.  
McLane, J. A.  
Winder, W. W.
- Fellenius, E.**, Elander, B., Wallmark, B., Helander, H. F., and Berglin, T. Inhibition of acid secretion in isolated gastric glands by substituted benzimidazoles. 243,6:G505
- Fenoglio, J. J., Jr.**, Karagueuzian, H. S., Friedman, P. L., Albala, A., and Whit, A. L. Time course of infarct growth toward the endocardium after coronary occlusion. 236,5:H356
- Fenoglio, J. J., Jr.**  
see Bassett, A. L.  
Karagueuzian, H. S.
- Fenstermacher, J. D.**, and Davson, H. Distribution of two model amino acids from cerebrospinal fluid to brain and blood. 242,11:F171
- Fenstermacher, J. D.**, and Patlak, C. S. CNS, CSF, and extracellular fluid uptake of various hydrophilic materials in the dogfish. 232,1:R45
- Fenstermacher, J. D.**  
see Cserr, H. F.  
Kessler, J. A.
- Fenton, R. A.**, Bruttig, S. P., Rubio, R., and Berne, R. M. Effect of adenosine of calcium uptake by intact and cultured vascular smooth muscle. 242,11:H797
- Fenton, R. A.**  
see Clancy, R. L.  
Deeds, D. G.
- Fenton, T. R.**, Cherry, J. M., and Klassen, G. A. Transmural myocardial deformation in the canine left ventricular wall. 235,4:H523
- Ferguson, A. G.** see Samarel, A. M.
- Ferguson, E. R.** see Cronin, R. E.
- Ferguson, J. L.**  
see Bockman, E. L.  
Fritschka, E.
- Ferguson, R. J.**, Taylor, A. W., Côté, P., Charlebois, J., Dinelle, Y., Péronnet, F., De Champlain, J., and Bourassa, M. G. Skeletal muscle and cardiac changes with training in patients with angina pectoris. 243,12:H830
- Ferguson, T. B., Jr.** see Bergmann, S. R.
- Ferrioli, M. E.** see Scalabrino, G.
- Fernandez, L. A.**, Caride, V. J., Twickler, J., and Galaray, R. E. Renin-angiotensin and development of collateral circulation after renal ischemia. 243,12:H869
- Fernandez-Madrid, F.** see Prasad, A. S.
- Fernando, H. A.** see Freidman, H. S.
- Fernstrom, J. D.** see Van Itallie, C. M.
- Ferrannini, E.**, DeFronzo, R. A., and Sherwin, R. S. Transient hepatic response to glucagon in man: role of insulin and hyperglycemia. 242,5:E73
- Ferrannini, E.**  
see DeFronzo, R. A.  
Navalesi, R.  
Pilo, A.
- Ferrario, C. M.**  
see Brosnihan, K. B.  
Szilagyi, J. E.
- Ferré, P.**, Pegorier, J. P., Marliss, E. B., and Girard, J. R. Influence of exogenous fat and gluconeogenic substrates on glucose homeostasis in the newborn rat. 234,3:E129
- Ferré, P.**  
see Girard, J. R.  
Le Maho, Y.
- Ferrell, B. A.** see Pfeffer, M. A.
- Ferrell, R. E.** see Clench, J.
- Ferrier, G. R.**  
see LaManna, V. R.  
Wasserstrom, J. A.
- Ferris, C. F.** see Passo, S. S.
- Ferro, G.** see Rengo, F.
- Ferrone, R. A.**, Walsh, G. M., Tsuchiya, M., and Frohlich, E. D. Comparison of hemodynamics in conscious spontaneous and renal hypertensive rats. 236,5:H403
- Ferrone, R. A.**  
see Trippodo, N. C.  
Tsuchiya, M.  
Walsh, G. M.
- Feser, J. F.** see Tai, Y.-H.
- Fetke, H.** Models' limits suggest reflexivity in nature. 242,11:R167

- Feuerstein, G., Helke, C. J., Zerbe, R. L., Jacobowitz, D. M., and Kopin, I. J.** Mechanisms involved in central cardiovascular effects of prostaglandin  $F_{2\alpha}$ . 242,11:R545
- Feuerstein, G., Jimerson, D. C., and Kopin, I. J.** Prostaglandins, catecholamines, and cardiovascular responses to hemorrhage. 240,9:R166
- Feuerstein, I. A.** *see* Adams, G. A.
- Fevray, D.** Structural, functional, and metabolic correlates in ischemic hearts: effects of substrates. 240,9:H391
- Fewell, J. E., Abendschein, D. R., Carlson, C. J., Rapoport, E., and Murray, J. F.** Continuous positive-pressure ventilation does not alter ventricular pressure-volume relationship. 240,9:H821
- Fidelman, M. L., May, J. M., Biber, T. U. L., and Watlington, C. O.** Insulin stimulation of  $Na^+$  transport and glucose metabolism in cultured kidney cells. 242,11:C121
- Fidelman, M. L., Seeholzer, S. H., Walsh, K. B., and Moore, R. D.** Intracellular pH mediates action of insulin on glycolysis in frog skeletal muscle. 242,11:C87
- Fidone, S. J.** *see* Gonzalez, C.
- Fidone, S. J.** *see* Eyzaguirre, C.
- Field, J. B.** *see* Røjdmark, S.
- Field, M.**  
*see* Brasitus, T. A.  
Chang, E. B.  
Frizzell, R. A.  
Guandalini, S.  
Sheerin, H. E.  
Silva, P.
- Fields, R. M.** *see* Ishibashi, F.
- Fierstein, J. S.** *see* Stevenson, N. R.
- Figueiredo, J. F.** *see* Friedman, P. A.
- Fiksen-Olsen, M. J.** *see* Sexton, J. M.
- Filburn, C. R.** *see* Guarnieri, T.
- Filip, J.** *see* Fejes-Tóth, G.
- Filewich, R. J.** *see* Dworkin, B. R.
- Filkins, J. P., and Yelich, M. R.** Mechanism of hyperinsulinemia after reticuloendothelial system phagocytosis. 242,5:E115
- Filkins, J. P.**  
*see* Buchanan, B. J.  
Yelich, M. R.
- Finander, P.** *see* Brautbar, N.
- Finch, C.**  
*see* Dillman, E.  
Dillmann, E.
- Finch, C. A.** *see* Christensen, A. C.
- Finch, V. A., and Robertshaw, D.** Effect of dehydration on thermoregulation in eland and hartebeest. 237,6:R192
- Findlay, S. R., Leary, T. M., Parker, C. W., Bloomquist, E. I., and Scheid, C. R.** Contractile events induced by LTD<sub>3</sub> and histamine in smooth muscle—a function of  $Ca^{2+}$  utilization. 243,12:C133
- Findlay, S. R., Lichtenstein, L. M., Hanahan, D. J., and Pinckard, R. N.** Contraction of guinea pig ileal smooth muscle by acetyl glyceryl ether phosphorylcholine. 241,10:C130
- Fine, L.** *see* Silva, P.
- Fine, L. G., and Trizna, W.** Influence of prostaglandins on sodium transport of isolated medullary nephron segments. 232,1:F383
- Fine, L. G.** *see* Schlondorff, D.
- Fineberg, N.** *see* Heyes, M. P.
- Finer, P. M.** *see* Solez, K.
- Fink, A. S., Miller, J. C., Jehn, D. W., and Meyer, J. H.** Digests of protein augment acid-induced canine pancreatic secretion. 242,5:G634
- Fink, G. D., and Brody, M. J.** Continuous measurement of renal blood flow changes to renal nerve stimulation and intra-arterial drug administration in the rat. 234,3:H219
- Fink, G. D., and Brody, M. J.** Renal vascular resistance and reactivity in the spontaneously hypertensive rat. 237,6:F128
- Fink, G. D., and Brody, M. J.** Impaired neurogenic control of renal vasculature in renal hypertensive rats. 238,7:H770
- Fink, G. D., and Bryan, W. J.** Forebrain control of fluid and electrolyte homeostasis and angiotensin sensitivity in rabbit. 239,8:R372
- Fink, G. D., and Bryan, W. J.** Renal vascular resistance and reactivity in the neurogenic hypertensive rat. 239,8:F474
- Fink, G. D., Bryan, W. J., Mann, M., Osborn, J., and Werber, A.** Continuous blood pressure measurement in rats with aortic baroreceptor deafferentation. 241,10:H268
- Fink, G. D., Buggy, J., Haywood, J. R., Johnson, A. K., and Brody, M. J.** Hemodynamic effects of electrical stimulation of forebrain angiotensin and osmosensitive sites. 235,4:H445
- Fink, G. D., and Fisher, J. W.** Erythropoietin production after renal denervation or beta-adrenergic blockade. 230:508
- Fink, G. D., Haywood, J. R., Bryan, W. J., Packwood, W., and Brody, M. J.** Central site for  $\lambda$  sor action of blood-borne angiotensin in rat. 239,8:R358
- Fink, G. D.**  
*see* Haywood, J. R.  
Werber, A. H.
- Fink, S. A., and Williams, J. A.** Adrenergic receptors mediating depolarization in brown adipose tissue. 231:700
- Finkelstein, F. O., and Kliger, A. S.** Medullary structures in calcium reabsorption in rats with renal insufficiency. 233,2:F197
- Finkelstein, F. O.** *see* Bastl, C.
- Finkelstein, L.** *see* Carson, E. R.
- Finkenberger, J. G.** *see* Vinten-Johansen, J.
- Finn, A. L.**  
*see* Gatzky, J. T.  
Reuss, L.
- Finn, W. F., and Arendshorst, W. J.** Effect of prostaglandin synthetase inhibitors on renal blood flow in the rat. 231:1541
- Finn, W. F.** *see* Arendshorst, W. J.
- Finsy, R.** *see* Gorus, F. K.
- Fintel, M., and Burns, A. H.** Effect of thyroxine treatment on exogenous myocardial lactate oxidation. 243,12:H722
- Fioramonti, J., Bueno, L., and Ruckebusch, M.** Blood sugar oscillations and duodenal migrating myoelectric complexes. 242,5:G15
- Fioramonti, J.** *see* Fleckenstein, P.
- Firnau, G.** *see* Garnett, E. S.
- Fischer, G. M., and Swain, M. L.** Effect of sex hormones on blood pressure and vascular connective tissue in castrated and noncastrated male rats. 232,1:H617
- Fischer, J. A.**  
*see* Blum, J. W.  
Huwyler, R.  
Koelz, H. R.  
Trechsel, U.  
Wieland, P.
- Fischetti, R.** *see* Chance, B.
- Fischman, D. A.** *see* Culver, N. G.
- Fishbein, M. C.**  
*see* Heyndrickx, G. R.  
Pfeffer, J. M.  
Pfeffer, M. A.
- Fisher, A. B., and Dodia, C.** Lung as a model for evaluation of critical intracellular  $PO_2$  and  $PCO_2$ . 241,4:E47
- Fisher, A. B., Furia, L., and Chance, B.** Evaluation of redox state of isolated perfused rat lung. 230:1198
- Fisher, A. B.**  
*see* Bassett, D. J. P.  
Kerr, J. S.
- Fisher, A. E.** *see* Buggy, J.
- Fisher, B. A., and Bagby, R. M.** Reorientation of myofilaments during contraction of a vertebrate smooth muscle. 232,1:C5
- Fisher, D. A.**  
*see* Klein, A. H.  
Moses, A. M.  
Weitzman, R. E.  
Wilson, K. C.
- Fisher, D. J., Heymann, M. A., and Rudolph, A. M.** Myocardial oxygen and carbohydrate consumption in fetal lambs in utero and in adult sheep. 238,7:H399
- Fisher, D. J., Heymann, M. A., and Rudolph, A. M.** Fetal myocardial oxygen and carbohydrate consumption during acutely induced hypoxemia. 242,11:H657
- Fisher, D. J., Heymann, M. A., and Rudolph, A. M.** Regional myocardial blood flow and oxygen delivery in fetal, newborn, and adult sheep. 243,12:H729
- Fisher, D. J., Heymann, M. A., and Rudolph, A. M.** Fetal myocardial oxygen and carbohydrate metabolism in sustained hypoxemia in utero. 243,12:H959
- Fisher, J. T., and Mortola, J. P.** Statics of the respiratory system and growth: an experimental and allometric approach. 241,10:R336
- Fisher, J. W.**  
*see* Fink, G. D.  
Przala, F.
- Fisher, K. A., Binder, H. J., and Hayslett, J. P.** Potassium secretion by colonic mucosal cells after potassium adaptation. 231:987
- Fisher, L.** *see* McDonald, G. B.
- Fisher, R. S., Roberts, G. S., Grabowski, C. J., and Cohen, S.** Inhibition of lower esophageal sphincter circular muscle by female sex hormones. 234,3:E243
- Fisher, R. S.**  
*see* Essig, A.  
Helman, S. I.  
Li, J.  
Phaosawasdi, K.
- Fisher, S. J., and Malvin, R. L.** Role of neural pathways in renin response to intravascular volume expansion. 238,7:H611
- Fisher, V. J.** *see* Kahn, M. L.
- Fishman, A. P.** Perspective (Editorial). 232,1:C1
- Fishman, A. P.** Hail and farewell. 240,9:C161; 240,3:E447; 240,3:G339; 240,9:H681; 240,9:R253; 240,9:F353
- Fishman, A. P., Berne, R. M., and Morgan, H. E.** By the numbers (Editorial). 241,10:C91; 241,4:E169; 241,4:G197; 241,10:H289; 241,10:R105; 241,10:F201
- Fishman, A. P.**  
*see* Arbel, E. R.  
DeLaney, R. G.  
Kelsen, S. G.  
Weber, K. T.
- Fishman, D. L.** *see* Hardie, E. L.
- Fitkin, D.** *see* Birkhahn, R. H.
- Fitts, R. H., Courtright, J. B., Kim, D. H., and Witzmann, F. A.** Muscle fatigue with prolonged exercise: contractile and biochemical alterations. 242,11:C65
- Fitts, R. H., and Holloszy, J. O.** Lactate and contractile force in frog muscle during development of fatigue and recovery. 231:430
- Fitts, R. H., and Holloszy, J. O.** Contractile properties of rat soleus muscle: effects of training and fatigue. 233,2:C86

- Fitts, R. H., Winder, W. W., Brooke, M. H., Kaiser, K. K., and Holloszy, J. O. Contractile, biochemical, and histochemical properties of thyrotoxic rat soleus muscle. 238,7:C15
- Fitts, R. H. see Kim, D. H.
- Fitz, A. E. see Mark, A. L.
- Fitzgerald, E. M. see Obika, L. F. O.
- Fitzgerald, J. M. see McLeay, L. M.
- Fitzgerald, K. M. see Zucker, I.
- Fitzgerald, K. R., Babbs, C. F., Frissora, H. A., Davis, R. W., and Silver, D. I. Cardiac output during cardiopulmonary resuscitation at various compression rates and durations. 241,10:H442
- Fitzgerald, R. S., Robotham, J. L., and Anand, A. Baroreceptor output during normal and obstructed breathing and Mueller maneuvers. 240,9:H721
- Fitzgerald, R. S. see Sylvester, J. T.
- Traystman, R. J.
- Fitzhugh, R. see Rapoport, S. I.
- Fitzpatrick, G. F. see Culebras, J. M.
- Fitzpatrick, J. H., Jr., Gilboe, D. D., Drewes, L. R., and Betz, A. L. Relationship of cerebral oxygen uptake to EEG frequency in isolated canine brain. 231:1840
- Fitzsimons, J. T., and Elfont, R. M. Angiotensin does contribute to drinking induced by caval ligation in rat. 243,12:R558
- Fitzsimons, J. T. see Moore-Gillon, M. J.
- Fixler, D. E., Atkins, J. M., Mitchell, J. H., and Horwitz, L. D. Blood flow to respiratory, cardiac, and limb muscles in dogs during graded exercise. 231:1515
- Fixler, D. E. see Crayton, S. C.
- Flaherty, J. T., Schaff, H. V., Goldman, R. A., and Gott, V. L. Metabolic and functional effects of progressive degrees of hypothermia during global ischemia. 236,5:H839
- Flaherty, J. T. see O'Riordan, J. B.
- Schaff, H. V.
- Flaim, K. E., Copenhaver, M. E., and Jefferson, L. S. Effects of diabetes on protein synthesis in fast- and slow-twitch rat skeletal muscle. 239,2:E88
- Flaim, K. E., Horwitz, B. A., and Horowitz, J. M. Coupling of signals to brown fat  $\alpha$ - and  $\beta$ -adrenergic responses in intact rats. 232,1:R101
- Flaim, K. E., Li, J. B., and Jefferson, L. S. Protein turnover in rat skeletal muscle: effects of hypophysectomy and growth hormone. 234,3:E38
- Flaim, K. E., Li, J. B., and Jefferson, L. S. Effects of thyroxine on protein turnover in rat skeletal muscle. 235,4:E231
- Flaim, S. F. Peripheral vascular effects of nitroglycerin in a conscious rat model of heart failure. 243,12:H974
- Flaim, S. F., and DiPette, D. J. Digoxin-norepinephrine response and calcium blocker effects in vascular smooth muscle. 236,5:H613
- Flaim, S. F., Minter, W. J., Nellis, S. H., and Clark, D. P. Chronic arteriovenous shunt: evaluation of a model for heart failure in rat. 236,5:H698
- Flaim, S. F., Morris, Z. Q., and Kennedy, T. J. Dextrans as a radioactive microsphere suspending agent: severe hypotensive effect in rat. 235,4:H587
- Flaim, S. F., and Zelis, R. Effects of isoproterenol on adrenergic constriction in vascular smooth muscle. 233,2:H22
- Flaim, S. F. see Nellis, S. H.
- Flamenbaum, W., Gagnon, J., and Ramwell, P. Bradykinin-induced renal hemodynamic alterations: renin and prostaglandin relationships. 237,6:F433
- Flamenbaum, W. see Kaufman, J. S.
- Schwartz, J. H.
- Flasterstein, A. H. see Crumb, C. K.
- Fleck, T. R. see Linder, C.
- Fleckenstein, P., Bueno, L., Fioramonti, J., and Ruckebusch, Y. Minute rhythm of electrical spike bursts of the small intestine in different species. 242,5:G654
- Fleisch, H. see Bonjour, J.-P.
- Caverzasio, J.
- Felix, R.
- Haldimann, B.
- Hugi, K.
- Mühlbauer, R. C.
- Rizzoli, R.
- Stoll, R.
- Trechsel, U.
- Tröhler, U.
- Fleischer, L. A. see Schiessel, R.
- Fleischmann, L. see Churchill, P.
- Fleischner, G. see Lichter, M.
- Stein, L. B.
- Fleming, J. E. see Leon, H. A.
- Flemming, J. E. see Feigen, L. P.
- Flemming, J. M. see Feigen, L. P.
- Flemström, G. Active alkalization by amphibian gastric fundic mucosa in vitro. 233,2:E1
- Flemström, G. Stimulation of  $\text{HCO}_3^-$  transport in isolated proximal bullfrog duodenum by prostaglandins. 239,2:G198
- Flemström, G., and Garner, A. Gastrointestinal  $\text{HCO}_3^-$  transport: characteristics and proposed role in acidity regulation and mucosal protection. 242,5:G183
- Flemström, G., Garner, A., Nylander, O., Hurst, B. C., and Heylings, J. R. Surface epithelial  $\text{HCO}_3^-$  transport by mammalian duodenum in vivo. 243,6:G348
- Flemström, G., Heylings, J. R., and Garner, A. Gastric and duodenal  $\text{HCO}_3^-$  transport in vitro: effects of hormones and local transmitters. 242,5:G100
- Flemström, G. see Garner, A.
- Flessas, A. P. see Nakamura, Y.
- Fletcher, P. see Pfeffer, J. M.
- Fletcher, T. see Burr, I. M.
- Flint, P. W. see Ramaswamy, K.
- Flis, R. S. see Popovtzer, M. M.
- Florant, G. L., and Heller, H. C. CNS regulation of body temperature in euthermic and hibernating marmots (*Marmota flaviventris*). 232,1:R203
- Florant, G. L., Turner, B. M., and Heller, H. C. Temperature regulation during wakefulness, sleep, and hibernation in marmots. 235,4:R82
- Florini, J. R. see Turo, K. A.
- Flouret, G. see Peterson, D. R.
- Stetler-Stevenson, M. A.
- Flynn, J. T., Bridenbaugh, G. A., and Lefler, A. M. Release of prostaglandin  $\text{F}_{2\alpha}$  during splanchnic artery occlusion shock. 230:684
- Flynn, J. T. see Bridenbaugh, G. A.
- Demling, R. H.
- Gee, M. H.
- Havill, A. M.
- Fogel, A. J. see Rosenberg, E. M.
- Fogel, R., Sharp, G. W. G., and Donowitz, M. Chloroquine stimulates absorption and inhibits secretion of ileal water and electrolytes. 243,6:G117
- Foley, D. H., Miller, W. L., Rubio, R., and Berne, R. M. Transmural distribution of myocardial adenosine content during coronary constriction. 236,5:H833
- Foley, D. H. see Watkinson, W. P.
- Foley, J. E., Cushman, S. W., and Salans, L. B. Glucose transport in isolated rat adipocytes with measurements of L-arabinose uptake. 234,3:E112
- Foley, J. E., Cushman, S. W., and Salans, L. B. Intracellular glucose concentration in small and large rat adipose cells. 238,1:E180
- Foley, J. E. see Salans, L. B.
- Folkert, V. W., and Schlondorff, D. Altered prostaglandin synthesis by glomeruli from rats with unilateral ureteral ligation. 241,10:F289
- Folkert, V. W. see Schlondorff, D.
- Folléa, N. see Bukowiecki, L.
- Folscroft, J. see Arvanitakis, C.
- Cooke, H. J.
- Fondacaro, J. D. see Banks, R. O.
- Heubi, J. E.
- Jacobson, E. D.
- Pawlik, W. W.
- Fong, B. C. see Kelleher, D. L.
- Fons, R. see Bartels, H.
- Fonseca-Costa, A., and Zin, W. A. Cardiac output and mean transit time using the phase plane of dye-dilution curves. 236,5:H798
- Forcino, C. D. see Dujardin, J.-P. L.
- Ford, C. see Schaffer, S. W.
- Ford, G. D., and Hess, M. L. Influence of ATP on sarcoplasmic reticulum function of vascular smooth muscle. 242,11:C242
- Ford, L. E. see Chiu, Y.-L.
- Fordtran, J. S. see Read, N. W.
- Schmulen, A. C.
- Foreman, R. D., and Ohata, C. A. Effects of coronary artery occlusion on thoracic spinal neurons receiving viscerosomatic inputs. 238,7:H667
- Foreman, R. D. see Dormer, K. J.
- Schwartz, P. J.
- Forke, E. L., and Luxon, B. Hepatic transport kinetics and plasma disappearance curves: distributed modeling vs. conventional approach. 235,4:E648
- Forke, E. L., and Luxon, B. A. Hepatic transport kinetics: effect of anatomic and metabolic heterogeneity on estimates of the average transfer coefficients. 243,6:G532
- Forke, E. L. see Luxon, B. A.
- Formal, S. see Mathias, J. R.
- Formby, B., Capito, K., Egeberg, L., and Hedeskov, C. J. Ca-activated ATPase activity in subcellular fractions of mouse pancreatic islets. 230:441
- Forrest, J. N. see Silva, P.
- Forrest, J. N., Jr., Boyer, J. L., Ardito, T. A., Murdaugh, H. V., Jr., and Wade, J. B. Structure of tight junctions during Cl secretion in the perfused rectal gland of the dogfish shark. 242,11:C388
- Forrest, J. N., Jr. see Bia, M. J.
- Forrester, J. S. see Vas, R.
- Forsayeth, J., and Gould, M. K. Effects of hyperosmolarity on basal and insulin-stimulated muscle sugar transport. 240,3:E263
- Forsberg, J. O. see Grøgaard, B.
- Forster, R. E. see Crandall, E. D.
- Forster, R. P., and Goldstein, L. Intracellular osmoregulatory role of amino acids and urea in marine elasmobranchs. 230:925
- Forster, R. P. see Schröck, H.
- Forstner, G. G. see Forstner, J. F.
- Forstner, J. F., Maxwell, B., and Roomi, N. Intestinal secretion of mucin in chronically reserpine-treated rats. 241,4:G443
- Forstner, J. F., Roomi, N. W., Fahim, R. E. F., and Forstner, G. G. Cholera toxin stimulates secretion of immunoreactive intestinal mucin. 240,3:G10

- Forsyth, G. W., Kapitany, R. A., and Hamilton, D. L.** Organic acid proton donors decrease intestinal secretion caused by enterotoxins. 241,4:G227
- Forte, J. G., Black, J. A., and Forte, J. G., Jr.** Substrate dependency for HCl secretion by isolated piglet gastric mucosa. 238,1:G353
- Forte, J. G., Black, J. A., Forte, T. M., Machen, T. E., and Wolosin, J. M.** Ultrastructural changes related to functional activity in gastric oxyntic cells. 241,4:G349
- Forte, J. G.** *see* Machen, T. E.
- Forte, J. G., Jr.** *see* Forte, J. G.
- Forte, L. R., Langeluttig, S. G., Poelling, R. E., and Thomas, M. L.** Renal parathyroid hormone receptors in the chick: downregulation in secondary hyperparathyroid animal models. 242,5:E154
- Forte, L. R.**  
*see* Carnes, D. L.  
Nickols, G. A.  
Thomas, M. L.
- Forte, T. M.** *see* Forte, J. G.
- Foskett, J. K., Machen, T. E., and Bern, H. A.** Chloride secretion and conductance of teleost opercular membrane: effects of prolactin. 242,11:R380
- Fosmire, G. J.** *see* Greeley, S.
- Foss, M. C.** *see* Kettelhut, I. C.
- Fossat, B., and Lahlou, B.** Osmotic and solute permeabilities of isolated urinary bladder of the trout. 233,2:F525
- Foster, D. M., Aamodt, R. L., Henkin, R. I., and Berman, M.** Zinc metabolism in humans: a kinetic model. 237,6:R340
- Foster, D. M., Hetenyi, G., Jr., and Berman, M.** A model for carbon kinetics among plasma alanine, lactate, and glucose. 239,2:E30
- Foster, D. M., and Jacquez, J. A.** Comparison using central core model of renal medulla of the rabbit and rat. 234,3:F402
- Foster, D. M.** *see* Hetenyi, G., Jr.
- Foster, G. V.**  
*see* Kalu, D. N.  
Zacur, H. A.
- Foster, J. R., Powers, E. R., and Powell, W. J., Jr.** Interaction of aortic pressure and left ventricular end-diastolic pressure in the dog. 232,1:H697
- Foster, J. R.** *see* Powers, E. R.
- Foster, R., Lobo, M. V., and Marusic, E. T.** Studies of relationship between angiotensin II and potassium ions on aldosterone release. 237,6:E363
- Foster, R. C.** Kinetics of lactose synthesis, intracellular transport, and secretory release by mammary epithelial cells in vitro. 236,5:C286
- Foulkes, E. C.** Movement of *p*-aminohippurate between lumen and cells of renal tubule. 232,1:F424
- Fountain, S. W., Duffin, J., Ward, C. A., Osada, H., Martin, B. A., and Cooper, J. D.** Biocompatibility of standard and silica-free silicone rubber membrane oxygenators. 236,5:H371
- Fournet, J., Snape, W. J., Jr., and Cohen, S.** Modulation of lower esophageal sphincter relaxation in the opossum. 237,6:E481
- Fowler, B. N.**  
*see* Jacobs, M. L.  
Lorell, B. H.
- Fowler, W. L., Jr.**  
*see* Johnson, J. A.  
Siripaisarnpipat, S.
- Fowler, W. S., and Crowe, A.** Effect of temperature on resistance to stretch of tortoise muscle. 231:1349
- Fox, I. H.** *see* Edwards, N. L.
- Fox, I. J.** *see* Tripp, M. R.
- Fox, J., and Heath, H., III.** The "calcium clamp": effect of constant hypocalcemia on parathyroid hormone secretion. 240,3:E649
- Fox, J., and Heath, H., III.** Parathyroid, renal, and skeletal responses to induced hypocalcemia in the dog. 242,5:E287
- Fox, J., Offord, K. P., and Heath, H., III.** Episodic secretion of parathyroid hormone in the dog. 241,4:E171
- Fox, J. E. T., and Daniel, E. E.** Role of  $\text{Ca}^{2+}$  in genesis of lower esophageal sphincter tone and other active contractions. 237,6:E163
- Fox, J. R.** *see* Wiederhielm, C. A.
- Fox, K. A., Kipp, S. C., and VanderWeele, D. A.** Dietary self-selection following subdiaphragmatic vagotomy in the white rat. 231:1790
- Fozzard, H. A.**  
*see* Akiyama, T.  
Baumgarten, C. M.  
Dominguez, G.  
Lado, M. g.  
Lee, C. O.  
Lipsius, S. L.  
Wasserstrom, J. A.
- Fradl, D. C.** *see* Carlson, T. H.
- Frame, C.** *see* Ganguli, S.
- France, R.** *see* Walker, L. A.
- France, V. M., and Durbin, R. P.** Ouabain binding to isolated frog gastric mucosa. 241,4:G104
- Francesconi, R., and Mager, M.** 5-Thio-D-glucose: hypothermic responses in mice. 239,8:R214
- Francesconi, R. P., and Mager, M.** Thermoregulatory effects of monoamine potentiators and inhibitors in the rat. 231:148
- Franciosa, J. A., Heckel, R., Limas, C., and Cohn, J. N.** Progressive myocardial dysfunction associated with increased vascular resistance. 239,8:H477
- Franciosa, J. A.** *see* Mashiro, I.
- Francis, G. S.** *see* Goldsmith, S. R.
- Francisco, L. L., Hoversten, L. G., and DiBona, G. F.** Renal nerves in the compensatory adaptation to ureteral occlusion. 238,7:F229
- Francisco, L. L., Osborn, J. L., and DiBona, G. F.** Prostaglandins in renin release during sodium deprivation. 243,12:F537
- Francœur, D.** *see* Welbourne, T. C.
- Franco-Saenz, R.** *see* Suzuki, S.
- Frank, H. J. L., and Davidson, M. B.** Insulin binding and action in isolated rat hepatocytes: effect of obesity and fasting. 243,6:E240
- Frank, J. S., and Winograd, S.** Effect of muscle length on  $^{45}\text{Ca}$  efflux in resting and contracting skeletal muscle. 231:555
- Frank, J. S.** *see* Langer, G. A.
- Frank, M., and Horowitz, S. B.** Potassium exchange in the whole cell, cytoplasm, and nucleus of amphibian oocytes. 238,7:C133
- Frank, H., Barlow, C. H., and Chance, B.** Oxygen delivery in perfused rat kidney: NADH fluorescence and renal functional state. 231:1082
- Frankel, B. J., Atwater, I., and Grodsky, G. M.** Calcium affects insulin release and membrane potential in islet  $\beta$ -cells. 240,9:C64
- Frankel, S., and Lange, G.** Maturation of hypothalamic-pituitary-thyroid response in the rat to acute cold. 239,2:E223
- Frankel, S. R.** *see* Barry, W. H.
- Frankena, H.** *see* Zweens, J.
- Franklin, A.** *see* Gaasch, W. H.
- Franklin, D.**  
*see* Crozatier, B.  
Hirakawa, S.  
Pagani, M.  
Sasayama, S.  
Tomoiike, H.
- Franklin, T. D.** *see* Hogan, R. D.
- Franklin, T. D., Jr., Weyman, A. E., and Egenes, K. M.** A closed-chest canine model for cross-sectional echocardiographic study. 233,2:H417
- Frantz, R. A.** *see* Schwartz, S.
- Franzini, C., Cianci, T., Lenzi, P., and Guidalotti, P. L.** Neural control of vasomotion in rabbit ear is impaired during desynchronized sleep. 243,12:R142
- Fraschini, F.** *see* Scalabrino, G.
- Fraser, D.**  
*see* Reddy, G. S.  
Rosenthal, A. M.
- Fraser, R.** *see* Gordon, R. D.
- Frasier, I. D.** *see* Buckley, N. M.
- Frater, R. W. M.** *see* Yellin, E. L.
- Fray, J. C. S.** Stretch receptor model for renin release with evidence from perfused rat kidney. 231:936
- Fray, J. C. S.** Stimulation of renin release in perfused kidney by low calcium and high magnesium. 232,1:F377
- Fray, J. C. S.** Mechanism of increased renin release during sodium deprivation. 234,3:F376
- Fray, J. C. S., Johnson, M. D., and Barger, A. C.** Renin release and pressor response to renal arterial hypotension: effect of dietary sodium. 233,2:H191
- Fray, J. C. S., Siwek, L. G., Strull, W. M., Steller, R. N., and Wilson, J. M.** Influence of dietary sodium on renin activity and arterial pressure during anesthesia. 231:1185
- Fray, J. C. S.** *see* Park, C. S.
- Fraser, T. E., Karl, I. E., Hillman, L. S., and Bier, D. M.** Direct measurement of gluconeogenesis from  $[2,3-^{13}\text{C}]$ alanine in the human neonate. 240,3:E615
- Frazier, H. S.** *see* Feig, P. U.
- Frazier, J. M.** *see* Kingsley, B. S.
- Freas, W., Muldoon, S. M., and Haddy, F. J.** Accumulation of  $[^3\text{H}]$ norepinephrine in canine saphenous vein: influence of plasma. 243,12:H424
- Fréchette, D.** *see* Tsakiris, A. G.
- Frederick, D.** *see* Ouellette, A. J.
- Fredericks, W. R.** *see* Rapoport, S. I.
- Frederiksen, J. V.** *see* Schaff, H. V.
- Frederiksen, J. W., Weiss, J. L., and Weisfeldt, M. L.** Time constant of isovolumic pressure fall: determinants in the working left ventricle. 235,4:H701
- Frederiksen, J. W.** *see* Efron, M. B.
- Freedland, R. A.** *see* Smith, S. B.
- Freel, R. W., and Goldner, A. M.** Sodium-coupled nonelectrolyte transport across epithelia: emerging concepts and directions. 241,4:G451
- Freeman, A. R.**  
*see* Houser, S. R.  
Jaeger, J. M.
- Freeman, P. L., and Luff, A. R.** Contractile properties of hindlimb muscles in rat during surgical overload. 242,11:C259
- Freeman, R. H., Davis, J. O., and Khosla, M. C.** Renal and adrenal responses to  $[\text{des-Asp}^1]$ angiotensin I in the dog. 234,3:F130
- Freeman, R. H., Davis, J. O., and Spielman, W. S.** Renin-angiotensin system and aldosterone secretion during aortic constriction in the rat. 232,1:F434
- Freeman, R. H., Davis, J. O., and Watkins, B. E.** Development of chronic perinephritic hypertension in dogs without volume expansion. 233,2:F278



- Freeman, R. H.**, Davis, J. O., Watkins, B. E., Stephens, G. A., and DeForrest, J. M. Effects of continuous converting enzyme blockade on renovascular hypertension in the rat. 236,5:F21
- Freeman, R. H.**  
see DeForrest, J. M.
- Dietz, J. R.  
Echtenkamp, S. F.  
Lohmeier, T. E.  
Seymour, A. A.  
Stephens, G. A.  
Watkins, B. E.  
Williams, G. M.
- Freer, R. J.**, and Smith, A. B. Effect of lithium on responsiveness of rat uterine smooth muscle to angiotensin. 230:1132
- Freer, R. J.**, and Smith, A. B. Lithium dissociation of calcium- and angiotensin-induced contractions in depolarized rat uterus. 236,5:C171
- Frega, N. S.**, Weinberg, J. M., Ross, B. D., and Leaf, A. Stimulation of sodium transport by glucose in the perfused rat kidney. 233,2:F235
- Frega, N. S.** see Dávalos, M.
- Fregly, M. J.** see Katovich, M. J.
- Freidman, H. S.**, Lajam, F., Zaman, Q., Gomes, J. A., Calderon, J., Marino, N. D., Fernando, H. A., and Choe, S.-S. Effect of autonomic blockade on the hemodynamic findings in acute cardiac tamponade. 232,1:H5
- Freinkel, N.** see Shambaugh, G. E., III
- Freude, K. A.**, Sandler, L. S., and Zieve, F. J. Electrical stimulation of the liver cell: activation of glycogenolysis. 240,3:E226
- Freudls, erger, R.** see Geary, N.
- Freund, P. R.**, Rowell, L. B., Murphy, T. M., Hobbs, S. F., and Butler, S. H. Blockade of the pressor response to muscle ischemia by sensory nerve block in man. 237,6:H433
- Freund, P. R.** see Brengelmann, G. L.
- Freychet, P.**  
see Le Cam, A.  
Le Marchand-Brustel, Y.
- Frezza, W. A.**, and Bing, O. H. L.  $PO_2$ -modulated performance of cardiac muscle. 231:1620
- Frick, G. P.** see Coiro, V.
- Fried, W.** see Schade, S. G.
- Friedli, C. M.**, Sclarsky, D. S., and Mayevsky, A. Multiprobe monitoring of ionic, metabolic, and electrical activities in the awake brain. 243,12:R462
- Friedman, D. W.** see Weber, F. L., Jr.
- Friedman, H.** see Goldman, S.
- Friedman, J.** see Watson, E. L.
- Friedman, J. J.**, Szwed, J. J., and Johns, B. L. Mass-balance approach for estimating transcapillary fluid and protein movement. 242,11:H227
- Friedman, J. J.** see Lloyd, T. C., Jr.
- Friedman, M. H.** Mathematical modeling of transport in structured tissues: corneal epithelium. 234,3:F215
- Friedman, M. I.**  
see Granneman, J.  
Sawchenko, P. E.
- Friedman, P.** see Wong, P. C.
- Friedman, P. A.**, Figueiredo, J. F., Maack, T., and Windhager, E. E. Sodium-calcium interactions in the renal proximal convoluted tubule of the rabbit. 240,9:F558
- Friedman, P. A.**, and Torretti, J. Regional glucose metabolism in the cat kidney in vivo. 234,3:F415
- Friedman, P. L.** see Fenoglio, J. J., Jr.
- Friedman, S.** see Young, G. P.
- Friedman, S. M.**, McIndoe, R. A., and Spieckermann, G. Ion-selective electrode studies of cell Na components in vascular smooth muscle of WKY and SHR. 242,11:H751
- Friedman, W. F.**  
see Ahumada, G.  
Hougen, T. J.  
Ingebretsen, W. R., Jr.  
Kirkpatrick, S. E.  
Pitlick, P. T.
- Frierson, J. L.** see Honig, C. R.
- Friesen, H.** see Rezek, M.
- Frintd, G.**, Windhager, E. E., and Taylor, A. Hydrosmotic response of collecting tubules to ADH or cAMP at reduced peritubular sodium. 243,12:F503
- Fripp, R. R.**  
see Lee, J. C.  
Werner, J. C.
- Frisinger, J.** see Cassin, S.
- Frissora, H. A.** see Fitzgerald, K. R.
- Fritschka, E.**, Ferguson, J. L., and Spitzer, J. J. Increased free fatty acid turnover in CSF during hypotension in dogs. 236,5:H802
- Fritz, M. E.**, LaVeau, P., Nahmias, A. J., Weigel, R. J., and Lee, F. Primary cultures of feline acinar cells: dissociation, culturing, and viral infection. 239,2:G288
- Frizzell, R. A.**, Field, M., and Schultz, S. G. Sodium-coupled chloride transport by epithelial tissues. 236,5:F1
- Froesch, E. R.** see Schoenle, E.
- Frohlich, E. D.**  
see Ferrone, R. A.  
Ishise, S.  
Nishiyama, K.  
Pfeffer, J. M.  
Pfeffer, M. A.  
Sesoko, S.  
Trippodo, N. C.  
Tsuchiya, M.  
Walsh, G. M.  
Yamamoto, J.
- Frohman, L. A.**  
see Goto, Y.  
King, B. M.
- Frölich, J. C.** see Walker, L. A.
- Fromm, D.**, Schwartz, J. H., and Quijano, R. Effects of salicylate and bile salt ion transport by isolated gastric mucosa of the rabbit. 230:319
- Fromm, D.**, Schwartz, J. H., Robertson, R., and Fuhro, R. Ion transport across isolated antral mucosa of the rabbit. 231:1783
- Fromm, H.**, Carlson, G. L., Hofmann, A. F., Farivar, S., and Amin, P. Metabolism in man of 7-ketolithocholic acid: precursor of cheno- and ursodeoxycholic acids. 239,2:G161
- Fromm, P. O.** see Jackson, W. F.
- Fronek, A.** see Fagrell, B.
- Fronek, K.** Evaluation of long-term chemical sympathectomy in adult rabbits. 238,7:H527
- Fronek, K.** see Fung, Y. C.
- Frumar, A. M.** see Partridge, W. M.
- Fry, D. L.** Aortic Evans blue dye accumulation: its measurement and interpretation. 232,1:H204
- Fry, D. L.**, Mahley, R. W., and Oh, S. Y. Effect of arterial stretch on transmural albumin and Evan's blue dye transport. 240,9:H645
- Fry, D. L.**, Mahley, R. W., Oh, S. Y., Lewis, S. J., Plowman, F., and Swyt, C. R. Quantitative microautoradiography of arteries: comparison of radioactivity to silver. 239,8:H289
- Fry, D. L.**, Mahley, R. W., Oh, S. Y., and Swyt, C. R. Aortic transmural serum protein transport: effect of concentration, time, and location. 240,9:H54
- Fry, D. L.**, Mahley, R. W., Weisgraber, K. H., and Oh, S. Y. Simultaneous accumulation of Evans blue dye and albumin in the canine aortic wall. 233,2:H66
- Fry, D. L.**, Melchior, G. W., and Mitschelen, J. Effect of serum and stirring on diffusive  $^{125}$ I-albumin and Evans blue dye uptake. 243,12:H708
- Fry, D. L.**, Tousimis, A. J., Talbot, T. L., and Lewis, S. J. Methods to quantify silver in autoradiographs. 238,7:H414
- Fry, H. K.** see Adams, T.
- Fry, M.** see Rieser, G.
- Fuenmayor, N.** see Botelho, S. Y.
- Fuhro, R.** see Fromm, D.
- Fujisawa, A.** see Matsumoto, M.
- Fujita, S.** see Ninomiya, I.
- Fujita, T.** see Shibota, M.
- Fukuda, S.**, and Kopple, J. D. Evidence that dog kidney is an endogenous source of histidine. 237,6:E1
- Fukuhara, A.** see Morimoto, S.
- Fukushima, J. Y.** see Bersohn, M. M.
- Fukuyama, T.**, Nakamura, M., Nakagaki, O., Matsuguchi, H., Mitsutake, A., Kikuchi, Y., and Kuroiwa, A. Reduced reflow and diminished uptake of  $^{86}$ Rb after temporary coronary occlusion. 234,3:H724
- Fuller, C. A.**, Lydic, R., Sulzman, F. M., Albers, H. E., Tepper, B., and Moore-Ede, M. C. Circadian rhythm of body temperature persists after suprachiasmatic lesions in the squirrel monkey. 241,10:R385
- Fuller, C. A.**, Sulzman, F. M., and Moore-Ede, M. C. Circadian control of thermoregulation in the squirrel monkey, *Saimiri sciureus*. 236,5:R153
- Fuller, C. A.**  
see Kass, D. A.  
Sulzman, F. M.
- Fuller, E. O.** see Morgan, H. E.
- Fumoux, F.** see Simonnet, G.
- Funder, J. W.** see Hodgson, A. J.
- Fung, S. J.** see Nathan, R. D.
- Fung, Y. C.**, Fronek, K., and Patitucci, P. Pseudoelasticity of arteries and the choice of its mathematical expression. 237,6:H620
- Fung, Y. C.**  
see Price, J. M.  
Yen, R. T.
- Funk, R.** see Stewart, D. J.
- Funsch, D. J.** see Page, R. B.
- Furia, L.** see Fisher, A. B.
- Furnelle, J.** see Calderon, P.
- Furniss, W. W.** see Walsh, E. K.
- Furuya, S.** see Stevenson, N. R.
- Fyler, D. J.** see Sandra, A.

- Gaar, K. A.** see Drake, R.
- Gaasch, W. H.**, and Bing, O. H. L. Myocardial relaxation. I. Effect of nitroprusside on the tension prolongation phenomenon. 237,6:H185
- Gaasch, W. H.**, Bing, O. H. L., Pine, M. B., Franklin, A., Clement, J., Rhodes, D., Phear, W. P., and Weintraub, R. M. Myocardial contracture during prolonged ischemic arrest and reperfusion. 235,4:H619
- Gaasch, W. H.**, Blaustein, A. S., Andrias, C. W., Donahue, R. P., and Avitall, B. Myocardial relaxation. II. Hemodynamic determinants of rate of left ventricular isovolumic pressure decline. 239,8:H1
- Gabbott, G. R. J.** see Jones, D. R.
- Gabel, J.** see Drake, R.
- Gabel, J. C.**, and Drake, R. E. Pulmonary capillary pressure in intact dog lungs. 235,4:H569
- Gabel, J. C.**, Scott, R. L., Adair, T. H., Drake, R. E., and Traber, D. L. Errors in calculated oncotic pressure of dog plasma. 239,8:H810
- Gabel, J. C.** see Drake, R. E.
- Gabriel, L.** see Shakir, K. M. M.

- Gafer, U.**, Kraut, J. A., Lee, D. B. N., Silis, V., Walling, M. W., Kurokawa, K., Haussler, M. R., and Coburn, J. W. Effect of metabolic acidosis on intestinal absorption of calcium and phosphorus. 239,2:G480
- Gafer, U.** see Lee, D. B. N.
- Gagerman, E.**, Idahl, L.-Å., Meissner, H. P., and Täljedal, I.-B. Insulin release, cGMP, cAMP, and membrane potential in acetylcholine-stimulated islets. 235,4:E495
- Gaggeler, H.-P.** see Rossier, B. C.
- Gaginella, T. S.** see Wu, Z.-A. C.
- Gagliardino, J. J.** see Rebolledo, O. R.
- Gagnon, C.** see Davison, J. S.  
Povillaitis, V.
- Gagnon, J.**, Ouimet, D., Nguyen, H., Laprade, R., Le Grimelec, C., Carrière, S., and Cardinal, J. Cell volume regulation in the proximal convoluted tubule. 243,12:F408
- Gagnon, J.** see Flamenbaum, W.
- Gagnon, J. A.**, Felipe, I., Nelson, L. D., and Butkus, D. E. Influence of thiopental anesthesia on renal sodium and water excretion in the dog. 243,12:F265
- Gahagan, J. H.** see Wangness, P. J.
- Gail, D. B.** see Gregorio, C. A.
- Gaines, K.** see Greenberg, S.
- Galarzy, R. E.** see Fernandez, L. A.
- Galbo, H.** see Henriksson, J.  
Hilsted, J.  
Richter, E. A.
- Galbraith, R. A.**, and Buse, M. G. Effects of serine on protein synthesis and insulin receptors. 241,10:C167
- Gale, C.** see Dillman, E.
- Gale, C. C.** see Marques, P. R.  
Ruch, W.  
Steiner, R. A.  
Stewart, J. K.
- Galey, W. R.** see Caffisch, C. R.
- Galla, J. H.**, Beaumont, J. E., and Luke, R. G. Effect of volume expansion with NaCl or NaHCO<sub>3</sub> on nephron fluid and Cl transport. 233,2:F118
- Galla, J. H.**, and Luke, R. G. Volume expansion-induced alterations in proximal tubule chloride gradient in the rat. 237,6:F473
- Galla, J. H.** see Kirchner, K. A.  
Kotchen, T. A.
- Gallagher, J. J.** see Kasell, J.
- Gallagher, J. P.** see Undesser, E. K.
- Gallagher, K. P.**, Kumada, T., Battler, A., Kemper, W. S., and Ross, J., Jr. Isoproterenol-induced myocardial dysfunction in dogs with coronary stenosis. 242,11:H260
- Gallagher, K. P.**, Osakada, G., Matsuzaki, M., Kemper, W. S., and Ross, J., Jr. Myocardial blood flow and function with critical coronary stenosis in exercising dogs. 243,12:H698
- Gallagher, K. P.** see Kumada, T.  
Sasayama, S.
- Gallagher, N.** see Batey, R.
- Gallavan, R. H.** see Kvietys, P. R.
- Gallavan, R. H., Jr.**, and Chou, C. C. Prostaglandin synthesis inhibition and postprandial intestinal hyperemia. 242,5:G140
- Gallavan, R. H., Jr.**, Chou, C. C., Kvietys, P. R., and Sit, S. P. Regional blood flow during digestion in the conscious dog. 238,7:H220
- Gallavan, R. H., Jr.** see Jacobson, E. D.
- Galletti, C.**, Maioli, M. G., and Sanseverino, E. R. Acid-base equilibrium during acute long-lasting experiments in artificially ventilated cats. 236,5:R126
- Galli-Gallardo, S. M.** see Pang, P. K. T.
- Gallin, E. K.**, and Livengood, D. R. Inward rectification in mouse macrophages: evidence for a negative resistance region. 241,10:C9
- Gallina, D. L.** see Ausman, L. M.
- Gallo-Torres, H.** see Eisenstein, A. B.
- Galosy, R. A.**, Clarke, L. K., and Mitchell, J. H. Cardiac changes during behavioral stress in dogs. 236,5:H750
- Galosy, R. A.**, Mitchell, J. H., Atkins, J. M., and Reisch, J. Sympathetic stimulation, hemodynamic factors, and indices of cardiac inotropic state. 234,3:H562
- Galton, V. A.** Role of thyroid gland in oxygen toxicity. 235,4:E628
- Galvin, M. J.**, and Lefer, A. M. Actions of dopamine in splanchnic artery occlusion shock. 234,3:H1
- Galvin, M. J.**, and Lefer, A. M. Salutary effects of cysteine on cardiogenic shock in cats. 235,4:H657
- Galvin, M. J., Jr.** see Reichard, S. M.
- Gamble, W.** see Meyrick, B.  
Rabinovitch, M.
- Gamble, W. J.** see Rabinovitch, M.
- Gandolfi, R.** see Scicli, A. G.
- Ganeshappa, K. P.** see Costrini, N. V.
- Ganeval, D.**, Grünfeld, J.-P., Eloy, L., Lacour, B., Russo-Marie, F., Noël, L.-H., and Anagnostopoulos, T. Glaphenine-induced acute renal failure in the rat: a new experimental model. 243,12:F416
- Ganguli, M.** see Goto, A.
- Ganguli, S.**, Sperling, M. A., Frame, C., and Christensen, R. Inhibition of glucagon-induced hepatic glucose production by indomethacin. 236,5:E358
- Ganguli, S.** see Anand, R. S.  
Devaskar, S. U.
- Ganguly, P.** see Mui, P. T. K.  
Sidhu, P.
- Gann, D. S.**, Cryer, G. L., and Pirkle, J. C., Jr. Physiological inhibition and facilitation of adrenocortical response to hemorrhage. 232,1:R5
- Gann, D. S.** see Baertschi, A. J.  
Munzner, R. F.  
Pirkle, J. C., Jr.  
Ward, D. G.
- Ganong, W. F.** see Porter, J. P.
- Gant, N. F., Jr.** see Matsuura, S.
- Ganten, D.** see Hoffman, W. E.  
Johnson, A. K.  
Mann, J. F. E.  
Rascher, W.  
Rettig, R.
- Ganten, U.** see Hoffman, W. E.
- Garan, H.**, Powers, E. R., Ruskin, J. N., and Powell, W. J., Jr. Neural effect of digitalis glycosides on gracilis vascular resistance in hypotension. 238,7:H729
- Garan, H.**, Ruskin, J. N., and Powell, W. J., Jr. Centrally mediated effect of phenytoin on digoxin-induced ventricular arrhythmias. 241,10:H67
- Garberoglio, C.** see Ipp, E.
- Garcia, A. G.** see Carvalho, M. H.
- Garcia, J. F.** see Ruch, W.
- Garcia, M. E.** see Westenfelder, C.
- Garcia, R.** see Roblero, J.
- Garcia-Ararrás, J.** see Krueger, J. M.
- Garcia-Ararrás, J. E.** Effects of sleep-promoting factor from human urine on sleep cycle of cats. 241,4:E269
- Garcia-Filho, E.**, Malnic, G., and Giebisch, G. Effects of changes in electrical potential difference on tubular potassium transport. 238,7:F235
- Garcia-Romeu, F.**, Masoni, A., and Isaia, J. Active urea transport through isolated skins of frog and toad. 241,10:R114
- Garcia-Romeu, F.** see Ehrenfeld, J.
- Gardin, J.-P.** see Bichara, M.  
Paillard, M.
- Gardiner, P. F.**, Montanaro, G., Simpson, D. R., and Edgerton, V. R. Effects of glucocorticoid treatment and food restriction on rat hindlimb muscles. 238,1:E124
- Gardiner, T. H.**, and Goodman, F. R. Effect of pulmonary edema on drug transport and binding in rat lung. 232,1:C132
- Gardner, J. D.**, Costenbader, C. L., and Uhlemann, E. R. Effect of extracellular calcium on amylase release from dispersed pancreatic acini. 236,5:E754
- Gardner, J. D.**, and Jensen, R. T. Receptor for secretagogues on pancreatic acinar cells. 238,1:G63
- Gardner, J. D.**, Korman, L. Y., Walker, M. D., and Sutliff, V. E. Effects of inhibitors of cyclic nucleotide phosphodiesterase on the actions of vasoactive intestinal peptide and secretin on pancreatic acini. 242,5:G547
- Gardner, J. D.**, Walker, M. D., and Rottman, A. J. Effect of A23187 on amylase release from dispersed acini prepared from guinea pig pancreas. 238,1:G458
- Gardner, J. D.** see Abdelmoumene, S.  
Barlas, N.  
Binder, H. J.  
Collen, M. J.  
Collins, S. M.  
Dubois, A.  
Jensen, R. T.  
Korman, L. Y.  
Lee, P. C.  
May, R. J.  
Peikin, S. R.  
Raufman, J.-P.  
Uhlemann, E. R.  
Villanueva, M. L.
- Gardner, M. E.** see Lust, R. M., Jr.
- Garfield, R. E.**, Kannan, M. S., and Daniel, E. E. Gap junction formation in myometrium: control by estrogens, progesterone, and prostaglandins. 238,7:C81
- Garfield, R. E.**, Merrett, D., and Grover, A. K. Gap junction formation and regulation in myometrium. 239,8:C217
- Garfield, R. E.**, Sims, S. M., Kannan, M. S., and Daniel, E. E. Possible role of gap junctions in activation of myometrium during parturition. 235,4:C168
- Garfield, R. E.** see Grover, A. K.
- Garfink, J. E.** see Moyle, W. R.
- Garfinkel, D.** Computer modeling, complex biological systems, and their simplifications. 239,8:R1
- Garfinkel, D.**, and Achs, M. J. Metabolism of the acutely ischemic dog heart. II. Interpretation of a model. 236,5:R31
- Garfinkel, D.**, and Achs, M. J. Metabolism of totally ischemic excised dog heart. II. Interpretation of a computer model. 237,6:R327
- Garfinkel, D.**, Kohn, M. C., and Achs, M. J. Computer simulation of metabolism in pyruvate-perfused rat heart. V. Physiological implications. 237,6:R181
- Garfinkel, D.** see Achs, M. J.  
Kohn, M. C.
- Garg, L. C.**, Knepper, M. A., and Burg, M. B. Mineralocorticoid effects on Na-K-ATPase in individual nephron segments. 240,9:F536
- Garhart, S. J.** see Winder, W. W.
- Garlick, P. J.**, Burk, T. L., and Swick, R. W. Protein synthesis and RNA in tissues of the pig. 230:1108

- Garlick, P. J.**, Clugston, G. A., and Waterlow, J. C. Influence of low-energy diets on whole-body protein turnover in obese subjects. 238,1:E235
- Garlick, P. J.** see McNurlan, M. A. Waterlow, J. C.
- Garnache, A. K.** see Miller, T. B., Jr.
- Garner, A.**, and Flemström, G. Gastric  $\text{HCO}_3^-$  secretion in the guinea pig. 234,3:E535
- Garner, A.** see Flemström, G. Rees, W. D. W.
- Garner, D.** see Laks, M. M.
- Garnett, E. S.**, Firnau, G., Nahmias, C., Sood, S., and Belbeck, L. Blood-brain barrier transport and cerebral utilization of dopa in living monkeys. 238,7:R318
- Garnier, M.** see Giudicelli, J.-F.
- Garrick, R. A.**, and Chinard, F. P. Membrane permeability of isolated lung cells to nonelectrolytes at different temperatures. 243,12:C285
- Garrick, R. A.**, Patel, B. C., and Chinard, F. P. Permeability of dog erythrocytes to lipophilic molecules: solubility and volume effects. 238,7:C107
- Garrick, R. A.**, Patel, B. C., and Chinard, F. P. Erythrocyte permeability to lipophilic solutes changes with temperature. 242,11:C74
- Garrick, R. A.**, and Redwood, W. R. Membrane permeability of isolated lung cells to nonelectrolytes. 233,2:C104
- Garris, D. R.**, and Whitehead, D. S. Uterine blood flow and timing of blastocyst implantation in the guinea pig. 241,4:E142
- Gärtner, K.** see Hackbarth, H.
- Garvey, M. H.**, and Maude, D. L. Acid excretion by bicarbonate-free perfused rat kidney. 240,9:F306
- Garwitz, E. T.**, and Jones, A. W. Altered arterial ion transport and its reversal in aldosterone hypertensive rat. 243,12:H927
- Garwood, M.** see Stokes, B. T.
- Garza, C.** see Sheng, H.-P.
- Garza, R.** see Dies, F.
- Garzon, B.**, Ducroc, R., Onolfo, J.-P., Desjeux, J.-F., and Geloso, J.-P. Biphasic development of pentagastrin sensitivity in rat stomach. 242,5:G111
- Garzon, B.** see Ducroc, R.
- Gascho, J. A.**, Martins, J. B., Marcus, M. L., and Kerber, R. E. Effects of volume expansion and vasodilators in acute pericardial tamponade. 240,9:H49
- Gascon-Barré, M.** Biliary excretion of [ $^3\text{H}$ ]-25-hydroxyvitamin  $\text{D}_3$  in the vitamin D-depleted rat. 242,5:G522
- Gasić, S.** see Waldhäusl, W. K.
- Gasparo, M.** see Tenore, A.
- Gastineau, P.** see Lecarpentier, Y.
- Gatewood, V. H.** see Dobson, A.
- Gatmaitan, Z.** see Stein, L. B.
- Gatz, R. N.** see Wood, S. C.
- Gatz, J. T.**, Reuss, L., and Finn, A. L. Amphotericin B and  $\text{K}^+$  transport across excised total urinary bladder. 237,6:F145
- Gatz, J. T.** see Reuss, L.
- Gaudio, K. M.**, Siegel, N. J., Hayslett, J. P., and Kashgarian, M. Renal perfusion and intratubular pressure during ureteral occlusion in the rat. 238,7:F205
- Gaul, S. L.** see Sweet, C. S.
- Gauthier, C.**, Vranic, M., and Hetenyi, G., Jr. Importance of glucagon in regulatory rather than emergency responses to hypoglycemia. 238,1:E131
- Gavin, W.** see Sanborn, T.
- Gavras, H.** see Bresnahan, M. R. Charocopoulos, F. Hatzinikolaou, P. Kowaloff, H. Richter, E. A. Textor, S. C.
- Gavras, I.** see Hatzinikolaou, P.
- Gay, C. V.**, Schraer, H., and Shanabrook, V. M. Sites of carbonic anhydrase in avian gastric mucosa identified by electron microscope autoradiography. 241,4:G382
- Geary, N.**, Grötschel, H., and Scharrer, E. Blood metabolites and feeding during postinsulin hypophagia. 243,12:R304
- Geary, N.**, Langhans, W., and Scharrer, E. Metabolic concomitants of glucagon-induced suppression of feeding in the rat. 241,10:R330
- Geary, N.**, Scharrer, E., Freudlsperger, R., and Raab, W. Adaptation to high-fat diet and carbohydrate-induced satiety in the rat. 237,6:R139
- Geary, N.** see Langhans, W.
- Gebber, G. L.** Basis for phase relations between baroreceptor and sympathetic nervous discharge. 230:263
- Gebber, G. L.** Central oscillators responsible for sympathetic nerve discharge. 239,8:H143
- Gebber, G. L.**, and Barman, S. M. Basis for 2-6 cycle/s rhythm in sympathetic nerve discharge. 239,8:R48
- Gebber, G. L.**, and Barman, S. M. Sympathetic-related activity of brain stem neurons in baroreceptor-denervated cats. 240,9:R348
- Gebber, G. L.**, and McCall, R. B. Identification and discharge patterns of spinal sympathetic interneurons. 231:722
- Gebber, G. L.** see Ardell, J. L. Barman, S. M. McCall, R. B. Morrison, S. F.
- Gebhard, R. L.** see Goodman, M. W.
- Geddes, L. A.**, Bourland, J. D., and Tacker, W. A. Energy and current requirements for ventricular defibrillation using trapezoidal waves. 238,7:H231
- Geddes, L. A.**, Combs, W., Denton, W., Whistler, S. J., and Bourland, J. D. Indirect mean arterial pressure in the anesthetized dog. 238,7:H664
- Geduldig, D.** see De Weer, P.
- Gee, M. H.**, Flynn, J. T., and Spath, J. A., Jr. Pulmonary and coronary endothelial effects of acute myocardial ischemia in dogs. 242,11:H337
- Gee, M. H.** see Demling, R. H. Havill, A. M.
- Geer, P. G.** see Schultz, H. D.
- Geering, K.** see Rossier, B. C.
- Geffin, G.** see Jacobs, M. L.
- Geffin, G. A.**, Vasu, M. A., O'Keefe, D. D., Pennington, D. G., Erdmann, A. J., III, Lowenstein, E., Powell, W. J., Jr., and Daggett, W. M. Ventricular performance and myocardial water content during hemodilution in dogs. 235,4:H767
- Geheb, F. J.** see Janicki, J. S.
- Geiger, P.** see Brautbar, N.
- Geis, G. S.**, Barratt, G., and Wurster, R. D. Role of the descending pressor pathway in the conscious and pentobarbital-anesthetized dog. 234,3:H152
- Geis, W. P.** see Kaye, M. P.
- Geiselman, P. J.** see Tordoff, M. G.
- Gelband, H.** see Bassett, A. L.
- Gelbart, D. R.**, Battilana, C. A., Bhattacharya, J., Lacy, F. B., and Jamison, R. L. Transepithelial gradient and fractional delivery of chloride in thin loop of Henle. 235,4:F192
- Gellai, M.**, Edwards, B. R., and Valtin, H. Urinary concentrating ability during dehydration in the absence of vasopressin. 237,6:F100
- Gellai, M.** see Edwards, B. R.
- Geller, E.** see Brammer, G. L.
- Gellert, R.** see Sadowski, J.
- Gelman, S.**, and Ernst, E. A. Role of pH,  $\text{PCO}_2$ , and  $\text{O}_2$  content of portal blood in hepatic circulatory autoregulation. 233,2:E255
- Gelman, S.**, Granger, D. N., and Groszmann, R. J. Portal-systemic shunt measurements in portal-hypertensive rats (Letter to the Editor). 243,6:G320
- Geloso, J.-P.** see Ducroc, R. Garzon, B.
- Genest, J.** see Lis, M. Mann, J. F. E. Rojo-Ortega, J. M. Schiffrin, E. L.
- Genik, P.** see Morrisett, J.
- Gennari, F. J.**, Cafisch, C. R., Johns, C., Maddox, D. A., and Cohen, J. J.  $\text{PCO}_2$  measurements in surface proximal tubules and peritubular capillaries of the rat kidney. 242,11:F78
- Gennari, F. J.**, Johns, C., Cafisch, C. R., and Cortell, S. Dissociation of saline-induced natriuresis from urea washout in the rat. 241,10:F250
- Gennari, F. J.**, Lefavour, G. S., Cafisch, C. R., Spevack, S., and Cortell, S. Identification of two components in the natriuretic response to saline loading in the rat. 235,4:F126
- Gennari, F. J.** see Lefavour, G. S.
- Genovese, A.** see Peschle, C.
- Genton, M. J. H.** see Pascual, X. B.
- Genuth, S. M.** see Hoppel, C. L.
- Geokas, M. C.**, Largman, C., Brodrick, J. W., and Fassett, M. Molecular forms of immunoreactive pancreatic elastase in canine pancreatic and peripheral blood. 238,1:G238
- Geokas, M. C.**, Largman, C., Brodrick, J. W., and Johnson, J. H. Determination of human pancreatic cationic trypsinogen in serum by radioimmunoassay. 236,5:E77
- Geokas, M. C.**, Reidelberger, R., O'Rourke, M., Passaro, E., Jr., and Largman, C. Plasma pancreatic trypsinogens in chronic renal failure and after nephrectomy. 242,5:G177
- Geokas, M. C.** see Brodrick, J. W. Largman, C.
- George, B. C.** see Ryan, N. T.
- George, D. T.**, Abeles, F. B., Mapes, C. A., Sobocinski, P. Z., Zenser, T. V., and Powanda, M. C. Effect of leukocytic endogenous mediators on endocrine pancreas secretory responses. 233,2:E240
- George, D. T.** see Curnow, R. T.
- Georges, L. P.** see Bybee, D. E.
- Georgiadis, A.** see Eisenstein, A. B.
- Geras, E.** see Gershengorn, M. C.
- Geras, E. J.**, and Gershengorn, M. C. Evidence that TRH stimulates secretion of TSH by two calcium-mediated mechanisms. 242,5:E109
- Gerber, J. G.**, Branch, R. A., Nies, A. S., Hollifield, J. W., and Gerkens, J. F. Influence of hypertonic saline on canine renal blood flow and renin release. 237,6:F441
- Gerencser, G. A.** Effects of amino acids on chloride transport in *Aplysia* intestine. 240,9:R61
- Gerencser, G. A.**, and White, J. F. Membrane potentials and chloride activities in epithelial cells of *Aplysia* intestine. 239,8:R445

- Gerhardt, D.**, Hewett, J., Moeschberger, M., Shuck, T., and Winship, D. Human upper esophageal sphincter pressure profile. 239,2:G49
- Gerhardt, D. C.** see Meyer, G. W.
- Gerich, J.**, Davis, J., Lorenzi, M., Rizza, R., Bohannon, N., Karam, J., Lewis, S., Kaplan, R., Schultz, T., and Cryer, P. Hormonal mechanisms of recovery from insulin-induced hypoglycemia in man. 236,5:E380
- Gerich, J. E.**  
see Nissen, S. L.  
Rizza, R. A.  
Schultz, T. A.
- Gerken, J. F.** see Gerber, J. G.
- Gerlach, E.** see Schütz, W.
- Gershengorn, M. C.**, Geras, E., Marcus-Samuels, B. E., and Rebecchi, M. J. Receptor affinity and biological potency of thyroid hormones in thyrotropic cells. 237,6:E142
- Gershengorn, M. C.**, and Thaw, C. TRH mobilizes membrane calcium in thyrotropic cells as monitored by chlortetracycline. 243,6:E298
- Gershengorn, M. C.** see Geras, E. J.
- Gershon, M. D.** see Manber, L.
- Gertner, J. M.** see Barrett, P. Q.
- Gertner, M. H.** see Stein, T. P.
- Gertz, B. J.**, Haugaard, E. S., and Haugaard, N. Effects of thyroid hormone on UTP content and uridine kinase activity of rat heart and skeletal muscle. 238,1:E443
- Gervais, A.** see Rau, E. E.
- Gervin, C. A.** see Harris, T. R.
- Gesser, H.** see Poupou, O.
- Gessner, I. H.** see Egan, E. A.
- Gettes, L. S.** see Hill, J. L.
- Geyskes, G. G.** see Boer, P.
- Ghaem, A.** see Levy, B. I.
- Ghatak, N. R.** see Kontos, H. A.
- Ghirlanda, G.** see Greco, A. V.
- Ghods, F.**, and Will, J. A. Changes in pulmonary structure and function induced by monocrotaline intoxication. 240,9:H149
- Giandomenico, A. L.** see Stein, T. P.
- Giannella, R. A.** see Mathias, J. R.
- Gibb, J.** see Gonzalez, C.
- Gibbons, W. R.** see Lipsius, S. L.
- Gibbs, C.** see Cassin, S.
- Gibbs, C. L.**, and Loisel, D. S. Effect of temperature on mechanical and myothermic properties of rabbit smooth muscle. 238,7:C49
- Gibbs, C. L.**  
see Loisel, D. S.  
Wendt, I. R.
- Gibbs, F. P.** Correlation of plasma corticosterone levels with running activity in the blinded rat. 231:817
- Gibbs, F. P.** Fixed interval feeding does not entrain the circadian pacemaker in blind rats. 236,5:R249
- Gibbs, F. P.** Temperature dependence of rat circadian pacemaker. 241,10:R17
- Gibbs, F. P.** see Pohl, C. R.
- Gibbs, J.**, Falasco, J. D., and McHugh, P. R. Cholecystokinin-decreased food intake in rhesus monkeys. 230:15
- Gibori, G.** see Sridaran, R.
- Gibson, M. J.**, and Krieger, D. T. Circadian corticosterone rhythm and stress response in rats with adrenal autotransplants. 240,3:E363
- Gibson, R. G.**  
see Hirschowitz, B. I.  
Mihas, A. A.
- Gibson, W. H.** see Anzai, T.
- Gidda, J. S.**, and Goyal, R. K. Influence of vagus nerves on electrical activity of opossum small intestine. 239,2:G406
- Gidda, J. S.** see Goyal, R. K.
- Giebisch, G.**  
see Biagi, B. A.  
Chan, Y. L.  
Diezi, J.  
Garcia-Filho, E.  
Green, R.  
Karlmark, B.  
Oberleithner, H.  
Spring, K. R.  
Stanton, B. A.  
Wright, F. S.
- Giebisch, G. H.**  
see Hayslett, J. P.  
Mullen, T. L.  
Stanton, B. A.
- Giger, O.**, and McCallum, R. E. Response of mouse liver glycogen cycle enzymes to endotoxin treatment. 231:1285
- Gilai, A.** see Eisenberg, B. R.
- Gilberstadt, M. L.** see Duane, W. C.
- Gilbert, M.** see Girard, J. R.
- Gilbert, R. D.** Control of fetal cardiac output during changes in blood volume. 238,7:H80
- Gilbert, R. D.**, Power, G. G., Schröder, H., and Longo, L. D. Fetal cardiac output measured by four-way thermomodulation. 239,8:H125
- Gilbert, R. D.**  
see Brownfield, G. L.  
Power, G. G.  
Sylvester, J. T.
- Gilboe, D. D.**  
see Drewes, L. R.  
Fitzpatrick, J. H., Jr.  
Kintner, D.
- Gilboe, D. P.** see Theen, J.
- Giles, R. D.** see Turner, T. T.
- Gillespie, J. P.** see Vermillion, D. L.
- Gillette, C.** see Pinsky, W. W.
- Gillies, A. H. B.** see Hartup, D. A.
- Gilliland, L.**, and Steer, M. L. Effects of ethionine on digestive enzyme synthesis and discharge by mouse pancreas. 239,2:G418
- Gillis, R. A.** see Evans, D. E.
- Gilloteaux, J.** see Bortoff, A.
- Gilmore, C.** see Zucker, I. H.
- Gilmore, I. T.**, Barnhart, J. L., Hofmann, A. F., and Erlinger, S. Effects of individual taurine-conjugated bile acids on biliary lipid secretion and sucrose clearance in the unanesthetized dog. 242,5:G40
- Gilmore, J. P.**, Echtenkamp, S., Wesley, C. R., and Zucker, I. H. Atrial receptor modulation of renal nerve activity in the nonhuman primate. 242,11:F592
- Gilmore, J. P.**  
see Cornish, K. G.  
Echtenkamp, S. F.  
Zucker, I. H.
- Gilmour, R. F., Jr.**, Williams, E. S., Farmer, B. B., and Zipes, D. P. Effects of carnitine and atracyloside on canine cardiac electrical activity. 241,10:H505
- Gimeno, J. V.** see Martin, G.
- Gimpl, M. P.**, Brickman, A. L., Kaufman, M. P., and Schneiderman, N. Temporal relationships of barosensory attenuation in conscious rabbits. 230:1480
- Gingerich, R. L.** see Parks, D. L.
- Ginsberg, H.** see Melish, J.
- Giocondi, M.-C.** see Le Grimmellec, C.
- Girard, J.** see Le Maho, Y.
- Girard, J. P.**, and Payan, P. Ion exchanges through respiratory and chloride cells in freshwater- and seawater-adapted teleosts. 238,7:R260
- Girard, J. R.**, Ferré, P., Gilbert, M., Kervan, A., Assan, R., and Marliss, E. B. Fetal metabolic response to maternal fasting in the rat. 232,1:E456
- Girard, J. R.** see Ferré, P.
- Girard, J.-P.**, and Payan, P. Effect of epinephrine on vascular space of gills and head of rainbow trout. 230:1555
- Girard, J.-P.** see Payan, P.
- Girard-Globa, A.** see Sarau, B.
- Girardier, L.** see Seydoux, J.
- Girault, M.** see Syrota, A.
- Gisel, E. G.** see Henning, S. J.
- Gitelman, H. J.** see Plishker, G. A.
- Gitlin, D.** see Gitlin, J. D.
- Gitlin, J. D.**, Gitlin, J. I., and Gitlin, D. Selective transfer of plasma proteins across mammary gland in lactating mouse. 230:1594
- Gitlin, J. I.** see Gitlin, J. D.
- Giudicelli, J.-F.**, Berdeaux, A., Tato, F., and Garnier, M. Left stellate stimulation: regional myocardial flows and ischemic injury in dogs. 239,8:H359
- Giugliano, D.**, Passariello, N., Scambato, S., Torella, R., and D'Onofrio, F. Calcitonin modulation of insulin and glucagon secretion in man. 242,5:E206
- Gladden, L. B.** see Lambert, C. R.
- Gladden, H. E.** see Sarr, M. G.
- Glantz, S. A.**, and Tyberg, J. V. Determination of frequency response from step response: application to fluid-filled catheters. 236,5:H376
- Glantz, S. A.**  
see Battaglin, R. L.  
Davis, P. L.  
Misbach, G. A.  
Stowe, D. F.
- Glashow, J. L.** see Snyder, D. W.
- Glasinovic, J.-C.** see Marinovic, Y.
- Glass, J. D.**, and Lauber, J. K. Sites and action spectra for encephalic photoreception in the Japanese quail. 240,9:R220
- Glass, J. D.**, and Wang, L. C. H. Effects of central injection of biogenic amines during arousal from hibernation. 236,5:R162
- Glaviano, V. V.**  
see Feigen, L. P.  
Pindok, M. T.
- Glazer, G.** see Steer, M. L.
- Gleason, S. D.**  
see Hanson, R. C.  
Obika, L. F. O.  
Zucker, A.
- Gleeson, T. T.**, Mitchell, G. S., and Bennett, A. F. Cardiovascular responses to graded activity in the lizards *Varanus* and *Iguana*. 239,8:R174
- Gleeson, T. T.** see Mitchell, G. S.
- Glenn, T. M.**  
see Goldfarb, R. D.  
Greenberg, S.
- Gleser, M.** see Horstman, D. H.
- Glick, G.**  
see Ali, M.  
Arbel, E. R.  
Hirsch, L. J.
- Glick, S. M.** see Bark, H.
- Glick, Z.** Intestinal satiety with and without upper intestinal factors. 236,5:R142
- Glinos, A. D.** see Wray, H. L.
- Glitsch, H. G.** Characteristics of active Na transport in intact cardiac cells. 236,5:H189
- Glonek, T.** see Kopp, S. J.
- Glor, M.** see Rennick, B.
- Glottbach, S. F.**  
see Sakaguchi, S.  
Walker, J. M.
- Gluckman, P. D.** see Drummond, W. H.
- Glunn, I. M.** see Grantham, J. J.
- Glynn, R. D.** see Hulter, H. N.
- Gmaz, P.** see Hoppe, A.
- Go, V. L. W.**  
see Kumar, R.  
Morgan, K. G.  
Owyang, C.  
Schang, J.-C.
- Gochman, R. F.** see Janicki, J. S.
- Godbole, V. Y.**, Grundler, M. L., and Thenen, S. W. Early development of lipogenesis in genetically obese (*ob/ob*) mice. 239,2:E265
- Godbole, V. Y.** see Grundler, M. L.



- Godfrey, K. R.** Comment on "Parameter and structural identifiability concepts and ambiguities: a critical review and analysis." 242,11:R421
- Goebell, H.** see Singer, M. V.
- Goethals, M. A.,** Housmans, P. R., and Brutsaert, D. L. Loading determinants of relaxation in cat papillary muscle. 242,11:H303
- Goetz, K. L.**  
see Fater, D. C.  
Schultz, H. D.  
Wantzelius, D. G.
- Goetzman, B. W.** see Itskovitz, J.
- Goffart, M.** see Le Maho, Y.
- Gofford, S.** see Brown, A. J.
- Golander, A.** see Handwerker, S.
- Gold, A. J.,** and Costello, L. C. Renal handling of citrate during heat-induced hypocitricemia. 231:84
- Gold, A. J.,** Onwochei, M., and Costello, L. C. Renal handling and utilization of citrate in starvation-induced hypocitricemia. 237,6:F307
- Gold, J. H.,** Schuder, J. C., Stoeckle, H., McDaniel, W. C., Moellinger, D. W., and Roberts, S. A. Transthoracic defibrillation in 100-kg calves with sequentially applied pulses. 243,12:H982
- Gold, R. M.,** Sawchenko, P. E., DeLuca, C., Alexander, J., and Eng, R. Vagal mediation of hypothalamic obesity but not of supermarket dietary obesity. 238,7:R447
- Goldberg, A. L.**  
see Li, J. B.  
Libby, P.  
Tischler, M. E.
- Goldberg, H. S.** Pulmonary interstitial compliance and microvascular filtration coefficient. 239,8:H189
- Goldberg, J. M.** see Hill, J. R.
- Goldberg, M.**  
see Agus, Z. S.  
Goldfarb, S.  
Lau, K.
- Goldberg, M. R.,** Hebert, V. S., and Kadowitz, P. J. Effects of prostaglandins and endoperoxide analogs on canine saphenous vein. 233,2:H361
- Goldberger, A. L.** see Bhargava, V.
- Golden, M. H. N.** see Waterlow, J. C.
- Golden, S.,** Chenoweth, M., Dunn, A., Okajima, F., and Katz, J. Metabolism of tri- and <sup>14</sup>C-labeled alanine in rats. 241,4:E121
- Golden, S.** see Dunn, A.
- Goldenberg, D.** see Simpson, L.
- Goldfarb, R. D.,** Mustafa, S. J., and Glenn, T. M. Effects of prostaglandin F<sub>2α</sub> administration prior to coronary ligation. 234,3:H718
- Goldfarb, R. D.,** Weber, P., and Eisenman, J. Isolation of a shock-induced circulating cardiodepressant substance. 237,6:H168
- Goldfarb, S.** Juxtamedullary and superficial nephron phosphate reabsorption in the cat. 239,8:F336
- Goldfarb, S.** Effects of calcium on ADH action in the cortical collecting tubule perfused in vitro. 243,12:F481
- Goldfarb, S.,** Bosanac, P., Goidberg, M., and Agus, Z. S. Effects of calcium on renal tubular phosphate reabsorption. 234,3:F22
- Goldfarb, S.** see Lau, K.
- Goldfine, I. D.,** Kriz, B. M., Wong, K. Y., Hradek, G., Jones, A. L., and Williams, J. A. Insulin action in pancreatic acini from streptozotocin-treated rats. III. Electron microscope autoradiography of <sup>125</sup>I-insulin. 240,3:G69
- Goldfine, I. D.**  
see Korc, M.  
Sankaran, H.  
Williams, J. A.
- Goldinger, J. M.**  
see Hong, S. K.  
Koschier, F. J.  
Stokols, M. F.
- Goldman, P.** see Limas, C.
- Goldman, R. A.**  
see Flaherty, J. T.  
Schaff, H. V.
- Goldman, R. F.**  
see Bynum, G. D.  
Pandolf, K. B.
- Goldman, S.,** Olajos, M., Friedman, H., Roeske, W. R., and Morkin, E. Left ventricular performance in conscious thyrotoxic calves. 242,11:H113
- Goldman, S. S.,** Hass, W. K., and Ransohoff, J. Unsymmetrical alkyl aryl thiourea compounds for use as cerebral blood flow tracers. 238,7:H776
- Goldner, A. M.**  
see Freil, R. W.  
Pearson, T. W.
- Goldsmith, D. I.,** Drukker, A., Blafox, M. D., Edelmann, C. M., Jr., and Spitzer, A. Hemodynamic and excretory response of the neonatal canine kidney to acute volume expansion. 237,6:F392
- Goldsmith, R. S.** see Nellans, H. N.
- Goldsmith, S. R.,** Francis, G. S., Cowley, A. W., and Cohn, J. N. Response of vasopressin and norepinephrine to lower body negative pressure in humans. 243,12:H970
- Goldstein, G. W.** see Betz, A. L.
- Goldstein, L.,** and Boylan, J. M. Renal mitochondrial glutamine transport and metabolism: studies with a rapid-mixing rapid-filtration technique. 234,3:F514
- Goldstein, L.,** Solomon, R. J., Perlman, D. F., McLaughlin, P. M., and Taylor, M. A. Ketone body effects on glutamine metabolism in isolated kidneys and mitochondria. 243,12:F181
- Goldstein, L.**  
see Boyd, T. A.  
Forster, R. P.  
Schröck, H.
- Goldstein, M.** see Kahn, T.
- Goldstein, M. B.** see Hannaford, M. C.
- Goldstein, M. H.** see Bosch, J. P.
- Goldstein, R. A.** see Klein, M. S.
- Goldstein, S.** see Harley, C. B.
- Goldstick, T. K.** see Buerk, D. G.
- Golin, R.** see Dampney, R. A. L.
- Gomes, J. A.** see Freidman, H. S.
- Gómez, B.,** Vallejo, A. R., Alborch, E., Dieguez, G., and Lluch, S. Cerebral blood flow during hemorrhagic hypotension in the unanesthetized goat. 232,1:H368
- Gómez, B.**  
see Conde, M. V.  
López de Pablo, A. L.
- Gonzalez, C.,** Kwok, Y., Gibb, J., and Fidone, S. Physiological and pharmacologic effects on TH activity in rabbit and cat carotid body. 240,9:R38
- González, E.,** Carpi-Medina, P., and Whitembury, G. Cell osmotic water permeability of isolated rabbit proximal straight tubules. 242,11:F321
- Gonzalez, F.** see Bridge, J. H. B.
- González, M. C.** see López de Pablo, A. L.
- Gonzalez, M. F.** see Novin, D.
- Gonzalez, N. C.**  
see Clancy, R. L.  
Strome, D. R.
- Gonzalez, R.,** Scheinman, M., Margaretten, W., and Rubinstein, M. Closed-chest electrode-catheter technique for His bundle ablation in dogs. 241,10:H283
- Good, D. W.,** and Wright, F. S. Luminal influences on potassium secretion: trans-epithelial voltage. 239,8:F289
- Good, D. W.** see Velázquez, H.
- Goodlett, M.,** Dowling, K., Eddy, L. J., and Downey, J. M. Direct metabolic effects of isoproterenol and propranolol in ischemic myocardium of the dog. 239,8:H469
- Goodman, A. L.,** and Hodgen, G. D. Antifolliculogenic action of progesterone despite hypersecretion of FSH in monkeys. 243,6:E387
- Goodman, A. L.,** Koering, M. J., Nixon, W. E., Williams, R. F., and Hodgen, G. D. Follicle dominance and ovarian asymmetry after luteectomy in rhesus monkeys. 243,6:E325
- Goodman, B. E.,** and Crandall, E. D. Dome formation in primary cultured monolayers of alveolar epithelial cells. 243,12:C96
- Goodman, C. A.,** and Castellana, F. S. A digital sonomicrometer for two-point length and velocity measurements. 243,12:H634
- Goodman, D. S.** see Takahashi, Y. I.
- Goodman, F. R.**  
see Gardiner, T. H.  
Kutsky, P.
- Goodman, H. M.** Site of action of insulin in promoting leucine utilization in adipose tissue. 233,2:E97
- Goodman, H. M.**  
see Coiro, V.  
Honeyman, T. W.
- Goodman, M. N.,** Larsen, P. R., Kaplan, M. M., Aoki, T. T., Young, V. R., and Ruderman, N. B. Starvation in the rat. II. Effect of age and obesity on protein sparing and fuel metabolism. 239,2:E277
- Goodman, M. N.,** McElaney, M. A., and Ruderman, N. B. Adaptation to prolonged starvation in the rat: curtailment of skeletal muscle proteolysis. 241,4:E321
- Goodman, M. N.,** and Ruderman, N. B. Insulin sensitivity of rat skeletal muscle: effects of starvation and aging. 236,5:E519
- Goodman, M. N.,** and Ruderman, N. B. Starvation in the rat. I. Effect of age and obesity on organ weights, RNA, DNA, and protein. 239,2:E269
- Goodman, M. N.**  
see Brady, L. J.  
Ruderman, N. B.
- Goodman, M. W.,** Prigge, W. F., and Gehard, R. L. Hormonal regulation of canine intestinal cholesterol synthesis. 240,3:G274
- Goodner, C. J.**  
see Chideckel, E. W.  
Hansen, B. C.  
Hom, F. G.  
Stewart, J. K.
- Goodpasture, J. C.** see Bhattacharyya, A. K.
- Goodrich, D.** see Santamore, W. P.
- Goodspeed, M. P.** see Piacek, B. E.
- Goodwin, C. W.** see Mela, L.
- Goodyer, A. V. N.,** and Wong, B. Y. S. Physiologic determinants of left ventricular strength-interval curve of the dog. 233,2:H555
- Gootman, P. M.**  
see Baez, S.  
Buckley, N. M.
- Gopal, I. S.,** and Haddad, G. G. Automatic detection of eye movements in REM sleep using the electrooculogram. 241,10:R217
- Gopalakrishnan, R.** see Melbin, J.
- Goppold, R.** see Phasawasdi, K.
- Gorbman, A.** see Vigna, S. R.

- Gorezynski, R. J., and Duling, B. R. Role of oxygen in arteriolar functional vasodilation in hamster striated muscle. 235,4:H505
- Gorezynski, R. J., Klitzman, B., and Duling, B. R. Interrelations between contracting striated muscle and precapillary microvessels. 235,4:H494
- Gorden, P. *see* Grunberger, G.
- Gordey, R. L. *see* Scheel, K. W.
- Gordon, A. M. *see* Ruff, R. L.
- Gordon, A. S. *see* Naughton, B. A.
- Rothmann Hamburger, S. A.
- Gordon, C. J. Open-loop gain of evaporative heat loss during radiant heat exposure in the mouse. 242,11:R275
- Gordon, C. J. *see* Rezvani, A. H.
- Gordon, D. A. *see* Tsakiris, A. G.
- Gordon, E. E. *see* Maude, D. L.
- Gordon, G. S. *see* Kasbekar, D. K.
- Gordon, J. A., Peterson, L. N., and Anderson, R. J. Water metabolism after cisplatin in the rat. 243,12:F36
- Gordon, R. D., Nicholls, M. G., Tree, M., Fraser, R., and Robertson, J. I. S. Influence of sodium balance on ACTH/adrenal corticosteroid dose-response curves in the dog. 238,1:E543
- Gore, R. W. Fluid exchange across single capillaries in rat intestinal muscle. 242,11:H268
- Gore, R. W., and Bohlen, H. G. Microvascular pressures in rat intestinal muscle and mucosal villi. 233,2:H685
- Gore, R. W. *see* Bohlen, H. G.
- Duling, B. R.
- McDonagh, P. F.
- Goresky, C. A., Daly, D. S., Mishkin, S., and Arias, I. M. Uptake of labeled palmitate by the intact liver: role of intracellular binding sites. 234,3:E542
- Goresky, C. A. *see* Wolkoff, A. W.
- Goriya, Y., Bahoric, A., Marliss, E. B., Zinman, B., and Albisser, A. M. Diurnal metabolic and hormonal responses to mixed meals in healthy dogs. 240,3:E54
- Goriya, Y., Bahoric, A., Marliss, E. B., Zinman, B., and Albisser, A. M. Responses to mixed meals in pancreatized dogs deprived of postprandial insulin. 242,5:E335
- Gorus, F. K., Finsy, R., and Pipeleers, D. G. Effect of temperature, nutrients, calcium, and cAMP on motility of human spermatozoa. 242,11:C304
- Gossain, V. V. *see* Sherma, N. K.
- Goto, A., Ganguli, M., Tobian, L., Johnson, M. A., and Iwai, J. Effect of an anteroventral third ventricle lesion on NaCl hypertension in Dahl salt-sensitive rats. 243,12:H614
- Goto, Y., Berelowitz, M., and Frohman, L. A. Effect of catecholamines on somatostatin secretion by isolated perfused rat stomach. 240,3:E274
- Gotoh, F. *see* Tomita, M.
- Gotshall, R. W. *see* Johnson, J. A.
- Gott, V. L. *see* Flaherty, J. T.
- O'Riordan, J. B.
- Schaff, H. V.
- Gotthelmer, T. I. *see* Rabkin, R.
- Gottlieb, G., and Jackson, D. C. Importance of pulmonary ventilation in respiratory control in the bullfrog. 230:608
- Gottschalk, C. W. *see* Arendshorst, W. J.
- Colindres, R. E.
- Rogenes, P. R.
- Götz, R. *see* Schwarz, L. R.
- Gougoux, A., Lemieux, G., and Lavoie, N. Maleate-induced bicarbonaturia in the dog: a carbonic anhydrase-independent effect. 231:1010
- Gougoux, A., Vinay, P., Cardoso, M., Duplain, M., and Lemieux, G. Immediate adaptation of the dog kidney to acute hypercapnia. 243,12:F227
- Gougoux, A. *see* Kaehny, W. D.
- Lemieux, G.
- Vinay, P.
- Gould, K. L., Lee, D., and Lovgren, K. Techniques for arteriography and hydraulic analysis of coronary stenoses in unsedated dogs. 235,4:H350
- Gould, K. L. *see* Halter, J. B.
- Gould, M. K. *see* Forsayeth, J.
- Yu, K. T.
- Gourley, J. K. *see* Heistad, D. D.
- Gow, B. S. *see* Avolio, A. P.
- Goyal, R. K., and Gidda, J. S. Relation between electrical and mechanical activity in esophageal smooth muscle. 240,3:G305
- Goyal, R. K., and Rattan, S. Effects of sodium nitroprusside and verapamil on lower esophageal sphincter. 238,1:G40
- Goyal, R. K. *see* Gidda, J. S.
- Rattan, S.
- Grabner, M. L., Bengele, H. H., Mroz, E., Lechene, C., and Alexander, E. A. Acute metabolic acidosis augments collecting duct acidification rate in the rat. 241,10:F669
- Grabner, M. L., Bengele, H. H., Schwartz, J. H., and Alexander, E. A. pH and PCO<sub>2</sub> profiles of the rat inner medullary collecting duct. 241,10:F659
- Grabie, M. *see* Lau, K.
- Grabowski, C. J. *see* Fisher, R. S.
- Grace, D. M. *see* Redinger, R. N.
- Grace, M. *see* Morley, J. E.
- Graf, J., and Peterlik, M. Ouabain-mediated sodium uptake and bile formation by isolated perfused rat liver. 230:876
- Grafton, M. M. *see* Mandel, L. J.
- Graham, D. I. *see* Gross, P. M.
- Graham, N. *see* Chance, B.
- Graham, T. E., Sinclair, D. G., and Chappeler, C. K. Metabolic intermediates and lactate diffusion in active dog skeletal muscle. 231:766
- Graham, T. O., Van Thiel, D. H., Little, J. M., and Lester, R. Synthesis of taurocholate by rat fetal liver in organ culture: effects of cortisol in vitro. 237,6:E177
- Graham, T. P., Jr. *see* Erath, H. G., Jr.
- Grand, R. J. *see* Werlin, S. L.
- Granger, D. N. Intestinal microcirculation and transmucosal fluid transport. 240,3:G343
- Granger, D. N., Kviety, P. R., Mortillaro, N. A., and Taylor, A. E. Effect of luminal distension on intestinal transcapillary fluid exchange. 239,2:G516
- Granger, D. N., Kviety, P. R., and Perry, M. A. Role of exchange vessels in the regulation of intestinal oxygenation. 242,5:G570
- Granger, D. N., Kviety, P. R., Wilborn, W. H., Mortillaro, N. A., and Taylor, A. E. Mechanism of glucagon-induced intestinal secretion. 239,2:G30
- Granger, D. N., Mortillaro, N. A., Kviety, P. R., Rutili, G., Parker, J. C., and Taylor, A. E. Role of the interstitial matrix during intestinal volume absorption. 238,1:G183
- Granger, D. N., Mortillaro, N. A., Perry, M. A., and Kviety, P. R. Autoregulation of intestinal capillary filtration rate. 243,6:G475
- Granger, D. N., Mortillaro, N. A., and Taylor, A. E. Interactions of intestinal lymph flow and secretion. 232,1:E13
- Granger, D. N., Perry, M. A., Kviety, P. R., and Taylor, A. E. Interstitium-to-blood movement of macromolecules in the absorbing small intestine. 241,4:G31
- Granger, D. N., Perry, M. A., Kviety, P. R., and Taylor, A. E. Permeability of intestinal capillaries: effects of fat absorption and gastrointestinal hormones. 242,5:G194
- Granger, D. N., Shackelford, J. S., and Taylor, A. E. PGE<sub>1</sub>-induced intestinal secretion: mechanism of enhanced transmucosal protein efflux. 236,5:E788
- Granger, D. N., and Taylor, A. E. Effects of solute-coupled transport on lymph flow and oncotic pressures in cat ileum. 235,4:E429
- Granger, D. N., and Taylor, A. E. Permeability of intestinal capillaries to endogenous macromolecules. 238,7:H457
- Granger, D. N., Valleau, J. D., Parker, R. E., Lane, R. S., and Taylor, A. E. Effects of adenosine on intestinal hemodynamics, oxygen delivery, and capillary fluid exchange. 235,4:H707
- Granger, D. N. *see* Barrowman, J. A.
- Gelman, S.
- Grøgaard, B.
- Holm-Rutli, L.
- Kviety, P. R.
- Levine, S. E.
- Mortillaro, N. A.
- Parker, R. E.
- Perry, M. A.
- Renkin, E. M.
- Richardson, P. D. I.
- Valleau, J. D.
- Granger, H. J., and Norris, C. P. Intrinsic regulation of intestinal oxygenation in the anesthetized dog. 238,7:H836
- Granger, H. J., and Nyhof, R. A. Dynamics of intestinal oxygenation: interactions between oxygen supply and uptake. 243,6:G91
- Granger, H. J. *see* Barnes, G. E.
- Norris, C. P.
- Granger, J. P. *see* Hall, J. E.
- Granneman, J., and Friedman, M. I. Hepatic modulation of insulin-induced gastric acid secretion and EMG activity in rats. 238,7:R346
- Grant, G. S. *see* Pettit, T. N.
- Grant, R. A., Zucker, M. B., and McPherson, J. ADP-induced inhibition of von Willebrand factor-mediated platelet agglutination. 230:1406
- Grantham, J. *see* Shimomura, A.
- Grantham, J. J. The renal sodium pump and vanadate. 239,8:F97
- Grantham, J. J., and Glynn, I. M. Renal Na,K-ATPase: determinants of inhibition by vanadium. 236,5:F530
- Grantham, J. J., Lowe, C. M., Dellasega, M., and Cole, B. R. Effect of hypotonic medium on K and Na content of proximal renal tubules. 232,1:F42
- Grantham, J. J. *see* Hall, D. A.
- Linshaw, M. A.
- Shimomura, A.
- Terreros, D. A.
- Grantham, R. N. *see* O'Keefe, D. D.
- Grashuis, J. L. *see* Smout, A. J. P. M.
- Grassetti, F. *see* Pescatori, M.
- Grassi, A. *see* Vittone, L.
- Grassi de Gende, A. O., Pérez Alzueta, A. D., and Cingolani, H. E. Effect of isoproterenol on relation between maximal rate of contraction and maximal rate of relaxation. 233,2:H404
- Grassmick, B. *see* Chou, C. C.
- Grav, H. J. *see* Blix, A. S.

- Graves, C. N., Sachs, G., and Rehm, W. S. Use of a fluorescent cyanine dye for electrophysiological studies on the frog cornea. 238,7:C21
- Graves, J. S., and Wheeler, D. D. Increase in  $K^+$  and  $\alpha$ -AIB active transport in CHO cells after low  $[K^+]$  treatment. 243,12:C124
- Graves, J. S. *see* Pressley, T. A.
- Gray, D. E. *see* Kemmer, F. W.
- Gray, G. D. *see* Doell, R. G.
- Gray, J. M., Dudley, S. D., and Wade, G. N. In vivo cell nuclear binding of  $^{125}$ I-estradiol in rat adipose tissues. 240,3:E43
- Gray, J. M., and Greenwood, M. R. C. Time course of effects of ovarian hormones on food intake and metabolism. 243,6:E407
- Gray, J. M., and Wade, G. N. Cytoplasmic estrogen, but not progesterin, binding sites in male rat adipose tissues. 239,2:E237
- Gray, J. M., and Wade, G. N. Food intake, body weight, and adiposity in female rats: actions and interactions of progestins and antiestrogens. 240,3:E474
- Gray, S. D. *see* Hudlická, O.  
Renkin, E. M.
- Grayson, J. *see* Sherman, I. A.
- Graziani, L. A. *see* Lichtenberger, L. M.
- Greco, A. V., Manna, R., Ghirlanda, G., Altomonte, L., Rebuzzi, A. G., and Bertoli, A. Early insulin and glucagon response to subsequent pulses of arginine, glucose, and tolbutamide in normal man. 236,5:E85
- Greeley, S., Fosmire, G. J., and Sanstead, H. H. Nitrogen retention during late gestation in the rat in response to marginal zinc intake. 239,2:E113
- Greely, H. P. *see* Dunn, M. J.
- Green, J. F. Mechanism of action of isoproterenol on venous return. 232,1:H152
- Green, N. *see* Burg, M.
- Green, R., Bishop, J. H. V., and Giebisch, G. Ionic requirements of proximal tubular sodium transport. III. Selective luminal anion substitution. 236,5:F268
- Green, R. S., MacDermid, R. G., Scheig, R. L., and Hajjar, J.-J. Effect of ethanol on amino acid absorption across in vivo rat intestine. 241,4:G176
- Green, S. *see* Johnson, J. P.
- Green, W. *see* Dillman, E.
- Green, W. E. R. *see* Code, C. F.
- Green, W. L. *see* Marques, P. R.
- Greenberg, S. Properties of intestinal and cutaneous arteries and veins in two-kidney one-clip Goldblatt hypertension. 241,10:H525
- Greenberg, S., Gaines, K., and Sweat, D. Evidence for circulating factors as a cause of venous hypertrophy in spontaneously hypertensive rats. 241,10:H421
- Greenberg, S., Kadowitz, P. J., Hyman, A., and Curro, F. A. Adrenergic mechanisms in canine intralobar pulmonary arteries and veins. 240,9:H274
- Greenberg, S., McGowan, C., and Glenn, T. M. Pulmonary vascular smooth muscle function in porcine splanchnic arterial occlusion shock. 241,10:H34
- Greene, H. L., and Weisfeldt, M. L. Determinants of hypoxic and posthypoxic myocardial contracture. 232,1:H526
- Greene, H. L. *see* Efron, M. B.
- Greenfield, J. C., Jr. *see* Bache, R. J.  
Fedor, J. M.  
Kleinman, L. H.  
Phillips, H. R.  
Rembert, J. C.  
Rivas, F.  
Swain, J. L.
- Greenfield, L. J. *see* Hess, M. L.
- Greengard, P. *see* Palfrey, H. C.
- Greenleaf, J. E., Kozłowski, S., Nazar, K., Kaciuba-Uściłko, H., Brzezińska, Z., and Ziemia, A. Ion-osmotic hyperthermia during exercise in dogs. 230:74
- Greenleaf, J. E., Van Beaumont, W., Brock, P. J., Morse, J. T., and Mangseth, G. R. Plasma volume and electrolyte shifts with heavy exercise in sitting and supine positions. 236,5:R206
- Greenleaf, J. E. *see* Kozłowski, S.  
Sobocińska, J.
- Greenwald, G. S. *see* Taya, K.
- Greenway, C. V. Splenic erythrocyte concentration mechanism and its inhibition by isoproterenol. 236,5:H238
- Greenway, C. V. *see* Lutt, W. W.  
Zink, J.
- Greenway, D. C., and Himms-Hagen, J. Increased calcium uptake by muscle mitochondria of cold-acclimated rats. 234,3:C7
- Greenwood, M. R. C., Cleary, M. P., Gruen, R., Blase, D., Stern, J. S., Triscari, J., and Sullivan, A. C. Effect of (-)-hydroxycitrate on development of obesity in the Zucker obese rat. 240,3:E72
- Greenwood, M. R. C. *see* Cleary, M. P.  
Gray, J. M.  
Gruen, R. K.  
Steingrimsdottir, L.  
Turkenkopf, I. J.
- Grega, G. J. *see* Marciniak, D. L.  
O'Neill, J. T.  
Svensjö, E.
- Greger, R. F., Lang, F. C., Knox, F. G., and Lechene, C. P. Absence of significant secretory flux of phosphate in the proximal convoluted tubule. 232,1:F235
- Greger, R. F. *see* Haas, J. A.  
Marchand, G. R.
- Gregg, C. M., Cohen, J. J., Black, A. J., Espeland, M. A., and Feldstein, M. L. Effects of glucose and insulin on metabolism and function of perfused rat kidney. 235,4:F52
- Gregg, C. M., and Malvin, R. L. Localization of central sites of action of angiotensin II on ADH release in vitro. 234,3:F135
- Gregg, C. M. *see* Merkens, L. S.
- Gregorio, C. A., Gail, D. B., and Massaro, D. Influence of fasting on lung oxygen consumption and respiratory quotient. 230:291
- Greif, B. J. *see* Schmid, P. G.
- Grendell, J. H., and Rothman, S. S. Digestive end products mobilize secretory proteins from subcellular stores in the pancreas. 241,4:G67
- Grendell, J. H., and Rothman, S. S. Effect of changes in circulating amylase levels on amylase output in bile. 243,6:G54
- Grendell, J. H. *see* Tseng, H. C.
- Grenier, F. C., Rollins, T. E., and Smith, W. L. Kinin-induced prostaglandin synthesis by renal papillary collecting tubule cells in culture. 241,10:F94
- Grieb, P. *see* Jankowska, L.
- Griep, P. A. M. *see* Wallinga-de Jonge, W.
- Griep, R. *see* Baum, D.
- Griffin, E. E., and Wildenthal, K. Regulation of cardiac protein balance by hydrocortisone: interaction with insulin. 234,3:E306
- Griffin, J. C. *see* Winkle, R. A.
- Griffin, J. E., Leshin, M., and Wilson, J. D. Androgen resistance syndromes. 243,6:E81
- Griffin, P. M. *see* Kleinzeller, A.
- Griffin, T. B. *see* Pandolf, K. B.
- Griffith, D. W., Jr. *see* Peterson, D. W.
- Griffith, L. D. *see* Shoor, P. M.
- Griffith, R. L., III. *see* Sullivan, H. G.
- Griggs, T. R. *see* Webster, W. P.
- Grignolo, A., Koepke, J. P., and Obrist, P. A. Renal function, heart rate, and blood pressure during exercise and avoidance in dogs. 242,11:R482
- Grijalva, C. V. *see* Tordoff, M. G.
- Grill, H. J., and Miselis, R. R. Lack of ingestive compensation to osmotic stimuli in chronic decerebrate rats. 240,9:R81
- Grill, V. Time and dose dependencies for priming effect of glucose on insulin secretion. 240,3:E24
- Grim, E. *see* Ryu, K. H.
- Grimes, L. J., Mok, C., and Martin, J. M. Effect of a bovine hypothalamic extract on glucose utilization by rat adipocytes. 234,3:E554
- Grimm, A. F., Lin, H.-L., and Grimm, B. R. Left ventricular free wall and intraventricular pressure-sarcomere length distributions. 239,8:H101
- Grimm, B. R. *see* Grimm, A. F.
- Grindlinger, G. A. *see* Dunham, B. M.
- Griststein, S., Turner, R. J., Silverman, M., and Rothstein, A. Inorganic anion transport in kidney and intestinal brush border and basolateral membranes. 238,7:F452
- Grinwald, P. M. *see* Nayler, W. G.
- Grodins, F. S. *see* Sato, T.
- Grodsky, G. M. *see* Frankel, B. J.  
O'Connor, M. D. L.
- Grøgaard, B., Parks, D. A., Granger, D. N., McCord, J. M., and Forsberg, J. O. Effects of ischemia and oxygen radicals on mucosal albumin clearance in intestine. 242,5:G448
- Grome, J. J. *see* McCulloch, J.
- Gronwall, R. *see* Anwer, M. S.
- Groom, A. C. *see* Levesque, M. J.
- Groome, L. J. *see* Bresler, E. H.
- Groothuis, G. M. M., Hardonk, M. J., Keulemans, K. P. T., Nieuwenhuis, P., and Meijer, D. K. F. Autoradiographic and kinetic demonstration of acinar heterogeneity of taurocholate transport. 243,6:G455
- Groscolas, R., and Rodriguez, A. Glucose and lactate kinetics and interrelations in an antarctic bird (emperor penguin). 242,11:R458
- Groseth-Robertson, M. *see* Vyden, J. K.
- Gross, C. J. *see* Armbricht, H. J.
- Gross, D. M. *see* Przala, F.
- Gross, D. R., Lu, P.-C., Dodd, K. T., and Hwang, N. H. C. Physical characteristics of pulmonary artery stenosis murmurs in calves. 238,7:H876
- Gross, F. *see* Berecek, K. H.  
Rascher, W.
- Gross, G. J., Buck, J. D., and Wartier, D. C. Transmural distribution of blood flow during activation of coronary muscarinic receptors. 240,9:H941
- Gross, G. J. *see* Jolly, S. R.  
Wartier, D. C.
- Gross, J. F. *see* Popel, A. S.



- Gross, J. L., and Migliorini, R. H. Further evidence for a central regulation of free fatty acid mobilization in the rat. 232,1:E165
- Gross, J. L. *see* Coimbra, C. C.
- Gross, M. P. *see* Kluger, M. J.
- Gross, P. A., and Anderson, R. J. Effects of DDAVP and AVP on sodium and water balance in conscious rat. 243,12:R512
- Gross, P. A., Travis, V. L., Horwitz, L., Schrier, R. W., and Anderson, R. J. Effect of desmopressin-induced water retention on systemic hemodynamics in rat. 243,12:H934
- Gross, P. M., Heistad, D. D., and Marcus, M. L. Neurohumoral regulation of blood flow to bones and marrow. 237,6:H440
- Gross, P. M., Teasdale, G. M., Graham, D. L., Angerson, W. J., and Harper, A. M. Intra-arterial histamine increases blood-brain transport in rats. 243,12:H307
- Gross, P. M. *see* Heistad, D. D.
- Gross, R. W. *see* Corr, P. B.
- Grossi, E. A. *see* Moreno, A. H.
- Grossie, J. Properties of thyroidectomized rat extensor muscle. 234,3:C90
- Grossman, M. I. *see* Feldman, E. J.  
Kauffman, G. L., Jr.  
Ligumsky, M.  
Petersen, H.  
Singer, M. V.  
Solomon, T. E.  
Strunz, U. T.  
Yamada, T.
- Grossman, W. *see* Caraballo, B. A.  
Serizawa, T.
- Grossowicz, N. *see* Eilam, Y.
- Grossmann, R. J., Blei, A. T., Storer, E. H., and Conn, H. O. Intestinal O<sub>2</sub> consumption during mechanical and pharmacological reduction in portal pressure. 238,1:G502
- Grossmann, R. J., Vorobioff, J., and Riley, E. Splanchnic hemodynamics in portal-hypertensive rats: measurement with  $\gamma$ -labeled microspheres. 242,5:G156
- Grossmann, R. J. *see* Chojkier, M.  
Gelman, S.
- Grötschel, H. *see* Geary, N.
- Grove, T. M., Bekey, G. A., and Haywood, L. J. Analysis of errors in parameter estimation with application to physiological systems. 239,8:R390
- Grover, A. K., Kwan, C. Y., Crankshaw, J., Crankshaw, D. J., Garfield, R. E., and Daniel, E. E. Characteristics of calcium transport and binding by rat myometrium plasma membrane subfractions. 239,8:C66
- Grover, A. K., Kwan, C. Y., and Daniel, E. E. Na-Ca exchange in rat myometrium membrane vesicles highly enriched in plasma membranes. 240,9:C175
- Grover, A. K., Kwan, C. Y., and Daniel, E. E. Ca<sup>2+</sup> dependence of calcium uptake by rat myometrium plasma membrane-enriched fraction. 242,11:C278
- Grover, A. K. *see* Garfield, R. E.  
Kutsky, P.
- Grover, R. F. *see* Newman, J. H.
- Grubb, B. De novo synthesis of alanine by the perfused rat hindlimb. 230:1379
- Grubb, B., Colacino, J. M., and Schmidt-Nielsen, K. Cerebral blood flow in birds: effect of hypoxia. 234,3:H230
- Grubb, B., Jones, J. H., and Schmidt-Nielsen, K. Avian cerebral blood flow: influence of the Bohr effect on oxygen supply. 236,5:H744
- Grubb, B., Mills, C. D., Colacino, J. M., and Schmidt-Nielsen, K. Effect of arterial carbon dioxide on cerebral blood flow in ducks. 232,1:H596
- Gruen, R. *see* Greenwood, M. R. C.
- Gruen, R. K., and Greenwood, M. R. C. Adipose tissue lipoprotein lipase and glycerol release in fasted Zucker (*fa/fa*) rats. 241,4:E76
- Gruetter, C. A., McNamara, D. B., Hyman, A. L., and Kadowitz, P. J. Contractile effects of a PGH<sub>2</sub> analog and PGD<sub>2</sub> on intrapulmonary vessels. 234,3:H139
- Grunberger, G., and Gorden, P. Affinity alteration of insulin receptor induced by a phorbol ester. 243,6:E319
- Grundlegler, M. L., Godbole, V. Y., and Thenen, S. W. Age-dependent development of insulin resistance of soleus muscle in genetically obese (*ob/ob*) mice. 239,2:E363
- Grundlegler, M. L. *see* Godbole, V. Y.
- Grünfeld, J.-P. *see* Ganeval, D.  
Trinh-Trang-Tan, M.-M.
- Guandalini, S., Kachur, J. F., Smith, P. L., Miller, R. J., and Field, M. In vitro effects of somatostatin on ion transport in rabbit intestine. 238,1:G67
- Guandalini, S., Rao, M. C., Smith, P. L., and Field, M. cGMP modulation of ileal ion transport: in vitro effects of *Escherichia coli* heat-stable enterotoxin. 243,6:G36
- Guarino, A. M. *see* Pritchard, J. B.
- Guarnieri, T., Filburn, C. R., Zitnik, G., Roth, G. S., and Lakatta, E. G. Contractile and biochemical correlates of  $\beta$ -adrenergic stimulation of the aged heart. 239,8:H501
- Guarnieri, T. *see* Efron, M. B.
- Guay, G. *see* Bukowiecki, L.
- Guder, W. G. *see* Vandewalle, A.
- Guerin, M. A., and Loizzi, R. F. Inhibition of mammary gland lactose secretion by colchicine and vincristine. 234,3:C177
- Guggino, W. *see* Oberleithner, H.
- Guggino, W. B. Water balance in embryos of *Fundulus heteroclitus* and *F. bermudae* in seawater. 238,7:R36
- Guggino, W. B. Salt balance in embryos of *Fundulus heteroclitus* and *F. bermudae* adapted to seawater. 238,7:R42
- Guidalotti, P. L. *see* Franzini, C.
- Guignard, J.-P., and Dirks, J. H. Compensatory adaptation of sodium and bicarbonate excretion: effect of diuretics. 230:1225
- Guleff, P. S., and Beck, R. R. Maternal and fetal adrenocortical function in the diabetic rabbit. 240,3:E217
- Gullans, S. R., Brazy, P. C., Soltoff, S. P., Dennis, V. W., and Mandel, L. J. Metabolic inhibitors: effects on metabolism and transport in the proximal tubule. 243,12:F133
- Gullikson, G. W., Okuda, H., Shimizu, M., and Bass, P. Electrical arrhythmias in gastric antrum of the dog. 239,2:G59
- Gumucio, J. J., DeMason, L. J., Miller, D. L., Krezoski, S. O., and Keener, M. Induction of cytochrome P-450 in a selective subpopulation of hepatocytes. 234,3:C102
- Gunion, M. W., and Peters, R. H. Pituitary  $\beta$ -endorphin, naloxone, and feeding in several experimental obesities. 241,10:R173
- Gunn, I. G. *see* Ball, S. G.
- Gunter-Smith, P. J., and White, J. F. Response of *Amphiuma* small intestine to theophylline: effect on bicarbonate transport. 236,5:E775
- Gunther, R. *see* Demling, R. H.
- Gunther, R. A. *see* Rabinowitz, L.
- Gunther, S., and Cannon, P. J. Modulation of angiotensin II coronary vasoconstriction by cardiac prostaglandin synthesis. 238,7:H895
- Guntheroth, W. G., Jacky, J. P., Kawabori, I., Stevenson, J. G., and Moreno, A. H. Left ventricular performance in endotoxin shock in dogs. 242,11:H172
- Guntupalli, J., Eby, B., and Lau, K. Mechanism for the phosphaturia of NH<sub>4</sub>Cl: dependence on acidemia but not on diet PO<sub>4</sub> or PTH. 242,11:F552
- Guppy, M., and Hochachka, P. W. Controlling the highest lactate dehydrogenase activity known in nature. 234,3:R136
- Gupta, P. D., and Singh, M. Autonomic afferents at T<sub>1</sub> in elicitation of volume-induced tachycardia in the dog. 232,1:H464
- Gupta, P. D., and Singh, M. Neural mechanism underlying tachycardia induced by nonhypotensive a-v shunt. 236,5:H35
- Gupta, P. D., and Singh, M. Carotid chemoreceptors and vagi in hypoxic and cyanide-induced tachycardia in the dog. 240,9:H874
- Gupte, S. *see* Rouslin, W.
- Guril, N. J. *see* Harmon, J. W.
- Gussis, G. L., Robertson, C. R., and Jamison, R. L. Erythrocyte velocity in vasa recta: effect of antidiuretic hormone and saline loading. 237,6:F326
- Gustafsson, D. *see* Lundvall, J.
- Gustafsson, L., Appelgren, L., and Myrvold, H. E. Effects of increased plasma viscosity and red blood cell aggregation on blood viscosity in vivo. 241,10:H513
- Guth, P. H., Ross, G., and Smith, E. Changes in intestinal vascular diameter during norepinephrine vasoconstrictor escape. 230:1466
- Guth, P. H., and Smith, E. Histamine receptors in mesenteric circulation of the cat and rat. 234,3:E370
- Guthrie, P. D. *see* Johnson, L. R.
- Gutknecht, J. *see* Howe, D.
- Gutkowska, J. *see* Schiffrin, E. L.
- Gutman, Y. *see* Hurwitz, A.
- Gutowski, J. *see* Moyle, W. R.
- Guyda, H. J. *see* Harley, C. B.
- Guyton, A. C. *see* Adair, T. H.  
Bengis, R. G.  
Brace, R. A.  
Cevese, A.  
Hall, J. E.  
Hester, R. L.  
Jackson, T. E.  
Kastner, P. R.  
Lohmeier, T. E.  
Manning, R. D., Jr.  
Norman, R. A., Jr.  
Smith, M. J., Jr.  
Trippodo, N. C.  
Young, D. B.
- Guyton, R. A. *see* O'Keefe, D. D.
- Guzmán, L. *see* Moretò, M.
- Guzman, S., Lonovics, J., Devitt, P. G., Hejtmanek, K. E., Rayford, P. L., and Thompson, J. C. Hormone-stimulated release of pancreatic polypeptide before and after vagotomy in dogs. 240,3:G114
- Guzzo, J., Cox, M., Kelly, A. B., and Singer, I. Tetracycline-induced inhibition of Na<sup>+</sup> transport in the toad urinary bladder. 235,4:F359
- Gwilliam, C. *see* Himmis-Hagen, J.
- Gwartz, P. A., and Stone, H. L. Coronary blood flow changes following activation of adrenergic receptors in the conscious dog. 243,12:H13
- Gylfe, E., Buitrago, A., Berggren, P.-O., Hammarström, K., and Hellman, B. Glucose inhibition of <sup>45</sup>Ca efflux from pancreatic islets. 235,4:E191



- Györy, A. Z.**, Kweifo-Okai, G., and Ng, J. Hypo- and hyperosmolar saline and raffinose on kidney cortical cell volume at 37°C. 240,9:F180
- Gyulai, L.**, Dora, E., and Kovach, A. G. B. NAD/NADH: redox state changes on cat brain cortex during stimulation and hypercapnia. 243,12:H619
- H**
- Haack, D.**, Möhring, J., Möhring, B., Petri, M., and Hackenthal, E. Comparative study on development of corticosterone and DOCA hypertension in rats. 233,2:F403
- Haack, D.** see Möhring, J.
- Haas, J. A.**, Berndt, T., and Knox, F. G. Nephron heterogeneity of phosphate reabsorption. 234,3:F287
- Haas, J. A.**, Larson, M. V., Marchand, G. R., Lang, F. C., Greger, R. F., and Knox, F. G. Phosphaturic effect of furosemide: role of PTH and carbonic anhydrase. 232,1:F105
- Haas, J. A.** see Burnett, J. C., Jr. Diaz-Buxo, J.-A. Knox, F. G. Marchand, G. R. Osswald, H.
- Haase, W.** see Wakasugi, H.
- Habara, Y.** see Harada, E.
- Habed, A.** see Carboni, P.
- Hackbarth, H.**, Büttner, D., and Gärtner, K. Intraspecies allometry: correlation between kidney weight and glomerular filtration rate vs. body weight. 242,11:R303
- Hackel, D. B.**, Mikat, E. M., Reimer, K., and Whalen, G. Effects of verapamil on heart and circulation in hemorrhagic shock in dogs. 241,10:H12
- Hackel, D. B.** see Boineau, J. P.
- Hackenthal, E.** see Haack, D.
- Hacker, M. R.**, Rothenburg, B. A., and Kluger, M. J. Plasma iron, copper, and zinc in lizard *Dipsosaurus dorsalis*: effects of bacteria injection. 240,9:R272
- Haddad, G. G.**, Lai, T. L., Epstein, M. A. F., Epstein, R. A., Yu, K. F., Leistner, H. L., and Mellins, R. B. Breath-to-breath variations in rate and depth of ventilation in sleeping infants. 243,12:R164
- Haddad, G. G.** see Gopal, I. S.
- Haddy, F. J.** see Freas, W. Inciarte, D. J. Marciniak, D. L. McKenzie, J. E. O'Neill, J. T. Yeager, J. C.
- Hadley, N. F.** see Ahearn, G. A.
- Haebara, H.** see Mann, J. F. E.
- Haffty, B. G.** see Nakamura, Y.
- Hagadorn, I. R.** see Davis, C. W.
- Hagan, M. P.** see Wientroub, S.
- Hagberg, J. M.** see Conlee, R. K.
- Hageman, G. R.**, Urthaler, F., and James, T. N. Differential sensitivity to neurotransmitters in denervated canine sinus node. 233,2:H211
- Hageman, G. R.**, Urthaler, F., and James, T. N. Neural pathways of a cardiogenic hypertensive chemoreflex. 235,4:H345
- Hageman, G. R.**, Urthaler, F., Swatzell, R. H., Jr., and James, T. N. Analysis of sympathetic discharges during cardiogenic hypertensive chemoreflex. 238,7:H61
- Hageman, G. R.** see Kaye, M. P.
- Hagemann, R. F.** see Stragand, J. J.
- Hagen, E. C.**, Johnson, J. C., and Webb, R. C. Ouabain binding and potassium relaxation in aortas from renal hypertensive rabbits. 243,12:H896
- Hagenfeldt, L.** see Juhlin-Dannfelt, A.
- Hagg, S. A.**, Morse, E. L., and Adibi, S. A. Effect of exercise on rates of oxidation, turnover, and plasma clearance of leucine in human subjects. 242,5:E407
- Hagler, H. K.** see Burton, K. P.
- Hagopian, L.** see Apstein, C. S.
- Haider, B.** see Regan, T. J.
- Hainau, B.** see Bentzel, C. J.
- Haines, H.**, McKenna, T. M., and Melton, J. E. Body fluid distribution in wild *Mus musculus* acclimated to water restriction. 235,4:R237
- Haines, H.** see McKenna, T. M.
- Hainsworth, R.** see Karim, F.
- Hajjar, J. J.**, Murphy, D. M., and Scheig, R. L. Mechanism of inhibition of alanine absorption by Na ricinoleate. 236,5:E534
- Hajjar, J.-J.** see Green, R. S. Schulze, K.
- Hakim, A. A.**, Papeleux, C. B., Lane, J. B., Lifson, N., and Yablonski, M. E. Mechanism of production of intestinal secretion by negative luminal pressure. 233,2:E416
- Halbert, S. A.**, Bourdage, R. J., Boling, J. L., Ringo, J. A., and Blandau, R. J. Optoelectronic transducer for in vivo recording of oviductal contractile activity. 239,8:R326
- Halbert, S. A.** see Bourdage, R. J.
- Haldimann, B.**, Bonjour, J.-P., and Fleisch, H. Role of parathyroid hormone in regulation of main calcium fluxes in rats. 232,1:E535
- Haldy, P.**, and Müller, J. Stimulation of aldosterone biosynthesis by experimental edema: role of the kidneys. 240,3:E12
- Haldy, P.** see Müller, J.
- Hale, S.** see Kloner, R. A.
- Hales, J. R. S.**, Rowell, L. B., and King, R. B. Regional distribution of blood flow in awake heat-stressed baboons. 237,6:H705
- Hales, J. R. S.** see Von Engelhardt, W.
- Halevy, J.** see Hayslett, J. P.
- Hall, A. J.** see Hall, S. E. H.
- Hall, B.** see Brosnan, J. T.
- Hall, D. A.**, Barnes, L. D., and Dousa, T. P. Cyclic AMP in action of antidiuretic hormone: effects of exogenous cyclic AMP and its new analogue. 232,1:F368
- Hall, D. A.**, and Grantham, J. J. Temperature effect on ADH response of isolated perfused rabbit collecting tubules. 239,8:F595
- Hall, H. D.** see Schneyer, C. A.
- Hall, J. E.**, Coleman, T. G., Guyton, A. C., Balfe, J. W., and Salgado, H. C. Intrarenal role of angiotensin II and [des-Asp<sup>1</sup>]angiotensin II. 236,5:F252
- Hall, J. E.**, Coleman, T. G., Guyton, A. C., Kastner, P. R., and Granger, J. P. Control of glomerular filtration rate by circulating angiotensin II. 241,10:R190
- Hall, J. E.**, and Guyton, A. C. Changes in renal hemodynamics and renin release caused by increased plasma oncotic pressure. 231,1550
- Hall, J. E.**, Guyton, A. C., and Cowley, A. W., Jr. Dissociation of renal blood flow and filtration rate autoregulation by renin depletion. 232,1:F215
- Hall, J. E.**, Guyton, A. C., and Farr, B. M. A single-injection method for measuring glomerular filtration rate. 232,1:F72
- Hall, J. E.**, Guyton, A. C., Jackson, T. E., Coleman, T. G., Lohmeier, T. E., and Trippodo, N. C. Control of glomerular filtration rate by renin-angiotensin system. 233,2:F366
- Hall, J. E.**, Guyton, A. C., Salgado, H. C., McCaa, R. E., and Balfe, J. W. Renal hemodynamics in acute and chronic angiotensin II hypertension. 235,4:F174
- Hall, J. E.**, Guyton, A. C., Smith, M. J., Jr., and Coleman, T. G. Chronic blockade of angiotensin II formation during sodium deprivation. 237,6:F424
- Hall, J. E.**, Guyton, A. C., Smith, M. J., Jr., and Coleman, T. G. Blood pressure and renal function during chronic changes in sodium intake: role of angiotensin. 239,8:F271
- Hall, J. E.**, Guyton, A. C., Trippodo, N. C., Lohmeier, T. E., McCaa, R. E., and Cowley, A. W., Jr. Intrarenal control of electrolyte excretion by angiotensin II. 232,1:F538
- Hall, J. E.**, Schwinghamer, J. M., and Lalone, B. Mechanisms of blood vessel constriction during hemorrhage. 230:569
- Hall, J. E.** see Jackson, T. E. Kastner, P. R. Lohmeier, T. E.
- Hall, K. E.**, El-Sharkawy, T. Y., and Diamond, N. E. Vagal control of migrating motor complex in the dog. 243,12:C276
- Hall, N. F.** see Kaufman, I. A.
- Hall, R. E.**, Rubinstein, E. H., and Sonnenschein, R. R. Abolition of hypoxic vagal bradycardia by lateral mesencephalic lesions in spinal cats. 237,6:R15
- Hall, R. E.** see Parker, R. E.
- Hall, S. E. H.**, Hall, A. J., Layberry, R. A., Berman, M., and Hetenyi, G., Jr. Effects of age and fasting on gluconeogenesis from glycerol in dogs. 230:362
- Hall, S. E. H.** see Hetenyi, G., Jr.
- Hall, W. G.** see Blass, E. M.
- Hallac, R.** see Silva, P. Stoff, J. S.
- Halloran, B. P.**, and DeLuca, H. F. Calcium transport in small intestine during pregnancy and lactation. 239,2:E64
- Halloran, B. P.**, and DeLuca, H. F. Calcium transport in small intestine during early development: role of vitamin D. 239,2:G473
- Halper, J. M.** see Merrill, G. F.
- Halperin, M. L.** see Hannaford, M. C.
- Halpern, W.**, and Moss, R. L. Elastic modulus and stress relationships in stretched and shortened frog sartorii. 230:205
- Halter, J. B.**, Kelley, K. O., and Gould, K. L. Cardiac uptake and secretion of catecholamines during adrenergic stimulation in vivo. 243,6:E52
- Halter, J. B.**, and Pflug, A. E. Effects of sympathetic blockade by spinal anesthesia on pancreatic islet. 239,2:E150
- Halter, J. B.** see Hance, A. J. Koerker, D. J. Taborsky, G. J., Jr.
- Halushka, P. V.** see Burch, R. M.
- Hamajo, K.** see Nagaoka, A.
- Hamamdzic, M.**, and Malik, K. U. Prostaglandins in adrenergic transmission of isolated perfused rat pancreas. 232,1:E201
- Hamburger, R. J.**, Lawson, N. L., and Schwartz, J. H. Response to parathyroid hormone in defined segments of proximal tubule. 230:286
- Hamburger, R. J.** see Kaufman, J. S.
- Hamburger, R. K.** see Westenfelder, C.
- Hamburger, S. A.** see Miller, D. L.
- Hamilton, A. J.** see Jalife, J.
- Hamilton, C. L.**, Ciacchia, P. J., and Lewis, D. O. Feeding behavior in monkeys with and without lesions of the hypothalamus. 230:818
- Hamilton, D. L.** see Forsyth, G. W. Valberg, L. S.

- Hamilton, F. N., and Feigl, E. O. Coronary vascular sympathetic beta-receptor innervation. 230:1569
- Hamilton, R. see DeLaney, R. G.
- Hamilton, R. B. see Kaufman, M. P.
- Hamlet, M. A., Rorie, D. K., and Tyce, G. M. Effects of estradiol on release and disposition of norepinephrine from nerve endings. 239,8:H450
- Hammarström, K. see Gylfe, E.
- Hammel, H. T. Forum on osmosis. I. Osmosis: diminished solvent activity or enhanced solvent tension? 237,6:R95
- Hammel, H. T. Forum on osmosis. V. Epilogue. 237,6:R123
- Hammel, H. T., Elsner, R. W., Heller, H. C., Maggert, J. A., and Bainton, C. R. Thermoregulatory responses to altering hypothalamic temperature in the harbor seal. 232,1:R18
- Hammel, H. T., Simon-Oppermann, C., and Simon, E. Properties of body fluids influencing salt gland secretion in Pekin ducks. 239,8:R489
- Hammel, H. T. see Kaul, R.
- Laudenslager, M. L.
- Simon-Oppermann, C.
- Hammer, M., Ladefoged, J., and Ølgaard, K. Relationship between plasma osmolality and plasma vasopressin in human subjects. 238,1:E313
- Hammerman, M. R., Sacktor, B., and Daughaday, W. H. *myo*-Inositol transport in renal brush border vesicles and its inhibition by D-glucose. 239,8:F113
- Hammerman, M. R. see Cohn, D. E.
- Hruska, K. A.
- Weinreb, S.
- Hammond, R. P. see Kennedy, D. R.
- Hammons, G. T. see Hickson, R. C.
- Hamolsky, M. W. see Kennedy, D. R.
- Hamosh, M. Rat lingual lipase: factors affecting enzyme activity and secretion. 235,4:E416
- Hamosh, M. see Plucinski, T. M.
- Hamosh, P. see Plucinski, T. M.
- Hampton, A. see Scicli, A. G.
- Han, D. S. see Park, C. S.
- Han, J. see Tse, W. W.
- Hanahan, D. J. see Findlay, S. R.
- Hance, A. J., Robin, E. D., Halter, J. B., Lewiston, N., Robin, D. A., Cornell, L., Caligiuri, M., and Theodore, J. Hormonal changes and enforced diving in the harbor seal *Phoca vitulina* II. Plasma catecholamines. 242,11:R528
- Hance, A. J. see Robin, E. D.
- Handa, M. see Suzuki, H.
- Handelsman, B., Bonorris, G., Marks, J. W., and Schoenfeld, L. J. Enrichment of bile with tauroursodeoxycholic acid and biliary cholesterol saturation in hamsters. 243,6:G424
- Handelsman, D. G. see Maude, D. L.
- Handler, J. see Burg, M.
- Handler, J. S., Perkins, F. M., and Johnson, J. P. Studies of renal cell function using cell culture techniques. 238,7:F1
- Handler, J. S., Perkins, F. M., and Johnson, J. P. Hormone effects on transport in cultured epithelia with high electrical resistance. 240,9:C103
- Handler, J. S., and Preston, A. S. Vasopressin-elicited refractoriness of the response to vasopressin in toad urinary bladder. 240,9:F551
- Handler, J. S. see Johnson, J. P.
- Moran, A.
- Perkins, F. M.
- Sahib, M. K.
- Watlington, C. O.
- Zusman, R. M.
- Handwerger, S., Conn, P. M., Barrett, J., Barry, S., and Golander, A. Human placental lactogen release in vitro: paradoxical effects of calcium. 240,3:E550
- Hanes, G. E. see Horwitz, B. A.
- Hanks, B. S. R., and Stephens, N. L. Mechanics and energetics of lengthening of active airway smooth muscle. 241,10:C42
- Hanley, H. G. see Cornish, A. L.
- Hanley, M. J. Isolated nephron segments in a rabbit model of ischemic acute renal failure. 239,8:F17
- Hanley, M. J., and Davidson, K. Prior mannitol and furosemide infusion in a model of ischemic acute renal failure. 241,10:F556
- Hanna, A. K. see Minuk, H. L.
- Hanna, B. D., and Lioy, F. Evaluation of a screen oxygenator suitable for small animal organ perfusion. 237,6:H269
- Hannaford, M. C., Leiter, L. A., Josse, R. G., Goldstein, M. B., Marliss, E. B., and Halperin, M. L. Protein wasting due to acidosis of prolonged fasting. 243,6:E251
- Hansen, B. C., Jen, K.-L. C., Koerker, D. J., Goodner, C. J., and Wolfe, R. A. Influence of nutritional state on periodicity in plasma insulin levels in monkeys. 242,11:R255
- Hansen, B. C., Pek, S., Koerker, D. J., Goodner, C. J., Wolfe, R. A., and Schielke, G. P. Neural influences on oscillations in basal plasma levels of insulin in monkeys. 240,3:E5
- Hansen, B. C., Schielke, G. P., Jen, K.-L. C., Wolfe, R. A., Movahed, H., and Pek, S. B. Rapid fluctuations in plasma catecholamines in monkeys under undisturbed conditions. 242,5:E40
- Hansen, B. C., Vinik, A., Jen, K.-L. C., and Schielke, G. P. Fluctuations in basal levels and effects of altered nutrition on plasma somatostatin. 243,12:R289
- Hanson, R. C., McLane-Vega, L. A., Childers, J. W., Gleason, S. D., and Schneider, E. G. Lack of evidence for gastrointestinal control of sodium excretion in unanesthetized dogs. 238,7:F112
- Hanson, R. C. see Lohmeier, T. E.
- Watkins, B. E.
- Hanson, R. F. see Pries, J. M.
- Hanzel, D. see Durbin, R. P.
- Hara, E., and Saito, M. Diurnal changes in plasma glucose and insulin responses to oral glucose load in rats. 238,1:E463
- Hara, H. see Pinsky, J. W.
- Harada, E., Habara, Y., and Kanno, T. Cold acclimation in insulin secretion of isolated perfused pancreas of the rat. 242,5:E360
- Harada, Y. see Hori, T.
- Haramati, A., and Kleinman, L. I. Chloride concentration gradient in newborn dogs in the presence of distal nephron blockade. 239,8:F328
- Haraoka, S. see Kusachi, S.
- Saito, D.
- Harbottle, J. A. see Hulter, H. N.
- Hard, D. L., and Anderson, L. L. Maternal starvation and progesterone secretion, litter size, and growth in the pig. 237,6:E273
- Hard, D. L. see Anderson, L. L.
- Harden, W. R., III see Harken, A. H.
- Harder, D. R. Comparison of electrical properties of middle cerebral and mesenteric artery in cat. 239,8:C23
- Harder, D. R., Contney, S. J., Willems, W. J., and Stekiel, W. J. Norepinephrine effect on in situ venous membrane potential in spontaneously hypertensive rats. 240,9:H837
- Harder, D. R., and Sperelakis, N. Action potentials induced in guinea pig arterial smooth muscle by tetraethylammonium. 237,6:C75
- Harder, D. R. see Stekiel, W. J.
- Willems, W. J.
- Hardie, E. L., Jones, S. B., Euler, D. E., Fishman, D. L., and Randall, W. C. Sinoatrial node artery distribution and its relation to hierarchy of cardiac automaticity. 241,10:H45
- Hardie, E. L. see Jones, S. B.
- Hardison, W. G. M., Hatoff, D. E., Miyai, K., and Weiner, R. G. Nature of bile acid maximum secretory rate in the rat. 241,4:G337
- Hardison, W. G. M., and Proffitt, J. H. Influence of hepatic taurine concentration on bile acid conjugation with taurine. 232,1:E75
- Hardison, W. G. M., and Wood, C. A. Importance of bicarbonate in bile salt independent fraction of bile flow. 235,4:E158
- Hardonk, M. J. see Groothuis, G. M. M.
- Hardy, K. J. see Blair-West, J. R.
- Sewell, R. B.
- Hardy, M. A. Requirement of Na<sup>+</sup> and K<sup>+</sup> for the action of antidiuretic hormone on water permeability. 243,12:F476
- Hardy, M. A., and DiBona, D. R. Microfilaments and the hydrosomatic action of vasopressin in toad urinary bladder. 243,12:C200
- Hardy, R. M. see Su, L.-C.
- Hargens, A. R., Tucker, B. J., and Blantz, R. C. Renal lymph protein in the rat. 233,2:F269
- Hargens, A. R., and Zweifach, B. W. Contractile stimuli in collecting lymph vessels. 233,2:H57
- Hargrove, W. C. see Stein, T. P.
- Häring, H. U., Biermann, E., and Kemmler, W. Coupling of insulin binding and insulin action on glucose transport in fat cells. 240,3:E556
- Häring, H. U., Biermann, E., and Kemmler, W. Relation of insulin receptor occupancy and deactivation of glucose transport. 242,5:E234
- Harkema, J. M. see Raymond, R. M.
- Harken, A. H., Simson, M. B., Haselgrove, J., Wetstein, L., Harden, W. R., III, and Barlow, C. H. Early ischemia after complete coronary ligation in the rabbit, dog, pig, and monkey. 241,10:H202
- Harlan, D. M., Rooke, T. W., Belloni, F. L., and Sparks, H. V. Effect of indomethacin on coronary vascular response to increased myocardial oxygen consumption. 235,4:H372
- Harley, C. B., Goldstein, S., Posner, B. I., and Guyda, H. J. Insulin-like peptides stimulate metabolism but not proliferation of human fibroblasts. 239,2:E125
- Harlow, C. L. see Ryan, N. T.
- Harmanci, M. C., Kachadorian, W. A., Valtin, H., and DiScala, V. A. Antidiuretic hormone-induced intramembranous alterations in mammalian collecting ducts. 235,4:F440
- Harmanci, M. C., Stern, P., Kachadorian, W. A., Valtin, H., and DiScala, V. A. Vasopressin and collecting duct intramembranous particle clusters: a dose-response relationship. 239,8:F560
- Harmon, J. W., Woods, M., and Gurll, N. J. Different mechanisms of hydrogen ion removal in stomach and duodenum. 235,4:E692
- Harmon, J. W. see Taylor, I. L.
- Harms, B. A. see Kramer, G. C.

- Harms, V.,** and Fanestil, D. D. Functions of apical membrane of toad urinary bladder: effects of membrane impermeant reagents. 233,2:F607
- Harms, V.,** and Stirling, C. E. Transport of purine nucleotides and nucleosides by in vitro rabbit ileum. 233,2:E47
- Harney, M. E.,** Swick, R. W., and Benevenga, N. J. Estimation of tissue protein synthesis in rats fed diets labeled with [ $^{14}\text{C}$ ]tyrosine. 231:1018
- Harper, A. E.**  
see Boyle, P. C.  
Tews, J. K.
- Harper, A. M.**  
see Gross, P. M.  
MacKenzie, E. T.  
McCulloch, J.
- Harper, M. J. K.,** Coons, L. W., Radicke, D. A., Hodgson, B. J., and Valenzuela, G. Role of prostaglandins in contractile activity of the ampulla of the rabbit oviduct. 238,1:E157
- Harper, S. C.** see Exton, J. H.
- Harrell, F. E., Jr.** see Austin, M.
- Harrington, W. W.**  
see Colindres, R. E.  
Coulson, R.
- Harris, B. G.** see Donahue, M. J.
- Harris, C. A.,** Burnatowska, M. A., Seely, J. F., Sutton, R. A. L., Quamme, G. A., and Dirks, J. H. Effects of parathyroid hormone on electrolyte transport in the hamster nephron. 236,5:F342
- Harris, C. A.,** and Seely, J. F. Resistance to the phosphaturic effect of parathyroid hormone in the hamster. 237,6:F175
- Harris, C. A.,** Sutton, R. A. L., and Dirks, J. H. Effects of hypercalcemia on calcium and phosphate ultrafilterability and tubular reabsorption in the rat. 233,2:F201
- Harris, C. A.** see Burnatowska, M. A.
- Harris, J. B.** see Chacin, J.
- Harris, P.** see Barrie, S. E.
- Harris, P. D.,** Longnecker, D. E., Miller, F. N., and Wiegman, D. L. Sensitivity of small subcutaneous vessels to altered respiratory gases and local pH. 231:244
- Harris, P. D.**  
see Faber, J. E.  
Morff, R. J.  
Wiegman, D. L.
- Harris, R. H.,** and Best, C. F. Slowly dialyzable stimulators of renal protein synthesis in urine. 237,6:F299
- Harris, T. R.,** Gervin, C. A., Burks, D., and Custer, P. Effects of coronary flow reduction on capillary-myocardial exchange in dogs. 234,3:H679
- Harris, T. R.,** Overholser, K. A., and Stiles, R. G. Concurrent increases in resistance and transport after coronary obstruction in dogs. 240,9:H262
- Harris, V.** see Schusdziarra, V.
- Harris, W. S.** see Kilen, S. M.
- Harrison, D. G.** see Koyanagi, S.
- Harrison, L.** see Barton, J. C.
- Harrison, R. G.,** and Massaro, T. A. Influence of oxygen and glucose on the water and ion content of swine aorta. 231:1800
- Harrison, R. G.,** and Massaro, T. A. Extracellular space of swine aorta measured with [ $^{14}\text{C}$ ]inulin and [ $^{14}\text{C}$ ]sucrose. 231:1806
- Harrison, T. S.** see Waldinger, T.
- Hart, D. S.** see Lun, S.
- Hart, F. X.** see Marino, A. A.
- Hartigan, P. M.** see Pappano, A. J.
- Hartley, C. J.** see Pinsky, W. W.
- Hartman, A. D.** Lipoprotein lipase distribution in rat adipose tissues: effect on chylomicron uptake. 232,1:E316
- Hartman, A. D.** Lipoprotein lipase activities in adipose tissues and muscle in the obese Zucker rat. 241,4:E108
- Hartman, B. K.** see Honchar, M. P.
- Hartman, J. C.** see Adams, T.
- Hartmann, F.,** Owen, R., and Bissell, D. M. Characterization of isolated epithelial cells from rat small intestine. 242,5:G147
- Hartmann, P. E.** see Healy, D. L.
- Hartupee, D. A.,** Burnett, J. C., Jr., Mertz, J. I., and Knox, F. G. Acetylcholine-induced vasodilation without natriuresis during control of interstitial pressure. 243,12:F325
- Hartupee, D. A.,** Gillies, A. H. B., and Knox, F. G. Measurement of nephron filtration in the dog: role of proximal intratubular pressure. 241,10:F238
- Harvey, K. M. J.** see Rothmann Hamburger, S. A.
- Haschemeyer, A. E. V.** L-Leucine transport in liver of Antarctic fish in vivo at 0°C. 242,11:R280
- Haschemeyer, A. E. V.** see Persell, R.
- Haselgrove, J.**  
see Bashford, C. L.  
Harken, A. H.
- Hass, W. K.** see Goldman, S. S.
- Hasselblatt, A.** see Meyer, H. H.
- Hassid, A.** Regulation of prostaglandin biosynthesis in cultured cells. 243,12:C205
- Hassler, F.** see Iberall, A. S.
- Hasson, D. M.** see Randall, D. C.
- Haswell, M. S.,** Randall, D. J., and Perry, S. F. Fish gill carbonic anhydrase: acid-base regulation or salt transport? 238,7:R240
- Hatfield, P. J.** see Simmonds, H. A.
- Hatoff, D. E.** see Hardison, W. G. M.
- Hatt, P. Y.**  
see Crozatier, B.  
Lecarpentier, Y.
- Hatt, P.-Y.** see Crozatier, B.
- Hatton, M. W. C.** see Regoeczi, E.
- Hattori, M.** see Takeguchi, N.
- Hattori, N.** see Nomura, G.
- Hattori, S.,** Weintraub, W. S., Agarwal, J. B., Bodenheimer, M. M., Banka, V. S., and Helfant, R. H. Contrasting ischemic contraction patterns by zone and layer in canine myocardium. 243,12:H852
- Hatzikostas, S.**  
see McKinley, M. J.  
Weisinger, R. S.
- Hatzinikolaou, F.,** Gavras, H., Brunner, H. R., and Gavras, I. Role of vasopressin, catecholamines, and plasma volume in hypertonic saline-induced hypertension. 240,9:H827
- Hatzinikolaou, P.**  
see Bresnanou, M. R.  
Charocopoulos, F.
- Haugaard, E. S.** see Gertz, B. J.
- Haugaard, N.** see Gertz, B. J.
- Hausman, M.** see Biancani, P.
- Haussler, M. R.**  
see Gafter, U.  
Pike, J. W.  
Rader, J. I.
- Havaranis, A. S.** see Thibault, M. C.
- Havener, L. J.** see Toback, F. G.
- Havill, A. M.,** Gee, M. H., Washburne, J. D., Premkumar, A., Ottaviano, R., Flynn, J. T., and Spath, J. A., Jr.  $\alpha$ -Naphthylthiourea produces dose-dependent lung vascular injury in sheep. 243,12:H505
- Havlicek, V.** see Rezek, M.
- Hawelu-Johnson, C.** see Ingebreetsen, C. G.
- Hawkins, R. A.,** Mans, A. M., and Biebuyck, J. F. Amino acid supply to individual cerebral structures in awake and anesthetized rats. 242,5:E1
- Haworth, C.** see Stacey, T. E.
- Hay, D. M.** see Lai, P. C. W.
- Hay, W. W., Jr.,** Sparks, J. W., Quissell, B. J., Battaglia, F. C., and Meschia, G. Simultaneous measurements of umbilical uptake, fetal utilization rate, and fetal turnover rate of glucose. 240,3:E662
- Hayafuji, C.** see Takahashi, K.
- Hayashi, H.,** Lux, R. L., Wyatt, R. F., Burgess, M. J., and Abildskov, J. A. Relation of canine atrial activation sequence to anatomic landmarks. 242,11:H421
- Hayashi, K.** see Ohe, K.
- Hayashi, T.** see Suga, H.
- Hayes, B. E.,** and Will, J. A. Pulmonary artery catheterization in the rat. 235,4:H452
- Hayes, J. S.,** and Mayer, S. E. Regulation of guinea pig heart phosphorylase kinase by cAMP, protein kinase, and calcium. 240,3:E340
- Hayes, S.** see Sabatini, S.
- Haygood, C. C.** see Yunice, A. A.
- Haymond, M. W.**  
see Clarke, W. L.  
Nissen, S. L.  
Rizza, R. A.  
Silverberg, A. B.
- Hays, A. E.** see Cole, B. R.
- Hays, E. T.** see Connert, R. J.
- Hays, L.** see Hunter, F. R.
- Hays, R. M.** see Hunter, F. R.
- Hayslett, J. P.,** Backman, K. A., and Schon, D. A. Electrical properties of the medullary collecting duct in the rat. 239,8:F258
- Hayslett, J. P.,** and Binder, H. J. Mechanism of potassium adaptation. 243,12:F103
- Hayslett, J. P.,** Boulpaep, E. L., and Giebisch, G. H. Factors influencing transepithelial potential difference in mammalian distal tubule. 234,3:F182
- Hayslett, J. P.,** Halevy, J., Pace, P. E., and Binder, H. J. Demonstration of net potassium absorption in mammalian colon. 242,5:G209
- Hayslett, J. P.,** Mykety, N., Binder, H. J., and Aronson, P. S. Mechanism of increased potassium secretion in potassium loading and sodium deprivation. 239,8:F378
- Hayslett, J. P.**  
see Aronson, P. S.  
Bastl, C. P.  
Fisher, K. A.  
Gaudio, K. M.  
Marusic, E. T.  
Siegel, N. J.  
Silva, P.
- Hayward, J. N.** see Reeves, T. A., Jr.
- Hayward, M. A.,** Brock, M. L., and Shapiro, D. J. The role of estrogen receptor in *Xenopus laevis* vitellogenin gene expression. 243,12:C1
- Haywood, G. P.,** Isaia, J., and Maetz, J. Epinephrine effects on branchial water and urea flux in rainbow trout. 232,1:R110
- Haywood, J. R.,** Fink, G. D., Buggy, J., Phillips, M. I., and Brody, M. J. The area postrema plays no role in the pressor action of angiotensin in the rat. 239,8:H108
- Haywood, J. R.,** Shaffer, R. A., Fastenow, C., Fink, G. D., and Brody, M. J. Regional blood flow measurement with pulsed Doppler flowmeter in conscious rat. 241,10:H273
- Haywood, J. R.** see Fink, G. D.
- Haywood, L. J.** see Grove, T. M.
- Hazel, J. R.** Influence of thermal acclimation on membrane lipid composition of rainbow trout liver. 236,5:R91
- Hazel, J. R.** see Sellner, P. A.
- Hazelwood, R. L.** see King, D. L.



- Hazeyama, Y., and Sparks, H. V. Exercise hyperemia in potassium-depleted dogs. 236,5:H480
- Hazeyama, Y., and Sparks, H. V. A model of potassium ion efflux during exercise of skeletal muscle. 236,5:R83
- Hazzard, W. R. *see* Kushwaha, R. S.
- Head, M. *see* Buerkert, J.
- Heald, J. I., and Hollis, T. M. Histidine decarboxylase-mediated histamine synthesis in glomeruli from rat kidneys. 230:1349
- Healy, D. L., Rattigan, S., Hartmann, P. E., Herington, A. C., and Burger, H. G. Prolactin in human milk: correlation with lactose, total protein, and  $\alpha$ -lactalbumin levels. 238,1:E83
- Heath, H. III. *see* Fox, J.
- Heath, H. W. *see* Reppert, S. M.
- Heath, J. E. *see* Rezvani, A. H.
- Heath, M. E. *see* Crawshaw, L. I.
- Hebbelink, M. *see* Pector, J.-C.
- Heber, D., Marshall, J. C., and Odell, W. D. GnRH membrane binding: identification specificity, and quantification in nonpituitary tissues. 235,4:E227
- Heber, D., and Odell, W. D. Estrogen modulation of pituitary LHRH receptor in the rat: in vivo and in vitro studies. 237,6:E136
- Hebert, C. S. *see* Crumb, C. K.
- Hebert, N. C. *see* Hill, J. L.
- Hebert, S. C., and Andreoli, T. E. Interactions of temperature and ADH on transport processes in cortical collecting tubules. 238,7:F470
- Hebert, S. C., Culpepper, R. M., and Andreoli, T. E. NaCl transport in mouse medullary thick ascending limbs. I. Functional nephron heterogeneity and ADH-stimulated NaCl cotransport. 241,10:F412
- Hebert, S. C., Culpepper, R. M., and Andreoli, T. E. NaCl transport in mouse medullary thick ascending limbs. II. ADH enhancement of transcellular NaCl cotransport; origin of transepithelial voltage. 241,10:F432
- Hebert, S. C., Culpepper, R. M., and Andreoli, T. E. NaCl transport in mouse medullary thick ascending limbs. III. Modulation of the ADH effect by peritubular osmolality. 241,10:F443
- Hebert, V. S. *see* Goldberg, M. R.
- Hechtman, H. B. *see* Dunham, B. M.
- Krausz, M. M.
- Utsunomiya, T.
- Heckel, R. *see* Franciosa, J. A.
- Mashiro, I.
- Hecker, J. *see* Simpson, D. P.
- Hedden, M. P., and Buse, M. G. Effects of glucose, pyruvate, lactate, and amino acids on muscle protein synthesis. 242,5:E184
- Hedekov, C. J. *see* Formby, B.
- Hedge, G. A. *see* Connors, J. M.
- Thompson, M. E.
- Hedley-Whyte, E. T., Lorenzo, A. V., and Hsu, D. W. Protein transport across cerebral vessels during metrazole-induced convulsions. 233,2:C74
- Hedtke, J. L. *see* LeLorier, J.
- Heffernan, J. M. *see* Donowitz, M.
- Hefley, T., Cushing, J., and Brand, J. S. Enzymatic isolation of cells from bone: cytotoxic enzymes of bacterial collagenase. 240,9:C234
- Hefner, L. L. *see* Donald, T. C.
- Weber, K. T.
- Heggeness, F. W. *see* Bignall, K. E.
- Heglund, N. C. *see* Cavagna, G. A.
- Heidrich, H.-G. *see* Vandewalle, A.
- Heimer, M. L. *see* Nellis, S. H.
- Heindel, J. J., and Riggs, T. R. Amino acid transport in vitamin B<sub>6</sub>-deficient rats: dependence on growth hormone supply. 235,4:E316
- Heinemann, H. O. *see* Wagner, M. E.
- Heinzel, F. *see* Sonnenberg, A.
- Heisey, S. R. *see* Adams, T.
- Heisler, N. *see* Holle, J. P.
- Randall, D. J.
- Heisler, S. *see* Davison, J. S.
- Povilaitis, V.
- Heistad, D. *see* Sadoshima, S.
- Heistad, D. D., Marcus, M. L., Gourley, J. K., and Busija, D. W. Effect of adenosine and dipyrindamole on cerebral blood flow. 240,9:H775
- Heistad, D. D., Marcus, M. L., and Gross, P. M. Effects of sympathetic nerves on cerebral vessels in dog, cat, and monkey. 235,4:H544
- Heistad, D. D., Marcus, M. L., Larsen, G. E., and Armstrong, M. L. Role of vasa vasorum in nourishment of the aortic wall. 240,9:H781
- Heistad, D. D., Marcus, M. L., Piegors, P. J., and Armstrong, M. L. Regulation of cerebral blood flow in atherosclerotic monkeys. 239,8:H539
- Heistad, D. D., Marcus, M. L., Said, S. I., and Gross, P. M. Effect of acetylcholine and vasoactive intestinal peptide on cerebral blood flow. 239,8:H73
- Heistad, D. D. *see* Brown, B. P.
- Busija, D. W.
- Gross, P. M.
- Marcus, M. L.
- Mueller, S. M.
- Heitmann, L. J. *see* Lonigro, A. J.
- Heitmann, R. N., and Bergman, E. N. Glutamine metabolism, interorgan transport and glucogenicity in the sheep. 234,3:E197
- Heitmann, R. N., and Bergman, E. N. Transport of amino acids in whole blood and plasma of sheep. 239,2:E242
- Heitmann, R. N., and Bergman, E. N. Integration of amino acid metabolism in sheep: effects of fasting and acidosis. 239,2:E248
- Heitmann, R. N., and Bergman, E. N. Glutamate interconversions and glucogenicity in the sheep. 241,4:E465
- Hejtmanick, K. E. *see* Guzman, S.
- Helander, H. F., and Durbin, R. P. Secretory surface area and phosphatase activity of frog gastric mucosa. 232,1:E48
- Helander, H. F., and Durbin, R. P. Localization of ouabain-binding sites in frog gastric mucosa. 243,6:G297
- Helander, H. F. *see* Fellenius, E.
- Heldman, J. *see* Jan, K.-M.
- Helfant, R. H. *see* Hattori, S.
- Helke, C. J. *see* Feuerstein, G.
- Hellemans, J. *see* De Wever, I.
- Eeckhout, C.
- Hellenbrand, W. E. *see* Downing, S. E.
- Heller, H. C. *see* Florant, G. L.
- Hammel, H. T.
- Sakaguchi, S.
- Walker, J. M.
- Heller, L. J. Cardiac muscle mechanics from Doca- and aging spontaneously hypertensive rats. 235,4:H82
- Heller, L. J. Augmented aftercontractions in papillary muscles from rats with cardiac hypertrophy. 237,6:H649
- Heller, L. J. Isovolumetric properties of ventricles of spontaneously hypertensive rats. 240,9:H927
- Hellman, B. *see* Bloom, G. D.
- Gylfe, E.
- Hellman, R. N. *see* Rodriguez, H. J.
- Hellmann, D. B., and Pitt, B. Effect of ethyl adenosine on myocardial flow after coronary artery occlusion. 231:1495
- Hellstrand, P. *see* Johansson, B.
- Hellstrom-Stein, R. J. *see* Bourdeau, J. E.
- Helman, S. I., and Fisher, R. S. Stratum corneum of frog skin: inferences for studies of Na entry and transport pool. 232,1:C37
- Helman, S. I., and O'Neil, R. G. Model of active transepithelial Na and K transport of renal collecting tubules. 233,2:F559
- Helman, S. I., and Thompson, S. M. Interpretation and use of electrical equivalent circuits in studies of epithelial tissues. 243,12:F519
- Helman, S. I. *see* Beyenbach, K. W.
- Els, W. J.
- Essig, A.
- Koeppen, B. M.
- Li, J.
- O'Neil, R. G.
- Hemberger, J. A., and Schanker, L. S. Pulmonary absorption of drugs in the neonatal rat. 234,3:C191
- Hemmes, R. *see* Schneider, B. S.
- Hemon, P. *see* Mory, G.
- Hempel, F. G., Kariman, K., and Saltzman, H. A. Redox transitions in mitochondria of cat cerebral cortex with seizures and hemorrhagic hypotension. 238,7:H249
- Hemphill, V. *see* Downey, J. M.
- Henchoz, M. *see* De Rougemont, D.
- Henderson, I. W. *see* Brown, J. A.
- Hendler, R. *see* Basti, C.
- Hendriks, F. F. A. *see* Kroll, K.
- Henius, G. V. *see* Laris, P. C.
- Henkin, R. I. *see* Foster, D. M.
- Rivlin, R. S.
- Hennessy, V. L., Jr., Hicks, R. E., Niewiarowski, S., Edmunds, L. H., Jr., and Coln, R. W. Function of human platelets during extracorporeal circulation. 232,1:H622
- Henning, H. J., Jr. *see* Cooke, H. J.
- Henning, S. J. Plasma concentrations of total and free corticosterone during development in the rat. 235,4:E451
- Henning, S. J. Postnatal development: coordination of feeding, digestion, and metabolism. 241,4:G199
- Henning, S. J., Chang, S.-S. P., and Gisel, E. G. Ontogeny of feeding controls in suckling and weanling rats. 237,6:R187
- Henning, S. J., and Leeper, L. L. Coordinate loss of glucocorticoid responsiveness by intestinal enzymes during postnatal development. 242,5:G89
- Henning, S. J. *see* Beam, H. E.
- D'Agostino, J. B.
- Henquell, L., Odoroff, C. L., and Honig, C. R. Coronary intercapillary distance during growth: relation to P<sub>502</sub> and aerobic capacity. 231:1852
- Henquell, L. *see* Feldstein, M. L.
- Henquin, J. C., and Meissner, H. P. Effects of amino acids on membrane potential and <sup>86</sup>Rb<sup>+</sup> fluxes in pancreatic  $\beta$ -cells. 240,3:E245
- Henquin, J.-C., and Lambert, A. E. Bicarbonate modulation of glucose-induced biphasic insulin release by rat islets. 231:713
- Henrich, H., and Johnson, P. C. Influence of arterial pressure on reactive hyperemia in skeletal muscle capillaries. 234,3:H352



- Henrich, H.**  
see Bohlen, H. G.  
Johnson, P. C.
- Henrich, U.** see Johnson, P. C.
- Henrich, W. L.,** Berl, T., McDonald, K. M., Anderson, R. J., and Schrier, R. W. Angiotensin II, renal nerves, and prostatic glands in renal hemodynamics during hemorrhage. 235,4:F46
- Henrich, W. L.**  
see Berl, T.  
Cronin, R. E.
- Honriksson, J.,** Galbo, H., and Blomstrand, E. Role of the motor nerve in activity-induced enzymatic adaptation in skeletal muscle. 242,11:C272
- Henriksson, R.**  $\beta_1$ - and  $\beta_2$ -adrenoceptor agonists have different effects on rat parotid acinar cells. 242,5:G481
- Henry, D. P.** see Jacobs, T. P.
- Henry, H.** see Malluche, H. H.
- Henry, H. L.** 25(OH) $D_3$  metabolism in kidney cell cultures: lack of a direct effect of estradiol. 240,3:E119
- Henry, H. L.** see Chertow, B. S.
- Henry, P. D.,** Shuchleib, R., Davis, J., Weiss, E. S., and Sobel, B. E. Myocardial contracture and accumulation of mitochondrial calcium in ischemic rabbit heart. 233,2:H677
- Henry, P. D.** see Pérez, J. E.
- Hensel, H.** see Banet, M.
- Heptinstall, R. H.** see Solez, K.
- Herberg, L.** see Siegel, E. G.
- Herbert, M. A.** see Ward, C. A.
- Herbuté, S.,** and Baylé, J. D. Suppression of pineal multiunit response to flash after habenular lesion in quail. 233,2:E293
- Herbuté, S.,** and Baylé, J.-D. Pineal multiunit activity in conscious quail: effects of light, blinding, ganglionectomy. 231:136
- Herschuelz, A.,** Couturier, E., and Malaisse, W. J. Regulation of calcium fluxes in pancreatic islets: glucose-induced calcium-calcium exchange. 238,1:E96
- Herschuelz, A.,** and Malaisse, W. J. Regulation of calcium fluxes in pancreatic islets: two calcium movements' dissociated response to glucose. 238,1:E87
- Herschuelz, A.** see Lebrun, P.
- Herd, J. A.**  
see Moore-Ede, M. C.  
Wasserstrum, N.
- Herington, A. C.** see Healy, D. L.
- Herlihy, J. T.** Helically cut vascular strip preparation: geometrical considerations. 238,7:H107
- Herlihy, J. T.,** Bockman, E. L., Berne, R. M., and Rubio, R. Adenosine relaxation of isolated vascular smooth muscle. 230:1239
- Herlihy, J. T.,** and Yu, B. P. Dietary manipulation of age-related decline in vascular smooth muscle function. 238,7:H652
- Herman, C. A.** see Zenser, T. V.
- Herman, N. L.,** Kostreva, D. R., and Kampine, J. P. Splenic afferents and some of their reflex responses. 242,11:R247
- Hermans, J.** see Shen, L. L.
- Hermansen, L.,** and Vaage, O. Lactate disappearance and glycogen synthesis in human muscle after maximal exercise. 233,2:E422
- Hermansen, L.** see Brodal, P.
- Hermesmeyer, K.**  $Ba^{2+}$  and  $K^{+}$  alteration of  $K^{+}$  conductance in spontaneously active vascular muscle. 230:1031
- Hermesmeyer, K.,** and Aprigliano, O. Effects of chlorobutanol and bradykinin on myocardial excitation. 230:306
- Hermesmeyer, K.,** and Robinson, R. B. High sensitivity of cultured cardiac muscle cells to autonomic agents. 233,2:C172
- Hermesmeyer, K.**  
see Abel, P. W.  
Bonaccorsi, A.  
Roskoski, R., Jr.
- Hernandez, D. E.** see Nemeroff, C. B.
- Hernandez, E. J.,** Hoffman, J. K., Fabian, M., Siegel, J. H., and Eberhart, R. C. Thermal quantification of regional myocardial perfusion and heat generation. 236,5:H345
- Hernández, M. J.,** Brennan, R. W., Vanucci, R. C., and Bowman, G. S. Cerebral blood flow and oxygen consumption in the newborn dog. 234,3:R209
- Hernandez, M. J.** see Page, R. B.
- Hernandez, R. E.** see Rebollo, O. R.
- Hernandez, Y. M.** see Connelly, C.
- Hernandez-Perez, M. J.,** and Anderson, D. K. Autoregulation of cerebral blood flow and its relation to cerebrospinal fluid pH. 231:929
- Hernando, L.** see Lopez-Novoa, J. M.
- Herndon, B. L.** see Ringle, D. A.
- Herreid, C. F., II** see Schlenker, E. H.
- Herrera, M. G.** see Mordas, J. P.
- Herrmann, H. C.,** Morris, B. J., and Reid, I. A. Effect of angiotensin II and sodium depletion on angiotensinogen production. 238,1:E145
- Hersey, S. J.** Intracellular pH measurements in gastric mucosa. 237,6:E82
- Hersey, S. J.** Histamine receptor in bullfrog gastric mucosa. 241,4:G93
- Hersey, S. J.,** Chew, C. S., Campbell, L., and Hopkins, E. Mechanism of action of SCN in isolated gastric glands. 240,3:G232
- Hersey, S. J.**  
see Chew, C. S.  
Koelz, H. R.
- Hershcopf, R. J.** see Elahi, D.
- Hershman, J. M.**  
see Brammer, G. L.  
Lamers, C. B.  
Morley, J. E.
- Hervey, G. R.** see Parameswaran, S. V.
- Herz, R.** see Bradley, S. E.
- Hesch, R. D.** see Sraer, J.
- Hess, G. L.** see Kostreva, D. R.
- Hess, M. L.,** Krause, S. M., Robbins, A. D., and Greenfield, L. J. Excitation-contraction coupling in hypothermic ischemic myocardium. 240,9:H336
- Hess, M. L.**  
see Bruni, F. D.  
Ford, G. D.
- Hessler, J. R.,** and Cassin, S. Effects of increased intracranial pressure on pulmonary vascular resistance of fetal and neonatal goats. 232,1:H671
- Hessler, J. R.** see Leffler, C. W.
- Hester, R. L.,** Guyton, A. C., and Barber, B. J. Reactive and exercise hyperemia during high levels of adenosine infusion. 243,12:H181
- Hetenyi, G., Jr.,** Kovacevic, N., Hall, S. E. H., and Vranic, M. Plasma glucagon in pups, decreased by fasting, unaffected by somatostatin or hypoglycemia. 231:1377
- Hetenyi, G., Jr.,** Layberry, R. A., Foster, D. M., and Berman, M. Transfer of carbon atoms among circulating glucose, alanine, and lactate in pancreatectomized dogs. 239,2:E39
- Hetenyi, G., Jr.**  
see Foster, D. M.  
Gauthier, C.  
Hall, S. E. H.
- Heubi, J. E.,** and Fondacaro, J. D. Postnatal development of intestinal bile salt transport in the guinea pig. 243,6:G189
- Heusner, A. A.,** Hurley, J. P., and Arbogast, R. Coulometric microrespirometry. 243,12:R185
- Hewett, J.** see Gerhardt, D.
- Heyes, M. P.,** Farber, M. O., Manfredi, F., Robertshaw, D., Weinberger, M., Fineberg, N., and Robertson, G. Acute effects of hypoxia on renal and endocrine function in normal humans. 243,12:R265
- Heylings, J. R.** see Flemström, G.
- Heyman, M.,** Ducroc, R., Desjeux, J.-F., and Morgat, J. L. Horseradish peroxidase transport across adult rabbit jejunum in vitro. 242,5:G558
- Heyman, M.,** Dumontier, A.-M., and Desjeux, J. F. Xylose transport pathways in rabbit ileum. 238,1:G326
- Heymann, M. A.**  
see Clyman, R. I.  
Drummond, W. H.  
Edelstone, D. I.  
Fisher, D. J.  
Macdonald, A. A.  
Toubas, P. L.
- Heyndrickx, G. R.,** Baig, H., Nellens, P., Leusen, I., Fishbein, M. C., and Vatner, S. F. Depression of regional blood flow and wall thickening after brief coronary occlusions. 234,3:H653
- Heyndrickx, G. R.,** Boettcher, D. H., and Vatner, S. F. Effects of angiotensin, vasopressin, and methoxamine on cardiac function and blood flow distribution in conscious dogs. 231:1579
- Heyndrickx, G. R.,** Muylaert, P., and Pannier, J. L.  $\alpha$ -Adrenergic control of oxygen delivery to myocardium during exercise in conscious dogs. 242,11:H805
- Heyndrickx, G. R.**  
see Boettcher, D. H.  
McRitchie, R. J.
- Heywood, S. M.** see Thibault, M. C.
- Hiatt, N.,** Chapman, L. W., Davidson, M. B., Sheinkopf, J. A., and Miller, A. Inhibition of transmembrane K transfer in ureter-ligated dogs infused with KCl. 231:1660
- Hibasami, H.**  
see Bethell, D. R.  
Pegg, A. E.
- Hicks, R. E.** see Hennessy, V. L., Jr.
- Hickson, R. C.,** and Davis, J. R. Partial prevention of glucocorticoid-induced muscle atrophy by endurance training. 241,4:E226
- Hickson, R. C.,** Hammons, G. T., and Holloszy, J. O. Development and regression of exercise-induced cardiac hypertrophy in rats. 236,5:H268
- Hickson, R. C.,** and Rosenkoetter, M. A. Separate turnover of cytochrome c and myoglobin in the red types of skeletal muscle. 241,10:C140
- Hickson, R. C.** see Conlee, R. K.
- Hidaka, H.** see Ishibashi, F.
- Hiebert, J. M.** see Ryan, N. T.
- Higashi, Y.** see Bello-Reuss, E.
- Higashihara, E.,** DuBose, T. D., Jr., and Kokko, J. P. Direct examination of chloride transport across papillary collecting duct of the rat. 235,4:F219
- Higashino, H.** see Aviv, A.
- Higgins, J. E.** see Li, J. B.
- Higgins, J. R.** see Wambach, G.
- Higginson, L.** see Yoran, C.
- Higgs, R. H.,** Humphries, T. J., Castell, D. O., and McGuigan, J. E. Lower esophageal sphincter pressure and serum gastrin levels after cholinergic stimulation. 231:1250
- High, C. W.,** and Stull, J. T. Phosphorylation of myosin in perfused rabbit and rat hearts. 239,8:H756
- Highland, E.** see Widdicombe, J. H.
- Hilberman, M.** see Myers, B. D.
- Hildebrand, J. H.** Forum on osmosis. II. A criticism of "solvent tension" in osmosis. 237,6:R108

- Hilden, S., and Sacktor, B. Potential-dependent D-glucose uptake by renal brush border membrane vesicles in the absence of sodium. 242,11:F340
- Hildenbrandt, G. R. *see* Kim, H. D.
- Hildmann, B., Storelli, C., Danisi, G., and Murer, H. Regulation of Na<sup>+</sup>-P<sub>i</sub> cotransport by 1,25-dihydroxyvitamin D<sub>3</sub> in rabbit duodenal brush-border membrane. 242,5:G533
- Hillmann, B. *see* Murer, H.
- Hiles, L. G. *see* Sulzman, F. M.
- Hill, E. P., Hill, J. R., Power, G. G., and Longo, L. D. Carbon monoxide exchanges between the human fetus and mother: a mathematical model. 232,1:H311
- Hill, E. P. *see* Longo, L. D.
- Hill, J. J. *see* Welling, D. J.
- Hill, J. L., Gettes, L. S., Lynch, M. R., and Hebert, N. C. Flexible valinomycin electrodes for on-line determination of intravascular and myocardial K<sup>+</sup>. 235,4:H455
- Hill, J. R., and Goldberg, J. M. P-wave morphology and atrial activation in the domestic fowl. 239,8:R483
- Hill, J. R. *see* Hill, E. P.
- Hill, M. A. *see* Cornford, E. M.
- Hilliker, K. S., Bell, T. G., and Roth, R. A. Pneumotoxicity and thrombocytopenia after single injection of monocrotaline. 242,11:H573
- Hillis, L. D., Izquierdo, C., Davis, C., Brotherton, S., Eberhart, R., Roan, P. G., and Willerson, J. T. Effect of various degrees of systemic arterial hypertension on acute canine myocardial ischemia. 240,9:H855
- Hillis, L. D. *see* Khuri, S. F.
- Hillman, J. *see* Lundvall, J.
- Hillman, L. S. *see* Frazer, T. E.
- Hillman, P. E., Scott, N. R., and Van Tienhoven, A. Impact of centrally applied biogenic amines upon the energy balance of fowl. 232,1:R137
- Hillman, P. E., Scott, N. R., and van Tienhoven, A. Effect of 5-hydroxytryptamine and acetylcholine on the energy budget of chickens. 239,8:R57
- Hillman, P. E., Scott, N. R., and van Tienhoven, A. Vasomotion in chicken foot: dual innervation of arteriovenous anastomoses. 242,11:R582
- Hillman, P. E. *see* Rowe-Murphy, D. L.
- Hillman, R. S. *see* Leinberg, S. E.
- Hilman, R. *see* Pfaffman, M. A.
- Hilsted, J., Galbo, H., Sonne, B., Schwartz, T., Fahrenkrug, J., Schaffalitzky de Muckadell, O. B., Lauritsen, K. B., and Tronier, B. Gastroenteropancreatic hormonal changes during exercise. 239,2:G136
- Himms-Hagen, J., and Gwilliam, C. Abnormal brown adipose tissue in hamsters with muscular dystrophy. 239,8:C18
- Himms-Hagen, J., Triandafillou, J., and Gwilliam, C. Brown adipose tissue of cafeteria-fed rats. 241,4:E116
- Himms-Hagen, J. *see* Greenway, D. C.
- Hogan, S.
- Himori, N., Izumi, A., and Ishimori, T. Analysis of  $\beta$ -adrenoceptors mediating renin release produced by isoproterenol in conscious dogs. 238,7:F387
- Hinchey, E. J. *see* Mersereau, W. A.
- Hinder, R. A., and Kelly, K. A. Canine gastric emptying of solids and liquids. 233,2:E335
- Hinshaw, L. B., Archer, L. T., Beller, B. K., White, G. L., Schroeder, T. M., and Holmes, D. D. Glucose utilization and role of blood in endotoxin shock. 233,2:E71
- Hinshaw, L. B. *see* Archer, L. T.
- Murphy, T. L.
- Hinton, A. *see* Bose, R.
- Hintz, C. S., Chi, M. M.-Y., Fell, R. D., Ivy, J. L., Kaiser, K. K., Lowry, C. V., and Lowry, O. H. Metabolite changes in individual rat muscle fibers during stimulation. 242,11:C218
- Hintz, C. S., Lowry, C. V., Kaiser, K. K., McKee, D., and Lowry, O. H. Enzyme levels in individual rat muscle fibers. 239,8:C58
- Hintze, T. H. *see* Macho, P.
- Hirai, M. *see* Lassen, N. A.
- Hirakawa, S., Sasayama, S., Tomoike, H., Crozatier, B., Franklin, D., McKown, D., and Ross, J., Jr. In situ measurement of papillary muscle dynamics in the dog left ventricle. 233,2:H384
- Hiraoka, M., and Sano, T. Role of sinoatrial ring bundle in internodal conduction. 231:319
- Hirata, F. *see* Yamaguchi, I.
- Hirata, S. *see* Suga, H.
- Hirkaler, G. *see* Klevans, L. R.
- Hiroshige, T. *see* Honma, K.
- Kaneko, M.
- Hirsch, J. *see* Faust, I. M.
- Schneider, B. S.
- Hirsch, J. A., and Bishop, B. Respiratory sinus arrhythmia in humans: how breathing pattern modulates heart rate. 241,10:H620
- Hirsch, L. J., Ayabe, T., and Glick, G. Direct effects of various catecholamines on liver circulation in dogs. 230:1394
- Hirsch, M. *see* Vas, R.
- Hirschowitz, B. I. Incremental and decremental kinetics of gastric responses to infused gastrin in dogs. 242,5:G660
- Hirschowitz, B. I., Gibson, R., Wright, L., and Hutchison, G. Changed cholinergic receptor characteristics after vagotomy in gastric fistula dogs. 230:105
- Hirschowitz, B. I., and Gibson, R. G. Cholinergic stimulation and suppression of gastrin release in gastric fistula dogs. 235,4:E720
- Hirschowitz, B. I., and Gibson, R. G. Augmented vagal release of antral gastrin by 2-deoxyglucose after fundic vagotomy in dogs. 236,5:E173
- Hirschowitz, B. I., and Hutchison, G. A. Evidence for a histamine H<sub>2</sub> receptor that inhibits pepsin secretion in the dog. 233,2:E225
- Hirschowitz, B. I. *see* Mihas, A. A.
- Simpson, L.
- Hirshfield, A. N. *see* DePaolo, L. V.
- Hirst, M. *see* Feldman, D.
- Hisada, M. *see* Botelho, S. Y.
- Hisano, R. *see* Suga, H.
- Hissa, R. *see* Hohtola, E.
- Hitzig, B. *see* Yamaguchi, T.
- Hitzig, B. M., and Jackson, D. C. Central chemical control of ventilation in the unanesthetized turtle. 235,4:R257
- Hiwatashi, K. *see* Itoh, Z.
- Hjemdahl, P. *see* Linde, B.
- Hjellund, E. *see* Pedersen, O.
- Ho, J. J. L., and Rothman, S. S. Intracellular osmotic events accompanying protein secretion by the exocrine pancreas. 238,1:G289
- Ho, J. J. L., and Rothman, S. S. Nature of flow dependence of protein secretion by the exocrine pancreas. 242,5:G32
- Ho, K.-J. Circadian distribution of bile acids in the enterohepatic circulatory system in rats. 230:1331
- Ho, S. *see* Bentzel, C. J.
- Hobbs, S. F. *see* Freund, P. R.
- Hochachka, P. W. *see* Driedzic, W. R.
- Guppy, M.
- Murphy, B. J.
- Wolfe, R. R.
- Hockel, G. M., and Cowley, A. W., Jr. Prostaglandin E<sub>2</sub>-induced hypertension in conscious dogs. 237,6:H449
- Hockman, C. H. *see* Weerasuriya, A.
- Hodgen, G. D. *see* Goodman, A. L.
- Hodgkin, B. C., Burkett, D. E., and Smith, E. B. Noninvasive measurement of systolic and diastolic blood pressure in swine. 242,11:H127
- Hodgkin, B. C., Millard, R. W., and Nelson, C. W. Effect of hematocrit on electrocardiographic potentials and dipole moment of the pig. 232,1:H406
- Hodgkin, B. C., Nelson, C. V., and Angelakos, E. T. Cardiac electrical resultant dipole moment of spontaneously hypertensive rats. 241,10:H541
- Hodgkin, B. C. *see* Millard, R. W.
- Hodgson, A. J., and Funder, J. W. Glucocorticoid receptors in the guinea pig. 235,4:R115
- Hodgson, B. J., and Talo, A. Spike bursts in rabbit oviduct. II. Effects of estrogen and progesterone. 234,3:E439
- Hodgson, B. J. *see* Harper, M. J. K.
- Talo, A.
- Hodsman, A. *see* Lee, D. B. N.
- Hoeg, J. M., Willis, L. R., and Weinberger, M. H. Estrogen attenuation of the development of hypertension in spontaneously hypertensive rats. 233,2:H369
- Hoerter, J., and Jarmakani, J. M. Effect of hypoxia on mechanical and glycolytic function in the perinatal heart (Letter to the Editor). 237,6:H411
- Hoffman, B. F. *see* Mary-Rabine, L.
- Hoffman, E. J. *see* Huang, S.-C.
- Hoffman, F. M. *see* Kulkarni, P. G.
- Hoffman, J. I. E. *see* Allard, J. R.
- Carlson, E. L.
- Consigny, P. M.
- Hoffman, J. K. *see* Hernandez, E. J.
- Hoffman, L. H. *see* Menzie, J. W.
- Hoffman, N. E., Sewell, R. B., and Smallwood, R. A. Bile acid structure and biliary lipid secretion. II. A comparison of three hydroxy and two keto bile acids. 234,3:E637
- Hoffman, N. E. *see* Sewell, R. B.
- Hoffman, W. E., Ganten, U., Phillips, M. I., Schmid, P. G., Schelling, P., and Ganten, D. Inhibition of drinking in water-deprived rats by combined central angiotensin II and cholinergic receptor blockade. 234,3:F41
- Hoffman, W. E., Phillips, M. I., and Schmid, P. G. Central angiotensin II-induced responses in spontaneously hypertensive rats. 232,1:H426
- Hoffman, W. E. *see* Buggy, J.
- Falcon, J. C., II
- Hofmann, A. F. *see* Fromm, H.
- Gilmore, I. T.
- Hofmann, V. *see* Vogt, A.
- Hofmann, W. W. Oxygen consumption by human and rodent striated muscle in vitro. 230:34
- Hofmann, W. W., Butte, J., and Leon, H. A. Relationship of intracellular creatine concentration and uptake to muscle mass in vivo. 235,4:C199
- Hofstetter, L. *see* Müller, J.
- Hogan, R. D., Franklin, T. D., Avery, K. S., and Burke, K. M. Arteriolar vasoconstriction in rat cremaster muscle induced by local heat stress. 242,11:H996

- Hogan, S.,** Coscina, D. V., and Himms-Hagen, J. Brown adipose tissue of rats with obesity-inducing ventromedial hypothalamic lesions. 243,6:E338
- Hogan, S.,** and Himms-Hagen, J. Abnormal brown adipose tissue in obese (*ob/ob*) mice: response to acclimation to cold. 239,2:E301
- Hogan, S.,** and Himms-Hagen, J. Abnormal brown adipose tissue in genetically obese mice (*ob/ob*): effect of thyroxine. 241,4:E436
- Hogan, W. C.**  
see Jacobson, M. P.  
Rodriguez, H. J.
- Hogan, W. J.**  
see Dent, J.  
Dodds, W. J.  
Tooouli, J.
- Hohimer, A. R.,** and Smith, O. A. Decreased renal blood flow in the baboon during mild dynamic leg exercise. 236,5:H141
- Hohimer, A. R.**  
see Astley, C. A.  
Smith, O. A.
- Hohl, C.,** Ansel, A., Altschuld, R., and Brierley, G. P. Contracture of isolated rat heart cells on anaerobic to aerobic transition. 242,11:H1022
- Hohtola, E.,** Hissa, R., and Saarela, S. Effect of glucagon on thermogenesis in the pigeon. 232,1:E451
- Hol, R.** see Kjekshus, J. K.
- Holaday, J. W.,** O'Hara, M., and Faden, A. I. Hypophysectomy alters cardiorespiratory variables: central effects of pituitary endorphins in shock. 241,10:H479
- Holcombe, R. F.** see Opdyke, D. F.
- Holdaas, H.,** DiBona, G. F., and Kiil, F. Effect of low-level renal nerve stimulation on renin release from nonfiltering kidneys. 241,10:F156
- Holdaas, H.,** Langaard, Ø., Eide, I., and Kiil, F. Conditions for enhancement of renin release by isoproterenol, dopamine, and glucagon. 242,11:F267
- Holland, D. R.,** Armstrong, W. McD., and Steinberg, M. I. Calcium fluxes and contractility in isolated guinea pig atrium: effect of A23187. 235,4:C13
- Holland, R.** see Brooks, H.
- Holland, R. P.,** and Arnsdorf, M. F. Non-spatial determinants of electrograms in guinea pig ventricle. 240,9:C148
- Hollander, D.** Retinol lymphatic and portal transport: influence of pH, bile, and fatty acids. 239,2:G210
- Hollander, D.,** and Muralidhara, K. S. Vitamin A, intestinal absorption in vivo: influence of luminal factors on transport. 232,1:E471
- Hollander, D.,** Muralidhara, K. S., and Rim, E. Colonic absorption of bacterially synthesized vitamin K<sub>2</sub> in the rat. 230:251
- Hollander, D.,** and Rim, E. Vitamin K<sub>2</sub> absorption by rat everted small intestinal sacs. 231:415
- Hollander, D.,** and Rim, E. Effect of luminal constituents on vitamin K<sub>1</sub> absorption into thoracic duct lymph. 234,3:E54
- Hollander, D.,** Rim, E., and Morgan, D. Intestinal absorption of 25-hydroxyvitamin D<sub>3</sub> in unanesthetized rat. 236,5:E441
- Hollander, D.,** Rim, E., and Muralidhara, K. S. Vitamin K<sub>1</sub> intestinal absorption in vivo: influence of luminal contents on transport. 232,1:E69
- Hollander, D.,** Rim, E., and Ruble, P. E., Jr. Vitamin K<sub>2</sub> colonic and ileal in vivo absorption: bile, fatty acids, and pH effects on transport. 233,2:E124
- Hollander, D.,** and Ruble, P. E., Jr.  $\beta$ -Carotene intestinal absorption: bile, fatty acid, pH, and flow rate effects on transport. 235,4:E686
- Hollander, P. M.** see Werner, P. L.
- Holle, J. P.,** Heisler, N., and Scheid, P. Blood flow distribution in the duck lung and its control by respiratory gases. 234,3:R146
- Hollenberg, M.,** Honbo, N., and Samorodin, A. J. Effects of hypoxia on cardiac growth in neonatal rat. 231:1445
- Hollenberg, M.,** Honbo, N., and Samorodin, A. J. Cardiac cellular responses to altered nutrition in the neonatal rat. 233,2:H356
- Hollenberg, N. K.**  
see Borucki, L. J.  
Brown, C. B.  
Chenitz, W. R.
- Holliday, C. W.,** and Miller, D. S. PAH transport in rock crab (*Cancer irroratus*) urinary bladder. 238,7:R311
- Holliday, C. W.,** and Miller, D. S. PAH transport in rock crab urinary bladder. II. Luminal and serosal steps. 242,11:R25
- Holliday, C. W.** see Miller, D. S.
- Holliday, M. A.** see Wassner, S. J.
- Hollifield, J. W.** see Gerber, J. G.
- Hollinger, A.** see Müller-Lissner, S. A.
- Hollinger, A. P.** see Koelz, H. R.
- Hollins, B. M.** see Rudman, D.
- Hollinshead, J.** see Seal, A.
- Hollis, T. M.**  
see DeForrest, J. M.  
Heald, J. I.
- Holloman, T. L.,** Schwartz, M., Dinno, M. A., and Carrasquer, G. Ionic pathways of secretory membrane of frog gastric mucosa in Cl<sup>-</sup>-free media. 231:1649
- Holloman, T. L.** see Schwartz, M.
- Hollosi, G.** see Wikman-Coffelt, J.
- Holloszy, J. O.,** and Winder, W. W. Induction of  $\delta$ -aminolevulinic acid synthetase in muscle by exercise or thyroxine. 236,5:R180
- Holloszy, J. O.**  
see Conlee, R. K.  
Fell, R. D.  
Fitts, R. H.  
Hickson, R. C.  
Ivy, J. L.  
McLane, J. A.  
Winder, W. W.
- Holloway, G. A., Jr.** see Stern, M. D.
- Holloway, L. S., Jr.,** Bradley, I. B., Janssen, H., and O'Brien, L. J. Cardiovascular effects of cerebroventricular ouabain perfusion in the adult dog. 230:1168
- Holly, R. G.,** Barnett, J. G., Ashmore, C. R., Taylor, R. G., and Molé, P. A. Stretch-induced growth in chicken wing muscles: a new model of stretch hypertrophy. 238,7:C62
- Holly, R. G.** see Barnett, J. G.
- Holm, G.** see Wirth, A.
- Holm, R. A.** see Schiller, H. S.
- Holman, R. T.** see Winder, W. W.
- Holmberg, C.,** Kokko, J. P., and Jacobson, H. R. Determination of chloride and bicarbonate permeabilities in proximal convoluted tubules. 241,10:F386
- Holmberg, C.** see Jacobson, H. R.
- Holmes, D. D.** see Hinshaw, L. B.
- Holmes, E. W.** see Swain, J. L.
- Holmes, K. R.,** and Hunter, W. S. Thermoregulation in Telazol (CI-744)-anesthetized rhesus monkey (*Macaca mulatta*). 239,8:R241
- Holmes, K. R.** see Hunter, W. S.
- Holm-Rutli, L.,** Perry, M. A., and Granger, D. N. Autoregulation of gastric blood flow and oxygen uptake. 241,4:G143
- Holmsen, H.** see Meyers, K. M.
- Holsinger, J. W., Jr.** see Allison, T. B.
- Holst, J. J.**  
see Fahrenkrug, J.  
Jensen, S. L.
- Holstein-Rathlou, N.-H.** see Thomsen, K.
- Holt, J. A.,** Dinerstein, R. J., and Lorincz, M. A. Site of estrogen action in rabbit ovarian tissue. 243,6:E188
- Holt, J. A.,** Pinkert, C. A., and Lorincz, M. A. Nuclear progesterone receptor-like component in human cervical tissue. 241,4:E160
- Holt, J. A.** see Lorenzen, J. R.
- Holt, J. P.,** Rhode, E. A., Holt, W. W., and Kines, H. Geometric similarity of aorta, venae cavae, and certain of their branches in mammals. 241,10:R100
- Holt, F. R.,** and Dominguez, A. A. Triton-induced hyperlipidemia: a model for studies of intestinal lipoprotein production. 238,1:G453
- Holt, W. F.,** and Lechene, C. ADH-PGE<sub>2</sub> interactions in cortical collecting tubule. I. Depression of sodium transport. 241,10:F452
- Holt, W. F.,** and Lechene, C. ADH-PGE<sub>2</sub> interactions in cortical collecting tubule. II. Inhibition of Ca and P reabsorption. 241,10:F461
- Holt, W. W.** see Holt, J. P.
- Holtzapple, P. G.** see Shiau, Y.-F.
- Holyoke, C. W.** see Skopik, S. D.
- Holzman, I. R.** see Edelman, D. I.
- Hom, F. G.,** Koerker, D. J., and Goodner, C. J. Lack of effect of morphine, reserpine, and halothane on oscillation of plasma insulin in *M. mulatta*. 240,3:E1
- Homer, L. D.,** and Small, A. Physiological parameters of indicator dilution curves. 233,2:H350
- Homer, L. D.** see Small, A.
- Homer, S. M.** see Madias, N. E.
- Homsy, E.** see Möhring, J.
- Honbo, N.** see Hollenberg, M.
- Honchar, M. P.,** Hartman, B. K., and Sharpe, L. G. Evaluation of in vivo brain site perfusion with the push-pull cannula. 236,5:R48
- Hond, A.** see Borst, C.
- Honda, N.** see Aizawa, C.
- Honda, R.**  
see Itoh, Z.  
Tooouli, J.
- Hondeghem, L. M.,** and Cotner, C. L. Measurement of V<sub>max</sub> of the cardiac action potential with a sample/hold peak detector. 234,3:H312
- Hondeghem, L. M.,** and Cotner, C. L. Reproducible and uniform ischemia: effects of antiarrhythmic drugs. 235,4:H574
- Honey, R. N.,** Schwarz, J. A., Mathe, C. J., and Weir, G. C. Insulin, glucagon, and somatostatin secretion from isolated perfused rat and chicken pancreas-duodenum. 238,1:E150
- Honeyman, T. W.,** and Goodman, H. M. Effects of growth hormone on glycogen metabolism in adipose tissue of hypophysectomized rats. 238,1:E389
- Honeyman, T. W.,** Levy, L. K., and Goodman, H. M. Independent regulation of phosphorylase and lipolysis in adipose tissue. 237,6:E11
- Hong, S. K.,** Goldinger, J. M., Song, Y. K., Koschier, F. J., and Lee, S. H. Effect of SITS on organic anion transport in the rabbit kidney cortical slice. 234,3:F302
- Hong, S. K.**  
see Koschier, F. J.  
Park, Y. S.  
Spencer, A. M.  
Stokols, M. F.
- Honig, C. R.** Contributions of nerves and metabolites to exercise vasodilation: a unifying hypothesis. 236,5:H705



- Honig, C. R., Feldstein, M. L., and Frierson, J. L. Capillary lengths, anastomoses, and estimated capillary transit times in skeletal muscle. 233,2:H122
- Honig, C. R., and Frierson, J. L. Neurons intrinsic to arterioles initiate postcontraction vasodilation. 230:493
- Honig, C. R., and Frierson, J. L. Role of adenosine in exercise vasodilation in dog gracilis muscle. 238,7:H703
- Honig, C. R., and Odoroff, C. L. Calculated dispersion of capillary transit times: significance for oxygen exchange. 240,9:H199
- Honig, C. R., Odoroff, C. L., and Frierson, J. L. Capillary recruitment in exercise: rate, extent, uniformity, and relation to blood flow. 238,7:H31
- Honig, C. R., Odoroff, C. L., and Frierson, J. L. Active and passive capillary control in red muscle at rest and in exercise. 243,12:H196
- Honig, C. R.  
see Feldstein, M. L.  
Henquell, L.
- Honig, S. see Eddy, L. J.
- Honma, K., and Hiroshige, T. Internal synchronization among several circadian rhythms in rats under constant light. 235,4:R243
- Honma, K., and Hiroshige, T. Endogenous ultradian rhythms in rats exposed to prolonged continuous light. 235,4:R250
- Honrath, U. see Wilson, D. R.
- Hood, V. L., Danforth, E., Jr., Horton, E. S., and Tannen, R. L. Impact of hydrogen ion on fasting ketogenesis: feedback regulation of acid production. 242,11:F238
- Hood, V. L. see Dunn, M. J.
- Hood, W. B., Jr.  
see Epstein, C. S.  
Liang, C.-S.  
Malsky, P. M.  
Vokonas, P. S.
- Hoogstraten, J. see Skoog, C.
- Hook, J. B.  
see Osborn, J. L.  
Wallace, K. B.
- Hooker, A. M., and Baldwin, K. M. Substrate oxidation specificity in different types of mammalian muscle. 236,5:C66
- Hooker, A. M. see Baldwin, K. M.
- Hookway, B. W. see McMurtry, I. F.
- Hootman, S. R., and Ernst, S. A. Dissociation of avian salt gland: separation procedures and characterization of dissociated cells. 238,7:C184
- Hootman, S. R., and Ernst, S. A. Effect of methacholine on Na<sup>+</sup> pump activity and ion content of dispersed avian salt gland cells. 241,10:R77
- Hootman, S. R., and Ernst, S. A. [<sup>3</sup>H]QNB binding to muscarinic receptors in intact avian salt gland cells. 243,12:C254
- Hootman, S. R., and Philpott, C. W. Accessory cells in teleost branchial epithelium. 238,7:R199
- Hoover, M. S. see Chapman, S. K.
- Hopfer, U. Isolated membrane vesicles as tools for analysis of epithelial transport. 233,2:E445
- Hopfer, U. Transport in isolated plasma membranes. 234,3:F89
- Hopfer, U.  
see Liedtke, C. M.  
Will, P. C.
- Hopkins, B. E. see Hougen, T. J.
- Hopkins, E. see Hersey, S. J.
- Hopkins, G. E. see Meyers, K. M.
- Hopp, F. A., Zuperku, E. J., Coon, R. L., and Kampine, J. P. Effect of anodal blockade of myelinated fibers on vagal C-fiber afferents. 239,8:R454
- Hopp, F. A. see Kostreva, D. R.
- Hoppe, A., Destro, M., and Knox, F. G. Effect of NH<sub>4</sub>Cl on phosphaturic response to PTH in the hamster: dissociation from acidemia. 239,2:E328
- Hoppe, A., Gmaz, P., Metler, M., and Angielski, S. Additive inhibition of renal bicarbonate reabsorption by maleate plus acetazolamide. 231:1258
- Hoppe, A., Metler, M., Berndt, T. J., Knox, F. G., and Angielski, S. Effect of respiratory alkalosis on renal phosphate excretion. 243,12:F471
- Hoppel, C. L., and Genuth, S. M. Carnitine metabolism in normal-weight and obese human subjects during fasting. 238,1:E409
- Hoppel, C. L., and Genuth, S. M. Urinary excretion of acetylcarnitine during human diabetic and fasting ketosis. 243,6:E168
- Horak, G. S. see Blättler, W.
- Hordof, A. J., Rose, E., Danilo, P., Jr., and Rosen, M. R.  $\alpha$ - and  $\beta$ -Adrenergic effects of epinephrine on ventricular pacemakers in dogs. 242,11:H677
- Hori, T., and Harada, Y. Midbrain neuronal responses to local and spinal cord temperatures. 231:1573
- Horikoshi, I. see Takeguchi, N.
- Horimoto, M. see Kakiuchi, Y.
- Horiuchi, J. K. see Tang, L. K.
- Horn, R., Brodwick, M. S., and Eaton, D. C. Effect of protein cross-linking reagents on membrane currents of squid axon. 238,7:C127
- Horner, J. A. see Feldman, D.
- Horowicz, P. Editorial. 232,1:C3
- Horowicz, P. see Spalding, B. C.
- Horowitz, J. see Berl, T.
- Horowitz, J. M., and Plant, R. E. Controlled cellular energy conversion in brown adipose tissue thermogenesis. 235,4:R121
- Horowitz, J. M.  
see Flaim, K. E.  
Longshore, M. A.
- Horowitz, S. B. see Frank, M.
- Horres, C. R., Aiton, J. F., and Lieberman, M. Potassium permeability of embryonic avian heart cells in tissue culture. 236,5:C163
- Horres, C. R. see Wheeler, D. M.
- Horsburgh, T., Cannon, J. K., and Pitts, R. F. Action of phlorizin on luminal and antiluminal membranes of proximal cells of kidney. 234,3:F485
- Horseman, N. D., and Ehret, C. F. Glucocorticosteroid injection is a circadian zeitgeber in the laboratory rat. 243,12:R373
- Horst, R. L., Jorgensen, N. A., and DeLuca, H. F. Plasma 1,25-dihydroxyvitamin D and parathyroid hormone levels in periparturient dairy cows. 235,4:E634
- Horster, M. Principles of nephron differentiation. 235,4:F387
- Horster, M.  
see Schmidt, U.  
Zink, H.
- Horstman, D. H., Gleser, M., and Delehunt, J. Effects of altering O<sub>2</sub> delivery on V<sub>O<sub>2</sub></sub> of isolated, working muscle. 230:327
- Horton, E. D. see Wardzala, L. J.
- Horton, E. S.  
see Hood, V. L.  
Wardzala, L. J.
- Horvath, S. M.  
see Avakian, E. V.  
Borgia, J. F.
- Horwitz, B. A., and Hanes, G. E. Propranolol and pyrogen effects on shivering and nonshivering thermogenesis in rats. 230:637
- Horwitz, B. A.  
see Flaim, K. E.  
Leung, P. M. B.  
O'Donnell, M. E.
- Horwitz, L. see Gross, P. A.
- Horwitz, L. D. Effects of intravenous anesthetic agents on left ventricular function in dogs. 232,1:H44
- Horwitz, L. D., Peterson, D. F., and Bishop, V. S. Effect of regional myocardial ischemia on cardiac pump performance during exercise. 234,3:H157
- Horwitz, L. D. see Fixler, D. E.
- Hosomi, H. Overall characteristics of arterial pressure control system studied by mild hemorrhage. 234,3:R104
- Hosomi, H. Unstable state of the arterial pressure control system after a mild hemorrhage. 235,4:R279
- Hosomi, H., and Sagawa, K. Effect of pentobarbital anesthesia on hypotension after 10% hemorrhage in the dog. 236,5:H607
- Hosomi, H., and Sagawa, K. Sinovagal interaction in arterial pressure restoration after 10% hemorrhage. 237,6:R203
- Hosomi, H., and Yokoyama, K. Estimation of open-loop gain of canine arterial pressure control system by a new method. 240,9:H832
- Hosomi, H., and Yokoyama, K. Lack of time-dependent augmentation of carotid sinus baroreflex system after vagotomy. 242,11:H580
- Hossler, F. E. Gill arch of the mullet, *Mugil cephalus*. III. Rate of response to salinity change. 238,7:R160
- Hostetter, T. H., Olson, J. L., Rennke, H. G., Venkatachalam, M. A., and Brenner, B. M. Hyperfiltration in remnant nephrons: a potentially adverse response to renal ablation. 241,10:F85
- Hostetter, T. H. see Brenner, B. M.
- Houck, P. C., and Luther, L. O. Regulation of adrenal blood flow: response to hemorrhagic hypotension. 241,10:H872
- Houck, P. C. see Nolan, W. F.
- Hougen, T. J., and Friedman, W. F. Age-related effects of digoxin on myocardial contractility and Na-K pump in sheep. 243,12:H517
- Hougen, T. J., Hopkins, B. E., and Smith, T. W. Insulin effects on monovalent cation transport and Na-K-ATPase activity. 234,3:C59
- Hough, S., Russell, J. E., Teitelbaum, S. L., and Avioli, L. V. Calcium homeostasis in chronic streptozotocin-induced diabetes mellitus in the rat. 242,5:E451
- Haupt, K. A., Haupt, T. R., and Pond, W. G. Food intake controls in the suckling pig: glucoprivation and gastrointestinal factors. 232,1:E510
- Haupt, K. A.  
see Anika, S. M.  
Haupt, T. R.
- Haupt, T. R., Anika, S. M., and Haupt, K. A. Preabsorptive intestinal satiety controls of food intake in pigs. 236,5:R328
- Haupt, T. R., Anika, S. M., and Wolff, N. C. Satiety effects of cholecystokinin and caerulein in rabbits. 235,4:R23
- Haupt, T. R.  
see Anika, S. M.  
Haupt, K. A.
- Houser, S. R., and Freeman, A. R. A simple method for volumetric measurements in isolated cardiac muscle. 236,5:H519
- Houser, S. R., and Freeman, A. R. Volumetric properties of intracellular compartments in canine cardiac Purkinje cells. 238,7:H561
- Houser, S. R., Freeman, A. R., Jaeger, J. M., Breisch, E. A., Coulson, R. L., Carey, R., and Spann, J. F. Resting potential changes associated with Na-K pump in failing heart muscle. 240,9:H168
- Houser, S. R. see Jaeger, J. M.



- Housmans, P. R.**  
see Goethals, M. A.  
Lecarpentier, Y. C.
- Hoversten, L. G.** see Francisco, L. L.
- Howard, B. V.** see Ishibashi, F.
- Howard, D.** see Azizi, F.
- Howe, D., and Gutknecht, J.** Role of urinary bladder in osmoregulation in marine teleost, *Opsanus tau*. 235,4:R48
- Howe, D.** see Kirschner, L. B.
- Howell, J. N., and Snowdowne, K. W.** Inhibition of tetanus tension by elevated extracellular calcium concentration. 240,9:C193
- Hradek, G.** see Goldfine, I. D.
- Hradek, G. T.** see Jones, A. L.
- Hruska, K.** see Slatopolsky, E.
- Hruska, K. A., Klahr, S., and Hammerman, M. R.** Decreased luminal membrane transport of phosphate in chronic renal failure. 242,11:F17
- Hruska, K. A.**  
see Cohn, D. E.  
Weinreb, S.
- Hsieh, C. P.** see Chou, C. C.
- Hsu, C. H., Slavicek, J. H., and Kurtz, T. W.** Segmental renal vascular resistance in the spontaneously hypertensive rat. 242,11:H961
- Hsu, D. W.** see Hedley-Whyte, E. T.
- Hsueh, A. J. W.** see Adashi, E. Y.
- Huang, C. T., Cardona, R., and Michelakis, A. M.** Existence of a new vasoactive factor in experimental hypertension. 234,3:E25
- Huang, K. C.**  
see Dinno, M. A.  
Kaufman, M. E.  
Williams, W. M.
- Huang, L.** see Silverman, M.
- Huang, M.-T., and Williams, M. A.** Essential fatty acid deficiency and plasma triglyceride turnover in rats. 238,1:E499
- Huang, S.-C., Phelps, M. E., Hoffman, E. J., Sideris, K., Selin, C. J., and Kuhl, D. E.** Noninvasive determination of local cerebral metabolic rate of glucose in man. 238,1:E69
- Huang, S.-C.** see Krivokapich, J.
- Huang, T. F., Carpenter, M. B., and Wang, S. C.** Fastigial nucleus and orthostatic reflex in cat and monkey. 232,1:H676
- Huang, W.-C., Plath, D. W., and Navar, L. G.** Angiotensin-mediated alterations in nephron function in Goldblatt hypertensive rats. 243,12:F553
- Hubbard, R. W., Matthew, W. T., Linduska, J. D., Curtis, F. C., Bowers, W. D., Leav, I., and Mager, M.** The laboratory rat as a model for hyperthermic syndromes in humans. 231:1119
- Hubel, K. A.** Intestinal ion transport: effect of norepinephrine, pilocarpine, and atropine. 231:252
- Hubel, K. A.** Effect of veratrine and 50 mM K on ileal transport and electrically induced secretion. 240,3:G211
- Hubel, K. A., and Callanan, D.** Effects of  $Ca^{++}$  on ileal transport and electrically induced secretion. 239,2:G18
- Huch, A.** see Wieland, P.
- Hudlická, O., Dodd, L., Renkin, E. M., and Gray, S. D.** Early changes in fiber profile and capillary density in long-term stimulated muscles. 243,12:H525
- Hudson, D. M.** see Bernstein, M. H.
- Hudson, J. W.** see Hulbert, A. J.
- Hudspeth, A. J., and Corey, D. P.** Controlled bending of high-resistance glass microelectrodes. 234,3:C56
- Huebers, H.** see Christensen, A. C.
- Huet, P.-M., Pomier-Layrargues, G., Duquay, L., and Du Souich, P.** Blood-brain transport of tryptophan and phenylalanine: effect of portacaval shunt in dogs. 241,4:G163
- Huet, P.-M.** see D'Amour, P.
- Huggins, R. A.**  
see Sheng, H. P.
- Hughes, M. J.** see Roberts, L. A.
- Hughes, M. R.** see Rader, J. I.
- Hughes, S. P. F., Davies, D. R., Bassingthwaite, J. B., Knox, F. G., and Kelly, P. J.** Bone extraction and blood clearance of diphosphonate in the dog. 232,1:H341
- Hughey, R. P., Rankin, B. B., and Curthoys, N. P.** Acute acidosis and renal arteriovenous differences of glutamine in normal and adrenalectomized rats. 238,7:F199
- Hugi, K., Bonjour, J.-P., and Fleisch, H.** Renal handling of calcium: influence of parathyroid hormone and 1,25-dihydroxyvitamin  $D_3$ . 236,5:F349
- Hui, S. W.** see Bentzel, C. J.
- Hui, Y. S. F.** see Northrup, T. E.
- Huikeshoven, F., Coleman, T. G., and Jongsma, H. W.** Mathematical model of the fetal cardiovascular system: the uncontrolled case. 239,8:R317
- Hukushima, Y.** see Rodbard, S.
- Hulbert, A. J., and Else, P. L.** Comparison of the "mammal machine" and the "reptile machine": energy use and thyroid activity. 241,10:R350
- Hulbert, A. J., and Hudson, J. W.** Thyroid function in a hibernator *Spermophilus tridecemlineatus*. 230:1211
- Hulbert, A. J.**  
see Augee, M. L.  
Else, P. L.
- Hull, F. E.** see Moore, K. H.
- Hulter, H. N., Bonner, E. L., Jr., Glynn, R. D., and Sebastian, A.** Renal and systemic acid-base effects of chronic spironolactone administration. 240,9:F381
- Hulter, H. N., Ilnicki, L. P., Harbottle, J. A., and Sebastian, A.** Impaired renal  $H^+$  secretion and  $NH_3$  production in mineralocorticoid-deficient glucocorticoid-replete dogs. 232,1:F136
- Hulter, H. N., Licht, J. H., Bonner, E. L., Jr., Glynn, R. D., and Sebastian, A.** Effects of glucocorticoid steroids on renal and systemic acid-base metabolism. 239,8:F30
- Hulter, H. N., Licht, J. H., Glynn, R. D., and Sebastian, A.** Renal acidosis in mineralocorticoid deficiency is not dependent on NaCl depletion or hyperkalemia. 236,5:F283
- Hulter, H. N., Licht, J. H., and Sebastian, A.**  $K^+$  deprivation potentiates the renal acid excretory effect of mineralocorticoid: obliteration by amiloride. 236,5:F48
- Hulter, H. N., Sebastian, A., Sigala, J. F., Licht, J. H., Glynn, R. D., Schambelan, M., and Biglieri, E. G.** Pathogenesis of renal hyperchloremic acidosis resulting from dietary potassium restriction in the dog: role of aldosterone. 238,7:F79
- Hulter, H. N., Sigala, J. F., and Sebastian, A.**  $K^+$  deprivation potentiates the renal alkalosis-producing effect of mineralocorticoid. 235,4:F298
- Hulter, H. N., Toto, R. D., Bonner, E. L., Jr., Ilnicki, L. P., and Sebastian, A.** Renal and systemic acid-base effects of chronic hypoparathyroidism in dogs. 241,10:F495
- Hultman, E.** see Sahlin, K.
- Hume, M. C.** see Vinten-Johansen, J.
- Humes, H. D., Simmons, C. F., Jr., and Brenner, B. M.** Interaction between antidiuretic and parathyroid hormones on urine concentration. 239,8:F244
- Humes, H. D., Simmons, C. F., Jr., and Brenner, B. M.** Effect of verapamil on the hydroosmotic response to antidiuretic hormone in toad urinary bladder. 239,8:F250
- Humes, H. D.**  
see Brenner, B. M.  
Ichikawa, I.
- Humes, J.** see Shizgal, H. M.
- Humphrey, J. L., Childs, M. T., Montes, A., and Knopp, R. H.** Lipid metabolism in pregnancy. VII. Kinetics of chylomicron triglyceride removal in fed pregnant rat. 239,2:E81
- Humphreys, M. H.** Inhibition of NaCl absorption from perfused rat ileum by furosemide. 230:1517
- Humphreys, M. H., and Chou, L. Y. N.** Anion-stimulated ATPase activity of brush border from rat small intestine. 236,5:E70
- Humphreys, M. H., Kaysen, G. A., Chou, L. Y., and Watson, J. B.** Anion-stimulated phosphohydrolase activity of intestinal alkaline phosphatase. 238,1:G3
- Humphreys, M. H.**  
see Al-Bander, H. A.  
Ayus, J. C.
- Humphries, T. J.** see Higga, R. H.
- Hunt, J. N.** A possible relation between the regulation of gastric emptying and food intake. 239,2:G1
- Hunt, J. N., and McHugh, P. R.** Does calcium mediate the slowing of gastric emptying in primates? 243,6:G200
- Hunt, J. N.** see Mary, D. A. S. G.
- Hunter, F. R., Fayad, R., and Mayorga, I.** Measurements of exit rates to distinguish between facilitated and simple diffusion. 231:332
- Hunter, F. R., Hays, R. M., Kaplan, M. A., and Hays, L.** Permeability of erythrocyte membranes (Letter to the Editor). 231:1879
- Hunter, W. C., Janicki, J. S., Weber, K. T., and Noordergraaf, A.** Flow-pulse response: a new method for the characterization of ventricular mechanics. 237,6:H282
- Hunter, W. C.** see Campbell, K. B.
- Hunter, W. S., Holmes, K. R., and Elizondo, R. S.** Thermal balance in ketamine-anesthetized rhesus monkey *Macaca mulatta*. 241,10:R301
- Hunter, W. S.** see Holmes, K. R.
- Huntsman, L. L., Day, S. R., and Stewart, D. K.** Nonuniform contraction in the isolated cat papillary muscle. 233,2:H613
- Huntsman, L. L., Joseph, D. S., Oiyee, M. Y., and Nichols, G. L.** Auxotonic contractions in cardiac muscle segments. 237,6:H131
- Hurley, J. P.** see Heusner, A. A.
- Hurley, L. S.**  
see Duncan, J. R.  
Mutch, P. B.
- Hurst, B. C.** see Flemström, G.
- Hurst, J. G.** see Jung, A.
- Hurst, R. O.** see Dinda, P. K.
- Hurst, T. W.** see Jones, C. E.
- Hurwitz, A.** Drug uptake into everted intestinal sacs. II. Inhibition of secretion by hypertonicity. 236,5:E57
- Hurwitz, A., and Guttman, Y.** Drug uptake into everted intestinal sacs. I. Enhancement by hypertonicity. 236,5:E52
- Husain, M. K.** see Daniel, S. S.
- Husted, R. F., and Steinmetz, P. R.** Potassium absorptive pump at the luminal membrane of turtle urinary bladder. 241,10:F315
- Hustvedt, B. E.** see Karakash, C.
- Hutchins, G. M.** see Jugdutt, B. I.
- Hutchins, P. M.**  
see Dusseau, J. W.  
Smith, T. L.
- Hutchinson, J. S.** see Di Nicolantonio, R.
- Hutchison, G. A.** see Hirschowitz, B. I.

**Hutchison, V. H.**, Bynum, G. D., and Pandolf, K. B. The concept of critical thermal maximum. (Letter to the Editor). 237,6:R367

**Hutiray, G.** *see* Eke, A.

**Huttemeier, P. C.**

*see* Peterson, M. B.

Schuetz, A. H.

**Huwylar, R.**, Born, W., Ohnhaus, E. E., and Fischer, J. A. Plasma kinetics and urinary excretion of exogenous human and salmon calcitonin in man. 236,5:E15

**Hwang, K. H.**

*see* Bourgoignie, J. J.

Favre, H.

**Hwang, N. H. C.** *see* Gross, D. R.

**Hwang, S.-M.** *see* Roth, K. S.

**Hyde, R. J.**, Lohse, C. L., and Testoni, F. J. Thermistor use to monitor urine flow rates in dogs. 234,3:F452

**Hyman, A.** *see* Greenberg, S.

**Hyman, A. L.**, Spannhake, E. W., Chapnick, B. M., McNamara, D. B., Mathe, A. A., and Kadowitz, P. J. Effect of dihomono- $\gamma$ -linolenic acid on the canine pulmonary vascular bed. 234,3:H133

**Hyman, A. L.**, Spannhake, E. W., and Kadowitz, P. J. Divergent responses to arachidonic acid in the feline pulmonary vascular bed. 239,8:H40

**Hyman, A. L.**

*see* Chapnick, B. M.

Gruetter, C. A.

**Hynes, R. A.**

*see* Donowitz, M.

Swabb, E. A.

**Hyun, C. S.**, and Kimmich, G. A. Effect of cholera toxin on cAMP levels and Na<sup>+</sup> influx in isolated intestinal epithelial cells. 243,12:C107

## I

**Iacino, D.**, Scheele, G. A., and Liebow, C. Secretory response of the rabbit pancreas to cholecystokinin stimulation. 239,2:G247

**Iadecola, C.** *see* Nakai, M.

**Ibarra, J.** *see* Longhurst, J. C.

**Iberall, A.** *see* Soodak, H.

**Iberall, A. S.** Hope for this journal—one view. 232,1:R4

**Iberall, A. S.** A field and circuit thermodynamics for integrative physiology. I. Introduction to the general notions. 233,2:R171

**Iberall, A. S.** A field and circuit thermodynamics for integrative physiology. III. Keeping the books—a general experimental method. 234,3:R85

**Iberall, A. S.** Some comparative scale factors for mammals: comments on Milnor's paper concerning a feature of cardiovascular design. 237,6:R7

**Iberall, A. S.**, Soodak, H., and Hassler, F. A field and circuit thermodynamics for integrative physiology. II. Power and communicational spectroscopy in biology. 234,3:R3

**Iberall, A. S.** *see* Bloch, E. H.

**Ichihara, K.**, and Abiko, Y. Inhibition of endo- and epicardial glycogenolysis by propranolol in ischemic hearts. 232,1:H349

**Ichihara, K.**, Neely, J. R., Siehl, D. L., and Morgan, H. E. Utilization of leucine by working rat heart. 239,2:E430

**Ichikawa, I.** Evidence for altered glomerular hemodynamics during acute nephron obstruction. 242,11:F580

**Ichikawa, I.** Direct analysis of the effector mechanism of the tubuloglomerular feedback system. 243,12:F447

**Ichikawa, I.**, and Brenner, B. M. Evidence for glomerular actions of ADH and dibutyl cyclic AMP in the rat. 233,2:F102

**Ichikawa, I.**, and Brenner, B. M. Local intrarenal vasoconstrictor-vasodilator interactions in mild partial ureteral obstruction. 236,5:F131

**Ichikawa, I.**, Humes, H. D., Dousa, T. P., and Brenner, B. M. Influence of parathyroid hormone on glomerular ultrafiltration in the rat. 234,3:F393

**Ichikawa, I.**, Maddox, D. A., and Brenner, B. M. Maturation development of glomerular ultrafiltration in the rat. 236,5:F465

**Ichikawa, I.**

*see* Baylis, C.

Schor, N.

**Ichikawa, S.** *see* Johnson, J. A.

**Idahl, L.-A.** *see* Gagerman, E.

**Ider, Y. Z.** *see* Bergman, R. N.

**Iga, T.**, Eaton, D. L., and Klaassen, C. D. Uptake of unconjugated bilirubin by isolated rat hepatocytes. 236,5:C9

**Igler, F. O.** *see* Purtock, R. V.

**Iguchi, A.**, Burleson, P. D., and Szabo, A. J. Transjugular hepatic vein cannulation in rats with nonisotopic in vivo verification. 237,6:H730

**Iguchi, A.**, Burleson, P. D., and Szabo, A. J. Decrease in plasma glucose concentration after microinjection of insulin into VMN. 240,3:E95

**Iijima, T.**

*see* Endoh, M.

Motomura, S.

**Iino, Y.**, and Burg, M. B. Effect of parathyroid hormone on bicarbonate absorption by proximal tubules in vitro. 236,5:F387

**Ikeda, H.**, Nishikawa, K., and Matsuo, T. Feeding responses of Zucker fatty rat to 2-deoxy-D-glucose, norepinephrine, and insulin. 239,2:E379

**Ikeda, N.** *see* Sato, T.

**Ilebekk, A.**, Lekven, J., and Kiil, F. Cardiac performance: independence of adrenergic inotropic and chronotropic effects. 234,3:H525

**Ilebekk, A.**, Lekven, J., and Kiil, F. Left ventricular asynergy during intracoronary isoproterenol infusion in dogs. 239,8:H594

**Ilebekk, A.**, Miller, M. M., and Kiil, F. Cardiac performance: independent effects of inotropy and preload at high heart rate. 236,5:H568

**Ilebekk, A.**, Thorvaldson, J., and Kiil, F. Left ventricular function during acute elevation of aortic blood pressure in dogs. 231,1:1476

**Ilebekk, A.** *see* Stokland, O.

**Illingworth, J.** *see* Schaffer, S. W.

**Illner, P.**

*see* Marques, P. R.

Steiner, R. A.

**Illowsky, B.** *see* Cohen, D. I.

**Ilnicki, L. P.** *see* Hulter, H. N.

**Ilsen, R. G.** *see* Strasberg, S. M.

**Imai, M.** Function of the thin ascending limb of Henle of rats and hamsters perfused in vitro. 232,1:F201

**Imai, M.**, and Kusano, E. Effects of arginine vasopressin on the thin ascending limb of Henle's loop of hamsters. 243,12:F167

**Imaizumi, T.**, Takeshita, A., Ashihara, T., and Nakamura, M. Salt loading augments vascular responses to indomethacin in stroke-prone SHR. 243,12:H360

**Imanishi, M.** *see* Okahara, T.

**Imon, M. A.** *see* White, J. F.

**Impicciatore, M.** *see* Taylor, I. L.

**Imura, H.** *see* Seino, S.

**Ince, A.** *see* Senekjian, H. O.

**Inciardi, J. F.** *see* Rossier, B. C.

**Inciarte, D.** *see* Chacin, J.

**Inciarte, D. J.**, Steffen, R. P., Dobbins, D. E., Swindall, B. T., Johnston, J., and Haddy, F. J. Cardiovascular effects of vanadate in the dog. 239,8:H47

**Indech, R. B.** *see* Yablonski, M. R.

**Inesi, G.**

*see* Dani, A. M.

Rieser, G.

**Ingbar, S. H.** *see* Theodoropoulos, T.

**Ingebrechtsen, C. G.**, Moreau, P., Hawelu-Johnson, C., and Ingebrechtsen, W. R., Jr. Performance of diabetic rat hearts: effects of anoxia and increased work. 239,8:H614

**Ingebrechtsen, C. G.** *see* Ingebrechtsen, W. R., Jr.

**Ingebrechtsen, W. R., Jr.**, Friedman, W. F., and Mayer, S. E. Isoproterenol-induced restoration of contraction in K<sup>+</sup>-depolarized hearts: relationship to cAMP. 241,10:H187

**Ingebrechtsen, W. R., Jr.**, Peralta, C., Monsher, M., Wagner, L. K., and Ingebrechtsen, C. G. Diabetes alters the myocardial cAMP-protein kinase cascade system. 240,9:H375

**Ingebrechtsen, W. R., Jr.** *see* Ingebrechtsen, C. G.

**Ingjer, F.** *see* Brodal, P.

**Ingram, F. D.** *see* Abel, P. W.

**Ingram, L. A.** *see* Scheel, K. W.

**Ingram, M. J.** *see* Abel, P. W.

**Ingram, R. H., Jr.** *see* Scharf, S. M.

**Ingwall, J. S.** Phosphorus nuclear magnetic resonance spectroscopy of cardiac and skeletal muscles. 242,11:H729

**Ingwall, J. S.**

*see* Kaufman, I. A.

Kloner, R. A.

Libby, P.

Roeske, W. R.

**Inomoto, T.**, and Simon, E. Extracerebral deep-body cold sensitivity in the Pekin duck. 241,10:R136

**Inoue, K.** *see* Takahashi, K.

**Inoue, S.**, Bray, G. A., and Mullen, Y. S. Transplantation of pancreatic B-cells prevents development of hypothalamic obesity in rats. 235,4:E266

**Inoue, S.**, Campfield, L. A., and Bray, G. A. Comparison of metabolic alterations in hypothalamic and high fat diet-induced obesity. 233,2:R162

**Inoue, S.** *see* Takeguchi, N.

**Intaglietta, M.**

*see* Fagrell, B.

Johnson, P. C.

Mahler, F.

**Inui, K.-I.**, Quaroni, A., Tillotson, L. G., and Isselbacher, K. J. Amino acid and hexose transport by cultured crypt cells from rat small intestine. 239,8:C190

**Ipp, E.**, Piran, U., Richter, H., Garberoglio, C., Moossa, A., and Rubenstein, A. H. Central control of peripheral circulating somatostatin in dogs: effect of 2-deoxyglucose. 243,6:E213

**Irish, J. M., III.** Secretion of prostaglandin E<sub>2</sub> by rabbit proximal tubules. 237,6:F268

**Irish, J. M., III.**, and Dantzer, W. H. PAH transport and fluid absorption by isolated perfused frog proximal renal tubules. 230:1509

**Irwin, G.** *see* Worgul, T. J.

**Isaia, J.**

*see* Garcia-Romeu, F.

Haywood, G. P.

**Ishibashi, F.**, Bennett, P. H., and Howard, B. V. Alloxan action on glucose metabolism in cultured fibroblasts. II. Effects on pentose-monophosphate shunt and tricarboxylic acid pathways. 240,3:E645

- Ishibashi, F.**, Hidaka, H., Fields, R. M., Howard, B. V., and Bennett, P. H. Alloxan action on glucose metabolism in cultured fibroblasts. I. Stimulation and inhibition of glucose utilization. 240,3:E640
- Ishikawa, H.** see Naito, N.
- Ishikawa, K.**, and Shimazu, T. Circadian rhythm of liver glycogen metabolism in rats: effects of hypothalamic lesions. 238,1:E21
- Ishikawa, K.** see Seino, S.
- Ishikawa, S.**, and Vassalle, M. Different forms of spontaneous discharge induced by strophanthidin in cardiac Purkinje fibers. 243,12:H767
- Ishimori, T.** see Himori, N.
- Ishise, S.**, Pegram, B. L., Yamamoto, J., Kitamura, Y., and Frohlich, E. D. Reference sample microsphere method: cardiac output and blood flows in conscious rat. 239,8:H443
- Ishise, S.** see Yamamoto, J.
- Ismael-Beigi, F.** see Somjen, D.
- Issekutz, B., Jr.** Effects of glucose infusion on hepatic and muscle glycogenolysis in exercising dogs. 240,3:E451
- Issekutz, B., Jr.**, and Vranic, M. Role of glucagon in regulation of glucose production in exercising dogs. 238,1:E13
- Issebacher, K. J.** see Inui, K.-I.
- May, R. J.**
- Issbiki, S.** see Itoh, Z.
- Ito, H.**, and Coe, F. L. Acidic peptide and polynucleotide crystal growth inhibitors in human urine. 233,2:F455
- Ito, H.** see Yamakoshi, K.-I.
- Ito, K.**, Kojima, S., Suzuki, T., and Nakamura, T. Changes in renal papillary blood flow with progression of SHR hypertension. 236,5:F36
- Ito, S.**, and Surawicz, B. Effect of tetraethylammonium chloride on action potential in cardiac Purkinje fibers. 241,10:H139
- Ito, S.** see Berglinth, T.
- Ito, T.** see Kachi, T.
- Ito, Y.** see Kuriyama, H.
- Itoh, T.** see Kuriyama, H.
- Suzuki, H.**
- Itoh, Z.**, Aizawa, I., Honda, R., Takeuchi, S., and Mori, K. Regular and irregular cycles of interdigestive contractions in the stomach. 238,1:G85
- Itoh, Z.**, Aizawa, I., and Takeuchi, S. Neural regulation of interdigestive motor activity in canine jejunum. 240,3:G324
- Itoh, Z.**, Honda, R., and Aizawa, I. Diurnal pH changes in duodenum of conscious dogs. 238,1:G91
- Itoh, Z.**, Honda, R., and Hiyatashi, K. Biphasic secretory response of exocrine pancreas to feeding. 238,1:G332
- Itoh, Z.**, and Takahashi, I. Periodic contractions of the canine gallbladder during the interdigestive state. 240,3:G183
- Itoh, Z.**, Takahashi, I., Nakaya, M., and Suzuki, T. Variation in canine exocrine pancreatic secretory activity during the interdigestive state. 241,4:G98
- Itoh, Z.**, Takayanagi, R., Takeuchi, S., and Isshiki, S. Interdigestive motor activity of Heidenhain pouches in relation to main stomach in conscious dogs. 234,3:E333
- Itoh, Z.** see Takahashi, I.
- Itskovitz, J.**, Goetzman, B. W., and Rudolph, A. M. Effects of hemorrhage on umbilical venous return and oxygen delivery in fetal lambs. 242,11:H543
- Itskovitz, J.**, and Rudolph, A. M. Denervation of arterial chemoreceptors and baroreceptors in fetal lambs in utero. 242,11:H916
- Ivy, J. L.** Role of insulin during exercise-induced glycogenesis in muscle: effect on cyclic AMP. 233,2:E509
- Ivy, J. L.**, and Holloszy, J. O. Persistent increase in glucose uptake by rat skeletal muscle following exercise. 241,10:C200
- Ivy, J. L.** see Hintz, C. S.
- Iwai, J.** see Goto, A.
- Ohanian, E. V.**
- Iwamoto, G. A.** see Ashton, J. H.
- Iwamoto, H. S.**, and Rudolph, A. M. Role of renin-angiotensin system in response to hemorrhage in fetal sheep. 240,9:H848
- Iwamoto, Y.**, and Williams, J. A. Inhibition of pancreatic  $\alpha$ -aminoisobutyric acid uptake by cholecystokinin and other secretagogues. 238,1:G440
- Iwamoto, Y.** see Kasuga, M.
- Korc, M.**
- Sankaran, H.**
- Iwamura, N.**, and Bishop, V. S. Afferent pathways of reflex hypotension and bradycardia during coronary occlusion. 239,8:H172
- Iwao, H.**, Lin, C.-S., and Michelakis, A. M. Effect of adrenergic agonists on big and small renin. 238,1:E416
- Iwao, H.** see Lin, C.-S.
- Iwatsuka, H.** see Nagaoka, A.
- Tsuda, M.**
- Ixart, G.** see Szafarczyk, A.
- Iyengar, R.**, Mailman, D. S., and Sachs, G. Purification of distinct plasma membranes from canine renal medulla. 234,3:F247
- Izquierdo, C.** see Hillis, L. D.
- Izumi, A.** see Himori, N.
- Izutsu, K. T.** see Oberg, S. G.

## J

- Jabinski, M. P.** see Biancani, P.
- Jablecki, C.**, Dienstag, J., and Kaufman, S. [ $^3$ H]inositol incorporation into phosphatidyl-inositol in work-induced growth of rat muscle. 232,1:E324
- Jablonska, M.** see Eilam, Y.
- Jackson, A. S.** see Ward, A.
- Jackson, B. A.** see Brown, J. A.
- Edwards, R. M.**
- Jackson, B. T.** see Cohen, W. R.
- Jackson, D. C.**, and Kagen, R. D. Effects of temperature transients on gas exchange and acid-base status of turtles. 230:1389
- Jackson, D. C.** see Gottlieb, G.
- Hitzig, B. M.**
- Kraus, D. R.**
- Jackson, D. L.** see Dole, W. P.
- Jackson, E. K.** see Campbell, W. B.
- Jackson, G. L.** see Liu, T.-C.
- Jackson, M. J.**, Tai, C.-Y., and Steane, J. E. Weak electrolyte permeation in alimentary epithelia. 240,3:G191
- Jackson, R. J.** see Sachs, G.
- Jackson, T. E.**, Guyton, A. C., and Hall, J. E. Transient response of glomerular filtration rate and renal blood flow to step changes in arterial pressure. 233,2:F396
- Jackson, T. E.** see Hall, J. E.
- Young, D. B.**
- Jackson, W. F.**, and Fromm, P. O. Factors affecting  $^3$ H<sub>2</sub>O transfer capacity of isolated trout gills. 240,9:R235
- Jacky, J. P.** see Guntheroth, W. G.
- Jacobowitz, D. M.** see Feuerstein, G.
- Jacobs, A. M.** see Nellis, S. H.
- Jacobs, F. A.**, Winter, T. W., and Sandstead, H. H. Mesenteric lymph proteins in zinc-deficient rats. 236,5:E180
- Jacobs, H. K.**, and South, F. E. Effects of temperature on cardiac transmembrane potentials in hibernation. 230:403
- Jacobs, H. L.** see Adachi, A.
- Jacobs, M. L.**, Okada, R. D., Daggett, W. M., Fowler, B. N., Strauss, H. W., Geffin, G., and Pohost, G. M. Regional myocardial radiotracer kinetics in dogs using miniature radiation detectors. 242,11:H849
- Jacobs, M. L.** see Lorell, B. H.
- Vasu, M. A.**
- Jacobs, S.** see Mavroudis, C.
- Jacobs, T. P.**, Henry, D. F., Johnson, D. G., and Williams, R. H. Epinephrine and dopamine  $\beta$ -hydroxylase secretion from bovine adrenal. 234,3:E600
- Jacobson, E. D.**, Gallavan, R. H., Jr., and Fondacaro, J. D. A model of the mesenteric circulation. 242,5:G541
- Jacobson, E. D.** see Banks, R. O.
- Mailman, D.**
- Pawlik, W. W.**
- Shepherd, A. P.**
- Walus, K. M.**
- Jacobson, H. R.** Altered permeability in the proximal tubule response to cyclic AMP. 236,5:F71
- Jacobson, H. R.** Effects of CO<sub>2</sub> and acetazolamide on bicarbonate and fluid transport in rabbit proximal tubules. 240,9:F54
- Jacobson, H. R.** Functional segmentation of the mammalian nephron. 241,10:F203
- Jacobson, H. R.**, Kokko, J. P., Seldin, D. W., and Holmberg, C. Lack of solvent drag of NaCl and NaHCO<sub>3</sub> in rabbit proximal tubules. 243,12:F342
- Jacobson, H. R.** see Holmberg, C.
- Jacobson, M. P.**, Rodriguez, H. J., Hogan, W. C., and Klahr, S. Mechanism of activation of renal Na<sup>+</sup>-K<sup>+</sup>-ATPase in the rat: effects of reduction of renal mass. 239,8:F281
- Jacoby, M.** see Schlondorff, D.
- Jacquez, J. A.** see Foster, D. M.
- Jaeger, J. M.**, Houser, S. R., Freeman, A. R., and Spann, J. F., Jr. Effect of thyroid hormone on canine cardiac Purkinje fiber transmembrane potential. 240,9:H934
- Jaeger, J. M.** see Houser, S. R.
- Jaeger, P.** see Karlmark, B.
- Jaffe, B. M.** see Paquette, T. L.
- Parks, D. L.**
- Zinner, M. J.**
- Jaffe, L. F.** see Barker, A. T.
- Jaffe, M. J.** see Altevater, R. J.
- Jaffe, R. A.** see Sampson, S. R.
- Jahjah, L.** see Bukowiecki, L.
- Jaillon, P.** see Winkle, R. A.
- Jain, R. K.** see Pierson, R. N., Jr.
- Jakinovich, W., Jr.**, and Osborn, D. W. Zinc nutrition and salt preference in rats. 241,10:R233
- Jakobsson, E.** Interactions of cell volume, membrane potential, and membrane transport parameters. 238,7:C196
- Jalife, J.**, Hamilton, A. J., Lamanna, V. R., and Moe, G. K. Effects of current flow on pacemaker activity of the isolated kitten sinoatrial node. 238,7:H307
- Jalife, J.**, Hamilton, A. J., and Moe, G. K. Desensitization of the cholinergic receptor in the sinoatrial cell of the kitten. 238,7:H439
- James, L. S.** see Daniel, S. S.



- James, T. N.**  
see Hageman, G. R.  
Katholi, R. E.  
Urthaler, F.  
Woods, W. T.
- Jamieson, J. M.** see Deen, W. M.
- Jamison, R. L.,** Roinel, N., and De Rouffignac, C. Urinary concentrating mechanism in the desert rodent *Psammomys obesus*. 236,5:F448
- Jamison, R. L.,** Sonnenberg, H., and Stein, J. H. Questions and replies: role of the collecting tubule in fluid, sodium, and potassium balance. 237,6:F247
- Jamison, R. L.,** Work, J., and Schafer, J. A. New pathways for potassium transport in the kidney. 242,11:F297
- Jamison, R. L.**  
see Braun, E. J.  
Dobyan, D. C.  
Gelbart, D. R.  
Gussis, G. L.  
Roy, D. R.  
Sanjana, V. M.
- Jan, K. M.,** and Chien, S. Effect of hematocrit variations on coronary hemodynamics and oxygen utilization. 233,2:H106
- Jan, K.-M.,** Heldman, J., and Chien, S. Coronary hemodynamics and oxygen utilization after hematocrit variations in hemorrhage. 239,8:H326
- Janicki, J. S.,** and Weber, K. T. Ejection pressure and the diastolic left ventricular pressure-volume relation. 232,1:H545
- Janicki, J. S.,** and Weber, K. T. The pericardium and ventricular interaction, distensibility, and function. 238,7:H494
- Janicki, J. S.,** Weber, K. T., Gochman, R. F., Shroff, S., and Geheb, F. J. Three-dimensional myocardial and ventricular shape: a surface representation. 241,10:H1
- Janicki, J. S.**  
see Hunter, W. C.  
Weber, K. T.
- Janis, R. A.,** Crankshaw, D. J., and Daniel, E. E. Control of intracellular  $Ca^{2+}$  activity in rat myometrium. 232,1:C50
- Janjic, D.,** Wollheim, C. B., and Sharp, G. W. G. Selective inhibition of glucose-stimulated insulin release by dantrolene. 243,6:E59
- Jankowska, L.,** and Grieb, P. Relationship between arterial and cisternal CSF oxygen tension in rabbits. 236,5:F220
- Janse, M. J.** see Billellet, J.
- Jansen, V.** see Dancis, J.
- Janssen, H.** see Holloway, L. S., Jr.
- Janssen, H. F.,** Lutherer, L. O., and Barnes, C. D. An observed pressor effect of the cerebellum during endotoxin shock in the dog. 240,9:H368
- Janssen, J. T.** see Botelho, S. Y.
- Janssens, J.** see Eeckhout, C.
- Janssens, W. J.,** and Vanhoutte, P. M. Instantaneous changes of alpha-adrenoceptor affinity caused by moderate cooling in canine cutaneous veins. 234,3:H330
- Janz, R. F.** Estimation of local myocardial stress. 242,11:H875
- Janz, R. F.,** Kubert, B. R., Pate, E. F., and Moriarty, T. F. Effect of shape on pressure-volume relationships of ellipsoidal shells. 238,7:H917
- Jarmakani, J. M.,** Nagatomo, T., Nakazawa, M., and Langer, G. A. Effect of hypoxia on myocardial high-energy phosphates in the neonatal mammalian heart. 235,4:H475
- Jarmakani, J. M.,** Nakanishi, T., and Jarmakani, R. N. Effect of hypoxia on calcium exchange in neonatal mammalian myocardium. 237,6:H612
- Jarmakani, J. M.,** Nakazawa, M., Nagatomo, T., and Langer, G. A. Effect of hypoxia on mechanical function in the neonatal mammalian heart. 235,4:H469
- Jarmakani, J. M.**  
see Hoerter, J.  
Nakanishi, T.  
Nishioka, K.
- Jarmakani, R. N.** see Jarmakani, J. M.
- Járos, G. G.,** Maier, H., Podzuweit, T., Von Gülich, M., and Schindler, J. G. Transient response of the calcium homeostatic system of the conscious pig to bolus calcium injections. 243,12:R125
- Jarrell, J. A.,** Mills, J. W., and King, J. G. A mass spectrometer to measure trans epithelial unidirectional labeled water fluxes. 241,10:C86
- Jaski, B.** see Pine, M. B.
- Jaspan, J. B.,** Polonsky, K. S., Lewis, M., Pensler, J., Pugh, W., Moossa, A. R., and Rubenstein, A. H. Hepatic metabolism of glucagon in the dog: contribution of the liver to overall metabolic disposal of glucagon. 240,3:E233
- Jaspan, J. B.** see Röjdmarm, S.
- Jaworek, J.** see Konturek, S. J.
- Jeanneret, C.** see Blättler, W.
- Jeanrenaud, B.**  
see Bereiter, D. A.  
Berthoud, H. R.  
Karakash, C.  
Le Marchand-Brustel, Y.  
Loren, E. G.  
Seydoux, J.  
Trimble, E. R.  
Wardzala, L. J.
- Jeevanandam, M.** see Birkhahn, R. H.
- Jefferson, L. S.**  
see Flaim, K. E.  
Li, J. B.  
Peavy, D. E.  
Rannels, D. E.  
Rannels, S. R.
- Jehle, J.** see Sakurada, O.
- Jehn, D. W.** see Fink, A. S.
- Jellinek, M.** see Kaminski, D. L.
- Jen, K.-L. C.** see Hansen, B. C.
- Jenkins, J. J.** see Klein, A. H.
- Jennings, D. B.,** and Tobin, P. A chronic cannula for obtaining CSF from the cisterna magna of awake dogs. 236,5:R132
- Jensen, J.** see Pedersen, O.
- Jensen, R. T.,** Tatamoto, K., Mutt, V., Lemp, G. F., and Gardner, J. D. Actions of a newly isolated intestinal peptide PHI on pancreatic acini. 241,4:G498
- Jensen, R. T.**  
see Barlas, N.  
Collins, S. M.  
Gardner, J. D.  
Lee, P. C.  
Raufman, J.-P.  
Villanueva, M. L.
- Jensen, S. L.,** Fahrenkrug, J., Holst, J. J., Kühl, C., Nielsen, O. V., and Schaffalitzky de Muckadell, O. B. Secretory effects of secretin on isolated perfused porcine pancreas. 235,4:E381
- Jensen, S. L.,** Fahrenkrug, J., Holst, J. J., Nielsen, O. V., and Schaffalitzky de Muckadell, O. B. Secretory effects of VIP on isolated perfused porcine pancreas. 235,4:E387
- Jensen, S. L.,** Rehfeld, J. F., Holst, J. J., Fahrenkrug, J., Nielsen, O. V., and Schaffalitzky de Muckadell, O. B. Secretory effects of gastrin on isolated perfused porcine pancreas. 238,1:E186
- Jensen, S. L.** see Fahrenkrug, J.
- Jessee, S. D.** see Watlington, C. O.
- Jessen, C.** see Simon-Oppermann, C.
- Jester, J.** see Consigny, P. M.
- Jester, J. A.** see Mavroudis, C.
- Jevning, R.,** Wilson, A. F., Smith, W. R., and Morton, M. E. Redistribution of blood flow in acute hypometabolic behavior. 235,4:R89
- Ji, S.,** Chance, B., Nishiki, K., Smith, T., and Rich, T. Micro-light guides: a new method for measuring tissue fluorescence and reflectance. 236,5:C144
- Jimerson, D. C.** see Feuerstein, G.
- Jirakulomchok, D.,** and Schneyer, C. A. Effects on rat parotid amylase and Ca of  $\alpha$ - and  $\beta$ -adrenergic sympathetic stimulation. 236,5:E371
- Jobin, J.,** Nawar, T., Caron, C., and Plante, G. E. Effect of acetazolamide on renal bicarbonate reabsorption in volume-expanded dogs. 232,1:F484
- Johannessen, J.,** Lie, M., and Kiil, F. Effect of glycine and glucagon on glomerular filtration and renal metabolic rates. 233,2:F61
- Johannessen, J.,** Lie, M., and Kiil, F. Renal energy metabolism and sodium reabsorption after 2,4-dinitrophenol administration. 233,2:F207
- Johannessen, J.,** Lie, M., Mathisen, Ø., and Kiil, F. Dopamine-induced dissociation between renal metabolic rate and sodium reabsorption. 230:1126
- Johannessen, J.,** Omvik, P., Jr., and Kiil, F. Hemodynamic mechanisms influencing sodium excretion during angiotensin infusion. 230:1042
- Johansen, K.**  
see Poupa, O.  
Wood, S. C.
- Johansen, S.** see Keiding, S.
- Johanson, C. E.**  
see Parandoosh, Z.  
Smith, Q. R.
- Johansson, B.,** Ljung, B., Hellstrand, P., Uvelius, B., Sigurdsson, S. B., Turlapaty, P. D. M. V., Altura, B. T., and Altura, B. M. Effects of Tris on vascular smooth muscle (Letter to the Editor). 237,6:H409
- John-Alder, H. B.,** and Bennett, A. F. Thermal dependence of endurance and locomotor energetics in a lizard. 241,10:R342
- Johns, B. L.,** and Rothe, C. F. Delayed vascular compliance and fluid exchange in the canine intestine. 234,3:H660
- Johns, B. L.**  
see Friedman, J. J.  
Rothe, C. F.
- Johns, C.** see Gennari, F. J.
- Johns, C. A.** see Madias, N. E.
- Johnson, A. K.,** and Buggy, J. Periventricular preoptic-hypothalamus is vital for thirst and normal water economy. 234,3:R122
- Johnson, A. K.,** Mann, J. F. E., Rascher, W., Johnson, J. K., and Ganten, D. Plasma angiotensin II concentrations and experimentally induced thirst. 240,9:R229
- Johnson, A. K.**  
see Bealer, S. L.  
Buggy, J.  
Fink, G. D.  
Mann, J. F. E.  
Rettig, R.
- Johnson, A. L.** see Rowe-Murphy, D. L.
- Johnson, B.** see Vander, A. J.
- Johnson, C.** see Baldwin, D., Jr.
- Johnson, D. G.**  
see Chidekel, E. W.  
Dillman, E.  
Dillmann, E.  
Jacobs, T. P.  
Marques, P. R.  
Werner, P. L.
- Johnson, D. J.,** and Anderson, G. H. Prediction of plasma amino acid concentration from diet amino acid content. 243,12:R99



- Johnson, D. W.** *see* Smith, D. G.
- Johnson, J. A.,** Davis, J. O., Gotshall, R. W., Lohmeier, T. E., Davis, J. L., Braverman, B., and Tempel, G. E. Evidence for an intrarenal beta receptor in control of renin release. 230:410
- Johnson, J. A.,** Ichikawa, S., Kurz, K. D., Fowler, W. L., Jr., and Payne, C. G. Pressor responses to vasopressin in rabbits with 3-day renal artery stenosis. 240,9:H862
- Johnson, J. A.,** Kurz, K. D., Siripaisarnpipat, S., Zeigler, D. W., and Payne, C. G. Fluid volumes and pressor responsiveness in two-kidney rabbits with renal artery stenosis. 243,12:H779
- Johnson, J. A.,** Stubbs, D. H., Stanton, M., Payne, C., Ichikawa, S., and Keitzer, W. F. Effect of sodium depletion and angiotensin II antagonism in renal hypertensive rabbits. 233,2:H514
- Johnson, J. A.**  
*see* Kastner, P. R.  
Siripaisarnpipat, S.  
Vargas, F. F.
- Johnson, J. C.** *see* Hagen, E. C.
- Johnson, J. H.**  
*see* Brodrick, J. W.  
Geokas, M. C.  
Largman, C.
- Johnson, J. K.** *see* Johnson, A. K.
- Johnson, J. P.,** Green, S., and Schwartz, J. H. Two modes of phosphate transport by turtle urinary bladder. 238,7:F31
- Johnson, J. P.,** Steele, R. E., Perkins, F. M., Wade, J. B., Preston, A. S., Green, S. W., and Handler, J. S. Epithelial organization and hormone sensitivity of toad urinary bladder cells in culture. 241,10:F129
- Johnson, J. P.** *see* Handler, J. S.
- Johnson, L. R.** Coming of age (Editorial). 238,1:G1
- Johnson, L. R.,** Dudrick, S. J., and Guthrie, P. D. Stimulation of pancreatic growth by intraduodenal amino acids and HCl. 239,2:G400
- Johnson, L. R.,** and Guthrie, P. D. Stimulation of rat oxyntic gland mucosal growth by epidermal growth factor. 238,1:G45
- Johnson, L. R.,** Peitsch, W., and Takeuchi, K. Mucosal gastrin receptor. VIII. Sex-related differences in binding. 243,6:G469
- Johnson, L. R.,** Schanbacher, L. M., Dudrick, S. J., and Copeland, E. M. Effect of long-term parenteral feeding on pancreatic secretion and serum secretin. 233,2:E524
- Johnson, L. R.**  
*see* Dembinski, A. B.  
Ecknauer, R.  
Enochs, M. R.  
Majumdar, A. P. N.  
Mukhopadhyay, A. K.  
Peitsch, W.  
Ryan, G. P.  
Sircar, B.  
Speir, G. R.  
Takeuchi, K.  
Thor, P. J.
- Johnson, L. W.,** and Smith, C. H. Monosaccharide transport across microvillous membrane of human placenta. 238,7:C160
- Johnson, M.,** Ramey, E., and Ramwell, P. W. Androgen-mediated sensitivity in platelet aggregation. 232,1:H381
- Johnson, M. A.** *see* Goto, A.
- Johnson, M. D.,** and Barger, A. C. Circulating catecholamines in control of renal electrolyte and water excretion. 240,9:F192
- Johnson, M. D.,** Fahri, E. R., Troen, B. R., and Barger, A. C. Plasma epinephrine and control of plasma renin activity: possible extrarenal mechanisms. 236,5:H854
- Johnson, M. D.,** Kinter, L. B., and Beeuwkes, R., III Effects of AVP and DDAVP on plasma renin activity and electrolyte excretion in conscious dogs. 236,5:F66
- Johnson, M. D.,** and Malvin, R. L. Stimulation of renal sodium reabsorption by angiotensin II. 232,1:F298
- Johnson, M. D.,** Park, C. S., and Malvin, R. L. Antidiuretic hormone and the distribution of renal cortical blood flow. 232,1:F111
- Johnson, M. D.,** Shier, D. N., and Barger, A. C. Circulating catecholamines and control of plasma renin activity in conscious dogs. 236,5:H463
- Johnson, M. D.** *see* Fray, J. C. S.
- Johnson, P. C.,** Burton, K. S., Henrich, H., and Henrich, U. Effect of occlusion duration on reactive hyperemia in sartorius muscle capillaries. 230:715
- Johnson, P. C.,** and Intaglietta, M. Contributions of pressure and flow sensitivity to autoregulation in mesenteric arterioles. 231:1686
- Johnson, P. C.**  
*see* Bohlen, H. G.  
Burrows, M. E.  
Henrich, H.  
Klabunde, R. E.  
Klitzman, B.  
Sheng, H. P.  
Sullivan, S. M.
- Johnson, P. R.**  
*see* Faust, I. M.  
Turkenkopf, I. J.
- Johnson, P. T.** *see* Powell, D. W.
- Johnson, R. H.** *see* Eisenhofer, G.
- Johnson, R. L., Jr.** *see* Cassidy, S. S.
- Johnson, R. P.** *see* Livnat, A.
- Johnson, V.,** and Maack, T. Renal excretion, filtration, absorption, and catabolism of growth hormone. 233,2:F185
- Johnston, C. I.**  
*see* Pullan, P. T.  
Woodcock, E. A.  
Woods, R. L.
- Johnston, J.** *see* Inciarte, D. J.
- Johnston, J. W.** *see* Jungreis, A. M.
- Johnston, M. H.** *see* Crawshaw, L. I.
- Johnston, P. A.,** and Selkurt, E. E. Effect of hemorrhagic shock on renal release of prostaglandin E. 230:831
- Johnston, P. A.** *see* Sanjana, V. M.
- Johnstone, N.** *see* Charney, A. N.
- Jolicœur, L.** *see* Morisset, J.
- Jolly, D. W.,** Craig, C., and Nelson, T. E., Jr. Estrogen and prothrombin synthesis: effect of estrogen on absorption of vitamin K<sub>1</sub>. 232,1:H12
- Jolly, S. R.,** and Gross, G. J. Improvement in ischemic myocardial blood flow following a new calcium antagonist. 239,8:H163
- Jones, A. L.,** Hradek, G. T., Renston, R. H., Wong, K. Y., Karlaganis, G., and Paumgartner, G. Autoradiographic evidence for hepatic lobular concentration gradient of bile acid derivative. 238,1:G233
- Jones, A. L.** *see* Goldfine, I. D.
- Jones, A. W.**  
*see* Cox, R. H.  
Garwitz, E. T.  
Kamm, K. E.  
Koehler, M. F.
- Jones, C. E.,** Beck, L. Y., DuPont, E., and Barnes, G. E. Effects of coronary ligation on the chronically sympathectomized dog ventricle. 235,4:H429
- Jones, C. E.,** Hurst, T. W., and Randall, J. R. Effect of aminophylline on coronary functional hyperemia and myocardial adenosine. 243,12:H480
- Jones, C. E.,** and Mayer, L. R. Nonmetabolically coupled coronary vasodilatation during inosine infusion in dogs. 238,7:H569
- Jones, C. E.,** and Scheel, K. W. Reduced coronary collateral resistances after chronic ventricular sympathectomy. 238,7:H196
- Jones, C. E.,** Thomas, J. X., Jr., Devous, M. D., Norris, C. P., and Smith, E. E. Positive inotropic response to inosine in the *in situ* canine heart. 233,2:H438
- Jones, C. T.** *see* Rolph, T. P.
- Jones, D. A.** *see* Faulkner, J. A.
- Jones, D. L.,** and Mogenson, G. J. Nucleus accumbens to globus pallidus GABA projection subserving ambulatory activity. 238,7:R65
- Jones, D. P.,** and Kennedy, F. G. Intracellular oxygen supply during hypoxia. 243,12:C247
- Jones, D. R.,** and Bamford, O. S. Open-loop respiratory chemosensitivity in chickens and ducks. 230:861
- Jones, D. R.,** Milsom, W. K., and Gabbott, G. R. J. Role of central and peripheral chemoreceptors in diving responses of ducks. 243,12:R537
- Jones, D. R.,** Milsom, W. K., and West, N. H. Cardiac receptors in ducks: the effect of their stimulation and blockade on diving bradycardia. 238,7:R50
- Jones, D. R.**  
*see* Bryan, R. M., Jr.  
Butt, T. J.  
Lillo, R. S.
- Jones, E. E.** *see* Molitch, M.
- Jones, G.**  
*see* Mueggler, P. A.  
Reddy, G. S.  
Rosenthal, A. M.
- Jones, J. H.** *see* Grubb, B.
- Jones, J. L.,** and Jones, R. E. Determination of safety factor for defibrillator waveforms in cultured heart cells. 242,11:H662
- Jones, J. L.,** Lepeschkin, E., Jones, R. E., and Rush, S. Response of cultured myocardial cells to countershock-type electric field stimulation. 235,4:H214
- Jones, M. D., Jr.,** Sheldon, R. E., Peeters, L. L., Makowski, E. L., and Meschia, G. Regulation of cerebral blood flow in the ovine fetus. 235,4:H162
- Jones, M. D., Jr.,** Traystman, R. J., Simmons, M. A., and Molteni, R. A. Effects of changes in arterial O<sub>2</sub> content on cerebral blood flow in the lamb. 240,9:H209
- Jones, M. D., Jr.**  
*see* Koehler, R. C.
- Jones, R. A.**  
*see* Rosenberg, A. A.
- Jones, M. R.** *see* Pardridge, W. M.
- Jones, R. E.** *see* Jones, J. L.
- Jones, R. G.** *see* Thrasher, T. N.
- Jones, R. M.,** LaRoche, F. T., Jr., and Tenney, S. M. Role of arginine vasopressin on fluid and electrolyte balance in rats exposed to high altitude. 240,9:R182
- Jones, R. M.,** Terhaard, C., Zullo, J., and Tenney, S. M. Mechanism of reduced water intake in rats at high altitude. 240,9:R187
- Jones, R. S.** Effect of insulin on canalicular bile formation. 231:40
- Jones, R. S.** *see* Meyer, J. H.
- Jones, R. T.** *see* Mueggler, P. A.
- Jones, S.** *see* Randall, W. C.
- Jones, S. B.,** Euler, D. E., Hardie, E., Randall, W. C., and Brynjolfsson, G. Comparison of SA nodal and subsidiary atrial pacemaker function and location in the dog. 234,3:H471

- Jones, S. B., Euler, D. E., Randall, W. C., Brynjolfsson, G., and Hardie, E. L.** Atrial ectopic foci in the canine heart: hierarchy of pacemaker automaticity. 238,7:H788
- Jones, S. B., Musacchia, X. J., and Tempel, G. E.** Mechanisms of temperature regulation in heat-acclimated hamsters. 231:707
- Jones, S. B., and Musacchia, X. J.** Norepinephrine turnover in heart and spleen of 7-, 22-, and 34°C-acclimated hamsters. 230:564
- Jones, S. B.**  
see Barber, M. J.  
Hardie, E. L.  
Randall, W. C.
- Jones, S. M., Torretti, J., Williams, J. S., and Weinberger, S. F.** Regional renin release by the cat kidney in vitro and in vivo. 237,6:F188
- Jongsma, H. W.** see Huikeshoven, F.
- Jordan, H. N., and Phillips, R. W.** Effect of fatty acids on isolated ovine pancreatic islets. 234,3:E162
- Jordan, J.** see Cassin, S.
- Jordan, J. T., and Killenberg, P. G.** Development of enzymatic conjugation and sulfation of bile acids in hamster liver. 238,1:G429
- Jordan, L.** see Swabb, E. A.
- Jorfeldt, L.** see Juhlin-Dannfelt, A.
- Jorgensen, J. H.** see Miller, T. H.
- Jorgensen, K. E., and Möller, J. V.** Use of flexible polymers as probes of glomerular pore size. 236,5:F103
- Jorgensen, N. A.** see Horst, R. L.
- Joseph, D. S.** see Huntsman, L. L.
- Joshua, I. G.**  
see Faber, J. E.  
Wiegman, D. L.
- Josse, R. G.** see Hannaford, M. C.
- Joyce, M. P.** see Miller, R. E.
- Joyner, L. R., Massaro, G. D., and Massaro, D.** Influence of thyroxine on adult rat lung oxygen consumption and ultrastructure. 230:295
- Joyner, W. L.** Effect of prostaglandins on macromolecular transport from blood to lymph in the dog. 232,1:H690
- Jubiz, W.**  
see Anderson, F. L.  
Terashima, R.
- Judd, H. L.** see Pardridge, W. M.
- Judd, R. M.** see Enders, R. H.
- Jueppner, H.** see Sraer, J.
- Jugdutt, B. I., Becker, L. C., and Hutchins, G. M.** Early changes in collateral blood flow during myocardial infarction in conscious dogs. 237,6:H371
- Juhlin-Dannfelt, A., Ahlberg, G., Hagenfeldt, L., Jorfeldt, L., and Felig, P.** Influence of ethanol on splanchnic and skeletal muscle substrate turnover during prolonged exercise in man. 233,2:E195
- Julita, M.** see Muhlert, M.
- Jung, A., Mayer, G. P., Hurst, J. G., Neer, R., and Potts, J. T., Jr.** Model for parathyroid hormone secretion and metabolism in calves. 242,11:R141
- Jung, A., Mayer, G. P., Hurst, J. G., Neer, R., and Potts, J. T., Jr.** Parathyroid gland response to epinephrine: a rate-sensitivity mechanism. 242,11:R151
- Jungl, T. W., Besedovsky, H. O., Sorkin, E., and Schardt, M.** Hormonal control of neutrophil chemotactic activity in the rat vagina. 233,2:R59
- Junge, A. M., Barron, N. D., and Johnston, J. W.** Comparative properties of tobacco hornworm, *Manduca sexta*, carbonic anhydrases. 241,10:R92
- Junod, A. F., and Ody, C.** Amine uptake and metabolism by endothelium of pig pulmonary artery and aorta. 232,1:C88
- Junod, A. F.** see Ody, C.
- Jürgens, K.-D.** see Bartels, H.

## K

- Kabakoff, B., Kendrick, N. C., and DeLuca, H. F.** 1,25-Dihydroxyvitamin D<sub>3</sub>-stimulated active uptake of phosphate by rat jejunum. 243,6:E470
- Kabela, E.** see Natke, E. Jr.
- Kabra, P.** see Stowe, D. F.
- Kachadorian, W. A., Casey, C., and DiScala, V. A.** Time course of ADH-induced intramembranous particle aggregation in toad urinary bladder. 234,3:F461
- Kachadorian, W. A., Ellis, S. J., and Muller, J.** Possible roles for microtubules and microfilaments in ADH action on toad urinary bladder. 236,5:F14
- Kachadorian, W. A., Muller, J., Rudich, S., and DiScala, V. A.** Relation of ADH effects to altered membrane fluidity in toad urinary bladder. 240,9:F63
- Kachadorian, W. A.**  
see Harman, M. C.  
Levine, S. D.  
Wade, J. B.
- Kachi, T., and Ito, T.** Neural control of glycogen content and its diurnal rhythm in mouse pineal cell. 232,1:E584
- Kachur, J. F.** see Guandalini, S.
- Kaciuba-Uscilko, H., Dudley, G. A., and Terjung, R. L.** Influence of thyroid status on skeletal muscle LPL activity and TG uptake. 238,1:E518
- Kaciuba-Uscilko, H.** see Greenleaf, J. E.
- Kaczmarek, L. K.** Flux of labeled compounds in biochemical oscillations. 237,6:R350
- Kadowitz, P. J.**  
see Chapnick, B. M.  
Feigen, L. P.  
Goldberg, M. R.  
Greenberg, S.  
Gruetter, C. A.  
Hyman, A. L.
- Kaehny, W. D., Gougoux, A., and Cohen, J. J.** Influence of steady-state Pa<sub>CO2</sub> on escape from ADH-induced water retention in the dog. 234,3:F291
- Kaess, H.** see Konturek, S. J.
- Kagen, R. D.** see Jackson, D. C.
- Kahn, M. L., Kavalier, F., and Fisher, V. J.** Frequency-force relationships of mammalian ventricular muscle in vivo and in vitro. 230:631
- Kahn, T., Von Albertini, B., Goldstein, M., Levitt, M. F., and Bosch, J. P.** Effect of increased NaCl or KCl intake on response to chronic furosemide administration. 238,7:F509
- Kahn, T.** see Bosch, J. P.
- Kahne, D.** see Pine, M. B.
- Kaiser, K. E.** see Neshar, R.
- Kaiser, K. K.**  
see Fitts, R. H.  
Hintz, C. S.
- Kaisling, B.** Structural aspects of adaptive changes in renal electrolyte excretion. 243,12:F211
- Kaisling, B.** see LeHir, M.
- Kajitsuka, T.** see Yokoyama, S.
- Kakihana, M.**  
see Nagaoka, A.  
Sugishita, Y.
- Kakiuchi, Y., Arai, T., Horimoto, M., Kikuchi, Y., and Koyama, T.** A new needle-type colloid osmometer for continuous determination of blood oncotic pressure. 236,5:F419
- Kako, K. J.** see Vasdev, S. C.
- Kaley, G.**  
see Messina, E. J.  
Zucker, I. H.
- Kalish, F. N.** see Brady, L. J.
- Kalitis, K.** see Vander, A. J.
- Kaloyanides, G. J., and DiBona, G. F.** Effect of an angiotensin II antagonist on autoregulation in the isolated dog kidney. 230:1078
- Kalu, D. N., and Foster, G. V.** Regulation of plasma calcium in rats: age-related roles of PTH and calcitonin. 231:1533
- Kamińska, E.** see Rogulski, J.
- Kaminski, D. L., Brown, W. H., and Deshpande, Y. G.** Effect of glucagon on bile cAMP secretion. 238,1:G119
- Kaminski, D. L., and Deshpande, Y. G.** Effect of gastrin I and gastrin II on canine bile flow. 236,5:E584
- Kaminski, D. L., Mueller, E. J., and Jellinek, M.** Effect of small intestinal bypass on hepatic lipid accumulation in rats. 239,2:G358
- Kaminski, D. L., Ruwart, M. J., and Jellinek, M.** Effect of the histamine (H<sub>2</sub>) inhibitor metiamide on histamine-stimulated bile flow in dogs. 231:516
- Kaminski, D. L., Ruwart, M. J., and Jellinek, M.** Structure-function relationships of peptide fragments of gastrin and cholecystokinin. 233,2:E286
- Kamisaka, K.** see Lichter, M.
- Kamiya, A., and Togawa, T.** Adaptive regulation of wall shear stress to flow change in the canine carotid artery. 239,8:H14
- Kamm, K. E., Zatzman, M. L., Jones, A. W., and South, F. E.** Maintenance of ion concentration gradients in the cold in aorta from rat and ground squirrel. 237,6:C17
- Kamm, K. E., Zatzman, M. L., Jones, A. W., and South, F. E.** Effects of temperature on ionic transport in aortas from rat and ground squirrel. 237,6:C23
- Kamm, K. E.** see Aksoy, M. O.
- Kammula, R. G.** Metabolism of ketone bodies by ovine brain in vivo. 231:1490
- Kamo, N.** see Kashiwagura, T.
- Kamper, D. G.** see Tristani, F. E.
- Kampine, J. P.**  
see Bosnjak, Z. J.  
Herman, N. L.  
Hopp, F. A.  
Kostreva, D. R.  
Purtock, R. V.
- Kampschmidt, R. F., Pulliam, L. A., and Merriman, C. R.** Further similarities of endogenous pyrogen and leukocytic endogenous mediator. 235,4:C118
- Kanaide, H., Yoshimura, R., Makino, N., and Nakamura, M.** Regional myocardial function and metabolism during acute coronary artery occlusion. 242,11:H980
- Kanarek, R. B., Salomon, M., and Khadivi, A.** Rats with lateral hypothalamic lesions do eat following acute cellular glucoprivation. 241,10:R362
- Kaneda, Y.** see Bello-Reuss, E.
- Kaneko, M., and Hiroshige, T.** Fast, rate-sensitive corticosteroid negative feedback during stress. 234,3:R39
- Kaneko, M., and Hiroshige, T.** Site of fast, rate-sensitive feedback inhibition of adrenocorticotropin secretion during stress. 234,3:R46
- Kaneko, M., Hiroshige, T., Shinsako, J., and Dallman, M. F.** Diurnal changes in amplification of hormone rhythms in the adrenocortical system. 239,8:R309
- Kannan, M. S., and Daniel, E. E.** Structural and functional study of control of canine tracheal smooth muscle. 238,7:C27
- Kannan, M. S.** see Garfield, R. E.
- Kanno, T.** see Harada, E.
- Kao, R. K.** see Williams, E. H.
- Kapellakis, G. Z.**  
see O'Keefe, D. D.  
Vasu, M. A.

- Kapitany, R. A.** see Forsyth, G. W.
- Kaplan, J. E., and Saba, T. M.** Humoral deficiency and reticuloendothelial depression after traumatic shock. 230:7
- Kaplan, J. E., and Saba, T. M.** Low-grade intravascular coagulation and reticuloendothelial function. 234,3:H323
- Kaplan, J. E., and Saba, T. M.** Platelet removal from the circulation by the liver and spleen. 235,4:H314
- Kaplan, J. E.** see Minnear, F. L.
- Kaplan, M. A.** see Hunter, F. R.
- Kaplan, M. L., and Leveille, G. A.** Development of lipogenesis and insulin sensitivity in tissues of the *ob/ob* mouse. 240,3:E101
- Kaplan, M. M.** see Goodman, M. N.
- Kaplan, R.** see Gerich, J.
- Kaplan, R. A.** see Wallin, J. D.
- Kaplan, S., Kolesari, G. L., and Bahr, J. P.** Temperature dynamics of the fertile chicken egg. 234,3:R183
- Kaplan, S. M.** see Rothmann Hamburger, S. A.
- Kaplowitz, N.** Physiological significance of glutathione S-transferases. 239,2:G439
- Kappagoda, C. T.** see Karim, F.
- Kaufman, S.**
- Karagueuzian, H. S., Fenoglio, J. J., Jr., Weiss, M. B., and Wit, A. L.** Coronary occlusion and reperfusion: effects on subendocardial cardiac fibers. 238,7:H581
- Karagueuzian, H. S.** see Fenoglio, J. J., Jr.
- Karakash, C., Hustvedt, B. E., Lóvó, A., Le Marchand, Y., and Jeanrenaud, B.** Consequences of ventromedial hypothalamic lesions on metabolism of perfused rat liver. 232,1:E286
- Karakash, C., Rohner-Jeanrenaud, F., Hustvedt, B. E., and Jeanrenaud, B.** Nitrogen handling in adult hypothalamic obese rats. 238,1:E32
- Karaki, H., Suzuki, T., and Urakawa, N.** Tris does not inhibit isolated vascular or intestinal smooth muscle contraction. 241,10:H337
- Karam, J.** see Gerich, J.
- Karemaker, J. M., Borst, C., and Schreurs, A. W.** Implantable stimulating electrode for baroreceptor afferent nerves in rabbits. 239,8:H706
- Karim, F., and Hainsworth, R.** Responses of abdominal vascular capacitance to stimulation of splanchnic nerves. 231:434
- Karim, F., Hainsworth, R., and Pandey, R. P.** Reflex responses of abdominal vascular capacitance from aortic baroreceptors in dogs. 235,4:H488
- Karim, F., Mackay, D., and Kappagoda, C. T.** Influence of carotid sinus pressure on atrial receptors and renal blood flow. 242,11:H220
- Kariman, K.** see Hempel, F. G.
- Karl, I. E.** see Frazer, T. E.
- Karlaganis, G.** see Jones, A. L.
- Karlner, J. S.** see Kumada, T.
- LeWinter, M. M.**
- Karlmark, B., Jaeger, P., Fein, H., and Giebisch, G.** Coulometric acid-base titration in nanoliter samples with glass and antimony electrodes. 242,11:F95
- Karlsberg, R. P., and Roberts, R.** Effect of altered thyroid function on plasma creatine kinase clearance in the dog. 235,4:E614
- Karmazyn, M., Daly, M. J., Moffat, M. P., and Dhalla, N. S.** A possible mechanism of inotropic action of prolactin on rat heart. 243,6:E458
- Karnaky, K. J., Jr.** Ion-secreting epithelia: chloride cells in the head region of *Fundulus heteroclitus*. 238,7:R185
- Karnaky, K. J., Jr.** see Pritchard, J. B.
- Renfro, J. L.**
- Karnovsky, M. J.** see Bonventre, J. V.
- Kárteszi, M., Stark, E., Rappay, G., László, F. A., and Makara, G. B.** Corticoliberin activity of rat neurohypophysis is distinct from vasopressin. 240,3:E689
- Kárteszi, M.** see Makara, G. B.
- Karwash, S.** see Chiu, Y.-L.
- Kasbekar, D. K.** Gastric H<sup>+</sup> secretion in presence of substrates: absolute dependence on secretagogues. 231:522
- Kasbekar, D. K., and Gordon, G. S.** Effects of colchicine and vinblastine on *in vitro* gastric secretion. 236,5:E550
- Kasbekar, D. K.** see Stewart, H. E.
- Kasell, J., and Gallagher, J. J.** Construction of a multipolar needle electrode for activation study of the heart. 233,2:H312
- Kasher, F.** see Zinner, M. J.
- Kashgarian, M.** see Aronson, P. S.
- Gaudio, K. M.**
- Mullen, T. L.**
- Kashiwagura, T., Kamo, N., Kurihara, K., and Kobatake, Y.** Phasic and tonic components of gustatory response in the frog. 231:1097
- Kashiwagura, T., Kamo, N., Kurihara, K., and Kobatake, Y.** Interpretation by theoretical model of dynamic and steady components in frog gustatory response. 238,1:G445
- Kass, D. A., and Moore-Ede, M. C.** Renal responses to prolonged central volume expansion in conscious primates. 242,11:F649
- Kass, D. A., Sulzman, F. M., Fuller, C. A., and Moore-Ede, M. C.** Renal responses to central vascular expansion are suppressed at night in conscious primates. 239,8:F343
- Kass, D. A.** see Moore-Ede, M. C.
- Kasser, T. R.** see McNamara, J. P.
- Kasson, B. G.** see Morley, J. E.
- Kasting, N. W., and Martin, J. B.** Altered release of growth hormone and thyrotropin induced by endotoxin in the rat. 243,6:E332
- Kasting, N. W., Veale, W. L., and Cooper, K. E.** Development of fever in the newborn lamb. 236,5:R184
- Kasting, N. W.** see Eagan, P. C.
- Kastner, P. R., Hall, J. E., and Guyton, A. C.** Renal hemodynamic responses to increased renal venous pressure: role of angiotensin II. 243,12:F260
- Kastner, P. R., Zatzman, M. L., South, F. E., and Johnson, J. A.** Renin-angiotensin-aldosterone system for the normothermic marmot. 233,2:R37
- Kastner, P. R., Zatzman, M. L., South, F. E., and Johnson, J. A.** Renin-angiotensin-aldosterone system of the hibernating marmot. 234,3:R178
- Kastner, P. R.** see Hall, J. E.
- Kasuga, M., Akanuma, Y., Iwamoto, Y., and Kosaka, K.** Insulin binding and glucose metabolism in adipocytes of streptozotocin-diabetic rats. 235,4:E175
- Katholi, R. E., Bishop, S. P., Oparil, S., and James, T. N.** Renal function during reflexly activated catecholamine flow through an adrenorenal rete. 240,9:F30
- Kathalia, S. C.** see Favus, M. J.
- Kato, H.** see Saito, M.
- Katona, P. G., Lipson, D., and Dauchot, P. J.** Opposing central and peripheral effects of atropine on parasympathetic cardiac control. 232,1:H146
- Katona, P. G.** see Egbert, J. R.
- Katovich, M. J., Barney, C. C., and Fregly, M. J.** Metabolic responsiveness of spontaneously hypertensive rat to isoproterenol. 241,10:H497
- Katz, A. I.** Renal Na-K-ATPase: its role in tubular sodium and potassium transport. 242,11:F207
- Katz, A. I., Doucet, A., and Morel, F.** Na-K-ATPase activity along the rabbit, rat, and mouse nephron. 237,6:F114
- Katz, A. I., Toback, F. G., and Lindheimer, M. D.** Independence of onset of compensatory kidney growth from changes in renal function. 230:1067
- Katz, A. I.** see Doucet, A.
- Emmanuel, D. S.**
- Lim, V. S.**
- Westenfelder, C.**
- Katz, A. M.** see Loh, C. K.
- Katz, J., Burns, A., and Reddy, W. J.** Metabolism of glucose via pentose pathway (Letter to the Editor). 234,3:E97
- Katz, J.** see Dunn, A.
- Golden, S.**
- Katz, M. A.** Capillary filtration measurement by strain gauge. I. Analysis of methods. 232,1:H354
- Katz, M. A.** Capillary filtration measurement by strain gauge. II. Effects of mannitol infusion. 232,1:H361
- Katz, S.** see Armentrout, T.
- Katz, S. A., and Malvin, R. L.** Independence of  $\beta$ -adrenergic stimulation of renin release on renin synthesis. 243,12:F434
- Katzenellenbogen, B. S.** see Navickis, R. J.
- Katzin, D. B., and Rubinstein, E. H.** Reversal of hypoxic bradycardia by halothane or midcollicular decerebration. 231:179
- Kau, S. T., and Maack, T.** Transport and catabolism of parathyroid hormone in isolated rat kidney. 233,2:F445
- Kauffman, G.** see Miller, J.
- Kauffman, G. L., Jr., Aures, D., and Grossman, M. I.** Intravenous indomethacin and aspirin reduce basal gastric mucosal blood flow in dogs. 238,1:G131
- Kauffman, G. L., Jr., and Grossman, M. I.** Components of acidification of an amino acid solution bathing oxyntic mucosa. 243,6:G336
- Kauffman, G. L., Jr., Reeve, J. J., Jr., and Grossman, M. I.** Gastric bicarbonate secretion: effect of topical and intravenous 16,16-dimethyl prostaglandin E<sub>2</sub>. 239,2:G44
- Kauffman, G. L., Jr., and Whittle, B. J. R.** Gastric vascular actions of prostanoids and the dual effect of arachidonic acid. 242,5:G582
- Kauffman, G. L., Jr.** see Ligumsky, M.
- Taylor, I. L.**
- Kauffman, I. A., Hall, N. F., DeLuca, M. A., Ingwall, J. S., and Mayer, S. E.** Metabolism of adenine nucleotides in the cultured fetal mouse heart. 233,2:H282
- Kauffman, J. S., Hamburger, R. J., and Flamenbaum, W.** Tubuloglomerular feedback: effect of dietary NaCl intake. 231:1744
- Kauffman, J. S., Hamburger, R. J., and Flamenbaum, W.** Renal renin responses to changes in volume status and perfusion pressure. 238,7:F488
- Kauffman, M. E., Dinno, M. A., and Huang, K. C.** Effect of glucagon on ion transport in mouse intestine. 238,1:G491



- Kaufman, M. P.**, Hamilton, R. B., Wallach, J. H., Petrik, G. K., and Schneiderman, N. Lateral subthalamic area as mediator of bradycardia responses in rabbits. 236,5:H471
- Kaufman, M. P.**, Ordway, G. A., Longhurst, J. C., and Mitchell, J. H. Reflex relaxation of tracheal smooth muscle by thin-fiber muscle afferents in dogs. 243,12:R383
- Kaufman, M. P.** see Gimpl, M. P.
- Kaufman, S.** Chronic, nonocclusive, and maintenance-free central venous cannula in the rat. 239,8:R123
- Kaufman, S.**, Mackay, B., and Kappagoda, C. T. Effect of stretching the superior vena cava on heart rate in rats. 241,10:H248
- Kaufman, S.**, and Peters, G. Regulatory drinking in the pigeon *Columba livia*. 239,8:R219
- Kaufman, S.** see Jablecki, C.
- Kaufman, W. R.** Actions of some transmitters and their antagonists on salivary secretion in a tick. 235,4:R76
- Kaufman, W. R.**, Aeschlimann, A. A., and Diehl, P. A. Regulation of body volume by salivation in a tick challenged with fluid loads. 238,7:R102
- Kauker, M. L.** see Roman, R. J.
- Kaul, R.**, and Hammel, H. T. Dehydration elevates osmotic threshold for salt gland secretion in the duck. 237,6:R355
- Kavalier, F.** see Kahn, M. L.
- Kawabara, I.** see Guntheroth, W. G.
- Kawamura, J.**, Mazumdar, D. C., and Lubowitz, H. Effect of albumin infusion on renal glucose reabsorption in the rat. 232,1:F286
- Kawasaki, T.** see Ohe, K.
- Kay, I.** see Corrent, G.
- Kaye, M.** see Lien, J.
- Kaye, M. P.**, Randall, W. C., Hageman, G. R., Geis, W. P., and Priola, D. V. Chronology and mode of reinnervation of the surgically denervated canine heart: functional and chemical correlates. 233,2:H431
- Kaye, M. P.**, and Tyce, G. M. Norepinephrine uptake as an indicator of cardiac reinnervation in dogs. 235,4:H289
- Kaye, M. P.**, Wells, D. J., and Tyce, G. M. Nerve growth factor-enhanced reinnervation of surgically denervated canine heart. 236,5:H624
- Kaye, M. P.** see Randall, D. C.  
Randall, W. C.  
Wells, D. J.
- Kaysen, G. A.**, and Watson, J. B. Mechanism of hypoalbuminemia in the 7/8-nephrectomized rat with chronic renal failure. 243,12:F372
- Kaysen, G. A.** see Humphreys, M. H.
- Keaney, N. P.**, McDowall, D. G., Pickerd, V. W. A., Turner, J. M., Lane, J. R., Okuda, Y., Deshmukh, V. D., and Coronos, N. J. Time course of the cerebral circulatory response to metabolic depression. 234,3:H74
- Keefe, J. F.** see Levine, H. J.
- Keely, S. L.**, and Corbin, J. D. Involvement of cAMP-dependent protein kinase in the regulation of heart contractile force. 233,2:H269
- Keely, S. L.**, and Eiring, A. Involvement of cAMP-dependent protein kinase in the regulation of heart contractile force. II. 236,5:H84
- Keely, S. L., Jr.**, Lincoln, T. M., and Corbin, J. D. Interaction of acetylcholine and epinephrine on heart cyclic AMP-dependent protein kinase. 234,3:H432
- Keener, M.** see Gumucio, J. J.
- Keesey, R. E.**, Mitchel, J. S., and Kemnitz, J. W. Body weight and body composition of male rats following hypothalamic lesions. 237,6:R68
- Keesey, R. E.** see Boyle, P. C.  
Corbett, S. W.  
Milam, K. M.
- Keiding, S.**, Johansen, S., Midtbøll, I., Rabøl, A., and Christiansen, L. Ethanol elimination kinetics in human liver and pig liver in vivo. 237,6:E316
- Keiding, S.**, Johansen, S., Winkler, K., Tønnesen, K., and Tygstrup, N. Michaelis-Menten kinetics of galactose elimination by the isolated perfused pig liver. 230,1302
- Keifer, D. W.** Effect of weak acids on pH regulation and anion transport in barnacle muscle fibers. 241,10:C193
- Keifer, D. W.**, and Roos, A. Membrane permeability to the molecular and ionic forms of DMO in barnacle muscle. 240,9:C73
- Keil, L. C.** see Drummond, W. H.  
Ramsay, D. J.  
Reid, I. A.  
Thrasher, T. N.  
Wade, C. E.  
Wood, C. E.
- Keim, C. R.** see Corr, P. B.
- Keiser, H. R.** see Stern, M. D.  
Zusman, R. M.
- Keitzer, W. F.** see Johnson, J. A.
- Kekomäki, M.** see Adam, P. A. J.
- Kelch, R. P.** see Borer, K. T.
- Keljo, D. J.** see Crandall, E. D.
- Kelleher, D. L.**, Fong, B. C., Bagby, G. J., and Spitzer, J. J. Metabolic and hormonal changes following endotoxin administration to diabetic rats. 243,12:R77
- Keller, C. A.**, and Doherty, R. A. Correlation between lead retention and intestinal pinocytosis in the suckling mouse. 239,2:G114
- Keller, I.** see Rossier, B. C.
- Keller, N. E.** see Carroll, R. G.  
Opdyke, D. F.
- Keller, U.**, Cherrington, A. D., and Liljenquist, J. E. Ketone body turnover and net hepatic ketone production in fasted and diabetic dogs. 235,4:E238
- Keller, U.**, and Shulman, G. Effect of glucagon on hepatic fatty acid oxidation and ketogenesis in conscious dogs. 237,6:E121
- Keller, U.**, Sonnenberg, G. E., and Stauffacher, W. Validation of a tracer technique to determine nonsteady-state ketone body turnover rates in man. 240,3:E253
- Kelley, J.** see Michael, U. F.
- Kelley, K. O.** see Halter, J. B.
- Kelley, L. K.** see Ruzycski, S. M.  
Steel, R. B.
- Kelley, S. E.** see Lund, D. D.
- Kelly, A. B.** see Guzzo, J. C.
- Kelly, G. A.** see Yun, J. C. H.
- Kelly, G. A.** see Meyer, J. H.
- Kelly, K.** see Boyle, J. T.
- Kelly, K. A.** Gastric emptying of liquids and solids: roles of proximal and distal stomach. 239,2:G71
- Kelly, K. A.** see Hinder, R. A.  
Okike, N.  
Sarr, M. G.  
Schang, J.-C.  
Thomas, P. A.
- Kelly, P. A. T.** see McCulloch, J.
- Kelly, P. J.** see Hughes, S. P. F.  
Lemon, G. J.  
Maltby, B.
- Kelsen, S. G.**, Altose, M. D., Stanley, N. N., Levinson, R. S., Cherniack, N. S., and Fishman, A. P. Electromyographic response of respiratory muscles during elastic loading. 230,675
- Kelso, S. R.**, and Boulant, J. A. Effect of synaptic blockade on thermosensitive neurons in hypothalamic tissue slices. 243,12:R480
- Kelso, S. R.**, Perlmuter, M. N., and Boulant, J. A. Thermosensitive single-unit activity of in vitro hypothalamic slices. 242,11:R77
- Kemmer, F. W.**, Lickley, H. L. A., Gray, D. E., Perez, G., and Vranic, M. State of metabolic control determines role of epinephrine-glucagon interaction in glucoregulation in diabetes. 242,5:E428
- Kemmer, F. W.** see Perez, G.
- Kemmler, W.** see Häring, H. U.
- Kemnitz, J. W.** see Keesey, R. E.
- Kemper, W. S.** see Gallagher, K. P.  
Kumada, T.  
Sasayama, S.  
Tomoike, H.
- Kempson, S. A.**, Kim, J. K., Northrup, T. E., Knox, F. G., and Dousa, T. P. Alkaline phosphatase in adaptation to low dietary phosphate intake. 237,6:E465
- Kempson, S. A.** see Berndt, T. J.
- Kendall, J. W.** see Marques, P. R.
- Kendall, K.** see Shiao, Y.-F.
- Kendig, J. J.**, and Cohen, E. N. Neuromuscular function at hyperbaric pressures: pressure-anesthetic interactions. 230,1244
- Kendrick, J. E.**, and Matson, G. L. Interaction between carotid sinus baroreceptor and aortic nerve pressor reflexes in the dog. 237,6:H662
- Kendrick, J. E.**, Matson, G. L., and Lalley, P. M. Central interaction between the baroreceptor reflexes from the carotid sinus and aortic arch. 236,5:H127
- Kendrick, J. E.** see Pisarri, T. E.
- Kendrick, N. C.** see Kabakoff, B.
- Kenedi, E.** see Laburn, H. P.
- Kennedy, C.** see Sakurada, O.
- Kennedy, D. R.**, Hammond, R. P., and Hamolsky, M. W. Thyroid cold acclimation influences on norepinephrine metabolism in brown fat. 232,1:E565
- Kennedy, D. R.** see Meiri, H.
- Kennedy, F. G.** see Jones, D. P.
- Kennedy, J. C.** see Code, C. F.
- Kennedy, T. J.** see Flaim, S. F.
- Kennett, F. F.** see Owens, K.
- Kennedy, E. S.** see Nellis, S. H.
- Kenny, A. D.** Vitamin D metabolism: physiological regulation in egg-laying Japanese quail. 230,1609
- Kenny, A. D.** see Baksi, S. N.  
Pento, J. T.
- Kent, B.**, and Olson, K. R. Blood flow in the rectal gland of *Squalus acanthias*. 243,12:R296
- Kent, R. L.** see Santamore, W. P.
- Kent, R. S.**, Carew, T. E., LeWinter, M. M., and Covell, J. W. Comparison of left ventricular free wall and septal diastolic compliance in the dog. 234,3:H392
- Kerber, R. E.** see Gascho, J. A.  
Marcus, M. L.  
Mueller, T. M.
- Kerian, A.** see Arief, A. I.
- Kerr, J. C.**, Reynolds, D. G., and Swan, K. G. Adrenergic stimulation and blockade in mesenteric circulation of the baboon. 234,3:E457



- Kerr, J. C.**, and Swan, K. G. Adrenergic stimulation and blockade in colonic circulation of the rhesus monkey. 240,3:G25
- Kerr, J. C.** see Zinner, M. J.
- Kerr, J. S.**, Baker, N. J., Bassett, D. J. P., and Fisher, A. B. Effect of perfusate glucose concentration on rat lung glycolysis. 236,5:E229
- Kerr, J. S.**, Fisher, A. B., and Kleinzeller, A. Transport of glucose analogues in rat lung. 241,4:E191
- Kerr, J. S.**, Reicherter, J., and Fisher, A. B. 2-Deoxy-D-glucose uptake by rat granular pneumocytes in primary culture. 243, 12:C14
- Kerstien, M. D.** see Behar, J.
- Kertiles, L. P.** see Anderson, L. L.
- Kervran, A.** see Girard, J. R.
- Keryer, G.**, and Rossignol, B. Effect of carbachol on  $^{45}\text{Ca}$  uptake and protein secretion in rat lacrimal gland. 230:99
- Keryer, G.**, and Rossignol, B. Effects of carbachol on extracellular Na-dependent AIB uptake in rat parotid gland. 239,2:G183
- Kessler, J. A.**, Fenstermacher, J. D., and Owens, E. S. Spinal subarachnoid perfusion of rhesus monkeys. 230:614
- Kettelhut, I. C.**, Foss, M. C., and Miglioni, R. H. Glucose homeostasis in a carnivorous animal (cat) and in rats fed a high-protein diet. 239,8:R437
- Keulemans, K.** see Vonk, R. J.
- Keulemans, K. P. T.** see Groothuis, G. M.
- Keung, C.-S.** see Keung, E. C. H.
- Keung, E. C. H.**, Keung, C.-S., and Aronson, R. S. Passive electrical properties of normal and hypertrophied rat myocardium. 243,12:H917
- Keutmann, H. T.** see Reppert, S. M.
- Kewenter, J.** see Pahlén, P.-E.
- Keyes, M. C.** see Blix, A. S.
- Keyes, P. L.** see Zeleznik, A. J.
- Khadivi, A.** see Kanarek, R. B.
- Khairallah, P. A.** see Muñoz-Ramírez, H.
- Khalafbeigui, F.**, Suga, H., and Sagawa, K. Left ventricular systolic pressure-volume area correlates with oxygen consumption. 237,6:H566
- Kher, V.** see Rabito, S. F.
- Khosla, M. C.**  
see Freeman, R. H.  
Muñoz-Ramírez, H.  
Nakamura, Y.  
Nishimura, H.
- Khouri, E. M.**, Olsson, R. A., Bedynek, J. L., and Bass, B. G. An implantable semiconductor beta-radiation detector. 232, 1:H95
- Khuri, R. N.**, Agulian, S. K., and Bogharian, K. K. Intracellular bicarbonate of skeletal muscle under different metabolic states. 230:228
- Khuri, S. F.**, Kloner, R. A., Hillis, L. D., Tow, D. E., Barsamian, E. M., Maroko, P. R., and Braunwald, E. Intramural PCO<sub>2</sub>: a reliable index of the severity of myocardial ischemic injury. 237,6:H253
- Khuri, S. F.** see O'Riordan, J. B.
- Kidder, G. W., III.** Effects of increased O<sub>2</sub> and CO<sub>2</sub> on acid secretion by dogfish gastric mucosa in vitro. 231:1240
- Kidder, G. W., III.** Carbon monoxide insensitivity of gastric acid secretion. 238,1:G197
- Kidder, G. W., III.**, and Montgomery, C. W. Sudden potential drop in bullfrog gastric mucosa. 230:61
- Kidson, I. G.**  
see Baird, R. N.  
L'Italien, G. J.
- Kiebzak, G. M.** see Turner, S. T.
- Kiefer, S. W.** see Tordoff, M. G.
- Kiil, F.**  
see Holdaas, H.  
Ilebekk, A.  
Johannessen, J.  
Mathisen, Ø.  
Sejersted, O. M.  
Stokland, O.
- Kikkawa, Y.** see Anversa, P.
- Kikuchi, Y.**  
see Fukuyama, T.  
Kakiuchi, Y.  
Tomoike, H.
- Kilen, S. M.**, and Harris, W. S. Effects of hypoxia and Freon 12 on mechanics of cardiac contraction. 230:1701
- Killam, E. K.** see Ehlers, C. L.
- Killenberg, P. G.** see Jordan, J. T.
- Kilpatrick, D.**, Linderer, T., Sievers, R. E., and Tyberg, J. V. Measurement of coronary sinus blood flow by fiber-optic laser Doppler anemometry. 242,11: H1111
- Kilpatrick, D.** see Ledbetter, F. H.
- Kim, D. H.**, Witzmann, F. A., and Fitts, R. H. Effect of thyrotoxicosis on sarcoplasmic reticulum in rat skeletal muscle. 243,12:C151
- Kim, D. H.**, Witzmann, F. A., and Fitts, R. H. Effect of disuse on sarcoplasmic reticulum in fast and slow skeletal muscle. 243,12:C156
- Kim, D. H.** see Fitts, R. H.
- Kim, G.** see Manis, J.
- Kim, H. D.**, and Luthra, M. G. Pig reticulocytes. I. Transitory glucose permeability and metabolism. 230:1668
- Kim, H. D.**, Luthra, M. G., Hildenbrandt, G. R., and Zeidler, R. B. Pig reticulocytes. II. Characterization of density-fractionated maturing reticulocytes. 230:1676
- Kim, H. D.** see Seider, M. J.
- Kim, J. K.**  
see Dozois, R. R.  
Kempson, S. A.  
Northrup, T. E.
- Kim, M. S.**, Lee, K. Y., and Chey, W. Y. Plasma secretin concentrations in fasting and postprandial states in dog. 236,5: E539
- Kim, M. S.**  
see Chey, W. Y.  
Lee, K. Y.
- Kim, S. I.** see Elwyn, D. H.
- Kim, Y. D.**, Lake, C. R., Lees, D. E., Schuette, W. H., Bull, J. M., Weise, V., and Kopin, I. J. Hemodynamic and plasma catecholamine responses to hyperthermic cancer therapy in humans. 237,6:H570
- Kim, Y. S.**  
see McCarthy, D. M.  
Silk, D. B. A.  
Westerfield, M.
- Kimball, R. E.**, Reddy, K., Peirce, T. H., Schwartz, L. W., Mustafa, M. G., and Cross, C. E. Oxygen toxicity: augmentation of antioxidant defense mechanisms in rat lung. 230:1425
- Kimberg, D. V.**  
see Brasitus, T. A.  
Nellans, H. N.
- Kimmich, G.**, and Randles, J. Regulation of Na<sup>+</sup>-dependent sugar transport in intestinal epithelial cells by exogenous ATP. 238,7:C177
- Kimmich, G. A.**, and Carter-Su, C. Membrane potentials and the energetics of intestinal Na<sup>+</sup>-dependent transport systems. 235,4:C73
- Kimmich, G. A.**, Carter-Su, C., and Randles, J. Energetics of Na<sup>+</sup>-dependent sugar transport by isolated intestinal cells: evidence for a major role for membrane potentials. 233,2:E357
- Kimmich, G. A.**, and Randles, J. Energetics of sugar transport by isolated intestinal epithelial cells: effects of cytochalasin B. 237,6:C56
- Kimmich, G. A.**, and Randles, J.  $\alpha$ -Methylglucoside satisfies only Na<sup>+</sup>-dependent transport system of intestinal epithelium. 241,10:C227
- Kimmich, G. A.**, and Randles, J. An ATP- and Ca<sup>2+</sup>-regulated Na<sup>+</sup> channel in isolated intestinal epithelial cells. 243, 12:C116
- Kimmich, G. A.**  
see Carter-Su, C.  
Hyun, C. S.  
Randles, J.
- Kimura, G.**, and Spring, K. R. Transcellular and paracellular tracer chloride fluxes in *Necturus* proximal tubule. 235,4:F617
- Kimura, G.**, and Spring, K. R. Luminal Na<sup>+</sup> entry into *Necturus* proximal tubule cells. 236,5:F295
- Kimura, G.**, Urakabe, S., Yuasa, S., Miki, S., Takamitsu, Y., Orita, Y., and Abe, H. Potassium activity and plasma membrane potentials in epithelial cells of toad bladder. 232,1:F196
- Kimura, K.** see Matsumoto, M.
- Kimura, N.** see Ozawa, S.
- Kines, H.** see Holt, J. P.
- King, B. M.**, Phelps, G. R., and Frohman, L. A. Hypothalamic obesity in female rats in absence of vagally mediated hyperinsulinemia. 239,2:E437
- King, B. M.** see Bruce, B. K.
- King, D. L.**, and Hazelwood, R. L. Regulation of avian insulin secretion by isolated perfused chicken pancreas. 231: 1830
- King, G. M.** see Bose, R.
- King, J. G.**  
see Jarrell, J. A.  
Rosenthal, S. J.
- King, P. D.** see Luxon, B. A.
- King, R. B.** see Hales, J. R. S.
- King, R. W., Jr.** see Yumice, A. A.
- King, V. F.** see Abramson, R. G.
- Kingma, Y. J.**, Bowes, K. L., Kocylowski, M. S. K., and Szmidt, J. Inductive displacement gauge. 239,2:G128
- Kingsley, B. S.**, and Frazier, J. M. Cadmium transport in isolated perfused rat liver: zinc-cadmium competition. 236,5: C139
- Kinne, R.**  
see Barac-Nieto, M.  
Eveloff, J.
- Kinsella, J. L.**, and Aronson, P. S. Properties of the Na<sup>+</sup>-H<sup>+</sup> exchanger in renal microvillus membrane vesicles. 238,7: F461
- Kinsella, J. L.**, and Aronson, P. S. Interaction of NH<sub>4</sub><sup>+</sup> and Li<sup>+</sup> with the renal microvillus membrane Na<sup>+</sup>-H<sup>+</sup> exchanger. 241,10:C220
- Kinsella, J. L.**, and Aronson, P. S. Amiloride inhibition of the Na<sup>+</sup>-H<sup>+</sup> exchanger in renal microvillus membrane vesicles. 241,10:F374
- Kinter, L. B.**, and Beeuwkes, R., III. Oral antidiuretic therapy: studies in the diabetic insipidus rat. 243,12:R491
- Kinter, L. B.**  
see Dunn, M. J.  
Johnson, M. D.
- Kinter, W. B.**  
see Eveloff, J.  
Miller, D. S.  
Pritchard, J. B.  
Renfro, J. L.  
Tanner, G. A.
- Kintner, D.**, Costello, D. J., Levin, A. B., and Gilboe, D. D. Brain metabolism after 30 minutes of hypoxic or anoxic perfusion or ischemia. 239,2:E501
- Kintner, K.** see Farrell, K. J.

- Kipnis, D. M.** see Nesher, R.  
**Kipp, S. C.** see Fox, K. A.  
**Kippen, I.**, and Klinenberg, J. R. Effects of renal fuels on uptake of PAH and uric acid by separated renal tubules of the rabbit. 235,4:F137  
**Kippen, I.** see Nord, E.  
**Kirchner, K. A.**, Galla, J. H., and Luke, R. G. Factors influencing chloride reabsorption in the collecting duct segment of the rat. 239,8:F552  
**Kirchner, K. A.**, Kotchen, T. A., Galla, J. H., and Luke, R. G. Importance of chloride for acute inhibition of renin by sodium chloride. 235,4:F444  
**Kirchner, K. A.**, and Mueller, R. Effects of acute potassium infusions with salts other than chloride of plasma renin activity. 242,11:F463  
**Kirk, K. L.** see Aguilar, A. J.  
**Kirk, R. G.**, Bronner, C., Barba, W., and Tosteson, D. C. Electron probe microanalysis of red blood cells. I. Methods and evaluation. 235,4:C245  
**Kirk, R. G.**, Lee, P., and Tosteson, D. C. Electron probe microanalysis of red blood cells. II. Cation changes during maturation. 235,4:C251  
**Kirkpatrick, S. E.**, Pitlick, P. T., Naliboff, J., and Friedman, W. F. Frank-Starling relationship as an important determinant of fetal cardiac output. 231:495  
**Kirkpatrick, S. E.** see Pitlick, P. T.  
**Kirpekar, S. M.** see Carvalho, M. H. Kulkarni, P.  
**Kirsch, K.** see May, R. J.  
**Kirsch, R.** see Lichter, M.  
**Kirschenbaum, M. A.**, and Serros, E. R. Effects of alterations in urine flow rate on prostaglandin E excretion in conscious dogs. 238,7:F107  
**Kirschenbaum, M. A.** see Serros, E. R.  
**Kirschner, L. B.** Contribution of Jean Metz to the physiology of osmotic and ionic regulation in fish. 238,7:R145  
**Kirschner, L. B.** Comparison of vertebrate salt-excreting organs. 238,7:R219  
**Kirschner, L. B.**, and Howe, D. Exchange diffusion, active transport, and diffusional components of transbranchial Na and Cl fluxes. 240,9:R364  
**Kirshner, N.** see Ledbetter, F. H.  
**Kishi, F.** see Chiang, M.-J.  
**Kishikawa, T.** see Ogata, E.  
**Kishimoto, T.** see Abe, Y.  
**Kissileff, H. R.**, Klingsberg, G., and Van Itallie, T. B. Universal eating monitor for continuous recording of solid or liquid consumption in man. 238,7:R14  
**Kissileff, H. R.**, Nakashima, R. K., and Stunkard, A. J. Effects of jejunoileal bypass on meal patterns in genetically obese and lean rats. 237,6:R217  
**Kitabatake, A.**, and Suga, H. Diastolic stress-strain of nonexsited blood-perfused canine papillary muscle. 234,3:H416  
**Kitabchi, A. E.** see Sacks, H.  
**Kitabgi, P.** see Le Cam, A.  
**Kitaji, J.** see Petersen, J.  
**Kitamura, K.** see Kuriyama, H.  
**Kitamura, Y.** see Ishise, S.  
**Kitzes, M. C.**, and Berns, M. W. Electrical activity of rat myocardial cells in culture:  $La^{3+}$ -induced alterations. 237,6:C87  
**Kjekshus, J. K.**, Blix, A. S., Elsner, R., Hol, R., and Amundsen, E. Myocardial blood flow and metabolism in the diving seal. 242,11:R97  
**Klaassen, C. D.** Effect of metallothionein on hepatic disposition of metals. 234,3:E47  
**Klaassen, C. D.** see Iga, T.  
**Schwarz, L. R.**  
**Klabunde, R. E.**, and Johnson, P. C. Reactive hyperemia in capillaries of red and white skeletal muscle. 232,1:H411  
**Klabunde, R. E.**, and Johnson, P. C. Capillary velocity and tissue  $PO_2$  changes during reactive hyperemia in skeletal muscle. 233,2:H379  
**Klahr, S.** see Altschuler, P.  
**Buerkert, J.**  
**Cohn, D. E.**  
**Hruska, K. A.**  
**Jacobson, M. P.**  
**Rodriguez, H. J.**  
**Weinreb, S.**  
**Wiesmann, W. P.**  
**Klassen, G. A.** see Allotey, J. B. K.  
**Fenton, T. R.**  
**Sestier, F. J.**  
**Klavano, P. A.** see Campbell, K. B.  
**Kleman, C. R.** see Brauthar, N.  
**Lee, D. B. N.**  
**Klein, A. H.**, Jenkins, J. J., Reviczky, A., and Fisher, D. A. Thyroid hormone-sensitive brown adipose tissue respiration in the newborn rabbit. 241,4:E449  
**Klein, D. C.** see Yuwiler, A.  
**Klein, M. S.**, Goldstein, R. A., Welch, M. J., and Sobel, B. E. External assessment of myocardial metabolism with [ $^{14}C$ ]palmitate in rabbit hearts. 237,6:H51  
**Kleinert, H. D.**, and Weiss, H. R. Blood flow and high-energy phosphates in microregions of left ventricular subendocardium. 240,9:H804  
**Kleinhaus, S.** see Pinshow, B.  
**Kleinman, J. G.**, Brown, W. W., Ware, R. A., and Schwartz, J. H. Cell pH and acid transport in renal cortical tissue. 239,8:F440  
**Kleinman, L. H.**, Wechsler, A. S., Rembert, J. C., Fedor, J. M., and Greenfield, J. C., Jr. A reproducible model of moderate to severe concentric left ventricular hypertrophy. 234,3:H515  
**Kleinman, L. I.**, and Banks, R. O. Natriuretic effect of oxytocin on saline-expanded neonatal dogs. 239,8:F589  
**Kleinman, L. I.** see Haramati, A.  
**Kleinzeller, A.**, Dubyak, G. R., Griffin, P. M., McAvoy, E. M., Mullin, J. M., and Rittmaster, R. Renal sugar transport in the winter flounder. III. Two glucose transport systems. 232,1:F227  
**Kleinzeller, A.**, Dubyak, G. R., and Mullin, J. M. Renal sugar transport in the winter flounder. II. Galactose transport system. 231:608  
**Kleinzeller, A.** see Kerr, J. S.  
**Mullin, J. M.**  
**Naftalin, R. J.**  
**Pritchard, J. B.**  
**Kleitman, N.**, and Satinoff, E. Behavioral responses to pyrogen in cold-stressed and starved newborn rabbits. 241,10:R167  
**Klemperer, G.** see Ayalon, A.  
**Klevans, L. R.**, Hirkaler, G., and Kovacs, J. L. Indirect blood pressure determination by Doppler technique in renal hypertensive cats. 237,6:H720  
**Klevay, L. M.**, and Viestenz, K. E. Abnormal electrocardiograms in rats deficient in copper. 240,9:H185  
**Kliegman, R. M.**, Miettinen, E. L., and Adam, P. A. J. Substrate-turnover interrelationships in fasting neonatal dogs. 239,2:E287  
**Kliger, A. S.** see Bastl, C.  
**Finkelstein, F. O.**  
**Klindt, J.** see Davis, S. L.  
**Kline, R. L.**, and Mercer, P. F. Functional reinnervation and development of supersensitivity to NE after renal denervation in rats. 238,7:R353  
**Kline, R. L.** see Patel, K. P.  
**Klinenberg, J. R.** see Kippen, I.  
**Klingsberg, G.** see Kissileff, H. R.  
**Klitzman, B.**, and Duling, B. R. Microvascular hematocrit and red cell flow in resting and contracting striated muscle. 237,6:H481  
**Klitzman, B.**, and Johnson, P. C. Capillary network geometry and red cell distribution in hamster cremaster muscle. 242,11:H211  
**Klitzman, B.** see Gorczynski, R. J.  
**Klocke, F. J.** see Nakazawa, H. K.  
**Reichlin, M.**  
**Roberts, D. L.**  
**Kloner, R.** see McGee, J.  
**Kloner, R. A.**, DeBoer, L. W. V., Darsee, J. R., Ingwall, J. S., Hale, S., Tumas, J., and Braunwald, E. Prolonged abnormalities of myocardium salvaged by reperfusion. 241,10:H591. See also 244,13:H470  
**Kloner, R. A.** see Carabello, B. A.  
**Darsee, J. R.**  
**Khuri, S. F.**  
**Klopfenstein, H. S.** see Walker, J. L.  
**Klos, C.**, Paumgartner, G., and Reichen, J. Cation-anion gap and choleretic properties of rat bile. 236,5:E434  
**Klose, R.** see Weinstein, S. W.  
**Kluger, M. J.**, Turnbull, A. J., Cranston, W. I., Wing, A. J., Gross, M. P., and Rothenburg, B. A. Endogenous cryogen excreted by the kidneys. 241,10:R271  
**Kluger, M. J.** see Bernheim, H. A.  
**Cox, P. S.**  
**Hacker, M. R.**  
**Knabb, R. M.** see Bacchus, A. N.  
**Knapp, C. F.**, Evans, J. M., Randall, D. C., and Marquis, J. A. Cardiovascular regulation in canines during low-frequency acceleration. 242,13:H998  
**Knapp, C. F.** see Evans, J. M.  
**Knapp, D. R.** see Burch, R. M.  
**Knapp, H. R.** see Danon, A.  
**Knauer, T. E.** see Beckman, J. K.  
**Knauf, H.**, Lubcke, R., Kreutz, W., and Sachs, G. Interrelationships of ion transport in rat submaxillary duct epithelium. 242,11:F132  
**Knauss, E. B.** see Price, J. M.  
**Knecht, E. A.**, Toraason, M. A., and Wright, G. L. Thermoregulatory ability of female rats during pregnancy and lactation. 239,8:R470  
**Knehans, A. W.**, and Romsos, D. R. Reduced norepinephrine turnover in brown adipose tissue of *ob/ob* mice. 242,5:E253  
**Kneip, J.** see Morley, J. E.  
**Knepper, M. A.**, and Burg, M. B. Increased fluid absorption and cell volume in isolated rabbit proximal straight tubules after in vivo DOCA administration. 241,10:F502  
**Knepper, M. A.** see Garg, L. C.  
**Knight, T.**, Sansom, S., and Weinman, E. J. Renal tubular absorption of D-glucose, 3-O-methyl-D-glucose, and 2-deoxy-D-glucose. 233,2:F274  
**Knight, T. F.**, Sansom, S. C., Senekjian, H. O., and Weinman, E. J. Oxalate secretion in the rat proximal tubule. 240,9:F295  
**Knight, T. F.**, Senekjian, H. O., Sansom, S., and Weinman, E. J. Effects of intraluminal D-glucose and probenecid on urate absorption in the rat proximal tubule. 236,5:F526

- Knight, T. F.,** Senekjian, H. O., Sansom, S. C., and Weinman, E. J. Proximal tubule glucose efflux in the rat as a function of delivered load. 238,7:F499
- Knight, T. F.,** and Weinman, E. J. Renal sodium reabsorption following induction of and recovery from volume expansion. 233,2:F416
- Knight, T. F.**  
see Sansom, S. C.  
Senekjian, H. O.  
Sheth, A. U.  
Weinman, E. J.
- Knight, W. A., III** see McGuire, W. L.
- Knobil, E.** see Resko, J. A.
- Knochel, J. P.** see Cronin, R. E.
- Knopp, R. H.** see Humphrey, J. L.
- Knox, F. G.,** Haas, J. A., Berndt, T., Marchand, G. R., and Youngberg, S. P. Phosphate transport in superficial and deep nephrons in phosphate-loaded rats. 233,2:F150
- Knox, F. G.,** Osswald, H., Marchand, G. R., Spielman, W. S., Haas, J. A., Berndt, T., and Youngberg, S. P. Phosphate transport along the nephron. 233,2:F261
- Knox, F. G.**  
see Berndt, T. J.  
Blackshear, J. L.  
Burnett, J. C., Jr.  
Cuche, J. L.  
Diaz-Buxo, J.-A.  
Dousa, T. P.  
Greger, R. F.  
Haas, J. A.  
Hartup, D. A.  
Hoppe, A.  
Hughes, S. P. F.  
Kempson, S. A.  
Kohan, D. E.  
Marchand, G. R.  
Osswald, H.  
Ott, C. E.  
Strand, J. C.
- Kobatake, Y.**  
see Kashiwagura, T.  
Yoshii, K.
- Kobayashi, K.** see Takahashi, K.
- Kobayashi, M.,** Mondon, C. E., and Oyama, J. Insulin binding and glucose uptake of adipocytes in rats adapted to hypergravitational force. 238,1:E330
- Kobayashi, M.,** and Olefsky, J. M. Effect of experimental hyperinsulinemia on insulin binding and glucose transport in isolated rat adipocytes. 235,4:E53
- Kobayashi, M.** see Sato, K.
- Kobayashi, T.** see Aviv, A.
- Kobayashi, Y.** see Maudsley, D. V.
- Koch, C. D.**  
see LaNoue, K. F.  
Watts, J. A.
- Koch, M. J.** see Rose, R. C.
- Koch, P. L.** see Bissonnette, J. M.
- Koch, Y.** see Naor, Z.
- Kochan, R. G.,** Lamb, D. R., Lutz, S. A., Perrill, C. V., Reimann, E. M., and Schlender, K. K. Glycogen synthase activation in human skeletal muscle: effects of diet and exercise. 236,5:E660
- Kochan, R. G.,** Lamb, D. R., Reimann, E. M., and Schlender, K. K. Modified assays to detect activation of glycogen synthase following exercise. 240,3:E197
- Kocylowski, M. S. K.** see Kingma, Y. J.
- Koehler, M. F.,** Webb, R. C., Jones, A. W., and Bohr, D. F. In vitro effects of desoxycorticosterone on vascular smooth muscle. 237,6:H197
- Koehler, R. A.** see Shambaugh, G. E., III
- Koehler, R. C.,** Jones, M. D., Jr., and Traystman, R. J. Cerebral circulatory response to carbon monoxide and hypoxic hypoxia in the lamb. 243,12:H27
- Koehler, R. C.,** McDonald, B. W., and Krasney, J. A. Influence of CO<sub>2</sub> on cardiovascular response to hypoxia in conscious dogs. 239,8:H545
- Koehler, R. C.,** and Traystman, R. J. Bicarbonate ion modulation of cerebral blood flow during hypoxia and hypercapnia. 243,12:H33
- Koehler, R. C.** see Krasney, J. A.
- Koehler, R. R.** see Shambaugh, G. E., III
- Koelz, H. R.,** Fischer, J. A., Sachs, G., and Blum, A. L. Specific effect of acetylsalicylic acid on cation transport of isolated gastric mucosal cells. 235,4:E16
- Koelz, H. R.,** Hersey, S. J., Sachs, G., and Chew, C. S. Pepsinogen release from isolated gastric glands. 243,6:G218
- Koelz, H. R.,** Hollinger, A. P., Säuberli, H., Largiadèr, F., Siewert, R., and Blum, A. L. Effect of gastric antrum on regulation of lower esophageal sphincter in the dog. 234,3:E157
- Koelz, H. R.,** Sachs, G., and Berglin, T. Cation effects on acid secretion in rabbit gastric glands. 241,4:G431
- Koenigsberg, M.** see Yellin, E. L.
- Koepke, J. P.** see Grignolo, A.
- Koeppen, B. M.,** Beyenbach, K. W., Dantzer, W. H., and Helman, S. I. Electrical characteristics of snake distal tubules: studies of I-V relationships. 239,8:F402
- Koeppen, B. M.,** and Helman, S. I. Acidification of luminal fluid by the rabbit cortical collecting tubule perfused in vitro. 242,11:F521
- Koeppen, B. M.**  
see Beyenbach, K. W.  
LeHir, M.
- Koering, M. J.** see Goodman, A. L.
- Koerker, D. J.,** and Halter, J. B. Glucoregulation during insulin and glucagon deficiency: role of catecholamines. 243,6:E225
- Koerker, D. J.**  
see Chideckel, E. W.  
Hansen, B. C.  
Hom, F. G.  
Stewart, J. K.
- Koerner, J. E.** see Terjung, R. L.
- Kohan, D. E.,** and Knox, F. G. Localization of the nephron sites responsible for mineralocorticoid escape in rats. 239,8:F149
- Kohen, K. R.** see Levine, R. A.
- Köhler, P.** see Schrör, K.
- Kohn, M. C.,** Achs, M. J., and Garfinkel, D. Distribution of adenine nucleotides in the perfused rat heart. 232,1:R158
- Kohn, M. C.,** Achs, M. J., and Garfinkel, D. Computer simulation of metabolism in pyruvate-perfused rat heart. I. Model construction. 237,6:R153
- Kohn, M. C.,** Achs, M. J., and Garfinkel, D. Computer simulation of metabolism in pyruvate-perfused rat heart. II. Krebs cycle. 237,6:R159
- Kohn, M. C.,** Achs, M. J., and Garfinkel, D. Computer simulation of metabolism in pyruvate-perfused rat heart. III. Pyruvate dehydrogenase. 237,6:R167
- Kohn, M. C.,** and Garfinkel, D. Computer simulation of ischemic rat heart purine metabolism. I. Model construction. 232,1:H386
- Kohn, M. C.,** and Garfinkel, D. Computer simulation of ischemic rat heart purine metabolism. II. Model behavior. 232,1:H394
- Kohn, M. C.**  
see Achs, M. J.  
Garfinkel, D.
- Kohrs, G.** see Möhring, J.
- Koike, H.,** Steer, M. L., and Meldolesi, J. Pancreatic effects of ethionine: blockade of exocytosis and appearance of crinophagy and autophagy precede cellular necrosis. 242,5:G297
- Kojima, S.** see Ito, K.
- Kokko, J. P.**  
see Andreoli, T. E.  
DuBose, T. D., Jr.  
Higashihara, E.  
Holmberg, C.  
Jacobson, H. R.  
Lucci, M. S.
- Kolassa, N.,** Schützenberger, W. G., Wiener, H., and Turnheim, K. Active secretion of hypoxanthine and xanthine by guinea pig jejunum in vitro. 238,1:G141
- Koldovský, O.**  
see Boyle, J. T.  
Shiau, Y.-F.  
Tenore, A.
- Koler, R. D.** see Mueggler, P. A.
- Kolesari, G. L.** see Kaplan, S.
- Koletsky, R. J.,** Dluhy, R. G., Cheron, R. G., and Williams, G. H. Dietary chloride modifies renin release in normal humans. 241,10:F361
- Kolks, G. A.** see Naughton, B. A.
- Koller, M.,** and Binswanger, U. Calcium transport in the ileum of uremic rats. 242,5:G128
- Kolterman, O. G.**  
see Ciaraldi, T. P.  
Olefsky, J. M.
- Komwatana, P.** see Bruni, F. D.
- Kondo, K.** see Suzuki, H.
- Konnen, K. S.** see Blantz, R. C.
- Kontos, H. A.,** Wei, E. P., Dietrich, W. D., Navari, R. M., Povlishock, J. T., Ghatak, N. R., Ellis, E. F., and Patterson, J. L., Jr. Mechanism of cerebral arteriolar abnormalities after acute hypertension. 240,9:H511
- Kontos, H. A.,** Wei, E. P., Navari, R. M., Levasseur, J. E., Rosenblum, W. I., and Patterson, J. L., Jr. Responses of cerebral arteries and arterioles to acute hypotension and hypertension. 234,3:H371
- Kontos, H. A.,** Wei, E. P., Raper, A. J., Rosenblum, W. I., Navari, R. M., and Patterson, J. L., Jr. Role of tissue hypoxia in local regulation of cerebral microcirculation. 234,3:H582
- Kontos, H. A.**  
see Dietrich, W. D.  
Ellis, E. F.  
Navari, R. M.  
Wei, E. P.
- Konturek, J.** see Konturek, S. J.
- Konturek, S. J.,** Domschke, S., Domschke, W., Wünsch, E., and Demling, L. Comparison of pancreatic responses to portal and systemic secretin and VIP in cats. 232,1:E156
- Konturek, S. J.,** Jaworek, J., Tasler, J., Cieszkowski, M., and Pawlik, W. Effect of substance P and its C-terminal hexapeptide on gastric and pancreatic secretion in the dog. 241,4:G74
- Konturek, S. J.,** Kaess, H., Kwiecień, N., Radecki, T., Dörner, M., and Teckentrupp, U. Characteristics of intestinal phase of gastric secretion. 230,3:35
- Konturek, S. J.,** Llanos, O. L., Rayford, P. L., and Thompson, J. C. Vagal influence on gastrin and gastric acid responses to gastric and intestinal meals. 232,1:E542
- Konturek, S. J.,** Radecki, T., and Kwiecień, N. Stimuli for intestinal phase of gastric secretion in dogs. 234,3:E64
- Konturek, S. J.,** Rayford, P. L., and Thompson, J. C. Effect of pH of gastric and intestinal meals on gastric acid and plasma gastrin and secretin responses in the dog. 233,2:E537



- Konturek, S. J.**, and Siebers, R. Role of histamine  $H_1$ - and  $H_2$ -receptors in myoelectric activity of small bowel in the dog. 238,1:G50
- Konturek, S. J.**, Tasler, J., Cieszkowski, M., Dobrzańska, M., and Wunsch, E. Stimulation of gastrin release and gastric secretion by amino acids bathing pyloric gland area. 233,2:E170
- Konturek, S. J.**, Tasler, J., Cieszkowski, M., Jaworek, J., Arimura, A., and Schally, A. V. Studies on the inhibition of pancreatic secretion by luminal somatostatin. 241,4:G109
- Konturek, S. J.**, Tasler, J., Cieszkowski, M., Jaworek, J., and Konturek, J. Intravenous amino acids and fat stimulate pancreatic secretion. 236,5:E678
- Konturek, S. J.**, Tasler, J., Jaworek, J., Cieszkowski, M., and Pawlik, W. Prostaglandin inhibits pancreatic secretion. 238,1:G531
- Konturek, S. J.**, Thor, P., Król, R., Dembiński, A., and Schally, A. V. Influence of methionine-enkephalin and morphine on myoelectric activity of small bowel. 238,1:G384
- Konturek, S. J.**  
see Llanos, O. L.  
Swierczek, J. S.  
Thor, P. J.
- Koo, A.**, and Liang, I. Y. S. Stimulation and blockade of cholinergic receptors in terminal liver microcirculation in rats. 236,5:E728
- Kooh, S. W.**  
see Reddy, G. S.  
Rosenthal, A. M.
- Koong, L. J.** see Chan, C. P.
- Koopmans, H. S.** see Sclafani, A.
- Kopin, I. J.**  
see Chiu, C. C.  
Feuerstein, G.  
Kim, Y. D.  
Kvetnansky, R.  
Yamaguchi, I.
- Kopp, S. J.**, Perry, H. M., Jr., Glonek, T., Erlanger, M., Perry, E. F., Bárány, M., and D'Agrosa, L. S. Cardiac physiologic-metabolic changes after chronic low-level heavy metal feeding. 239,8:H22
- Kopple, J. D.**  
see Fukuda, S.  
Pardridge, W. M.  
Siassi, F.  
Wang, M.
- Korc, M.** Regulation of pancreatic protein synthesis by cholecystokinin and calcium. 243,6:G69
- Korc, M.**, Bailey, A. C., and Williams, J. A. Regulation of protein synthesis in normal and diabetic rat pancreas by cholecystokinin. 241,4:G116
- Korc, M.**, Iwamoto, Y., Sankaran, H., Williams, J. A., and Goldfine, I. D. Insulin action in pancreatic acini from streptozotocin-treated rats. I. Stimulation of protein synthesis. 240,3:G56
- Korc, M.**  
see Sankaran, H.  
Williams, J. A.
- Korecky, B.**, and Rakusan, K. Normal and hypertrophic growth of the rat heart: changes in cell dimensions and number. 234,3:H123
- Kori-Hara, T.** see Kumon, A.
- Korman, L. Y.**, Walker, M. D., and Gardner, J. D. Action of theophylline on secretagogue-stimulated amylase release from dispersed pancreatic acini. 239,2:G324
- Korman, L. Y.** see Gardner, J. D.
- Kormanik, G.** see Epstein, F. H.
- Korn, A.** see Waldbaus, W. K.
- Korn, D.** see Burnell, J. L.
- Kornecki, E.**, and Feinberg, H. Pyridoxal phosphate inhibition of platelet function. 238,7:H54
- Korner, P. I.**  
see De Burgh Daly  
Pullan, P. T.
- Korsmo, H. A.** see Olsen, W. A.
- Kosaka, K.**  
see Kasuga, M.  
Sando, H.
- Koschier, F. J.**, Stokols, M. F., Goldinger, J. M., Acara, M., and Hong, S. K. Effect of DIDS on renal tubular transport. 238,7:F99
- Koschier, F. J.**  
see Hong, S. K.  
Stokols, M. F.
- Koshelev, V. B.** see Rodionov, I. M.
- Kosowski, S.** see Szczepańska-Sadowska, E.
- Kostreva, D. R.**, Castaner, A., and Kampine, J. P. Reflex effects of hepatic baroreceptors on renal and cardiac sympathetic nerve activity. 238,7:R390
- Kostreva, D. R.**, Castaner, A., and Kampine, J. P. Role of autonomic in the initiation of electromechanical dissociation. 241,10:R213
- Kostreva, D. R.**, Hess, G. L., Zuperku, E. J., Neumark, J., Coon, R. L., and Kampine, J. P. Cardiac responses to stimulation of thoracic afferents in the primate and canine. 231,1:279
- Kostreva, D. R.**, Hopp, F. A., and Kampine, J. P. Depressor responses to stimulation of sympathetic afferents in monkeys and dogs. 240,9:R23
- Kostreva, D. R.**, Seagard, J. L., Castaner, A., and Kampine, J. P. Reflex effects of renal afferents on the heart and kidney. 241,10:R286
- Kosireva, D. R.**, Zuperku, E. J., Cusick, J. F., and Kampine, J. P. Ventral root mapping of cardiac nerves in the canine using evoked potentials. 232,1:H590
- Kostreva, D. R.** see Herman, N. L.
- Koszalka, T. R.** see Miller, R. K.
- Kotchen, T. A.**, Galla, J. H., and Luke, R. G. Failure of  $\text{NaHCO}_3$  and  $\text{KHCO}_3$  to inhibit renin in the rat. 231:1050
- Kotchen, T. A.**, Galla, J. H., and Luke, R. G. Effects of calcium on renin and aldosterone in the rat. 232,1:E388
- Kotchen, T. A.**, Krzyżaniak, K. E., Anderson, J. E., Ernst, C. B., Galla, J. H., and Luke, R. G. Inhibition of renin secretion by HCl is related to chloride in both dog and rat. 239,8:F44
- Kotchen, T. A.**, and Talwalkar, R. T. Increased enzymatic activity of renin and hyperlipidemia. 240,3:E60
- Kotchen, T. A.**, Welch, W. J., and Talwalkar, R. T. In vitro and in vivo inhibition of renin by fatty acids. 234,3:E593
- Kotchen, T. A.** see Kirchner, K. A.
- Kotlar, T. J.**, and Borenstajn, J. Oscillatory changes in muscle lipoprotein lipase activity of fed and starved rats. 233,2:E316
- Kotler, D. P.**, Levine, G. M., and Shiau, Y.-F. Effects of nutrients, endogenous secretions, and fasting on in vitro glucose uptake. 238,1:G219
- Kotler, D. P.**, Levine, G. M., and Shiau, Y.-F. Effects of luminal nutrition and metabolic status on in vivo glucose absorption. 240,3:G432
- Kotler, D. P.**, Shiau, Y.-F., and Levine, G. M. Effects of luminal contents on jejunal fatty acid esterification in the rat. 238,1:G414
- Koubi, H.** see Le Maho, Y.
- Kounenis, G. K.** see Zimmerman, B. G.
- Koushanpour, E.** A planimetric technique for measuring deformation of the carotid sinus region. 242,11:H921
- Koutouzov, S.**, Marche, P., Cloix, J.-F., and Meyer, P. Phospholipid phosphorylation in erythrocyte of spontaneously hypertensive rats. 243,12:H590
- Kovacevic, N.** see Hetenyi, G., Jr.
- Kováč, A. G. B.**  
see Eke, A.  
Gyulai, L.  
Sándor, P.
- Kovacs, J. L.** see Klevans, L. R.
- Kowaloff, H.**, Gavras, H., and Brecher, P. Reninlike enzymatic activity in the cerebral microvessels of the rat. 238,7:H384
- Koyama, S.**, Ammons, W. S., and Manning, J. W. Altered renal vascular tone and plasma renin activity due to fastigial and baroreceptor activation. 239,8:H232
- Koyama, S.** see Ammons, W. S.
- Koyama, T.** see Kakiuchi, Y.
- Koyanagi, S.**, Eastham, C. L., Harrison, D. G., and Marcus, M. L. Transmural variation in the relationship between myocardial infarct size and risk area. 242,11:H867
- Kozlov, N.** see Thirakomen, K.
- Kozłowski, S.**, Greenleaf, J. E., Turlejska, E., and Nazar, K. Extracellular hyperosmolality and body temperature during physical exercise in dogs. 239,8:R180
- Kozłowski, S.** see Greenleaf, J. E.
- Kraft, E. J.** see Zimmerman, B. G.
- Krähenbühl, B.** see Lassen, N. A.
- Kraikitanitch, S.** see Yunice, A. A.
- Krakoff, L. R.**  
see Eliovich, F.  
Ribeiro, A. B.
- Kral, J. G.** Surgical reduction of adipose tissue in the male Sprague-Dawley rat. 231:1090
- Kralios, A. C.**, and Tsagaris, T. J. Effect of activation sequence on MVO, before and after coronary ligation. 234,3:H260
- Kralios, F. A.**, and Millar, C. K. Sympathetic neural effects on regional atrial recovery properties and cardiac rhythm. 240,9:H590
- Krall, A. R.** see Pressley, T. A.
- Kramer, G. C.**, Harms, B. A., Bodai, B. I., Demling, R. H., and Renkin, E. M. Mechanisms for redistribution of plasma protein following acute protein depletion. 243,12:H803
- Kramer, J. H.**, Chovan, J. P., and Schaffer, S. W. Effect of taurine on calcium paradox and ischemic heart failure. 240,9:H238
- Kramer, L.** see Spencer, H.
- Kramp, R. A.**, and Lorentz, W. B. Glucose transport in chronically altered rat nephrons. 243,12:F393
- Kramp, R. A.** see Colindres, R. E.
- Kraning, K. K.** see Brengelmann, G. L.
- Krasney, J. A.**, and Koehler, R. C. Heart rate and rhythm and intracranial pressure. 230:1695
- Krasney, J. A.** see Koehler, R. C.
- Kras, D. R.**, and Jackson, D. C. Temperature effects on ventilation and acid-base balance of the green turtle. 239,8:R254
- Krause, S. M.** see Hess, M. L.
- Krausz, M. M.**, Utsunomiya, T., Levine, L. L., Dunham, B., Shepro, D., and Hechtman, H. B. Adverse effects of prostacyclin used to perfuse isolated lung lobes. 242,11:H745
- Krausz, M. M.**  
see Dunham, B. M.  
Utsunomiya, T.
- Kraut, J. A.**, Wish, J. B., Zoller, K. M., Weinstein, S. S., Melby, J. A., and Cohen, J. J. Aldosterone and the renal response to sulfuric acid feeding in the dog. 243,12:F494
- Kraut, J. A.** see Gafter, U.
- Kravitz, J. J.**, Snape, W. J., Jr., and Cohen, S. Effect of thoracic vagotomy and vagal stimulation on esophageal function. 234,3:E359



- Krawitt, E. L., Kunin, A. S., Sampson, H. W., and Bacon, B. F. Effect of hypophysectomy on calcium transport by rat duodenum. 232,1:E229
- Krebs, H. A. *see* Vinay, P.
- Kregenow, F. M., Robbie, D. E., and Orloff, J. Effect of norepinephrine and hypertonicity on K influx and cyclic AMP in duck erythrocytes. 231:306
- Kreulen, D. *see* Curtis, B. A.
- Kreulen, D. L., and Szurszewski, J. H. Nerve pathways in celiac plexus of the guinea pig. 237,6:E90
- Kreulen, D. L. *see* Prosser, C. L.
- Kreutz, W. *see* Knauf, H.
- Krezoski, S. O. *see* Gumucio, J. J.
- Krezowski, P. A. *see* Northrup, T. E.
- Krieger, A. J. *see* Sapru, H. N.
- Krieger, D. T. *see* Gibson, M. J.
- Krieger, E. M. *see* Salgado, H. C.
- Krieger, J. *see* Moyle, W. R.
- Krieger, L. W. *see* Merrill, G. F.
- Krieger, N. S., and Stern, P. H. Interaction between amrinone and parathyroid hormone on bone in culture. 243,6:E499
- Krier, J., and Szurszewski, J. H. Effect of substance P on colonic mechanoreceptors, motility, and sympathetic neurons. 243,6:G259
- Krishnamurthy, V. S. R., Adams, H. R., Smitherman, T. C., Templeton, G. H., and Willerson, J. T. Influence of mannitol on contractile responses of isolated perfused arteries. 232,1:H59
- Krishnamurthy, V. S. R., Adams, H. R., Templeton, G. H., and Willerson, J. T. Inhibitory effect of hypertonic mannitol on vasoconstrictor and vasodilator responses of isolated coronary arteries. 235,4:H728
- Kristensen, L. Ø. *see* Sestoft, L.
- Krivokapich, J., Huang, S.-C., Phelps, M. E., Barrio, J. R., Watanabe, C. R., Selin, C. E., and Shine, K. I. Estimation of rabbit myocardial metabolic rate for glucose using fluorodeoxyglucose. 243,12:H884
- Krivokapich, J., Huang, S.-C., Phelps, M. E., MacDonald, N. S., and Shine, K. I. Dependence of  $^{15}\text{NH}_3$  myocardial extraction and clearance on flow and metabolism. 242,11:H536
- Krivokapich, J., and Shine, K. I. Effects of hyperkalemia and glycoside on thallium exchange in rabbit ventricle. 240,9:H612
- Kriz, B. M. *see* Goldfine, I. D.
- Kriz, W. Structural organization of the renal medulla: comparative and functional aspects. 241,10:R3
- Kroeger, E. A. Effect of ionic environment on oxygen uptake and lactate production of myometrium. 230:158
- Kroeger, E. A. *see* Stephens, N. L.
- Krohn, K. A. *see* McDonagh, P. F.
- Król, R. *see* Konturek, S. J.
- Thor, P.
- Kroll, K., Hendriks, F. F. A., and Schipperheyn, J. J. Extracorporeal circulation system for coronary artery perfusion in the closed-chest dog. 236,5:H652
- Kroll, K., Schipperheyn, J. J., Hendriks, F. F. A., and Laird, J. D. Role of adenosine in postocclusion coronary vasodilation. 238,7:H214
- Kromer, U. *see* Skoog, C.
- Kronauer, R. E. Reply to R. Wever. 242,11:R22
- Kronauer, R. E., Czeisler, C. A., Pilato, S. F., Moore-Ede, M. C., and Weitzman, E. D. Mathematical model of the human circadian system with two interacting oscillators. 242,11:R3
- Krueger, J. M., Bacsik, J., and García-Arrarás, J. Sleep-promoting material from human urine and its relation to factor S from brain. 238,1:E16
- Kruger, R. T. I. *see* Arts, T.
- Krulich, L. *see* Boyle, J. T.
- Krzysik, B. A., and Adibi, S. A. Cytoplasmic dipeptidase activities of kidney, ileum, jejunum, liver, muscle, and blood. 233,2:E450
- Krzyzaniak, K. E. *see* Kotchen, T. A.
- Kubert, B. R. *see* Janz, R. F.
- Kubota, T. *see* Biagi, B.
- Kuchel, O. *see* Fauchoux, B.
- Unger, T.
- Kugai, N. *see* Ogata, E.
- Kühl, C. *see* Jensen, S. L.
- Kühl, D. E. *see* Huang, S.-C.
- Kulkarni, P., Wakade, A. R., and Kirpekar, S. M. Sympathetic innervation of guinea pig uterus and ovary. 230:1400
- Kulkarni, P. *see* Mukherjee, A.
- Kulkarni, P. G., Hoffman, F. M., and Shoemaker, R. L. Inhibition of  $\text{H}^+$  secretion in frog gastric mucosa by somatostatin. 236,5:E784
- Kumada, M., Dampney, R. A. L., Whittall, M. H., and Reis, D. J. Hemodynamic similarities between the trigeminal and aortic vasodepressor responses. 234,3:H67
- Kumada, T., Gallagher, K. P., Miller, M., McKown, M., White, F., McKown, D., Kemper, W. S., and Ross, J., Jr. Improvement by isosorbide dinitrate of exercise-induced regional myocardial dysfunction. 239,8:H399
- Kumada, T., Karlner, J. S., Pouleur, H., Gallagher, K. P., Shirato, K., and Ross, J., Jr. Effects of coronary occlusion on early ventricular diastolic events in conscious dogs. 237,6:H542
- Kumada, T. *see* Gallagher, K. P.
- Kumar, R., Wesner, R., Scott, M., and Go, V. L. W. Physiology of 24,25-dihydroxyvitamin D $_3$  in normal human subjects. 243,6:E370
- Kumon, A., Takahashi, A., and Kōri-Hara, T. Epinephrine: a mediator of plasma glycerol elevation by hypothalamic stimulation. 233,2:E369
- Kunau, R. T., Jr., and Whinnery, M. A. Potassium transfer in distal tubule of normal and remnant kidneys. 235,4:F186
- Kunau, R. T., Jr. *see* Richardson, R. M. A.
- Whinnery, M. A.
- Kunin, A. S., and Tannen, R. L. Regulation of glutamate metabolism by renal cortical mitochondria. 237,6:F55
- Kunin, A. S. *see* Krawitt, E. L.
- Tannen, R. L.
- Kuntz, A. L. *see* Tallman, R. D., Jr.
- Kunz, P. *see* Blum, J. W.
- Kunze, D. L. Rapid resetting of the carotid baroreceptor reflex in the cat. 241,10:H802
- Kuo, Y.-J., and Shanbour, L. L. Mechanism of action of aspirin on canine gastric mucosa. 230:762
- Kuo, Y.-J., and Shanbour, L. L. Inhibition of ion transport by bile salts in canine gastric mucosa. 231:1433
- Kupersmith, J. *see* Shiang, H. H.
- Kurahashi, M., and Kuroshima, A. Mechanism of triiodothyronine-induced creatinuria in the rat. 233,2:E91
- Kurihara, K. *see* Kashiwagura, T.
- Yoshii, K.
- Kuriyama, H., Ito, Y., Suzuki, H., Kitamura, K., and Itoh, T. Factors modifying contraction-relaxation cycle in vascular smooth muscles. 243,12:H641
- Kuriyama, H. *see* Suzuki, H.
- Kurkus, J. *see* Sadowski, J.
- Kuroda, S. *see* Zilenovskii, A. M.
- Kuroiwa, A. *see* Fukuyama, T.
- Kurokawa, K. *see* Gafter, U.
- Kuroshima, A. *see* Kurahashi, M.
- Kurtz, T. W. *see* Hsu, C. H.
- Kurtzman, N. A. *see* Arruda, J. A. L.
- Boonjarern, S.
- Chan, Y. L.
- Cruz-Soto, M.
- Sabatini, S.
- Sehy, J. T.
- Thirakomen, K.
- Westenfelder, C.
- Kurz, K. D., and Zehr, J. E. Mechanisms of enhanced renin secretion during  $\text{CO}_2$  retention in dogs. 234,3:H573
- Kurz, K. D. *see* Johnson, J. A.
- Siripaisarnpipat, S.
- Kusachi, S., Nishiyama, O., Yasuhara, K., Saito, D., Haraoka, S., and Nagashima, H. Right and left ventricular oxygen metabolism in open-chest dogs. 243,12:H761
- Kusachi, S. *see* Saito, D.
- Kusaka, M., and Ui, M. Tracer kinetic analysis of Cori cycle activity in the rat: effect of feeding. 232,1:E136
- Kusaka, M., and Ui, M. Activation of the Cori cycle by epinephrine. 232,1:E145
- Kusano, E. *see* Imai, M.
- Kusch, M., Farman, N., and Edelman, I. S. Binding of aldosterone to cytoplasmic and nuclear receptors of the urinary bladder epithelium of *Bufo marinus*. 235,4:C82
- Kusch, M. *see* Farman, N.
- Kuschinsky, W., Suda, S., and Sokoloff, L. Local cerebral glucose utilization and blood flow during metabolic acidosis. 241,10:H772
- Kushmerick, M. J. *see* DeFuria, R. R.
- Meyer, R. A.
- Kushwaha, R. S., and Hazzard, W. R. Effect of exogenous estrogens on catabolism of VLDL in cholesterol-fed rabbits. 241,4:E372
- Kutner, M. H. *see* Rudman, D.
- Kutschinski, S. S. *see* Mouw, D. R.
- Kutsky, P., Goodman, F. R., and Grover, A. K. Calcium incorporation by smooth muscle subcellular fractions (Letter to the Editor). 240,9:C248
- Kuwajima, I. *see* Sesoko, S.
- Kuznetz, L. H. A two-dimensional transient mathematical model of human thermoregulation. 237,6:R266
- Kuzuaya, H. *see* Seino, S.
- Kvetnansky, R., McCarty, R., Thoa, N. B., Lake, C. R., and Kopin, I. J. Sympatho-adrenal responses of spontaneously hypertensive rats to immobilization stress. 236,5:H457
- Kvietys, P. *see* Chou, C. C.
- Kvietys, P. R., Gallavan, R. H., and Chou, C. C. Contribution of bile to postprandial intestinal hyperemia. 238,1:G284
- Kvietys, P. R., and Granger, D. N. Relation between intestinal blood flow and oxygen uptake. 242,5:G202
- Kvietys, P. R., and Granger, D. N. Vasoactive agents and splanchnic oxygen uptake. 243,6:G1
- Kvietys, P. R., McLendon, J. M., Bulkley, G. B., Perry, M. A., and Granger, D. N. Pancreatic circulation: intrinsic regulation. 242,5:G596
- Kvietys, P. R., McLendon, J. M., and Granger, D. N. Postprandial intestinal hyperemia: role of bile salts in the ileum. 241,4:G469
- Kvietys, P. R., Miller, T., and Granger, D. N. Intrinsic control of colonic blood flow and oxygenation. 238,1:G478

- Kvietys, P. R.**  
see Barrowman, J. A.  
Gallavan, R. H., Jr.  
Granger, D. N.  
Mortillaro, N. A.  
Perry, M. A.  
Richardson, P. D. I.
- Kwan, C. Y.** see Grover, A. K.  
**Kwee, D. J.** see Nemeth, P. R.  
**Kweifio-Okai, G.** see Györy, A. Z.  
**Kwiecień, N.** see Konturek, S. J.  
**Kwok, Y.** see Gonzalez, C.  
**Kyner, W. T.** see Rosenberg, G. A.
- L**
- Lab, M. J.,** and Child, R. K. An automatic cardiac action potential duration meter. 236,5:H183
- LaBarbera, A. R.,** and Ryan, R. J. Porcine granulosa cells in suspension culture. II. Luteinization and hCG responsiveness. 240,3:E622
- La Bella, A.,** Lahaie, R. G., Sarles, H., and Dagorn, J. C. Pancreatic enzyme secretion: non-specific stimulation by duodenal mucosal extracts. 240,3:G109
- LaBrecque, D. R.** In vitro stimulation of cell growth by hepatic stimulator substance. 242,5:G289
- LaBrecque, D. R.,** and Bachur, N. R. Hepatic stimulator substance: physicochemical characteristics and specificity. 242,5:G281
- Labrie, F.**  
see De Lean, A.  
Lagacé, L.
- Laburn, H. P.,** Mitchell, D., Kenedi, E., and Louw, G. N. Pyrogens fail to produce fever in a cordylid lizard. 241,10:R198
- Lack, L.** see De Witt, E. H.
- Lacombe, E. H.** see Rand, P. W.
- Lacour, B.** see Ganeval, D.
- Lacy, F. B.** see Gelbart, D. R.
- Lacy, P. E.** see Pace, C. S.
- Lacy, W.** see Bloomgarden, Z. T.
- Lacy, W. W.**  
see Abumrad, N. N.  
Cherrington, A. D.
- Lada, W.** see Paddock, J. K.
- Ladefoged, J.** see Hammer, M.
- Ladenheim, E. E.** see Ritter, S.
- Lado, M. G.,** Sheu, S.-S., and Fozzard, H. A. Changes in intracellular  $Ca^{2+}$  activity with stimulation in sheep cardiac Purkinje strands. 243,12:H133
- Lafferty, J. L.** see Quissell, D. O.
- Laffin, R.** see Blumenstock, F.
- Lagacé, L.,** Labrie, F., Antakly, T., and Pelletier, G. Sensitivity of rat adenohypophyseal cells to estradiol and LHRH during long-term culture. 240,3:E602
- Lahaie, R. G.** see La Bella, A.
- Lahiri, S.**  
see DeLaney, R. G.  
Mulligan, E.
- Lahlou, B.** see Fossat, B.
- Lai, P. C. W.,** Mears, G. J., Van Petten, G. R., Hay, D. M., and Lorscheider, F. L. Fetal-maternal distribution of ovine alpha-fetoprotein. 235,4:E27
- Lai, P. C. W.** see Mears, G. J.
- Lai, T. L.** see Haddad, G. G.
- Laird, J. D.**  
see Avolio, A. P.  
Kroll, K.  
Ruiter, J. H.
- Lajam, F.** see Freidman, H. S.
- Lajotte, C.** see Chaumet-Riffaud, P.
- Lakatta, E. G.,** and Yin, F. C. P. Myocardial aging: functional alterations and related cellular mechanisms. 242,11:H927
- Lakatta, E. G.**  
see Guarnieri, T.  
Wei, J. Y.  
Yin, F. C. P.
- Lake, C. R.**  
see Kim, Y. D.  
Kvetnansky, R.
- Laks, M. M.,** Garner, D., Beazell, J., and Piscatelli, J. A new method for internal calibration of left ventricular cineangiography. 232,1:H434
- Lalley, P. M.** see Kendrick, J. E.
- Lalone, B.** see Hall, J. E.
- Lalone, B. J.** see Swain, D. P.
- Laloraya, M. M.** see Agrawal, P.
- Lalumière, G.** see Carrière, S.
- LaManna, J. C.** see Sick, T. J.
- LaManna, V. R.,** and Ferrier, G. R. Electrophysiological effects of insulin on normal and depressed cardiac tissues. 240,9:H636
- Lamanna, V. R.** see Jalife, J.
- Lamb, D. R.** see Kochan, R. G.
- Lambert, A. E.** see Henquin, J.-C.
- Lambert, C. R.,** Gladden, L. B., and Stainsby, W. N. Length-dependent activation of in situ canine skeletal muscle. 237,6:C38
- Lambert, C. R.,** and Posner, P. Indices of myocardial oxygen consumption for isotonic contraction. 236,5:H331
- Lambert, C. R.** see Posner, P.
- Lambregts, J. A. C.** see Arts, T.
- Lameire, N. H.** see Osgood, R. W.
- Lamers, C. B.,** Morley, J. E., Poitras, P., Sharp, B., Carlson, H. E., Hershman, J. M., and Walsh, J. H. Immunological and biological studies on cholecystokinin in rat brain. 239,2:E232
- Lammerée, G. C.** see Wallinga-de Jonge, W.
- LaMont, J. T.,** and Ventola, A. Galactosyltransferase in fetal, neonatal, and adult colon: relationship to differentiation. 235,4:E213
- LaMont, J. T.** see Rampal, P.
- LaMorte, W. W.** see Schoetz, D. J., Jr.
- Lamprecht, S. A.** see Amsterdam, A.
- Lancaster, C.,** and Robert, A. Intestinal lesions produced by prednisolone: prevention (cytoprotection) by 16,16-dimethyl prostaglandin  $E_2$ . 235,4:E703
- Landahl, H.** see O'Connor, M. D. L.
- Landauer, R.** Nonlinearity, multistability, and fluctuations: reviewing the reviewers. 241,10:R107
- Landon, R.** see McKean, T.
- Landsberg, L.**  
see Besarab, A.  
Young, J. B.
- Lane, J. B.** see Hakim, A. A.
- Lane, J. R.** see Keaney, N. P.
- Lane, M. M.** see Archer, L. T.
- Lane, R. S.** see Granger, D. N.
- Lang, F. C.**  
see Greger, R. F.  
Haas, J. A.  
Marchand, G. R.
- Lang, M. A.,** Rosenthal, S. J., Caplan, S. R., and Essig, A. Measurement of oxygen consumption in voltage-clamped epithelia. 236,5:F206
- Lang, R. E.** see Rascher, W.
- Langaard, Ø.** see Holdaas, H.
- Lange, G.** see Frankel, S.
- Langeluttig, S. G.** see Forte, L. R.
- Langendorf, R.** see Arbel, E. R.
- Langer, A. W.,** Obrist, P. A., and McCubbin, J. A. Hemodynamic and metabolic adjustments during exercise and shock avoidance in dogs. 236,5:H225
- Langer, G. A.** The structure and function of the myocardial cell surface. 235,4:H461
- Langer, G. A.,** Frank, J. S., and Nudd, L. M. Correlation of calcium exchange, structure, and function in myocardial tissue culture. 237,6:H239
- Langer, G. A.,** and Nudd, L. M. Addition and kinetic characterization of mitochondrial calcium in myocardial tissue culture. 239,8:H769
- Langer, G. A.**  
see Bers, D. M.  
Jarmakani, J. M.  
Philipson, K. D.  
Ponce-Hornos, J. E.  
Poole-Wilson, P. A.  
Rau, E. E.
- Langhans, W.,** Geary, N., and Scharrer, E. Liver glycogen content decreases during meals in rats. 243,12:R450
- Langhans, W.** see Geary, N.
- Langille, B. L.,** and Crisp, B. Temperature dependence of blood viscosity in frogs and turtles: effect on heat exchange with environment. 239,8:R248
- Laniado, S.** see Yellin, E. L.
- LaNoue, K. F.,** Watts, J. A., and Koch, C. D. Adenine nucleotide transport during cardiac ischemia. 241,10:H663
- LaNoue, K. F.** see Watts, J. A.
- Lapidot, A.** see Nissim, I.
- Lappe, D. L.** see Stern, M. D.
- Laprade, R.** see Gagnon, J.
- Largiadèr, F.** see Koelz, H. R.
- Largman, C.,** Brodrick, J. W., Geokas, M. C., Johnson, J. H., and Fassett, M. Demonstration of a pancreatic proelastase 2- $\alpha_1$ -protease inhibitor complex in normal human plasma. 238,1:G177
- Largman, C.,** Ray, S. B., Brodrick, J. W., and Geokas, M. C. Clearance and metabolism of circulating pancreatic proelastase in the rat. 239,2:G504
- Largman, C.**  
see Brodrick, J. W.  
Geokas, M. C.
- Laris, P. C.,** and Henius, G. V. Influence of glucose on Ehrlich cell volume, ion transport, and membrane potential. 242,11:C326
- LaRochelle, F. T., Jr.** see Jones, R. M.
- Larsen, G. E.** see Heistad, D. D.
- Larsen, J.-J.** see Ottesen, B.
- Larsen, L. A.,** and Burnell, J. M. Muscle buffer values. 234,3:F432
- Larsen, P. R.** see Goodman, M. N.
- Larson, K.** see Cheung, L. Y.
- Larson, K. B.** see Raichle, M. E.
- Larson, M.** see Wolgast, M.
- Larson, M. V.** see Haas, J. A.
- Larsson, L.** see Aperia, A.
- Larsson, L.-I.** Peptide secretory pathways in GI tract: cytochemical contributions to regulatory physiology of the gut. 239,2:G237
- Laska, E. D.** see Yablonski, M. R.
- Lasker, R. D.** see Spiegel, A. M.
- Laski, M. E.** see Boonjarearn, S.
- Lassen, N. A.,** Krähenbühl, B., and Hirai, M. Occlusion cuff for routine measurement of digital blood pressure and blood flow. 232,1:H338
- Lassiter, W. E.** see Pastoriza-Muñoz, E.
- László, F. A.** see Káteszi, M.
- Lau, K.,** Goldfarb, S., Grabie, M., Agus, Z. S., and Goldberg, M. Mechanism of lithium-induced hypercalciuria in rats. 234,3:E294
- Lau, K.** see Guntupalli, J.
- Lau, V.-K.,** Sagawa, K., and Suga, H. Instantaneous pressure-volume relationship of right atrium during isovolumic contraction in canine heart. 236,5:H672
- Lau, Y. T.,** Parsons, R. H., Feeney, G. A., and Walker, K. L. Bath osmolality: effect on water permeability of epithelial tissue. 242,11:C184
- Lauber, J. K.** see Glass, J. D.

- Laubie, M., and Schmitt, H. Destruction of the nucleus tractus solitarius in the dog: comparison with sinoaortic denervation. 236,5:H736
- Laudenslager, M. L., Carlisle, H. J., and Calvano, S. E. Increased heat loss in ovariectomized hypothyroid rats treated with estradiol. 243,12:R70
- Laudenslager, M. L., Wilkinson, C. W., Carlisle, H. J., and Hammel, H. T. Energy balance in ovariectomized rats with and without estrogen replacement. 238,7:R400
- Laughlin, D. E. *see* Wangler, R. D.
- Laughlin, M. H., and Armstrong, R. B. Muscular blood flow distribution patterns as a function of running speed in rats. 243,12:H296
- Laughlin, M. H. *see* Diana, J. N.
- Laurent, P., and Dunel, S. Morphology of gill epithelia in fish. 238,7:R147
- Lauritsen, K. B. *see* Hilsted, J.
- Lautt, W. W. Effect of stimulation of hepatic nerves on hepatic  $O_2$  uptake and blood flow. 232,1:H652
- Lautt, W. W. Control of hepatic arterial blood flow: independence from liver metabolic activity. 239,8:H559
- Lautt, W. W., and Greenway, C. V. Hepatic venous compliance and role of liver as a blood reservoir. 231:292
- Lautt, W. W., Wong, C., Durham, J. S., and Taillon, P. An intracaval cannulation for obtaining pure, mixed hepatic venous blood samples. 235,4:H262
- Lavarenne, J. *see* Boucher, M.
- Lavau, M. *see* Bazin, R.
- LaVeau, P. *see* Fritz, M. E.
- Lavee, A. E. *see* Levin, S. R.
- Laverty, G., and Dantzer, W. H. Micro-puncture of superficial nephrons in avian (*Sturnus vulgaris*) kidney. 243,12:F561
- Lavine, R. L., Voyles, N., Perrino, P. V., and Recant, L. Functional abnormalities of islets of Langerhans of obese hyperglycemic mouse. 233,2:E86
- Lavoie, N. *see* Gougoux, A.
- Law, H. F., Epstein, R. A., and Epstein, M. A. F. High-resolution determination of the R-R interval. 236,5:H894
- Lawler, F. H., and Brace, R. A. Fetal and maternal arterial pressures and heart rates: histograms, correlations, and rhythms. 243,12:R433
- Lawson, N. L. *see* Hamburger, R. J.
- Layberry, R. A. *see* Hall, S. E. H.
- Letenyi, G., Jr. *see* Cooperstein, S. J.
- Lazarow, A. *see* Cooperstein, S. J.
- Lazarowitz, V. C. *see* Arief, A. I.
- Lazzara, R. *see* Berbari, E. J.
- Le, N.-A. *see* Melish, J.
- Turner, J. D.
- Leach, C. S. *see* Rambaut, P. C.
- Leach, J. K., Brady, A. J., Skipper, B. J., and Millis, D. L. Effects of active shortening on tension development of rabbit papillary muscle. 238,7:H8
- Leach, W. *see* Arief, A. I.
- Leach, W. J. *see* Arief, A. I.
- Park, R.
- Leaf, A. From toad bladder to kidney. 242,11:F103
- Leaf, A. *see* Dávalos, M.
- Frega, N. S.
- Macknight, A. D. C.
- Leal-Pinto, E. *see* Abramson, R. G.
- Leary, T. M. *see* Findlay, S. R.
- Leav, I. *see* Hubbard, R. W.
- Leavitt, L. *see* Mukhopadhyay, A. K.
- Lebenthal, E. *see* Lee, P. C.
- LeBlanc, A. D. *see* Sheng, H. P.
- LeBlanc, J. *see* Bukowiecki, L.
- Lebovitz, H. E. *see* Burch, W. M.
- McCumbee, W. D.
- Lebowitz, J. L. *see* Will, P. C.
- Le Breton, G. C. *see* Owen, N. E.
- Lebrun, P., Malaisse, W. J., and Herchuelz, A. Evidence for two distinct modalities of  $Ca^{2+}$  influx into pancreatic B cell. 242,5:E59
- Lebrun, P., Malaisse, W. J., and Herchuelz, A. Nutrient-induced intracellular calcium movement in rat pancreatic B cell. 243,6:E196
- Lebwohl, D. J., Lee, H. N., and DiScala, V. A. Calcium homeostasis during hypertonic volume expansion in the hypothyroid rat. 230:456
- Le Cam, A., Rey, J.-F., Fehlmann, M., Kitabgi, P., and Freychet, P. Amino acid transport in isolated hepatocytes after partial hepatectomy in the rat. 236,5:E594
- Lecarpentier, Y., Martin, J. L., Gastineau, P., and Hatt, P. Y. Load dependence of mammalian heart relaxation during cardiac hypertrophy and heart failure. 242,11:H855
- Lecarpentier, Y. C., Chuck, L. H. S., Housmans, P. R., De Clerck, N. M., and Brutsaert, D. L. Nature of load dependence of relaxation in cardiac muscle. 237,6:H455
- Lechene, C. *see* Bengel, H. H.
- Bonventre, J. V.
- Graber, M. L.
- Holt, W. F.
- Pastoriza-Muñoz, E.
- Roman, R. J.
- Lechene, C. P. Electron probe microanalysis: its present, its future. 232,1:F391
- Lechene, C. P. *see* Bengel, H. H.
- Bonventre, J. V.
- Greger, R. F.
- Lechner, A. J. *see* Zerbe, G. O.
- Leclercq-Meyer, V., Marchand, J., and Malaisse, W. J. Calcium dependency of glucagon release: its modulation by nutritional factors. 236,5:E98
- Ledbetter, F. H., Kilpatrick, D., Sage, H. L., and Kirshner, N. Synthesis of chromogranins and dopamine  $\beta$ -hydroxylase by perfused bovine adrenal glands. 235,4:E475
- Ledingham, J. G. G. *see* Rolls, B. J.
- Ledsome, J. R. *see* Bolter, C. P.
- Lee, B. I. *see* Corr, P. B.
- Lee, C. L. *see* Macagno, E. O.
- Lee, C. O. Ionic activities in cardiac muscle cells and application of ion-selective microelectrodes. 241,10:H459
- Lee, C. O., and Fozzard, H. A. Membrane permeability during low potassium depolarization in sheep cardiac Purkinje fibers. 237,6:C156
- Lee, D. *see* Gould, K. L.
- Lee, D. B. N., Brautbar, N., Walling, M. W., Silis, V., Coburn, J. W., and Kleeman, C. R. Effect of phosphorus depletion on intestinal calcium and phosphorus absorption. 236,5:E451
- Lee, D. B. N., Walling, M. M., Levine, B. S., Gaft, U., Silis, V., Hodsman, A., and Coburn, J. W. Intestinal and metabolic effect of 1,25-dihydroxyvitamin  $D_3$  in normal adult rat. 240,3:G90
- Lee, D. B. N. *see* Brautbar, N.
- Gaft, U.
- Levine, B. S.
- Lee, D. R. *see* Wiederhielm, C. A.
- Lee, E. Y. *see* Moyle, W. R.
- Lee, F. *see* Fritz, M. E.
- Lee, H. N. *see* Lebwohl, D. J.
- Lee, J. B. *see* Stahl, R. A. K.
- Lee, J. C., and Downing, S. E. Effects of insulin on cardiac muscle contraction and responsiveness to norepinephrine. 230:1360
- Lee, J. C., and Downing, S. E. Coronary dynamics and myocardial metabolism in the diabetic newborn lamb. 237,6:H118
- Lee, J. C., and Downing, S. E. Laryngeal reflex inhibition of breathing in piglets: influences of anemia and catecholamine depletion. 239,8:R25
- Lee, J. C., and Downing, S. E. Ventricular function in norepinephrine-induced cardiomyopathic rabbits. 242,11:H191
- Lee, J. C., Fripp, R. R., and Downing, S. E. Myocardial responses to  $\alpha$ -adrenoceptor stimulation with methoxamine hydrochloride in lambs. 242,11:H405
- Lee, J. C., Stoll, B. J., and Downing, S. E. Properties of the laryngeal chemoreflex in neonatal piglets. 233,2:R30
- Lee, J. C., Werner, J. C., and Downing, S. E. Adrenal contribution to cardiac responses elicited by acute hypoxia in piglets. 239,8:H751
- Lee, J. C. *see* Downing, S. E.
- Fagenholz, S. A.
- Matisoff, D. N.
- Nudel, D. B.
- Werner, J. C.
- Lee, J. S. Epithelial cell extrusion during fluid transport in canine small intestine. 232,1:E408
- Lee, J. S. Lymph capillary pressure of rat intestinal villi during fluid absorption. 237,6:E301
- Lee, J. S. Lymph flow during fluid absorption from rat jejunum. 240,3:G312
- Lee, J. S., and Silverberg, J. W. Effect of histamine on intestinal fluid secretion in the dog. 231:793
- Lee, K. Y., Kim, M. S., and Chey, W. Y. Effects of a meal and gut hormones on plasma motilin and duodenal motility in dog. 238,1:G280
- Lee, K. Y., Tai, H. H., and Chey, W. Y. Plasma secretin and gastrin responses to a meal and duodenal acidification in dogs. 230:784
- Lee, K. Y. *see* Chey, W. Y.
- Kim, M. S.
- Lee, M.-C., Thrasher, T. N., and Ramsay, D. J. Is angiotensin essential in drinking induced by water deprivation and caval ligation? 240,9:R75
- Lee, P. *see* Kirk, R. G.
- Miles, P. R.
- Lee, P. A. *see* Wallin, J. D.
- Lee, P. C., Brooks, S., and Lebenthal, E. Effect of fasting and refeeding on pancreatic enzymes and secretagogue responsiveness in rats. 242,5:G215
- Lee, P. C., Jensen, R. T., and Gardner, J. D. Bombesin-induced desensitization of enzyme secretion in dispersed acini from guinea pig pancreas. 238,1:G213
- Lee, S. H. *see* Hong, S. K.
- Lee, S. L., and Dhalla, N. S. Subcellular calcium transport in failing hearts due to calcium deficiency and overload. 231:1159
- Lee, S. L. *see* Dhalla, N. S.
- Lee, S. P. Enhanced fluid transport across gallbladder mucosa in experimental cholelithiasis. 234,3:E575
- Lee, T. *see* Marzilli, M.
- Stein, P. D.
- Leenen, F. H. *see* Stricker, E. M.
- Leenen, F. H. H., and De Jong, W. Hypotensive effect of water restriction in the two-kidney one-clip hypertensive rat. 241,10:F525



- Leeper, L. L.** see Henning, S. J.  
**Lees, D. E.**  
 see Bynum, G. D.  
 Kim, Y. D.
- Lefavour, G. S., Gennari, F. J., and Cortell, S.** Effect of delivery on proximal tubular reabsorption during volume expansion in the rat. 236,5:F488
- Lefavour, G. S.** see Gennari, F. J.
- Lefcourt, A. M.** Rhythmic contractions of the test sphincter in bovines: an expulsion mechanism. 242,11:R181
- Lefer, A. M.**  
 see Araki, H.  
 Bridenbaugh, G. A.  
 Carlson, R. P.  
 Curtis, M. T.  
 Flynn, J. T.  
 Galvin, M. J.  
 Ogletree, M. L.  
 Schrör, K.  
 Smith, E. F., III  
 Trachte, G. J.
- Lefèvre, J.** see Pouleur, H.
- LeFevre, M. E.** see Berkowitz, J. M.
- Leffler, C.** see Cassin, S.
- Leffler, C. W., and Hessler, J. R.** Perinatal pulmonary prostaglandin production. 241,10:H756
- Leffler, C. W., Hessler, J. R., and Terragno, N. A.** Ventilation-induced release of prostaglandinlike material from fetal lungs. 238,7:H282
- Leffler, C. W., Tyler, T. L., and Cassin, S.** Effect of indomethacin on pulmonary vascular response to ventilation of fetal goats. 234,3:H346
- Lefkowitz, R. J.** Clinical physiology of adrenergic receptor regulation. 243,6:E43
- Legato, M. J.** see Rosen, M. R.
- Le Grimellec, C., Giocondi, M.-C., Carrière, B., Carrière, S., and Cardinal, J.** Membrane fluidity and enzyme activities in brush border and basolateral membranes of the dog kidney. 242,11:F246
- Le Grimellec, C.**  
 see Corman, B.  
 Gagnon, J.
- LeHir, M., Kaissling, B., Koeppen, B. M., and Wade, J. B.** Binding of peanut lectin to specific epithelial cell types in kidney. 242,11:C117
- Lehne, C., and Coe, F. L.** Compensatory phosphaturia after unilateral nephrectomy in the rat. 231:1625
- Lehoczyk, E.** see Szénási, G.
- Lei, K. Y., Abbasi, A., and Prasad, A. S.** Function of pituitary-gonadal axis in zinc-deficient rats. 230:1730
- Lei, K. Y., Prasad, A. S., Bowersox, E., and Oberleas, D.** Oral contraceptives, norethindrone and mestranol: effects on tissue levels of minerals. 231:98
- Leichtweiss, H.-P.**  
 see Schröder, H.  
 Yudilevich, D. L.
- Leif, J.** see Maudsley, D. V.
- Leistner, H. L.** see Haddad, G. G.
- Leiter, E. H.** see Morley, M. G.
- Leiter, L. A.** see Hannaford, M. C.
- Leitl, G.** see Ohanian, E. V.
- Leksell, L.** see Weisinger, R. S.
- Lekven, J.**  
 see Ilekke, A.  
 Rubin, S. A.
- LeLorier, J., Hedtke, J. L., and Shide-man, F. E.** Uptake of and response to norepinephrine by certain tissues of hypertensive rats. 230:1545
- Le Magnen, J.** see Louis-Sylvestre, J.
- Le Maho, Y., Delclitte, P., and Chatonnet, J.** Thermoregulation in fasting emperor penguins under natural conditions. 231:913
- Le Maho, Y., Goffart, M., Rochas, A., Felbabel, H., and Chatonnet, J.** Thermoregulation in the only nocturnal simian: the night monkey *Aotus trivirgatus*. 240,9:R156
- Le Maho, Y., Vu Van Kha, H., Koubi, H., Dewasmes, G., Girard, J., Ferré, P., and Cagnard, M.** Body composition, energy expenditure, and plasma metabolites in long-term fasting geese. 241,4:E342
- Le Marchand, Y.**  
 see Karakash, C.  
 Loten, E. G.
- Le Marchand-Brustel, Y., Jeanrenaud, B., and Freychet, P.** Insulin binding and effects in isolated soleus muscle of lean and obese mice. 234,3:E348
- Le Marchand-Brüstel, Y., and Jeanrenaud, B.** Pre- and postweaning studies on development of obesity in *mdb/mdb* mice. 234,3:E568
- Le Marchand-Brustel, Y., Moutard, N., and Freychet, P.** Aminoisobutyric acid transport in soleus muscles of lean and gold thioglucose-obese mice. 243,6:E74
- Lemieux, G., Baverel, G., Vinay, P., and Gougoux, A.** Effect of fluoroacetate on the inhibitory action of ketone bodies and fatty acids on renal ammoniogenesis. 237,6:F7
- Lemieux, G., Baverel, G., Vinay, P., and Wadoux, P.** Glutamine synthetase and glutamyltransferase in the kidney of man, dog, and rat. 231:1068
- Lemieux, G., Pichette, C., Vinay, P., and Gougoux, A.** Cellular mechanisms of the antiammoniogenic effect of ketone bodies in the dog. 239,8:F420
- Lemieux, G.**  
 see Gougoux, A.  
 Vinay, P.
- Lemon, G. J., Bassingthwaite, J. B., and Kelly, P. J.** Influence of parathyroid state on calcium uptake in bone. 242,5:E146
- Lemon, G. J.** see Maltby, B.
- Lemons, D. E.** see Crawshaw, L. I.
- Lemp, G. F.**  
 see Binder, H. J.  
 Jensen, R. T.
- Lender, E. J.** see Levitt, D. G.
- Lenoir, T.** see Mandenoff, A.
- Lentfer, J. W.** see Blix, A. S.
- Lenzen, S.** Insulin secretion by isolated perfused rat and mouse pancreas. 236,5:E391
- Lenzi, P.** see Franzini, C.
- Leon, A. S.** see Dawson, A. K.
- Leon, H. A., and Fleming, J. E.** Extremes of urine osmolality: lack of effect on red blood cell survival. 239,8:C27
- Leon, H. A.** see Hofmann, W. W.
- Leonard, B. D.** see Carlson, T. H.
- Leonard, J. I.** see Rambaut, P. C.
- Leonard, J. J.** see Tripp, M. R.
- Leonard, J. M.** see Stein, T. P.
- Leontic, E. A., and Tyson, J. E.** Prolactin and fetal osmoregulation: water transport across isolated human amnion. 232,1:R124
- Lepeschkin, E.** see Jones, J. L.
- Lepreux, C.** see Beaufils, M.
- Lerch, R. A., Ambros, H. D., Bergmann, S. R., Sobel, B. E., and Ter-Pogossian, M. M.** Kinetics of positron emitters in vivo characterized with a beta probe. 242,11:H62
- Lerman, M.** see Schmulen, A. C.
- Lerner, J.**  
 see Shehata, A. T.  
 Somes, R. G., Jr.
- Lerner, Z.** see Yagil, R.
- Le Roith, D.** see Bark, H.
- Lesch, M., Taegtmeier, H., Peterson, M. B., and Vernick, R.** Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation. 230:120
- Lesch, M.**  
 see Samarel, A. M.  
 Sanborn, T.
- Leshin, L. S.** see Dubuc, P. U.
- Leshin, M.** see Griffin, J. E.
- Leskiw, M. J.** see Stein, T. P.
- Leslie, B. A.**  
 see Parod, R. J.  
 Putney, J. W., Jr.
- Lesser, G. T., Deutsch, S., and Markofsky, J.** Fat-free mass, total body water, and intracellular water in the aged rat. 238,7:R82
- Lesser, G. T., and Markofsky, J.** Body water compartments with human aging using fat-free mass as the reference standard. 236,5:R215
- Lessman, C. A., and Schuetz, A. W.** Role of follicle wall in meiosis reinitiation induced by insulin in *Rana pipiens* oocytes. 241,4:E51
- Lester, R.**  
 see De Belle, R. C.  
 Graham, T. O.  
 Little, J. M.  
 Potter, G. D.
- Letourneau, K.** see Woolf, P. D.
- Leung, P. C. K., Whitmoyer, D. I., and Sawyer, C. H.** Electrophysiologic correlates of steroid modulation of luteinizing hormone release. 242,5:E164
- Leung, P. M. B., and Horwitz, B. A.** Free-feeding patterns of rats in response to changes in environmental temperature. 231:1220
- Leuschen, M. P.** see Moriarty, C. M.
- Leusen, I.** see Heyndrickx, G. R.
- Lev, M.** see Arbel, E. R.
- Levasseur, J. E.** see Kontos, H. A.
- Leveille, G. A.**  
 see Kaplan, M. L.  
 Lin, M. H.
- Levens, N. R., Peach, M. J., Carey, R. M., Poat, J. A., and Munday, K. A.** Response of rat jejunum to angiotensin II: role of norepinephrine and prostaglandins. 240,3:G17
- Levenson, D.** see Borucki, L. J.
- Levenson, J. A.** see Simon, A. C.
- Levenson, R.** see Victory, W.
- Lever, A. F.** see Brown, A. J.
- Levesque, M. J., and Groom, A. C.** Washout kinetics of red cells and plasma from the spleen. 231:1665
- Levesque, M. J., and Groom, A. C.** pH environment of red cells in the spleen. 231:1672
- Levi, A. J.** see Lichter, M.
- Levicky, V.** see Anversa, P.
- Leviel, F.**  
 see Bichara, M.  
 Paillard, M.
- Levin, A. B.** see Kintner, D.
- Levin, B. E., Comai, K., O'Brien, R. A., and Sullivan, A. C.** Abnormal brown adipose composition and  $\beta$ -adrenoreceptor binding in obese Zucker rats. 243,6:E217
- Levin, B. E., Triscari, J., and Sullivan, A. C.** Sympathetic activity in thyroid-treated Zucker rats. 243,12:R170
- Levin, D.** see Caraballo, B. A.
- Levin, M. L.** see Yeoh, H. H.
- Levin, N. W.** see Cortes, P.
- Levin, S. R., Pehlevanian, M. Z., Lavee, A. E., and Adachi, R. I.** Secretion of an insulinotropic factor from isolated, perfused rat intestine. 236,5:E710
- Levin, S. R.**  
 see Morley, J. E.  
 Yamada, T.
- Levine, A. S., and Morley, J. E.** Stress-induced eating in rats. 241,10:R72
- Levine, A. S.** see Morley, J. E.



- Levine, B. S., Brautbar, N., Walling, M. W., Lee, D. B. N., and Coburn, J. W. Effects of vitamin D and diet magnesium on magnesium metabolism. 239,2:E515
- Levine, B. S., Walling, M. W., and Coburn, J. W. Effect of vitamin D sterols and dietary magnesium on calcium and phosphorous homeostasis. 241,4:E35
- Levine, B. S.  
see Brautbar, N.  
Lee, D. B. N.
- Levine, D. Z. see Raman, S.
- Levine, G. A. see Bissell, D. M.
- Levine, G. M., Shiau, Y.-F., and Deren, J. A. Characteristics of intestinal glucose secretion in normal and diabetic rats. 242,5:G455
- Levine, G. M.  
see Kotler, D. P.  
Shiau, Y.-F.
- Levine, H. J., Wolk, M. J., Keefe, J. F., Bing, O. H. L., Snow, J. A., and Messer, J. V. Myocardial mechanics and energetics in experimental iron-deficiency anemia. 232,1:H470
- Levine, L. see Utsunomiya, T.
- Levine, L. L. see Krausz, M. M.
- Levine, M. A. see Spiegel, A. M.
- Levine, R. Editorial. 232,1:E3
- Levine, R. A., Kohen, K. R., Schwartzel, E. H., Jr., and Ramsay, C. E. Prostaglandin  $E_2$ -histamine interactions on cAMP, cGMP, and acid production in isolated fundic glands. 242,5:G21
- Levine, S. see Doell, R. G.
- Levine, S. D., Kachadorian, W. A., Verna, N. C., and Schlondorff, D. Effect of hydrazine on transport in toad urinary bladder. 239,8:F319
- Levine, S. D., Weber, H., and Schlondorff, D. Inhibition of adenylate cyclase by general anesthetics in toad urinary bladder. 237,6:F372
- Levine, S. D. see Schlondorff, D.
- Levine, S. E., Granger, D. N., Brace, R. A., and Taylor, A. E. Effect of hyperosmolality on vascular resistance and lymph flow in the cat ileum. 234,3:H14
- Levinson, R. S. see Kelsen, S. G.
- Levitian, H. see Zečević, D.
- Levitt, D. G., Bond, J. H., and Levitt, M. D. Use of a model of small bowel mucosa to predict passive absorption. 239,2:G23
- Levitt, D. G., Sircar, B., Lifson, N., and Lender, E. J. Model for mucosal circulation of rabbit small intestine. 237,6:E373
- Levitt, M. D., Ellis, C. J., Murphy, S. M., and Schwartz, M. L. Study of the possible enteropancreatic circulation of pancreatic amylase in the dog. 241,4:G54
- Levitt, M. D.  
see Bond, J. H.  
Levitt, D. G.  
Micflikier, A. B.
- Levitt, M. F.  
see Abramson, R. G.  
Bosch, J. P.  
Briggs, J. P.  
Kahn, T.
- Levitt, M. J. see Zenser, T. V.
- Levitz, M. see Dancis, J.
- Levy, B. I., Oliva, Y., and Martineaud, J. P. Hand arterial blood flow responses to local venous congestion. 240,9:H980
- Levy, B. I., Valladares, W. R., Ghaem, A., and Martineaud, J. P. Comparison of plethysmographic methods with pulsed Doppler blood flowmetry. 236,5:H899
- Levy, B. I. see Simon, A. C.
- Levy, L. K. see Honeyman, T. W.
- Levy, M. Sodium retention and ascites formation in dogs with experimental portal cirrhosis. 233,2:F572
- Levy, M. Sodium retention in dogs with cirrhosis and ascites: efferent mechanisms. 233,2:F586
- Levy, M., and Richard, C. Mobilization of ascites in cirrhotic dogs following furosemide or mannitol diuresis. 235,4:F12
- Levy, M. see McCaffrey, C.
- Levy, M. N. Editorial. 232,1:H3
- Levy, M. N. Editorial. 233,2:H327
- Levy, M. N., and Zieske, H. Effect of carotid sinus nerve stimulation pattern on cardiorespiratory responses. 230:951
- Levy, M. N.  
see Martin, P.  
Stuesse, S. L.  
Vanhoutte, P. M.  
Wallick, D. W.
- Lewand, D. L. see Tapper, E. J.
- Lewin, K. see Yamada, T.
- Le Winter, M. see Badke, F. R.
- Le Winter, M. M., Engler, R. L., and Karliner, J. S. Enhanced left ventricular shortening during chronic volume overload in conscious dogs. 238,7:H126
- Le Winter, M. M., Karliner, J. S., and Covell, J. W. Alteration in heart rate response to hemorrhage in conscious dogs with volume overload. 235,4:H422
- Le Winter, M. M.  
see Kent, R. S.  
Raines, R. A.
- Lewis, D. O. see Hamilton, C. L.
- Lewis, M. see Jaspán, J. B.
- Lewis, N. C. see Rudman, D.
- Lewis, R. E. see Baldwin, K. M.
- Lewis, R. M.  
see Michael, L. H.  
Pinsky, W. W.
- Lewis, S. see Gerich, J.
- Lewis, S. A. A reinvestigation of the function of the mammalian urinary bladder. 232,1:F187
- Lewis, S. B. see Schultz, T. A.
- Lewis, S. J. see Fry, D. L.
- Lewiston, N.  
see Hance, A. J.  
Robin, E. D.
- Leyssac, P. P. see Thomsen, K.
- L'Hermite, M. see Van Cauter, E.
- Lhotsky, D. see Dugas, M. C.
- Li, J., Helman, S. I., Macchia, D. D., O'Neil, R. G., and Fisher, R. S. Estimation of  $E_{Na}$  from current-voltage curve (Letter to the Editor). 231:1880
- Li, J. B. Protein synthesis and degradation in skeletal muscle of normal and dystrophic hamsters. 239,2:E401
- Li, J. B., and Goldberg, A. L. Effects of food deprivation on protein synthesis and degradation in rat skeletal muscles. 231:441
- Li, J. B., Higgins, J. E., and Jefferson, L. S. Changes in protein turnover in skeletal muscle in response to fasting. 236,5:E222
- Li, J. B., and Jefferson, L. S. Effect of isoproterenol on amino acid levels and protein turnover in skeletal muscle. 232,1:E243
- Li, J. B.  
see Flaim, K. E.  
Wassner, S. J.
- Liang, C. T., Barnes, J., Cheng, L., Balakir, R., and Sacktor, B. Effects of 1,25-(OH) $_2$ D $_3$  administered in vivo on phosphate uptake by isolated chick renal cells. 242,11:C312
- Liang, C.-S., and Hood, W. B., Jr. Mechanism of cardiac output response to hypertonic sodium chloride infusion in dogs. 235,4:H18
- Liang, C.-S., and Sprecher, D. Cardiovascular actions of  $\beta$ -phenylethylamine. 236,5:H592
- Liang, I. Y. S. see Koo, A.
- Liao, J. F. see Chen, H. I.
- Liard, J. F. Regional blood flows in salt loading hypertension in the dog. 240,9:H361
- Liard, J. F., Dériaz, O., Schelling, P., and Thibonnier, M. Cardiac output distribution during vasopressin infusion or dehydration in conscious dogs. 243,12:H663
- Libby, P., Ingwall, J. S., and Goldberg, A. L. Reduction of protein degradation and atrophy in cultured fetal mouse hearts by leupeptin. 237,6:E35
- Liberthson, R. see Arbel, E. R.
- Licht, J. H. see Hulter, H. N.
- Lichtenberger, L. see Schedl, H. P.
- Lichtenberger, L. M. Importance of food in the regulation of gastrin release and formation. 243,6:G429
- Lichtenberger, L. M., Crandell, S. S., Palma, P. A., and Morris, F. H., Jr. Ontogeny of tissue and serum gastrin concentrations in fetal and neonatal sheep. 241,4:G235
- Lichtenberger, L. M., Graziani, L. A., and Dubinsky, W. P. Importance of dietary amines in meal-induced gastrin release. 243,6:G341
- Lichtenberger, L. M., Shaw, L. S., and Bailey, R. B. Release of somatostatin from rodent antral mucosae maintained in organ culture. 241,4:G59
- Lichtenberger, L. M., Shorey, J. M., and Trier, J. S. Organ culture studies of rat antrum: evidence for an antral inhibitor of gastrin release. 235,4:E410
- Lichtenberger, L. M., and Trier, J. S. Changes in gastrin levels, food intake, and duodenal mucosal growth during lactation. 237,6:E98
- Lichtenberger, L. M.  
see Malloy, M. H.  
Sircar, B.
- Lichtensteiger, W. see Blum, J. W.
- Lichtenstein, L. M. see Findlay, S. R.
- Lichter, M., Fleischner, G., Kirsch, R., Levi, A. J., Kamisaka, K., and Arias, I. M. Ligandin and Z protein in binding of thyroid hormones by the liver. 230:1113
- Lickley, H. L. A., Ross, G. G., and Vranic, M. Effects of selective insulin or glucagon deficiency on glucose turnover. 236,5:E255
- Lickley, H. L. A.  
see Kemmer, F. W.  
Perez, G.
- Lickley, L. see Ross, G.
- Licko, V.  
see Dormer, R. L.  
Sankaran, H.
- Lico, M. C. see Yamasaki, K.
- Lie, M. see Johannesen, J.
- Lieb, S. M., Cabalum, T., Zugaib, M., Erkkola, R., Tabsh, K., Ushioda, E., Nuwayhid, B. S., Brinkman, C. R., III, and Assali, N. S. Vascular reactivity to angiotensin II in the normotensive and hypertensive pregnant ewe. 238,7:H209
- Lieberman, M.  
see Horres, C. R.  
Wheeler, D. M.
- Liebow, C. Pancreatic enzyme stimulation of intestinal chloride secretion. 239,2:G190
- Liebow, C. see Iacino, D.
- Liedtke, A. J., and Nellis, S. H. Effects of coronary washout on cardiac function during brief periods of ischemia and hypoxia. 239,8:H371
- Liedtke, A. J., Nellis, S. H., Whitesell, L. F., and Mahar, C. Q. Metabolic and mechanical effects using L- and D-carnitine in working swine hearts. 243,12:H691
- Liedtke, A. J. see Nellis, S. H.
- Liedtke, C. M., and Hopfer, U. Mechanism of Cl $^-$  translocation across small intestinal brush-border membrane. I. Absence of Na $^+$ -Cl $^-$  cotransport. 242,5:G263

- Liedtke, C. M., and Hopfer, U. Mechanism of  $\text{Cl}^-$  translocation across small intestinal brush-border membrane. II. Demonstration of  $\text{Cl}^-/\text{OH}^-$  exchange and  $\text{Cl}^-$  conductance. 242,5:G272
- Lief, P. D., Mutz, B. F., and Bank, N. Effect of stretch on passive transport in toad urinary bladder. 230:1722
- Lief, P. D. see Bank, N.
- Lien, J., and Kaye, M. Changes in red cell space of bone in hypocalemic states: studies in rat femur. 234,3:E6
- Liepa, G. U., Masoro, E. J., Bertrand, H. A., and Yu, B. P. Food restriction as a modulator of age-related changes in serum lipids. 238,1:E253
- Lifschitz, M. D.  
see Patak, R. V.  
Rosenblatt, S. G.  
Stein, J. H.
- Lifson, N.  
see Hakim, A. A.  
Levitt, D. G.
- Liggins, G. C. see Murphy, B. J.
- Light, T. R. see Schnitzer, J. E.
- Ligumsky, M., Grossman, M. I., and Kauffman, G. L., Jr. Endogenous gastric mucosal prostaglandins: their role in mucosal integrity. 242,5:G337
- Like, A. A. see Appel, M. C.
- Lilavivathana, U. see Thompson, D. A.
- Liljenquist, J. E. see Bloomgarden, Z. T.
- Liljenquist, J. E.  
see Cherrington, A. D.  
Keller, U.
- Lillo, R. S. Autonomic cardiovascular control during submergence and emergence in bullfrogs. 237,6:R210
- Lillo, R. S., and Jones, D. R. Control of diving responses by carotid bodies and baroreceptors in ducks. 242,11:R105
- Lim, K. O. see Sunagawa, K.
- Lim, V. S., Katz, A. I., and Lindheimer, M. D. Acid-base regulation in pregnancy. 231:1764
- Limas, C., Goldman, P., and Limas, C. J. Aortic phospholipid deacylation-reacylation cycle in spontaneously hypertensive rats. 240,9:H33
- Limas, C., and Limas, C. J. Enhanced renomedullary prostaglandin synthesis in spontaneously hypertensive rats: role of a phospholipase  $A_2$ . 236,5:H65
- Limas, C.  
see Franciosa, J. A.  
Limas, C. J.
- Limas, C. J. Enhanced phosphorylation of myocardial sarcoplasmic reticulum in experimental hyperthyroidism. 234,3:H426
- Limas, C. J. Myocardial nuclear protein kinases during postnatal development. 235,4:H338
- Limas, C. J. Calcium transport ATPase of cardiac sarcoplasmic reticulum in experimental hyperthyroidism. 235,4:H745
- Limas, C. J. Age-dependent stimulation by growth hormone of myocardial thymidine kinase. 236,5:H73
- Limas, C. J. Enhanced myocardial RNA synthesis in hyperthyroid rats: role of endogenous RNA polymerases. 236,5:H451
- Limas, C. J. Cytoplasmic control of DNA synthesis by myocardial nuclei. 238,7:H66
- Limas, C. J., and Limas, C. Prostaglandin metabolism in the kidneys of spontaneously hypertensive rats. 233,2:H87
- Limas, C. J., and Limas, C. Vascular prostaglandin synthesis in the spontaneously hypertensive rat. 233,2:H493
- Limas, C. J. see Limas, C.
- Lin, C. I., and Vassalle, M. Role of sodium in strophanthidin toxicity of Purkinje fibers. 234,3:H477
- Lin, C. I. see Vassalle, M.
- Lin, C.-S., Iwao, H., Puttkammer, S., and Michelakis, A. M. Prostaglandins and renin release in vitro. 240,3:E609
- Lin, C.-S. see Iwao, H.
- Lin, E. T. see Cogan, M. G.
- Lin, H.-L. see Grimm, A. F.
- Lin, J. D. see Chen, H. I.
- Lin, L.-E., Shporer, M., and Civan, M. M.  $^{31}\text{P}$  nuclear magnetic resonance analysis of frog skin. 243,12:C74
- Lin, M. H., Vander Tuig, J. G., Romsos, D. R., Akera, T., and Leveille, G. A.  $\text{Na}^+$ ,  $\text{K}^+$ -ATPase enzyme units in lean and obese (*ob/ob*) thyroxine-injected mice. 237,6:E265
- Lin, M. H., Vander Tuig, J. G., Romsos, D. R., Akera, T., and Leveille, G. A. Heat production and  $\text{Na}^+$ - $\text{K}^+$ -ATPase enzyme units in lean and obese (*ob/ob*) mice. 238,1:E193
- Lin, M. T. Effects of brain monoamine depletions on thermoregulation in rabbits. 238,7:R364
- Lin, M. T., Chandra, A., Tsay, B. L., and Chern, Y. F. Hypothalamic and striatal dopamine receptor activation inhibits heat production in the rat. 242,11:R471
- Lin, M. T., and Chern, S. I. Effect of brain 5-hydroxytryptamine alterations on reflex bradycardia in rats. 236,5:R302
- Lin, M. T., Pang, I. H., Chern, S. I., and Chia, W. Y. Changes in serotonin contents in brain affect metabolic heat production of rabbits in cold. 235,4:R41
- Lin, T.-M., Evans, D. C., Chance, R. E., and Spray, G. F. Bovine pancreatic peptide: action on gastric and pancreatic secretion in dogs. 232,1:E311
- Lin, Y. J., and Schanker, L. S. Pulmonary absorption of amino acids in the rat: evidence of carrier transport. 240,9:C215
- Linas, S. L. see Berl, T.
- Lincoln, T. M. see Keely, S. L., Jr.
- Lind, A. R. see Petrofsky, J. S.
- Lind, H. see Rolls, B. J.
- Lind, W. see Rolls, B. J.
- Lindbom, L. see Tuma, R. F.
- Linde, B., and Hjendahl, P. Effect of tilting on adipose tissue vascular resistance and sympathetic activity in humans. 242,11:H161
- Lindeman, R. D. see Yunice, A. A.
- Linden, J., and Brooker, G. Evidence for persistent activation of cardiac slow channels in low-calcium solutions. 242,11:H827
- Linder, C., Chernick, S. S., Fleck, T. R., and Scow, R. O. Lipoprotein lipase and uptake of chylomicron triglyceride by skeletal muscle of rats. 231:860
- Linder, M. C. see Cohen, D. I.
- Linderer, T. see Kilpatrick, D.
- Lindheimer, M. D.  
see Katz, A. I.  
Lim, V. S.
- Lindner, H. R. see Amsterdam, A.
- Lindskov, H. O. see Pedersen, O.
- Linduska, J. D. see Hubbard, R. W.
- Ling, D., Rankin, J. S., Edwards, C. H., II, McHale, P. A., and Anderson, R. W. Regional diastolic mechanics of the left ventricle in the conscious dog. 236,5:H323
- Ling, D. see Edwards, C. H., II
- Linshaw, M. A. Effect of metabolic inhibitors on renal tubule cell volume. 239,8:F571
- Linshaw, M. A., and Grantham, J. J. Effect of collagenase and ouabain on renal cell volume in hypotonic media. 238,7:F491
- Linshaw, M. A., and Stapleton, F. B. Effect of ouabain and colloid osmotic pressure on renal tubule cell volume. 235,4:F480
- Linshaw, M. A., Stapleton, F. B., Cuppage, F. E., and Grantham, J. J. Effect of basement membrane and colloid osmotic pressure on renal tubule cell volume. 233,2:F325
- Lione, A. P. see Moore, T. J.
- Lioy, F. see Hanna, B. D.
- Lippert, B. J. see Diekema, K. A.
- Lippert, J. see Bojsen, J.
- Lippincott, D. see Norris, J. E.
- Lippman, M. Clinical implications of glucocorticoid receptors in human leukemia. 243,6:E103
- Lipsius, S. L., Fozzard, H. A., and Gibbons, W. R. Voltage and time dependence of restitution in heart. 243,12:H68
- Lipsius, S. L., and Gibbons, W. R. Acetylcholine lengthens action potentials of sheep cardiac Purkinje fibers. 238,7:H237
- Lipsius, S. L., and Gibbons, W. R. Membrane currents, contractions, and aftercontractions in cardiac Purkinje fibers. 243,12:H77
- Lipson, D. see Katona, P. G.
- Lipton, I. see Tsakiris, A. G.
- Lipton, J. M., and Trzcinka, G. P. Persistence of febrile response to pyrogens after PO/AH lesions in squirrel monkeys. 231:1638
- Liran, J. see Satinoff, E.
- Lis, M., Boucher, R., Chrétien, M., and Genest, J. Dependence of tonin activity in rat submaxillary gland on growth hormone and testosterone. 232,1:E522
- Lis, M. see Schiffrin, E. L.
- Lister, G., Walter, T. K., Versmold, H. T., Dallman, P. R., and Rudolph, A. M. Oxygen delivery in lambs: cardiovascular and hematologic development. 237,6:H668
- L'Italien, G. J., Kidson, I. G., Megerman, J., and Abbott, W. M. In vivo measurement of blood vessel wall thickness. 237,6:H265
- L'Italien, G. J. see Baird, R. N.
- Litosch, I., Saito, Y., and Fain, J. N. 5-HT-stimulated arachidonic acid release from labeled phosphatidylinositol in blowfly salivary glands. 243,12:C222
- Little, J. M., and Lester, R. Ontogenesis of intestinal bile salt absorption in the neonatal rat. 239,2:G319
- Little, J. M.  
see De Belle, R. C.  
Graham, T. O.
- Litwak, R. S. see Shiang, H. H.
- Litzkow, C. A. see Dawson, W. W.
- Liu, H.-M. see Reaves, T. A., Jr.
- Liu, M.-S., and Sharma, C. Glycolytic enzyme activities in normal and diabetic dog livers during endotoxic shock. 240,9:R10
- Liu, P. see Naughton, B. A.
- Liu, T.-C., and Jackson, G. L. Differential effects of cyclic nucleotide analogues and GnRH on LH synthesis and release. 241,4:E6
- Liu, T.-C., Wang, P. S., and Jackson, G. L. Effects of GnRH and drugs that affect cAMP levels on LH synthesis and release. 241,4:E14
- Livingood, D. R. see Gallin, E. K.
- Livingston, J. N., Amatruda, J. M., and Lockwood, D. H. Studies of glucose transport system of fat cells: effects of insulin and insulin mimickers. 234,3:E484
- Livingston, J. N., and Purvis, B. J. Effects of wheat germ agglutinin on insulin binding and insulin sensitivity of fat cells. 238,1:E267
- Livnat, A., Johnson, R. P., and Zehr, J. E. Elimination of noise in telemetry systems by a pulse-width discriminator. 239,8:H133

- Livnat, A., and Yamashiro, S. M. Optimal control evaluation of left ventricular systolic dynamics. 240,9:R370
- Livnat, A., and Zehr, J. E. Acute inhibition of renin release during left circumflex coronary occlusion in dogs. 242,11:H107
- Livnat, A. *see* Schultz, H. D.
- Ljung, B. *see* Johansson, B.
- Llanos, O. L., Konturek, S. J., Rayford, P. L., and Thompson, J. C. Pancreatic bicarbonate, serum gastrin, and secretin responses to meals varying in pH. 233,2:E41
- Llanos, O. L. *see* Konturek, S. J.
- Lloyd, T. C., Jr. Cardiopulmonary baroreflexes: left ventricular effects. 232,1:H634
- Lloyd, T. C., Jr., and Friedman, J. J. Effect of a left atrium-pulmonary vein baroreflex on peripheral vascular beds. 233,2:H587
- Lluch, S.  
*see* Conde, M. V.  
Gómez, B.  
López de Pablo, A. L.
- Lo, C. S. *see* Rossier, B. C.
- Lo, C.-S., and Lo, T. N. Time course of the renal response to triiodothyronine in the rat. 236,5:F9
- Lo, T. N. *see* Lo, C. S.
- Lobo, M. V. *see* Foster, R.
- Lobos, E. *see* Stenson, W. F.
- Lock, J. E., Olley, P. M., and Cocceani, F. Direct pulmonary vascular responses to prostaglandins in the conscious newborn lamb. 238,7:H631
- Lock, J. E., Olley, P. M., and Cocceani, F. Enhanced  $\beta$ -adrenergic-receptor responsiveness in hypoxic neonatal pulmonary circulation. 240,9:H697
- Lock, J. E., Olley, P. M., Soldin, S., and Cocceani, F. Indomethacin-induced pulmonary vasoconstriction in the conscious newborn lamb. 238,7:H639
- Lockhart, E. A. *see* Wen, S. F.
- Lockwood, D. H. *see* Livingston, J. N.
- Lockwood, R.  
*see* Arruda, J. A. L.  
Westenfelder, C.
- Loeb, J. M., Dalton, D. P., and Moran, J. M. Sensitivity differences of SA and AV node to vagal stimulation: attenuation of vagal effects at SA node. 241,10:H684
- Loegering, D. J. Humoral factor depletion and reticuloendothelial depression during hemorrhagic shock. 232,1:H283
- Loegering, D. J., Feintuch, J. J., and Carr, F. K. Reticuloendothelial system function following isoproterenol-induced myocardial injury. 236,5:H813
- Löffelholz, K. Release of acetylcholine in the isolated heart. 240,9:H431
- Logsdon, C. D., and Machen, T. E. Involvement of extracellular calcium in gastric stimulation. 241,4:G365
- Logsdon, C. D., and Machen, T. E. Ionic requirements for  $H^+$  secretion and membrane elaboration in frog oxyntic cells. 242,5:G388
- Loh, C. K., Katz, A. M., and Peirce, E. C., II. Interactions of diphenylhydantoin and cardiac glycosides on atrial potassium. 230:965
- Loh, W. *see* Stephens, N. L.
- Lohmeier, T. E., Cowley, A. W., Jr., Tripodo, N. C., Hall, J. E., and Guyton, A. C. Effects of endogenous angiotensin II on renal sodium excretion and renal hemodynamics. 233,2:F388
- Lohmeier, T. E., and Davis, J. O. Renin-angiotensin-aldosterone system in experimental renal hypertension in the rabbit. 230:311
- Lohmeier, T. E., Davis, J. O., Freeman, R. H., Spielman, W. S., and Watkins, B. E. Mineralocorticoid activity of 18-OH-DOC and DOCA in dogs with an aortic-caval fistula. 231:56
- Lohmeier, T. E., Davis, J. O., Hanson, R. C., and Williams, G. M. Renin-angiotensin-aldosterone system in rabbits with thoracic caval constriction. 232,1:F559
- Lohmeier, T. E.  
*see* Hall, J. E.  
Johnson, J. A.  
Watkins, B. E.
- Lohse, C. L. *see* Hyde, R. J.
- Loiselle, D. S., and Gibbs, C. L. Species differences in cardiac energetics. 237,6:H90
- Loiselle, D. S., and Walmsley, B. Cost of force development as a function of stimulus rate in rat soleus muscle. 243,12:C242
- Loiselle, D. S. *see* Gibbs, C. L.
- Loizzi, R. F. *see* Guerin, M. A.
- Lokhandwala, M. F. *see* Ekas, R. D., Jr.
- Lombard, J. H., Burke, M. J., Contney, S. J., Willems, W. J., and Stekiel, W. J. Effect of tetrodotoxin on membrane potentials and active tone in vascular smooth muscle. 242,11:H967
- Lombard, J. H., and Duling, B. R. Multiple mechanisms of reactive hyperemia in arterioles of the hamster cheek pouch. 241,10:H748
- Lombard, J. M. *see* Stekiel, W. J.
- Lombardi, F. *see* Bishop, V. S.
- London, G. M.  
*see* Chau, N. P.  
Simon, A. C.
- London, J. W. *see* Roth, K. S.
- London, R. L. *see* Wright, S. H.
- Long, C. L. *see* Birkhahn, R. H.
- Long, D. M. *see* Sklar, F. H.
- Long, J. P. *see* Diana, J. N.
- Long, L. C. *see* Stein, T. P.
- Long, S. Renal electrolyte handling, acid-base status, and urinary acidification in *Bufo marinus*. 243,12:F60
- Long, S. Bicarbonate reabsorption and potassium handling in isolated perfused kidneys of *Bufo marinus*. 243,12:F67
- Long, W. B. *see* Shiao, Y.-F.
- Long, W. M., Bagby, G. J., and Spitzer, J. J. Contribution of viable and nonviable heart myocytes to substrate oxidation. 238,7:H740
- Longhurst, J., and Zelis, R. Cardiovascular responses to local hindlimb hypoxemia: relation to the exercise reflex. 237,6:H359
- Longhurst, J. C., and Ibarra, J. Sympathoadrenal mechanisms in hemodynamic responses to gastric distension in cats. 243,12:H748
- Longhurst, J. C., Spilker, H. L., and Ordway, G. A. Cardiovascular reflexes elicited by passive gastric distension in anesthetized cats. 240,9:H539
- Longhurst, J. C.  
*see* Ashton, J. H.  
Kaufman, M. P.
- Longmore, W. J., and Mourning, J. T. Lactate production in isolated perfused rat lung. 231:351
- Longnecker, D. E. *see* Harris, P. D.
- Longo, L. D., and Hill, E. P. Carbon monoxide uptake and elimination in fetal and maternal sheep. 232,1:H324
- Longo, L. D.  
*see* Faber, J. J.  
Gilbert, R. D.  
Hill, E. P.  
Lorijn, R. H. W.  
Wilbur, W. J.
- Longshore, M. A., and Horowitz, J. M. Localization and characterization of adrenergic receptors on frog skin melanophores. 241,4:E84
- Lonigro, A. J., Brash, D. W., Stephenson, A. H., Heitmann, L. J., and Sprague, R. S. Effect of ventilatory rate on renal venous  $PGE_2$  and  $PGF_2$  efflux in anesthetized dogs. 242,11:F38
- Lonovics, J. *see* Guzman, S.
- Loose, D. S. *see* Feldman, D.
- Lopes, O. U., Cipola-Neto, J., and Rocha e Silva, M., Jr. Hypothalamic component in pressor response to carotid occlusion in the rat. 233,2:H240
- Lopes, O. U., Pontieri, V., Rocha e Silva, M., Jr., and Velasco, I. T. Hyperosmotic NaCl and severe hemorrhagic shock: role of the innervated lung. 241,10:H883
- Lopes, O. U. *see* Velasco, I. T.
- Lopez, G. E. *see* Pinshow, B.
- López de Pablo, A. L., González, M. C., Dieguez, G., Gómez, B., and Lluch, S. Reduction of cerebrovascular reactivity during hypercapnia. 242,11:R441
- López-Novoa, J. M., and Martínez-Maldonado, M. Impaired renal response of splanchnic infusion of hypertonic saline in conscious cirrhotic rats. 242,11:F390
- López-Novoa, J. M., Rengel, M. A., and Hernandez, L. Dynamics of ascites formation in rats with experimental cirrhosis. 238,7:F353
- Lopez-Novoa, J. M., Rengel, M. A., Rodicio, J. L., and Hernandez, L. A micro-puncture study of salt and water retention in chronic experimental cirrhosis. 232,1:F315
- López-Novoa, J. M. *see* Cruz-Soto, M. A.
- López-Soriano, F. *see* Núñez, R.
- Lord, A. *see* Morisset, J.
- Lorell, B. H., Palacios, I., Daggett, W. M., Jacobs, M. L., Fowler, B. N., and Newell, J. B. Right ventricular distension and left ventricular compliance. 240,9:H87
- Lorell, B. H. *see* Martin, G.
- Lorentz, W. B. *see* Kramp, R. A.
- Lorentz, W. B., Jr. Effect of parathyroid hormone on renal tubular permeability. 231:1401
- Lorenz, R. R. *see* Beatty, O., III
- Lorenzen, J. R., Dworkin, G. H., and Schwartz, N. B. Specific FSH suppression in male rat by porcine follicular fluid. 240,3:E209
- Lorenzen, J. R., Holt, J. A., and Saba, T. M. Hormonal influences on reticuloendothelial development in the rat. 233,2:C141
- Lorenzen, J. R., and Ramaley, J. A. Ontogeny of sex differences in LH and FSH levels 48 h after castration in the rat. 241,4:E460
- Lorenzi, M. *see* Gerich, J.
- Lorenzo, A. V. *see* Hedley-Whyte, E. T.
- Loretz, C. A., and Bern, H. A. Ion transport by the urinary bladder of the gobioid teleost, *Gillichthys mirabilis*. 239,8:R415
- Loriaux, D. L.  
*see* Castracane, V. D.  
Schiebinger, R. J.
- Lorijn, R. H. W., and Longo, L. D. Norepinephrine elevation in the fetal lamb: oxygen consumption and cardiac output. 239,8:R115
- Lorijn, R. H. W., Nelson, J. C., and Longo, L. D. Induced fetal hyperthyroidism: cardiac output and oxygen consumption. 239,8:H302
- Lorincz, M. A. *see* Holt, J. A.
- Lorković, H., and Tomanek, R. J. Potassium and chloride conductances in normal and denervated rat muscles. 232,1:C109



- Lorscheider, F. L.**  
see Lai, P. C. W.  
Mears, G. J.
- Lotan, R.** see Baldwin, D., Jr.
- Loten, E. G., Le Marchand, Y., Assimacopoulos-Jeannet, F., Denton, R. M., and Jeanrenaud, B.** Does hyperinsulinemia in *ob/ob* mice cause an insulin-stimulated adipose tissue? 230:602
- Loughlin, J. S., Badger, T. M., and Crowley, W. F., Jr.** Perfused pituitary cultures: a model for LHRH regulation of LH secretion. 240:3:E591
- Louis-Sylvestre, J.** Preabsorptive insulin release and hypoglycemia in rats. 230:56
- Louis-Sylvestre, J.** Relationship between two stages of prandial insulin release in rats. 235:4:E103
- Louis-Sylvestre, J.** Feeding and metabolic patterns in rats with truncular vagotomy and with transplanted  $\beta$ -cells. 235:4:E119
- Louis-Sylvestre, J., Servant, J.-M., Molimard, R., and Le Magnen, J.** Effect of liver denervation on the feeding pattern of rats. 239:8:R66
- Loutzenhisser, R., and Van Breemen, C.** Mechanism of activation of isolated rabbit aorta by  $\text{PGH}_2$  analogue U-44069. 241:10:C243
- Loutzenhisser, R.** see Perez, G. O.
- Louw, G. N.** see Laburn, H. P.
- Lovelace, D. E.** see Elharrar, V.
- Lovell-Smith, C. J.** see Clyman, R. I.
- Loveridge, J. P.** see Baudinette, R. V.
- Lovgren, K.** see Gould, K. L.
- Löv, A.** see Karakash, C.
- Low, L.** see Candia, O. A.
- Low, R. B.**  
see Airhart, J.  
Besterman, J. M.
- Lowe, C. M.** see Grantham, J. J.
- Lowe, J. E.**  
see Argenzio, R. A.  
Sellers, A. F.
- Lowenhaupt, R. W.** Human platelet chemotaxis: requirement for plasma factor(s) and the role of collagen. 235:4:H23
- Lowensohn, H. S.** see Bellamy, R. F.
- Lowenstein, E.** see Geffin, G. A.
- Lowenstein, J. M.** see Misbin, R. I.
- Lowenstein, L. M.** see Paddock, J. K.
- Lowery, T. R.** see Evans, J. M.
- Lown, B.**  
see Brooks, W. W.  
Mata, R. J.  
Verrier, R. L.
- Lowry, C. V.** see Hintz, C. S.
- Lowry, O. H.**  
see Burch, H. B.  
Cole, B. R.  
Hintz, C. S.
- Lowry, S. F.** see Cheung, L. Y.
- Lu, P.-C.** see Gross, D. R.
- Lu, S.-T.** see Magin, R. L.
- Lubeke, R.** see Knauf, H.
- Lubowitz, H.** see Kawamura, J.
- Lucci, M. S., Pucacco, L. R., Carter, N. W., and DuBose, T. D., Jr.** Direct evaluation of the permeability of the rat proximal convoluted tubule to  $\text{CO}_2$ . 242:11:F470
- Lucci, M. S., Pucacco, L. R., Carter, N. W., and DuBose, T. D., Jr.** Evaluation of bicarbonate transport in rat distal tubules: effects of acid-base status. 243:12:F335
- Lucci, M. S., Pucacco, L. R., DuBose, T. D., Jr., Kokko, J. P., and Carter, N. W.** Direct evaluation of acidification by rat proximal tubule: role of carbonic anhydrase. 238:7:F372
- Lucci, M. S., Warnock, D. G., and Rector, F. C., Jr.** Carbonic anhydrase-dependent bicarbonate reabsorption in the rat proximal tubule. 236:5:F58
- Ludens, J. H., and Taylor, C. J.** Inhibition of ADH-stimulated water flow by stable prostaglandin endoperoxide analogues. 242:11:F119
- Ludens, J. H.** see Schnieders, J. R.
- Luff, A. R., and Proske, U.** Properties of motor units of the frog iliofibularis muscle. 236:5:C35
- Luff, A. R.** see Freeman, P. L.
- Luhr, G.** see Mulieri, L. A.
- Luijendijk, S. C. M.** see Zwart, A.
- Lukaski, H. C., Mendez, J., Buskirk, E. R., and Cohn, S. H.** Relationship between endogenous 3-methylhistidine excretion and body composition. 240:3:E302
- Luke, R. G.**  
see Galla, J. H.  
Kirchner, K. A.  
Kotchen, T. A.
- Lum, G.** see Turlapaty, P. D. M. V.
- Lun, S., Espiner, E. A., and Hart, D. S.** Adrenocortical metabolism of angiotensin in sheep with adrenal transplants. 235:4:E525
- Lun, S., Espiner, E. A., and Hart, D. S.** Effect of ACTH on the aldosterone response to potassium in sheep with adrenal transplants. 237:6:E500
- Lund, D. D., Schmid, P. G., Kelley, S. E., Corry, R. J., and Roskoski, R., Jr.** Choline acetyltransferase activity in rat heart after transplantation. 235:4:H367
- Lund, D. D., Schmid, P. G., and Roskoski, R., Jr.** Choline acetyltransferase activity in rat and guinea pig heart following vagotomy. 236:5:H620
- Lund, D. D.**  
see McNamara, R. F.  
Schmid, P. G.
- Lund, E.-G.** see Müller, J.
- Lunde, L. G.** see Nishimura, H.
- Lundgren, D. W., and Oka, T.** Alterations in polyamine levels in rat blood during pregnancy and lactation. 234:3:E451
- Lundvall, J., Hillman, J., and Gustafsson, D.**  $\beta$ -Adrenergic dilator effects in consecutive vascular sections of skeletal muscle. 243:12:H819
- Lupien, J.** see Bukowiecki, L.
- Lupu, A. N.** see Viskoper, R. J.
- Lust, R. M., Jr., Lutherer, L. O., Gardner, M. E., and Cooper, M. W.** Postextrasystolic potentiation and contractile reserve: requirements and restrictions. 243:12:H990
- Lutherer, L. O.**  
see Houck, P. C.  
Janssen, H. F.  
Lust, R. M., Jr.
- Luthra, M. G.** see Kim, H. D.
- Lutz, P. L.** see Sick, T. J.
- Lutz, S. A.** see Kochan, R. G.
- Lux, R. L.**  
see Abildskov, J. A.  
Hayashi, H.
- Luxon, B.** see Forker, E. L.
- Luxon, B. A., and Forker, E. L.** Simulation and analysis of hepatic indicator dilution curves. 243:6:G76
- Luxon, B. A., King, P. D., and Forker, E. L.** How to measure first-order hepatic transfer coefficients by distributed modeling of a recirculating rat liver perfusion system. 243:6:G518
- Luxon, B. A.** see Forker, E. L.
- Luzzi, F. A.** see Austin, M.
- Lydic, R.** see Fuller, C. A.
- Lyle, P. D.** see Robbins, N.
- Lyman, G. E., and Waddell, W. J.** Autoradiography of the water compartments in developing teeth of young mice. 232:1:F358
- Lyman, G. E., and Waddell, W. J.** pH Gradients in the developing teeth of young mice from autoradiography of  $^{14}\text{C}$ DMO. 232:1:F364
- Lyman, N.** see Safirstein, R.
- Lynch, C. J.** see Deth, R. C.
- Lynch, M. R.** see Hill, J. L.
- Lynch, P. R.** see Meier, G. D.
- M**
- Ma, T. S., and Bose, D.** Sodium in smooth muscle relaxation. 232:1:C59
- Maack, T.** Physiological evaluation of the isolated perfused rat kidney. 238:7:F71
- Maack, T.**  
see De Mello, G.  
Friedman, P. A.  
Johnson, V.  
Kau, S. T.  
Sumpio, B. E.
- Mabuchi, K., Szvetko, D., Pintér, K., and Sréter, F. A.** Type IIB to IIA fiber transformation in intermittently stimulated rabbit muscles. 242:11:C373
- Macagno, E. O., Christensen, J., and Lee, C. L.** Modeling the effect of wall movement on absorption in the intestine. 243:6:G541
- MacAnespie, C. L.** see Bennett, T. D.
- MacBride, R.** see Przybylski, R. J.
- Macchia, D. D.** Chloride self-exchange in toad skeletal muscle in vivo and in vitro. 242:11:C207
- Macchia, D. D., Page, E., and Polimeni, P. I.** Interstitial anion distribution in striated muscle determined with  $^{35}\text{S}$  sulfate and  $^3\text{H}$  sucrose. 237:6:C125
- Macchia, D. D., Polimeni, P. I., and Page, E.** Cellular Cl content and concentration of amphibian skeletal and heart muscle. 235:4:C122
- Macchia, D. D.**  
see Essig, A.  
Li, J.
- MacDermid, R. G.** see Green, R. S.
- Macdonald, A. A., Rose, J., Heymann, M. A., and Rudolph, A. M.** Heart rate response of fetal and adult sheep to hemorrhage stress. 239:8:H789
- MacDonald, A. A.** see Drummond, W. H.
- MacDonald, M., Neufeldt, N., Park, B. N., Berger, M., and Ruderman, N.** Alanine metabolism and gluconeogenesis in the rat. 231:619
- MacDonald, N. S.** see Krivokapich, J.
- MacGee, J.** see Rouslin, W.
- MacGregor, D. C.** see Tait, G. A.
- Machen, T. E., and McLennan, W. L.**  $\text{Na}^+$ -dependent  $\text{H}^+$  and  $\text{Cl}^-$  transport in vitro frog gastric mucosa. 238:1:G403
- Machen, T. E., Rutten, M. J., and Ekblad, E. B. M.** Histamine, cAMP, and activation of piglet gastric mucosa. 242:5:G79
- Machen, T. E., Silen, W., and Forte, J. G.**  $\text{Na}^+$  transport by mammalian stomach. 234:3:E228
- Machen, T. E.**  
see Forte, J. G.  
Foskett, J. K.  
Logsdon, C. D.  
Manning, E. C.  
McLennan, W. L.
- Macho, P., Hintze, T. H., and Vatner, S. F.** Effects of  $\alpha$ -adrenergic receptor blockade on coronary circulation in conscious dogs. 243:12:H94
- Maciejko, J. J.** see Marciniak, D. L.
- MacIntyre, I.** see Pike, J. W.
- Mackay, B.** see Kaufman, S.
- Mackay, D.** see Karim, F.
- MacKenzie, E. T., McCulloch, J., and Harper, A. M.** Influence of endogenous norpinephrine on cerebral blood flow and metabolism. 231:489



- MacKenzie, E. T.**, McCulloch, J., O'Keane, M., Pickard, J. D., and Harper, A. M. Cerebral circulation and norepinephrine: relevance of the blood-brain barrier. 231:483
- Mackenzie, J. C.** see Osborn, E. C.
- Macklem, L. J.**  
see Meckler, R. L.  
Weaver, L. C.
- Mackler, B.**  
see Dillman, E.  
Dillmann, E.
- Macknight, A. D. C.**, and Leaf, A. The sodium transport pool. 234:3:F1
- Macknight, A. D. C.** see Mills, J. W.
- MacPhee, A. A.** see Yamamoto, J.
- Maddison, Y. E.** see Scott, J.
- Maddox, D. A.**, Price, D. C., and Rector, F. C., Jr. Effects of surgery on plasma volume and salt and water excretion in rats. 233:2:F600
- Maddox, D. A.**  
see Cogan, M. G.  
Gennari, F. J.  
Ichikawa, I.
- Maddrey, W. C.** see Weber, F. L., Jr.
- Madias, N. E.**, Adrogue, H. J., and Cohen, J. J. Maladaptive renal response to secondary hypercapnia in chronic metabolic alkalosis. 238:7:F283
- Madias, N. E.**, Adrogue, H. J., Cohen, J. J., and Schwartz, W. B. Effect of natural variations in  $P_{aCO_2}$  on plasma  $[HCO_3^-]$  in dogs: a redefinition of normal. 236:5:F30
- Madias, N. E.**, Johns, C. A., and Homer, S. M. Independence of the acute acid-buffering response from endogenous parathyroid hormone. 243:12:F141
- Madias, N. E.** see Adrogue, H. J.
- Maehlum, S.**, Felig, P., and Wahren, J. Splanchnic glucose and muscle glycogen metabolism after glucose feeding during postexercise recovery. 235:4:E255
- Maesaka, J. K.**, and McCaffery, M. Evidence for renal tubular leakage in maleic acid-induced Fanconi syndrome. 239:8:F507
- Maetz, J.**  
see Haywood, G. P.  
Pisam, M.
- Mageli, J.** see Roberts, D. L.
- Mager, M.**  
see Francesconi, R.  
Hubbard, R. W.  
Shiraishi, T.
- Maggert, J. A.** see Hammel, H. T.
- Maggio, A.** see Yeoh, H. H.
- Magin, R. L.**, Lu, S.-T., and Michaelson, S. M. Stimulation of dog thyroid by local application of high intensity microwaves. 233:2:E363
- Maginniss, L. A.** see Wyban, J. A.
- Magli, C.** see Peschle, C.
- Magnenat, L. D.** see Aeberhard, P. F.
- Magno, M.**, and Szidon, J. P. Hemodynamic pulmonary edema in dogs with acute and chronic lymphatic ligation. 231:1:777
- Magnusson, M.** see Schnermann, J.
- Magnusson, M. R.**  
see Sepe, F. J.  
Stinnett, H. O.
- Magolda, R.** see Schrör, K.
- Magrassi, P.** see Péronnet, F.
- Maguire, J. J.** see Davies, K. J. A.
- Maguire, M. H.** see Schloerb, P. R.
- Magyar, A.** see Fejes-Tóth, G.
- Mahany, T. M.**, and Parsons, R. H. Circulatory effects on osmotic water exchange in *Rana pipiens*. 234:3:R172
- Mahar, C. Q.** see Liedtke, A. J.
- Mahler, F.**, Muheim, M. H., Intaglietta, M., Bollinger, A., and Anliker, M. Blood pressure fluctuations in human nailfold capillaries. 236:5:H888
- Mahley, R. W.** see Fry, D. L.
- Mahu, J.-L.**, Duvaldestin, P., Dhumeaux, D., and Berthelot, P. Biliary transport of cholephilic dyes: evidence for two different pathways. 232:1:E445
- Maier, A.**, Crockett, J. L., Simpson, D. R., Saubert, C. W., IV, and Edgerton, V. R. Properties of immobilized guinea pig hindlimb muscles. 231:1520
- Maier, H.** see János, G. G.
- Mailman, D.**, Pawlik, W., Shepherd, A. P., Tague, L. L., and Jacobson, E. D. Cyclic nucleotide metabolism and vasodilation in canine mesenteric artery. 232:1:H191
- Mailman, D.**  
see Richardson, P. D. I.  
Shepherd, A. P.
- Mailman, D. S.** see Iyengar, R.
- Maioli, M. G.** see Galletti, C.
- Majerle, R. J.** see Vargas, F. F.
- Major, T. C.**, Schwinghamer, J. M., and Winston, S. Cutaneous and skeletal muscle vascular responses to hypothermia. 240:9:H868
- Majumdar, A. P. N.**, and Johnson, L. R. Gastric mucosal cell proliferation during development in rats and effects of pentagastrin. 242:5:G135
- Mak, P. H.** see DiStefano, J. J., III
- Makara, G. B.**, Stark, E., Kárteszi, M., Palkovits, M., and Rappay, G. Effects of paraventricular lesions on stimulated ACTH release and CRF in stalk-median eminence of the rat. 240:3:E441
- Makara, G. B.** see Kárteszi, M.
- Makhlouf, G. M.**  
see Bitar, K. N.  
DuVal, J. W.  
Saffouri, B.  
Schebalin, M.  
Schubert, M. L.
- Makino, N.** see Kanaide, H.
- Makowski, E. L.**  
see Jones, M. D., Jr.  
Myers, S. A.
- Malagelada, J.-R.** see Owyang, C.
- Malaisse, W. J.**  
see Boschero, A. C.  
Herchuelz, A.  
Lebrun, P.  
Leclercq-Meyer, V.
- Malathi, P.** see Crane, R. K.
- Malaval, F.** see Szafarczyk, A.
- Malhotra, A.**, Bhan, A. K., and Scheuer, J. Cardiac actomyosin ATPase activity after prolonged physical conditioning and deconditioning. 230:1622
- Malhotra, A.**, Penpargkul, S., Schaible, T., and Scheuer, J. Contractile proteins and sarcoplasmic reticulum in physiologic cardiac hypertrophy. 241:10:H263
- Malhotra, A.** see Capasso, J. M.
- Malik, A. B.** see Minnear, F. L.
- Malik, K. U.**  
see Hamamdzic, M.  
Susic, H.
- Malliani, A.** see Bishop, V. S.
- Malloy, M. H.**, Morris, F. H., Denson, S. E., Weisbrodt, N. W., Lichtenberger, L. M., and Adcock, E. W., III. Neonatal gastric motility in dogs: maturation and response to pentagastrin. 236:5:E562
- Malluche, H. H.**, Henry, H., Meyer-Sabel, W., Sherman, D., Massry, S. G., and Norman, A. W. Effects and interactions of  $24R,25(OH)_2D_3$  and  $1,25(OH)_2D_3$  on bone. 238:1:E494
- Malluche, H. H.**, Sherman, D., Meyer, W., Ritz, E., Norman, A. W., and Massry, S. G. Effects of long-term infusion of physiologic doses of 1-34 PTH on bone. 242:11:F197
- Malnic, G.**  $CO_2$  equilibria in renal tissue. 239:8:F307
- Malnic, G.**  
see De Mello Aires, M.  
Garcia-Filho, E.  
Silva-Netto, C. R.
- Malsky, P. M.**, Vokonas, P. S., Paul, S. J., Robbins, S. L., and Hood, W. B., Jr. Autoradiographic measurement of regional blood flow in normal and ischemic myocardium. 232:1:H576
- Malt, R. A.**  
see Obertop, H.  
Ouellette, A. J.
- Maltby, B.**, Lemon, G. J., Bassingthwaite, J. B., and Kelly, P. J. Exchange of potassium and strontium in adult bone. 242:11:H705
- Malvin, R. L.**, Schiff, D., and Eiger, S. Angiotensin and drinking rates in the euryhaline killifish. 239:8:R31
- Malvin, R. L.**  
see Brooks, V. L.  
Cho, K. W.  
Churchill, P. C.  
Corwin, E. J.  
Fisher, S. J.  
Gregg, C. M.  
Johnson, M. D.  
Katz, S. A.  
Murray, R. D.  
Northrup, T. E.  
Park, C. S.
- Manber, L.**, and Gershon, M. D. A reciprocal adrenergic-cholinergic axoaxonic synapse in the mammalian gut. 236:5:E738
- Mancia, G.**, Shepherd, J. T., and Donald, D. E. Interplay among carotid sinus, cardiopulmonary, and carotid body reflexes in dogs. 230:19
- Mancia, G.** see Baccelli, G.
- Mancinelli, R.** see Pescatori, M.
- Mancusi, V. J.** see May, M. E.
- Mandarino, L. J.** see Rizza, R. A.
- Mandel, L. J.** Effects of pH, Ca, ADH, and theophylline on kinetics of Na entry in frog skin. 235:4:C35
- Mandel, L. J.**, and Balaban, R. S. Stoichiometry and coupling of active transport to oxidative metabolism in epithelial tissues. 240:9:F357
- Mandel, L. J.**, Moffett, D. F., Riddle, T. G., and Grafton, M. M. Coupling between oxidative metabolism and active transport in the midgut of tobacco hornworm. 238:7:C1
- Mandel, L. J.**, and Riddle, T. G. Kinetic relationship between energy production and consumption in frog gastric mucosa. 236:5:E301
- Mandel, L. J.**, Riddle, T. G., and Storey, J. M. Role of ATP in respiratory control and active transport in tobacco hornworm midgut. 238:7:C10
- Mandel, L. J.**  
see Balaban, R. S.  
Gullans, S. R.  
Murphy, E.
- Mandel, S. R.** see Webster, W. P.
- Mandenoff, A.**, Lenoir, T., and Apfelbaum, M. Tardy occurrence of adipocyte hyperplasia in cafeteria-fed rat. 242:11:R349
- Manders, W. T.**  
see Paçani, M.  
Vatner, S. F.  
Zimpfer, M.
- Mandini, H.**, and Davidman, M. Renal function in dogs with acute cardiac tamponade. 234:3:F117
- Manen, C. A.**, Schmidt-Nielsen, B., and Russell, D. H. Polyamine synthesis in liver and kidney of flounder in response to methylmercury. 231:560
- Manfredi, F.** see Heyes, M. P.
- Manfredi, J.** see Edwards, N. L.
- Manfredi, J. P.**, and Sparks, H. V., Jr. Adenosine's role in coronary vasodilation induced by atrial pacing and norepinephrine. 243:12:H536
- Manfredi, J. P.** see D'Alecy, L. G.
- Mang, K.** see Avolio, A. P.

- Manganiello, V. C.** see Clyman, R. I.
- Mangel, A. W., Connor, J. A., and Prosser, C. L.** Effects of alterations in calcium levels on cat small intestinal slow waves. 243,12:C7
- Mangel, A. W., Nelson, D. O., Rabovsky, J. L., Prosser, C. L., and Connor, J. A.** Depolarization-induced contractile activity of smooth muscle in calcium-free solution. 242,11:C36
- Mangel, A. W.** see Connor, J. A.
- Mangiapane, M. L., and Simpson, J. B.** Subfornical organ: forebrain site of pressor and dipsogenic action of angiotensin II. 239,8:R382
- Mangos, J.** see Russler, D.
- Mangseth, G. R.** see Greenleaf, J. E.
- Mangusson, M. R.** see Stinnett, H. O.
- Manis, J., and Kim, G.** Stimulation of iron absorption by polychlorinated aromatic hydrocarbons. 236,5:E763
- Manjunath, C. K.** see Shibata, Y.
- Mann, J. F. E., Johnson, A. K., and Ganten, D.** Plasma angiotensin II: dipsogenic levels and angiotensin-generating capacity of renin. 238,7:R372
- Mann, J. F. E., Phillips, M. I., Dietz, R., Haebler, H., and Ganten, D.** Effects of central and peripheral angiotensin blockade in hypertensive rats. 234,3:H629
- Mann, J. F. E., Schiller, P. W., Schiffrin, E. L., Boucher, R., and Genest, J.** Brain receptor binding and central actions of angiotensin analogs in rats. 241,10:R124
- Mann, J. F. E.** see Johnson, A. K.
- Mann, M.** see Fink, G. D.
- Manna, R.** see Greco, A. V.
- Manning, D. R., and Stull, J. T.** Myosin light chain phosphorylation-dephosphorylation in mammalian skeletal muscle. 242,11:C234
- Manning, E. C., and Machen, T. E.** Effects of bicarbonate and pH on chloride transport by gastric mucosa. 243,6:G60
- Manning, E. S.** see Bond, R. F.
- Manning, J. W.** see Ammons, W. S. Koyama, S.
- Manning, R. D., Jr., Coleman, T. G., Guyton, A. C., Norman, R. A., Jr., and McCaa, R. E.** Essential role of mean circulatory filling pressure in salt-induced hypertension. 236,5:R40
- Manning, R. D., Jr., and Guyton, A. C.** Dynamics of fluid distribution between the blood and interstitium during overhydration. 238,7:H645
- Manning, R. D., Jr., Guyton, A. C., Coleman, T. G., and McCaa, R. E.** Hypertension in dogs during antidiuretic hormone and hypotonic saline infusion. 236,5:H314
- Manning, R. D., Jr.** see Smith, M. J., Jr.
- Manix, J. E.** see Azizi, F.
- Manohar, M., Bisgard, G. E., Bullard, V., and Rankin, J. H. G.** Blood flow in the hypertrophied right ventricular myocardium of unanesthetized ponies. 240,9:H881
- Manohar, M., Bisgard, G. E., Bullard, V., Will, J. A., Anderson, D., and Rankin, J. H. G.** Myocardial perfusion and function during acute right ventricular systolic hypertension. 235,4:H628
- Manrique, M., Alborch, E., and Delgado, J. M. R.** Cerebral blood flow and behavior during brain stimulation in the goat. 232,1:H495
- Mans, A. M.** see Hawkins, R. A.
- Manthey, A. A.** Magnesium increases rate of onset of desensitization in frog muscle. 242,11:C319
- Manton, M. A.** see Whitsett, J. A.
- Mapes, C. A., and Sobocinski, P. Z.** Differentiation between endogenous pyrogen and leukocytic endogenous mediator. 232,1:C15
- Mapes, C. A.** see George, D. T. Sobocinski, P. Z.
- Mapes, J. P.** see Vinay, P.
- Mapes, J. S.** see Fater, D. C.
- Maran, J. W., and Yates, F. E.** Cortisol secretion during intrapituitary infusion of angiotensin II in conscious dogs. 233,2:E273
- Marchand, G. R.** Interstitial pressure during volume expansion at reduced renal artery pressure. 235,4:F209
- Marchand, G. R., Burke, T. J., Haas, J. A., Romero, J. C., and Knox, F. G.** Regulation of filtration rate in sodium-depleted and -expanded dogs. 232,1:F325
- Marchand, G. R., Ott, C. E., Lang, F. C., Greger, R. F., and Knox, F. G.** Effect of secretin on renal blood flow, interstitial pressure, and sodium excretion. 232,1:F147
- Marchand, G. R.** see Cuche, J. L. Diaz-Buxo, J.-A. Haas, J. A. Knox, F. G. Osswald, H. Ott, C. E.
- Marchand, J.** see Leclercq-Meyer, V.
- Marche, P.** see Koutouzov, S.
- Marciniak, D. L., Dobbins, D. E., Maciejko, J. J., Scott, J. B., Haddy, F. J., and Grega, G. J.** Effects of systemically infused histamine on transvascular fluid and protein transfer. 233,2:H148
- Marciniak, D. L., Dobbins, D. E., Maciejko, J. J., Scott, J. B., Haddy, F. J., and Grega, G. J.** Antagonism of histamine edema formation by catecholamines. 234,3:H180
- Marco, E. J.** see Conde, M. V.
- Marcoullis, G., and Rothenberg, S. P.** Intrinsic factor-mediated intestinal absorption of cobalamin in the dog. 241,4:G294
- Marcus, M. L., and Heistad, D. D.** Effects of sympathetic nerves on cerebral blood flow in awake dogs. 236,5:H549
- Marcus, M. L., Kerber, R. E., Ehrhardt, J., and Abboud, F. M.** Effects of time on volume and distribution of coronary collateral flow. 230:279
- Marcus, M. L., Mueller, T. M., and Eastham, C. L.** Effects of short- and long-term left ventricular hypertrophy on coronary circulation. 241,10:H358
- Marcus, M. L.** see Busija, D. W. Gascho, J. A. Gross, P. M. Heistad, D. D. Koyanagi, S. Mueller, S. M. Mueller, T. M. Thames, M. D. Wangler, R. D.
- Marcus-Samuels, B. E.** see Gershengorn, M. C.
- Marc-Vergnes, J.-P., Celsis, P., Charlet, J.-P., and Setien, G.** Accuracy of methods for calculating cerebral blood flow from intracarotid xenon-133 injection. 238,7:H750
- Marc-Vergnes, J.-P.** see Celsis, P.
- Maren, T. H.** Use of inhibitors in physiological studies of carbonic anhydrase. 232,1:F291
- Margaretten, W.** see Gonzalez, R.
- Margolis, S.** see Shakir, K. M. M.
- Margolius, H. S.** see Orce, G. G.
- Marier, S. H.** see Putney, J. W., Jr.
- Marin, J.** see Conde, M. V.
- Marin, M. G., Davis, B., and Nadel, J. A.** Effect of acetylcholine on Cl<sup>-</sup> and Na<sup>+</sup> fluxes across dog tracheal epithelium in vitro. 231:1546
- Marino, A. A., Cullen, J. M., Reichmanis, M., Becker, R. O., and Hart, F. X.** Sensitivity to change in electrical environment: a new bioelectric effect. 239,8:R424
- Marino, N. D.** see Freidman, H. S.
- Marinovic, Y., Glasinovic, J.-C., Semelle, B., Boivieux, J.-F., and Erlinger, S.** Facilitation of hepatic uptake of phenol 3,6-dibromophthalate disulfonate by taurocholate. 232,1:E560
- Mark, A. L., Abboud, F. M., and Fitz, A. E.** Influence of low- and high-pressure baroreceptors on plasma renin activity in humans. 235,4:H29
- Mark, A. L.** see Takeshita, A. Walker, J. L.
- Markofsky, J.** see Lesser, G. T.
- Markov, A. K.** see Young, D. B.
- Marks, J. W.** see Handelsman, B.
- Markwald, R. R.** see Nathan, R. D.
- Marlett, J. A., and Code, C. F.** Effects of celiac and superior mesenteric ganglionectomy on interdigestive myoelectric complex in dogs. 237,6:E432
- Marlies, E. B.** see Ferré, P. Girard, J. R. Goriya, Y. Hannaford, M. C. Minuk, H. L. Nakhoda, A. F. Nelson, J. D.
- Marnane, W. G.** see Swabb, E. A. Tai, Y.-H.
- Maroko, P. R.** see Khuri, S. F.
- Maron, M. B.** Differential effects of histamine on protein permeability in dog lung and forelimb. 242,11:H565
- Maronde, R. F.** see Alexander, N.
- Marone, G.** see Peschle, C.
- Marques, P.** see Steiner, R. A.
- Marques, P. R., Illner, P., Williams, D. D., Green, W. L., Kendall, J. W., Davis, S. L., Johnson, D. G., and Gale, C. C.** Hypothalamic control of endocrine thermogenesis. 241,4:E420
- Marquis, J. A.** see Knapp, C. F.
- Marr, H. B.** see Parker, R. E.
- Marsch, M.** see Núñez, R.
- Marsh, D. J., and Martin, C. M.** Origin of electrical PD's in hamster thin ascending limbs of Henle's loop. 232,1:F348
- Marsh, D. J.** see Andreoli, T. E. Bowden, C. R. Moore, L. C. Quinn, M. D. Smith, S. W. Young, D. K.
- Marsh, J. D.** see Barry, W. H.
- Marsh, R. L., and Dawson, W. R.** Substrate metabolism in seasonally acclimatized American goldfinches. 242,11:R563
- Marshall, G. R.** see Blumberg, A. L.
- Marshall, J. C.** see Heber, D.
- Marshall, J. M.** Effects of ovarian steroids and pregnancy on adrenergic nerves of uterus and oviduct. 240,9:C165
- Marshall, J. M.** see Meiri, H.
- Marshall, W. S.** Active transport of Rb<sup>+</sup> across skin of the teleost *Gillichthys mirabilis*. 241,10:F482
- Marsicano, T. H.** see Durán, W. N.
- Martellock, A. C.** see Tang, L. K.
- Martensson, L.** see Wilkening, R. B.
- Martin, B. A.** see Fountain, S. W.
- Martin, C.** see Molimard, R.
- Martin, C. M.** see Marsh, D. J. Moore, L. C.

- Martin, D.** see Buerkert, J.  
**Martin, E. G.** see Peterson, M. B.  
**Martin, G.,** Cosin, J., Gimeno, J. V., Ramirez, A., Lorell, B. H., Newell, J. B., Palacios, I., and Daggett, W. M. When is the left ventricular pressure fall exponential? (Letter to the Editor). 242,11:H131  
**Martin, G.,** Gimeno, J. V., Ramirez, A., Cosin, J., and Báguena, J. Effects of high-frequency harmonics on cardiac relaxation indices. 240,9:H669  
**Martin, J.** see Dillmann, E.  
**Martin, J. B.** see Kasting, N. W.  
**Martin, J. L.**  
   see Burns, T. W.  
   Lecarpentier, Y.  
   Mathias, J. R.  
**Martin, J. M.** see Grimes, L. J.  
**Martin, J. R.,** Novin, D., and Vander-Weele, D. A. Loss of glucagon suppression of feeding after vagotomy in rats. 234,3:E314  
**Martin, K.**  
   see Slatopolsky, E.  
   Zipser, R. D.  
**Martin, K. H.** see Randall, D. C.  
**Martin, K. J.** see Bellorin-Font, E.  
**Martin, P.** Atrial inotropic responses to brief vagal stimuli: frequency-force interactions. 239,8:H333  
**Martin, P.** Time-dependent heart period and contractility responses to successive brief vagal stimuli. 239,8:H494  
**Martin, P.,** Levy, M. N., and Matsuda, Y. Fade of cardiac responses during tonic vagal stimulation. 243,12:H219  
**Martin, P. J.** see Wallick, D. W.  
**Martin, R. J.**  
   see McNamara, J. P.  
   Wangness, P. J.  
**Martineaud, J. P.** see Levy, B. I.  
**Martinez, E. V.** see Botelhol, S. Y.  
**Martinez, G.** see Chacin, J.  
**Martinez, J.** see Villanueva, M. L.  
**Martinez-Maldonado, M.**  
   see Crumb, C. K.  
   Cruz-Soto, M. A.  
   López-Novoa, J. M.  
   Stitzer, S. O.  
**Martinez-Palomo, A.** see Cerejido, M.  
**Martin-Requero, A.** see Pérez-Díaz, J.  
**Martins, A. N.,** Doyle, T. F., and Newby, N. PCO<sub>2</sub> and the rate of formation of cerebrospinal fluid in the monkey. 231:127  
**Martins, J. B.** see Gascho, J. A.  
**Martyn, D.** see Ruff, R. L.  
**Maruniak, J. A.,** Desjardins, C., and Bronson, F. H. Dominant-subordinate relationships in castrated male mice bearing testosterone implants. 233,2:E495  
**Marusic, E. T.,** Hayslett, J. P., and Binder, H. J. Corticosteroid-binding studies in cytosol of colonic mucosa of the rat. 240,3:G417  
**Marusic, E. T.** see Foster, R.  
**Marusich, M.** see Nwoye, L.  
**Marvin, W. J.** see Roskoski, R., Jr.  
**Marx, S. J.** see Spiegel, A. M.  
**Mary, D. A. S. G.,** North, P. J., and Hunt, J. N. Scanning esophageal impedance probe for measurement of luminal cross section. 236,5:E545  
**Mary-Rabine, L.,** Hoffman, B. F., and Rosen, M. R. Participation of slow inward current in the Purkinje fiber action potential overshoot. 237,6:H204  
**Marzilli, M.,** Sabbah, H. N., Lee, T., and Stein, P. D. Role of the papillary muscle in opening and closure of the mitral valve. 238,7:H348  
**Marzilli, M.**  
   see Sabbah, H. N.  
   Stein, P. D.  
**Masaki, Z.** see Szilagyi, J. E.  
**Mashiro, I.,** Cohn, J. N., Heckel, R., Nelson, R. R., and Franciosa, J. A. Left and right ventricular dimensions during ventricular fibrillation in the dog. 235,4:H231  
**Mason, A. D., Jr.**  
   see Aulick, L. H.  
   Brown, W. L.  
**Mason, D. T.** see McDonagh, P. F.  
**Mason, G. R.** see Ormsbee, H. S., III  
**Masoni, A.**  
   see Ehrenfeld, J.  
   Garcia-Romeu, F.  
**Masoro, E. J.**  
   see Liepa, G. U.  
   McCarter, R. J. M.  
**Massaro, D.,** Clerch, L., and Massaro, G. D. Surfactant secretion: evidence that cholinergic stimulation of secretion is indirect. 243,12:C39  
**Massaro, D.**  
   see Chiang, M.-J.  
   Gregorio, C. A.  
   Joyner, L. R.  
**Massaro, G. D.**  
   see Joyner, L. R.  
   Massaro, D.  
**Massaro, T. A.** see Harrison, R. G.  
**Massry, S. G.**  
   see Arief, A. I.  
   Brautbar, N.  
   Malluche, H. H.  
**Masterston, C. E.** see Strauss, H. C.  
**Masuda, Y.** see Wallick, D. W.  
**Mata, R. J.,** Verrier, R. L., and Lown, B. The repetitive extrasystole as an index of vulnerability to ventricular fibrillation. 230:1469  
**Mates, R. E.** see Canty, J. M.  
**Mathe, A. A.**  
   see Hyman, A. L.  
   Tong, E. Y.  
**Mathe, C. J.** see Honey, R. N.  
**Mathey, D. G.** see Stowe, D. F.  
**Mathias, J. R.,** Carlson, G. M., Bertiger, G., Martin, J. L., and Cohen, S. Migrating action potential complex of cholera: a possible prostaglandin-induced response. 232,1:E529  
**Mathias, J. R.,** Carlson, G. M., Martin, J. L., Shields, R. P., and Formal, S. *Shigella dysenteriae* I enterotoxin: proposed role in pathogenesis of shigellosis. 239,2:G382  
**Mathias, J. R.,** Nogueira, J., Martin, J. L., Carlson, G. M., and Giannella, R. A. *Escherichia coli* heat-stable toxin: its effect on motility of the small intestine. 242,5:G360  
**Mathias, J. R.** see Burns, T. W.  
**Mathias, N. P.** see Mouw, D. R.  
**Mathias, R. S.** see Bengel, H. H.  
**Mathias, R. T.** see Eisenberg, B. R.  
**Mathisen, Ø.,** Monclair, T., and Kili, F. Oxygen requirement of bicarbonate-dependent sodium reabsorption in the dog kidney. 238,7:F175  
**Mathisen, Ø.,** Monclair, T., Raeder, M., and Kili, F. Coupling of NaHCO<sub>3</sub> and NaCl reabsorption in dog kidneys during changes in plasma PCO<sub>2</sub>. 236,5:F232  
**Mathisen, Ø.**  
   see Johannesen, J.  
   Sejersted, O. M.  
**Matsoff, D. N.,** Lee, J. C., and Downing, S. E. Carotid sinus reflex function in the alloxan diabetic rabbit. 236,5:H417  
**Matsoff, D. N.** see Downing, S. E.  
**Matschinsky, F. M.** see Boden, G.  
**Matson, G. L.**  
   see Kendrick, J. E.  
   Pisarr, T. E.  
**Matsuda, Y.** see Martin, P.  
**Matsuguchi, H.,** and Schmid, P. G. Acute interaction of vasopressin and neurogenic mechanisms in DOC-salt hypertension. 242,11:H37  
**Matsuguchi, H.,** and Schmid, P. G. Pressor response to vasopressin and impaired baroreflex function in DOC-salt hypertension. 242,11:H44  
**Matsuguchi, H.** see Fukuyama, T.  
**Matsuki, N.** see Abel, P. W.  
**Matsumoto, M.,** Kimura, K., Fujisawa, A., Matsuyama, T., Asai, T., Uyama, O., Yoneda, S., and Abe, H. Regional blood flows measured in Mongolian gerbil by a modified microsphere method. 242,11:H990  
**Matsumoto, M.** see Yellin, E. L.  
**Matsumoto, Y.,** and McPhedran, A. M. Rate of heat production related to degree of filament overlap in chick ALD muscle. 233,2:C1  
**Matsuo, T.** see Ikeda, H.  
**Matsuura, S.,** Naden, R. P., Gant, N. F., Jr., Parkers, C. R., Jr., and Rosenfeld, C. R. Effect of volume expansion on pressor response to angiotensin II in pregnant ewes. 240,9:H908  
**Matsuyama, T.** see Matsumoto, M.  
**Matsuzaki, M.** see Gallagher, K. P.  
**Matthew, W. T.** see Hubbard, R. W.  
**Matthews, D. E.,** Motil, K. J., Rohrbach, D. K., Burke, J. F., Young, V. R., and Bier, D. M. Measurement of leucine metabolism in man from a primed, continuous infusion of L-[1-<sup>14</sup>C]leucine. 238,1:E473  
**Matthews, D. E.** see Motil, K. J.  
**Matthews, J. B.** see Schiessel, R.  
**Mattiazzi, A. R.,** Cingolani, H. E., and Spacapan de Castuma, E. Relationship between calcium and hydrogen ions in heart muscle. 237,6:H497  
**Maturo, S.** see Zawalich, W.  
**Matzuda, H.** see Saito, M.  
**Maude, D. L.,** Handelsman, D. G., Babu, M., and Gordon, E. E. Handling of insulin by the isolated perfused rat kidney. 240,9:F288  
**Maude, D. L.** see Garvey, M. H.  
**Maudsley, D. V.,** Leif, J., and Kobayashi, Y. Ornithine decarboxylase in rat small intestine: stimulation with food or insulin. 231:1557  
**Maughan, W. L.** see Shoukas, A. A.  
**Mauray, F.** see Clymer, R. I.  
**Mauro, A.** Forum on osmosis. III. Comments on Hammel and Scholander's solvent tension theory and its application to the phenomenon of osmotic flow. 237,6:R110  
**Mavroudis, C.,** Jester, J. A., Jacobs, S., and Ebert, P. A. Extracellular space, water, and ion concentration in the hypertrophied rat myocardium. 236,5:H79  
**Maxwell, B.** see Forstner, J.  
**Maxwell, L. C.,** Barclay, J. K., Mohrman, D. E., and Faulkner, J. A. Physiological characteristics of skeletal muscles of dogs and cats. 233,2:C14  
**Maxwell, L. C.,** Shepherd, A. P., and Riedel, G. L. Vasodilation or altered perfusion pressure moves 15-μm spheres trapped in the gut wall. 243,12:H123  
**Maxwell, L. C.,** Shepherd, A. P., Riedel, G. L., and Morris, M. D. Effect of microsphere size on apparent intramural distribution of intestinal blood flow. 241,10:H408  
**Maxwell, L. C.**  
   see Faulkner, J. A.  
   White, T. P.  
**Maxwell, M. H.** see Viskoper, R. J.  
**May, J. M.** see Fidelman, M. L.  
**May, M. E.,** Mancusi, V. J., Aftring, R. P., and Buse, M. G. Effects of diabetes on oxidative decarboxylation of branched-chain keto acids. 239,2:E215



- May, R. J.**, Conlon, T. P., Erspamer, V., and Gardner, J. D. Actions of peptides isolated from amphibian skin on pancreatic acinar cells. 235,4:E112
- May, R. J.**, Quaroni, A., Kirsch, K., and Isselbacher, K. J. A villous cell-derived inhibitor of intestinal cell proliferation. 241,4:G520
- Mayer, C. J.** see Wood, J. D.
- Mayer, E. A.**, Elashoff, J., and Walsh, J. H. Characterization of bombesin effects on canine gastric muscle. 243,6:G141
- Mayer, G. P.** see Jung, A.
- Mayer, H. E.** see Schmid, P. G.
- Mayer, L. R.** see Jones, C. E.
- Mayer, S. E.**  
see Hayes, J. S.  
Ingebretsen, W. R., Jr.  
Kaufman, I. A.
- Mayevsky, A.**  
see Chance, B.  
Crowe, W.  
Friedli, C. M.
- Maylie, J. G.** Excitation-contraction coupling in neonatal and adult myocardium of cat. 242,11:H834
- Mayorga, I.** see Hunter, F. R.
- Mayrovitz, H. N.**, Tuma, R. F., and Wiedeman, M. P. Relationship between microvascular blood velocity and pressure distribution. 232,1:H400
- Mays, J. M.** see Barfuss, D. W.
- Mazgalev, T.**, Dreifus, L. S., Bianchi, J., and Michelson, E. L. Atrioventricular nodal conduction during atrial fibrillation in rabbit heart. 243,12:H754
- Mazumdar, D. C.** see Kawamura, J.
- McAvoy, E. M.** see Kleinzeller, A.
- McCaia, R. E.**  
see Hall, J. E.  
Manning, R. D., Jr.  
Trippodo, N. C.  
Young, D. B.
- McCabe, R.**, Cooke, H. J., and Sullivan, L. P. Potassium transport by rabbit descending colon. 242,11:C81
- McCaffery, M.** see Maesaka, J. K.
- McCaffrey, C.**, and Levy, M. Effect of furosemide on thoracic duct lymph flow in the dog. 238,7:F363
- McCaffrey, T. F.** see Barman, S. M.
- McCalden, T. A.**, and Bevan, J. A. Asymmetry of the contractile response of the rabbit ear artery to exogenous amines. 238,7:H618
- McCalden, T. A.**, and Bevan, J. A. Sources of activator calcium in rabbit basilar artery. 241,10:H129
- McCalden, T. A.**, Eidelman, B. H., and Mendelow, A. D. Barrier and uptake mechanisms in the cerebrovascular response to noradrenaline. 233,2:H458
- McCalden, T. A.** see Eidelman, B. H.
- McCaleb, M. L.**, and Myers, R. D. 2-Deoxy-D-glucose and insulin modify release of norepinephrine from rat hypothalamus. 242,11:F596
- McCaleb, M. L.**, Myers, R. D., Singer, G., and Willis, G. Hypothalamic norepinephrine in the rat during feeding and push-pull perfusion with glucose, 2-DG, or insulin. 236,5:R312
- McCall, D.** Cation exchange and glycoside binding in cultured rat heart cells. 236,5:C87
- McCall, J. T.** see Su, L.-C.
- McCall, R. B.**, Gebber, G. L., and Barman, S. M. Spinal interneurons in the baroreceptor reflex arc. 232,1:H657
- McCall, R. B.** see Gebber, G. L.
- McCallum, R. E.** see Giger, O.
- McCann, P. P.**  
see Diekema, K. A.  
Pegg, A. E.
- McCann, S. M.**  
see Naor, Z.  
Snyder, G.
- McCarter, R. J. M.**, Masoro, E. J., and Yu, B. P. Rat muscle structure and metabolism in relation to age and food intake. 242,11:R89
- McCarthy, D. M.**, Nicholson, J. A., and Kim, Y. S. Intestinal enzyme adaptation to normal diets of different composition. 239,2:G445
- McCarthy, W.** see Burch, H. B.
- McCarty, R.** see Kvetnansky, R.
- McCauley, K. M.** see Nellis, S. H.
- McClain, E.** see Senay, L. C., Jr.
- McCleary, M.** see Tuttle, R. S.
- McCloskey, D. I.** see Mitchell, J. H.
- McCord, J. M.**  
see Crapo, J. D.  
Grøgaard, B.
- McCormack, C. E.**, and Sontag, C. R. Entrainment by red light of running activity and ovulation rhythms of rats. 239,8:R450
- McCormack, C. E.** see Cheung, P. W.
- McCormick, C. C.**, Menard, M. P., and Cousins, R. J. Induction of hepatic metallothionein by feeding zinc to rats of depleted zinc status. 240,3:E414
- McCormick, W. C.** see Boron, W. F.
- McCoshen, J. A.**, Tagger, O. Y., Wodzicki, A., and Tyson, J. E. Choriodecidual adhesion promotes decidual prolactin transport by human fetal membrane. 243,12:R552
- McCoy, F. P.** see McKenzie, J. E.
- McCubbin, J. A.** see Langer, A. W.
- McCubbin, J. W.** see Willems, W. J.
- McCulloch, A.** see Cobelli, C.
- McCulloch, J.**, and Edvinsson, L. Cerebral circulatory and metabolic effects of vasoactive intestinal polypeptide. 238,7:H449
- McCulloch, J.**, and Harper, A. M. Cerebral circulation: effect of stimulation and blockade of dopamine receptors. 233,2:H222
- McCulloch, J.**, Kelly, P. A. T., Grome, J. J., and Pickard, J. D. Local cerebral circulatory and metabolic effects of indomethacin. 243,12:H416
- McCulloch, J.** see MacKenzie, E. T.
- McCully, K. K.** see Faulkner, J. A.
- McCumbee, W. D.**, and Lebovitz, H. E. Regulation of chondrosarcoma metabolism by cyclic adenosine 3',5'-monophosphate. 239,2:E201
- McCumbee, W. D.**, and Lebovitz, H. E. Chondrosarcoma growth: influence of diabetes, caloric restriction, and insulin treatment. 241,4:E129
- McCurdy, J. D.** see Rice, F. A. H.
- McCuskey, R. S.** see Cilento, E. V.
- McDaniel, H. G.** A comparison of effect of insulin on hepatic metabolites, gluconeogenesis, and ketogenesis. 233,2:E13
- McDaniel, H. G.** Nutritional and hormonal regulation of pyruvate metabolism in the liver. 236,5:E501
- McDaniel, W. C.** see Gold, J. H.
- McDermott, D. J.** see Tristani, F. E.
- McDonagh, J.** see Shen, L. L.
- McDonagh, P. F.**, and Gore, R. W. A comparison of capillary hydraulic conductivities in postural and locomotor muscle. 243,12:H491
- McDonagh, P. F.**, Salel, A. F., Krohn, K. A., Rhode, E. A., and Mason, D. T. Analysis of myocardial and total body integral extraction ratios of rubidium-86. 235,4:H794
- McDonagh, R. P.** see Shen, L. L.
- McDonald, B. W.** see Koehler, R. C.
- McDonald, D. G.** see Wood, C. M.
- McDonald, F. D.**  
see Abu-Hamdan, D. K.  
Cadnapaphornchai, P.  
Churchill, P. C.
- McDonald, G. B.**, Saunders, D. R., Weidman, M., and Fisher, L. Portal venous transport of long-chain fatty acids absorbed from rat intestine. 239,2:G141
- McDonald, K. M.** Influence of blood rheology on intrarenal blood flow distribution. 230:1448
- McDonald, K. M.**  
see Berns, A. S.  
Henrich, W. L.
- McDonald, R. H., Jr.** see Stricker, E. M.
- McDonald, R. I.** see Roskoski, R., Jr.
- McDonald, S. L.** see Anversa, P.
- McDonald, W. J.** see Potter, D. M.
- McDowall, D. G.** see Keaney, N. P.
- McElaney, M. A.** see Goodman, M. N.
- McElligott, M. A.**, and Bird, J. W. C. Muscle proteolytic enzyme activities in diabetic rats. 241,4:E378
- McFarlane-Anderson, N.** see Alleyne, G. A. O.
- McGarr, J. A.**, Oscai, L. B., and Borensztajn, J. Effect of exercise on hormone-sensitive lipase activity in rat adipocytes. 230:385
- McGarr, J. A.** see Oscai, L. B.
- McGee, J.**, Singer, D. H., Ten Eick, R. E., Kloner, K., Belic, N., Reimer, K., and Elson, J. Cellular electrophysiological marker of irreversible ischemic myocardial injury. 235,4:H559
- McGehee, L.** see Scheel, K. W.
- McGill, J.** see Tannen, R. L.
- McGillivray, R.**, and Wald, R. Circuit for measurement of instantaneous frequency. 238,7:H927
- McGillivray, R.**, and Wald, R. Dual-path capacitance compensation network for microelectrode recordings. 238,7:H930
- McGillivray, R.**, and Wald, R. W. A circuit for measuring peak potential. 241,10:H455
- McGillivray, R.**, and Wald, R. W. Detection of takeoff potential from intracellular recordings. 242,11:H1115
- McGowan, C.** see Greenberg, S.
- McGrath, M. A.**, and Shepherd, J. T. Hyperosmolarity: effects on nerves and smooth muscle of cutaneous veins. 231:141
- McGregor, D. D.** Noncholinergic vasodilator innervation in the feet of ducks and chickens. 237,6:H112
- McGuffee, L. J.**, and Bagby, R. M. Ultrastructure, calcium accumulation, and contractile response in smooth muscle. 230:1217
- McGuigan, J. E.**  
see Bybee, D. E.  
Higgs, R. H.  
Misbin, R. I.
- McGuire, W. L.**, Osborne, C. K., Clark, G. M., and Knight, W. A., III. Steroid hormone receptors and carcinoma of the breast. 243,6:E99
- McHale, P. A.**  
see Bache, R. J.  
Edwards, C. H., II  
Ling, D.  
Strauss, H. C.  
Swain, J. L.
- McHugh, P. R.**, and Moran, T. H. Accuracy of the regulation of caloric ingestion in the rhesus monkey. 235,4:R29
- McHugh, P. R.**, and Moran, T. H. Calories and gastric emptying: a regulatory capacity with implications for feeding. 236,5:R254
- McHugh, P. R.**, Moran, T. H., and Wirth, J. B. Postpyloric regulation of gastric emptying in rhesus monkeys. 243,12:R408
- McHugh, P. R.**  
see Gibbs, J.  
Hunt, J. N.  
Moran, T. H.



- McIndoe, R. A. *see* Friedman, S. M.  
 McInerney, J. J. *see* Nellis, S. H.  
 McInnes, R. R., and Scriver, C. R. Net reabsorption of  $\alpha$ -aminoisobutyric acid by rat kidney in vivo. 237,6:F274  
 McIntosh, D. M. *see* Fedor, J. M.  
 McKay, R. H. *see* McLane, J. A.  
 McKean, T. Cardiovascular adjustments to laboratory diving in beavers and nutria. 242,11:R434  
 McKean, T., and Landon, R. Comparison of the response of muskrat, rabbit, and guinea pig heart muscle to hypoxia. 243,12:R245  
 McKee, D. *see* Hintz, C. S.  
 McKenna, T. M., and Haines, H. Sodium metabolism during acclimation to water restriction by wild mice, *Mus musculus*. 240,9:R319  
 McKenna, T. M. *see* Haines, H.  
 McKenzie, J. E., McCoy, F. P., and Bockman, E. L. Myocardial adenosine and coronary resistance during increased cardiac performance. 239,8:H509  
 McKenzie, J. E., Steffen, R. P., and Hadley, F. J. Relationships between adenosine and coronary resistance in conscious exercising dogs. 242,11:H24  
 McKenzie, J. E. *see* Bockman, E. L.  
 McKenzie, J. M. *see* Batt, R.  
 McKeown, J. W., Brazy, P. C., and Dennis, V. W. Intrarenal heterogeneity for fluid, phosphate, and glucose absorption in the rabbit. 237,6:F312  
 McKinley, D. R. *see* de Carle, D. J.  
 McKinley, M. J., Denton, D. A., Hatzikostas, S., and Weisinger, R. S. Effect of angiotensin II on parotid saliva secretion in conscious sheep. 237,6:E56  
 McKinley, M. J. *see* Weisinger, R. S.  
 McKinney, T. D. Heterogeneity of organic base secretion by proximal tubules. 243,12:F404  
 McKinney, T. D., and Burg, M. B. Bicarbonate absorption by rabbit cortical collecting tubules in vitro. 234,3:F141  
 McKinney, T. D., and Myers, P. Bicarbonate transport by proximal tubules: effect of parathyroid hormone and dibutyl cyclic AMP. 238,7:F166  
 McKinney, T. D., and Myers, P. PTH inhibition of bicarbonate transport by proximal convoluted tubules. 239,8:F127  
 McKinney, T. D., Myers, P., and Speeg, K. V., Jr. Cimetidine secretion by rabbit renal tubules in vitro. 241,10:F69  
 McKinney, T. D., and Speeg, K. V., Jr. Cimetidine and procainamide secretion by proximal tubules in vitro. 242,11:F672  
 McKinstry, P. *see* Schnitzer, J. E.  
 McKlveen, R. E. *see* Ellis, G. B.  
 McKown, D. *see* Hirakawa, S.  
 Kumada, T. Tomoike, H.  
 McKown, D. P. *see* Crozatier, B.  
 McKown, M. *see* Kumada, T.  
 McLane, J. A., Fell, R. D., McKay, R. H., Winder, W. W., Brown, E. B., and Hollusz, J. O. Physiological and biochemical effects of iron deficiency on rat skeletal muscle. 241,10:C47  
 McLane, J. A. *see* Conlee, R. K.  
 Fell, R. D.  
 McLane, L. A. *see* Schneider, E. G.  
 McLane-Vega, L. A. *see* Hanson, R. C.  
 McLaughlin, C. L., Peikin, S. R., and Baile, C. A. Decreased pancreatic exocrine response to cholecystokinin in Zucker obese rats. 242,5:G612  
 McLaughlin, C. L. *see* Boden, G.  
 McLaughlin, P. M. *see* Goldstein, L.  
 McLean, C. B. *see* Bell, P. D.  
 McLeay, L. M., and Fitzgerald, J. M. Inhibition of ovine gastric acid secretion by intraduodenal long-chain fatty acids. 243,6:G127  
 McLendon, J. M. *see* Kviety, P. R.  
 McLennan, W. L., Machen, T. E., and Zeuthen, T. Ba<sup>2+</sup> inhibition of electrogenic Cl<sup>-</sup> secretion in vitro frog and piglet gastric mucosa. 239,2:G151  
 McLennan, W. L. *see* Machen, T. E.  
 McMahan, B. R. *see* Wood, C. M.  
 McMahon, T. A. *see* Role, L.  
 McManaman, J. L. *see* Appel, S. H.  
 McMillan, J. *see* Cramer, C. F.  
 McMillin-Wood, J. B. *see* Pinsky, W. W.  
 McMurtry, I. F., Hookway, B. W., and Roos, S. D. Red blood cells but not platelets prolong vascular reactivity of isolated rat lungs. 234,3:H186  
 McMurtry, I. F., Morris, K. G., and Petrun, M. D. Blunted hypoxic vasoconstriction in lungs from short-term high-altitude rats. 238,7:H849  
 McMurtry, I. F., Petrun, M. D., and Reeves, J. T. Lungs from chronically hypoxic rats have decreased pressor response to acute hypoxia. 235,4:H104  
 McNamara, D. B. *see* Gruetter, C. A.  
 Hyman, A. L.  
 McNamara, E. R. *see* Alexander, E. A.  
 Bengel, H. H.  
 McNamara, J. P., Azain, M., Kasser, T. R., and Martin, R. J. Lipoprotein lipase and lipid metabolism in muscle and adipose tissues of Zucker rats. 243,12:R258  
 McNamara, P. D., Rea, C., Ozegović, B., and Segal, S. Renal handling of [<sup>14</sup>C]mannose. 231:9  
 McNamara, R. F., Schmid, P. G., Schmidt, J. A., Lund, D. D., and Bhatnagar, R. K. Humoral regulation of vascular resistance after 30 days of pulmonary artery constriction. 236,5:H866  
 McNamee, G. A., Jr. *see* Bunner, D. L.  
 McNay, J. L., Rosello, S., and Dayton, P. G. Effects of azotemia on renal extraction and clearances of PAH and TEA. 230:901  
 McNeil, J. S. *see* Swabb, E. A.  
 McNeill, J. H. *see* Meisner, K. D.  
 McNeill, J. R., Wilcox, W. C., and Pang, C. Y. Vasopressin and angiotensin: reciprocal mechanisms controlling mesenteric conductance. 232,1:H260  
 McNeill, J. R. *see* Pang, C. Y.  
 McNurlan, M. A., and Garlick, P. J. Protein synthesis in liver and small intestine in protein deprivation and diabetes. 241,4:E238  
 McPhedran, A. M. *see* Matsumoto, Y.  
 McPhee, P. *see* Brosnan, J. T.  
 McPherson, J. *see* Grant, R. A.  
 McPherson, L. A. *see* Weiss, H. R.  
 McQueen, D. *see* Yellin, E. L.  
 McQueen, D. M., Peskin, C. S., and Yellin, E. L. Fluid dynamics of the mitral valve: physiological aspects of a mathematical model. 242,11:H1095  
 McRae, J. R. *see* Rice, M. G.  
 McRitchie, R. J., Vatner, S. F., Boettcher, D., Heyndrickx, G. R., Patrick, T. A., and Braunwald, E. Role of arterial baroreceptors in mediating cardiovascular response to exercise. 230:85  
 McRitchie, R. J. *see* Vatner, S. F.  
 McTigue, M. *see* Sobosla, G. B.  
 McWade, D. *see* Sarna, S.  
 Meagher, R. C. *see* Rothmann Hamburger, S. A.  
 Mears, G. J., Lai, P. C. W., Van Petten, G. R., and Lorscheider, F. L. Fetal-maternal transfer and catabolism of ovine <sup>125</sup>I-labeled  $\alpha$ -fetoprotein. 240,3:E191  
 Mears, G. J. *see* Lai, P. C. W.  
 Meckler, R. L., Macklem, L. J., and Weaver, L. C. Excitation of cardiac sympathetic afferent nerves: effects on renal function. 241,10:R267  
 Meckler, R. L. *see* Weaver, L. C.  
 Meda, P., Denef, J.-F., Perrelet, A., and Orci, L. Nonrandom distribution of gap junctions between pancreatic  $\beta$ -cells. 238,7:C114  
 Meda, P. *see* Sheppard, M. S.  
 Mee, R. *see* Carabello, B. A.  
 Megerman, J. *see* L'Italien, G. J.  
 Mehndru, S. K. *see* Popovtzer, M. M.  
 Mehta, P. K. *see* Boonjarearn, S.  
 Sabatini, S.  
 Meidan, R. *see* Naor, Z.  
 Meier, A. H. Daily rhythms of lipogenesis in fat and lean white-throated sparrows *Zonotrichia albicollis*. 232,1:E193  
 Meier, G. D., Bove, A. A., Santamore, W. P., and Lynch, P. R. Contractile function in canine right ventricle. 239,8:H794  
 Meier, G. D., Ziskin, M. C., and Bove, A. A. Helical fibers in myocardium of dogs change their pitch as they contract. 243,12:H1  
 Meier, G. D. *see* Santamore, W. P.  
 Meier, P. R., Peterson, R. G., Bonds, D. R., Meschia, G., and Battaglia, F. C. Rates of protein synthesis and turnover in fetal life. 240,3:E320  
 Meijer, D. K. F. *see* Groothuis, G. M. M.  
 Vonk, R. J.  
 Meindl, J. D. *see* Allen, H. V.  
 Meineke, H. A. *see* Cilento, E. V.  
 Meiri, H., Meiri, U., Kennedy, D. R., and Marshall, J. M. Adrenergic influences on rabbit oviduct: effect of muscle size and ovarian hormones. 234,3:C96  
 Meiri, U. *see* Meiri, H.  
 Meis, P. J. *see* Rose, J. C.  
 Meisel, A. D., and Diamond, H. S. Inhibition of probenecid uricosuria by pyrazinamide and para-aminohippurate. 232,1:F222  
 Meisner, K. D., and McNeill, J. H. Role of Ca in isoproterenol-induced increases in cAMP levels in rat uterus. 237,6:C257  
 Meiss, R. A. Dynamic stiffness of rabbit mesotubarium smooth muscle: effect of isometric length. 234,3:C14  
 Meiss, R. A. Transient responses and continuous behavior of active smooth muscle during controlled stretches. 242,11:C146  
 Meissner, H. P. *see* Gagerman, E.  
 Henquin, J. C.  
 Mekhjian, H. *see* Yovos, J. G.  
 Mela, L., Goodwin, C. W., and Miller, L. D. In vivo control of mitochondrial enzyme concentrations and activity by oxygen. 231:1811  
 Mela, L. *see* Crowe, W.  
 Melbin, J., Detweiler, D. K., Riffle, R. A., and Noordergraaf, A. Coherence of cardiac output with rate changes. 243,12:H499  
 Melbin, J., Gopalakrishnan, R., Riffle, R., and Noordergraaf, A. Construction and characterization of branched elastic transparent vessel models. 242,11:H122  
 Melby, J. A. *see* Kraut, J. A.  
 Melby, J. C. *see* Churchill, S.  
 Perrone, R. D.  
 Melcher, A., and Donald, D. E. Maintained ability of carotid baroreflex to regulate arterial pressure during exercise. 241,10:H838  
 Melcher, A. *see* Walgenbach, S. C.  
 Melchior, G. W. *see* Fry, D. L.  
 Meldolesi, J. *see* Koike, H.

- Melish, J. Le, N.-A., Ginsberg, H., Steinberg, D., and Brown, W. V.** Dissociation of apoprotein B and triglyceride production in very-low-density lipoproteins. 239,2:E354
- Meliza, M. W.** *see* Peterson, D. F.
- Mellick, P. W.** *see* O'Connor, J. A.
- Mellins, R. B.** *see* Haddad, G. G.
- Mellors, A. J., Nahrwold, D. L., and Rose, R. C.** Ascorbic acid flux across mucosal border of guinea pig and human ileum. 233,2:E374
- Melmed, S.** *see* Morley, J. E.
- Melton, J. E.** *see* Haines, H.
- Menaker, M.**  
*see* Davis, F. C.  
Takahashi, J. S.
- Menard, J.** *see* Nakane, H.
- Menard, M. P.** *see* McCormick, C. C.
- Mendel, V. E.** Influence of the insulin-to-growth hormone ratio on body composition of mice. 238,1:E231
- Mendelow, A. D.**  
*see* Eidelman, B. H.  
McCalden, T. A.
- Mendelsohn, F. A. O.** *see* Di Nicolantonio, R.
- Mendelsohn, S., Carlson, C. J., and Rapaport, E.** A new method for quantification of aortic regurgitation during cardiac catheterization. 239,8:H121
- Mendes, G. B.** *see* Paiva, T. B.
- Mendez, J.** *see* Lukaski, H. C.
- Mendler, P.** *see* Parson, I.
- Mendoza, S. A., and Nakamoto, K. K.** Effects of high potassium concentration on theophylline responses of toad bladder. 232,1:F173
- Menninger, R. P.** Response of supraoptic neurosecretory cells to changes in left atrial distension. 236,5:R261
- Menninger, R. P.** Effects of carotid occlusion and left atrial stretch on supraoptic neurosecretory cells. 237,6:R63
- Menninger, R. P.** Right atrial stretch decreases supraoptic neurosecretory activity and plasma vasopressin. 241,10:R44
- Menninger, R. P., and Baker, C. H.** Hypothalamic and brachial nerve effects on circulation of isolated canine forelimb. 230:797
- Menninger, R. P., and Baker, C. H.** Forelimb blood flow distribution during hypothalamic dilator response. 230:1561
- Menon, K. M. J.** *see* Zeleznik, A. J.
- Menzel, D. B.** *see* Strauss, H. C.
- Menzie, J. W., Hoffman, L. H., and Michelakis, A. M.** Immunofluorescent localization of renin in mouse submaxillary gland and kidney. 234,3:E480
- Menzie, J. W.** *see* Michelakis, A. M.
- Mercer, L. P.** *see* Burkhardt, S. S.
- Mercer, P. F.** *see* Kline, R. L.
- Merhav, A.**  
*see* Schiessel, R.  
Simson, J. N. L.  
Takeuchi, K.
- Merimee, T. J.** *see* Misbin, R. I.
- Merkel, R.** *see* Obst, B. E.
- Merken, L. S., Cohen, J. J., Peterson, O. W., Zamlauki, M. J., Gregg, C. M., and Black, A. J.** Tissue K<sup>+</sup> loss from the perfused rat kidney: effects of lactate and albumin treatment. 235,4:F228
- Merken, L. S.** *see* Cohen, J. J.
- Merlet-Benichou, C., and De Rouffignac, C.** Renal clearance studies in fetal and young guinea pigs: effect of salt loading. 232,1:F178
- Merlet-Benichou, C., Pegorier, M., Muffat-Joly, M., and Augeron, C.** Functional and morphologic patterns of renal maturation in the developing guinea pig. 241,10:F618
- Merrett, D.** *see* Garfield, R. E.
- Merriam, G. R., and Wachter, K. W.** Algorithms for the study of episodic hormone secretion. 243,6:E310
- Merrill, G. F., Russo, R. E., and Halper, J. M.** Cardiac output distribution before and after endotoxin challenge in the rooster. 241,10:F67
- Merrill, G. F., White, J. T., and Krieger, L. W.** Coronary circulation in hearts from hibernating, normothermic, and cold-acclimated hamsters. 241,10:R50
- Merriman, C. R.** *see* Kampschmidt, R. F.
- Mersereau, W. A., and Hinchey, E. J.** Prevention of phenylbutazone ulcer in the rat by glucose: role of a glycoprotein receptor system. 242,5:G429
- Mersmann, H. J., Brown, L. J., Beuving, R. deM., and Arakelian, M. C.** Lipolytic activity of swine adipocytes. 230:1439
- Mertz, J. I.** *see* Hartup, D. A.
- Meschia, G.**  
*see* Hay, W. W., Jr.  
Jones, M. D., Jr.  
Meier, P. R.  
Myers, S. A.  
Phillips, A. F.  
Wilkening, R. B.
- Mescheryakova, O. D.** *see* Rodionov, I. M.
- Messer, J. V.**  
*see* Cohen, E. M.  
Levine, H. J.
- Messina, E. J., Weiner, R., and Kaley, G.** Arteriolar reactive hyperemia: modification by inhibitors of prostaglandin synthesis. 232,1:H571
- Metcalf, J.**  
*see* Mueggler, P. A.  
Potter, D. M.
- Metler, M.** *see* Hoppe, A.
- Metrick, D. F.** *see* Podesta, R. B.
- Metz, S. A., and Robertson, R. P.** Prostaglandin synthesis inhibitors reverse  $\alpha$ -adrenergic inhibition of acute insulin response to glucose. 239,2:E490
- Meyer, G. W., Gerhardt, D. C., and Castell, D. O.** Human esophageal response to rapid swallowing: muscle refractory period or neural inhibition? 241,4:G129
- Meyer, H. H., Vetterlein, F., Schmidt, G., and Hasselblatt, A.** Measurement of blood flow in pancreatic islets of the rat: effect of isoproterenol and norepinephrine. 242,5:E298
- Meyer, J. H.** Gastric emptying of ordinary food: effect of antrum on particle size. 239,2:G133
- Meyer, J. H., and Kelly, G. A.** Canine pancreatic responses to intestinally perfused proteins and protein digests. 231:682
- Meyer, J. H., Kelly, G. A., and Jones, R. S.** Canine pancreatic response to intestinally perfused oligopeptides. 231:678
- Meyer, J. H., Kelly, G. A., Spingola, L. J., and Jones, R. S.** Canine gut receptors mediating pancreatic responses to luminal L-amino acids. 231:669
- Meyer, J. H.**  
*see* Fink, A. S.  
Miller, J.  
Solomon, T. E.
- Meyer, M. W.** *see* Tripp, M. R.
- Meyer, P.** *see* Koutourov, S.
- Meyer, R. A., Kushmerick, M. J., and Brown, T. R.** Application of <sup>31</sup>P-NMR spectroscopy to the study of striated muscle metabolism. 242,11:C1
- Meyer, R. A., and Terjung, R. L.** Differences in ammonia and adenylate metabolism in contracting fast and slow muscle. 237,6:C111
- Meyer, R. A., and Terjung, R. L.** AMP deamination and IMP reamination in working skeletal muscle. 239,8:C32
- Meyer, W.** *see* Malluche, H. H.
- Meyers, K. M., Holmsen, H., and Seachord, C. L.** Comparative study of platelet dense granule constituents. 243,12:R454
- Meyers, K. M., Holmsen, H., Seachord, C. L., Hopkins, G. E., Borchard, R. E., and Padgett, G. A.** Storage pool deficiency in platelets from Chediak-Higashi cattle. 237,6:R239
- Meyer-Sabellek, W.** *see* Malluche, H. H.
- Meyrick, B., Gamble, W., and Reid, L.** Development of *Crotalaria* pulmonary hypertension: hemodynamic and structural study. 239,8:H692
- Meza, I.** *see* Cereijido, M.
- Micflikier, A. B., Bond, J. H., Sircar, B., and Levitt, M. D.** Intestinal villus blood flow measured with carbon monoxide and microspheres. 230:916
- Michael, L. H., Lewis, R. M., Brandon, T. A., and Entman, M. L.** Cardiac lymph flow in conscious dogs. 237,6:H311
- Michael, L. H.** *see* Park, I.-S.
- Michael, U. F., Kelley, J. J., Alpert, H., and Vaamonde, C. A.** Role of distal delivery of filtrate in impaired renal dilution of the hypothyroid rat. 230:699
- Michael, U. F., Kelley, J. J., and Vaamonde, C. A.** Impaired renal bicarbonate reabsorption in the hypothyroid rat. 236,5:F536
- Michaeli, D.** *see* Orloff, K. G.
- Michaels, A. S.** *see* Myers, B. D.
- Michaels, D.** *see* Bortoff, A.
- Michaelson, S. M.** *see* Magin, R. L.
- Michelakis, A. M., Menzie, J. W., and Yoshida, H.** Sympathetic nervous system and renin release from submaxillary glands in vitro. 231:551
- Michelakis, A. M.**  
*see* Huang, C. T.  
Iwao, H.  
Lin, C.-S.  
Menzie, J. W.  
Sherma, N. K.
- Michelson, E. L.**  
*see* Mazgalev, T.  
Simson, M. B.
- Middleton, H. M., III.** Jejunal phosphorylation and dephosphorylation of adsorbed pyridoxine HCl in vitro. 235,4:E272
- Midgley, A. R., Jr.** *see* Zeleznik, A. J.
- Middbøll, I.** *see* Keiding, S.
- Miettinen, E. L.** *see* Kliegman, R. M.
- Miettinen, E.-L.** Effect of maternal canine starvation on fetal and neonatal liver metabolism. 240,3:E88
- Miettinen, O. S.** *see* Rabinovitch, M.
- Mietus, L. J.** *see* Partridge, W. M.
- Migdal, S. D.** *see* Abu-Hamdan, D. K.
- Migliorini, R. H.**  
*see* Barbosa, M. C.  
Coimbra, C. C.  
Gross, J. L.  
Kettelhut, I. C.  
Veiga, J. A. S.
- Mihás, A. A., Gibson, R. G., and Hirschowitz, B. I.** Inhibition of gastric secretion in the dog by 16,16-dimethyl prostaglandin E<sub>2</sub>. 230:351
- Mikat, E. M.** *see* Hackel, D. B.
- Miki, E.** *see* Sando, H.
- Miki, S.** *see* Kimura, G.
- Mikulecky, D. C.** *see* Thomas, S. R.
- Mikulski, A. J.** *see* Urist, M. R.
- Milam, K. M., Keesey, R. E., and Stern, J. S.** Body composition and adiposity in LH-lesioned and pair-fed obese Zucker rats. 242,5:E437
- Milam, K. M., Keesey, R. E., Storlien, L. H., and Stern, J. S.** Developmental study of adipose cellularity in lateral hypothalamic-lesioned Zucker obese rats. 242,11:R311

- Milam, K. M.**, Stern, J. S., Storlien, L. H., and Keese, R. E. Effect of lateral hypothalamic lesions on regulation of body weight and adiposity in rats. 239,8:R337
- Mildenberger, R. R.** see Sestier, F. J.
- Miles, J. M.**  
see Nissen, S. L.  
Rizza, R. A.
- Miles, P. R.**, Castranova, V., and Lee, P. Reactive forms of oxygen and chemiluminescence in phagocytizing rabbit alveolar macrophages. 235,4:C103
- Milhaud, G.** see Staub, J.-F.
- Mill, J. G.**, Vassallo, D. V., and Campanha, V. D.-P. Effect of uranyl ions on isometric contractions in rabbit atria. 235,4:H295
- Millar, C. K.** see Kralios, F. A.
- Millard, R. W.**, Baig, H., and Vatner, S. F. Cardiovascular effects of radioactive microsphere suspensions and Tween 80 solutions. 232,1:H331
- Millard, R. W.**, Hodgkin, B. C., and Nelson, C. V. Effect of ventricular end-diastolic volume on vectorcardiographic potentials of the pig. 235,4:H182
- Millard, R. W.**  
see Hodgkin, B. C.  
Rouslin, W.  
Vatner, S. F.
- Miller, A.**  
see Burnell, J. M.  
Hiatt, N.
- Miller, B. D.** see Thames, M. D.
- Miller, C. B.** see Boineau, J. P.
- Miller, D. A.** see Talman, R. D., Jr.
- Miller, D. L.**, Hamburger, S. A., and Schedl, H. P. Effects of osmotic gradients on water and solute transport: in vivo studies in rat duodenum and ileum. 237,6:E389
- Miller, D. L.**, and Schedl, H. P. Effects of diabetes on intestinal magnesium absorption in the rat. 231:1039
- Miller, D. L.** see Gumucio, J. J.
- Miller, D. S.**, and Holliday, C. W. PAH secretion in the urinary bladder of a crab *Cancer borealis*. 243,12:R147
- Miller, D. S.**, and Kinter, W. B. Pathways of cycloleucine transport in killifish small intestine. 237,1:E567
- Miller, D. S.**, Kinter, W. B., Peakall, D. B., and Risebrough, R. W. DDE feeding and plasma osmoregulation in ducks, guillemots, and puffins. 231:370
- Miller, D. S.**  
see Holliday, C. W.  
Renfro, J. L.  
Shehata, A. T.
- Miller, F. N.**  
see Faber, J. E.  
Harris, P. D.  
Morff, R. J.  
Wiegman, D. L.
- Miller, H. I.** see Wolfe, R. R.
- Miller, J.**, Kauffman, G., Elashoff, J., Ohashi, H., Carter, D., and Meyer, J. H. Search for resistances controlling canine gastric emptying of liquid meals. 241,4:G403
- Miller, J. C.** see Fink, A. S.
- Miller, J. D.** see Sullivan, H. G.
- Miller, J. G.** see Mims, J. W.
- Miller, L. D.** see Mela, L.
- Miller, L. J.** see Owyang, C.
- Miller, L. K.** see Blix, A. S.
- Miller, M.**  
see Kumada, T.  
Solez, K.
- Miller, M. C., III.** see Bresler, E. H.
- Miller, M. M.**  
see Ibebekk, A.  
Stokland, O.
- Miller, N. E.** see Dworkin, B. R.
- Miller, O. N.** see Eisenstein, A. B.
- Miller, P.** see Safirstein, R.
- Miller, P. D.** see De Torrente, A.
- Miller, R. E.**, Waid, T. H., and Joyce, M. P. Direct neural inhibition of insulin secretion in response to systemic hypoglycemia. 230:1090
- Miller, R. J.**  
see Chang, E. B.  
Guandalini, S.
- Miller, R. K.**, Davis, B. M., Brent, R. L., and Koszalka, T. R. Creatine transport by rat placentas. 233,2:E308
- Miller, T.** see Kvietys, P. R.
- Miller, T. A.** see Pawlik, W.
- Miller, T. B.**, Jr. Effects of diabetes on glucose regulation of enzymes involved in hepatic glycogen metabolism. 234,3:E13
- Miller, T. B., Jr.** Cardiac performance of isolated perfused hearts from alloxan diabetic rats. 236,5:H808
- Miller, T. B., Jr.**, Vicalvi, J. J., Jr., and Garnache, A. K. Alteration of hepatic glycogen synthase phosphatase activity by insulin deficiency. 234,3:E539
- Miller, T. B., Jr.**  
see Appel, M. C.  
Exton, J. H.
- Miller, T. H.**, Priano, L. L., Jorgensen, J. H., and Traber, D. L. Cardiorespiratory effects of *Pseudomonas* and *E. coli* endotoxins in the awake dog. 232,1:H682
- Miller, V. M.**, and South, F. E. Spinal cord, hypothalamic, and air temperature: interaction with arousal states in the marmoset. 236,5:R107
- Miller, W. H., Jr.**, and Faust, I. M. Alterations in rat adipose tissue morphology induced by a low-temperature environment. 242,5:E93
- Miller, W. L.**, and Dale, H. E. Restoration of hemorrhaged plasma volume by gastrointestinal fluid in the dog. 234,3:H80
- Miller, W. L.** see Foley, D. H.
- Millis, D. L.** see Leach, J. K.
- Mills, C. D.**  
see Baudinette, R. V.  
Grubb, B.
- Mills, I. H.** see Arendshorst, W. J.
- Mills, J. W.**, Macknight, A. D. C., Dayer, J.-M., and Ausiello, D. A. Localization of [<sup>3</sup>H]ouabain-sensitive Na<sup>+</sup> pump sites in cultured pig kidney cells. 236,5:C157
- Mills, J. W.**, and Quinton, P. M. Formation of stimulus-induced vacuoles in serous cells of tracheal submucosal glands. 241,10:C18
- Mills, J. W.**  
see Jarrell, J. A.  
Thompson, I. G.
- Milman, H. A.**, Cooney, D. A., and Young, D. M. Role of pancreatic L-asparagine synthetase in homeostasis of L-asparagine. 236,5:E746
- Milnor, W. R.** Aortic wavelength as a determinant of the relation between heart rate and body size in mammals. 237,6:R3
- Milnor, W. R.** see O'Rourke, M. F.
- Milsom, J. P.** see Batey, R. G.
- Milsom, W. K.** see Jones, D. R.
- Mims, J. W.**, O'Donnell, M., Miller, J. G., and Sobel, B. E. Changes in ultrasonic attenuation indicative of early myocardial ischemic injury. 236,5:H340
- Minaker, K. L.**, and Rowe, J. W. Potassium homeostasis during hyperinsulinemia: effect of insulin level,  $\beta$ -blockade, and age. 242,5:E373
- Mink, J. W.**, Blumenshine, R. J., and Adams, D. B. Ratio of central nervous system to body metabolism in vertebrates: its constancy and functional basis. 241,10:R203
- Minneer, F. L.**, Moon, D. G., Kaplan, J. E., and Malik, A. B. Effect of ADP-induced platelet aggregation on lung fluid balance in sheep. 242,11:H645
- Minteer, W. J.** see Flaim, S. F.
- Minton, M.-F.** see Stewart, J. K.
- Minuk, H. L.**, Hanna, A. K., Marliiss, E. B., Vranic, M., and Zinman, B. Metabolic response to moderate exercise in obese man during prolonged fasting. 238,1:E322
- Minuk, H. L.**, Vranic, M., Marliiss, E. B., Hanna, A. K., Albisser, A. M., and Zinman, B. Glucoregulatory and metabolic response to exercise in obese noninsulin-dependent diabetes. 240,3:E458
- Minuth, A. N.** see Crumb, C. K.
- Miolan, J.-P.**, and Roman, C. Discharge of efferent vagal fibers supplying gastric antrum: indirect study by nerve suture technique. 235,4:E366
- Miramand, J.-L.** see Molimard, R.
- Mircheff, A. K.** see Walling, M. W.
- Mirow, A.** see Borer, K. T.
- Mirsky, I.** see Serizawa, T.
- Mirsky, I. A.** see Adibi, S. A.
- Misbach, G.** see Rubin, S. A.
- Misbach, G. A.**, and Glantz, S. A. Changes in the diastolic pressure-diameter relation alter ventricular function curves. 237,6:H644
- Misbin, R. I.**, Merimee, T. J., and Lowenstein, J. M. Insulin removal by isolated perfused rat liver. 230:171
- Misbin, R. I.**, Wolfe, M. M., Morris, P., Buynitzky, S. J., and McGuigan, J. E. Uptake of vasoactive intestinal peptide by rat liver. 243,6:G103
- Miselis, R. R.** see Grill, H. J.
- Misfeldt, D. S.**, and Sanders, M. J. Trans epithelial glucose transport in cell culture. 240,9:C92
- Mishina, T.**, Scholer, D. W., and Edelman, I. S. Glucocorticoid receptors in rat kidney cortical tubules enriched in proximal and distal segments. 240,9:F38
- Mishina, T.** see Scholer, D. W.
- Mishkin, S.**  
see Goresky, C. A.  
Stein, L. B.
- Miskiewicz, G.** see Pasyk, S.
- Mistretta, P.** see Bortoff, A.
- Mitch, W. E.** Amino acid release from the hindquarter and urea appearance in acute uremia. 241,4:E415
- Mitch, W. E.**, and Chan, W. Transamination of branched-chain keto acids by isolated perfused rat kidney. 235,4:E47
- Mitch, W. E.**, and Chan, W.  $\alpha$ -Ketoisoproate stimulates branched-chain amino acid transaminase in kidney and muscle. 236,5:E514
- Mitch, W. E.**  
see Collier, V. U.  
Zacur, H. A.
- Mitchel, J. S.** see Keese, R. E.
- Mitchell, D.**  
see Laburn, H. P.  
Senay, L. C., Jr.
- Mitchell, G.** see Senay, L. C., Jr.
- Mitchell, G. S.**, Gleeson, T. T., and Bennett, A. F. Ventilation and acid-base balance during graded activity in lizards. 240,9:R29
- Mitchell, G. S.** see Gleeson, T. T.
- Mitchell, J. H.**, Reardon, W. C., and McCloskey, D. I. Reflex effects on circulation and respiration from contracting skeletal muscle. 233,2:H374
- Mitchell, J. H.**  
see Ashton, J. H.  
Cassidy, S. S.  
Crayton, S. C.  
Fixler, D. E.  
Galosy, R. A.  
Kaufman, M. P.  
Templeton, G.
- Mitchell, M. M.**, and Newbower, R. S. Intrathoracic electrical impedance measurements from an esophageal probe. 236,5:R168
- Mitchell, R. A.** see Berger, A. J.
- Mitchell, R. W.** see Skoog, C.



- Mitchener, P.** see Adrian, T. E.  
**Mitschelen, J.** see Fry, D. L.  
**Mitsutake, A.** see Fukuyama, T.  
**Mixter, R. C.** see Ruch, W.  
**Miyai, K.** see Hardison, W. G. M.  
**Miyasaka, K.** and Rothman, S. S. Endocrine secretion of  $\alpha$ -amylase by the pancreas. 241,4:G170  
**Miyazaki, M.** see Toda, N.  
**Miyoshi, A.** see Ohe, K.  
**Moake, J. L., Tang, S. S., Olson, J. D., Troll, J. H., Cimo, P. L., and Davies, P. J. A.** Platelets, von Willebrand factor, and prostaglandin  $I_2$ . 241,10:H54  
**Mobley, W. P.** see Farrell, K. J.  
**Modlin, I. M.** see Zinner, M. J.  
**Moë, G. K.** see Jalife, J.  
**Moeller, T. L.** see Pardridge, W. M.  
**Moellinger, D. W.** see Gold, J. H.  
**Moeschberger, M.** see Gerhardt, D.  
**Moffat, B.**  
 see Morris, B. J.  
 Williams, J. A.  
**Moffat, M. P.** see Karmazyn, M.  
**Moffatt, D. S.** see Adair, T. H.  
**Moffett, D. F.** see Mandel, L. J.  
**Mogenson, G. J.**  
 see Berthoud, H. R.  
 Brickman, A. L.  
 Brimley, C. C.  
 Evered, M. D.  
 Jones, D. L.  
 Richardson, D. B.  
**Mohandas, N.** see Smith, J. E.  
**Möhning, B.**  
 see Haack, D.  
 Möhring, J.  
**Möhning, J., Kohrs, G., Möhring, B., Petri, M., Hcmsy, E., and Haack, D.** Effects of prolonged vasopressin treatment in Brattleboro rats with diabetes insipidus. 234,3:F106  
**Möhning, J., Möhring, B., Petri, M., and Haack, D.** Vasopressor role of ADH in the pathogenesis of malignant DOC hypertension. 232,1:F260  
**Möhning, J., Petri, M., Szokol, M., Haack, D., and Möhring, B.** Effects of saline drinking on malignant course of renal hypertension in rats. 230:849  
**Möhning, J.** see Haack, D.  
**Mohrman, D. E.** A servo-controlled roller pump for cardiovascular research. 238,7:H269  
**Mohrman, D. E.** Lack of influence of potassium or osmolality on steady-state exercise hyperemia. 242,11:H949  
**Mohrman, D. E.** see Maxwell, L. C.  
**Mrk, C.** see Grimes, L. J.  
**Molé, P. A.** Increased contractile potential of papillary muscles from exercise-trained rat hearts. 234,3:H421  
**Molé, P. A.**  
 see Holly, R. G.  
 Walberg, J. L.  
**Molimard, R., Martin, C., Pesez, A., and Miramand, J.-L.** A device for jointless connections with unrestrained animals. 240,3:G250  
**Molimard, R.** see Louis-Sylvestre, J.  
**Molitch, M., Edmonds, M., Jones, E. E., and Odell, W. D.** Short-loop feedback control of luteinizing hormone in the rabbit. 230:907  
**Möller, J. V.**  
 see Jørgensen, K. E.  
 Sheikh, M. I.  
**Möller, U.** see Boisen, J.  
**Molnar, G. W.** Investigation of hot flashes by ambulatory monitoring. 237,6:R306  
**Molteni, R. A.**  
 see Jones, M. D., Jr.  
 Rosenberg, A. A.  
**Mommaerts, W. F. H. M.** see Nwoye, L.  
**Mommsen, C.** see Zimmerman, B. G.  
**Monclair, T.** see Mathisen, Ø.  
**Mond, A. E.** see Favus, M. J.  
**Mondon, C. E., Dolkas, C. B., and Oyama, J.** Enhanced skeletal muscle insulin sensitivity in year-old rats adapted to hypergravity. 240,3:E482  
**Mondon, C. E., Dolkas, C. B., and Reaven, G. M.** Site of enhanced insulin sensitivity in exercise-trained rats at rest. 239,2:E169  
**Mondon, C. E.**  
 see Feldman, D.  
 Kobayashi, M.  
**Monks, A., and Cysyk, R. L.** Uridine regulation by the isolated rat liver: perfusion with an artificial oxygen carrier. 242,11:R465  
**Monos, E., Cox, R. H., and Peterson, L. H.** Direct effect of physiological doses of arginine vasopressin on the arterial wall in vivo. 234,3:H167  
**Monsher, M.** see Ingebrechtsen, W. R., Jr.  
**Montag, M. J.** see Diana, J. N.  
**Montanaro, G.** see Gardiner, P. F.  
**Montello, M.** see Buñag, R. D.  
**Montes, A.** see Humphrey, J. L.  
**Montgomery, C. W.** see Kidder, G. W., III  
**Montgomery, G. D., Scher, A. M., and Corbin, L. V., II.** Zero offset in electromagnetic flowmeters. 233,2:H157  
**Montini, J., Bagby, G. J., Burns, A. H., and Spitzer, J. J.** Exogenous substrate utilization in  $Ca^{2+}$ -tolerant myocytes from adult rat hearts. 240,9:H659  
**Montoreano, R., Candia, O. A., and Cooke, P. A.**  $\alpha$ - and  $\beta$ -Adrenergic receptors in regulation of ionic transport in frog cornea. 230:1487  
**Montoreano, R.** see Candia, O. A.  
**Montville, W. J.** see Dole, W. P.  
**Moody, F. G.** see Cheung, L. Y.  
**Moore, S. U.**  
 see Butler, T. M.  
 Siegman, M. J.  
**Moon, D. G.** see Minnear, F. L.  
**Moon, E. A.** see Dampney, R. A. L.  
**Moore, A. K.** see Steffen, J. M.  
**Moore, E. N.**  
 see Nattel, S.  
 Simson, M. B.  
 Spear, J. F.  
**Moore, E. W., and Verine, H. J.** Pancreatic calcification: formation constants of  $CaHCO_3^+$  and  $CaCO_3^0$  complexes determined with  $Ca^{2+}$  electrode. 241,4:G182  
**Moore, F. D.** see Culebras, J. M.  
**Moore, J. J.** see Whitsett, J. A.  
**Moore, J. W.**  
 see Ramón, F.  
 Westerfield, M.  
**Moore, K. H., Radloff, J. F., Hull, F. E., and Sweeley, C. C.** Incomplete fatty acid oxidation by ischemic heart  $\beta$ -hydroxy fatty acid production. 239,8:H257  
**Moore, L. C., and Marsh, D. J.** How descending limb of Henle's loop permeability affects hypertonic urine formation. 239,8:F57  
**Moore, L. C., Marsh, D. J., and Martin, C. M.** Loop of Henle during the water-to-antidiuresis transition in Brattleboro rats. 239,8:F72  
**Moore, L. C., Schnermann, J., and Yarimizu, S.** Feedback mediation of SNGFR autoregulation in hydropenic and DOCA- and salt-loaded rats. 237,6:F63  
**Moore, L. G., and Reeves, J. T.** Pregnancy blunts pulmonary vascular reactivity in dogs. 239,8:H297  
**Moore, R. D., and Rabovsky, J. L.** Mechanism of insulin action on resting membrane potential of frog skeletal muscle. 236,5:C249  
**Moore, R. D.** see Fidelman, M. L.  
**Moore, T. J., Lione, A. P., Sugden, M. C., and Regen, D. M.**  $\beta$ -Hydroxybutyrate transport in rat brain: developmental and dietary modulations. 230:619  
**Moore-Ede, M. C., and Herd, J. A.** Renal electrolyte circadian rhythms: independence from feeding and activity patterns. 232,1:F128  
**Moore-Ede, M. C., Kass, D. A., and Herd, J. A.** Transient circadian internal desynchronization after light-dark phase shift in monkeys. 232,1:R31  
**Moore-Ede, M. C., Schmelzer, W. S., Kass, D. A., and Herd, J. A.** Cortisol-mediated synchronization of circadian rhythm in urinary potassium excretion. 233,2:R230  
**Moore-Ede, M. C.**  
 see Fuller, C. A.  
 Kass, D. A.  
 Kronauer, R. E.  
 Sulzman, F. M.  
**Moore-Gillon, M. J., and Fitzsimons, J. T.** Pulmonary vein-atrial junction stretch receptors and the inhibition of drinking. 242,11:R452  
**Moore, W. Y.** see Stowe, D. F.  
**Moossa, A.** see Ipp, E.  
**Moossa, A. R.** see Jaspán, J. B.  
**Moran, A., Handler, J. S., and Turner, R. J.**  $Na^+$ -dependent hexose transport in vesicles from cultured renal epithelial cell line. 243,12:C293  
**Moran, A.** see Turner, R. J.  
**Moran, J. F.** see Randall, W. C.  
**Moran, J. M.** see Loeb, J. M.  
**Moran, T. H., and McHugh, P. R.** Distinctions among three sugars in their effects on gastric emptying and satiety. 241,10:R25  
**Moran, T. H., and McHugh, P. R.** Cholecystokinin suppresses food intake by inhibiting gastric emptying. 242,11:R491  
**Moran, T. H.** see McHugh, P. R.  
**Morawski, S.** see Schmulen, A. C.  
**Mordes, J. P., El Lozy, M., Herrera, M. G., and Silen, W.** Effects of vagotomy with and without pyloroplasty on weight and food intake in rats. 236,5:R61  
**Moreau, K.** see Nakamura, Y.  
**Moreau, P.** see Ingebrechtsen, C. G.  
**Morel, F.** Sites of hormone action in the mammalian nephron. 240,9:F159  
**Morel, F.**  
 see Doucet, A.  
 Katz, A. I.  
**Moreno, A. H., Bloomfield, M. E., and Grossi, E. A.** Rate of generation of myocardial power density normalized by cardiac frequency. 237,6:R225  
**Moreno, A. H., Chiu, H.-H., Steen, J. A., and Reddy, R. V.** Irreversible thermodynamics of an isometric twitch, time-dependent general formulation. 238,7:R413  
**Moreno, A. H.** see Guntheroth, W. G.  
**Moreno, F. J.** see Shepherd, R. E.  
**Moretó, M., Guzmán, L., and Díez, A. A.** Pattern for gastric emptying in mice. 242,5:G333  
**Morff, R. J., Harris, P. D., Wiegman, D. L., and Miller, F. N.** Muscle microcirculation: effects of tissue pH,  $PCO_2$ , and  $PO_2$  during systemic hypoxia. 240,9:H746  
**Morff, R. J.** see Wiegman, D. L.  
**Morgan, D.** see Hollander, D.  
**Morgan, D. L.** Separation of active and passive components of short-range stiffness of muscle. 232,1:C45  
**Morgan, H. E.** New directions (Editorial). 241,10:C1  
**Morgan, H. E., Chua, B. H. L., Fuller, E. O., and Siehl, D.** Regulation of protein synthesis and degradation during in vitro cardiac work. 238,1:E431



- Morgan, H. E.** see Cheung, J. Y.  
 Chua, B. H. L.  
 Fishman, A. P.  
 Ichihara, K.  
 Werner, J. C.  
 Williams, E. H.  
 Williams, I. H.
- Morgan, K. G.,** Schmalz, P. F., Go, V. L. W., and Szurszewski, J. H. Electrical and mechanical effects of molecular variants of CCK on antral smooth muscle. 235,4:E324
- Morgan, T.** Effect of NaCl on composition and volume of cells of the rat papilla. 232,1:F117
- Morganroth, M. L.,** Young, E. W., and Sparks, H. V. Prostaglandin and histaminergic mediation of prolonged vasodilation after exercise. 233,2:H27
- Morgat, J. L.** see Heyman, M.
- Morgunov, N.,** and Baines, A. D. Renal nerves and catecholamine excretion. 240,9:F75
- Mori, F.** see DiStefano, J. J., III
- Mori, K.** see Itoh, Z.
- Moriarty, C. M.** Kinetic analysis of calcium distribution in rat anterior pituitary slices. 238,1:E167
- Moriarty, C. M.,** and Leuschen, M. P. Role of calcium in acute stimulated release of prolactin from neoplastic GH<sub>3</sub> cells. 240,3:E705
- Moriarty, T. F.** see Janz, R. F.
- Morii, M.** see Takeguchi, N.
- Morimoto, S.,** Abe, R., Fukuhara, A., Tanaka, K., and Yamamoto, K. Effect of sodium restriction on plasma renin activity and renin granules in rat kidney. 237,6:F367
- Morin, L. P.** see Zucker, I.
- Moris, Y. M.** see Sodoyez, J. C.
- Morisset, J.,** and Jolicœur, L. Effect of hydrocortisone on pancreatic growth in rats. 239,2:G95
- Morisset, J.,** Jolicœur, L., Genik, P., and Lord, A. Interaction of hydrocortisone and caerulein on pancreatic size and composition in the rat. 241,4:G37
- Morita, H.,** Nemoto, E. M., Bleyaert, A. L., and Stezoski, S. W. Brain blood flow autoregulation and metabolism during halothane anesthesia in monkeys. 233,2:H670
- Morita, S.** see Otsuki, M.
- Morkin, E.** see Goldman, S.
- Morley, J. E.,** Levine, A. S., Murray, S. S., Kneip, J., and Grace, M. Peptidergic regulation of stress-induced eating. 243,12:R159
- Morley, J. E.,** Melmed, S., Reed, A., Kasson, B. G., Levin, S. R., Pekary, A. E., and Hershman, J. M. Effect of vitamin A on the hypothalamo-pituitary-thyroid axis. 238,1:E174
- Morley, J. E.** see Brammer, G. L.  
 Lamers, C. B.  
 Levine, A. S.
- Morley, M. G.,** Leiter, E. H., Eisenstein, A. B., and Strack, I. Dietary modulation of  $\alpha$ -cell volume and function in strain 129/J mice. 242,5:G354
- Morowitz, H. J.** Proton semiconductors and energy transduction in biological systems. 235,4:R99
- Morris, B. J.,** Moffat, B., and Reid, I. A. Partial purification of dog angiotensinogen. 236,5:E655
- Morris, B. J.** see Herrmann, H. C.
- Morris, J. L.** Motor innervation of the toad iris (*Bufo marinus*). 231:1272
- Morris, K. G.** see McMurtry, I. F.
- Morris, M.** see Rose, J. C.
- Morris, M. D.** see Maxwell, L. C.
- Morris, P.** see Mishin, R. I.
- Morris, R. C., Jr.** see Al-Bander, H. A.
- Morris, S. M.** see Tapper, E. J.
- Morris, Z. Q.** see Flaim, S. F.
- Morrison, S. F.,** and Gebber, G. L. Classification of raphe neurons with cardiac-related activity. 243,12:R49
- Morrison, S. F.,** and Whitehorn, D. Baroreceptor reflex gain is not diminished in spontaneous hypertension. 243,12:R500
- Morriss, F. H.** see Malloy, M. H.
- Morriss, F. H., Jr.** see Lichtenberger, L. M.
- Morse, E. L.** see Adibi, S. A.  
 Hagg, S. A.
- Morse, J. T.** see Greenleaf, J. E.
- Mortillaro, N. A.,** Granger, D. N., Kvietys, P. R., Rutili, G., and Taylor, A. E. Effects of histamine and histamine antagonists on intestinal capillary permeability. 240,3:G381
- Mortillaro, N. A.** see Granger, D. N.
- Mortola, J. P.** see Fisher, J. T.
- Morton, J. J.** see Brown, A. J.
- Morton, M. E.** see Jeving, R.
- Morton, S. A.** see Powley, T. L.
- Mory, G.,** Ricquier, D., Nechad, M., and Hemon, P. Impairment of trophic response of brown fat to cold in guanethidine-treated rats. 242,11:C159
- Moser, S.** see Brautbar, N.
- Moses, A. M.,** Weitzman, R. E., Fisher, D. A., Rodbard, D., and Munson, P. J. Is there an osmotic threshold for vasopressin release? (Letter to the Editor). 234,3:E339
- Moses, A. M.** see Spiegel, A. M.
- Moskalenko, Y. E.** see Sándor, P.
- Moss, N. G.** Renal function and renal afferent and efferent nerve activity. 243,12:F425
- Moss, N. G.** see Colindres, R. E.
- Moss, R. L.** see Halpern, W.
- Motais, R.,** and Causin, J. L. Inhibitory effect of ethacrynic acid on chloride permeability. 231:1485
- Motil, K. J.,** Matthews, D. E., Bier, D. M., Burke, J. F., Munro, H. N., and Young, V. R. Whole-body leucine and lysine metabolism: response to dietary protein intake in young men. 240,3:E712
- Motil, K. J.** see Conway, J. M.  
 Matthews, D. E.
- Motomura, S.,** Iijima, T., and Taira, N. Cholinergic intervention in intracardiac autonomic nerves in atrioventricular junctional area. 239,8:H181
- Motomura, S.** see Endoh, M.
- Motz, K. L.** see Riggs, T. R.
- Mount, B. E.** see Yablonski, M. R.
- Mountjoy, D. G.** see Baker, M. A.
- Mourning, J. T.** see Longmore, W. J.
- Mousseau, G.** see Raman, S.
- Moutard, N.** see Le Marchand-Brustel, Y.
- Mouw, D. R.,** Vander, A. J., Bourgoignie, J. J., Kutschinski, S. S., and Mathias, N. P. Nonpressor mechanisms in CNS-induced natriuresis. 237,6:F157
- Mouw, D. R.,** Vander, A. J., and Wagner, J. Effects of prenatal and early postnatal sodium deprivation on subsequent adult thirst and salt preference in rats. 234,3:F59
- Mouw, D. R.** see Clamage, D. M.  
 Smith, J. M.  
 Vander, A. J.  
 Victory, W.  
 Weisinger, R. S.
- Movahed, H.** see Hansen, B. C.
- Moyer, T. P.** see Muldoon, S. M.
- Moyle, W. R.,** Erickson, G., Bahl, O. P., Christakos, S., and Gutowski, J. Action of PMSG and asialo-PMSG on rat Leydig and granulosa cells. 235,4:E218
- Moyle, W. R.,** Lee, E. Y., Bahl, O. P., Garfink, J. E., and Rodbard, D. New method of quantifying ligand binding based on measure of an induced response. 232,1:E275
- Moyle, W. R.,** Netburn, M., Cosgrove, A. E., Krieger, J., and Bahl, O. P. hCG-Leydig cell functional binding kinetics: threshold and nonlinearity in response. 238,1:E293
- Mroz, E.** see Graber, M. L.
- Mudge, G. H., Jr.** see Somberg, J. C.
- Mueggler, P. A.,** and Black, J. A. Postnatal regulation of canine oxygen delivery: control of erythrocyte 2,3-DPG levels. 242,11:H500
- Mueggler, P. A.,** Jones, G., Peterson, J. S., Bissonnette, J. M., Koler, R. D., Metcalfe, J., Jones, R. T., and Black, J. A. Postnatal regulation of canine oxygen delivery: erythrocyte components affecting Hb function. 238,7:H73
- Mueggler, P. A.,** Peterson, J. S., Koler, R. D., Metcalfe, J., and Black, J. A. Postnatal regulation of oxygen delivery: hematologic parameters of postnatal dogs. 237,6:H71
- Mueller, A.** see Al-Awqati, Q.
- Mueller, E. J.** see Kaminski, D. L.
- Mueller, R.** see Kirchner, K. A.
- Mueller, S. M.,** Heistad, D. D., and Marcus, M. L. Effect of sympathetic nerves on cerebral vessels during seizures. 237,6:H178
- Mueller, S. M.,** Mueller, T. M., and Ertel, P. J. Sympathetic and vascular dysfunction in early experimental juvenile diabetes mellitus. 243,12:H139
- Mueller, T. M.,** Tomanek, R. J., Kerber, R. E., and Marcus, M. L. Myocardial infarction in dogs with chronic hypertension and left ventricular hypertrophy. 239,8:H731
- Mueller, T. M.** see Marcus, M. L.  
 Mueller, S. M.
- Muffat-Joly, M.** see Merlet-Benichou, C.
- Muheim, M. H.** see Mahler, F.
- Mühlbauer, R. C.,** Bonjour, J.-P., and Fleisch, H. Tubular localization of adaptation to dietary phosphate in rats. 233,2:F342
- Mühlbauer, R. C.,** Bonjour, J.-P., and Fleisch, H. Tubular handling of P<sub>i</sub>: localization of effects of 1,25(OH)<sub>2</sub>D<sub>3</sub> and dietary P<sub>i</sub> in TPTX rats. 241,10:F123
- Mühlbauer, R. C.,** Bonjour, J.-P., and Fleisch, H. Abnormal tubular adaptation to dietary P<sub>i</sub> restriction in X-linked hypophosphatemic mice. 242,11:F353
- Muhlert, M.,** Julita, M., and Quamme, G. Disappearance of calcium and other electrolytes from microvolume samples. 242,11:F202
- Mui, P. T. K.,** and Ganguly, P. Cross-linking of actin and fibrin by fibrin-stabilizing factor. 233,2:H346
- Mukherjee, A.,** Buja, L. M., Kulkarni, P., Nicar, M., Chien, K. R., and Willerson, J. T. Relationship of mitochondrial alterations and <sup>99m</sup>Tc pyrophosphate uptake during myocardial ischemia. 243,12:H268
- Mukherjee, A.,** Wong, T. M., Templeton, G., Buja, L. M., and Willerson, J. T. Influence of volume dilution, lactate, phosphate, and calcium on mitochondrial functions. 237,6:H224
- Mukhopadhyay, A. K.,** and Leavitt, L. Evidence for an angiotensin receptor in esophageal smooth muscle of the opossum. 235,4:E738

- Mukhopadhyay, A. K.**, Thor, P. J., Cope-land, E. M., Johnson, L. R., and Weisbrodt, N. W. Effect of cholecystokinin on myoelectric activity of small bowel of the dog. 232,1:E44
- Mukhopadhyay, A. K.**, and Weisbrodt, N. Effect of dopamine on esophageal motor function. 232,1:E19
- Muldoon, S. M.**, Tyce, G. M., Moyer, T. P., and Rorie, D. K. Measurement of endogenous norepinephrine overflow from canine saphenous veins. 236,5:H263
- Muldoon, S. M.**, Vanhoutte, P. M., and Tyce, G. M. Norepinephrine metabolism in canine saphenous vein: prevalence of glycol metabolites. 234,3:H235
- Muldoon, S. M.**  
see Freas, W.  
Rorie, D. K.
- Mulieri, L. A.**, Luhr, G., Trefry, J., and Alpert, N. R. Metal-film thermopiles for use with rabbit right ventricular papillary muscles. 233,2:C146
- Mullen, J. L.** see Stein, T. P.
- Mullen, T. L.**, Kashgarian, M., Biemesderfer, D., Giebisch, G. H., and Biber, T. U. L. Ion transport and structure of urinary bladder epithelium of *Amphiuma*. 231:501
- Mullen, T. L.** see Biber, T. U. L.
- Mullen, Y. S.** see Inoue, S.
- Muller, A. F.** see Weisinger, R. S.
- Muller, D. C.** see Elahi, D.
- Müller, J.**, Lund, E.-G., Hofstetter, L., Brunner, D. B., and Haldy, P. Stimulation of aldosterone biosynthesis by sodium sequestration: role of angiotensin II. 243,6:E450
- Müller, J.**  
see Haldy, P.  
Kachadorian, W. A.
- Müller, M.** see Schrör, K.
- Müller-Duysing, W.** see Sonnenberg, A.
- Müller-Lissner, S. A.**, Schattenmann, G., Schenker, G., Sonnenberg, A., Hollinger, A., Siewert, J. R., and Blum, A. L. Duodenogastric reflux in the fasting dog: role of pylorus and duodenal motility. 241,4:G159
- Müller-Lissner, S. A.**, Sonnenberg, A., Schattenmann, G., Hollinger, A., Siewert, J. R., and Blum, A. L. Gastric emptying and postprandial duodenogastric reflux in pylorotomized dogs. 242,5:G9
- Müller-Lissner, S. A.** see Sonnenberg, A.
- Müller-Suur, R.** see Persson, A. E. G.
- Mulligan, E.**, and Lahiri, S. Separation of carotid body chemoreceptor responses to  $O_2$  and  $CO_2$  by oligomycin and by antimycin A. 242,11:C200
- Mullin, J. M.**, Cha, C.-J. M., and Kleinzeller, A. Metabolism of L-lactate by LLC-PK<sub>1</sub> renal epithelia. 242,11:C41
- Mullin, J. M.** see Kleinzeller, A.
- Mullins, L. J.** The generation of electric currents in cardiac fibers by Na/Ca exchange. 236,5:C103
- Mullins, M. M.**, and Banks, R. O. Age-related changes in  $Na^+$  excretion in saline-loaded spontaneously hypertensive rats. 231:1364
- Mullins, R. J.** see Bell, D. R.
- Mulloney, B.** see Perkel, D. H.
- Mulrow, P. J.** see Suzuki, S.
- Munch, D. F.**, Comer, H. T., and Downey, J. M. Barium contracture: a model for systole. 239,8:H438
- Munch, D. F.**, and Downey, J. M. Prediction of regional myocardial blood flow in dogs. 239,8:H308
- Munday, K. A.** see Levens, N. R.
- Muñoz-Barragan, L.**, Blazquez, E., Patton, G. S., Dobbs, R. E., and Unger, R. H. Gastric A-cell function in normal dogs. 231:1057
- Muñoz-Ramírez, H.**, Chatelain, R. E., Bumpus, F. M., and Khairallah, P. A. Development of two-kidney Goldblatt hypertension in rats under dietary sodium restriction. 238,7:H889
- Muñoz-Ramírez, H.**, Khosla, M. C., Bumpus, F. M., and Khairallah, P. A. Hypotensive effect of  $[Sar^1, Thr^8]$ angiotensin II in spontaneously hypertensive sodium-depleted rats. 234,3:H447
- Munro, E. H.** see Pandolf, K. B.
- Munro, H. N.** see Motil, K. J.
- Munson, P. J.**  
see De Lean, A.  
Moses, A. M.  
Watlington, C. O.
- Munzner, R. F.**, Ward, D. G., and Gann, D. S. Right atrium mediates a vasomotor reflex. 241,10:R163
- Murad, S.** see Tabsh, K.
- Murakami, N.** see Takahashi, K.
- Muralidhara, K. S.** see Hollander, D.
- Murao, S.** see Sugishita, Y.
- Murayama, K.** see Woods, J. R., Jr.
- Murdaugh, H. V., Jr.** see Forrest, J. N., Jr.
- Murer, H.**, and Hildmann, B. Transcellular transport of calcium and inorganic phosphate in the small intestinal epithelium. 240,3:G409
- Murer, H.**  
see Barac-Nieto, M.  
Hildmann, B.  
Stoll, R.
- Murnane, J. M.** see Ritter, S.
- Murphy, B. J.**, Hochachka, P. W., Zapol, W. M., and Liggins, G. C. Free amino acids in the blood of fetal and maternal Weddell seals. 242,11:R85
- Murphy, D. M.** see Hajjar, J. J.
- Murphy, E.**, and Mandel, L. J. Cytosolic free calcium levels in rabbit proximal kidney tubules. 242,11:C124
- Murphy, M.** see Pace, C. S.
- Murphy, R. A.**  
see Aksoy, M. O.  
Dillon, P. F.  
Driska, S. P.
- Murphy, S. M.** see Levitt, M. D.
- Murphy, T. L.**, Walker, F. J., Taylor, F. B., III, Beller-Todd, B., Archer, L. T., Sofer, S. S., and Hinshaw, L. B. Endogenous anticoagulation during extracorporeal perfusion: generation of a heparinlike inhibitor. 239,8:H742
- Murphy, T. M.** see Freund, P. R.
- Murray, J. F.** see Fewell, J. E.
- Murray, M.** see Cserr, H. F.
- Murray, R. D.**, and Malvin, R. L. Intrarenal renin and autoregulation of renal plasma flow and glomerular filtration rate. 236,5:F559
- Murray, R. D.** see Park, C. S.
- Murray, R. H.**  
see Rothe, C. F.  
Young, D. B.
- Murray, S. S.** see Morley, J. E.
- Musacchia, X. J.**  
see Jones, S. B.  
Resch, G. E.
- Muscholl, E.** Peripheral muscarinic control of norepinephrine release in the cardiovascular system. 239,8:H713
- Musgrave, G. E.** Bimodal relationship between sinus node arterial distension and sinus nodal automaticity. 241,10:H311
- Musick, J. R.** Correlated release of acetylcholine and protein from the neuromuscular junction. 236,5:C225
- Mussachia, X. J.** see Jones, S. B.
- Musselman, J.** see Berman, W., Jr.
- Mustafa, M. G.** see Kimball, R. E.
- Mustafa, S. J.** see Goldfarb, R. D.
- Mutch, P. B.**, and Hurley, L. S. Mammary gland function and development: effect of zinc deficiency in rat. 238,1:E26
- Mutt, V.** see Jensen, R. T.
- Muttart, C.**, Chaudhuri, R., Pinto, J., and Rivlin, R. S. Enhanced riboflavin incorporation into flavins in newborn riboflavin-deficient rats. 233,2:E397
- Mutz, B. F.**  
see Bank, N.  
Lief, P. D.
- Muylaert, P.** see Heyndrickx, G. R.
- Myerburg, R. J.** see Bassett, A. L.
- Myers, B. D.**, Chui, F., Hilberman, M., and Michaels, A. S. Transtubular leakage of glomerular filtrate in human acute renal failure. 237,6:F319
- Myers, B. D.** see Baylis, C.
- Myers, C. R.** see Neuman, W. F.
- Myers, P.**  
see McKinney, T. D.  
Yacoe, M. E.
- Myers, R. D.** see McCaleb, M. L.
- Myers, S. A.**, Sparks, J. W., Makowski, E. L., Meschia, G., and Battaglia, F. C. Relationship between placental blood flow and placental and fetal size in guinea pig. 243,12:H404
- Myketyev, N.** see Hayslett, J. P.
- Myrvold, H. E.** see Gustafsson, L.

## N

- Naccache, P. H.** see Petroski, R. J.
- Nadas, A. S.** see Rabinovitch, M.
- Nadeau, R. A.** see Péronnet, F.
- Nadel, J. A.** see Marin, M. G.
- Naden, R. P.** see Matsuura, S.
- Naftalin, R. J.**, and Kleinzeller, A. Sugar absorption and secretion by winter flounder intestine. 240,3:G392
- Naftilan, A. J.**, and Oparil, S. Inhibition of renin release from rat kidney slices by the angiotensins. 235,4:F62
- Naftilan, A. J.**, and Oparil, S. Effects of sodium intake and Goldblatt hypertension on renin release in rat kidney slices. 240,9:F501
- Nafz, M. A.** see Varandani, P. T.
- Nagaoka, A.**, Iwatsuka, H., Suzuoki, Z., and Okamoto, K. Genetic predisposition to stroke in spontaneously hypertensive rats. 230:1354
- Nagaoka, A.**, Kakihana, M., Suno, M., and Hamajo, K. Renal hemodynamics and sodium excretion in stroke-prone spontaneously hypertensive rats. 241,10:F244
- Nagaoka, A.**, Shino, A., and Shibota, M. Implication of renal perfusion pressure in stroke of spontaneously hypertensive rats. 238,7:H317
- Nagaoka, A.** see Shibota, M.
- Nagasawa, K.** see Vyden, J. K.
- Nagashima, H.**  
see Kusachi, S.  
Saito, D.
- Nagatomo, T.** see Jarmakani, J. M.
- Nagy, K. A.**  $CO_2$  production in animals: analysis of potential errors in the doubly labeled water method. 238,7:R466
- Nagy, K. A.**, and Costa, D. P. Water flux in animals: analysis of potential errors in the tritiated water method. 238,7:R454
- Nahmias, A. J.**  
see Fritz, M. E.  
Shrier, A.
- Nahmias, C.** see Garnett, E. S.
- Nahrwold, D. L.**  
see Mellors, A. J.  
Rose, R. C.
- Nair, P.** see Schubert, R. W.
- Naito, N.**, and Ishikawa, H. Reconstruction of the gill from single-cell suspensions of the eel, *Anguilla japonica*. 238,7:R165

- Nakagaki, O.** *see* Fukuyama, T.  
**Nakagawa, M.** *see* Urist, M. R.  
**Nakai, M.** Computation of transport function using multiple regression analysis. 240,9:H133  
**Nakai, M., Iadecola, C., and Reis, D. J.** Global cerebral vasodilation by stimulation of rat fastigial cerebellar nucleus. 243,12:H226  
**Nakamoto, K. K.** *see* Mendoza, S. A.  
**Nakamura, M.**  
*see* Fukuyama, T.  
 Imaizumi, T.  
 Kanaide, H.  
 Tomoike, H.  
**Nakamura, S.**  
*see* Carone, F. A.  
 Oparil, S.  
 Pullman, T. N.  
**Nakamura, T.** *see* Ito, K.  
**Nakamura, Y., Haffty, B. G., Spodick, D. H., Paladino, D., Moreau, K., and Flessas, A. P.** Responses of peak ear-pulse derivative to changing left ventricular function. 238,7:H355  
**Nakamura, Y., Nishimura, H., and Khosla, M. C.** Vasodepressor action of angiotensin in conscious chickens. 243,12:H456  
**Nakamura, Y.**  
*see* Nishimura, H.  
 Takahashi, K.  
**Nakane, H., Nakane, Y., Reach, G., Corvol, P., and Menard, J.** Aldosterone metabolism in isolated perfused rat kidney. 234,3:E472  
**Nakane, Y.** *see* Nakane, H.  
**Nakanishi, T., and Jarmakani, J. M.** Effect of acetylcholinesterase on myocardial function and  $K^+$  and  $Ca^{2+}$  exchange in newborn rabbit. 241,10:H637  
**Nakanishi, T., Nishioka, K., and Jarmakani, J. M.** Mechanism of tissue  $Ca^{2+}$  gain during reoxygenation after hypoxia in rabbit myocardium. 242,11:H437  
**Nakanishi, T.** *see* Jarmakani, J. M.  
**Nakase, Y.** *see* Chance, B.  
**Nakashima, H., Perlman, J., and Feldman, J. F.** Cycloheximide-induced phase shifting of circadian clock of *Neurospora*. 241,10:R31  
**Nakashima, R. K.** *see* Kissileff, H. R.  
**Nakaya, M.**  
*see* Itoh, Z.  
 Takahashi, I.  
**Nakayama, K.** Calcium-dependent contractile activation of cerebral artery produced by quick stretch. 242,11:H760  
**Nakayama, K.** *see* Suga, H.  
**Nakayama, R., and Azuma, T.** Noninvasive measurements of digital arterial pressure and compliance in man. 233,2:H168  
**Nakazawa, H. K., Roberts, D. L., and Klocke, F. J.** Quantitation of anterior descending vs. circumflex venous drainage in the canine great cardiac vein and coronary sinus. 234,3:H163  
**Nakazawa, H. K.** *see* Roberts, D. L.  
**Nakazawa, M.** *see* Jarmakani, J. M.  
**Nakhoda, A. F., Sole, M. J., and Marliss, E. B.** Adrenergic regulation of glucagon and insulin secretion during immobilization stress in normal and spontaneously diabetic BB rats. 240,3:E373  
**Nalbandov, A. V.** *see* Navickis, R. J.  
**Naliboff, J.** *see* Kirkpatrick, S. E.  
**Naor, R.** *see* Bornancin, M.  
**Naor, Z., Fawcett, C. P., and McCann, S. M.** Involvement of cGMP in LHRH-stimulated gonadotropin release. 235,4:E586  
**Naor, Z., Zor, U., Meidan, R., and Koch, Y.** Sex difference in pituitary cyclic AMP response to gonadotropin-releasing hormone. 235,4:E37  
**Naor, Z.** *see* Snyder, G.  
**Napolitano, C. A.** *see* Peterson, D. W.  
**Narahashi, T.** *see* Starkus, J. G.  
**Nardis, E. E.** *see* Vannucci, R. C.  
**Nardizzi, L.** *see* Templeton, G.  
**Narins, R. G.** *see* Burch, H. B.  
**Nascimento, L.**  
*see* Arruda, J. A. L.  
 Westenfelder, C.  
**Nasjletti, A.**  
*see* Blasingham, M. C.  
 Diz, D. I.  
 Susić, H.  
**Nassar-Gentina, V., Passonneau, J. V., and Rapoport, S. I.** Fatigue and metabolism of frog muscle fibers during stimulation and in response to caffeine. 241,10:C160  
**Nassar-Gentina, V.** *see* Vergara, J. L.  
**Nastuk, M. A.** *see* Nastuk, W. L.  
**Nastuk, W. L., Niemi, W. D., Alexander, J. T., Chang, H. W., and Nastuk, M. A.** Myasthenia in frogs immunized against cholinergic-receptor protein. 236,5:C53  
**Natarajan, G., Bove, A. A., Coulson, R. L., Carey, R. A., and Spann, J. F.** Increased passive stiffness of short-term pressure-overload hypertrophied myocardium in cat. 237,6:H676  
**Natelson, B. H.** *see* Dubois, A.  
**Nathan, R. D., Fung, S. J., Stocco, D. M., Barron, E. A., and Markwald, R. R.** Sialic acid: regulation of electrogenesis in cultured heart cells. 239,8:C197  
**Nations, J. K.** *see* Schanbacher, L. M.  
**Natke, E., Jr., and Kabela, E.** Electrical responses in cat adrenal cortex: possible relation to aldosterone secretion. 237,6:E158  
**Natke, E., Jr., and Stoner, L. C.**  $Na^+$  transport properties of the peritubular membrane of cortical collecting tubule. 242,11:F664  
**Nattel, S., Euler, D. E., Spear, J. F., and Moore, E. N.** Autonomic control of ventricular refractoriness. 241,10:H878  
**Nattie, E. E., and Tenney, S. M.** Effect of potassium depletion on cerebrospinal fluid bicarbonate homeostasis. 231:579  
**Nattie, E. E., and Tenney, S. M.** Effects of potassium depletion on control of breathing in awake rats. 231:588  
**Naughton, B. A., Liu, P., Kolks, G. A., Arce, J. M., Piliero, S. J., and Gordon, A. S.** Evidence for a sexual variation in production of a hepatic erythropoietic factor by hepatectomized rats. 238,1:E245  
**Navalesi, R., Pilo, A., and Ferrannini, E.** Insulin kinetics after portal and peripheral injection of [ $^{125}I$ ]insulin. II. Experiments in the intact dog. 230:1630  
**Navalesi, R.** *see* Pilo, A.  
**Navar, L. G.** Renal autoregulation: perspectives from whole kidney and single nephron studies. 234,3:F357  
**Navar, L. G., Bell, P. D., Thomas, C. E., and Plath, D. W.** Influence of perfusate osmolality on stop-flow pressure feedback responses in the dog. 235,4:F352  
**Navar, L. G.**  
*see* Bell, P. D.  
 Chomdej, B.  
 Huang, W.-C.  
 Navar, P. D.  
 Plath, D. W.  
 Williams, R. H.  
**Navar, P. D., and Navar, L. G.** Relationship between colloid osmotic pressure and plasma protein concentration in the dog. 233,2:H295  
**Navari, R. M., Wei, E. P., Kontos, H. A., and Patterson, J. L., Jr.** Oxygen consumption of pial arteries. 236,5:H151  
**Navari, R. M.** *see* Kontos, H. A.  
**Navickis, R. J., Dial, O. K., Katzenellenbogen, B. S., and Nalbandov, A. V.** Effects of gonadal hormones on calcium-binding protein in chick duodenum. 237,6:E409  
**Navar, T.** *see* Jobin, J.  
**Naylor, W. G., and Grinwald, P. M.** Dissociation of  $Ca^{2+}$  accumulation from protein release in calcium paradox: effect of barium. 242,11:H203  
**Nazar, K.**  
*see* Greenleaf, J. E.  
 Kozlowski, S.  
**Neary, B. A.** *see* Schneeberger, E. E.  
**Nebuloni, R.** *see* Scalabrino, G.  
**Nechad, M.** *see* Mory, G.  
**Nedergaard, J.** Catecholamine sensitivity in brown fat cells from cold-acclimated hamsters and rats. 242,11:C250  
**Nedergaard, J., Alexson, S., and Cannon, B.** Cold adaptation in the rat: increased brown fat peroxisomal  $\beta$ -oxidation relative to maximal mitochondrial oxidative capacity. 239,8:C208  
**Needleman, P.** *see* Blumberg, A. L.  
**Neely, J. R.**  
*see* Abu-Erreish, G. M.  
 Ichihara, K.  
 Reibel, D. K.  
 Vary, T. C.  
**Neely, W. A.** *see* Anzai, T.  
**Neer, R.** *see* Jung, A.  
**Neiberger, R. E.** *see* Passmore, J. C.  
**Nelms, J. M.** *see* Osada, H.  
**Nellans, H. N., and Goldsmith, R. S.** Transepithelial calcium transport by rat cecum: high-efficiency absorptive site. 240,3:G424  
**Nellans, H. N., and Kimberg, D. V.** Cellular and paracellular calcium transport in rat ileum: effects of dietary calcium. 235,4:E726  
**Nellans, H. N., and Kimberg, D. V.** Anomalous calcium secretion in rat ileum: role of paracellular pathway. 236,5:E473  
**Nellans, P.** *see* Heyndrickx, G. R.  
**Nellis, S. H., Flaim, S. F., McCauley, K. M., and Zelis, R.**  $\alpha$ -Stimulation protects exercise increment in skeletal muscle oxygen consumption. 238,7:H331  
**Nellis, S. H., and Liedtke, A. J.** Development and use of a new high-frequency, low mechanical impedance strain gauge. 236,5:H657  
**Nellis, S. H., Liedtke, A. J., Heimer, M. L., Shiroff, R. A., Jacobs, A. M., Kenney, E. S., Weidner, W. A., McInerney, J. J., and Zelis, R.** Validation of dynamic radiography in the dog and evaluation of ischemic dyssynergy. 238,7:H43  
**Nellis, S. H.**  
*see* Flaim, S. F.  
 Liedtke, A. J.  
**Nelson, B.** *see* Connor, J. A.  
**Nelson, C. V.**  
*see* Hodgkin, B. C.  
 Millard, R. W.  
 Rand, P. W.  
**Nelson, C. W.** *see* Hodgkin, B. C.  
**Nelson, D. O., and Prosser, C. L.** Temperature-sensitive neurons in the preoptic region of sunfish. 241,10:R259  
**Nelson, D. O.** *see* Mangel, A. W.  
**Nelson, J. C.** *see* Lorijn, R. H. W.  
**Nelson, J. D., Poussier, P., Marliss, E. B., Albisser, A. M., and Zimman, B.** Metabolic response of normal man and insulin-infused diabetics to postprandial exercise. 242,5:E309  
**Nelson, J. F.** *see* Weisinger, R. S.  
**Nelson, L. D.** *see* Gagnon, J. A.  
**Nelson, P. S.** *see* Power, G. G.  
**Nelson, R. A.** *see* Azizi, F.  
**Nelson, R. M.** *see* Egan, E. A.  
**Nelson, R. R.** *see* Mashiro, I.



- Nelson, T. E., Jr. *see* Jolly, D. W.
- Nemeroff, C. B., Hernandez, D. E., Orlando, R. C., and Prange, A. J., Jr. Cytoprotective effect of centrally administered neurotensin on stress-induced gastric ulcers. 242,5:G342
- Nemeth, P. R., Kwee, D. J., and Weisbrodt, N. W. Adaptation of intestinal muscle in continuity after jejunoileal bypass in the rat. 241,4:G259
- Nemoto, E. M. *see* Morita, H.
- Nenniger, M. *see* Diezi, J.
- Nesher, R., Karl, I. E., Kaiser, K. E., and Kipnis, D. M. Epitrochlearis muscle. I. Mechanical performance, energetics, and fiber composition. 239,2:E454
- Nesher, R., Karl, I. E., and Kipnis, D. M. Epitrochlearis muscle. II. Metabolic effects of contraction and catecholamines. 239,2:E461
- Netburn, M. *see* Moyle, W. R.
- Neufeld, N. D., and Corbo, L. Increased fetal insulin receptors and changes in membrane fluidity and lipid composition. 243,6:E246
- Neufeldt, N. *see* MacDonald, M.
- Neuman, M. W. *see* Neuman, W. F.
- Neuman, W. F., Neuman, M. W., and Brommage, R. Aerobic glycolysis in bone: lactate production and gradients in calvaria. 234,3:C41
- Neuman, W. F., Neuman, M. W., and Myers, C. R. Blood-bone disequilibrium. III. Linkage between cell energetics and Ca fluxes. 236,5:C244
- Neuman, W. F. *see* Brommage, R.
- Nesher, R. *see* Karl, I. E.
- Neumark, J. *see* Kostreva, D. R.
- Neutra, M. R., O'Malley, L. J., and Specian, R. D. Regulation of intestinal goblet cell secretion. II. A survey of potential secretagogues. 242,5:G380
- Neutra, M. R. *see* Specian, R. D.
- Neville, M. *see* Ritter, R. C.
- Nevins, B. A. *see* Chenitz, W. R.
- Newbower, R. S. *see* Mitchell, M. M.
- Newby, N. *see* Martins, A. N.
- Newcomer, W. S. Dietary iodine and accumulation of radioiodine in thyroids of chickens. 234,3:E168
- Newcomer, W. S. Dietary iodine and thyroidal iodide transport in chickens: organic binding blocked. 234,3:E177
- Newcomer, W. S. Accumulation of radioiodine in thiouracil-hyperplastic thyroids of chicks. 237,6:E147
- Newell, J. B. *see* Lorell, B. H.
- Martin, G. *see* Palacios, I.
- Newman, A. *see* Robin, E. D.
- Newman, J. H., Souhrada, J. F., Reeves, J. T., Arroyave, C. M., and Grover, R. F. Postnatal changes in response of canine neonatal pulmonary arteries to histamine. 237,6:H76
- Newman, W. H. Contractile state of hypertrophied left ventricle in long-standing volume overload. 234,3:H88
- Newman, W. H. Volume overload heart failure: length-tension curves, and response to  $\beta$ -agonists,  $Ca^{2+}$ , and glucagon. 235,4:H690
- Newman, W. H., and Webb, J. G. Adaptation of left ventricle to chronic pressure overload: response to inotropic drugs. 238,7:H134
- Newman, W. H., Webb, J. G., and Privitera, P. J. Persistence of myocardial failure following removal of chronic volume overload. 243,12:H876
- Ng, F. M., and Bornstein, J. Hyperglycemic action of synthetic C-terminal fragments of human growth hormone. 234,3:E521
- Ng, J. *see* Györy, A. Z.
- Nguyen, H. *see* Gagnon, J.
- Nguyen-Thi, A. *see* Ruiz-Ceretti, E.
- Nicar, M. *see* Mukherjee, A.
- Nicholls, M. G. *see* Gordon, R. D.
- Nichols, B. L. *see* Sheng, H. P.
- Nichols, G. L. *see* Huntsman, L. L.
- Nicholson, J. A. *see* McCarthy, D. M.
- Silk, D. B. A.
- Nicholson, W. F. *see* Seider, M. J.
- Nickols, G. A., Carnes, D. L., Anast, C. S., and Forte, L. R. Parathyroid hormone-mediated refractoriness of rat kidney cyclic AMP system. 236,5:E401
- Nickols, G. A. *see* Carnes, D. L.
- Nicolaidis, S., and Rowland, N. Metering of intravenous versus oral nutrients and regulation of energy balance. 231,6:61
- Nicolaidis, S. *see* Danguir, J.
- Rowland, N.
- Nicolaou, K. C. *see* Schrör, K.
- Smith, E. F., III
- Niebel, W. *see* Singer, M. V.
- Nielsen, K. T. *see* Bresler, E. H.
- Nielsen, O. V. *see* Jensen, S. L.
- Niemeyer, J. H. *see* Faulkner, J. A.
- Niemi, W. D. *see* Nastuk, W. L.
- Nies, A. S. *see* Data, J. L.
- Gerber, J. G.
- Nieuwenhuis, P. *see* Groothuis, G. M.
- Niewiarowski, S. *see* Hennessy, V. L., Jr.
- Nightingale, T. E. Acute isovolemic anemia in anesthetized chickens. 231:1451
- Nijima, A. Baroreceptor effects on renal and adrenal nerve activity. 230:1733
- Nijima, A. Afferent discharges from venous pressoreceptors in liver. 232,1:C76
- Nijima, A. *see* Adachi, A.
- Nilsson, B. *see* Wirth, A.
- Nimrod, A. *see* Amsterdam, A.
- Ninchoji, T. *see* Wood, J. D.
- Ninomiya, I., and Fujita, S. Reflex effects of thermal stimulation on sympathetic nerve activity to skin and kidney. 230:271
- Ninomiya, I. *see* Suehiro, S.
- Suga, H.
- Yonezawa, Y.
- Nishi, K. *see* Tomomatsu, E.
- Nishikawa, K. *see* Ikeda, H.
- Nishiki, K., Erecińska, M., and Wilson, D. F. Energy relationships between cytosolic metabolism and mitochondrial respiration in rat heart. 234,3:C73
- Nishiki, K., Erecińska, M., and Wilson, D. F. Effect of Amytal on metabolism of perfused rat heart: relationship between glycolysis and oxidative phosphorylation. 237,6:C221
- Nishiki, K., Erecińska, M., Wilson, D. F., and Cooper, S. Evaluation of oxidative phosphorylation in hearts from euthyroid, hypothyroid, and hyperthyroid rats. 235,4:C212
- Nishiki, K. *see* Erecińska, M.
- Ji, S.
- Nuutinen, E. M.
- Ogata, E.
- Nishimoto, A. Y. *see* Philipson, K. D.
- Nishimura, H. Renal responses to diuretic drugs in freshwater catfish *Ictalurus punctatus*. 232,1:F278
- Nishimura, H., Lund, L. G., and Zucker, A. Renin response to hemorrhage and hypotension in the glomerular toadfish *Opsanus tau*. 237,6:H105
- Nishimura, H., Nakamura, Y., Sumner, R. P., and Khosla, M. C. Vasopressor and depressor actions of angiotensin in the anesthetized fowl. 242,11:H314
- Nishimura, H., Norton, V. M., and Bumpus, F. M. Lack of specific inhibition of angiotensin II in eels by angiotensin antagonists. 235,4:H95
- Nishimura, H. *see* Nakamura, Y.
- Nishimura, Y. *see* Takeguchi, N.
- Nishioka, K., and Jarmakani, J. M. Effect of ischemia on mechanical function and high-energy phosphates in rabbit myocardium. 242,11:H1077
- Nishioka, K. *see* Nakanishi, T.
- Nishiura, N. *see* Yonezawa, Y.
- Nishiyama, A. *see* Nishiyama, K.
- Sato, K.
- Nishiyama, K., Nishiyama, A., and Frohlich, E. D. Regional blood flow in normotensive and spontaneously hypertensive rats. 230:691
- Nishiyama, K. *see* Pfeffer, M. A.
- Nishiyama, O. *see* Kusachi, S.
- Saito, D.
- Nishizawa, Y., and Bray, G. A. Evidence for a circulating ergostatic factor: studies on parabiotic rats. 239,8:R344
- Nissen, O. I. *see* Rasmussen, S. N.
- Nissen, S., and Haymond, M. W. Effects of fasting on flux and interconversion of leucine and  $\alpha$ -ketoisocaproate in vivo. 241,4:E72
- Nissen, S. L., Miles, J. M., Gerich, J. E., and Haymond, M. W. Regulation of  $\alpha$ -ketoisocaproate binding to albumin in vivo by free fatty acids. 242,5:E67
- Nissim, I., and Lapidot, A. Plasma amino acid turnover rates and pools in rabbits: in vivo studies using stable isotopes. 237,6:E418
- Nistal-Herrera, J. F. *see* Thrasher, T. N.
- Nix, K. L. *see* Cronin, R. E.
- Nixon, W. E. *see* Goodman, A. L.
- Noda, D. *see* Cushman, S. W.
- Noda, K., and Chikamori, K. Effect of ammonia via prepyriform cortex on regulation of food intake in the rat. 231:1263
- Noël, L.-H. *see* Ganeval, D.
- Noel, S., and Cassin, S. Maturation of contractile response of ductus arteriosus to oxygen and drugs. 231:240
- Nogueira, J. *see* Mathias, J. R.
- Nolan, S. P. *see* Thubrikar, M.
- Nolan, W. F., Houck, P. C., Thomas, J. L., and Davies, D. G. Ventral medullary extracellular fluid pH and blood flow during hypoxia. 242,11:R195
- Nomura, G., Takabatake, T., Arai, S., Uno, D., Shimao, M., and Hattori, N. Effect of acute unilateral renal denervation on tubular sodium reabsorption in the dog. 232,1:F16
- Noordergraaf, A. *see* Campbell, K. B.
- Hunter, W. C.
- Melbin, J.
- Norby, L. H., Bethencourt, D., and Schwartz, J. H. Dual effect of carbonic anhydrase inhibitors on  $H^+$  transport by the turtle bladder. 240,9:F400
- Nord, E., Wright, S. H., Kippen, I., and Wright, E. M. Pathways for carboxylic acid transport by rabbit renal brush border membrane vesicles. 243,12:F456
- Nordlicht, S. M. *see* Roberts, D. L.
- Norman, A. W. *see* Chertow, B. S.
- Malluche, H. H.
- Roth, J.
- Norman, R. A., Jr., and Dzielak, D. J. Role of renal nerves in onset and maintenance of spontaneous hypertension. 243,12:H284



- Norman, R. A., Jr., Enobakhare, J. A., DeClue, J. W., Douglas, B. H., and Guyton, A. C. Arterial pressure-urinary output relationship in hypertensive rats. 234,3:R98
- Norman, R. A., Jr. *see* Manning, R. D., Jr.
- Norris, C. P., Barnes, G. E., Smith, E. E., and Granger, H. J. Autoregulation of superior mesenteric flow in fasted and fed dogs. 237,6:H174
- Norris, C. P. *see* Granger, H. J. Jones, C. E.
- Norris, G. L. *see* Varandani, P. T.
- Norris, J. E., Lippincott, D., and Wurster, R. D. Responses of canine endocardium to stimulation of the upper thoracic roots. 233,2:H655
- Norris, J. E., and Randall, W. C. Responses of the canine myocardium to stimulation of thoracic cardiac nerves. 232,1:H485
- North, P. J. *see* Mary, D. A. S. G.
- North, W. G. *see* Charocopoulos, F.
- Northcott, P. *see* Sarna, S.
- Northrup, T. E., Krezowski, P. A., Palumbo, P. J., Kim, J. K., Hui, Y. S. F., and Dousa, T. P. Insulin inhibition of hormone-stimulated protein kinase systems of rat renal cortex. 236,5:E649
- Northrup, T. E., and Malvin, R. L. Cellular hypertrophy and renal function during compensatory renal growth. 231:1191
- Northrup, T. E. *see* Kempson, S. A.
- Norton, V. M. *see* Nishimura, H.
- Norwich, K. H. *see* Radziuk, J.
- Norwood, C. R. *see* Norwood, W. I.
- Norwood, W. I., and Norwood, C. R. Influence of hypothermia on intracellular pH during anoxia. 243,12:C62
- Nosadini, R. *see* Cobelli, C.
- Nosaka, S. Responses of rat brainstem neurons to carotid occlusion. 231:20
- Nosaka, S., Yasunaga, K., and Tamai, S. Vagal cardiac preganglionic neurons: distribution, cell types, and reflex discharges. 243,12:R92
- Nosta, J. J. *see* Pine, M. B.
- Nouguier-Soule, J. *see* Szafarczyk, A.
- Novin, D., Gonzalez, M. F., and Sanderson, J. D. Paradoxical increased feeding following glucose infusions in recovered lateral rats. 230:1084
- Novin, D. *see* Bray, G. A. Martin, J. R. Rezek, M. Tordoff, M. G.
- Noving, D. *see* VanderWeele, D. A.
- Nowotny, P. *see* Waldhäusl, W. K.
- Nuby, S. *see* Barton, J. C.
- Nudd, L. M. *see* Langer, G. A.
- Nudel, D. B., Lee, J. C., and Downing, S. E. Reciprocal inhibition of cardiac responses to norepinephrine and insulin. 233,2:H665
- Nudel, D. B. *see* Downing, S. E.
- Núñez, R., Calva, E., Marsch, M., Briones, E., and López-Soriano, F. NAD glycohydrolase activity in hearts with acute experimental infarction. 231:1173
- Nuttall, F. Q. *see* Theen, J.
- Nutzenadel, W., and Scriver, C. R. Uptake and metabolism of  $\beta$ -alanine and L-carnosine by rat tissues in vitro: role in nutrition. 230:643
- Nuutinen, E. M., Nishiki, K., Erecińska, M., and Wilson, D. F. Role of mitochondrial oxidative phosphorylation in regulation of coronary blood flow. 243,12:H159
- Nuwayhid, B. *see* Tabsh, K. Woods, J. R., Jr.
- Nuwayhid, B. S. *see* Lieb, S. M.
- Nwoye, L., Mommaerts, W. F. H. M., Simpson, D. R., Seraydarian, K., and Marusich, M. Evidence for a direct action of thyroid hormone in specifying muscle properties. 242,11:R401
- Nygren, K. *see* Wolgast, M.
- Nyhof, R. A. *see* Granger, H. J.
- Nylander, O. *see* Flemström, G.
- Nyska, M. *see* Bark, H.
- O
- Oates, J. A. *see* Danon, A.
- Obaid, A. L., Critz, A. McE., and Crandall, E. D. Kinetics of bicarbonate/chloride exchange in dogfish erythrocytes. 237,6:R132
- Öberg, P. Å. *see* Ask, P.
- Oberg, S. G., Izutsu, K. T., and Truelove, E. L. Human parotid saliva protein composition: dependence on physiological factors. 242,5:G231
- Oberleas, D. *see* Lei, K. Y.
- Oberleithner, H., Guggino, W., and Giebisch, G. Mechanism of distal tubular chloride transport in *Amphiuma* kidney. 242,11:F331
- Obertop, H., and Malt, R. A. Lost mass and excretion as stimuli to parabolic compensatory renal hypertrophy. 232,1:F405
- Obika, L. F. O., Fitzgerald, E. M., Gleason, S. D., Zucker, A., and Schneider, E. G. Lack of evidence for gastrointestinal control of sodium excretion in unanesthetized rabbits. 240,9:F94
- O'Brien, B. D. *see* Thomson, A. B. R.
- O'Brien, L. J. *see* Holloway, L. S., Jr.
- O'Brien, R. A. *see* Levin, B. E.
- O'Brien, W. J. *see* Priola, D. V.
- Obrist, P. A. *see* Grignolo, A. Langer, A. W.
- Obst, B. E., Schemmel, R. A., Czajka-Narins, D., and Merkel, R. Adipocyte size and number in dietary obesity resistant and susceptible rats. 240,3:E47
- O'Callaghan, J. *see* Sanders, S. S.
- O'Connor, J. A., Scott, R. L., Mellick, P. W., and Caldwell, M. D. Perfused rat hindlimb wound model:  $\lambda$ -carrageenan induced. 242,11:R570
- O'Connor, M. D. L., Landahl, H., and Grodsky, G. M. Comparison of storage- and signal-limited models of pancreatic insulin secretion. 238,7:R378
- O'Connor, W. *see* Cornish, A. L.
- Oda, R. P. *see* Schmid, P. G.
- Oddie, T. H. *see* Weitzman, R. E.
- Odell, R. H., Jr. *see* Smith, S. W.
- O'Dell, R. M. *see* Bresler, E. H.
- Odell, W. D. *see* Heber, D. Molitch, M. Parker, L. N.
- Odessey, R., and Chace, K. V. Utilization of endogenous lipid, glycogen, and protein by rabbit aorta. 243,12:H128
- O'Doherty, J., and Stark, R. J. Transmembrane and transepithelial movement of calcium during stimulus-secretion coupling. 241,4:G150
- O'Doherty, J., and Stark, R. J. Stimulation of pancreatic acinar secretion: increases in cytosolic calcium and sodium. 242,5:G513
- O'Doherty, J. *see* Stark, R. J.
- O'Donnell, M. *see* Mimbs, J. W.
- O'Donnell, M. E., and Horwitz, B. A. Effects of butyrate on ouabain-sensitive respiration of hamster brown adipocytes. 242,11:C46
- O'Dorisio, T. M. *see* Yovos, J. G.
- Odoroff, C. L. *see* Henquell, L. Honig, C. R.
- Ody, C., and Junod, A. F. Converting enzyme activity in endothelial cells isolated from pig pulmonary artery and aorta. 232,1:C95
- Ody, C. *see* Junod, A. F.
- Oehl, R. S. *see* Weaver, L. C.
- Oelz, O. *see* Danon, A.
- Offord, K. P. *see* Fox, J.
- Ofjord, E. S., Clausen, G., and Aukland, K. Skimming of microspheres in vitro: implications for measurement of intrarenal blood flow. 241,10:H342
- Ogata, E., Nishiki, K., Kugai, N., and Kishikawa, T. Oxidative response to aldosterone of pyridine nucleotide in rat kidney in situ. 232,1:E401
- Ogawa, T. *see* Vyden, J. K.
- Ogden, J. A. *see* Schnitzer, J. E.
- Ogilvy, C. S., and DuBois, A. B. Effect of tilting on blood pressure and interstitial fluid pressures of bluefish and smooth dogfish. 242,11:R70
- Ogletree, M. L., Smith, J. B., and Lefer, A. M. Actions of prostaglandins on isolated perfused cat coronary arteries. 235,4:H400
- Ogunro, E. A. *see* Samarel, A. M.
- Oh, S. H., Deagen, J. T., Whanger, P. D., and Weswig, P. H. Biological function of metallothionein. V. Its induction in rats by various stresses. 234,3:E282
- Oh, S. H., and Whanger, P. D. Biological function of metallothionein. VII. Effect of age on its metabolism in rats. 237,6:E18
- Oh, S. Y. *see* Fry, D. L.
- Ohanian, E. V., Iwai, J., Leitl, G., and Tuthill, R. Genetic influence on cadmium-induced hypertension. 235,4:H385
- O'Hara, M. *see* Holaday, J. W.
- Ohashi, H. *see* Miller, J.
- Ohata, C. A. *see* Dormer, K. J. Foreman, R. D.
- Ohe, K., Hayashi, K., Shirakawa, T., Yamada, K., Kawasaki, T., and Miyoshi, A. Aspirin- and taurocholate-induced metabolic damage in mammalian gastric mucosa in vitro. 239,2:G457
- Ohhashi, T., and Azuma, T. Contraction of arterial smooth muscle induced by magnesium ions. 242,11:C25
- Ohhashi, T., Azuma, T., and Sakaguchi, M. Effect of microvibration on activity of ureteral and portal smooth muscles. 236,5:C192
- Ohhashi, T., Azuma, T., and Sakaguchi, M. Active and passive mechanical characteristics of bovine mesenteric lymphatics. 239,8:H88
- Ohhashi, T., and Roddie, I. C. Relaxation of bovine mesenteric lymphatics in response to transmural stimulation. 240,9:H498
- Ohizumi, Y., and Shibata, S. Nature of antihypertensive-induced release of norepinephrine from adrenergic nerves. 243,12:C237
- Ohki, A. *see* Otsuki, M.
- Ohlson, D. L. *see* Davis, S. L.
- Ohnhaus, E. E. *see* Huwyler, R.
- Ohno, K., Pettigrew, K. D., and Rapoport, S. I. Lower limits of cerebrovascular permeability to nonelectrolytes in the conscious rat. 235,4:H299
- Ohno, K. *see* Rapoport, S. I.
- Ohtake, M., Bray, G. A., and Azukizawa, M. Studies on hypothermia and thyroid function in the obese (ob/ob) mouse. 233,2:R110
- Oiye, M. Y. *see* Huntsman, L. L.
- Oka, T. *see* Lundgren, D. W.
- Okada, R. D. *see* Jacobs, M. L.

- Okada, Y.**, Tyuma, I., Ueda, Y., and Sugimoto, T. Effect of carbon monoxide on equilibrium between oxygen and hemoglobin. 230:471
- Okahara, T.**, Abe, Y., Imanishi, M., Yukimura, T., and Yamamoto, K. Effect of calcium on prostaglandin  $E_2$  release in dogs. 241:10:F77
- Okajima, F.**, and Ui, M. Adrenergic modulation of insulin secretion in vivo dependent on thyroid states. 234:3:E106
- Okajima, F.** see Golden, S.
- Okamoto, K.** see Nagaoka, A.
- O'Keane, M.** see MacKenzie, E. T.
- O'Keefe, D. D.**, Grantham, R. N., Beierholm, E. A., Kapellakis, G. Z., Vasu, M. A., Guyton, R. A., and Daggett, W. M. Cocaine and the contractile response to catecholamines in right ventricular failure. 233:2:H399
- O'Keefe, D. D.** see Geffin, G. A. Vasu, M. A.
- Oken, D. E.**, and Choi, S. C. Filtration pressure equilibrium: a statistical analysis. 241:10:F196
- Okike, N.**, and Kelly, K. A. Vagotomy impairs pentagastrin-induced relaxation of canine gastric fundus. 232:1:E504
- Okolicsanyi, L.**, Orlando, R., Venuti, M., Dal Brun, G., Cobelli, C., Ruggeri, A., and Salvan, A. A modeling study of the effect of fasting on bilirubin kinetics in Gilbert's syndrome. 240:9:R266
- Okuda, H.** see Gullikson, G. W.
- Okuda, Y.** see Keaney, N. P.
- Olajos, M.** see Goldman, S.
- Oldendorf, W. H.**, and Szabo, J. Amino acid assignment to one of three blood-brain barrier amino acid carriers. 230:94
- Oldendorf, W. H.** see Cornford, E. M. Pardridge, W. M.
- Oldewurtel, H. A.** see Regan, T. J.
- Olefsky, J. M.**, Kolterman, O. G., and Scarlett, J. A. Insulin action and resistance in obesity and noninsulin-dependent type II diabetes mellitus. 243:6:E15
- Olefsky, J. M.** see Baldwin, D. Jr. Ciaraldi, T. P. Kobayashi, M.
- Olerud, J. E.** see Brangelmann, G. L.
- Olgaard, K.** see Hammer, M.
- Olinger, E. J.** see Tarao, K.
- Oliva, Y.** see Levy, B. I.
- Oliver, J. A.**, Pinto, J., Sciacca, R. R., and Cannon, P. J. Basal norepinephrine overflow into the renal vein: effect of renal nerve stimulation. 239:8:F371
- Oliver, J. A.**, Sciacca, R. R., and Cannon, P. J. Renal vascular and excretory responses to prostaglandin endoperoxides in the dog. 236:5:H427
- Oliver, J. A.** see Brown, J. A.
- Oliver, J. R.** see De Burgh Daly
- Oliveros, R. A.** see Roberts, D. L.
- Olley, P. M.** see Coceani, F. Lock, J. E.
- Olsen, C. O.** see Van Trigt, P., III
- Olsen, W. A.**, and Korsmo, H. A. Sucrase metabolism in germfree rats. 242:5:G650
- Olson, J. D.** see Moake, J. L.
- Olson, J. L.** see Hostetter, T. H.
- Olson, K. R.** see Kent, B.
- Olson, P. S.** see Beierwaltes, W. H.
- Olson, R. D.**, and Boerth, R. C. Hydrogen peroxide: beneficial effects in rabbits following acute coronary occlusion. 234:3:H28
- Olsson, R. A.** Transient postocclusive renal vasospasm in conscious rhesus monkeys. 233:2:H622
- Olsson, R. A.** see Khouri, E. M. Saito, D.
- Olzowski, W. L.**, and Engeset, A. Intrinsic contractility of prenodal lymph vessels and lymph flow in human leg. 239:8:H775
- O'Malley, L. J.** see Neutra, M. R.
- Omvik, P., Jr.** see Johannesen, J.
- O'Neil, R. G.**, and Boulpaep, E. L. Ionic conductive properties and electrophysiology of the rabbit cortical collecting tubule. 243:12:F81
- O'Neil, R. G.**, and Helman, S. I. Influence of vasopressin and amiloride on shunt pathways of frog skin. 231:164
- O'Neil, R. G.**, and Helman, S. I. Transport characteristics of renal collecting tubules: influences of DOCA and diet. 233:2:F544
- O'Neil, R. G.** see Essig, A. Helman, S. I. Li, J.
- O'Neill, J. T.**, Haddy, F. J., and Grega, G. J. Effect of norepinephrine on lymph flow and edema formation in the canine forelimb. 243:12:H575
- O'Neill, M. J.** see Allard, J. R.
- O'Neill, M. J., Jr.** see Allard, J. R.
- Onkelinx, C.** Compartment analysis of metabolism of chromium(III) in rats of various ages. 232:1:E478
- Onolfo, J.-P.** see Ducroc, R. Garzon, B.
- Onwochei, M.** see Gold, A. J.
- Ootsubo, H.** see Tomoike, H.
- Oparil, S.**, Carone, F. A., Pullman, T. N., and Nakamura, S. Inhibition of proximal tubular hydrolysis and reabsorption of bradykinin by peptides. 231:743
- Oparil, S.** see Carone, F. A. Katholi, R. E. Naftilan, A. J. Peterson, D. R. Pullman, T. N.
- Opdyke, D. F.**, Carroll, R. G., and Keller, N. E. Systemic arterial pressor responses induced by potassium in dogfish, *Squalus acanthias*. 241:10:R228
- Opdyke, D. F.**, Carroll, R. G., and Keller, N. E. Catecholamine release and blood pressure changes induced by exercise in dogfish. 242:11:R306
- Opdyke, D. F.**, and Holcombe, R. Response to angiotensins I and II and to AI-converting-enzyme inhibitor in a shark. 231:1750
- Opdyke, D. F.**, and Holcombe, R. F. Effect of angiotensins and epinephrine on vascular resistance of isolated dogfish gut. 234:3:R196
- Opdyke, D. F.** see Carroll, R. G.
- Opie, L. H.** see Acha, M. J.
- Opsahl, C. A.** Sympathetic nervous system involvement in the lateral hypothalamic lesion syndrome. 232:1:R128
- Oram-Smith, J. C.** see Stein, T. P.
- Orce, G. G.**, Castillo, G. A., and Margolius, H. S. Inhibition of short-circuit current in toad urinary bladder by inhibitors of glandular kallikrein. 239:8:F459
- Orci, L.** see Meda, P. Roth, J.
- Ordway, G. A.** see Kaufman, M. P. Longhurst, J. C.
- Orentlicher, M.**, Brandt, P. W., and Reuben, J. P. Regulation of tension in skinned muscle fibers: effect of high concentrations of Mg-ATP. 233:2:C127
- Oresajo, C.** see Rice, F. A. H.
- O'Riordan, J. B.**, Flaherty, J. T., Khuri, S. F., Brawley, R. K., Pitt, B., and Gott, V. L. Effects of atrial pacing on regional myocardial gas tensions with critical coronary stenosis. 232:1:H49
- Orita, Y.** see Kimura, G.
- Orlando, R.** see Okolicsanyi, L.
- Orlando, R. C.** see Nemeroff, C. B. Powell, D. W.
- Orlick, A. E.** see Roberts, D. L.
- Orloff, J.** see Kregenov, F. M.
- Orloff, K. G.**, and Michaeli, D. Fibrin-induced release of platelet serotonin. 231:344
- Orloff, K. G.**, and Michaeli, D. Inhibition of fibrin-platelet interactions by fibrinogen-degradation fragment D. 233:2:H305
- Orloff, S.** see Wassner, S. J.
- Ormsbee, H. S., III**, and Bass, P. Gastrointestinal motor gradients in the dog after pyloroplasty. 230:389
- Ormsbee, H. S., III**, Telford, G. L., and Mason, G. R. Required neural involvement in control of canine migrating motor complex. 237:6:E451
- Ormsbee, H. S., III**, Telford, G. L., Suter, C. M., Wilson, P. D., and Mason, G. R. Mechanism of propagation of canine migrating motor complex—a reappraisal. 240:3:G141
- O'Rourke, M.** see Brodrick, J. W. Geokas, M. C.
- O'Rourke, M. F.**, and Milnor, W. R. Comments by M. F. O'Rourke on a paper by W. R. Milnor (Letter to the Editor). 240:9:R393
- O'Rourke, M. F.** see Avolio, A. P.
- Orr, J. A.** see Faraci, F. M.
- Ørstavik, T. B.**, Carretero, O. A., and Scicli, A. G. Kallikrein-kinin system in regulation of submandibular gland blood flow. 242:11:H1010
- Ortiz, C. L.** see Costa, D. P.
- Ortt, E. M.** see Carey, R. M.
- Osada, H.**, Ward, C. A., Duffin, J., Nelems, J. M., and Cooper, J. D. Microbubble elimination during priming improves biocompatibility of membrane oxygenators. 234:3:H646
- Osada, H.** see Fountain, S. W.
- Osadchey, B.** see Seal, A.
- Osakada, G.** see Gallagher, K. P.
- Osborn, D. W.** see Jakinovich, W., Jr.
- Osborn, E. C.**, Mackenzie, J. C., Rigby, G. V., Wilton, A., and Sugden, P. L. Radioimmunoassay of unprocessed sheep blood extracts to follow angiotensin metabolism. 233:2:H527
- Osborn, J.** see Fink, G. D.
- Osborn, J. L.**, DiBona, G. F., and Thames, M. D. Role of renal  $\alpha$ -adrenoceptors mediating renin secretion. 242:11:F620
- Osborn, J. L.**, Hook, J. B., and Bailie, M. D. Effect of saralasin and indomethacin on renal function in developing piglets. 238:7:R438
- Osborn, J. L.**, Thames, M. D., and DiBona, G. F. Role of macula densa in renal nerve modulation of renin secretion. 242:11:R367
- Osborn, J. L.** see Francisco, L. L.
- Osborne, C. K.** see McGuire, W. L.
- Osborne, J. L.**, Burger, R. E., and Stoll, P. J. Dynamic responses of  $CO_2$ -sensitive avian intrapulmonary chemoreceptors. 233:2:R15
- Oscail, L. B.** Evidence that body size does not determine voluntary food intake in the rat. 238:1:E318
- Oscail, L. B.** Dietary-induced severe obesity: a rat model. 242:11:R212

- Oscail, L. B., and McGarr, J. A. Evidence that the amount of food consumed in early life fixes appetite in the rat. 235,4:R141
- Oscail, L. B. *see* McGarr, J. A.
- Osgood, R. W., Lameire, N. H., Sorkin, M. I., and Stein, J. H. Effect of aortic clamping on proximal reabsorption and sodium excretion in the rat. 232,1:F92
- Osgood, R. W., Reineck, H. J., and Stein, J. H. Effect of hyperoncotic albumin on superficial and juxtamedullary nephron sodium transport. 237,6:F34
- Osgood, R. W., Reineck, H. J., and Stein, J. H. Methodologic considerations in the study of glomerular ultrafiltration. 242,11:F1
- Osgood, R. W. *see* Reineck, H. J.
- Oster, A. S. *see* Crandall, E. D.
- Osis, D. *see* Spencer, H.
- Osnos, M. *see* Rivlin, R. S.
- Osswald, H., Haas, J. A., Marchand, G. R., and Knox, F. G. Glomerular dynamics in dogs at reduced renal artery pressure. 236,5:F25
- Osswald, H. *see* Knox, F. G.
- Oster, J. R., Perez, G. O., and Vaamonde, C. A. Relationship between blood pH and potassium and phosphorus during acute metabolic acidosis. 235,4:F345
- Ostrow, J. D. *see* Tarao, K.
- Ostrow, P. T. *see* Zaccur, H. A.
- Otsuki, M., Sakamoto, C., Ohki, A., Yuu, H., Morita, S., and Baba, S. Effects of porcine secretin on exocrine and endocrine function in the isolated perfused rat pancreas. 241,4:G43
- Otsuki, M., and Williams, J. A. Protein synthesis inhibitors enhance secretagogue sensitivity of in vitro rat pancreatic acini. 243,6:G285
- Ott, C. E. Effect of saline expansion on peritubule capillary pressures and reabsorption. 240,9:F106
- Ott, C. E., Marchand, G. R., Diaz-Buxo, J. A., and Knox, F. G. Determinants of glomerular filtration rate in the dog. 231:235
- Ott, C. E., and Vari, R. C. Renal autoregulation of blood flow and filtration rate in the rabbit. 237,6:F479
- Ott, C. E. *see* Cuche, J. L.
- Ottaviano, R. *see* Havill, A. M.
- Ottesen, B., Larsen, J.-J., Fahrenkrug, J., Stjernquist, M., and Sundler, F. Distribution and motor effect of VIP in female genital tract. 240,3:E32
- Ouagued, M. *see* Saraux, B.
- Oudinot, J.-P. *see* Chaumet-Riffaud, P.
- Ouellette, A. J., Aviles, L., Burnweit, C. A., Frederick, D., and Malt, R. A. Metallothionein mRNA induction in mouse small bowel by oral cadmium and zinc. 243,6:G396
- Ouellette, A. J., and Malt, R. A. Non-coordinate regulation of cytoplasmic RNA in compensatory renal hypertrophy. 237,6:R360
- Quimet, D. *see* Gagnon, J.
- Ouyang, A., Snape, W. J., Jr., and Cohen, S. Myoelectric properties of the cat ileocecal sphincter. 240,3:G450
- Ouyang, A. *see* Reynolds, J. C.
- Overholser, K. A. *see* Harris, T. R.
- Owen, C. A., Jr. *see* Su, L.-C.
- Owen, N. E., and Le Breton, G. C. Epinephrine induces  $\text{Ca}^{2+}$  uptake in human blood platelets. 239,8:H483
- Owen, N. E., and Le Breton, G. C.  $\text{Ca}^{2+}$  mobilization in blood platelets as visualized by chlortetracycline fluorescence. 241,10:H613
- Owen, R. *see* Hartmann, F.
- Owenburg, K. M. *see* DeCoursey, T. E.
- Owens, E. S. *see* Kessler, J. A.
- Owens, J. L. *see* DiGirolamo, M.
- Owens, K., Kennett, F. F., and Weglicki, W. B. Effects of fatty acid intermediates on  $\text{Na}^+/\text{K}^+$ -ATPase activity of cardiac sarcolemma. 242,11:H456
- Owens, K. *see* Beckman, J. K.
- Owman, C. *see* Alm, P.
- Owyang, C., Miller, L. J., Malagelada, J.-R., and Go, V. L. W. Nutrient and bowel segment dependency of human intestinal control of gastric secretion. 243,6:G372
- Oxenham, R. C. K. *see* Ezekowitz, M. D.
- Oyama, J. *see* Kobayashi, M.
- Oyer, P. *see* Baum, D.
- Oza, N. B. *see* Scicli, A. G.
- Ozaki, T. *see* Yokoyama, S.
- Ozand, P. T., Tildon, J. T., Stevenson, J. H., Reed, W. D., and Cornblath, M. Ability of exogenous alanine to lower blood  $\beta$ -hydroxybutyrate during development in rats. 230:1385
- Ozawa, S., and Kimura, N. Calcium channel and prolactin release in rat clonal pituitary cells: effects of verapamil. 243,6:E68
- Ozegović, B. *see* McNamara, P. D.

## P

- Pacanias, A. *see* Rogulski, J.
- Pace, C. S. Activation of Na channels in islet cells: metabolic and secretory effects. 237,6:E130
- Pace, C. S., Murphy, M., Conant, S., and Lacy, P. E. Somatostatin inhibition of glucose-induced electrical activity in cultured rat islet cells. 233,2:C164
- Pace, C. S., and Sachs, G. Glucose-induced proton uptake in secretory granules of  $\beta$ -cells in monolayer culture. 242,11:C382
- Pace, C. S. *see* Tarvin, J. T.
- Pace, E. *see* Sheth, A. U.
- Pace, P. E. *see* Hayslett, J. P.
- Packer, L. *see* Davies, K. J. A.
- Packwood, W. *see* Fink, G. D.
- Paddock, J. K., Lada, W., and Lowenstein, L. M. Regeneration of the renal brush border after renal ischemia in rats. 241,10:F28
- Padgett, G. A. *see* Meyers, K. M.
- Padilla, G. M. *see* Westerfield, M.
- Padiyar, R. *see* Tsakiris, A. G.
- Paganelli, C. V. *see* Pettit, T. N.
- Pagani, M., Biag, H., Sherman, A., Manders, W. T., Quinn, P., Patrick, T., Franklin, D., and Vatner, S. F. Measurement of multiple simultaneous small dimensions and study of arterial pressure-dimension relations in conscious animals. 235,4:H610
- Pagani, M. *see* Bishop, V. S.
- Page, E. Quantitative ultrastructural analysis in cardiac membrane physiology. 235,4:C147
- Page, E. *see* Macchia, D. D.
- Page, R. B. Pituitary blood flow. 243,6:E427
- Page, R. B., Funsch, D. J., Brennan, R. W., and Hernandez, M. J. Regional neurohypophyseal blood flow and its control in adult sheep. 241,10:R36
- Page, T. L. Effects of localized low-temperature pulses on the cockroach circadian pacemaker. 240,9:R144
- Pahlin, P.-E., and Kewenter, J. Sympathetic nervous control of cat ileocecal sphincter. 231:296
- Paillard, M., Leviel, F., and Gardin, J.-P. Regulation of cell volume in separated renal tubules incubated in hypotonic medium. 236,5:F226
- Paillard, M. *see* Bichara, M.
- Paiva, A. C. M. *see* Paiva, T. B.
- Paiva, T. B., Mendes, G. B., and Paiva, A. C. M. Specific desensitization (tachyphylaxis) of the guinea pig ileum to angiotensin II. 232,1:H223
- Pak, C. Y. C. Physiological basis for absorptive and renal hypercalciurias. 237,6:F415
- Pak, C. Y. C. *see* Schmulen, A. C.
- Palacios, I., Newell, J. B., and Powell, W. J., Jr. Effects of acute global ischemia on diastolic relaxation in canine hearts. 235,4:H720
- Palacios, I., Sagar, K., and Powell, W. J., Jr. Effect of hypoxia on mechanical properties of hyperthyroid cat papillary muscle. 237,6:H293
- Palacios, I. *see* Lorell, B. H.
- Paladino, D. *see* Nakamura, Y.
- Palfrey, H. C., Feit, P. W., and Greengard, P. cAMP-stimulated cation cotransport in avian erythrocytes: inhibition by "loop" diuretics. 238,7:C139
- Palko, W. M. *see* Reibel, D. K.
- Palkovits, M. *see* Makara, G. B.
- Palma, P. A. *see* Lichtenberger, L. M.
- Palmer, J. E. *see* Bignall, K. E.
- Palmer, J. P. *see* Werner, P. L.
- Palmieri, V. *see* Reddy, N. P.
- Palumbo, P. J. *see* Northrup, T. E.
- Pan, G.-Z. *see* Collen, M. J.
- Pan, Y.-J. *see* Young, D. B.
- Pandey, R. P. *see* Karim, F.
- Pandolf, K. B., Griffin, T. B., Munro, E. H., and Goldman, R. F. Persistence of impaired heat tolerance from artificially induced miliaria rubra. 239,8:R226
- Pandolf, K. B., Griffin, T. B., Munro, E. H., and Goldman, R. F. Heat intolerance as a function of percent of body surface involved with miliaria rubra. 239,8:R233
- Pandolf, K. B. *see* Bynum, G. D.
- Pandolf, K. B. *see* Hutchison, V. H.
- Pang, C. C. Y., Wilcox, W. C., and McNeill, J. R. Hypophysectomy and saralasin on mesenteric vasoconstrictor response to vasopressin. 236,5:H200
- Pang, C. C. Y. *see* McNeill, J. R.
- Pang, C. Y., and Behrman, H. R. Relationship of luteal blood flow and corpus luteum function in pseudopregnant rats. 237,6:E30
- Pang, I. H. *see* Lin, M. T.
- Pang, P. K. T., Galli-Gallardo, S. M., Collier, N., and Sawyer, W. H. Renal and peripheral vascular responsiveness to arginine vasotocin in bullfrog, *Rana catesbeiana*. 239,8:R156
- Pang, P. K. T., and Sawyer, W. H. Renal and vascular responses of the bullfrog (*Rana catesbeiana*) to mesotocin. 235,4:F151
- Pannier, J. L. *see* Heyndrickx, G. R.



- Pansu, D.**, Bellaton, C., and Bronner, F. Effect of Ca intake on saturable and non-saturable components of duodenal Ca transport. 240,3:G32
- Paolini, P.** see Rieser, G.
- Pape, G.** see Ward, A.
- Papeleux, C. B.** see Hakim, A. A.
- Pappano, A. J.**, Hartigan, P. M., and Cou-tu, M. D. Acetylcholine inhibits positive inotropic effect of cholera toxin in ven-tricular muscle. 243,12:H434
- Pappas, T. N.** see Yovos, J. G.
- Paquette, T. L.**, Shulman, D. F., Alpers, D. H., and Jaffe, B. M. Postnatal devel-opment of intestinal secretin in rats and guinea pigs. 243,6:G511
- Paradis, A.** see Bukowiecki, L.
- Paradise, N. F.**, Beeler, G. W., Jr., and Visscher, M. B. Magnesium net fluxes and distribution in rabbit myocardium in irreversible contracture. 234,3:C115
- Paradise, N. F.**, Schmitter, J. L., and Surmitis, J. M. Criteria for adequate oxygenation of isometric kitten papillary muscle. 241,10:H348
- Parameswaran, S. V.**, Steffens, A. B., Hervey, G. R., and De Ruiter, L. Involvement of a humoral factor in regu-lation of body weight in parabiotic rats. 232,1:R150
- Parandoosh, Z.**, and Johanson, C. E. Ontogeny of blood-brain barrier permea-bility to, and cerebrospinal fluid sink action on, [ $^{14}$ C]urea. 243,12:R400
- Pardridge, W. M.** Unidirectional influx of glutamine and other neutral amino acids into liver of fed and fasted rat in vivo. 232,1:E492
- Pardridge, W. M.**, and Casanello-Ertl, D. Effects of glutamine deprivation on glu-cose and amino acid metabolism in tissue culture. 236,5:E234
- Pardridge, W. M.**, Duducgian-Vartavar-ian, L., Casanello-Ertl, D., Jones, M. R., and Kopple, J. D. Effects of clofibric acid on amino acid metabolism in cul-tured rat skeletal muscle. 240,3:E203
- Pardridge, W. M.**, Duducgian-Vartavar-ian, L., Casanello-Ertl, D., Jones, M. R., and Kopple, J. D. Arginine metabolism and urea synthesis in cultured rat skeletal muscle cells. 242,5:E87
- Pardridge, W. M.**, and Mietus, L. J. Transport of protein-bound steroid hor-mones into liver in vivo. 237,6:E367
- Pardridge, W. M.**, Mietus, L. J., Frumar, A. M., Davidson, B. J., and Judd, H. L. Effects of human serum on transport of testosterone and estradiol into rat brain. 239,2:E103
- Pardridge, W. M.**, Moeller, T. L., Mietus, L. J., and Oldendorf, W. H. Blood-brain barrier transport and brain sequestration of steroid hormones. 239,2:E96
- Pardridge, W. M.** see Cornford, E. M.
- Parikh, H. C.** see Elwyn, D. H.
- Parisi, M.**, Chevalier, J., and Bourguet, J. Influence of mucosal and serosal pH on antidiuretic action in frog urinary blad-der. 237,6:F483
- Park, B. N.** see MacDonald, M.
- Park, C. R.** see Exton, J. H.
- Park, C. S.**, and Fanestil, D. D. Covalent modification and inhibition of an epi-thelial sodium channel by tyrosine-reactive reagents. 239,8:F299
- Park, C. S.**, Han, D. S., and Fray, J. C. S. Calcium in the control of renin secretion:  $\text{Ca}^{2+}$  influx as an inhibitory signal. 240,9:F70
- Park, C. S.**, and Malvin, R. L. Calcium in the control of renin release. 235,4:F22
- Park, C. S.**, Malvin, R. L., Murray, R. D., and Cho, K. W. Renin secretion as a function of renal renin content in dogs. 234,3:F506
- Park, C. S.** see Fanestil, D. D.
- Park, D. M.** see Rennie, M. J.
- Park, I. S.**, Michael, L. H., and Driscoll, D. J. Comparative response of the develop-ing canine myocardium to inotropic agents. 242,11:H13
- Park, O. H.** see Chacin, J.
- Park, R.**, Leach, W. J., and Arief, A. I. Determination of liver intracellular pH in vivo and its homeostasis in acute acidosis and alkalosis. 236,5:F240
- Park, R.** see Arief, A. I.
- Park, T. S.** see Winn, H. R.
- Park, Y. S.**, and Hong, S. K. Properties of toad skin Na-K-ATPase with special ref-erence to effect of temperature. 231:1356
- Park, Y. S.**, and Solomon, S. pH-Tempera-ture dependence of organic acid trans-port in rat kidney slices. 233,2:F382
- Parker, C. W.** see Findlay, S. R.
- Parker, G.** see Baran, D. T.
- Parker, J. C.** Active and passive Ca movements in dog red blood cells and resealed ghosts. 237,6:C10
- Parker, J. C.** see Granger, D. N.
- Parker, J. L.**, and Adams, H. R. Contract-ile dysfunction of atrial myocardium from endotoxin-shocked guinea pigs. 240,9:H954
- Parker, K. H.** see Ezekowitz, M. D.
- Parker, L. N.**, and Odell, W. D. Evidence for existence of cortical androgen-stimu-lating hormone. 236,5:E616
- Parker, R. E.**, Granger, D. N., and Taylor, A. E. Estimates of isogravimetric capil-lary pressures during alveolar hypoxia. 241,10:H732
- Parker, R. E.**, Hall, R. E., Marr, H. B., and Skinner, N. S., Jr. Vascular responses in canine subcutaneous adipose tissue to hypothalamic stimulation. 237,6:H386
- Parker, R. E.**, and Strandhoy, J. W. A vasoconstrictor cardiogenic chemoreflex induced by prostaglandin  $\text{F}_{2\alpha}$ . 240,9:H528
- Parker, R. E.** see Granger, D. N.
- Parkers, C. R.**, Jr. see Matsuura, S.
- Parkes, C. O.** see Thomasset, M.
- Parks, D. A.** see Grøgaard, B.
- Parks, D. L.**, Gingerich, R. L., Jaffe, B. M., and Akande, B. Role of pancreatic poly-peptide in canine gastric acid secretion. 236,5:E488
- Parks, J. S.** see Tenore, A.
- Parma, R.** see Reineck, H. J.
- Parma, R.** see Stern, M. D.
- Parmley, W. W.** see Rubin, S. A.
- Parod, R. J.**, Leslie, B. A., and Putney, J. W., Jr. Muscarinic and  $\alpha$ -adrenergic stimulation of Na and Ca uptake by dis-persed lacrimal cells. 239,2:G99
- Parod, R. J.**, and Putney, J. W., Jr. Stimu-lus-permeability coupling in rat lacrimal gland. 239,2:G106
- Parrilla, R.** see Pérez-Díaz, J.
- Parry, D.** see Rolph, T. P.
- Parry, D. M.** see Brosnan, J. T.
- Parson, I.**, Mendler, P., and Downar, E. On-line cardiac mapping: an analog approach using video and multiplexing techniques. 242,11:H526
- Parsons, R. H.** see Lau, Y. T.
- Parsons, R. H.** see Mahany, T. M.
- Partridge, L. D.** The good enough calculi of evolving control systems: evolution is not engineering. 242,11:R173
- Partridge, L. D.**, and Connor, J. A. A mechanism for minimizing temperature effects on repetitive firing frequency. 234,3:C155
- Partridge, L. D.** see Demiéville, H. N.
- Pascaud, X. B.**, Genton, M. J. H., and Bass, P. A miniature transducer for recording intestinal motility in unre-strained chronic rats. 235,4:E532
- Pashley, D. H.** see Whitford, G. M.
- Passariello, N.** see Giugliano, D.
- Passaro, E., Jr.** see Geokas, M. C.
- Passingham, B. J.** see Barton, R. N.
- Passmore, J. C.**, Neiberger, R. E., and Eden, S. W. Measurement of intrarenal anatomic distribution of krypton-85 in endotoxic shock in dogs. 232,1:H54
- Passo, S. S.**, Thornborough, J. R., and Ferris, C. F. A functional analysis of dopaminergic innervation of the neuro-hypophysis. 241,4:E186
- Passonneau, J. V.** see Nassar-Gentina, V.
- Pastoriza-Muñoz, E.**, Colindres, R. E., Lassiter, W. E., and Lechene, C. Effect of parathyroid hormone on phosphate reabsorption in rat distal convolution. 235,4:F321
- Pastoriza-Muñoz, E.** see Bello-Reuss, E.
- Pasyk, K.** see Pasyk, S.
- Pasyk, S.**, Schaper, W., Schaper, J., Pasyk, K., Miskiewicz, G., and Steinseifer, B. DNA synthesis in coronary collaterals after coronary artery occlusion in con-scious dog. 242,11:H1031
- Patak, R. V.**, Fadem, S. Z., Rosenblatt, S. G., Lifschitz, M. D., and Stein, J. H. Diuretic-induced changes in renal blood flow and prostaglandin E excretion in the dog. 236,5:F494
- Patak, R. V.** see Rosenblatt, S. G.
- Pate, E. F.** see Janz, R. F.
- Patel, B. C.** see Garrick, R. A.
- Patel, K. P.**, Ciriello, J., and Kline, R. L. Noradrenergic mechanisms in brain and peripheral organs after aortic nerve transection. 240,9:H481
- Patitucci, P. J.** see Fung, Y. C.
- Patitucci, P. J.** see Pinto, J. G.
- Patitucci, P. J.** see Price, J. M.
- Patlak, C. S.** see Burg, M.
- Patlak, C. S.** see Cserr, H. F.
- Patlak, C. S.** see Fenstermacher, J. D.
- Patlak, C. S.** see Schafer, J. A.
- Patlak, C. S.** see Warnock, D. G.
- Patrick, T.** see Pagani, M.
- Patrick, T. A.** see Cornish, A. L.
- Patrick, T. A.** see McRitchie, R. J.
- Pattee, H. H.** Complementarity vs. re-duction as explanation of biological com-plexity. 236,5:R241
- Patterson, J. L., Jr.** see Kontos, H. A.
- Patterson, J. L., Jr.** see Navari, R. M.
- Patterson, J. L., Jr.** see Wei, E. P.
- Patton, G. S.** see Muñoz-Barragan, L.
- Patton, J. S.**, and Carey, M. C. Inhibition of human pancreatic lipase-colipase ac-tivity by mixed bile salt-phospholipid micelles. 241,4:G328
- Paul, H. S.**, and Adibi, S. A. Effect of carnitine on branched-chain amino acid oxidation by liver and skeletal muscle. 234,3:E494
- Paul, L. T.** see Dujardin, J.-P.
- Paul, S. J.** see Malsky, P. M.
- Paul, W.** see Schröder, H.
- Paulsen, A. W.** see Adair, T. H.
- Paulsen, P. E.** see De Torrente, A.
- Paulson, D. J.**, and Crass, M. F., III. Endogenous triacylglycerol metabolism in diabetic heart. 242,11:H1084



- Paulson, D. J.**, and Eversole, W. J. Effects of prostaglandin  $E_2$  and prostaglandin inhibitors on adrenal regeneration hypertension. 232,1:E95
- Paumgartner, G.**  
see Jones, A. L.  
Klos, C.  
Reichen, J.
- Pawlik, W.** Tague, L. L., Tepperman, B. L., Miller, T. A., and Jacobson, E. D. Histamine  $H_1$ - and  $H_2$ -receptor vasodilation of canine intestinal circulation. 233,2:E219
- Pawlik, W. W.**, Fondacaro, J. D., and Jacobson, E. D. Metabolic hyperemia in canine gut. 239,2:G12
- Pawlik, W.**  
see Konturek, S. J.  
Mailman, D.  
Shepherd, A. P.
- Payan, P.**, and Girard, J.-P. Adrenergic receptors regulating patterns of blood flow through the gills of trout. 232,1:H18
- Payan, P.**  
see Girard, J.-P.
- Payne, B.** see Clyman, R. I.
- Payne, B. D.** see Consigny, P. M.
- Payne, C.** see Johnson, J. A.
- Payne, C. G.**  
see Johnson, J. A.  
Siripaisarnpipat, S.
- Payne, F. C., III.** see Crayton, S. C.
- Peach, M. J.**  
see Ackerly, J. A.  
Levens, N. R.
- Peakall, D. B.** see Miller, D. S.
- Pearce, F. J.**, and Connert, R. J. Effect of lactate and palmitate on substrate utilization of isolated rat soleus. 238,7:C149
- Pearce, L. B.** see Besseghir, K.
- Pearson, T. W.**, Pryor, T. J., and Goldner, A. M. Calcium transport across avian uterus. III. Comparison of laying and nonlaying birds. 232,1:E437
- Peavy, D. E.**, Taylor, J. M., and Jefferson, L. S. Protein synthesis in perfused rat liver following thyroidectomy and hormone treatment. 240,3:E18
- Pector, J.-C.**, Winand, J., Dehay, J.-P., and Christophe, J. Effects of portacaval shunt and transposition on fatty acid and cholesterol biosynthesis in rat liver. 239,2:G83
- Pector, J.-C.**, Winand, J., Verbeustel, S., Hebbelinck, M., and Christophe, J. Effects of portacaval diversion on lipid metabolism in rat adipose tissue. 234,3:E579
- Pedersen, O.**, Hjøllund, E., and Lindskov, H. O. Insulin binding and action on fat cells from young healthy females and males. 243,6:E158
- Pedersen, O.**, Hjøllund, E., Lindskov, H. O., Beck-Nielsen, H., and Jensen, J. Circadian profiles of insulin receptors in insulin-dependent diabetics in usual and poor metabolic control. 242,5:E127
- Peeters, L. L.** see Jones, M. D., Jr.
- Peeters, T.** see Eeckhout, C.
- Pegg, A. E.**, and Hibasami, H. Polyamine metabolism during cardiac hypertrophy. 239,2:E372
- Pegg, A. E.**, and McCann, P. P. Polyamine metabolism and function. 243,12:C212
- Pegg, A. E.**  
see Bethell, D. R.  
Rannels, D. E.  
Rannels, S. R.
- Pegorier, J. P.** see Ferré, P.
- Pegorier, M.** see Merlet-Benichou, C.
- Pegram, B. L.**  
see Ishise, S.  
Sesoko, S.
- Pehlevanian, M. Z.** see Levin, S. R.
- Peikin, S. R.**, Rottman, A. J., Batzri, S., and Gardner, J. D. Kinetics of amylase release by dispersed acini prepared from guinea pig pancreas. 235,4:E743
- Peikin, S. R.** see McLaughlin, C. L.
- Peirce, E. C., II.** see Loh, C. K.
- Peirce, T. H.** see Kimball, R. E.
- Peissner, L. C.** see Bond, R. F.
- Peitsch, W.**, Takeuchi, K., and Johnson, L. R. Mucosal gastrin receptor. VI. Induction by corticosterone in newborn rats. 240,3:G442
- Peitsch, W.**  
see Johnson, L. R.  
Speir, G. R.  
Takeuchi, K.
- Pek, S.** see Hansen, B. C.
- Pek, S. B.** see Hansen, B. C.
- Pekary, A. E.** see Morley, J. E.
- Pelleg, A.**, Vogel, S., Belardinelli, L., and Sperelakis, N. Overdrive suppression of automaticity in cultured chick myocardial cells. 238,7:H24
- Pelletier, G.** see Lagacé, L.
- Pendleton, M.** see Coburn, R. F.
- Penel, J. C.** see Rocmans, P. A.
- Penhos, J. C.** see Smith, S. S.
- Penick, G. D.** see Webster, W. P.
- Pennell, J. P.**, and Bourgoignie, J. J. Water reabsorption by papillary collecting ducts in the remnant kidney. 242,11:F657
- Pennell, J. P.** see Bourgoignie, J. J.
- Penney, D. G.**, Baylerian, M. S., Thill, J. E., Fanning, C. M., and Yedavally, S. Postnatal carbon monoxide exposure: immediate and lasting effects in the rat. 243,12:H328
- Penney, D. G.** see Styka, P. E.
- Pennington, D. G.** see Geffin, G. A.
- Penpargkul, S.**  
see Malhotra, A.  
Yipintsoi, T.
- Pensler, J.** see Jaspan, J. B.
- Pento, J. T.**, Waite, L. C., Tracy, P. J., and Kenny, A. D. Adaptation to calcium deprivation in the rat: effects of parathyroidectomy. 232,1:E336
- Pepe, G. J.** see Schut, H. A. J.
- Peraino, R. A.**, and Suki, W. N. Phosphate transport by isolated rabbit cortical collecting tubule. 238,7:F358
- Peraino, R. A.**, and Suki, W. N. Urine  $HCO_3^-$  augments renal  $Ca^{2+}$  absorption independent of systemic acid-base changes. 238,7:F394
- Peralta, C.** see Ingebrechtsen, W. R., Jr.
- Perault-Staub, A.-M.** see Staub, J.-F.
- Perez, G.**, Kemmer, F. W., Lickley, H. L. A., and Vranic, M. Importance of glucagon in mediating epinephrine-induced hyperglycemia in alloxan-diabetic dogs. 241,4:E328
- Perez, G.**  
see Kemmer, F. W.  
Rengo, F.
- Perez, G. O.**, Epstein, M., Rietberg, B., and Loutzenhiser, R. Metabolism of arginine by the isolated perfused rat kidney. 235,4:F376
- Perez, G. O.** see Oster, J. R.
- Pérez, J. E.**, Sobel, B. E., and Henry, P. D. Improved performance of ischemic canine myocardium in response to nifedipine and diltiazem. 239,8:H658
- Pérez Alzueta, A. D.** see Grassi de Gende, A. O.
- Perez-Castillo, A.**, and Blázquez, E. Tissue distribution of glucagon, glucagonlike immunoreactivity, and insulin in the rat. 238,1:E258
- Pérez-Díaz, J.**, Martín-Requero, A., Ayuso-Parrilla, M. S., and Parrilla, R. Metabolic features of isolated rat lung cells. I. Factors controlling glucose utilization. 232,1:E394
- Perille, T.** see Sanborn, T.
- Perkel, D. H.**, and Mulloney, B. Calibrating compartmental models of neurons. 235,4:R93
- Perkins, F. M.**, and Handler, J. S. Transport properties of toad kidney epithelia in culture. 241,10:C154
- Perkins, F. M.**  
see Handler, J. S.  
Johnson, J. P.  
Watlington, C. O.
- Perkins, J. H.** see Bengel, H. H.
- Perl, W.**, Silverman, F., Delea, A. C., and Chinard, F. P. Permeability of dog lung endothelium to sodium, diols, amides, and water. 230:1708
- Perlman, D. F.** see Goldstein, L.
- Perlman, J.** see Nakashima, H.
- Perlmutter, M. N.** see Kelso, S. R.
- Permanetter, B.** see Bünger, R.
- Permutt, S.**  
see Rodbard, S.  
Stene, J. K.
- Peronneau, P.** see Crozatier, B.
- Péronnet, F.**, Nadeau, R. A., De Champlain, J., Magrassi, P., and Chatrand, C. Exercise plasma catecholamines in dogs: role of adrenals and cardiac nerve endings. 241,10:H243
- Péronnet, F.** see Ferguson, R. J.
- Perrault, A.** see Meda, P.
- Perrill, C. V.** see Kochan, R. G.
- Perrino, P. V.** see Lavine, R. L.
- Perrone, R. D.**, Bengel, H. H., Dale, S. L., Melby, J. C., and Alexander, E. A. Mineralocorticoid activity of 19-nor-DOC and 19-OH-DOC in adrenalectomized rat. 242,5:E305
- Perrone, R. D.**, Schwartz, J. H., Bengel, H. H., Dale, S. L., Melby, J. C., and Alexander, E. A. Mineralocorticoid activity of 19-nor-DOC and 19-OH-DOC in toad bladder. 241,4:E406
- Perry, E. F.**  
see Kopp, S. J.  
Perry, H. M., Jr.
- Perry, H. M., Jr.**, Erlanger, M., and Perry, E. F. Elevated systolic pressure following chronic low-level cadmium feeding. 232,1:H114
- Perry, H. M., Jr.** see Kopp, S. J.
- Perry, M. A.**, Bulkley, G. B., Kviety, P. R., and Granger, D. N. Regulation of oxygen uptake in resting and pentagastrin-stimulated canine stomach. 242,5:G565
- Perry, M. A.**, Crook, W. J., and Granger, D. N. Permeability of gastric capillaries to small and large molecules. 241,4:G478
- Perry, M. A.**, and Granger, D. N. Permeability of intestinal capillaries to small molecules. 241,4:G24
- Perry, M. A.**  
see Barrowman, J. A.  
Granger, D. N.  
Holm-Ruttil, L.  
Kviety, P. R.
- Perry, S. F.** see Haswell, M. S.
- Persell, R.**, and Haschemeyer, A. E. V. Characterization of leucine transport by toadfish liver in vivo. 231:1817
- Persellin, R. H.** see Takeuchi, A.
- Persson, A. E. G.**, Müller-Suur, R., and Selén, G. Capillary oncotic pressure as a modifier for tubuloglomerular feedback. 236,5:F97
- Pescatori, M.**, Grassetti, F., Ronzoni, G., Mancinelli, R., Bertuzzi, A., and Salinari, S. Peristalsis in distal colon of the rabbit: an analysis of mechanical events. 236,5:E464
- Peschle, C.**, Marone, G., Genovese, A., Magli, C., and Condorelli, M. Erythropoietin production in the rat: additive role of kidney and liver. 230:845
- Pesetz, A.** see Molimard, R.
- Peskar, B. A.** see Schrör, K.

- Peskin, C.** *see* Yellin, E. L.  
**Peskin, C. S.** *see* McQueen, D. M.  
**Peterlik, M.,** and Wasserman, R. H. Effect of vitamin D on transepithelial phosphate transport in chick intestine. 234,3:E379  
**Peterlik, M.** *see* Graf, J.  
**Peters, B. J.** *see* Tristani, F. E.  
**Peters, G.**  
*see* Arslan, Y.  
 Kaufman, S.  
 Roch-Ramel, F.  
**Peters, K. G.** *see* Wangler, R. D.  
**Peters, R. H.** *see* Gunion, M. W.  
**Peters, T. J.** *see* Scott, J.  
**Petersen, H.,** and Grossman, M. I. Pancreatic exocrine secretion in anesthetized and conscious rats. 233,2:E530  
**Petersen, H.,** Solomon, T., and Grossman, M. I. Effect of chronic pentagastrin, cholecystokinin, and secretin on pancreas of rats. 234,3:E286  
**Petersen, H.**  
*see* Solomon, T. E.  
 Yamada, T.  
**Petersen, J.,** Kitaji, J., Duckworth, W. C., and Rabkin, R. Fate of [ $^{125}$ I]insulin removed from the peritubular circulation of isolated perfused rat kidney. 243,12:F126  
**Peterson, D. F.,** Meliza, M. W., and Bishop, V. S. Aortic nerve activation: effect of stimulus train composition on heart rate. 237,6:H366  
**Peterson, D. F.**  
*see* Bishop, V. S.  
 Chen, H. I.  
 Horwitz, L. D.  
 Robledo, D. O.  
 Shimizu, T.  
 Stinnett, H. O.  
**Peterson, D. M.** *see* Donald, T. C.  
**Peterson, D. R.,** Carone, F. A., Oparil, S., and Christensen, E. I. Differences between renal tubular processing of glucagon and insulin. 242,11:F112  
**Peterson, D. R.,** Chrabaszcz, G., Peterson, W. R., and Oparil, S. Mechanism for renal tubular handling of angiotensin. 236,5:F365  
**Peterson, D. R.,** Oparil, S., Flouret, G., and Carone, F. A. Handling of angiotensin II and oxytocin by renal tubular segments perfused in vitro. 232,1:F319  
**Peterson, D. R.**  
*see* Carone, F. A.  
 Stetler-Stevenson, M. A.  
**Peterson, D. W.,** Napolitano, C. A., and Griffith, D. W., Jr. Spontaneous mechanical alternans in papillary muscles from atherosclerotic rabbits. 239,8:H674  
**Peterson, G. L.** *see* Ewing, R. D.  
**Peterson, J. R.** *see* Albright, R. J.  
**Peterson, J. S.** *see* Mueggler, P. A.  
**Peterson, L. H.**  
*see* Cox, R. H.  
 Monos, E.  
**Peterson, L. N.,** and Wright, F. S. Effect of sodium intake on renal potassium excretion. 233,2:F225  
**Peterson, L. N.**  
*see* Burke, T. J.  
 Gordon, J. A.  
**Peterson, M. B.,** Hutmeyer, P. C., Zapol, W. M., Martin, E. G., and Watkins, W. D. Thromboxane mediates acute pulmonary hypertension in sheep extracorporeal perfusion. 243,12:H471  
**Peterson, M. B.** *see* Lesch, M.  
**Peterson, M. G.** *see* Thames, M. D.  
**Peterson, O. W.**  
*see* Cohen, J. J.  
 Merkens, L. S.  
 Tucker, B. J.  
**Peterson, R. G.** *see* Meier, P. R.  
**Peterson, T. M.** *see* Sanders, M.  
**Peterson, W. R.** *see* Peterson, D. R.  
**Petith, M. M.,** and Schedl, H. P. Duodenal and ileal adaptation to dietary calcium restriction: in vivo studies in the rat. 231:865  
**Petith, M. M.,** and Schedl, H. P. Effects of diabetes on cecal and colonic calcium transport in the rat. 235,4:E699  
**Petri, M.**  
*see* Haack, D.  
 Möhring, J.  
**Petri, G. K.** *see* Kaufman, M. P.  
**Petrofsky, J. S.,** and Lind, A. R. Isometric endurance in fast and slow muscles in the cat. 236,5:C185  
**Petroski, R. J.,** Naccache, P. H., Becker, E. L., and Sha'afi, R. I. Effect of chemotactic factors on calcium levels of rabbit neutrophils. 237,6:C43  
**Petrucelli, R. J.,** II, and Eggena, P. Importance of molecular size and hydrogen bonding in vasopressin-stimulated urea transport. 243,12:C27  
**Petrun, M. D.** *see* McMurtry, I. F.  
**Petrunka, C. N.** *see* Strasberg, S. M.  
**Pettigrew, K. D.**  
*see* Ohno, K.  
 Rapoport, S. I.  
**Pettit, T. N.,** Grant, G. S., Whittow, G. C., Rahn, H., and Paganelli, C. V. Embryonic oxygen consumption and growth of Laysan and black-footed albatross. 242,11:R121  
**Pfaff, D. W.** *see* Sakuma, Y.  
**Pfaffman, M. A.,** Ball, C. R., Darby, A., and Hilman, R. Insulin reversal of diabetes-induced inhibition of vascular contractility in the rat. 242,11:H490  
**Pfankuche, L.** *see* Cooke, H. J.  
**Pfeffer, J. M.,** Pfeffer, M. A., Fishbein, M. C., and Frohlich, E. D. Cardiac function and morphology with aging in the spontaneously hypertensive rat. 237,6:H461  
**Pfeffer, J. M.,** Pfeffer, M. A., Fletcher, P., Fishbein, M. C., and Braunwald, E. Favorable effects of therapy on cardiac performance in spontaneously hypertensive rats. 242,11:H776  
**Pfeffer, J. M.** *see* Pfeffer, M. A.  
**Pfeffer, M. A.,** Ferrell, B. A., Pfeffer, J. M., Weiss, A. K., Fishbein, M. C., and Frohlich, E. D. Ventricular morphology and pumping ability of exercised spontaneously hypertensive rats. 235,4:H193  
**Pfeffer, M. A.,** Pfeffer, J. M., Dunn, F. G., Nishiyama, K., Tsuchiya, M., and Frohlich, E. D. Natural biventricular hypertrophy in normotensive rats. I. Physical and hemodynamic characteristics. 236,5:H640  
**Pfeffer, M. A.,** Pfeffer, J. M., Weiss, A. K., and Frohlich, E. D. Development of SHR hypertension and cardiac hypertrophy during prolonged beta blockade. 232,1:H639  
**Pfeffer, M. A.** *see* Pfeffer, J. M.  
**Pfeifer, J. D.** *see* Berndt, T. J.  
**Pfeiffer, C. J.** Experimental analysis of hydrogen ion diffusion in gastrointestinal mucus glycoprotein. 240,3:G176  
**Pflug, A. E.** *see* Halter, J. B.  
**Phair, R. D.,** and Sparks, H. V. Adenosine content of skeletal muscle during active hyperemia and ischemic contraction. 237,6:H1  
**Phang, J. M.** *see* Williams, J. A.  
**Phaosawasdi, K.,** and Fisher, R. S. Hormonal effects on the pylorus. 243,6:G330  
**Phaosawasdi, K.,** Goppold, R., and Fisher, R. S. Pyloric pressure response to insulin-induced hypoglycemia in humans. 241,4:G321  
**Phear, W. P.** *see* Gaasch, W. H.  
**Phelps, G. R.**  
*see* Bruce, B. K.  
 King, B. M.  
**Phelps, M. E.**  
*see* Huang, S.-C.  
 Krivokapich, J.  
**Phernetton, T. M.** *see* Rankin, J. H. G.  
**Philips, J.** *see* Cassin, S.  
**Phillipson, K. D.,** Bers, D. M., Nishimoto, A. Y., and Langer, G. A. Binding of  $\text{Ca}^{2+}$  and  $\text{Na}^{+}$  to sarcolemmal membranes: relation to control of myocardial contractility. 238,7:H373  
**Phillipson, K. D.,** and Edelman, I. S. Thyroid hormone control of  $\text{Na}^{+}$ - $\text{K}^{+}$ -ATPase and  $\text{K}^{+}$ -dependent phosphatase in rat heart. 232,1:C196  
**Phillipson, K. D.,** and Edelman, I. S. Characteristics of thyroid-stimulated  $\text{Na}^{+}$ - $\text{K}^{+}$ -ATPase of rat heart. 232,1:C202  
**Phillipson, K. D.,** and Nishimoto, A. Y. Stimulation of  $\text{Na}^{+}$ - $\text{Ca}^{2+}$  exchange in cardiac sarcolemmal vesicles by proteinase pretreatment. 243,12:C191  
**Phillipson, K. D.**  
*see* Bers, D. M.  
 Bersohn, M. M.  
**Phillips, A. F.,** Carson, B. S., Meschia, G., and Battaglia, F. C. Insulin secretion in fetal and newborn sheep. 235,4:E467  
**Phillips, H. R.,** Stack, R. S., Rembert, J. C., and Greenfield, J. C., Jr. A technique to inject microspheres into the left atrium of awake dogs without thoracotomy. 243,12:H488  
**Phillips, J.** Comparative physiology of insect renal function. 241,10:R241  
**Phillips, M. I.**  
*see* Bealer, S. L.  
 Buggy, J.  
 Camacho, A.  
 Falcon, J. C., II  
 Haywood, J. R.  
 Hoffman, W. E.  
 Mann, J. F. E.  
**Phillips, R. W.** *see* Jordan, H. N.  
**Phillips, S. F.** *see* Sarr, M. G.  
**Philpott, C. W.** Tubular system membranes of teleost chloride cells: osmotic response and transport sites. 238,7:R171  
**Philpott, C. W.** *see* Hootman, S. R.  
**Pholpramool, C.,** and Botelho, S. Y. Modification of in vivo lacrimal gland secretion by 2,4-dinitrophenol. 230:380  
**Pholpramool, C.** *see* Botelho, S. Y.  
**Piacsek, B. E.,** Statham, N. J., and Goodspeed, M. P. Sexual maturation of male rats in continuous light. 234,3:E262  
**Piasecki, G. J.** *see* Cohen, W. R.  
**Picarelli, J.** *see* Bogart, B. I.  
**Pichette, C.** *see* Lemieux, G.  
**Pichler, M.** *see* Vas, R.  
**Pick, A.** *see* Arbel, E. R.  
**Pick, R.**  
*see* Ali, M.  
 Arbel, E. R.  
**Pickard, J. D.**  
*see* MacKenzie, E. T.  
 McCulloch, J.  
**Pickart, L. R.,** and Thaler, M. M. Free fatty acids and albumin as mediators of thrombin-stimulated fibrinogen synthesis. 230:996  
**Pickerodt, V. W. A.** *see* Keaney, N. P.  
**Pickett, W. C.,** and Cohen, P. Influence of medium tonicity on respiration by suspensions of human platelets. 231:185  
**Piegor, P. J.** *see* Heistad, D. D.  
**Piene, H.** Interaction between the right heart ventricle and its arterial load: a quantitative solution. 238,7:H932  
**Piene, H.,** and Sund, T. Flow and power output of right ventricle facing load with variable input impedance. 237,6:H125  
**Piene, H.,** and Sund, T. Does normal pulmonary impedance constitute the optimum load for the right ventricle? 242,11:H154

- Pieper, G. M. *see* Allison, T. B.  
 Pieper, H. P. *see* Dujardin, J.-P.  
 Piegras, W. C. *see* Thubrikar, M.  
 Pierach, C. A. *see* Baur, H. R.  
 Pierson, R. N., Jr., Price, D. C., Wang, J., and Jain, R. K. Extracellular water measurements: organ tracer kinetics of bromide and sucrose in rats and man. 235,4:F254  
 Pietri, A. *see* Schusdziarra, V.  
 Pike, J. W., Spanos, E., Colston, K. W., MacIntyre, I., and Haussler, M. R. Influence of estrogen on renal vitamin D hydroxylases and serum  $1,25\text{-(OH)}_2\text{D}_3$  in chicks. 235,4:E338  
 Pilato, S. F. *see* Kronauer, R. E.  
 Piliero, S. J. *see* Naughton, B. A.  
 Pilo, A., Ferrannini, E., and Navalesi, R. Measurement of glucose-induced insulin delivery rate in man by deconvolution analysis. 233,2:E500  
 Pilo, A., Navalesi, R., and Ferrannini, E. Insulin kinetics after portal and peripheral injection of [ $^{125}\text{I}$ ]insulin. I. Data analysis and modeling. 230:1626  
 Pilo, A. *see* Navalesi, R.  
 Pinckard, R. N. *see* Findlay, S. R.  
 Pindok, M. T., Sukowski, E., and Glaviano, V. V. Cardiac cyclic nucleotides and norepinephrine during neural sympathetic stimulation. 240,9:H630  
 Pine, M. B., Bing, O. H. L., Weintraub, R. M., and Abelmann, W. H. Myocardial volume regulation after normothermic and hypothermic ischemic arrest in dogs. 240,9:H116  
 Pine, M. B., Brooks, W. W., Nosta, J. J., and Abelmann, W. H. Hydrostatic forces limit swelling of rat ventricular myocardium. 241,10:H740  
 Pine, M. B., Kahne, D., Jaski, B., Apstein, C. S., Thorp, K., and Abelmann, W. H. Sodium permeability and myocardial resistance to cell swelling during metabolic blockade. 239,8:H31  
 Pine, M. B. *see* Gaasch, W. H.  
 Pinkert, C. A. *see* Holt, J. A.  
 Pinshow, B., Bernstein, M. H., Lopez, G. E., and Kleinhaus, S. Regulation of brain temperature in pigeons: effects of convection. 242,11:R577  
 Pinshow, B., Fedak, M. A., Battles, D. R., and Schmidt-Nielsen, K. Energy expenditure for thermoregulation and locomotion in emperor penguins. 231:903  
 Pinsky, M. R., Smith, P. L., Bleecker, E. R., and Bromberger-Barnea, B. Effects of antihistamines and indomethacin on hyperosmolar-induced vasodilation. 242,11:H450  
 Pinsky, W. W., Lewis, R. M., Hartley, C. J., and Entman, M. L. Permanent changes of ventricular contractility and compliance in chronic volume overload. 237,6:H575  
 Pinsky, W. W., Lewis, R. M., McMillin-Wood, J. B., Hara, H., Hartley, C. J., Gillette, P. C., and Entman, M. L. Myocardial protection from ischemic arrest: potassium and verapamil cardioplegia. 240,9:H326  
 Pintér, K. *see* Mabuchi, K.  
 Pinto, J. *see* Muttart, C.  
 Oliver, J. A.  
 Pinto, J. G., and Patitucci, P. J. Creep in cardiac muscle. 232,1:H553  
 Pinto, J. G., and Win, R. Non-uniform strain distribution in papillary muscles. 233,2:H410  
 Pipeleers, D. G. *see* Gorus, F. K.  
 Piran, U. *see* Ipp, E.  
 Pirkle, J. A. *see* Sanders, S. S.  
 Pirkle, J. C., Jr., and Gann, D. S. Restoration of blood volume after hemorrhage: role of the adrenal cortex. 230:1683  
 Pirkle, J. C., Jr. *see* Gann, D. S.  
 Pirone, L. A. *see* Rand, P. W.  
 Pirzada, F. A. *see* Vokonas, P. S.  
 Pisam, M., Sartet, C., and Maetz, J. Polysaccharidic material in chloride cell of teleostean gill: modifications according to salinity. 238,7:R213  
 Pisano, J. J. *see* Raufman, J.-P.  
 Pisarri, T. E., Matson, G. L., and Kendrick, J. E. Inhibition of baroreflex bradycardia by aortic nerve excitatory afferents in dogs. 243,12:H607  
 Piscatelli, J. *see* Laks, M. M.  
 Pi-Sunyer, F. X., Conway, J. M., Lavau, M., Campbell, R. G., and Eisenstein, A. B. Glucagon, insulin, and gluconeogenesis in fasted odd carbon fatty acid-enriched rats. 231:366  
 Pi-Sunyer, F. X. *see* Axen, K. V.  
 Pitlick, P. T., Kirkpatrick, S. E., and Friedman, W. F. Distribution of fetal cardiac output—importance of pace-maker location. 231:204  
 Pitlick, P. T. *see* Kirkpatrick, S. E.  
 Pitt, B. *see* Hellmann, D. B.  
 O'Riordan, J. B.  
 Pittman, Q. J., Veale, W. L., Cockeram, A. W., and Cooper, K. E. Changes in body temperature produced by prostaglandins and pyrogens in the chicken. 230:1284  
 Pittman, R. *see* Chou, C. C.  
 Pitts, G. C., and Bull, L. S. Exercise, dietary obesity, and growth in the rat. 232,1:R38  
 Pitts, R. F. *see* Horsburgh, T.  
 Pivacek, L. E. *see* Spector, J. I.  
 Planche, E., Boulange, A., De Gasquet, P., and Tonnu, N. T. Importance of muscle lipoprotein lipase in rats during suckling. 238,1:E511  
 Plant, R. E. *see* Horowitz, J. M.  
 Plante, G. E. *see* Jobin, J.  
 Platner, W. S. *see* Steffen, D. G.  
 Platt, M. R. *see* Watson, J. T.  
 Plishker, G. A., and Gitelman, H. J. Calcium transport in human red blood cells under hypertonic conditions. 237,6:C96  
 Ploth, D. W., and Roy, R. N. Renal and tubuloglomerular feedback effects of [ $\text{Sar}^1\text{Ala}^8$ ]angiotensin II in the rat. 242,11:F149  
 Ploth, D. W., Rudolph, J., Thomas, C., and Navar, L. G. Renal and tubuloglomerular feedback responses to plasma expansion in the rat. 235,4:F156  
 Ploth, D. W., Sawin, L. L., and DiBona, G. F. Effect of magnesium on rat nephron sodium reabsorption: a segmental analysis. 230:398  
 Ploth, D. W. *see* Huang, W.-C.  
 Navar, L. G.  
 Ploucha, J. M., Scott, J. B., and Ringer, R. K. Vascular and hematologic effects of hemorrhage in the chicken. 240,9:H9  
 Plowman, F. *see* Fry, D. L.  
 Plucinski, T. M., Hamosh, M., and Hamosh, P. Fat digestion in rat: role of lingual lipase. 237,6:E541  
 Pluss, R. G. *see* Berns, A. S.  
 Poat, J. A. *see* Levens, N. R.  
 Pober, J. *see* Barry, W. H.  
 Podialo, J.-J. *see* Syrota, A.  
 Podesta, R. B., and Metrick, D. F.  $\text{HCO}_3^-$  transport in rat jejunum: relationship to  $\text{NaCl}$  and  $\text{H}_2\text{O}$  transport in vivo. 232,1:E62  
 Podesta, R. B., and Metrick, D. F.  $\text{HCO}_3^-$  and  $\text{H}^+$  secretion in rat ileum in vivo. 232,1:E574  
 Podevin, R. A., and Boumendil-Podevin, E. F. Monovalent cation and ouabain effects on PAH uptake by rabbit kidney slices. 232,1:F239  
 Podevin, R. A., Boumendil-Podevin, E. F., and Priol, C. Concentrative PAH transport by rabbit kidney slices in the absence of metabolic energy. 235,4:F278  
 Podevin, R. A. *see* Boumendil-Podevin, E. F.  
 Podzuweit, T. *see* János, G. G.  
 Poelling, R. E. *see* Forte, L. R.  
 Pohl, C. R., and Gibbs, F. P. Circadian rhythms in blinded rats: correlation between pineal and activity cycles. 234,3:R110  
 Pohost, G. M. *see* Jacobs, M. L.  
 Poitras, P., Steinbach, J. H., VanDeventer, G., Code, C. F., and Walsh, J. H. Motilin-independent ectopic fronts of the interdigestive myoelectric complex in dogs. 239,2:G215  
 Poitras, P. *see* Lamers, C. B.  
 Pokorski, M. Neurophysiological studies on central chemosensor in medullary ventrolateral areas. 230:1288  
 Policova, Z. *see* Sirek, A.  
 Polimeni, P. L., and Page, E. Chloride distribution and exchange in rat ventricle. 238,7:C169  
 Polimeni, P. L. *see* Macchia, D. D.  
 Polinski, W. J., and Rall, J. A. Mechanics and energetics of muscle contraction in normal and dystrophic chickens. 242,11:C19  
 Pollack, K. L. *see* Sitrin, M. D.  
 Pollack, L. R., Tate, E. H., and Cook, J. S. Turnover and regulation of Na-K-ATPase in HeLa cells. 241,10:C173  
 Pollock, A. S., and Arief, A. I. Abnormalities of cell volume regulation and their functional consequences. 239,8:F195  
 Pollock, M. L. *see* Ward, A.  
 Polonsky, K. S. *see* Jaspán, J. B.  
 Polosa, C. *see* Rohlicek, C. V.  
 Pomerantz, D. K. *see* Weick, R. F.  
 Pomerantz, P. P. *see* Swanson, J. W.  
 Pomier-Layrargues, G. *see* Huet, P.-M.  
 Ponce-Hornos, J. E., and Langer, G. A. Effects of inorganic phosphate on ion exchange, energy state, and contraction in mammalian heart. 242,11:H79  
 Ponce-Hornos, J. E., Ricchiuti, N. V., and Langer, G. A. On-line calorimetry in the arterially perfused rabbit intervertebral septum. 243,12:H289  
 Ponchak, S. *see* Solez, K.  
 Pond, W. G. *see* Houpt, K. A.  
 Ponnappa, B. C., Dormer, R. L., and Williams, J. A. Characterization of an ATP-dependent  $\text{Ca}^{2+}$  uptake system in mouse pancreatic microsomes. 240,3:G122  
 Pontieri, V. *see* Lopes, O. U.  
 Velasco, I. T.  
 Poole-Wilson, P. A., and Langer, G. A. Effects of acidosis on mechanical function and  $\text{Ca}^{2+}$  exchange in rabbit myocardium. 235,4:H525  
 Poon, T. K.-Y., and Cameron, D. P. Measurement of oxygen consumption and locomotor activity in monosodium glutamate-induced obesity. 234,3:E532  
 Popel, A. S., and Gross, J. F. Analysis of oxygen diffusion from arteriolar networks. 237,6:H681  
 Popovtzer, M. M., Blum, M. S., and Flis, R. S. Evidence for interference of 25(OH)vitamin  $\text{D}_3$  with phosphaturic action of calcitonin. 232,1:E515  
 Popovtzer, M. M., Mehndru, S. K., Saghaei, D., and Blum, M. S. Antiphosphaturic action of 25(OH)vitamin  $\text{D}_3$  in experimental Fanconi syndrome. 236,5:E90



- Popovtzer, M. M.**, and Wald, H. Evidence for interference of 25(OH)vitamin D<sub>3</sub> with phosphaturic action of glucagon. 240,9:F269
- Popp, M. B.**, and Brennan, M. F. Long-term vascular access in the rat: importance of asepsis. 241,10:H606
- Porat, A.** *see* Favus, M. J.
- Porte, D., Jr.**  
*see* Baum, D.  
Cook, D. L.  
Taborsky, G. J., Jr.  
Woods, S. C.
- Porter, G. A.**, and Bennett, W. M. Nephrotoxic acute renal failure due to common drugs. 241,10:F1
- Porter, G. A.** *see* Potter, D. M.
- Porter, J. P.**, Reid, I. A., Said, S. I., and Ganong, W. F. Stimulation of renin secretion by vasoactive intestinal peptide. 243,12:F306
- Portet, R.** *see* Senault, C.
- Porush, J. G.** *see* Faubert, P. F.
- Posner, B. I.** *see* Harley, C. B.
- Posner, P.**, Farrar, E. L., and Lambert, C. R. Inhibitory effects of catecholamines in canine cardiac Purkinje fibers. 231:1415
- Posner, P.** *see* Lambert, C. R.
- Post, J.** *see* Chou, C. C.
- Potter, D. M.**, McDonald, W. J., Metcalfe, J., and Porter, G. A. Kinetic differences between uterine and renal renins in the dog. 233,2:E434
- Potter, G. D.**, Schmidt, K. L., Lester, R., and Schultz, S. G. Glucose absorption by *in vitro* perfused ileum of the fetal rat. 242,5:G642
- Potts, J. T., Jr.** *see* Jung, A.
- Poujeol, P.**, Touvy, C., Roinel, N., and De Rouffignac, C. Stimulation of renal magnesium reabsorption by calcitonin in the rat. 239,8:F524
- Poujeol, P.** *see* Corman, B.
- Pouleure, H.**, Lefèvre, J., Van Mechelen, H., and Charlier, A. A. Free-wall shortening and relaxation during ejection in the canine right ventricle. 239,8:H601
- Pouleure, H.** *see* Kumada, T.
- Poulsen, J. H.**, and Bledsoe, S. W. Salivary gland K<sup>+</sup> transport: *in vivo* studies with K<sup>+</sup>-specific microelectrodes. 234,3:E79
- Poulsen, J. H.** *see* Dormer, R. L.
- Poupa, O.**, Gesser, H., and Johansen, K. Myocardial inotropy of CO<sub>2</sub> in water- and air-breathing vertebrates. 234,3:R155
- Poussier, P.** *see* Nelson, J. D.
- Povilaitis, V.**, Gagnon, C., and Heisler, S. Stimulus-secretion coupling in exocrine pancreas: role of protein carboxyl methylation. 240,3:G199
- Povlishock, J. T.**  
*see* Dietrich, W. D.  
Kontos, H. A.
- Powanda, M. C.** *see* George, D. T.
- Powell, D. W.** Barrier function of epithelia. 241,4:G275
- Powell, D. W.**, Johnson, P. T., Bryson, J. C., Orlando, R. C., and Fan, C.-C. Effect of phenolphthalein on monkey intestinal water and electrolyte transport. 243,6:G268
- Powell, D. W.**  
*see* Boyd, D. D.  
Tapper, E. J.
- Powell, J. R.**, and Brody, M. J. Participation of H<sub>1</sub> and H<sub>2</sub> histamine receptors in physiological vasodilator responses. 231:1002
- Powell, W. J., Jr.**  
*see* Foster, J. R.  
Garan, H.  
Geffin, G. A.  
Palacios, I.  
Powers, E. R.  
Vasu, M. A.  
Vlahakes, G. J.
- Power, G. G.**, Dale, P. S., and Nelson, P. S. Distribution of maternal and fetal blood flow within cotyledons of the sheep placenta. 241,10:H486
- Power, G. G.**, and Gilbert, R. D. Umbilical vascular compliance in sheep. 233,2:H660
- Power, G. G.**  
*see* Brace, R. A.  
Brownfield, G. L.  
Faber, J. J.  
Gilbert, R. D.  
Hill, E. P.  
Wilbur, W. J.
- Powers, E. R.**, Foster, J. R., and Powell, W. J., Jr. Interaction of interval-force relationship with aortic pressure and stroke volume. 230:893
- Powers, E. R.**  
*see* Foster, J. R.  
Garan, H.
- Powis, D. A.**, and Donald, D. E. Involvement of renal  $\alpha$ - and  $\beta$ -adrenoceptors in release of renin by carotid baroreflex. 236,5:H580
- Powley, T. L.**, and Morton, S. A. Hypophysectomy and regulation of body weight in the genetically obese Zucker rat. 230:982
- Powley, T. L.**  
*see* Cox, J. E.  
Weingarten, H. P.
- Prabhu, R.** *see* Arbel, E. R.
- Praissman, M.**  
*see* Berkowitz, J. M.  
Fara, J. W.
- Prange, A. J., Jr.** *see* Nemeroff, C. B.
- Prasad, A. S.**, Fernandez-Madrid, F., and Ryan, J. R. Deoxythymidine kinase activity of human implanted sponge connective tissue in zinc deficiency. 236,5:E272
- Prasad, A. S.**  
*see* Abu-Hamdan, D. K.  
Lei, K. Y.  
Rabbani, P.
- Prasad, J.** *see* Buerkert, J.
- Prat, J. C.** *see* Carvalho, M. H.
- Prazma, J.** Carbonic anhydrase in the generation of cochlear potentials. 235,4:F317
- Preedy, J. R. K.** *see* Collins, D. C.
- Preiser, H.** *see* Crane, R. K.
- Premkumar, A.** *see* Havill, A. M.
- Preshaw, R. M.** *see* Shaffer, E. A.
- Pressley, T. A.**, Graves, J. S., and Krall, A. R. Amiloride-sensitive ammonium and sodium ion transport in the blue crab. 241,10:R370
- Preston, A. S.**  
*see* Handler, J. S.  
Johnson, J. P.
- Preston, C.** *see* Bonjour, J.-P.
- Prewitt, R. L.**, Chen, I. I. H., and Dowell, R. Development of microvascular rarefaction in the spontaneously hypertensive rat. 243,12:H243
- Prewitt, R. L.** *see* Chen, I. I. H.
- Prewitt, R. M.**, and Wood, L. D. H. Effect of positive end-expiratory pressure on ventricular function in dogs. 236,5:H534
- Priano, L. L.**  
*see* Miller, T. H.  
Vatner, S. F.
- Pribyl, J. G.** *see* Vargas, C. B.
- Price, D. C.**  
*see* Maddox, D. A.  
Pierson, R. N., Jr.
- Price, J. M.**, Davis, D. L., and Knauss, E. B. Length-dependent sensitivity in vascular smooth muscle. 241,10:H557
- Price, J. M.**, Patitucci, P., and Fung, Y. C. Mechanical properties of taenia coli smooth muscle in spontaneous contraction. 233,2:C47
- Price, J. M.**, Patitucci, P. J., and Fung, Y. C. Mechanical properties of resting taenia coli smooth muscle. 236,5:C211
- Pries, J. M.**, Sherman, C. A., Williams, G. C., and Hanson, R. F. Hepatic extraction of bile salts in conscious dog. 236,5:E191
- Prigge, W. F.** *see* Goodman, M. W.
- Prince, M.** *see* Baldwin, D., Jr.
- Prisol, C.**  
*see* Boumendil-Podevin, E. F.  
Podevin, R. A.
- Priola, D. V.**, and Cote, I. Differential sensitivity of the canine heart to acetylcholine and vagal stimulation. 234,3:H460
- Priola, D. V.**, O'Brien, W. J., Dail, W. G., and Simpson, W. W. Cardiac catecholamine stores after cardiac sympathectomy, 6-OHDA, and cardiac denervation. 240,9:H889
- Priola, D. V.** *see* Kaye, M. P.
- Prior, R. L.** Glucose and lactate metabolism *in vivo* in ovine fetus. 239,2:E208
- Prior, R. L.**, and Christenson, R. K. Glucogenesis from alanine *in vivo* by the ovine fetus and lamb. 233,2:E462
- Prior, R. L.** *see* Anand, R. S.
- Pritchard, A. W.** *see* Rutledge, P. S.
- Pritchard, J. B.**, Booz, G., and Kleinzeller, A. Renal sugar transport in the winter flounder. V. Secretion of 2-deoxy-D-galactose. 234,3:F424
- Pritchard, J. B.**, Booz, G. W., and Kleinzeller, A. Renal sugar transport in the winter flounder. VI. Reabsorption of D-mannose. 242,11:F415
- Pritchard, J. B.**, Karnaky, K. J., Jr., Guarino, A. M., and Kinter, W. B. Renal handling of the polar DDT metabolite (2,2-bis[*p*-chlorophenyl] acetic acid) by marine fish. 233,2:F126
- Pritchard, J. B.**, and Kleinzeller, A. Renal sugar transport in the winter flounder. I. Renal clearance studies. 231:603
- Pritchard, J. B.** *see* Renfro, J. L.
- Privera, P. J.** *see* Newman, W. H.
- Proctor, K. G.**, Damon, D. N., and Duling, B. R. Tissue P<sub>O2</sub> and arteriolar responses to metabolic stimuli during maturation of striated muscle. 241,10:H325
- Proctor, K. G.**, and Duling, B. R. Adenosine and free-flow functional hyperemia in striated muscle. 242,11:H688
- Proffitt, J. H.** *see* Hardison, W. G. M.
- Proppe, D. W.**, Brengelmann, G. L., and Rowell, L. B. Control of baboon limb blood flow and heart rate—role of skin vs. core temperature. 231:1457
- Prose, U.** *see* Luff, A. R.
- Prose, U. W. E.**, and Rack, P. M. H. Short-range stiffness of slow fibers and twitch fibers in reptilian muscle. 231:449
- Prosnitz, E. H.**, and DiBona, G. F. Effect of decreased renal sympathetic nerve activity on renal tubular sodium reabsorption. 235,4:F557
- Prosnitz, E. H.**, Zambraski, E. J., and DiBona, G. F. Mechanism of intrarenal blood flow redistribution after carotid artery occlusion. 232,1:F167
- Prosser, C. L.**, Kreulen, D. L., Weigel, R. J., and Yau, W. Prolonged potentials in gastrointestinal muscles induced by calcium chelation. 233,2:C19



- Prosser, C. L.**  
see Curtis, B. A.  
Mangel, A. W.  
Nelson, D. O.  
Weigel, R. J.
- Pruitt, B. A., Jr.**  
see Aulick, L. H.  
Brown, W. L.
- Pryor, T. J.** see Pearson, T. W.
- Przala, F., Gross, D. M., Beckman, B., and Fisher, J. W.** Influence of albuterol on erythropoietin production and erythroid progenitor cell activation. 236,5:H422
- Przybylski, R. J., Bullaro, J. C., and MacBride, R.** Reversible suppression of skeletal myotube formation in vitro obtained by varying  $[CO_2]$ . 237,6:C166
- Pucac, L. R.**  
see DuBose, T. D., Jr.  
Lucci, M. S.
- Puchelle, E., Zahm, J.-M., and Sadoul, P.** Mucociliary frequency of frog palate epithelium. 242,11:C31
- Pugh, W.** see Jaspas, J. B.
- Pullan, P. T., Johnston, C. I., Anderson, W. P., and Korner, P. I.** Plasma vasopressin in blood pressure homeostasis and in experimental renal hypertension. 239,8:H81
- Pulliam, L. A.** see Kampschmidt, R. F.
- Pullman, T. N., Carone, F. A., Oparil, S., and Nakamura, S.** Effects of constituent amino acids on tubular handling of microinfused angiotensin II. 234,3:F325
- Pullman, T. N.**  
see Carone, F. A.  
Oparil, S.
- Purkerson, M. L.** see Rodriguez, H. J.
- Purohit, R. C., and Beckett, S. D.** Penile pressures and muscle activity associated with erection and ejaculation in the dog. 231:1343
- Purtoch, R. V., Von Colditz, J. H., Seagard, J. L., Igler, F. O., Zuperku, E. J., and Kampine, J. P.** Reflex effects of thoracic sympathetic afferent nerve stimulation on the kidney. 233,2:H580
- Purvis, B. J.** see Livingston, J. N.
- Puschett, J. B., Syk, D., and Teredesai, P. R.** Uncoupling of proximal sodium bicarbonate from sodium phosphate transport by bumetanide. 235,4:F403
- Puschett, J. B.** see Winaver, J.
- Putney, J. D.** see Trout, D. L.
- Putney, J. W., Jr.** Ionic milieu and control of K permeability in the parotid gland. 235,4:C180
- Putney, J. W., Jr., Leslie, B. A., and Marier, S. H.** Calcium and the control of potassium efflux in the sublingual gland. 235,4:C128
- Putney, J. W., Jr., VandeWalle, C. M., and Leslie, B. A.** Stimulus-secretion coupling in the rat lacrimal gland. 235,4:C188
- Putney, J. W., Jr.** see Parod, R. J.
- Puttkammer, S.** see Lin, C.-S.
- Q**
- Qasim, M. M.** see Reaves, T. A., Jr.
- Quamme, G.** see Muhlert, M.
- Quamme, G. A.** Effect of calcitonin on calcium and magnesium transport in rat nephron. 238,1:E573
- Quamme, G. A.** Effect of furosemide on calcium and magnesium transport in the rat nephron. 241,10:F340
- Quamme, G. A., and Dirks, J. H.** Intraluminal and contraluminal magnesium on magnesium and calcium transfer in the rat nephron. 238,7:F187
- Quamme, G. A., and Dirks, J. H.** Magnesium transport in the nephron. 239,8:F393
- Quamme, G. A.**  
see Harris, C. A.  
Wong, N. L. M.
- Quaroni, A.**  
see Inui, K.-I.  
May, R. J.
- Quebbemann, A. J.**  
see Chin, T. Y.  
Shideman, J. R.
- Queiroz, F. P.** see Rojo-Ortega, J. M.
- Quijano, R.** see Fromm, D.
- Quillen, E. W., Jr.** see Barber, B. J.
- Quilter, R.** see Rubin, S. A.
- Quinn, M. D., and Marsh, D. J.** Peritubular capillary control of proximal tubule reabsorption in the rat. 236,5:F478
- Quinn, P.** see Pagani, M.
- Quinton, P. M.** Techniques for microdrop analysis of fluids (sweat, saliva, urine) with an energy-dispersive X-ray spectrometer on a scanning electron microscope. 234,3:F255
- Quinton, P. M.** Possible mechanisms of stimulus-induced vacuolation in serous cells of tracheal secretory glands. 241,10:C25
- Quinton, P. M.** see Mills, J. W.
- Quissell, B. J.** see Hay, W. W., Jr.
- Quissell, D. O.** Secretory response of dispersed rat submandibular cells. I. Potassium release. 238,7:C90
- Quissell, D. O., and Barzen, K. A.** Secretory response of dispersed rat submandibular cells. II. Mucin secretion. 238,7:C99
- Quissell, D. O., Barzen, K. A., and Lafferty, J. L.** Role of calcium and cAMP in the regulation of rat submandibular mucin secretion. 241,10:C76
- R**
- Raab, B. K.** see Rosenblum, J. L.
- Raab, W.** see Geary, N.
- Rabbani, P., and Prasad, A. S.** Plasma ammonia and liver ornithine transcarbamoylase activity in zinc-deficient rats. 235,4:E203
- Rabbani, P.** see Abu-Hamdan, D. K.
- Rabi, T., and Cassuto, Y.** Metabolic adaptations in brown adipose tissue of the hamster in extreme ambient temperatures. 231:153
- Rabi, T., and Cassuto, Y.** Metabolic activity of brown adipose tissue in  $T_3$ -treated hamsters. 231:161
- Rabin, D.**  
see Abumrad, N. N.  
Bloomgarden, Z. T.
- Rabinovitch, M., Gamble, W., Nadas, A. S., Miettinen, O. S., and Reid, L.** Rat pulmonary circulation after chronic hypoxia: hemodynamic and structural features. 236,5:H818
- Rabinovitch, M., Gamble, W. J., Miettinen, O. S., and Reid, L.** Age and sex influence on pulmonary hypertension of chronic hypoxia and on recovery. 240,9:H62
- Rabinowitz, B.** see Wyatt, H. L.
- Rabinowitz, J. L., Cardwell, T., and Bassett, D. J. P.** Reutilization of fatty acid carbons for lung lipid synthesis. 240,3:E435
- Rabinowitz, J. L.** see Tulenko, T. N.
- Rabinowitz, L., Denham, S. C., and Gunther, R. A.** Aldosterone and postprandial renal excretion of sodium and potassium in sheep. 233,2:F213
- Rabinowitz, L., and Gunther, R. A.** Renal potassium excretion in sheep during sodium sulfate, phosphate, and chloride infusion. 234,3:F371
- Rabinowitz, L.** see Sachtjen, E.
- Rabito, C. A., and Tchao, R.** [ $^3H$ ]ouabain binding during the monolayer organization and cell cycle in MDCK cells. 238,7:C43
- Rabito, S. F., Scicli, A. G., Kher, V., and Carretero, O. A.** Immunoreactive glomerular kallikrein in rat plasma: a radioimmunoassay for its determination. 242,11:H602
- Rabkin, R., Gottheiner, T. I., and Fang, V. S.** Removal and excretion of immunoreactive rat growth hormone by the isolated kidney. 240,9:F282
- Rabkin, R., Gottheiner, T. I., and Tsao, T.-S.** Amino acids enhance renal tubular absorption of the low-molecular-weight proteins insulin and growth hormone. 242,11:F745
- Rabkin, R.**  
see Petersen, J.  
Sacks, H.
- Rabøl, A.** see Keiding, S.
- Rabon, E. C.** see Sachs, G.
- Rabovsky, J. L.** see Moore, R. D.
- Rabovsky, J. L.** see Mangel, A. W.
- Rack, P. M. H.** see Proske, U. W. E.
- Radecki, T.** see Konturek, S. J.
- Rademacher, D. R.** see Arruda, J. A. L.
- Rademaker, A.** see Belenkie, I.
- Rader, J. I., Baylink, D. J., Hughes, M. R., Safilian, E. F., and Haussler, M. R.** Calcium and phosphorus deficiency in rats: effects on PTH and 1,25-dihydroxy-vitamin D $_3$ . 236,5:E118
- Radick, D. A.** see Harper, M. J. K.
- Radloff, J. F.** see Moore, K. H.
- Radziuk, J., Norwich, K. H., and Vranic, M.** Experimental validation of measurements of glucose turnover in nonsteady state. 234,3:E84
- Raeder, M.** see Mathisen, G.
- Raff, G. L.** see Davis, P. L.
- Rahiala, E.-L.** see Adam, P. A. J.
- Rahn, H.** see Pettit, T. N.
- Rahwan, R. G.** see Burchfield, D. M.
- Raichle, M. E., Eichling, J. O., Straatmann, M. G., Welch, M. J., Larson, K. B., and Ter-Pogossian, M. M.** Blood-brain barrier permeability of  $^{14}C$ -labeled alcohols and  $^{15}O$ -labeled water. 230:543
- Raines, R. A., LeWinter, M. M., and Covell, J. W.** Regional shortening patterns in the canine right ventricle. 231:1395
- Raison, J. K.** see Augue, M. L.
- Raizes, G. S.** see Elahi, D.
- Rakusan, K.**  
see Korecky, B.  
Yin, F. C. P.
- Rall, D. P.** see Cserr, H. F.
- Rall, J. A.** Dependence of energy output on force generation during muscle contraction. 235,4:C20
- Rall, J. A.** Effects of deuterium oxide on mechanics and energetics of skeletal muscle contraction. 239,8:C105
- Rall, J. A.** Sense and nonsense about the Fenn effect. 242,11:H1
- Rall, J. A.**  
see Burchfield, D. M.  
Polinski, W. J.  
Reiser, P. J.
- Ramaley, J. A.** see Lorenzen, J. R.
- Raman, S., Mousseau, G., and Levine, D. Z.** Statistical models for renal micropuncture studies. 233,2:F349
- Ramaswamy, K., and Flint, P. W.** Effect of genetic diabetes on enzymes of mouse intestinal brush-border membrane. 238,1:G114
- Ramaswamy, K.**  
see Bennetts, R.  
Schedl, H. P.
- Rambaut, P. C., Leach, C. S., and Leonard, J. I.** Observations in energy balance in man during spaceflight. 233,2:R208
- Ramesh, V.** see Arbel, E. R.
- Ramey, E.** see Johnson, M.

- Ramey, E. R.**  
see Baker, P. J.  
Uzunova, A. D.
- Ramirez, A.** see Martin, G.
- Ramirez, I.** Estradiol-induced changes in lipoprotein lipase, eating, and body weight in rats. 240,3:E533
- Rammert, H.** see Singer, M. V.
- Ramón, F., and Moore, J. W.** Ephaptic transmission in squid giant axons. 234,3:C162
- Rampal, P., LaMont, J. T., and Trier, J. S.** Differentiation of glycoprotein synthesis in fetal rat colon. 235,4:E207
- Ramsay, C. E.** see Levine, R. A.
- Ramsay, D. J., Keil, L. C., Sharpe, M. C., and Shinsako, J.** Angiotensin II infusion increases vasopressin, ACTH, and 11-hydroxycorticosteroid secretion. 234,3:R66
- Ramsay, D. J., Rolls, B. J., and Wood, R. J.** Thirst following water deprivation in dogs. 232,1:R93
- Ramsay, D. J.**  
see Lee, M.-C.  
Thrasher, T. N.  
Wade, C. E.  
Wood, R. J.
- Ramwell, P.** see Flamenbaum, W.
- Ramwell, P. W.**  
see Baker, P. J.  
Johnson, M.  
Uzunova, A. D.
- Rand, P. W., Nelson, C. V., Lacombe, E. H., Barker, N. D., and Pirone, L. A.** Application of an isolated heart model to investigate blood-oxygen delivery. 237,6:H348
- Randall, D. C., Hasson, D. M., and Brady, J. V.** Conditional cardiovascular response to shock before and after coronary arterial occlusion. 236,5:H273
- Randall, D. C., Kaye, M. P., Randall, W. C., Brady, J. V., and Martin, K. H.** Response of primate heart to emotional stress before and after cardiac denervation. 230:988
- Randall, D. C.** see Knapp, C. F.
- Randall, D. J., Heisler, N., and Drees, F.** Ventilatory response to hypercapnia in the larger spotted dogfish *Scyliorhinus stellaris*. 230:590
- Randall, D. J.**  
see Farrell, A. P.  
Haswell, M. S.
- Randall, J. R.** see Jones, C. E.
- Randall, O. S., Westerhof, N., Van den Bos, G. C., and Sipkema, P.** Production of chronic heart block in closed-chest dogs: an improved technique. 241,10:H279
- Randall, W. C., Rinkema, L. E., Jones, S. B., Moran, J. F., and Brynjolfsson, G.** Functional characterization of atrial pacemaker activity. 242,11:H98
- Randall, W. C., Talano, J., Kaye, M. P., Euler, D., Jones, S., and Brynjolfsson, G.** Cardiac pacemakers in absence of the SA node: responses to exercise and autonomic blockade. 234,3:H465
- Randall, W. C.**  
see Barber, M. J.  
Hardie, E. L.  
Jones, S. B.  
Kaye, M. P.  
Norris, J. E.  
Randall, D. C.  
Rinkema, L. E.  
Yelich, M. R.
- Randles, J., and Kimmich, G. A.** Effects of phloretin and theophylline on 3-O-methylglucose transport by intestinal epithelial cells. 234,3:C64
- Randles, J.**  
see Kimmich, G. A.
- Rangachari, P. K.** Acid secretion by isolated primate gastric mucosa. 236,5:E733
- Rangachari, P. K.** see Tripathi, S.
- Rankin, B. B.** see Hughey, R. P.
- Rankin, D.** see Snyder, D. W.
- Rankin, G. O.** see Wright, G. L.
- Rankin, J. H. G., Berssenbrugge, A., Anderson, D., and Phernetton, T.** Ovine placental vascular responses to indomethacin. 236,5:H61
- Rankin, J. H. G., and Phernetton, T. M.** Effect of prostaglandin  $E_2$  on ovine maternal placental blood flow. 231:754
- Rankin, J. H. G., and Phernetton, T. M.** Circulatory responses of the near-term sheep fetus to prostaglandin  $E_2$ . 231:760
- Rankin, J. H. G.** see Manohar, M.
- Rankin, J. S.**  
see Edwards, C. H., II  
Ling, D.  
Van Trigt, P., III
- Rannels, D. E., Pegg, A. E., Rannels, S. R., and Jefferson, L. S.** Effect of starvation on initiation of protein synthesis in skeletal muscle and heart. 235,4:E126
- Rannels, D. E., Sahms, R. H., and Watkins, C. A.** Effects of starvation and diabetes on protein synthesis in lung. 236,5:E421
- Rannels, D. E.** see Rannels, S. R.
- Rannels, S. R., and Jefferson, L. S.** Effects of glucocorticoids on muscle protein turnover in perfused rat hemi-corpus. 238,1:E564
- Rannels, S. R., Rannels, D. E., Pegg, A. E., and Jefferson, L. S.** Glucocorticoid effects on peptide-chain initiation in skeletal muscle and heart. 235,4:E134
- Rannels, S. R.** see Rannels, D. E.
- Ranney, H. M.** see Shaklai, N.
- Ransohoff, J.** see Goldman, S. S.
- Rao, M. C.** see Guandalini, S.
- Rapaport, E.**  
see Fewell, J. E.  
Mendelsohn, S.  
Rubinstein, M. L.
- Rapaport, S. I.** see Robinson, A. J.
- Raper, A. J.** see Kontos, H. A.
- Rapoport, S. I., Fitzhugh, R., Pettigrew, K. D., Sundaram, U., and Ohno, K.** Drug entry into and distribution within brain and cerebrospinal fluid: [ $^{14}$ C]urea pharmacokinetics. 242,11:R339
- Rapoport, S. I., Fredericks, W. R., Ohno, K., and Pettigrew, K. D.** Quantitative aspects of reversible osmotic opening of the blood-brain barrier. 238,7:R421
- Rapoport, S. I.**  
see Nassar-Gentina, V.  
Ohno, K.  
Vergara, J. L.
- Rappay, G.**  
see Kártesz, M.  
Makara, G. B.
- Rascher, W., Lang, R. E., Unger, T., Ganten, D., and Gross, F.** Vasopressin in brain of spontaneously hypertensive rats. 242,11:H496
- Rascher, W.** see Johnson, A. K.
- Rasetti, G.** see Rengo, F.
- Rasmussen, H.** see Barrett, P. Q.
- Rasmussen, K. M.** see Ausman, L. M.
- Rasmussen, S. N.** Step function input to the rat kidney by shifting between auto- and alloperfusion. 233,2:H488
- Rasmussen, S. N., and Nissen, O. I.** Effects of saline on continuously recorded filtration fractions in cat kidney. 243,12:F96
- Rathé, J.** see Vandermeers-Piret, M. C.
- Ratner, A., Sanborn, C. R., and Weiss, G. K.**  $\beta$ -Adrenergic stimulation of cAMP and progesterone in rat ovarian tissue. 239,2:E139
- Ratoosh, S. I.** see Blitzler, B. L.
- Rattan, S., and Goyal, R. K.** Evidence of 5-HT participation in vagal inhibitory pathway to opossum LES. 234,3:E273
- Rattan, S.** see Goyal, R. K.
- Rattigan, S.** see Healy, D. L.
- Rau, E. E., and Langer, G. A.** Dissociation of energetic state and potassium loss from anoxic myocardium. 235,4:H537
- Rau, E. E., Shine, K. I., Gervais, A., Douglas, A. M., and Amos, E. C., III.** Enhanced mechanical recovery of anoxic and ischemic myocardium by amino acid perfusion. 236,5:H873
- Rau, E. E., Shine, K. I., and Langer, G. A.** Potassium exchange and mechanical performance in anoxic mammalian myocardium. 232,1:H85
- Raufman, J.-P., Jensen, R. T., Sutcliffe, V. E., Pisano, J. J., and Gardner, J. D.** Actions of Gila monster venom on dispersed acini from guinea pig pancreas. 242,5:G470
- Ravanshad, S.** see Su, L.-C.
- Ray, S. B.**  
see Brodrick, J. W.  
Largman, C.
- Ray, T. K.** see Sen, P. C.
- Rayfield, E. J.** see Curnow, R. T.
- Rayford, P. L.**  
see Guzman, S.  
Konturek, S. J.  
Llanos, O. L.
- Raymond, R. M., Harkema, J. M., and Emerson, T. E., Jr.** Direct effects of gram-negative endotoxin on skeletal muscle glucose uptake. 240,9:H342
- Raymond, R. M.**  
see Emerson, T. E., Jr.  
Svensjö, E.
- Rayson, B. M., and Edelman, I. S.** Glucocorticoid stimulation of Na-K-ATPase in superfused distal segments of kidney tubules in vitro. 243,12:F463
- Raz, A.** see Berl, T.
- Rea, C.** see McNamara, P. D.
- Reach, G.** see Nakane, H.
- Read, N. W., Cooper, K., and Fordtran, J. S.** Effect of modified sham feeding on jejunal transport and pancreatic biliary secretion in man. 234,3:E417
- Reardon, W. C.** see Mitchell, J. H.
- Reaven, E.** see Azhar, S.
- Reaven, E. P.** see Risser, T. R.
- Reaven, G. M.**  
see Mondon, C. E.  
Risser, T. R.
- Reaves, T. A., Jr., Liu, H.-M., Qasim, M. M., and Hayward, J. N.** Osmotic regulation of vasopressin in the cat. 240,3:E108
- Rebecchi, M. J.** see Gershengorn, M. C.
- Rebolledo, O. R., Hernandez, R. E., Zanetta, A. C., and Gagliardino, J. J.** Insulin secretion during acid-base alterations. 234,3:E426
- Rebuck, A. S.** see Slutsky, A. S.
- Rebuzzi, A. G.** see Greco, A. V.
- Recant, L.**  
see Lavine, R. L.  
Smith, S. S.
- Recker, D.** see Edwards, N. L.
- Recordati, G.** see Bishop, V. S.
- Rector, F. C., Jr.**  
see Alpern, R. J.  
Berry, C. A.  
Cogan, M. G.  
Lucci, M. S.  
Maddox, D. A.
- Reczek, F. R.** see Bentzel, C. J.
- Reddi, A. H.**  
see Weiss, R. E.  
Wientroub, S.
- Reddy, G. S., Jones, G., Kooh, S. W., and Fraser, D.** Inhibition of 25-hydroxyvitamin  $D_3$ -1-hydroxylase by chronic metabolic acidosis. 243,6:E265
- Reddy, K.** see Kimball, R. E.

- Reddy, N. P., Palmieri, V., and Cochran, G. V. B.** Subcutaneous interstitial fluid pressure during external loading. 240,9:R327
- Reddy, R. V.** *see* Moreno, A. H.
- Reddy, W. J.**  
*see* Burns, A. H.  
Katz, J.
- Reddy, Y. S.** Phosphorylation of cardiac regulatory proteins by cyclic AMP-dependent protein kinase. 231:1330
- Redig, P. T.** *see* Duke, G. E.
- Redinger, R. N., Chow, L., and Grace, D. M.** Cholesterol oxidation in primates by simultaneous sterol balance and breath analysis. 235,4:R55
- Redwood, W. R.** *see* Garrick, R. A.
- Reed, A.** *see* Morley, J. E.
- Reed, J. C.** *see* Skinner, J. E.
- Reed, J. S., Smith, N. D., and Boyer, J. L.** Hemodynamic effects on oxygen consumption and bile flow in isolated skate liver. 242,5:G313
- Reed, J. S., Smith, N. D., and Boyer, J. L.** Determinants of biliary secretion in isolated perfused skate liver. 242,5:G319
- Reed, J. S.** *see* Tavoloni, N.
- Reed, W. D.** *see* Ozand, P. T.
- Reenstra, W. W.** *see* Warnock, D. G.
- Rees, E. P.** *see* Stinson, D. A.
- Rees, W. D. W., Garner, A., Vivian, K. H. B., and Turnberg, L. A.** Effect of sodium taurocholate on secretion by amphibian gastric mucosa in vitro. 240,3:G245
- Reeve, E. B., Stephens, A., and Carlson, T. H.** Experimental studies of the fibrinogen response to hemorrhage. 237,6:H504
- Reeve, E. B.** *see* Carlson, T. H.
- Reeve, J. J., Jr.** *see* Kauffman, G. L., Jr.
- Reeves, D. N. S.** *see* Donald, T. C.
- Reeves, J. T.**  
*see* McMurry, I. F.  
Moore, L. G.  
Newman, J. H.  
Schwartz, R. S.
- Reeves, R. C.**  
*see* Donald, T. C.  
Weber, K. T.
- Refetoff, S.** Syndromes of thyroid hormone resistance. 243,6:E88
- Refetoff, S.** *see* Van Cauter, E.
- Refsum, H.** *see* Wikman-Coffelt, J.
- Regan, T. J., Broisman, L., Haider, B., Eaddy, C., and Oldewurtel, H. A.** Dissociation of myocardial sodium and potassium alterations in mild versus severe ischemia. 238,7:H575
- Regen, D. M.**  
*see* Cheung, J. Y.  
Moore, T. J.
- Regoeczi, E., and Hatton, M. W. C.** Transferrin catabolism in mammalian species of different body sizes. 238,7:R306
- Rehfeld, J. F.** Four basic characteristics of the gastrin-cholecystokinin system. 240,3:G255
- Rehfeld, J. F.** *see* Jensen, S. L.
- Rehm, W. S.**  
*see* Carrasquer, G.  
Dinno, M. A.  
Graves, C. N.  
Sanders, S. S.  
Schwartz, M.
- Reibel, D. K., and Rovetto, M. J.** Myocardial ATP synthesis and mechanical function following oxygen deficiency. 234,3:H620
- Reibel, D. K., and Rovetto, M. J.** Myocardial adenosine salvage rates and restoration of ATP content following ischemia. 237,6:H247
- Reibel, D. K., Wyse, B. W., Berkich, D. A., and Neely, J. R.** Regulation of coenzyme A synthesis in heart muscle: effects of diabetes and fasting. 240,9:H606
- Reibel, D. K., Wyse, B. W., Berkich, D. A., Palko, W. M., and Neely, J. R.** Effects of diabetes and fasting on pantothenic acid metabolism in rats. 240,3:E597
- Reichard, S. M., Bunce, R., and Galvin, M. J., Jr.** Histidine decarboxylase activity in trauma-resistant rats. 230:1577
- Reichen, J., and Paumgartner, G.** Uptake of bile acids by perfused rat liver. 231:734
- Reichen, J.** *see* Klos, C.
- Reichert, L. E., Jr.** *see* Zeleznik, A. J.
- Reicherter, J.** *see* Kerr, J. S.
- Reichlin, M., Copley, D. P., and Klocke, F. J.** Rapid radioimmunoassay for serum myoglobin. 239,8:H565
- Reichman, M.** *see* Scalfani, A.
- Reichmanis, M.** *see* Marino, A. A.
- Reid, I. A.** Effect of angiotensin II and glucocorticoids on plasma angiotensinogen concentration in the dog. 232,1:E234
- Reid, I. A., Brooks, V. L., Rudolph, C. D., and Keil, L. C.** Analysis of the actions of angiotensin on the central nervous system of conscious dogs. 243,12:R82
- Reid, I. A.**  
*see* Herrmann, H. C.  
Morris, B. J.  
Porter, J. P.  
Sernia, C.
- Reid, L.**  
*see* Meyrick, B.  
Rabinovitch, M.
- Reidelberger, R.** *see* Geokas, M. C.
- Reif, M. C.** *see* Abramson, R. G.
- Reilly, F. D.** *see* Cilento, E. V.
- Reilly, P. E. B., and Chandrasena, L. G.** Sheep lactate entry-rate measurements: error due to sampling jugular blood. 233,2:E138
- Reilly, P. E. B., and Chandrasena, L. G.** Glucose lactate interrelations in sheep. 235,4:E487
- Reimann, E. M.** *see* Kochan, R. G.
- Reimann, K. A., and Weaver, L. C.** Contrasting reflexes evoked by chemical activation of cardiac afferent nerves. 239,8:H316
- Reimann, K. A.** *see* Weaver, L. C.
- Reimer, K.**  
*see* Hackel, D. B.  
McGee, J.
- Reinach, P.** *see* Eriij, D.
- Reinach, P. S., Schoen, H. F., and Candia, O. A.** Metabolic requirements for anaerobic active Cl and Na transport in the bullfrog cornea. 236,5:C268
- Reinach, P. S.** *see* Candia, O. A.
- Reineck, H. J., Osgood, R. W., and Stein, J. H.** Net potassium addition beyond the superficial distal tubule of the rat. 235,4:F104
- Reineck, H. J., Parma, R., Barnes, J. L., and Osgood, R. W.** Nephron heterogeneity in renal excretion of sodium and potassium in the rat. 239,8:F187
- Reineck, H. J.**  
*see* Beck, N.  
Osgood, R. W.
- Reinecke, R. M.** Arterial barostasis along the mouse tail between different steady-state flows. 232,1:H197
- Reis, B. L.** *see* Charlton, V. E.
- Reis, D. J.**  
*see* Kumada, M.  
Nakai, M.
- Reisch, J.**  
*see* Galosy, R. A.  
Sklar, F. H.
- Reiser, J., and Anderson, G. J.** Differences in automaticity between Purkinje strands from right and left dog ventricle. 239,8:H247
- Reiser, P. J., and Stokes, B. T.** Development of contractile properties in avian embryonic skeletal muscle. 242,11:C52
- Reiser, P. J., Stokes, B. T., and Rall, J. A.** Isometric contractile properties and velocity of shortening during avian myogenesis. 243,12:C177
- Reitz, M. E.** *see* Bito, L. Z.
- Rembecki, R.** *see* Edwards, N. L.
- Rembert, J. C., Boyd, L. M., Watkinson, W. P., and Greenfield, J. C., Jr.** Effect of adenosine on transmural myocardial blood flow distribution in the awake dog. 239,8:H7
- Rembert, J. C.**  
*see* Fedor, J. M.  
Kleinman, L. H.  
Phillips, H. R.  
Rivas, F.
- Remily, R. M.** *see* Capasso, J. M.
- Renaud, J. M., and Stevens, E. D.** Effect of acclimation temperature and pH on contraction of frog sartorius muscle. 240,9:R301
- Rendig, S. V.** *see* Segel, L. D.
- Reneman, R. S.**  
*see* Arts, T.  
Van Steenhoven, A. A.
- Renfro, J. L.** Calcium transport across peritubular surface of the marine teleost renal tubule. 234,3:F522
- Renfro, J. L.** Relationship between renal fluid and Mg secretion in a glomerular marine teleost. 238,7:F92
- Renfro, J. L., and Dickman, K. G.** Sulfate transport across the peritubular surface of the marine teleost renal tubule. 239,8:F143
- Renfro, J. L., Dickman, K. G., and Miller, D. S.** Effect of Na<sup>+</sup> and ATP on peritubular Ca transport by the marine teleost renal tubule. 243,12:R34
- Renfro, J. L., Miller, D. S., Karnaky, K. J., Jr., and Kinter, W. B.** Na-K-ATPase localization in teleost urinary bladder [<sup>3</sup>H]ouabain autoradiography. 231:1735
- Renfro, J. L., and Pritchard, J. B.** H<sup>+</sup>-dependent sulfate secretion in the marine teleost renal tubule. 243,12:F150
- Rengel, M. A.** *see* Lopez-Novoa, J. M.
- Rengo, F., Trimarco, B., Chiariello, M., Saccà, L., Violini, R., Rasetti, G., and Ferro, G.** Relation between cholinergic and histaminergic components in the reflex vasodilatation in the dog. 234,3:H305
- Rengo, F., Trimarco, B., Perez, G., Chiariello, M., De Caprio, L., Saccà, L., and Condorelli, M.** Participation of beta receptors in reflex vasodilatation in the dog. 230:1444
- Renken, E. M.** *see* Bell, D. R.
- Renkin, E. M., Granger, D. N., and Taylor, A. E.** Ambiguities and errors in evaluation of capillary pore sizes (Letter to the Editor). 240,9:H145
- Renkin, E. M., Gray, S. D., and Dodd, L. R.** Filling of microcirculation in skeletal muscles during timed India ink perfusion. 241,10:H174
- Renkin, E. M.**  
*see* Durán, W. N.  
Hudlická, O.  
Kramer, G. C.  
Watson, P. D.
- Rennick, B., Acara, M., and Glor, M.** Relations of renal transport rate, transport maximum, and competitor potency for tetraethylammonium and choline. 232,1:F443
- Rennick, B.**  
*see* Acara, M.  
Bessegir, K.
- Rennick, B. R.** Renal tubular transport of prostaglandins: inhibition by probenecid and indomethacin. 233,2:F133
- Rennick, B. R.** Renal tubule transport of organic cations. 240,9:F83



- Rennie, M. J., Park, D. M., and Sulaiman, W. R. Uptake and release of hormones and metabolites by tissues of exercising leg in man. 231:967
- Rennie, M. J. see Conlee, R. K.
- Rennke, H. G. see Hostetter, T. H.
- Renold, A. E.  
see Siegel, E. G.  
Trimble, E. R.
- Renston, R. H. see Jones, A. L.
- Reppert, S. M., Coleman, R. J., Heath, H. W., and Keutmann, H. T. Circadian properties of vasopressin and melatonin rhythms in cat cerebrospinal fluid. 243, 6:E489
- Resch, G. E., and Musacchia, X. J. A role for glucose in hypothermic hamsters. 231:1729
- Resko, J. A., Ellinwood, W. E., and Knobil, E. Differential effects of progesterone on secretion of gonadotropic hormones in the rhesus monkey. 240, 3:E489
- Resnik, R., and Brink, G. W. Effects of prostaglandins  $E_1$ ,  $E_2$  and  $F_2$  on uterine blood flow in nonpregnant sheep. 234, 3:H557
- Retting, R., Ganten, D., and Johnson, A. K. Isoproterenol-induced thirst: renal and extrarenal mechanisms. 241, 10:R152
- Reitmann, R. D. see Dozois, R. R.
- Reuben, J. P. see Orentlicher, M.
- Reuss, L., and Finn, A. L. Effects of luminal hyperosmolality on electrical pathways of *Necturus* gallbladder. 232, 1:C99
- Reuss, L., Gatzky, J. T., and Finn, A. L. Dual effects of amphotericin B on ion permeation in toad urinary bladder epithelium. 235, 4:F507
- Reuss, L. see Gatzky, J. T.
- Reviczky, A.  
see Klein, A. H.  
Weitzman, R. E.
- Rey, J.-F. see Le Cam, A.
- Reynolds, D. G.  
see Donowitz, M.  
Kerr, J. C.  
Zinner, M. J.
- Reynolds, J. C., Ouyang, A., and Cohen, S. Electrically coupled intrinsic responses of feline lower esophageal sphincter. 243, 6:G415
- Reynolds, K. E. see Whitford, G. M.
- Reynolds, R. see Blazer-Yost, B.
- Rezcek, M., Havlicek, V., and Friesen, H. Insulin dependence of paradoxical overeating: effect of mannoheptulose, somatostatin, and cycloheximide. 236, 5:E205
- Rezek, M., and Novin, D. Hepatic-portal nutrient infusion: effect on feeding in intact and vagotomized rabbits. 232, 1:E119
- Rezvani, A. H., Gordon, C. J., and Heath, J. E. Action of preoptic injections of  $\beta$ -endorphin on temperature regulation in rabbits. 243, 12:R104
- Rhee, C.-Y. see Shiang, H. H.
- Rhoades, D. D. see Duke, G. E.
- Rhoades, R. A., Shaw, M. E., Eskew, M. L., and Wali, S. Lactate metabolism in perfused rat lung. 235, 4:E619
- Rhode, E. A.  
see Campbell, K. B.  
Holt, J. P.  
McDonagh, P. F.
- Rhodes, D. see Gaasch, W. H.
- Rhodes, J. B. see Arvanitakis, C.
- Rhoten, W. B. Insulin secretory dynamics during development of rat pancreas. 239, 2:E57
- Ribalet, B., and Beigelman, P. M. Cyclic variation of  $K^+$  conductance in pancreatic  $\beta$ -cells:  $Ca^{2+}$  and voltage dependence. 237, 6:C137
- Ribalet, B., and Beigelman, P. M. Calcium action potentials and potassium permeability activation in pancreatic  $\beta$ -cells. 239, 8:C124
- Ribalet, B., and Beigelman, P. M. Effects of divalent cations on  $\beta$ -cell electrical activity. 241, 10:C59
- Ribalet, B., and Beigelman, P. M. Effects of sodium on  $\beta$ -cell electrical activity. 242, 11:C296
- Ribeiro, A. B., and Krakoff, L. R. Adrenal gland in experimental renal hypertension. 234, 3:E267
- Ricchiuti, N. see Shine, K. I.
- Ricchiuti, N. V.  
see Brady, A. J.  
Ponce-Hornos, J. E.
- Rice, F. A. H., McCurdy, J. D., and Oresajo, C. Leucogenolol a thymothyroid hormone. 238, 1:E540
- Rice, L. E. see Yeoh, H. H.
- Rice, M. G., McRae, J. R., Storm, D. R., and Robertson, R. P. Up-regulation of hepatic prostaglandin E receptors in vivo induced by prostaglandin synthesis inhibitors. 241, 4:E291
- Rice, M. G., and Robertson, R. P. Reevaluation of the sand rat as a model for diabetes mellitus. 239, 2:E340
- Rice, M. G. see Robertson, R. P.
- Rich, T. see Ji, S.
- Richard, C. see Levy, M.
- Richard, D. see Bukowiecki, L.
- Richards, L. L. see Bissonnette, J. M.
- Richardson, D. B., and Mogenson, G. J. Water intake elicited by injections of angiotensin II into preoptic area of rats. 240, 9:R70
- Richardson, D. K., and Czech, M. P. Primary role of decreased fatty acid synthesis in insulin resistance of large rat adipocytes. 234, 3:E182
- Richardson, J. M. see Arruda, J. A. L.
- Richardson, P. D. I., Granger, D. N., Mailman, D., and Kviety, P. R. Permeability characteristics of colonic capillaries. 239, 2:G300
- Richardson, P. D. I., and Withrington, P. G. Glucagon inhibition of hepatic arterial responses to hepatic nerve stimulation. 233, 2:H647
- Richardson, R. M. A., and Kunau, R. T., Jr. Bicarbonate reabsorption in the papillary collecting duct: effect of acetazolamide. 243, 12:F74
- Richter, C. P. Growth hormone 3.6-h pulsatile secretion and feeding times have similar periods in rats. 239, 2:E1
- Richter, E. A., Ruderman, N. B., Gavras, H., Belur, E. R., and Galbo, H. Muscle glycogenolysis during exercise: dual control by epinephrine and contractions. 242, 5:E25
- Richter, E. A., Sonne, B., Christensen, N. J., and Galbo, H. Role of epinephrine for muscular glycogenolysis and pancreatic hormonal secretion in running rats. 240, 3:E526
- Richter, H. see Ipp, E.
- Ricquier, D. see Mory, G.
- Riddle, T. G. see Mandel, L. J.
- Riedel, G. L.  
see Maxwell, L. C.  
Shepherd, A. P.
- Riedesel, M. L. see Steffen, J. M.
- Rieser, G., Sabbadini, R., Paolini, P., Fry, M., and Inesi, G. Sarcomere motion in isolated cardiac cells. 236, 5:C70
- Rietberg, B. see Perez, G. O.
- Rietz, R. R. see Stiles, R. N.
- Rifle, R. A. see Melbin, J.
- Rigby, G. V. see Osborn, E. C.
- Riggs, T. R., Wise, H. D., and Motz, K. L. Amino acid transport in diaphragms from newborn rats: evidence for insulin resistance. 235, 4:E304
- Riggs, T. R. see Heindel, J. J.
- Rigler, G. L. see Steffen, J. M.
- Rijnsburger, W. H. see Van Heuningen, R.
- Riley, E.  
see Buñag, R. D.  
Groszmann, R. J.
- Rim, E. see Hollander, D.
- Rincón, R. see Chacin, J.
- Ring, W. S. see Vrobel, T. R.
- Ringer, R. K. see Ploucha, J. M.
- Ringle, D. A., and Herndon, B. L. Effect of antilymphocyte serum (AIS) on shock in rats. 230:178
- Ringo, J. A.  
see Campbell, K. B.  
Halbert, S. A.
- Rinkema, L. E., Thomas, J. X., Jr., and Randall, W. C. Regional coronary vasoconstriction in response to stimulation of stellate ganglia. 243, 12:H410
- Rinkema, L. E. see Randall, W. C.
- Rios, L. L. see DiBona, G. F.
- Risbrough, R. W. see Miller, D. S.
- Risler, T. see Somberg, J. C.
- Rispens, P. see Zweens, J.
- Risser, T. R., Reaven, G. M., and Reaven, E. P. Intestinal contribution to secretion of very low density lipoproteins into plasma. 234, 3:E277
- Ritchie, H. D. see Code, C. F.
- Ritter, R. C., and Balch, O. K. Feeding in response to insulin but not to 2-deoxy-D-glucose in the hamster. 234, 3:E20
- Ritter, R. C., Roelke, M., and Neville, M. Glucoprivic feeding behavior in the absence of other signs of glucoprivation. 234, 3:E617
- Ritter, R. C., and Slusser, P. 5-Thio-D-glucose causes increased feeding and hyperglycemia in the rat. 238, 1:E141
- Ritter, S., Murnane, J. M., and Ladenheim, E. E. Glucoprivic feeding is impaired by lateral or fourth ventricular alloxan injection. 243, 12:R312
- Rittmaster, R. see Kleinzeller, A.
- Ritz, E. see Malluche, H. H.
- Ritzer, T. see Yipintsoi, T.
- Riva, C. E., Feke, G. T., and Ben-Sira, I. Fluorescein dye-dilution technique and retinal circulation. 234, 3:H315
- Rivas, F., Rembert, J. C., Bache, R. J., Cobb, F. R., and Greenfield, J. C., Jr. Effect of hyperoxia on regional blood flow after coronary occlusion in awake dogs. 238, 7:H244
- Rivlin, R. S., Osnos, M., Rosenthal, S., and Henkin, R. I. Abnormalities in taste preference in hypothyroid rats. 232, 1:E80
- Rivlin, R. S. see Muttart, C.
- Rizza, R., Haymond, M., Cryer, P., and Gerich, J. Differential effects of epinephrine on glucose production and disposal in man. 237, 6:E356
- Rizza, R. see Gerich, J.
- Rizza, R. A., Haymond, M. W., Miles, J. M., Verdunk, C. A., Cryer, P. E., and Gerich, J. E. Effect of  $\alpha$ -adrenergic stimulation and its blockade on glucose turnover in man. 238, 1:E467
- Rizza, R. A., Mandarino, L. J., and Gerich, J. E. Dose-response characteristics for effects of insulin on production and utilization of glucose in man. 240, 3:E630
- Rizzoli, R., Fleisch, H., and Bonjour, J.-P. Effect of thyroparathyroidectomy on calcium metabolism in rats: role of 1,25-dihydroxy-vitamin  $D_3$ . 233, 2:E160
- Roach, E. see Williams, J. A.
- Roan, P. G. see Hillis, L. D.
- Robbie, D. E. see Kregenow, F. M.
- Robbins, A. D. see Hess, M. L.
- Robbins, N., and Lyle, P. D. Neurotrophic regulation of insulin-sensitive amino acid uptake in rat fast muscle. 232, 1:C83



- Robbins, S. L.** see Malsky, P. M.  
Vokonas, P. S.
- Robert, A.** see Lancaster, C.
- Roberts, D. L.,** Nakazawa, H. K., and Klocke, F. J. Origin of great cardiac vein and coronary sinus drainage within the left ventricle. 230:486
- Roberts, D. L.,** Nakazawa, H. K., Nordlicht, S. M., Sekowski, B., Mageli, J., Oliveros, R. A., Orlick, A. E., and Klocke, F. J. Evaluation of regional myocardial perfusion and ischemia from coronary venous blood. 236:5:H385
- Roberts, D. L.** see Nakazawa, H. K.
- Roberts, G. S.** see Fisher, R. S.
- Roberts, J. J.,** and Walker, J. B. Feeding a creatine analogue delays ATP depletion and onset of rigor in ischemic heart. 243, 12:H911
- Roberts, L. A.,** and Hughes, M. J. Chronotropic response of spontaneously beating rabbit atria to hyperosmotic media. 233,2:H228
- Roberts, L. A.,** and Hughes, M. J. Increase in passive tension of spontaneously beating atria in hyperosmolar media. 236,5:H629
- Roberts, N. K.** see Tibbits, G. F.
- Roberts, R.** see Karlsberg, R. P.
- Roberts, S. A.** see Gold, J. H.
- Robertshaw, D.** see Finch, V. A.  
Heyes, M. P.
- Robertson, C. R.** see Bohrer, M. P.  
Gussis, G. L.  
Sanjana, V. M.
- Robertson, G.** see Heyes, M. P.
- Robertson, J. I. S.** see Gordon, R. D.
- Robertson, J. M.** see Vinten-Johansen, J.
- Robertson, J. S.** see Winaver, J.
- Robertson, R.** see Fromm, D.
- Robertson, R. P.,** Westcott, K. R., Storm, D. R., and Rice, M. G. Down-regulation in vivo of PGE receptors and adenylate cyclase stimulation. 239,2:E75
- Robertson, R. P.** see Metz, S. A.  
Rice, M. G.
- Robertson, S.** see Smith, E. N.
- Robie, N. W.** Presynaptic inhibition of canine renal adrenergic nerves by acetylcholine in vivo. 237,6:H326
- Robie, N. W.** Evaluation of presynaptic  $\alpha$ -receptor function in the canine renal vascular bed. 239,8:H422
- Robillard, J. E.,** and Weitzman, R. E. Developmental aspects of the fetal renal response to exogenous arginine vasopressin. 238,7:F407
- Robin, D. A.** see Hance, A. J.
- Robin, E. D.,** Ensnick, J., Hance, A. J., Newman, A., Lewiston, N., Cornell, L., Davis, R. W., and Theodore, J. Glucoregulation and simulated diving in the harbor seal *Phoca vitulina*. 241,10:R293
- Robin, E. D.** see Hance, A. J.
- Robinson, A. J.,** Rapaport, S. I., and Brown, S. F. Procoagulant activity of peritoneal leukocytes: effects of cortisone and endotoxin. 235,4:H333
- Robinson, H. R.** see Collins, D. C.
- Robinson, R. B.,** and Sleator, W. W. Effects of  $\text{Ca}^{2+}$  and catecholamines on the guinea pig atrium action potential plateau. 233,2:H203
- Robinson, R. B.** see Hermsmeyer, K.
- Robinson, R. R.** see Dennis, V. W.
- Roblero, J.,** Croxatto, H., Garcia, R., Corthorn, J., and De Vito, E. Kallikreinlike activity in perfusates and urine of isolated rat kidneys. 231:1383
- Robleto, D. O.,** and Peterson, D. F. Reduction in cardiac contractility during upper respiratory stimulation with cigarette smoke. 240,9:H584
- Robotham, J. L.** see Fitzgerald, R. S.
- Robyn, C.** see Van Cauter, E.
- Rocchini, A. P.,** and Barger, A. C. Renovascular hypertension in sodium-depleted dogs: role of renin and carotid sinus reflex. 236,5:H101
- Rocchini, A. P.,** and Barger, A. C. Renin release with carotid occlusion in the conscious dog: role of renal arterial pressure. 236,5:H108
- Rocchini, A. P.,** Cant, J. R., and Barger, A. C. Carotid sinus reflex in dogs with low to high-sodium intake. 233,2:H196
- Rocha e Silva, M., Jr.** see Lopes, O. U.  
Velasco, I. T.
- Rochas, A.** see Le Maho, Y.
- Roché, M.,** and Luckebusch, Y. A basic relationship between gastric and duodenal motilities in chickens. 235,4:E670
- Roch-Ramel, F.,** Chomety-Diezi, F., De Rougemont, D., Tellier, M., Widmer, J., and Peters, G. Renal excretion of uric acid in the rat: a micropuncture and microperfusion study. 230:768
- Roch-Ramel, F.,** White, F., Vowles, L., Simmonds, H. A., and Cameron, J. S. Micropuncture study of tubular transport of urate and PAH in the pig kidney. 239,8:F107
- Roch-Ramel, F.,** Wong, N. L. M., and Dirks, J. H. Renal excretion of urate in mongrel and Dalmation dogs: a micropuncture study. 231:326
- Roch-Ramel, F.** see Acara, M.  
De Rougemont, D.  
Schäli, C.
- Rockoff, J. B.,** and Dobson, J. G., Jr. Inhibition by adenosine of catecholamine-induced increase in rat atrial contractility. 239,8:H365
- Rocmans, P. A.,** Penel, J. C., Cantraine, F. R., and Dumont, J. E. Kinetic analysis of iodide transport in dog thyroid slices: perchlorate-induced discharge. 232,1:E343
- Roczniak, S.** see Schlondorff, D.
- Rodbard, D.** Negative cooperativity: a positive finding? 237,6:E203
- Rodbard, D.** see De Lean, A.  
Moses, A. M.  
Moyle, W. R.
- Rodbard, S.,** Hukushima, Y., and Permutt, S. Actual and non-waterfalls (Letter to the Editor). 230:858
- Roddie, I. C.** see Ohhashi, T.
- Rodgers, J. B.** see Tso, P.
- Rodicio, J. L.** see Lopez-Novoa, J. M.
- Rodionov, I. M.,** Koshelev, V. B., Meshcheryakova, O. D., and Stavskaya, O. N. Efficacy of sympathetic influences as related to initial vascular tonicity. 241, 10:H691
- Rodriguez, A.** see Groscolas, R.
- Rodriguez, H. J.,** Hogan, W. C., Hellman, R. N., and Klahr, S. Mechanism of activation of renal  $\text{Na}^+/\text{K}^+$ -ATPase in the rat: effects of potassium loading. 238,7:F315
- Rodriguez, H. J.,** Scholer, D. W., Purkerson, M. L., and Klahr, S. Isolation of epithelial cells from toad bladder. 238,7:F140
- Rodriguez, H. J.,** Sinha, S. K., Starling, J., and Klahr, S. Regulation of renal  $\text{Na}^+/\text{K}^+$ -ATPase in the rat by adrenal steroids. 241,10:F186
- Rodriguez, H. J.** see Jacobson, M. P.
- Rodriguez, R.** see Simonnet, G.
- Roelke, M.** see Ritter, R. C.
- Roeske, W. R.,** Ingwall, J. S., DeLuca, M., and Sybers, H. D. Thermally induced myocardial preservation and necrosis in deprived fetal mouse hearts. 232,1:H288
- Roeske, W. R.** see Goldman, S.
- Rogenes, P. R.,** and Gottschalk, C. W. Renal function in conscious rats with chronic unilateral renal denervation. 242,11:F140
- Rogers, D. E.** see Watson, J. T.
- Rogers, S.,** and Segal, S. Changing activities of galactose-metabolizing enzymes during perfusion of suckling-rat liver. 240,3:E333
- Rogers, S.** see Berman, W.
- Rogulski, J.,** Pacanis, A., Strzelecki, T., Kamińska, E., and Angielski, S. Effects of maleate on carbohydrate metabolism in rats. 230:1163
- Rogus, E.** see Zierler, K.
- Rogus, E. M.** see Zierler, K.
- Rohlicek, C. V.,** and Polosa, C. Hypoxic responses of sympathetic preganglionic neurons in the acute spinal cat. 241,10:H679
- Rohner-Jeanrenaud, F.** see Karakash, C.
- Rohrbaugh, D. K.** see Matthews, D. E.
- Roinel, N.** see Jamison, R. L.  
Poujeol, P.
- Rojas, A. M.** see Steinsapir, J.
- Röjdmarm, S.,** Bloom, G., Chou, M. C. Y., Jaspán, J. B., and Field, J. B. Hepatic insulin and glucagon extraction after their augmented secretion in dogs. 235,4:E88
- Rojo-Ortega, J. M.,** Queiroz, F. P., and Genest, J. Effects of sodium chloride on early and chronic phases of malignant hypertension in rats. 236,5:H665
- Role, L.,** Bogen, D., McMahon, T. A., and Abelman, W. H. Regional variations in calculated diastolic wall stress in rat left ventricle. 235,4:H247
- Rollins, T. E.** see Grenier, F. C.
- Rolls, B. J.,** Wood, R. J., Rolls, E. T., Lind, H., Lind, W., and Ledingham, J. G. G. Thirst following water deprivation in humans. 239,8:R476
- Rolls, B. J.** see Ramsay, D. J.  
Wood, R. J.
- Rolls, E. T.** see Rolls, B. J.  
Wood, R. J.
- Rolph, T. P.,** Jones, C. T., and Parry, D. Ultrastructural and enzymatic development of fetal guinea pig heart. 243,12:H87
- Roman, C.** see Clyman, R. I.  
Miolan, J.-P.
- Roman, R. J.,** and Kauker, M. L. Renal effect of prostaglandin synthetase inhibition in rats: micropuncture studies. 235,4:F111
- Roman, R. J.,** and Lechene, C. Meclofenamate and urine concentration with and without exposure of the renal papilla. 240,9:F423
- Roman, R. J.,** and Lechene, C. Prostaglandin  $\text{E}_2$  and  $\text{F}_{2\alpha}$  reduces urea reabsorption from the rat collecting duct. 241,10:F53
- Roman, R. J.** see Bonventre, J. V.
- Romanosky, A. J.,** Bagby, G. J., Bockman, E. L., and Spitzer, J. J. Increased muscle glucose uptake and lactate release after endotoxin administration. 239,2:E311
- Romanosky, A. J.,** Bagby, G. J., Bockman, E. L., and Spitzer, J. J. Free fatty acid utilization by skeletal muscle after endotoxin administration. 239,2:E391
- Rome, L. A.** see Sullivan, L. P.

- Romero, J. C.**  
see Beierwaltes, W. H.  
Blackshear, J. L.  
Chen, D.-S.  
Marchand, G. R.  
Sexton, J. M.  
Strand, J. C.
- Romero, M. A.** see Yoran, C.
- Roming, J. M.** see You, C. H.
- Romasos, D. R.**  
see Knehans, A. W.  
Lin, M. H.
- Ronald, K.** see Blix, A. S.
- Ronner, P., and Scarpa, A.** Isolated perfused Brockmann body as a model for studying pancreatic endocrine secretion. 243,6:E352
- Ronzoni, G.** see Pescatori, M.
- Rooke, T. W.** see Harlan, D. M.
- Roomi, N.** see Forstner, J.
- Roomi, N. W.** see Forstner, J. F.
- Roos, A., and Boron, W. F.** Intracellular pH transients in rat diaphragm muscle measured with DMO. 235,4:C49
- Roos, A.**  
see Boron, W. F.  
Keifer, D. W.
- Roos, J. C.** see Boer, P.
- Roos, K. F., Brady, A. J., and Tan, S. T.** Direct measurement of sarcomere length from isolated cardiac cells. 242,11:H68
- Roos, S. D.** see McMurtry, I. F.
- Rorie, D. K.** Metabolism of norepinephrine in vitro by dog pulmonary arterial endothelium. 243,12:H732
- Rorie, D. K., Muldoon, S. M., and Tyce, G. M.** Disposition of norepinephrine during nerve stimulation in dog saphenous vein. 239,8:H238
- Rorie, D. K., and Tyce, G. M.** Regulation of norepinephrine levels in synaptic clefts of dog vascular tissue. 242,11:H233
- Rorie, D. K.**  
see Hamlet, M. A.  
Muldoon, S. M.
- Rosa, R.** see Stoff, J. S.
- Rosa, R. M.** see Stoff, J. S.
- Rosato, E. F.** see Stein, T. P.
- Rose, C. E., Jr.** see Anderson, R. J.
- Rose, C. J.** see D'Alecy, L. G.
- Rose, E.** see Hordof, A. J.
- Rose, J.** see Macdonald, A. A.
- Rose, J. C., Meis, P. J., and Morris, M.** Ontogeny of endocrine (ACTH, vasopressin, cortisol) responses to hypotension in lamb fetuses. 240,3:E656
- Rose, J. C., Morris, M., and Meis, P. J.** Hemorrhage in newborn lambs: effects on arterial blood pressure, ACTH, cortisol, and vasopressin. 240,3:E585
- Rose, J. C., Morris, M., and Meis, P. J.** Developmental aspects of pituitary and adrenal responses to arterial hypotension in neonatal, weanling, and adult sheep. 242,5:E215
- Rose, J. C.** see Dallman, M. F.
- Rose, R. C.** Transport and metabolism of water-soluble vitamins in intestine. 240,3:G97
- Rose, R. C., Koch, M. J., and Nahrwold, D. L.** Folic acid transport by mammalian small intestine. 235,4:E678
- Rose, R. C., and Nahrwold, D. L.** Electrolyte transport in *Necturus* gallbladder: the role of rheogenic Na transport. 238,1:G358
- Rose, R. C., Nahrwold, D. L., and Koch, M. J.** Electrical potential profile in rabbit ileum: role of rheogenic Na transport. 232,1:E5
- Rose, R. C.** see Mellors, A. J.
- Roselino, E. S.** see Veiga, J. A. S.
- Rosello, S.** see McNay, J. L.
- Roseman, M. K.** see Sehy, J. T.
- Rosen, K. M.** see Teague, S.
- Rosen, M. R., Legato, M. J., and Weiss, R. M.** Developmental changes in impulse conduction in the canine heart. 240,9:H546
- Rosen, M. R.**  
see Hordof, A. J.  
Mary-Rabine, L.
- Rösen, P.** see Schrör, K.
- Rosen, S.** see Schwartz, J. H.
- Rosenbaum, R.** see Altschuler, P.
- Rosenberg, A. A., Jones, M. D., Jr., Traystman, R. J., Simmons, M. A., and Molteni, R. A.** Response of cerebral blood flow to changes in  $PCO_2$  in fetal, newborn, and adult sheep. 242,11:H862
- Rosenberg, E. M., and Fogel, A. J.** Role of cyclic 3',5'-GMP in modulation of cellular uptake of phosphate. 233,2:E203
- Rosenberg, G. A., Kyner, W. T., and Estrada, E.** Bulk flow of brain interstitial fluid under normal and hyperosmolar conditions. 238,7:F42
- Rosenberg, I. H.** see Sitrin, M. D.
- Rosenblatt, J. I.** see Dole, W. P.
- Rosenblatt, M.**  
see Ausiello, D. A.  
D'Amour, P.
- Rosenblatt, S. G., Patak, R. V., and Lifschitz, M. D.** Organic acid secretory pathway and urinary excretion of prostaglandin E in the dog. 235,4:F473
- Rosenblatt, S. G.** see Patak, R. V.
- Rosenblum, J. L., Raab, B. K., and Alpers, D. H.** Hepatobiliary and pancreatic clearance of circulating pancreatic amylase. 243,6:G21
- Rosenblum, W. I.** Unsaturated fatty acids and cyclooxygenase inhibitors: effects on pial arterioles. 242,11:H629
- Rosenblum, W. I., El-Sabban, F., and Ellis, E. F.** Aspirin and indomethacin enhance platelet aggregation in mouse mesenteric arterioles. 239,8:H220
- Rosenblum, W. I.** see Kontos, H. A.
- Rosenfeld, C. R.** Distribution of cardiac output in ovine pregnancy. 232,1:H231
- Rosenfeld, C. R.** Responses of reproductive and nonreproductive tissues to 17 $\beta$ -estradiol during ovine puerperium. 239,2:E333
- Rosenfeld, C. R.** see Matsuura, S.
- Rosenfeld, G. C.**  
see Ecknauer, R.  
Thompson, W. J.
- Rosenfeld, S.** see Viskoper, R. J.
- Rosenkoetter, M. A.** see Hickson, R. C.
- Rosenthal, A. M., Jones, G., Kooh, S. W., and Fraser, D.** 25-Hydroxyvitamin  $D_3$  metabolism by isolated perfused rat kidney. 239,2:E12
- Rosenthal, M.** see Sick, T. J.
- Rosenthal, S.** see Rivlin, R. S.
- Rosenthal, S. J., King, J. G., and Essig, A.** Use of mass spectrometer to measure  $CO_2$  and  $O_2$  fluxes in voltage-clamped epithelia. 236,5:F413
- Rosenthal, S. J.** see Lang, M. A.
- Rosenthal, S. M.** Effect of sodium chloride on longevity in mice. 243,12:F549
- Roskoski, L. M.** see Roskoski, R., Jr.
- Roskoski, R., Jr., McDonald, R. I., Roskoski, L. M., Marvin, W. J., and Hermesmyer, K.** Choline acetyltransferase activity in heart: evidence for neuronal and not myocardial origin. 233,2:H642
- Roskoski, R. Jr.**  
see Lund, D. D.  
Schmid, P. G.
- Rosner, W.** see Su-anan, I. I.
- Rosovski, S. J.** see Chideckel, E. W.
- Ross, A. C., and Zilverman, D. B.** Disposition of plasma cholesterol in the pregnant hypocholesterolemic rabbit. 230:754
- Ross, B.** see Silva, P.
- Ross, B. D.**  
see Baines, A. D.  
Epstein, F. H.  
Frega, N. S.
- Ross, G., Lickley, L., and Vranic, M.** Extrapancreatic glucagon in control of glucose turnover in depancreatized dogs. 234,3:E213
- Ross, G.**  
see Guth, P. H.  
Sanders, K. M.
- Ross, G. G.** see Lickley, H. L. A.
- Ross, J. Jr.**  
see Crozatier, B.  
Gallagher, K. P.  
Hirakawa, S.  
Kumada, T.  
Sasayama, S.  
Tomoike, H.  
Toyo-Oka, T.  
Yoran, C.
- Ross, P.** see Aloia, J. F.
- Rossier, B. C., Gaggeler, H.-P., Brunner, D. B., Keller, I., and Rossier, M.** Thyroid hormone-aldosterone interaction on  $Na^+$  transport in toad bladder. 236,5:C125
- Rossier, B. C., Geering, K., Gaggeler, H. P., Claire, M., and Corvol, P.** Testosterone: a specific competitive antagonist of aldosterone in the toad bladder. 239,8:F433
- Rossier, B. C., Rossier, M., and Lo, C. S.** Thyroxine and  $Na^+$  transport in toad: role in transition from poikilo- to homeothermy. 236,5:C117
- Rossier, B. C., Wilce, P. A., Inciardi, J. F., Yoshimura, F. K., and Edelman, I. S.** Effects of 3'-deoxycytidine on rRNA synthesis in toad bladder: analysis of response to aldosterone. 232,1:C174
- Rossier, M.** see Rossier, B. C.
- Rossignol, B.** see Keryer, G.
- Rossini, A. A.** see Appel, M. C.
- Rossner, K. L., and Sherman, R. G.** Invaginated membrane in crustacean tonic muscle fibers: estimates of membrane capacitance. 235,4:C220
- Rostand, S. G., and Watkins, J. B.** Response of the isolated rat kidney to metabolic and respiratory acidosis. 233,2:F82
- Roth, G. S.** see Guarnieri, T.
- Roth, H.-R.** see Wieland, P.
- Roth, J., Brown, D., Norman, A. W., and Orci, L.** Localization of the vitamin D-dependent calcium-binding protein in mammalian kidney. 243,12:F243
- Roth, K. S., Hwang, S.-M., London, J. W., and Segal, S.** Ontogeny of glycine transport in isolated rat renal tubules. 233,2:F241
- Roth, R. A.** Flow dependence of norepinephrine extraction by isolated perfused rat lungs. 242,11:H844
- Roth, R. A., and Wallace, K. B.** Disposition of biogenic amines and angiotensin I by lungs of spontaneously hypertensive rats. 239,8:H736
- Roth, R. A.**  
see Hilliker, K. S.  
Wallace, K. B.
- Roth, S. H.** see Yates, J. C.
- Rothe, C. F., Johns, B. L., and Bennett, T. D.** Vascular capacitance of dog intestine using mean transit time of indicator. 234,3:H7
- Rothe, C. F., Murray, R. H., and Bennett, T. D.** Actively circulating blood volume in endotoxin shock measured by indicator dilution. 236,5:H291
- Rothe, C. F.**  
see Bennett, T. D.  
Johns, B. L.
- Rothenberg, S. P.** see Marcoullis, G.

- Rothenburg, B. A.**  
see Cox, P. S.  
Hacker, M. R.  
Kluger, M. J.
- Rothman, S. S.** Secretion of new digestive enzyme by pancreas with minimal transit time. 230:1499
- Rothman, S. S.** Independent secretion of different digestive enzymes by the pancreas. 231:1847
- Rothman, S. S.** Passage of proteins through membranes—old assumptions and new perspectives. 238,1:G391
- Rothman, S. S.** To transport parallel or not to transport parallel? 240,3:G253
- Rothman, S. S.**  
see Grendell, J. H.  
Ho, J. J. L.  
Miyasaka, K.  
Tseng, H. C.
- Rothmann Hamburger, S. A., Kaplan, S. M., Derelanko, M. J., Meagher, R. C., Roy, M., Harvey, K. M. J., Camiscoli, J. F., and Gordon, A. S.** Effects of increasing time between nephrectomy and hypoxia on extrarenal erythropoietin. 234,3:F510
- Rothstein, A.** see Grinstein, S.
- Rothwell, N. J., Saville, M. E., and Stock, M. J.** Sympathetic and thyroid influences on metabolic rate in fed, fasted, and refed rats. 243,12:R339
- Rottman, A. J.**  
see Gardner, J. D.  
Peikin, S. R.  
Uhlemann, E. R.
- Rouiller, D.** see Schusdziarra, V.
- Rouleau, L.** see Wikman-Coffelt, J.
- Rous, S.** Effect of insulin on incorporation of  $^{14}\text{C}$ -labeled pyruvates and bicarbonate into blood glucose of fasted mice. 235,4:E22
- Rouse, D.** see Suki, W. N.
- Rouslin, W., MacGee, J., Gupta, S., Wesselman, A., and Epps, D. E.** Mitochondrial cholesterol content and membrane properties in porcine myocardial ischemia. 242,11:H254
- Rouslin, W., and Millard, R. W.** Mitochondrial inner membrane enzyme defects in porcine myocardial ischemia. 240,9:H308
- Rovetto, M. J.** see Reibel, D. K.
- Rovner, D. R.** see Sherma, N. K.
- Rowe, B. P.**  
see Seymour, A. A.  
Williams, G. M.
- Rowe, J. W.** see Minaker, K. L.
- Rowell, L. B.**  
see Brengelmann, G. L.  
Freund, P. R.  
Hales, J. R. S.  
Proppe, D. W.
- Rowe-Murphy, D. L., Van Tienhoven, A., Scott, N. R., Hillman, P. E., Wood, C. L., Johnson, A. L., and Schwark, W. S.** Effects of 6-hydroxydopamine and pimozide on temperature maintenance by the chicken. 239,8:R296
- Rowland, N., and Nicolaidis, S.** Metering of fluid intake and determinants of ad libitum drinking in rats. 231:1
- Rowland, N.**  
see Borer, K. T.  
Nicolaidis, S.
- Roy, D. R., Blouch, K. L., and Jamison, R. L.** Effects of acute acid-base disturbances on  $\text{K}^+$  delivery to the juxtamedullary end-descending limb. 243,12:F188
- Roy, D. R., Blouch, K. L., and Jamison, R. L.** Effects of acute acid-base disturbances on renal tubule reabsorption of magnesium in the rat. 243,12:F197
- Roy, D. R., and Seely, J. F.** Effect of glucose on renal excretion of electrolytes in the rat. 240,9:F17
- Roy, D. R.** see Braun, E. J.
- Roy, M.** see Rothmann Hamburger, S. A.
- Roy, R. N.** see Plath, D. W.
- Rubenstein, A. H.**  
see Baldwin, D., Jr.  
Cortes, P.  
Ipp, E.  
Jaspan, J. B.
- Rubin, C. E.** see Surawicz, C. M.
- Rubin, M. R.** see Cardwell, B. A.
- Rubin, S. A., Misbach, G., Lekven, J., Parmley, W. W., and Tyberg, J. V.** Resistance and volume changes caused by nitroprusside in the dog. 237,6:H99
- Rubin, S. A., Quilter, R., and Battagin, R.** An accurate and rapid inflation device for pneumatic cuffs. 234,3:H740
- Rubinstein, E. H.**  
see Hall, R. E.  
Katzin, D. B.  
Weissman, M. L.
- Rubinstein, H.** see Arruda, J. A. L.
- Rubinstein, M.** see Gonzalez, R.
- Rubinstein, M. L., Carlson, C. J., and Rapaport, E.** Improved signal processor for the ultrasonic dimension gauge. 233,2:H322
- Rubio, R., and Berne, R. M.** Localization of purine and pyrimidine nucleoside phosphorylases in heart, kidney, and liver. 239,8:H721
- Rubio, R.**  
see Bacchus, A. N.  
Bockman, E. L.  
Fenton, R. A.  
Foley, D. H.  
Herlihy, J. T.  
Sperelakis, N.  
Thompson, C. I.  
Tominaga, S.  
Van Harn, G. L.  
Watkinson, W. P.  
Winn, H. R.
- Ruble, P. E., Jr.** see Hollander, D.
- Rübsamen, K., and Engelhardt, W. V.** Bicarbonate secretion and solute absorption in forestomach of the llama. 235,4:E1
- Ruch, W., Mixter, R. C., Russell, R. M., Garcia, J. F., and Gale, C. C.** Aminergic and thermoregulatory mechanisms in hypothalamic regulation of growth hormone in cats. 233,2:E61
- Ruckebusch, M.**  
see Buéno, L.  
Fioramonti, J.
- Ruckebusch, Y., and Bueno, L.** Origin of migrating myoelectric complex in sheep. 233,2:E483
- Ruckebusch, Y.**  
see Bueno, L.  
Fleckenstein, P.  
Roche, M.
- Ruder, M. A.** see Carlson, T. H.
- Ruderman, N.** see MacDonald, M.
- Ruderman, N. B., Schmahl, F. W., and Goodman, M. N.** Regulation of alanine formation and release in rat muscle in vivo: effect of starvation and diabetes. 233,2:E109
- Ruderman, N. B.**  
see Brady, L. J.  
Goodman, M. N.  
Richter, E. A.
- Rudich, S.** see Kachadorian, W. A.
- Rudman, D., and Chawla, R. K.** Antidiuretic peptide in mammalian choroid plexus. 230:50
- Rudman, D., Hollins, B. M., Lewis, N. C., and Scott, J. W.** Effects of hormones on 3',5'-cyclic adenosine monophosphate in choroid plexus. 232,1:E353
- Rudman, D., and Kutner, M. H.** Melanotropic peptides increase permeability of plasma/cerebrospinal fluid barrier. 234,3:E327
- Rudnik, M.** see Cutilletta, A. F.
- Rudnik, M. A.** see Dowell, R. T.
- Rudolph, A. M.**  
see Clyman, R. I.  
Drummond, W. H.  
Edelstone, D. I.  
Fisher, D. J.  
Itskovitz, J.  
Iwamoto, H. S.  
Lister, G.  
Macdonald, A. A.  
Toubas, P. L.  
Wood, C. E.
- Rudolph, C. D.** see Reid, I. A.
- Rudolph, J.** see Plath, D. W.
- Rueggsegger, B.** see Ward, C. A.
- Ruel, J., Coulombe, P., and Dussault, J. H.** Thyroid hormones, malnutrition, and biochemical composition of developing rat lung. 242,5:E378
- Ruff, R. L., Martyn, D., and Gordon, A. M.** Glucocorticoid-induced atrophy is not due to impaired excitability of rat muscle. 243,6:E512
- Ruggeri, A.** see Okolicsanyi, L.
- Ruhlen, J.** see Arvanitakis, C.
- Ruiter, J. H., Spaan, J. A. E., and Laird, J. D.** Transient oxygen uptake during myocardial reactive hyperemia in the dog. 235,4:H87
- Ruiz-Ceretti, E., Nguyen-Thi, A., Schanne, O. F., and Caille, J.-P.** An electrogenic component of resting potential in rabbit ventricular muscle. 240,9:C28
- Ruiz-Ceretti, E.** see Caille, J.-P.
- Rush, S.** see Jones, J. L.
- Ruskin, J. N.** see Garan, H.
- Russell, D. H.** see Manen, C. A.
- Russell, J. E.** see Hough, S.
- Russell, R. E., Chagrasulis, R. W., and Downey, J. M.** Inhibitory effect of cardiac contraction on coronary collateral blood flow. 233,2:H541
- Russell, R. G. G.** see Trechsel, U.
- Russell, R. M.** see Ruch, W.
- Russler, D., and Mangos, J.** Micropuncture studies of the osmoregulation in the nauplius of *Artemia salina*. 234,3:R216
- Russo, R. E.** see Merrill, G. F.
- Russo-Marie, F.** see Ganeval, D.
- Ruth, R. C., and Weglicki, W. B.** Effects of ATP on lysosomes: inhibition of the loss of latency caused by cooling. 242,11:C192
- Rutherford, J. D., Vatner, S. F., and Braunwald, E.** Adrenergic control of myocardial contractility in conscious hyperthyroid dogs. 237,6:H590
- Rutherford, J. D.** see Vatner, S. F.
- Rutigli, G.**  
see Granger, D. N.  
Mortillaro, N. A.
- Rutledge, P. S.** Effects of temperature acclimation on crayfish hemocyanin oxygen binding. 240,9:R93
- Rutledge, P. S.** Circulation, oxygen transport, and activity in the crayfish. 240,9:R99
- Rutledge, P. S., and Pritchard, A. W.** Scope for activity in the crayfish *Pacifastacus leniusculus*. 240,9:R87
- Rutlen, D. L.** Reflex effects of left atrial pressure elevation on total intravascular volume. 241,10:H760
- Rutten, M. J.** see Machen, T. E.
- Ruwart, M. J.** see Kaminski, D. L.
- Ruzycki, S. M., Kelley, L. K., and Smith, C. H.** Placental amino acid uptake. IV. Transport by microvillous membrane vesicles. 234,3:C27
- Ryan, G. P., Copeland, E. M., and Johnson, L. R.** Effects of gastrin and vagal denervation on DNA synthesis in canine fundic mucosa. 235,4:E32
- Ryan, G. P., and Johnson, L. R.** Role of gastrin in mucosal DNA synthesis after vagotomy and atropine in the rat. 235,4:E565

- Ryan, J., and Cohen, S. Interaction of gastrin I, secretin, and cholecystokinin on gallbladder muscle. 230:553
- Ryan, J., and Cohen, S. Gallbladder pressure-volume response to gastrointestinal hormones. 230:1461
- Ryan, J. P., and Duffy, K. R. LES pressure response to pentagastrin: effect of cholinergic augmentation and inhibition. 234:3:E301
- Ryan, J. P., and Ryave, S. Effect of vasoactive intestinal polypeptide on gallbladder smooth muscle in vitro. 234:3:E44
- Ryan, J. P., Snape, W. J., Jr., and Cohen, S. Influence of vagal cooling on esophageal function. 232:1:E159
- Ryan, J. R. *see* Prasad, A. S.
- Ryan, N. T., George, B. C., Harlow, C. L., Hiebert, J. M., and Egdahl, R. H. Endocrine activation and altered muscle metabolism after hemorrhagic shock. 233:2:E439
- Ryan, R. J. *see* LaBarbera, A. R.
- Ryave, S. *see* Ryan, J. P.
- Ryu, K. H., and Grim, E. Unstirred water layer in canine jejunum. 242:5:G364
- S**
- Saarela, S. *see* Hohtola, E.
- Saarikivi, I. *see* Alihanka, J.
- Saba, T. M.  
*see* Blumenstock, F.  
Dillon, B. C.  
Kaplan, J. E.  
Lorenzen, J. R.
- Sabatini, S., Mehta, P. K., Hayes, S., Kurtzman, N. A., and Arruda, J. A. L. Drug-induced papillary necrosis: electrolyte excretion and nephron heterogeneity. 241:10:F14
- Sabatini, S.  
*see* Arruda, J. A. L.  
Cruz-Soto, M.
- Sabbadini, R. *see* Rieser, G.
- Sabbadini, R. A., and Baskin, R. J. Active state of normal and dystrophic mouse muscle. 230:1138
- Sabbah, H. N., Marzilli, M., and Stein, P. D. The relative role of subendocardium and subepicardium in left ventricular mechanics. 240:9:H920
- Sabbah, H. N., and Stein, P. D. Relation of the second sound to diastolic vibration of the closed aortic valve. 234:3:H696
- Sabbah, H. N., and Stein, P. D. Effect of inotropic interventions on rate of change of ventricular diastolic dimensions. 241, 10:H376
- Sabbah, H. N., and Stein, P. D. Effect of acute regional ischemia on pressure in the subepicardium and subendocardium. 242:11:H240
- Sabbah, H. N.  
*see* Marzilli, M.  
Stein, P. D.
- Sabina, R. L. *see* Swain, J. L.
- Saccà, L., Cicala, M., Corso, G., Ungaro, B., and Sherwin, R. S. Effect of counter-regulatory hormones on kinetic response to ingested glucose in dogs. 240:3:E465
- Saccà, L., Eigler, N., Cryer, P. E., and Sherwin, R. S. Insulin antagonistic effects of epinephrine and glucagon in the dog. 237:6:E487
- Saccà, L., Sherwin, R., and Felig, P. Effect of sequential infusions of glucagon and epinephrine on glucose turnover in the dog. 235:4:E287
- Saccà, L., Sherwin, R., and Felig, P. Influence of somatostatin on glucagon- and epinephrine-stimulated hepatic glucose output in the dog. 236:5:E113
- Saccà, L. *see* Rengo, F.
- Sachs, G. Models for intestinal transport. 233,2:E247
- Sachs, G. Ion pumps in the renal tubule. 233,2:F359
- Sachs, G., Jackson, R. J., and Rabon, E. C. Use of plasma membrane vesicles. 238,1:G151
- Sachs, G.  
*see* Berglin, T.  
Chew, C. S.  
Graves, C. N.  
Iyengar, R.  
Knauf, H.  
Koelz, H. R.  
Pace, C. S.  
Tarvin, J. T.
- Sachtjen, E., Rabinowitz, L., and Binkerd, P. E. Renal concentrating ability in the uninephrectomized rat. 233,2:F428
- Sack, J., and Spenny, J. G. Aminopyrine accumulation by mammalian gastric glands: an analysis of the technique. 243, 6:G313
- Sack, J. *see* Spencer, A. M.
- Sackett, G. P. *see* Schiller, H. S.
- Sackin, H., and Boulpaep, E. L. Isolated perfused salamander proximal tubule: methods, electrophysiology, and transport. 241,10:F39
- Sackin, H., and Boulpaep, E. L. Isolated perfused salamander proximal tubule. II. Monovalent ion replacement and rheogenic transport. 241,10:F540
- Sacks, H., Rabkin, R., and Kitabchi, A. E. Reversible hyperinsulinemia in diabetic ketoacidosis in man. 241,4:E396
- Sacktor, B.  
*see* Hammerman, M. R.  
Hilden, S.  
Liang, C. T.
- Sadoshima, S., Thames, M., and Heistad, D. Cerebral blood flow during elevation of intracranial pressure: role of sympathetic nerves. 241,10:H78
- Sadoul, P. *see* Puchelle, E.
- Sadowski, B. *see* Szczepańska-Sadowska, E.
- Sadowski, J., Kurkus, J., and Gellert, R. Denervated and intact kidney responses to saline load in awake and anesthetized dogs. 237,6:F262
- Saeki, Y., Sagawa, K., and Suga, H. Transient tension responses of heart muscle in  $Ba^{2+}$  contracture to step length changes. 238,7:H340
- Saeki, Y., Shibata, T., and Shiozawa, K. Excitation-contraction coupling in mammalian cardiac muscle during  $Ba^{2+}$ -induced contracture. 240,9:H216
- Saeki, Y. *see* Suga, H.
- Safar, M. E.  
*see* Chau, N. P.  
Simon, A. C.
- Safer, B. *see* Schaffer, S. W.
- Saffouri, B., Weir, G. C., Bitar, K. N., and Makhoul, G. M. Gastrin and somatostatin secretion by perfused rat stomach: functional linkage of antral peptides. 238,1:G495
- Saffouri, B. *see* DuVal, J. W.
- Safilian, E. F. *see* Rader, J. L.
- Safirstein, R., Miller, P., Dikman, S., Lyman, N., and Shapiro, C. Cisplatin nephrotoxicity in rats: defect in papillary hypertonicity. 241,10:F175
- Sagar, K. *see* Palacios, I.
- Sagawa, K. Concerning "gain." 235,4:H117
- Sagawa, K.  
*see* Anderson, D. E.  
Hosomi, H.  
Khalafbeigi, F.  
Lau, V.-K.  
Saeki, Y.  
Shoukas, A. A.  
Suga, H.  
Sunagawa, K.
- Sage, H. L. *see* Ledbetter, F. H.
- Saghaft, D. *see* Popovtzer, M. M.
- Sagor, G. *see* Adrian, T. E.
- Sahib, M. K., Schwartz, J. H., and Handler, J. S. Inhibition of toad urinary bladder sodium transport by carbamylcholine: possible role of cyclic GMP. 235,4:F586
- Sahlin, K., Edström, L., Sjöholm, H., and Hultman, E. Effects of lactic acid accumulation and ATP decrease on muscle tension and relaxation. 240,9:C121
- Sahms, R. H.  
*see* Rannels, D. E.  
Williams, I. H.
- Said, S. I.  
*see* Heistad, D. D.  
Porter, J. P.  
Schebalin, M.  
Wei, E. P.
- Saier, M. H., Jr. Growth and differentiated properties of a kidney epithelial cell line (MDCK). 240,9:C106
- Saito, D., Kusachi, S., Nishiyama, O., Yasuhara, K., Harakawa, S., Nagashima, H., and Olsson, R. A. Decrease in myocardial oxygen extraction with aortic constriction in the dog. 242,11:H310
- Saito, D., and Olsson, R. A. Limitations in predicting oxyhemoglobin saturation of dog blood from  $PO_2$ . 239,8:H703
- Saito, D. *see* Kusachi, S.
- Saito, M., Kato, H., and Suda, M. Circadian rhythm of intestinal disaccharidases of rats fed with adrenalectomy. 238,1:G97
- Saito, M., Suda, M., and Matzuda, H. Postnatal development of circadian rhythms in disaccharidase activities in rat small intestine. 234,3:E500
- Saito, M. *see* Hara, E.
- Saito, Y. *see* Litosch, I.
- Sakaguchi, M. *see* Ohhashi, T.
- Sakaguchi, S., Glotzbach, S. F., and Heller, H. C. Influence of hypothalamic and ambient temperatures on sleep in kangaroo rats. 237,6:R80
- Sakai, K. *see* Tomoike, H.
- Sakamoto, C. *see* Otsuki, M.
- Sakauye, C., and Feldman, D. Agonist and antimineralocorticoid activities of spirolactones. 231:93
- Saker, B. *see* Dávalos, M.
- Sakr, H. M., and Dunham, E. W. Enhanced renal vasoconstriction in rats fed essential fatty acid-deficient diet. 243,12:H61
- Sakuma, Y., and Pfaff, D. W. Facilitation of female reproductive behavior from mesencephalic central gray in the rat. 237,6:R278
- Sakuma, Y., and Pfaff, D. W. Mesencephalic mechanisms for integration of female reproductive behavior in the rat. 237,6:R285
- Sakurada, O., Kennedy, C., Jehle, J., Brown, J. D., Carbin, G. L., and Sokoloff, L. Measurement of local cerebral blood flow with iodine-125 antipyrine. 234,3:H59
- Sakurai, Y. *see* Tamiya, K.
- Salafes, M. *see* Conde, M. V.
- Salans, L. B., Foley, J. E., Wardzala, L. J., and Cushman, S. W. Effects of dietary composition on glucose metabolism in rat adipose cells. 240,3:E175
- Salans, L. B.  
*see* Cushman, S. W.  
Foley, J. E.
- Salathe, E. P. An analysis of interstitial fluid pressure in the web of the bat wing. 232,1:H297
- Salathé, E. P., and Venkataraman, R. Role of extravascular protein in capillary-tissue fluid exchange. 234,3:H52
- Salel, A. F. *see* McDonagh, P. F.
- Salers, P. *see* Vérine, A.



- Salgado, H. C.**, and Krieger, E. M. Time course of baroreceptor resetting in short-term hypotension in the rat. 234,3:H552
- Salgado, H. C.** see Hall, J. E.
- Salinari, S.** see Pescatori, M.
- Sallee, V. L.** Permeation of long-chain fatty acids and alcohols in rat intestine. 236,5:E721
- Salomon, M.** see Kanarek, R. B.
- Salpidoru, N.** see Ezekowitz, M. D.
- Saltin, B.** see Sjøgaard, G.
- Saltzman, H. A.** see Hempel, F. G.
- Salvan, A.** see Okolicsanyi, L.
- Samar, R. E.**, and Coleman, T. G. Measurement of mean circulatory filling pressure and vascular capacitance in the rat. 234,3:H94
- Samar, R. E.**, and Coleman, T. G. Whole-body response of the peripheral circulation following hemorrhage in the rat. 236,5:H206
- Samar, R. E.**, and Coleman, T. G. Mean circulatory pressure and vascular compliances in the spontaneously hypertensive rat. 237,6:H584
- Samarel, A. M.**, Ogunro, E. A., Ferguson, A. G., Allenby, P., and Lesch, M. Rabbit cardiac immunoreactive cathepsin D content during starvation-induced atrophy. 240,9:H222
- Sambhi, M. P.** see Barrett, J. D.
- Samloff, I. M.** see Wollin, A.
- Samojlik, E.**  
see Santen, R. J.  
Worgul, T. J.
- Samorodin, A. J.** see Hollenberg, M.
- Sampson, H. W.** see Krawitt, E. L.
- Sampson, S. R.**, Aminoff, M. J., Jaffe, R. A., and Vidruk, E. H. Analysis of inhibitory effect of dopamine on carotid body chemoreceptors in cats. 230:1494
- Sanadi, D. R.** see Abu-Erreish, G. M.
- Sanborn, C. R.** see Ratner, A.
- Sanborn, T.**, Gavin, W., Berkowitz, S., Perille, T., and Lesch, M. Augmented conversion of aspartate and glutamate to succinate during anoxia in rabbit heart. 237,6:H535
- Sanders, E.** see Beierwaltes, W. H.
- Sanders, K. M.** Endogenous prostaglandin E and contractile activity of isolated ileal smooth muscle. 234,3:E209
- Sanders, K. M.**, and Bauer, A. J. Ethyl alcohol interferes with excitation-contraction mechanisms of canine antral muscle. 242,5:G222
- Sanders, K. M.**, and Ross, G. Effects of endogenous prostaglandin E on intestinal motility. 234,3:E204
- Sanders, K. M.**, Schmalz, P., and Szurszewski, J. H. Effect of neurotensin on mechanical and intracellular electrical activity of the canine stomach. 243,6:G404
- Sanders, K. M.**, and Szurszewski, J. H. Does endogenous prostaglandin affect gastric antral motility? 241,4:G191
- Sanders, M.**, White, F. C., Peterson, T. M., and Bloor, C. M. Effects of endurance exercise on coronary collateral blood flow in miniature swine. 234,3:H614
- Sanders, M.**, White, F. C., Peterson, T. M., and Bloor, C. M. Characteristics of coronary blood flow and transmural distribution in miniature pigs. 235,4:H601
- Sanders, M. J.** see Misfeldt, D. S.
- Sanders, S. S.**, Butler, C. F., O'Callaghan, J., and Rehm, W. S. Inhibition of H<sup>+</sup> secretion in the frog gastric mucosa by ATP and related compounds. 230:1688
- Sanders, S. S.**, Pirkle, J. A., Shoemaker, R. L., and Rehm, W. S. Effect of inhibitors and weak bases on electrophysiology and secretion in frog stomach. 234,3:E120
- Sanders, S. S.**, Shoemaker, R. L., and Rehm, W. S. Electrogenic HCl theory in light of effects of SCN<sup>-</sup> and Ba<sup>2+</sup> on frog stomach. 233,2:E298
- Sanderson, J. D.** see Novin, D.
- Sandler, L. S.** see Freude, K. A.
- Sando, H.**, Miki, E., and Kosaka, K. Insulin secretion in hypoglycemia after adrenal vein ligation or splanchnicotomy. 232,1:E237
- Sándor, P.**, Demchenko, I. T., Kovách, A. G. B., and Moskalenko, Y. E. Hypothalamic and thalamic blood flow during somatic afferent stimulation in dogs. 231:270
- Sandra, A.**, and Fyler, D. J. Effect of liposome-adipocyte interaction on hexose uptake and insulin action. 241,4:E281
- Sandstead, H. H.** see Jacobs, F. A.
- Sanford, C. S.** see Clamage, D. M.
- Sanjana, V. M.**, Johnston, P. A., Robertson, C. R., and Jamison, R. L. An examination of transcapillary water influx in renal inner medulla. 231:313
- Sankaran, H.**, Goldfine, I. D., Bailey, A., Licko, V., and Williams, J. A. Relationship of cholecystokinin receptor binding to regulation of biological functions in pancreatic acini. 242,5:G250
- Sankaran, H.**, Iwamoto, Y., Korc, M., Williams, J. A., and Goldfine, I. D. Insulin action in pancreatic acini from streptozotocin-treated rats. II. Binding of <sup>125</sup>I-insulin to receptors. 240,3:G63
- Sankaran, H.**  
see Korc, M.  
Williams, J. A.
- Sano, A.** see Takeguchi, N.
- Sano, T.**, Sawanobori, T., and Adaniya, H. Mechanism of rhythm determination among pacemaker cells of the mammalian sinus node. 235,4:H379
- Sano, T.** see Hiraoka, M.
- Sanseverino, E. R.** see Galletti, C.
- Sansom, S.** see Knight, T. F.
- Sansom, S. C.**, Senekjian, H. O., Knight, T. F., Babino, H., Stoeckel, D., and Weinman, E. J. Determination of the apparent transport constants for urate absorption in the rat proximal tubule. 240,9:F406
- Sansom, S. C.**  
see Knight, T. F.  
Weiner, I. M.  
Weinman, E. J.
- Sanstead, H. H.** see Greeley, S.
- Santamore, W. P.**, Carey, R., Goodrich, D., and Bove, A. A. Measurement of left and right ventricular volume from implanted radiopaque markers. 240,9:H896
- Santamore, W. P.**, Kent, R. L., Carey, R. A., and Bove, A. A. Synergistic effects of pressure, distal resistance, and vasoconstriction on stenosis. 243,12:H236
- Santamore, W. P.**, Meier, G. D., and Bove, A. A. Effects of hemodynamic alterations on wall motion in the canine right ventricle. 236,5:H254
- Santamore, W. P.** see Meier, G. D.
- Santen, R. J.**, Samojlik, E., Demers, L., and Badder, E. Adrenal of male dog secretes androgens and estrogens. 239,2:E109
- Santen, R. J.** see Worgul, T. J.
- Santiago, J. V.** see Clarke, W. L.
- Santiesteban, H. L.** see Ammons, W. S.
- Sapru, H. N.**, and Krieger, A. J. Role of receptor elements in baroreceptor resetting. 236,5:H174
- Sapru, H. N.**, and Wang, S. C. Modification of aortic baroreceptor resetting in the spontaneously hypertensive rat. 230:664
- Saraux, B.**, Girard-Globa, A., Ouagued, M., and Vacher, D. Response of the exocrine pancreas to quantitative and qualitative variations in dietary lipids. 243,6:G10
- Sardet, C.** Freeze fracture of the gill epithelium of euryhaline teleost fish. 238,7:R207
- Sardet, C.** see Pisam, M.
- Sarelius, I. H.**, Damon, D. N., and Duling, B. R. Microvascular adaptations during maturation of striated muscle. 241,10:H317
- Sarelius, I. H.**, and Duling, B. R. Direct measurement of microvessel hematocrit, red cell flux, velocity, and transit time. 243,12:H1018
- Sarelius, I. H.**, and Sinclair, J. D. Effects of small changes of blood volume on oxygen delivery and tissue oxygenation. 240,9:H177
- Sarles, H.** see La Bella, A.
- Sarna, S.**, Northcott, P., and Belbeck, L. Mechanism of cycling of migrating myoelectric complexes: effect of morphine. 242,5:G588
- Sarna, S.**, Stoddard, C., Belbeck, L., and McWade, D. Intrinsic nervous control of migrating myoelectric complexes. 241,4:G16
- Sarna, S.** see Daniel, E. E.
- Sarr, M. G.**, and Kelly, K. A. Patterns of movement of liquids and solids through canine jejunum. 239,2:G497
- Sarr, M. G.**, Kelly, K. A., and Gladen, H. E. Electrical control of canine jejunal propulsion. 240,3:G355
- Sarr, M. G.**, Kelly, K. A., and Phillips, S. F. Canine jejunal absorption and transit during interdigestive and digestive motor states. 239,2:G167
- Saruta, T.** see Suzuki, H.
- Sasayama, S.**, Franklin, D., and Ross, J., Jr. Hyperfunction with normal isotropic state of the hypertrophied left ventricle. 232,1:H418
- Sasayama, S.**, Gallagher, K. P., Kemper, W. S., Franklin, D., and Ross, J., Jr. Regional left ventricular wall thickness early and late after coronary occlusion in the conscious dog. 240,9:H293
- Sasayama, S.**  
see Crozatier, B.  
Hirakawa, S.
- Sass, M. D.** Effect of ammonium chloride on osmotic behavior of red cells in nonelectrolytes. 236,5:C238
- Satinoff, E.**, Liran, J., and Clapman, R. Aberrations of circadian body temperature rhythms in rats with medial preoptic lesions. 242,11:R352
- Satinoff, E.**  
see Beckman, A. L.  
Kleitman, N.
- Sato, F.** see Sato, K.
- Sato, K.** Modifications of glass microelectrodes: a self-filling and a semifloating glass microelectrode. 232,1:C207
- Sato, K.** Electrochemical driving forces for K<sup>+</sup> secretion by rat paw eccrine sweat gland. 239,8:C90
- Sato, K.**, Nishiyama, A., and Kobayashi, M. Mechanical properties and functions of the myoepithelium in the eccrine sweat gland. 237,6:C177
- Sato, K.**, and Sato, F. Pharmacologic responsiveness of isolated single eccrine sweat glands. 240,9:R44
- Sato, K.**, and Sato, F. Role of calcium in cholinergic and adrenergic mechanisms of eccrine sweat secretion. 241,12:C113
- Sato, K.**, and Sato, F. Spontaneous sweat secretion in calcium-free strontium medium. 242,11:C353
- Sato, K.**, and Sato, F. Transepithelial potential during strontium-induced spontaneous sweating. 242,11:C360

- Sato, T., Shirataka, M., Ikeda, N., and Grodins, F. S. Steady-state systems analysis of hepatic hemodynamics in the isolated perfused canine liver. 233,2:R188
- Sato, T. *see* Tomita, M.
- Satoh, S., and Zimmerman, B. G. Renal effect of meclofenamate in presence and absence of superfusion bioassay. 230:711
- Satriano, J. A. *see* Schlondorff, D.
- Satvat, B. *see* Deen, W. M.
- Säuberli, H. *see* Koelz, H. R.
- Saubert, C. W., IV *see* Maier, A.
- Saumon, G. *see* Sterkers, O.
- Saunders, D. R., and Wiggins, H. S. Conservation of mannitol, lactulose, and raffinose by the human colon. 241,4:G397
- Saunders, D. R. *see* McDonald, G. B.
- see* Surawicz, C. M.
- Saville, M. E. *see* Rothwell, N. J.
- Sawanobori, T. *see* Sano, T.
- Sawchenko, P. E., and Friedman, M. I. Sensory functions of the liver—a review. 236,5:R5
- Sawchenko, P. E. *see* Gold, R. M.
- Sawin, L. L. *see* DiBona, G. F.
- see* Plath, D. W.
- Sawitsky, A. *see* Cohn, S. H.
- Sawyer, C. H. *see* Leung, P. C. K.
- Sawyer, D. C. *see* Ely, S. W.
- Sawyer, M. K. *see* Sawyer, W. H.
- Sawyer, W. H., Blair-West, J. R., Simpson, P. A., and Sawyer, M. K. Renal responses of Australian lungfish to vasotocin, angiotensin II, and NaCl infusion. 231:593
- Sawyer, W. H. *see* Pang, P. K. T.
- Sax, J. *see* Stewart, D. J.
- Sayed, M. M., Adler, R. J., Chaudry, I. H., and Baue, A. E. Effect of hemorrhagic shock on hepatic transmembrane potentials and intracellular electrolytes, in vivo. 240,9:R211
- Sayed, M. M. *see* Chaudry, I. H.
- Scaf, A. H. J. *see* Vonk, R. J.
- Scalabrino, G., Ferioli, M. E., Basagni, M., Nebuloni, R., and Fraschini, F. Endocrine regulation of thymic biosynthetic polyamine decarboxylases in adult rat. 237,6:E6
- Scarlett, J. A. *see* Olefsky, J. M.
- Scarpa, A. *see* Ronner, P.
- Schade, D. S. *see* Eaton, R. P.
- Schade, R. R. *see* Dugas, M. C.
- Schade, S. G., and Fried, W. Suppressive effect of endotoxin on erythropoietin-responsive cells in mice. 231:73
- Schafer, J. A., and Barfuss, D. W. Membrane mechanisms for transepithelial amino acid absorption and secretion. 238,7:F335
- Schafer, J. A., Patlak, C. S., and Andreoli, T. E. Fluid absorption and active and passive ion flows in the rabbit superficial pars recta. 233,2:F154
- Schafer, J. A., Patlak, C. S., Troutman, S. L., and Andreoli, T. E. Volume absorption in the pars recta. II. Hydraulic conductivity coefficient. 234,3:F340
- Schafer, J. A., Troutman, S. L., Watkins, M. L., and Andreoli, T. E. Volume absorption in the pars recta. I. "Simple" active Na<sup>+</sup> transport. 234,3:F332
- Schafer, J. A. *see* Andreoli, T. E.
- see* Barfuss, D. W.
- see* Jamison, R. L.
- see* Work, J.
- Schaff, H. V., Gott, V. L., Goldman, R. A., Frederiksen, J. V., and Flaherty, J. T. Mechanism of elevated left ventricular end-diastolic pressure after ischemic arrest and reperfusion. 240,9:H300
- Schaff, H. V. *see* Flaherty, J. T.
- Schaffalitzky de Muckadell, O. B. *see* Fahrenkrug, J.
- see* Hilsted, J.
- see* Jensen, S. L.
- Schaffer, S. W., Safer, B., Ford, C., Illingworth, J., and Williamson, J. R. Respiratory acidosis and its reversibility in perfused rat heart: regulation of citric acid cycle activity. 234,3:H40
- Schaffer, S. W. *see* Kramer, J. H.
- Schaible, T. *see* Malhotra, A.
- Schäli, C., and Roch-Ramel, F. Accumulation of [<sup>14</sup>C]urate and [<sup>3</sup>H]PAH in isolated proximal tubular segments of the rabbit kidney. 239,8:F222
- Schäli, C., and Roch-Ramel, F. Uptake of [<sup>3</sup>H]PAH and [<sup>14</sup>C]urate into isolated proximal tubular segments of the pig kidney. 241,10:F591
- Schally, A. V. *see* Konturek, S. J.
- see* Thor, P.
- Schambelan, M. *see* Hulter, H. N.
- Schanbacher, B. D. Responses of ram lambs to active immunization against testosterone and luteinizing hormone-releasing hormone. 242,5:E201
- Schanbacher, B. D., and Crouse, J. D. Photoperiodic regulation of growth: a photosensitive phase during light-dark cycle. 241,4:E1
- Schanbacher, L. M., Nations, J. K., Weisbrodt, N. W., and Castro, G. A. Intestinal myoelectric activity in parasitized dogs. 234,3:R188
- Schanbacher, L. M. *see* Johnson, L. R.
- Schang, J.-C., and Kelly, K. A. Inhibition of canine interdigestive proximal gastric motility by cholecystokinin octapeptide. 240,3:G217
- Schang, J.-C., Kelly, K. A., and Go, V. L. W. Postprandial hormonal inhibition of canine interdigestive gastric motility. 240,3:G221
- Schanker, L. S. *see* Hemberger, J. A.
- see* Lin, Y. J.
- Schanne, O. F. *see* Caille, J.-P.
- see* Ruiz-Ceretti, E.
- Schaper, J. *see* Pasyk, S.
- Schaper, W. *see* Pasyk, S.
- Schardt, M. *see* Jung, T. W.
- Scharf, S. M., Caldini, P., and Ingram, R. H., Jr. Cardiovascular effects of increasing airway pressure in the dog. 232,1:H35
- Scharf, S. M., and Ingram, R. H., Jr. Effects of decreasing lung compliance with oleic acid on the cardiovascular response to PEEP. 233,2:H635
- Scharf, S. M. *see* Sylvester, J. T.
- Scharrer, E. *see* Geary, N.
- see* Langhans, W.
- Scharschmidt, B. F., Van Dyke, R. W., and Stephens, J. E. Chloride transport by intact rat liver and cultured rat hepatocytes. 242,5:G628
- Scharschmidt, B. F. *see* Van Dyke, R. W.
- Schattenmann, G. *see* Müller-Lissner, S. A.
- see* Sonnenberg, A.
- Schebalin, M., Said, S. I., and Makhlof, G. M. Stimulation of insulin and glucagon secretion by vasoactive intestinal peptide. 232,1:E197
- Schedl, H. P., Wenger, J., and Adibi, S. A. Diglycine absorption in streptozotocin diabetic rat. 235,4:E457
- Schedl, H. P., Wilson, H. D., Ramaswamy, K., and Lichtenberger, L. Gastrin and growth of the alimentary tract in the streptozotocin-diabetic rat. 242,5:G460
- Schedl, H. P. *see* Miller, D. L.
- see* Petith, M. M.
- Scheel, K. W., Ingram, L. A., and Gordey, R. L. Relationship of coronary flow and perfusion territory in dogs. 243,12:H738
- Scheel, K. W., Wilson, J. L., Ingram, L. A., and McGeehe, L. The septal artery and its collaterals in dogs with and without circumflex occlusion. 238,7:H504
- Scheel, K. W. *see* Jones, C. E.
- Scheele, G. A. Biosynthesis, segregation, and secretion of exportable proteins by the exocrine pancreas. 238,1:G467
- Scheele, G. A. *see* Iacino, D.
- Scheid, C. R. *see* Findlay, S. R.
- Scheid, P. *see* Holle, J. P.
- Scheig, R. L. *see* Green, R. S.
- see* Hajjar, J. J.
- Scheinman, M. *see* Gonzalez, R.
- Schelling, P. *see* Hoffman, W. E.
- see* Liard, J. F.
- Schemmel, R. A., Teague, R. J., and Bray, G. A. Obesity in Osborne-Mendel and S 5B/Pl rats: effects of sucrose solutions, castration, and treatment with estradiol or insulin. 243,12:R347
- Schemmel, R. A. *see* Obst, B. E.
- Schenk, R. *see* Trechsel, U.
- Schenker, G. *see* Müller-Lissner, S. A.
- Scher, A. M. *see* Cunningham, S. G.
- see* Montgomery, G. D.
- see* Stephenson, R. B.
- see* Wyss, C. R.
- Scherlag, B. J. *see* Barbari, E. J.
- Schettini, A. *see* Walsh, E. K.
- Scheuer, J. *see* Bersohn, M. M.
- see* Capasso, J. M.
- see* Malhotra, A.
- see* Yipintsoi, T.
- Schiebinger, R. J., Albertson, B. D., Barnes, K. M., Cutler, G. B., Jr., and Loriaux, D. L. Developmental changes in rabbit and dog adrenal function: a possible homologue of adrenarche in the dog. 240,3:E694
- Schielke, G. P. *see* Hansen, B. C.
- Schiessel, R., Merhav, A., Matthews, J. B., Fleischer, L. A., Barzilai, A., and Silen, W. Role of nutrient HCO<sub>3</sub><sup>-</sup> in protection of amphibian gastric mucosa. 239,2:G536
- Schiff, D. *see* Malvin, R. L.
- Schiff, H., and Binswanger, U. Calcium ATPase and intestinal calcium transport in uremic rats. 238,1:G424
- Schiffmann, Y. Biological fluid membrane generates triggering cycle and homeostasis. 243,12:R229
- Schiffman, E. L., and Genest, J. Mechanism of captopril-induced drinking. 242,11:R136
- Schiffman, E. L., Lis, M., Gutkowska, J., and Genest, J. Role of Ca<sup>2+</sup> in response of adrenal glomerulosa cells to angiotensin II, ACTH, K<sup>+</sup>, and ouabain. 241,4:E42
- Schiffman, E. L. *see* Mann, J. F. E.
- Schiller, H. S., Holm, R. A., and Sackett, G. P. Alterations in steroid binding plasma proteins in *Macaca nemestrina* during pregnancy. 234,3:E489
- Schiller, P. W. *see* Mann, J. F. E.
- Schindler, J. G. *see* János, G. G.
- Schipperheyn, J. J. *see* Kroll, K.
- Schlegel, J. F. *see* Code, C. F.
- Schlender, K. K. *see* Kochan, R. G.
- Schlenker, E. H., Carlson, D., and Herreid, C. F., II. Metabolic contribution of CO<sub>2</sub> to the "group effect." 241,10:R264

- Schloerb, P. R., Sieracki, L., Botwin, A. J., Winblad, J. M., and Maguire, M. H. Intravenous adenosine triphosphate (ATP) in hemorrhagic shock in rats. 240,9:R52
- Schlondorff, D., Carvounis, C. P., Jacoby, M., Satriano, J. A., and Levine, S. D. Multiple sites for interaction of prostaglandin and vasopressin in toad urinary bladder. 241,10:F625
- Schlondorff, D., Roczniak, S., Satriano, J. A., and Folkert, V. W. Prostaglandin synthesis by isolated rat glomeruli: effect of angiotensin II. 239,8:F486
- Schlondorff, D., Weber, H., Trizna, W., and Fine, L. G. Vasopressin responsiveness of renal adenylate cyclase in newborn rats and rabbits. 234,3:F16
- Schlondorff, D., Yoo, P., and Alpert, B. E. Stimulation of adenylate cyclase in isolated rat glomeruli by prostaglandins. 235,4:F458
- Schlondorff, D.  
see Folkert, V. W.  
Levine, S. D.
- Schmahl, F. W. see Ruderman, N. B.
- Schmalz, P. see Sanders, K. M.
- Schmalz, P. F. see Morgan, K. G.
- Schmelzer, W. S. see Moore-Ede, M. C.
- Schmid, H. E., Jr. see Beaty, O., III
- Schmid, P. see Tomanek, R. J.
- Schmid, P. G., Dykstra, R. H., Mayer, H. E., Oda, R. P., and Donnell, J. J. Evidence of nonuniform sympathetic neural activity to heart regions in guinea pigs. 237,6:H606
- Schmid, P. G., Greif, B. J., Lund, D. D., and Roskoski, R., Jr. Tyrosine hydroxylase and choline acetyltransferase activities in ischemic canine heart. 243,12:H788
- Schmid, P. G., Lund, D. D., Davis, J. A., Whiteis, C. A., Bhatnagar, R. K., and Roskoski, R., Jr. Selective sympathetic neural changes in hypertrophied right ventricle. 243,12:H175
- Schmid, P. G.  
see Bealer, S. L.  
Hoffman, W. E.  
Lund, D. D.  
Matsuguchi, H.  
McNamara, R. F.  
Thames, M. D.
- Schmidt, G.  
see Meyer, H. H.  
Vetterlein, F.
- Schmidt, I., and Simon, E. Negative and positive feedback of central nervous system temperature in thermoregulation of pigeons. 243,12:R363
- Schmidt, J. A. see McNamara, R. F.
- Schmidt, K. L. see Potter, G. D.
- Schmidt, R. W. Factors affecting  $\text{HCO}_3^-$  reabsorption in experimental renal insufficiency. 234,3:F472
- Schmidt, U., and Horster, M. Na-K-activated ATPase: activity maturation in rabbit nephron segments dissected in vitro. 233,2:F55
- Schmidt-Nielsen, B. Intracellular concentrations of the salt gland of the herring gull *Larus argentatus*. 230:514
- Schmidt-Nielsen, B. Introduction (Biology of the chloride cell—Jean Maetz Memorial Symposium). 238,7:R139
- Schmidt-Nielsen, B. Introduction to the editorial review by W. Kriz. 241,10:R1
- Schmidt-Nielsen, B. see Manen, C. A.
- Schmidt-Nielsen, K.  
see Baudinette, R. V.  
Grubb, B.  
Pinshow, B.
- Schmidt-Silver, C. see Silver, P. J.
- Schmitt, H. see Laubie, M.
- Schmitter, J. L. see Paradise, N. F.
- Schmulen, A. C., Lerman, M., Pak, C. Y. C., Zerwekh, J., Morawski, S., Fordtran, J. S., and Vergne-Marini, P. Effect of 1,25-(OH) $_2$ D $_3$  on jejunal absorption of magnesium in patients with chronic renal disease. 238,1:G349
- Schneeberger, E. E., and Neary, B. A. The bloodless rat: a new model for macromolecular transport studies across lung endothelium. 242,11:H890
- Schneider, A. B. see Bushinsky, D. A.
- Schneider, B. S., Faust, I. M., Hemmes, R., and Hirsch, J. Effects of altered adipose tissue morphology on plasma insulin levels in the rat. 240,3:E358
- Schneider, E. G., and McLane, L. A. Evidence for a peritubular-to-luminal flux of phosphate in the dog kidney. 232,1:F159
- Schneider, E. G.  
see Childers, J. W.  
Hanson, R. C.  
Obika, L. F. O.  
Zucker, A.
- Schneider, H. see Wieland, P.
- Schneiderman, N.  
see Gimpl, M. P.  
Kaufman, M. P.
- Schnermann, J., Briggs, J., and Schubert, G. In situ studies of the distal convoluted tubule in the rat. I. Evidence for NaCl secretion. 243,12:F160
- Schnermann, J., Stowe, N., Yarimizu, S., Magnusson, M., and Tingwald, G. Feedback control of glomerular filtration rate in isolated, blood-perfused dog kidneys. 233,2:F217
- Schnermann, J.  
see Briggs, J. P.  
Moore, L. C.
- Schneyer, C. A., and Hall, H. D. Neurally mediated increase in mitosis and DNA of rat parotid with increase in bulk of diet. 230:911
- Schneyer, C. A. see Jirakulsomchok, D.
- Schneyer, L. H. Sympathetic control of Na,K transport in perfused submaxillary main duct of rat. 230:341
- Schneyer, L. H. Parasympathetic control of Na, K transport in perfused submaxillary duct of the rat. 233,2:F22
- Schneyer, L. H. see Denniss, A. R.
- Schnieders, J. R., and Ludens, J. H. Comparison of effects of standard diuretics and indanone in isolated toad cornea and bladder. 238,7:R70
- Schnittger, I. see Winkle, R. A.
- Schnitzer, J. E., McKinstry, P., Light, T. R., and Ogden, J. A. Quantitation of regional chondroosseous circulation in canine tibia and femur. 242,11:H365
- Schoen, H. see Erlij, D.
- Schoen, H. F., and Candia, O. A. An inexpensive, high output voltage, voltage clamp for epithelial membranes. 235,4:C69
- Schoen, H. F.  
see Candia, O. A.  
Reinach, P. S.
- Schoenberger, A. M. see Cortes, P.
- Schoenfeld, L. J. see Handelsman, B.
- Schoenle, E., Zapf, J., and Froesch, E. R. Transport and metabolism of fructose in fat cells of normal and hypophysectomized rats. 237,6:E325
- Schoenle, E., Zapf, J., and Froesch, E. R. Glucose transport in adipocytes and its control by growth hormone in vivo. 242,5:E368
- Schoepfle, G. M. Tetanic hyperpolarization of single medullated nerve fibers in sodium and lithium. 231:1033
- Schoetz, D. J., Jr., LaMorte, W. W., Wise, W. E., Birkett, D. H., and Williams, L. F., Jr. Mechanical properties of primate gallbladder: description by a dynamic method. 241,4:G376
- Schofield, B. see Yates, J. C.
- Scholer, D. W., and Edelman, I. S. Isolation of rat kidney cortical tubules enriched in proximal and distal segments. 237,6:F350
- Scholer, D. W., Mishina, T., and Edelman, I. S. Distribution of aldosterone receptors in rat kidney cortical tubules enriched in proximal and distal segments. 237,6:F360
- Scholer, D. W.  
see Mishina, T.  
Rodriguez, H. J.
- Scholz, R. W., and Evans, R. M. Pulmonary fatty acid synthesis. II. Amino acids as fatty acid precursors in rat lung. 232,1:E364
- Scholz, R. W.  
see Evans, R. M.  
Todhunter, D. A.
- Schon, D. A.  
see Hayslett, J. P.  
Siegel, N. J.
- Schor, N., Ichikawa, I., and Brenner, B. M. Glomerular adaptations to chronic dietary salt restriction or excess. 238,7:F428
- Schoutens, A., Bergmann, P., and Verhas, M. Bone blood flow measured by  $^{86}\text{Sr}$  microspheres and bone seeker clearances in the rat. 236,5:H1
- Schrader, J. see Schütz, W.
- Schrader, N. W. see Yarger, W. E.
- Schraer, H.  
see Clermont, C. P.  
Gay, C. V.
- Schramm, L. P., and Barton, G. N. Diminished sympathetic silent period in spontaneously hypertensive rats. 236,5:R147
- Schramm, L. P., and Chornoboy, E. S. Sympathetic activity in spontaneously hypertensive rats after spinal transection. 243,12:R506
- Schramm, L. P.  
see Carlson, D. E.  
Celler, B. G.  
Ward, D. G.
- Schreurs, A. W. see Karemaker, J. M.
- Schrier, R. W., Berl, T., and Anderson, R. J. Osmotic and nonosmotic control of vasopressin release. 236,5:F321
- Schrier, R. W.  
see Berl, T.  
Berns, A. S.  
Burke, T. J.  
De Torrente, A.  
Gross, P. A.  
Henrich, W. L.
- Schröck, H., Forster, R. P., and Goldstein, L. Renal handling of taurine in marine fish. 242,11:R64
- Schröck, H., and Goldstein, L. Interorgan relationship for glutamine metabolism in normal and acidotic rats. 240,3:E519
- Schröder, H., and Leichtweiss, H.-P. Perfusion rates and the transfer of water across isolated guinea pig placenta. 232,1:H666
- Schröder, H., Paul, W., and Leichtweiss, H.-P. Vascular volumes in isolated perfused guinea pig placenta. 241,10:H73
- Schröder, H. see Gilbert, R. D.
- Schroeder, L. A. see Eakin, D. J.
- Schroeder, T. M. see Hinshaw, L. B.
- Schrör, K., Köhler, P., Müller, M., Peskar, B. A., and Rösen, P. Prostacyclin-thromboxane interactions in the platelet-perfused in vitro heart. 241,10:H18
- Schrör, K., Smith, E. F., III, Bickerton, M., Smith, J. B., Nicolaou, K. C., Magolda, R., and Lefer, A. M. Preservation of ischemic myocardium by pinane thromboxane  $A_2$ . 238,7:H87
- Schryver, S. see Beierwaltes, W. H.
- Schubert, G. see Schnermann, J.



- Schabert, M. L., Bitar, K. N., and Makhlouf, G. M. Regulation of gastrin and somatostatin secretion by cholinergic and noncholinergic intramural neurons. 243, 6:G442
- Schubert, R. W., Whalen, W. J., and Nair, P. Myocardial  $P_{O_2}$  distribution: relationship to coronary autoregulation. 234, 3: H361
- Schuder, J. C. *see* Gold, J. H.
- Schuessler, G. B.  
*see* Chen, R. Y. Z.  
Fan, F.-C.
- Schuessler, R. B. *see* Boineau, J. P.
- Schuetz, A. H., Hüttemeier, P. C., Watkins, W. D., and Zapol, W. M. Effect of lung thromboxane generation on regional blood flow during sheep bypass. 242, 11: H462
- Schuetz, W. H.  
*see* Bynum, G. D.  
Kim, Y. D.
- Schuetz, A. W. *see* Lessman, C. A.
- Schuler, H. G. *see* Werner, J. C.
- Schull, W. J. *see* Clench, J.
- Schultz, H. D., Fater, D. C., Sundet, W. D., Geer, P. G., and Goetz, K. L. Reflexes elicited by acute stretch of atrial vs. pulmonary receptors in conscious dogs. 242, 11: H1065
- Schultz, H. D., Zehr, J. E., and Livnat, A. Central and peripheral adrenergic modulation of carotid sinus-induced renin release. 242, 11: R318
- Schultz, H. D. *see* Fater, D. C.
- Schultz, J. *see* Birnbaum, M.
- Schultz, S. G. Sodium-coupled solute transport by small intestine: a status report. 233, 2: E249
- Schultz, S. G. Homocellular regulatory mechanisms in sodium-transporting epithelia: avoidance of extinction by "flush-through." 241, 10: F579
- Schultz, S. G.  
*see* Frizzell, R. A.  
Potter, G. D.
- Schultz, T. *see* Gerich, J.
- Schultz, T. A., Lewis, S. B., Westbie, D. K., Wallin, J. D., and Gerich, J. E. Glucose delivery: a modulator of glucose uptake in contracting skeletal muscle. 233, 2: E514
- Schulz, I. Messenger role of calcium in function of pancreatic acinar cells. 239, 2: G335
- Schulz, I.  
*see* Stolze, H.  
Wakasugi, H.
- Schulze, K., Conklin, J. L., and Christensen, J. A potassium gradient in smooth muscle segment of the opossum esophagus. 232, 1: E270
- Schulze, K., Dodds, W. J., Christensen, J., and Wood, J. D. Esophageal manometry in the opossum. 233, 2: E152
- Schulze, K., Hajjar, J.-J., and Christensen, J. Regional differences in potassium content of smooth muscle from opossum esophagus. 235, 4: E709
- Schulze-Delrieu, K., and Crane, S. A. Oxygen uptake and mechanical tension in esophageal smooth muscle from opossums and cats. 242, 5: G258
- Schurek, H.-J., and Alt, J. M. Effect of albumin on the function of perfused rat kidney. 240, 9: F569
- Schusdziarra, V., Rouiller, D., Pietri, A., Harris, V., Zyznar, E., Conlon, J. M., and Unger, R. H. Pancreatic and gastric release of somatostatinlike immunoreactivity during intestinal phase of a meal. 237, 6: E555
- Schusdziarra, V., Rouiller, D., and Unger, R. H. Gastric glucagon release during gastric and intestinal phase of a meal in dogs. 238, 1: G109
- Schuster, D., and Talbott, R. E. Optimal and adaptive control in canine postural regulation. 239, 8: R93
- Schut, H. A. J., Pepe, G. J., Chez, R. A., and Townsley, J. D. Contribution of dehydroepiandrosterone and its sulfate to estradiol in baboon pregnancy. 235, 4: E78
- Schut, H. A. J., Pepe, G. J., and Townsley, J. D. Clearance and production of dehydroepiandrosterone and its sulfate in female baboons. 235, 4: E74
- Schütz, W., Schrader, J., and Gerlach, E. Different sites of adenosine formation in the heart. 240, 9: H963
- Schützenberger, W. G. *see* Kolassa, N.
- Schwaiger, M. M. *see* Banks, R. O.
- Schwark, W. S. *see* Rowe-Murphy, D. L.
- Schwartz, A. L. *see* Adam, P. A. J.
- Schwartz, D. J. *see* Wasserstrom, J. A.
- Schwartz, G. J.  $Na^+$ -dependent  $H^+$  efflux from proximal tubule: evidence for reversible  $Na^+-H^+$  exchange. 241, 10: F380
- Schwartz, G. J., and Burg, M. B. Mineralocorticoid effects on cation transport by cortical collecting tubules in vitro. 235, 4: F576
- Schwartz, G. J., Weinstein, A. M., Steele, R. E., Stephenson, J. L., and Burg, M. B. Carbon dioxide permeability of rabbit proximal convoluted tubules. 240, 9: F231
- Schwartz, J. H.  $H^+$  current response to  $CO_2$  and carbonic anhydrase inhibition in turtle bladder. 231, 5: 65
- Schwartz, J. H. Potential role for gluconeogenesis in pyruvate stimulation of  $H^+$  transport by turtle urinary bladder. 239, 8: F366
- Schwartz, J. H., Bethencourt, D., and Rosen, S. Specialized function of carbonic anhydrase-rich and granular cells of turtle bladder. 242, 11: F627
- Schwartz, J. H., and Flamenbaum, W. Heavy metal-induced alterations in ion transport by turtle urinary bladder. 230, 15: 82
- Schwartz, J. H., and Steinmetz, P. R. Metabolic energy and  $PCO_2$  as determinants of  $H^+$  secretion by turtle urinary bladder. 233, 2: F145
- Schwartz, J. H.  
*see* Butkus, D. E.  
Fromm, D.  
Graber, M. L.  
Hamburger, R. J.  
Johnson, J. P.  
Kleinman, J. G.  
Norby, L. H.  
Perrone, R. D.  
Sahib, M. K.
- Schwartz, L. W. *see* Kimball, R. E.
- Schwartz, M., Chu, T.-C., Carrasquer, G., Rehm, W. S., and Holloman, T. L. Origins of positive potential difference of frog gastric mucosa in  $Cl^-$ -free solutions. 240, 3: G267
- Schwartz, M.  
*see* Carrasquer, G.  
Holloman, T. L.
- Schwartz, M. L. *see* Levitt, M. D.
- Schwartz, N. B. *see* Lorenzen, J. R.
- Schwartz, P. J., Foreman, R. D., Stone, H. L., and Brown, A. M. Effect of dorsal root section on the arrhythmias associated with coronary occlusion. 231, 9: 23
- Schwartz, R. S., Reeves, J. T., Sodal, I. E., and Barnes, F. S. Improved phonocardiogram system based on acoustic impedance matching. 238, 7: H604
- Schwartz, S., Frantz, R. A., and Shoemaker, W. C. Sequential hemodynamic and oxygen transport responses in hypovolemia, anemia, and hypoxia. 241, 10: H864
- Schwartz, S. M., and Wade, G. N. Effects of estradiol and progesterone on food intake, body weight, and carcass adiposity in weanling rats. 240, 3: E499
- Schwartz, T. *see* Hilsted, J.
- Schwartz, W. B. *see* Madias, N. E.
- Schwartzel, E. H., Jr. *see* Levine, R. A.
- Schwarz, J. *see* Boyer, J. L.
- Schwarz, J. A. *see* Honey, R. N.
- Schwarz, L. R., Götz, R., and Klaassen, C. D. Uptake of sulfobromophthalein-gluthathione conjugate by isolated hepatocytes. 239, 8: C118
- Schweisthal, M. R. *see* Burkhardt, S. S.
- Schwertschlag, U. *see* Berecek, K. H.
- Schwinghamer, J. M.  
*see* Hall, J. E.  
Major, T. C.
- Schworer, M. E. *see* Whitfield, C. F.
- Sclaccia, R. E. *see* Oliver, J. A.
- Scicli, A. G., Carretero, O. A., Hampton, A., Cortes, P., and Oza, N. B. Site of kininogenase secretion in the dog nephron. 230, 5: 33
- Scicli, A. G., Gandolfi, R., and Carretero, O. A. Site of formation of kinins in the dog nephron. 234, 3: F36
- Scicli, A. G.  
*see* Albertini, R.  
Carretero, O. A.  
Ørstavik, T. B.  
Rabito, S. F.  
Seino, M.
- Scidá, E. E. *see* Arrendondo, M. T.
- Sclafani, A., Koopmans, H. S., and Appelbaum, K. A. Hypothalamic hyperphagia and obesity in rats with jejunoileal bypass. 239, 2: G387
- Sclafani, A., Koopmans, H. S., Vasselli, J. R., and Reichman, M. Effects of intestinal bypass surgery on appetite, food intake, and body weight in obese and lean rats. 234, 3: E389
- Sclafani, A. *see* Bray, G. A.
- Scarsky, D. S. *see* Friedli, C. M.
- Scoggins, B. A.  
*see* Blair-West, J. R.  
Weisinger, R. S.
- Scott, J., Batt, R. M., Maddison, Y. E., and Peters, T. J. Differential effect of glucocorticoids on structure and function of adult rat jejunum. 241, 4: G306
- Scott, J. B.  
*see* Ely, S. W.  
Marciniak, D. L.  
Ploucha, J. M.  
Yeager, J. C.
- Scott, J. W. *see* Rudman, D.
- Scott, L. D., and Summers, R. W. Correlation of contractions and transit in rat small intestine. 230, 13: 2
- Scott, M. *see* Kumar, R.
- Scott, N. R.  
*see* Hillman, P. E.  
Rowe-Murphy, D. L.
- Scott, R. L.  
*see* Gabel, J. C.  
O'Connor, J. A.
- Scow, R. O. *see* Linder, C.
- Scriber, C. R.  
*see* McInnes, R. R.  
Nutzenadel, W.
- Seachord, C. L. *see* Meyers, K. M.
- Seagard, J. L.  
*see* Bosnjak, Z. J.  
Kostreva, D. R.  
Purtock, R. V.
- Seal, A., Yamada, T., Debas, H., Hollinshead, J., Osadchey, B., Aponte, G., and Walsh, J. Somatostatin-14 and -28: clearance and potency on gastric function in dogs. 243, 6: G97
- Seaton, J. F. *see* Waldinger, T.
- Sebastian, A. *see* Hulter, H. N.
- Seeholzer, S. H. *see* Fidelman, M. L.



- Seely, J. F.**  
see Harris, C. A.  
Roy, D. R.
- Seetharam, B., Yeh, K. Y., and Alpers, D. H.** Turnover of intestinal brush-border proteins during postnatal development in rat. 239,2:G524
- Segal, S.**  
see Berman, W.  
Blazer-Yost, B.  
McNamara, P. D.  
Rogers, S.  
Roth, K. S.
- Segel, L. D., and Rendig, S. V.** Isolated working rat heart perfusion with perfluorochemical emulsion Fluosol-43. 242,11:H485
- Segre, G. V.** see D'Amour, P.
- Segura, E. T.** Pressure and heart rate responses to raised carotid pressure in the toad. 237,6:H639
- Sehlin, J.** Interrelationship between chloride fluxes in pancreatic islets and insulin release. 235,4:E501
- Sehlin, J.** Potassium-stimulated  $^{45}\text{Ca}^{2+}$  uptake by subcellular particles of pancreatic  $\beta$ -cells. 240,9:C35
- Sehlin, J.** see Bloom, G. D.
- Sehy, J. T., Roseman, M. K., Arruda, J. A. L., and Kurtzman, N. A.** Characterization of distal hydrogen ion secretion in acute respiratory alkalosis. 235,4:F203
- Seidel, C. L.** Aortic actomyosin content of maturing normal and spontaneously hypertensive rats. 237,6:H34
- Seidel, C. L., and Allen, J. C.** Pharmacological characteristics and actomyosin content of aorta from neonatal rats. 237,6:C81
- Seider, M. J., and Kim, H. D.** Cow red blood cells. I. Effect of purines, pyrimidines, and nucleosides in bovine red cell glycolysis. 236,5:C255
- Seider, M. J., and Kim, H. D.** Cow red blood cells. II. Stimulation of bovine red cell glycolysis by plasma. 236,5:C262
- Seider, M. J., Nicholson, W. F., and Booth, F. W.** Insulin resistance for glucose metabolism in dissected soleus muscle of mice. 242,5:E12
- Seino, M., Carretero, O. A., Albertini, R., and Scicli, A. G.** Kinins in regulation of uteroplacental blood flow in the pregnant rabbit. 242,11:H142
- Seino, M.** see Albertini, R.
- Seino, S., Seino, Y., Takemura, J., Tsuda, K., Kuzuya, H., Ishikawa, K., Shimazu, T., and Imura, H.** Somatostatin, insulin, and glucagon secretion from isolated perfused pancreas of obese rats. 241,4:E146
- Seino, Y.** see Seino, S.
- Sejersted, O. M., Mathisen, Ø., and Kiil, F.** Oxygen requirement of renal Na-K-ATPase-dependent sodium reabsorption. 232,1:F152
- Sejersted, O. M., Steen, P. A., and Kiil, F.** Energetics of tubular sodium reabsorption sensitive to ethacrynic acid and ouabain. 242,11:F254
- Sekeris, C. E.** see Voigt, J.
- Sekovski, B.** see Roberts, D. L.
- Seldin, D. W.**  
see DuBoise, T. D., Jr.  
Jacobson, H. R.
- Selén, G.** see Persson, A. E. G.
- Selin, C. E.** see Krivokapich, J.
- Selin, C. J.** see Huang, S.-C.
- Selinger, S. L.** see Carlson, E. L.
- Selkurt, E. E.** Primate kidney function in hemorrhagic shock as influenced by dibutyl cyclic AMP. 230:724
- Selkurt, E. E.** see Johnston, P. A.
- Sellers, A. F., Lowe, J. E., and Brondum, J.** Motor events in equine large colon. 237,6:E457
- Sellers, A. F.** see Dobson, A.
- Sellers, S. A.** see D'Alecy, L. G.
- Sellin, J.** see Wolkoff, A. W.
- Sellner, P. A., and Hazel, J. R.** Incorporation of polyunsaturated fatty acids into lipids of rainbow trout hepatocytes. 243,12:R223
- Semelle, B.** see Marinovic, Y.
- Sen, A. K.** see Stewart, D. J.
- Sen, P. C., Tague, L. L., and Ray, T. K.** Secretion of  $\text{H}^+$  and  $\text{K}^+$  by bullfrog gastric mucosa: characterization of  $\text{K}^+$  transport pathway. 239,2:G485
- Sen, P. K.**  
see Bushinsky, D. A.  
Favus, M. J.
- Sen, S., Tarazi, R. C., and Bumpus, F. M.** Reversal of cardiac hypertrophy in renal hypertensive rats: medical vs. surgical therapy. 240,9:H408
- Senault, C., Cherqui, G., Cadot, M., and Portet, R.** Cold-induced developmental changes in fat cell size and number in brown adipose tissue of the rat. 240,3:E379
- Senay, L. C., Jr., Mitchell, G., McClain, E., Mitchell, D., and Connors, N.** A subcutaneous capsule for long-term studies. 241,10:F687
- Sendur, R.** see Thor, P. J.
- Senekjian, H. O., Knight, T. F., Ince, A., and Weinman, E. J.** Effect of ionophore RO 2-2985 on the efflux of calcium from the rat nephron. 235,4:F381
- Senekjian, H. O., Knight, T. F., and Weinman, E. J.** Urate transport by the isolated perfused  $\text{S}_2$  segment of the rabbit. 240,9:F530
- Senekjian, H. O., and Weinman, E. J.** Oxalate transport by proximal tubule of the rabbit kidney. 243,12:F271
- Senekjian, H. O.**  
see Knight, T. F.  
Sansom, S. C.  
Sheth, A. U.  
Weiner, I. M.  
Weinman, E. J.
- Senyk, O.** see Spalding, B. C.
- Sepe, F. J., Magnusson, M. R., and Stinnett, H. O.** Modulation of rabbit carotid baroreflex during positive end-expiratory pressure. 242,11:H470
- Sepe, F. J.** see Stinnett, H. O.
- Seppenwol, S.** see Collins, J. A.
- Seraydarian, K.** see Nwoye, L.
- Serizawa, T., Mirsky, I., Caraballo, B. A., and Grossman, W.** Diastolic myocardial stiffness in gradually developing left ventricular hypertrophy in dog. 242,11:H633
- Sernia, C., and Reid, I. A.** Simulation of angiotensinogen production: a dose-related effect of angiotensin II in the conscious dog. 239,2:E442
- Serrino, P.** see Akiyama, T.
- Serros, E. R., and Kirschenbaum, M. A.** Prostaglandin-dependent polyuria in hypercalcemia. 241,10:F224
- Serros, E. R.** see Kirschenbaum, M. A.
- Servant, J.-M.** see Louis-Sylvestre, J.
- Sesoko, S., Pegram, B. L., Kuwajima, I., and Frohlich, E. D.** Hemodynamic studies in spontaneously hypertensive rats with congenital arteriovenous shunts. 242,11:H722
- Sestier, F. J., Mildenberger, R. R., and Klassen, G. A.** Role of autoregulation in spatial and temporal perfusion heterogeneity of canine myocardium. 235,4:H64
- Sestoft, L., and Kristensen, L. Ø.** Determination of unidirectional fluxes of phosphate across plasma membrane in isolated perfused rat liver. 236,5:C202
- Setien, G.** see Marc-Vergnes, J.-P.
- Severin, E.** see Chacín, J.
- Severs, W. B.** see Summy-Long, J. Y.
- Sevin, A.** see Celsis, P.
- Sewell, R. B., Hardy, K. J., Smallwood, R. A., and Hoffman, N. E.** Fetal bile salt metabolism: placental transfer of taurocholate in sheep. 239,2:G354
- Sewell, R. B., Hardy, K. J., Smallwood, R. A., and Hoffman, N. E.** Fetal bile salt metabolism: placental transfer of dihydroxy bile salts in sheep. 243,6:G172
- Sewell, R. B., Hoffman, N. E., Smallwood, R. A., and Cockbain, S.** Bile acid structure and bile formation: a comparison of hydroxy and keto bile acids. 238,1:G10
- Sewell, R. B.** see Hoffman, N. E.
- Sexton, J. M., Britton, S. L., Beirwaltes, W. H., Fiksen-Olsen, M. J., and Romero, J. C.** Formation of angiotensin III from [des-Asp<sup>1</sup>]angiotensin I in the mesenteric vasculature. 237,6:H218
- Seyama, I.** Effect of grayanotoxin I on SA node and right atrial myocardia of the rabbit. 235,4:C136
- Seydoux, J., Brunsmann, M. J. A., Jeanrenaud, B., and Girardier, L.**  $\alpha$ -Sympathetic control of glucose output of mouse liver perfused in situ. 236,5:E323
- Seygal, G. E.** see Weems, W. A.
- Seymour, A. A., Davis, J. O., Echtenkamp, S. F., Dietz, J. R., and Freeman, R. H.** Adrenally induced renin release in conscious indomethacin-treated dogs and rats. 240,9:F515
- Seymour, A. A., Davis, J. O., Freeman, R. H., DeForrest, J. M., Rowe, B. P., and Williams, G. M.** Renin release from filtering and nonfiltering kidneys stimulated by PGI<sub>2</sub> and PGD<sub>2</sub>. 237,6:F285
- Seymour, A. A., Davis, J. O., Freeman, R. H., DeForrest, J. M., Rowe, B. P., Stephens, G. A., and Williams, G. M.** Sodium and angiotensin in the pathogenesis of experimental renovascular hypertension. 240,9:H788
- Seymour, A. A.**  
see Dietz, J. R.  
Williams, G. M.
- Sgambato, S.** see Giugliano, D.
- Sha'ab, R. I.** see Petroski, R. J.
- Shackelford, J. S.** see Granger, D. N.
- Shade, R. E., and Share, L.** Renal vasopressin clearance with reductions in renal blood flow in the dog. 232,1:F341
- Shade, R. E.** see Crofton, J. T.
- Shaffer, E. A., and Preshaw, R. M.** Effects of sulfobromophthalein excretion on biliary lipid secretion in humans and dogs. 240,3:G85
- Shaffer, R. A.** see Haywood, J. R.
- Shah, S. D.** see Silverberg, A. B.
- Shakir, K. M. M., Gabriel, L., Sundaram, S. G., and Margolis, S.** Intestinal phospholipase A and triglyceride lipase: localization and effect of fasting. 242,5:G168
- Shaklai, N., Benitez, L., and Ranney, H. M.** Binding of 2,3-diphosphoglycerate by spectrin and its effect on oxygen affinity of hemoglobin. 234,3:C36
- Shambaugh, G. E., III, and Koehler, R. A.** Fetal fuels. IV. Regulation of branched-chain amino and keto acid metabolism in fetal brain. 241,4:E200
- Shambaugh, G. E., III, Koehler, R. A., and Freinkel, N.** Fetal fuels II: contributions of selected carbon fuels to oxidative metabolism in rat conceptus. 233,2:E457
- Shambaugh, G. E., III, Koehler, R. R., and Yokoo, H.** Fetal fuels III: ketone utilization by fetal hepatocytes. 235,4:E330
- Shambaugh, G. E., III.** see Bhasin, S.
- Shanabrook, V. M.** see Gay, C. V.
- Shanbour, L. L.** see Kuo, Y.-J.
- Shaner, T. W.** see Thubrikar, M.
- Shannon, W. A., Jr.** see Cronin, R. E.
- Shanoff, M.** see Stene, J. K.
- Shapiro, C.** see Safirstein, R.
- Shapiro, D. J.** see Hayward, M. A.

- Shapiro, W.** see Taubert, K.
- Share, L.**  
see Crofton, J. T.  
Shade, R. E.  
Wang, B. C.  
Zucker, I. H.
- Shareghi, G. R., and Agus, Z. S.** Phosphate transport in the light segment of the rabbit cortical collecting tubule. 242,11:F379
- Shareghi, G. R., and Stoner, L. C.** Calcium transport across segments of the rabbit distal nephron in vitro. 235,4:F367
- Sharma, C.** see Liu, M.-S.
- Sharp, B.** see Lamers, C. B.
- Sharp, G. W. G.**  
see Fogel, R.  
Janjic, D.  
Siegel, E. G.
- Sharpe, L. G.** see Honchar, M. P.
- Sharpe, M. C.** see Ramsay, D. J.
- Sharpless, N. S.** see Tyce, G. M.
- Shattil, S. J.** see Barnathan, E. S.
- Shaw, J. O.**  
see Beck, N.  
Whinnery, M. A.
- Shaw, L. S.** see Lichtenberger, L. M.
- Shaw, M. E.** see Rhoades, R. A.
- Sheehan, R. G.** Unidirectional uptake of iron across intestinal brush border. 231:1438
- Sheerin, H. E., and Field, M.** Ileal mucosal cyclic AMP and Cl secretion: serosal vs. mucosal addition of cholera toxin. 232,1:E210
- Shehata, A. T., Lerner, J., and Miller, D. S.** Development of brush-border membrane hexose transport system in chick jejunum. 240,3:G102
- Sheikh, M. I., and Möller, J. V.** Renal handling of phenol red. IV. Tubular localization in rabbit and rat kidney in vivo. 238,7:F159
- Sheikh, M. I., and Stahl, M.** Characteristics of accumulation of probenecid by rabbit kidney cortical slices. 232,1:F513
- Sheinkopf, J. A.** see Hiatt, N.
- Sheldon, R. E.** see Jones, M. D., Jr.
- Shen, L.** see Steiner, R. A.
- Shen, L. L., Hermans, J., McDonagh, J., and McDonagh, R. P.** Role of fibrinopeptide B release: comparison of fibrins produced by thrombin and Ancrod. 232,1:H629
- Shen, W. K.** see Ertlij, D.
- Sheng, H. P., Huggins, R. A., Garza, C., Evans, H. J., LeBlanc, A. D., Nichols, B. L., and Johnson, P. C.** Total body sodium, calcium, and chloride measured chemically and by neutron activation in guinea pigs. 241,10:R419
- Sheng, H.-P., Huggins, R. A., and Garza, C.** Chemical maturation in growing guinea pigs. 242,11:R390
- Shepherd, A. P.** Myogenic responses of intestinal resistance and exchange vessels. 233,2:H547
- Shepherd, A. P.** Intestinal O<sub>2</sub> consumption and <sup>86</sup>Rb extraction during arterial hypoxia. 234,3:E248
- Shepherd, A. P.** Effect of arterial pulse pressure and hypoxia on myogenic responses in the gut. 235,4:H157
- Shepherd, A. P.** Intestinal O<sub>2</sub> uptake during sympathetic stimulation and partial arterial occlusion. 236,5:H731
- Shepherd, A. P.** Intestinal capillary blood flow during metabolic hyperemia. 237,6:E548
- Shepherd, A. P.** Intestinal blood flow autoregulation during foodstuff absorption. 239,8:H156
- Shepherd, A. P.** Role of capillary recruitment in the regulation of intestinal oxygenation. 242,5:G435
- Shepherd, A. P., and Burgar, C. G.** A solid-state arteriovenous oxygen difference analyzer for flowing whole blood. 232,1:H437
- Shepherd, A. P., Pawlik, W., Mailman, D., Burks, T. F., and Jacobson, E. D.** Effects of vasoconstrictors on intestinal vascular resistance and oxygen extraction. 230:298
- Shepherd, A. P., and Riedel, G. L.** Continuous measurement of intestinal mucosal blood flow by laser-Doppler velocimetry. 242,5:G668
- Shepherd, A. P., and Riedel, G. L.** Effect of pulsatile pressure and metabolic rate on intestinal autoregulation. 242,11:H769
- Shepherd, A. P.**  
see Mailman, D.  
Maxwell, L. C.
- Shepherd, J. T.**  
see Beatty, O., III  
Mancia, G.  
McGrath, M. A.
- Shepherd, R. E., Moreno, F. J., Cashore, W. J., and Fain, J. N.** Effects of bilirubin on fat cell metabolism and lipolysis. 237,6:E504
- Sheppard, M. S., and Meda, P.** Tetraethylammonium modifies gap junctions between pancreatic  $\beta$ -cells. 240,9:C116
- Shepro, D.**  
see Dunham, B. M.  
Krausz, M. M.  
Utsunomiya, T.
- Sherf, L.** see Woods, W. T.
- Sherif, M. H.** A new approach to compartmental analysis. 243,12:R424
- Sherma, N. K., Gossain, V. V., Michelakis, A. M., and Rovner, D. R.** Effect of tolbutamide on plasma renin activity. 236,5:E1
- Sherman, A.** see Pagani, M.
- Sherman, C. A.** see Pries, J. M.
- Sherman, D.** see Malluche, H. H.
- Sherman, I. A., Grayson, J., and Bayliss, C. E.** Critical closing and critical opening phenomena in the coronary vasculature of the dog. 238,7:H533
- Sherman, R. G.** see Rossner, K. L.
- Sherwin, J. R.** see Berkowitz, M.
- Sherwin, R.**  
see Bastl, C.  
Saccà, L.
- Sherwin, R. S.**  
see Ferrannini, E.  
Saccà, L.
- Sherwood, L. M.**  
see Bushinsky, D. A.  
Favus, M. J.
- Sheth, A.** see Weinman, E. J.
- Sheth, A. U., Knight, T. F., Pace, E., Senekjian, H. O., and Weinman, E. J.** Segmental chloride reabsorption during volume expansion and recovery. 240,9:F395
- Sheth, A. U., Senekjian, H. O., Babino, H., Knight, T. F., and Weinman, E. J.** Renal handling of gentamicin by the Munich-Wistar rat. 241,10:F645
- Sheth, A. U.** see Weinman, E. J.
- Sheu, S.-S.** see Lado, M. g.
- Shiang, H. H., Kupersmith, J., Wiemann, G. F., Rhee, C.-Y., and Litwak, R. S.** Creating permanent complete heart block by indirect cauterization without atriotomy. 233,2:H723
- Shiau, Y.-F.** Mechanisms of intestinal fat absorption. 240,3:G1
- Shiau, Y.-F., and Holtzapfel, P. G.** Effect of insulin on in vitro intestinal fatty acid esterification in the rat. 238,1:E364
- Shiau, Y.-F., and Levine, G. M.** pH dependence of micellar diffusion and dissociation. 239,2:G177
- Shiau, Y.-F., Long, W. B., and Weiss, J. B.** Effect of sugar and monoglyceride on fatty acid esterification. 234,3:E236
- Shiau, Y.-F., Umstetter, C., Kendall, K., and Koldovsky, O.** Development of fatty acid esterification mechanisms in rat small intestine. 237,6:E399
- Shiau, Y.-F.**  
see Kotler, D. P.  
Levine, G. M.
- Shibata, S.** see Ohizumi, Y.
- Shibata, T.** see Saeki, Y.
- Shibata, Y., and Manjunath, C. K.** A technique for freeze fracturing minute amounts of isolated cardiac membrane. 241,10:H891
- Shibata, M., Nagaoka, A., Shino, A., and Fujita, T.** Renin-angiotensin system in stroke-prone spontaneously hypertensive rats. 236,5:H409
- Shibota, M.** see Nagaoka, A.
- Shideman, F. E.** see LeLorier, J.
- Shideman, J. R., Evans, R. L., Bierer, D. W., and Quebbemann, A. J.** Renal venous portal contribution to PAH and uric acid clearance in the chicken. 240,9:F46
- Shields, R. P.**  
see Burns, T. W.  
Mathias, J. R.
- Shier, D. N.** see Johnson, M. D.
- Shiff, S.** see Snape, W. J., Jr.
- Shigenobu, K.** see Sperelakis, N.
- Shikama, H., Chu, D. T. W., and Exton, J. H.** Modulation by adrenalectomy and fasting of insulin effects in perfused hind-limb muscle. 242,5:E323
- Shikama, H., and Ui, M.** Glucose load diverts hepatic gluconeogenic product from glucose to glycogen in vivo. 235,4:E354
- Shikama, H.** see Chiasson, J.-L.
- Shimao, M.** see Nomura, G.
- Shimazu, H.** see Yamakoshi, K.-I.
- Shimazu, T.**  
see Ishikawa, K.  
Seino, S.
- Shimizu, M.** see Gullikson, G. W.
- Shimizu, T., and Bishop, V. S.** Role of carotid sinus and cardiopulmonary reflexes on left ventricular dP/dt in cats. 238,7:H93
- Shimizu, T., and Bishop, V. S.** Mechanism of reflex control of cardiac contractility by carotid sinus baroreceptors. 239,8:H65
- Shimizu, T., Peterson, D. F., and Bishop, V. S.** Reflex circulatory changes due to the afferent stimulation of cat pericoronary nerve. 235,4:H759
- Shimizu, T., Peterson, D. F., and Bishop, V. S.** Role of cardiac sympathetics in the tonic circulatory restraint by vagal afferents. 237,6:H528
- Shimomura, A., Chonko, A., Tanner, R., Edwards, R., and Grantham, J.** Nature of urate transport in isolated rabbit proximal tubules. 241,10:F565
- Shimomura, A., Chonko, A. M., and Grantham, J. J.** Basis for heterogeneity of para-aminopyruvate secretion in rabbit proximal tubules. 240,9:F430
- Shine, K. I.** Myocardial effects of magnesium. 237,6:H413
- Shine, K. I., Douglas, A. M., and Riccihiuti, N.** Ischemia in isolated intraventricular septa: mechanical events. 231:1225
- Shine, K. I., Douglas, A. M., and Riccihiuti, N.** <sup>42</sup>K exchange during myocardial ischemia. 232,1:H564
- Shine, K. I.**  
see Bersohn, M. M.  
Krivokapich, J.  
Rau, E. E.  
Weiss, J.
- Shinnick-Gallagher, P.** see Undesser, E. K.

- Shino, A.**  
see Nagaoka, A.  
Shibota, M.
- Shinsako, J.**  
see Dallman, M. F.  
Kaneko, M.  
Ramsay, D. J.  
Wilkinson, C. W.  
Wood, C. E.
- Shiono, K., and Sokabe, H.** Renin-angiotensin system in spontaneously hypertensive rats. 231:1295
- Shiozawa, K.** see Saeki, Y.
- Shipp, J. C.** see Allison, T. B.
- Shirahata, M.** see Suga, H.
- Shiraishi, T., and Mager, M.** Hypothermia following injection of 2-deoxy-D-glucose into selected hypothalamic sites. 239,8:R265
- Shiraishi, T., and Mager, M.** 2-Deoxy-D-glucose-induced hypothermia: thermoregulatory pathways in rat. 239,8:R270
- Shirakawa, T.** see Ohe, K.
- Shirataka, M.** see Sato, T.
- Shirato, K.** see Kumada, T.
- Shirer, H. W.**  
see Faraci, F. M.  
Spencer, F.  
Yochim, J. M.
- Shiroff, R. A.** see Nellis, S. H.
- Shizgal, H. M., Spanier, A. H., Humes, J., and Wood, C. D.** Indirect measurement of total exchangeable potassium. 233,2:F253
- Shock, N. W.** see Spurgeon, H. A.
- Shoemaker, R. L.**  
see Kulkarni, P. G.  
Sanders, S. S.
- Shoemaker, W. C.**  
see Elwyn, D. H.  
Schwartz, S.
- Shohet, S. B.** see Smith, J. E.
- Shoor, P. M., Griffith, L. D., Dilley, R. B., and Bernstein, E. F.** Effect of pulseless perfusion on gastrointestinal blood flow and its distribution. 236,5:E28
- Shore, D.** see Yellin, E. L.
- Shorey, J. M.** see Lichtenberger, L. M.
- Short, A. H.** see Yudilevich, D. L.
- Shoukas, A. A.** Construction of hydraulic cuff occluders for blood vessels. 232,1:H99
- Shoukas, A. A., Sagawa, K., and Maughan, W. L.** Chronic implantation of radiopaque beads on endocardium, midwall, and epicardium. 241,10:H104
- Shporer, M.** see Lin, L.-E.
- Shrager, P.** see Starkus, J. G.
- Shrewsbury, M. A.** see Cooper, A. D.
- Shrier, A., Nahmias, A. J., and DeHaan, R. L.** Herpes virus infection alters electrical parameters of heart cell aggregates. 234,3:C170
- Shroff, S.** see Janicki, J. S.
- Shuchleib, R.** see Henry, P. D.
- Shuck, T.** see Gerhardt, D.
- Shulman, D. F.** see Paquette, T. L.
- Shulman, G.** see Keller, U.
- Shulman, G. I.** see Cherrington, A. D.
- Siassi, F., Wang, M., Kopple, J. D., and Swendsen, M. E.** Brain serotonin turnover in chronically uremic rats. 232,1:E526
- Sick, T. J., Rosenthal, M., LaManna, J. C., and Lutz, P. L.** Brain potassium ion homeostasis, anoxia, and metabolic inhibition in turtles and rats. 243,12:R281
- Sideris, K.** see Huang, S.-C.
- Sidhu, P., Sutherland, S. B., and Ganguly, P.** Interaction of thrombin with mammalian platelets. 237,6:H353
- Siebers, R.** see Konturek, S. J.
- Siebert, W. M.** Contributions of the communication sciences to physiology. 234,3:R161
- Siedenbueg, F.** see Dallman, M. F.
- Siegel, B., and Civan, M. M.** Aldosterone and insulin effects on driving force of Na<sup>+</sup> pump in toad bladder. 230:1603
- Siegel, E. G., Wollheim, C. B., Sharp, G. W. G., Herberg, L., and Renold, A. E.** Role of Ca<sup>2+</sup> in impaired insulin release from islets of diabetic (C57BL/KsJ-db/db) mice. 239,2:E132
- Siegel, E. G.**  
see Berthoud, H. R.  
Trimble, E. R.
- Siegel, I. A.** Changes in canine saliva ion concentration induced by increased intraluminal pressure. 231:974
- Siegel, I. A.** see Watson, E. L.
- Siegel, J. A.** see Ciaraldi, T. P.
- Siegel, J. H.** see Hernandez, E. J.
- Siegel, N. J., Schon, D. A., and Hayslett, J. P.** Evidence for active chloride transport in dogfish rectal gland. 230:1250
- Siegel, N. J.** see Gaudio, K. M.
- Siegmán, M. J., Butler, T. M., Mooers, S. U., and Davies, R. E.** Calcium-dependent resistance to stretch and stress relaxation in resting smooth muscles. 231:1501
- Siegmán, M. J.** see Butler, T. M.
- Siehl, D.**  
see Morgan, H. E.  
Williams, I. H.
- Siehl, D. L.**  
see Chua, B. H. L.  
Ichihara, K.
- Sieracki, L.** see Schloerb, P. R.
- Sievers, R. E.** see Kilpatrick, D.
- Sievert, C. E.** see Duane, W. C.
- Siewert, J. R.**  
see Müller-Lissner, S. A.  
Sonnenberg, A.
- Siewert, R.** see Koelz, H. R.
- Sigala, J. F.** see Hultzer, H. N.
- Sigurdsson, S. B.** see Johansson, B.
- Silen, W.**  
see Machen, T. E.  
Mordes, J. P.  
Schiessel, R.  
Simson, J. N. L.  
Takeuchi, K.
- Silis, V.**  
see Gaftir, U.  
Lee, D. B. N.
- Silk, D. B. A., Nicholson, J. A., and Kim, Y. S.** Hydrolysis of peptides within lumen of small intestine. 231:1322
- Sillery, J.** see Surawicz, C. M.
- Silva, P., Hallac, R., Spokes, K., and Epstein, F. H.** Relationship among gluconeogenesis Q<sub>0</sub>, and Na<sup>+</sup> transport in the perfused rat kidney. 242,11:F508
- Silva, P., Ross, B., and Spokes, K.** Competition between sodium reabsorption and gluconeogenesis in kidneys of steroid-treated rats. 238,7:F290
- Silva, P., and Spokes, K.** Sympathetic system in potassium homeostasis. 241,10:F151
- Silva, P., Stoff, J., and Epstein, F. H.** Indirect evidence for enhancement of Na-K-ATPase activity with stimulation of rectal gland secretion. 237,6:F468
- Silva, P., Stoff, J., Field, M., Fine, L., Forrest, J. N., and Epstein, F. H.** Mechanism of active chloride secretion by shark rectal gland: role of Na-K-ATPase in chloride transport. 233,2:F298
- Silva, P., Torretti, J., Hayslett, J. P., and Epstein, F. H.** Relation between Na-K-ATPase activity and respiratory rate in the rat kidney. 230:1432
- Silva, P.**  
see Besarab, A.  
Epstein, F. H.  
Stoff, J. S.
- Silva-Netto, C. R., De Mello Aires, M., and Malnic, G.** Hypothalamic stimulation and electrolyte excretion: a micro-puncture study. 239,8:F206
- Silver, D. I.** see Fitzgerald, K. R.
- Silver, I. A.** see Wilson, D. F.
- Silver, P. J., Schmidt-Silver, C., and DiSalvo, J. J.**  $\beta$ -Adrenergic relaxation and cAMP kinase activation in coronary arterial smooth muscle. 242,11:H177
- Silverberg, A. B., Shah, S. D., Haymond, M. W., and Cryer, P. E.** Norepinephrine: hormone and neurotransmitter in man. 234,3:E252
- Silverberg, J. W.** see Lee, J. S.
- Silverman, F.** see Perl, W.
- Silverman, M.** Sugar interaction with the antiluminal surface of the proximal tubule in dog kidney. 232,1:F455
- Silverman, M.** Vitamin B<sub>12</sub> uptake in dog kidney: its use as an extracellular reference marker. 237,6:F25
- Silverman, M., and Huang, L.** Mechanism of maleic acid-induced glucosuria in dog kidney. 231:1024
- Silverman, M., and Turner, R. J.** 2-Deoxy-D-glucose transport in dog kidney. 242,11:F711
- Silverman, M.**  
see Grinstein, S.  
Trainor, C.
- Silverman, N. H.** see Toubas, P. L.
- Simchon, S., and Chien, S.** A new method for kidney perfusion in situ: application to dynamics of autoregulation. 242,11:F86
- Simmonds, H. A., Hatfield, P. J., Cameron, J. S., and Cadenhead, A.** Uric acid excretion by the pig kidney. 230:1654
- Simmonds, H. A.** see Roch-Ramel, F.
- Simmons, B.** see Stephens, N. L.
- Simmons, C. F., Jr.** see Humes, H. D.
- Simmons, M. A.**  
see Jones, M. D., Jr.  
Rosenberg, A. A.
- Simon, A. C., Safar, M. E., Levenson, J. A., London, G. M., Levy, B. I., and Chau, N. P.** An evaluation of large arteries compliance in man. 237,6:H550
- Simon, E.**  
see Hammel, H. T.  
Inomoto, T.  
Schmidt, I.  
Simon-Oppermann, C.
- Simon, G.** Effect of sympathectomy on arterial and venous changes in renal hypertensive rats. 241,10:H449
- Simone, J. N.** see Sullivan, L. P.
- Simonelli, C., and Eaton, R. P.** Reduced triglyceride secretion: a metabolic consequence of chronic exercise. 234,3:E221
- Simonnet, G., Rodriguez, R., Fumoux, F., Czernichow, P., and Vincent, J. D.** Vaso-pressin release and drinking induced by intracranial injection of angiotensin II in monkey. 237,6:R20
- Simon-Oppermann, C., Simon, E., Jessen, C., and Hammel, H. T.** Hypothalamic thermosensitivity in conscious Pekin ducks. 235,4:R130
- Simon-Oppermann, C.** see Hammel, H. T.
- Simpson, D. P., and Hecker, J.** Effects of arsenite on renal tissue slice metabolism in chronic metabolic acidosis and alkalosis. 237,6:F93
- Simpson, D. R.**  
see Gardiner, P. F.  
Maier, A.  
Nwoye, L.
- Simpson, F. O.** see Butt, T. J.
- Simpson, J. B.** see Mangiapane, M. L.
- Simpson, L., Goldenberg, D., and Hirschowitz, B. I.** Pepsinogen secretion by the frog esophagus in vitro. 238,1:G79
- Simpson, P. A.** see Sawyer, W. H.
- Simpson, W. W.** see Priola, D. V.
- Sims, S. M.** see Garfield, R. E.



- Simson, J. N. L., Merhav, A., and Silen, W.** Alkaline secretion by amphibian duodenum. I. General characteristics. 240,3:G401
- Simson, J. N. L., Merhav, A., and Silen, W.** Alkaline secretion by amphibian duodenum. II. Short-circuit current and  $\text{Na}^+$  and  $\text{Cl}^-$  fluxes. 240,3:G472
- Simson, J. N. L., Merhav, A., and Silen, W.** Alkaline secretion by amphibian duodenum. III. Effects of DBcAMP, theophylline, and prostaglandins. 241,4:G528
- Simson, M. B., Euler, D., Michelson, E. L., Falcone, R. A., Spear, J. F., and Moore, E. N.** Detection of delayed ventricular activation on the body surface in dogs. 241,10:H363
- Simson, M. B., Spear, J. F., and Moore, E. N.** Stability of an experimental atrioventricular reentrant tachycardia in dogs. 240,9:H947
- Simson, M. B.** see Harken, A. H.
- Sinar, D. R., Charles, L. G., and Burns, T. W.** Migrating action-potential complex activity in absence of fluid production is produced by B subunit of cholera enterotoxin. 242,5:G47
- Sinclair, D. G.** see Graham, T. E.
- Sinclair, J. D.** see Sarelis, I. H.
- Singal, P. K.** see Dhalla, N. S.
- Singer, D. H.**  
see Elson, J. J.  
McGee, J.
- Singer, G.** see McCaleb, M. L.
- Singer, I.**  
see Cox, M.  
Guzzo, J.
- Singer, J. J., and Fay, F. S.** Detection of contraction of isolated smooth muscle cells in suspension. 232,1:C138
- Singer, J. J., and Walsh, J. V., Jr.** Passive properties of the membrane of single freshly isolated smooth muscle cells. 239,8:C153
- Singer, J. J., and Walsh, J. V., Jr.** Rectifying properties of the membrane of single freshly isolated smooth muscle cells. 239,8:C175
- Singer, J. J.**  
see Fay, F. S.  
Walsh, J. V., Jr.
- Singer, M. V., Solomon, T. E., and Grossman, M. I.** Effect of atropine on secretion from intact and transplanted pancreas in dog. 238,1:G18
- Singer, M. V., Solomon, T. E., Rammert, H., Caspary, F., Niebel, G., Goebell, H., and Grossman, M. I.** Effect of atropine on pancreatic response to HCl and secretin. 240,3:G376
- Singer, M. V., Solomon, T. E., Wood, J., and Grossman, M. I.** Latency of pancreatic enzyme response to intraduodenal stimulants. 238,1:G23
- Singh, D.** see Bhalla, R. C.
- Singh, M., and Singh, V. N.** Fatty liver in hypervitaminosis A: synthesis and release of hepatic triglycerides. 234,3:E511
- Singh, M.** see Gupta, P. D.
- Singh, V. N.** see Singh, M.
- Sinha, S.** see Wiesmann, W. P.
- Sinha, S. K.** see Rodriguez, H. J.
- Sinha, S. N.** see Yelich, M. R.
- Sipkema, P.** Low-frequency viscoelastic properties of canine femoral artery in vivo. 236,5:H720
- Sipkema, P.** see Randall, O. S.
- Sircar, B., Johnson, L. R., and Lichtenberger, L. M.** Effect of chemically defined diets on antral and serum gastrin levels in rats. 238,1:G376
- Sircar, B.**  
see Levitt, D. G.  
Micflikier, A. B.
- Siregar, H., and Chou, C. C.** Relative contribution of fat, protein, carbohydrate, and ethanol to intestinal hyperemia. 242,5:G27
- Siregar, H.** see Chou, C. C.
- Sirek, A., Vranic, M., Sirek, O. V., Vigas, M., and Policova, Z.** Effect of growth hormone on acute glucagon and insulin release. 237,6:E107
- Sirek, A.** see Woodger, T. L.
- Sirek, O. V.** see Sirek, A.
- Siripaisarnpipat, S., Johnson, J. A., Kurz, K. D., Fowler, W. L., Jr., and Payne, C. G.** Cardiovascular changes within 24 h after renal artery stenosis in rabbits. 240,9:H2
- Siripaisarnpipat, S.** see Johnson, J. A.
- Sit, S. P.**  
see Chou, C. C.  
Gallavan, R. H., Jr.
- Sitren, H. S.** see Stevenson, N. R.
- Sitrin, M. D., Pollack, K. L., Bolt, M. J. G., and Rosenberg, I. H.** Comparison of vitamin D and 25-hydroxyvitamin D absorption in the rat. 242,5:G326
- Siwek, L. G.** see Fray, J. C. S.
- Sjöberg, N.-O.**  
see Alm, P.  
Thorbert, G.
- Sjogaard, G., and Saltin, B.** Extra- and intracellular water spaces in muscles of man at rest and with dynamic exercise. 243,12:R271
- Sjöholm, H.** see Sahlin, K.
- Skadhauge, E., and Dawson, T. J.** In vitro studies of sodium transport across the lower intestine of a desert parrot. 239,8:R285
- Skaug, N., and Detar, R.** Contractility of vascular smooth muscle: maximum ability to contract in response to a stimulus. 240,9:H971
- Skaug, N., and Detar, R.** Steady-state effects of extracellular potassium concentration on vascular smooth muscle reactivity. 241,10:H217
- Skelton, M. M.** see Cowley, A. W., Jr.
- Skinner, J. E., and Reed, J. C.** Blockade of frontocortical-brain stem pathway prevents ventricular fibrillation of ischemic heart. 240,9:H156
- Skinner, N. S., Jr.** see Parker, R. E.
- Skipper, B. J.** see Leach, J. K.
- Sklar, F. H., Reich, J., Elashvili, I., Smith, T., and Long, D. M.** Effects of pressure on cerebrospinal fluid formation: non steady-state measurements in dogs. 239,8:R277
- Skoog, C., Kromer, U., Mitchell, R. W., Hoogstraten, J., and Stephens, N. L.** Characterization of frog muscle mitochondria. 234,3:C1
- Skoog, D. R.** see VanderWeele, D. A.
- Skopik, S. D., and Takeda, M.** Circadian control of oviposition activity in *Ostrinia nubilalis*. 239,8:R259
- Skopik, S. D., Takeda, M., and Holyoke, C. W.** A critical examination of the dual system theory in *Ostrinia nubilalis*. 241,10:R322
- Slack, J. D.** see Cornish, A. L.
- Slatopolsky, E., Martin, K., and Hruska, K.** Parathyroid hormone metabolism and its potential as a uremic toxin. 239,8:F1
- Slatopolsky, E.** see Altschuler, P.
- Slavicek, J. H.** see Hsu, C. H.
- Sleator, W. W.** see Robinson, R. B.
- Sloane, B. F., and Bird, J. W. C.** Effect of ovarian hormones on lysosomal acid hydrolase activities in rat myometrium. 232,1:E423
- Slonim, A. E.** see Burr, I. M.
- Sloop, C. H.** see Beaty, O., III
- Slusser, P.** see Ritter, R. C.
- Slutsky, A. S., and Rebeck, A. S.** Heart rate response to isocapnic hypoxia in conscious man. 234,3:H129
- Smagula, R. M.** see Somes, R. G., Jr.
- Small, A., and Homer, L. D.** An explanation of impaired solute mixing in extracellular fluid after hemorrhagic hypotension. 236,5:H440
- Small, A.** see Homer, L. D.
- Small, D. M.** see Bennett Clark, S.
- Smallwood, R. A.**  
see Hoffman, N. E.  
Sewell, R. B.
- Smigel, M.** see Walker, L. A.
- Smith, A. B.** see Freer, R. J.
- Smith, C. B.** see Bonaccorsi, A.
- Smith, C. H.**  
see Enders, R. H.  
Johnson, L. W.  
Ruzycski, S. M.  
Steel, R. B.
- Smith, D. G.** Sites of cholinergic vasoconstriction in trout gills. 233,2:R222
- Smith, D. G., Berger, P. J., and Evans, B. K.** Baroreceptor control of heart rate in the conscious toad *Bufo marinus*. 241,10:R307
- Smith, D. G., and Johnson, D. W.** Oxygen exchange in a simulated trout gill secondary lamella. 233,2:R145
- Smith, E.** see Guth, P. H.
- Smith, E. B.** see Hodgkin, B. C.
- Smith, E. E.**  
see Jones, C. E.  
Norris, C. P.
- Smith, E. F., III, Lefer, A. M., and Nicolaou, K. C.** Mechanism of coronary vasoconstriction induced by carbocyclic thromboxane  $\text{A}_2$ . 240,9:H493
- Smith, E. F., III** see Schrör, K.
- Smith, E. N.** Cutaneous heat flow during heating and cooling in *Alligator mississippiensis*. 230:1205
- Smith, E. N., Robertson, S., and Davies, D. G.** Cutaneous blood flow during heating and cooling in the American alligator. 235,4:R160
- Smith, J. B.**  
see Ogletree, M. L.  
Schrör, K.
- Smith, J. E., Mohandas, N., and Shohet, S. B.** Variability in erythrocyte deformability among various mammals. 236,5:H725
- Smith, J. E.** see Takahashi, Y. I.
- Smith, J. H.** see Drake, R. E.
- Smith, J. J.** see Tristani, F. E.
- Smith, J. M., Mouw, D. R., and Vander, A. J.** Effect of parathyroid hormone on plasma renin activity and sodium excretion. 236,5:F311
- Smith, J. M.** see Victory, W.
- Smith, J. R.** see Carey, R. M.
- Smith, J. W., and Castro, G. A.** Relation of peroxidase activity in gut mucosa to inflammation. 234,3:R72
- Smith, L. S.** see Casillas, E.
- Smith, M.** see Demling, R. H.
- Smith, M. C.** see Adams, T.
- Smith, M. J., Jr., Cowley, A. W., Jr., Guyton, A. C., and Manning, R. D., Jr.** Acute and chronic effects of vasopressin on blood pressure, electrolytes, and fluid volumes. 237,6:F232
- Smith, M. J., Jr.** see Hall, J. E.
- Smith, N.** see Boyer, J. L.
- Smith, N. D., and Boyer, J. L.** Permeability characteristics of bile duct in the rat. 242,5:G52
- Smith, N. D.** see Reed, J. S.
- Smith, O. A., Hohimer, A. R., Astley, C. A., and Taylor, D. J.** Renal and hindlimb vascular control during acute emotion in the baboon. 236,5:R198



- Smith, O. A.**  
see Astley, C. A.  
Blair, M. L.  
Hohimer, A. R.  
Stephenson, R. B.
- Smith, O. K.** Rise in plasma  $\alpha$ -amino nitrogen concentration in rats eviscerated after cold exposure. 231:174
- Smith, O. L. K.,** and Davidson, S. B. Shivering thermogenesis and glucose uptake by muscles of normal or diabetic rats. 242,11:R109
- Smith, P. H.** see Taborsky, G. J., Jr.
- Smith, P. L.**  
see Guandalini, S.  
Pinsky, M. R.
- Smith, Q. R.,** and Johanson, C. E. Effect of ouabain and potassium on ion concentrations in the choroidal epithelium. 238,7:F399
- Smith, S. B.,** and Freedland, R. A. Regulation of pyruvate kinase by 6-phosphogluconate in isolated hepatocytes. 240,3:E279
- Smith, S. S.,** Penhos, J. C., and Recant, L. Hyperglucagonemia after removal of lower bowel in rats. 239,2:E346
- Smith, S. W.,** Odell, R. H., Jr., Marsh, D. J., and Yates, F. E. Patterns of plasma free fatty acid concentrations in fasted, resting dogs. 232,1:E25
- Smith, T.**  
see Ji, S.  
Sklar, F. H.
- Smith, T. L.,** and Hutchins, P. M. Anesthetic effects on hemodynamics of spontaneously hypertensive and Wistar-Kyoto rats. 238,7:H539
- Smith, T. W.**  
see Barry, W. H.  
Hougen, T. J.  
Somberg, J. C.
- Smith, U.** see Wirth, A.
- Smith, W. L.,** and Bell, T. G. Immunohistochemical localization of the prostaglandin-forming cyclooxygenase in renal cortex. 235,4:F451
- Smith, W. L.** see Grenier, F. C.
- Smith, W. R.** see Jevning, R.
- Smitherman, T. C.** see Krishnamurty, V. S. R.
- Smout, A. J. P. M.,** Van der Schee, E. J., and Grashuis, J. L. Gastric pacemaker rhythm in conscious dog. 237,6:E279
- Snape, W. J., Jr.** Effect of calcium on neurohumoral stimulation of feline colonic smooth muscle. 243,6:G134
- Snape, W. J., Jr.,** and Cohen, S. Effect of bethanechol, gastrin I, or cholecystokinin on myoelectrical activity. 236,5:E458
- Snape, W. J., Jr.,** Schiff, S., and Cohen, S. Effect of deoxycholic acid on colonic motility in the rabbit. 238,1:G321
- Snape, W. J., Jr.**  
see Cardwell, B. A.  
Fournet, J.  
Kravitz, J. J.  
Ouyang, A.  
Ryan, J. P.  
Tucker, H. J.  
Wright, S. H.
- Snashall, P. D.** Mucopolysaccharide osmotic pressure in the measurement of interstitial pressure. 232,1:H608
- Snashall, P. D.** see Vreim, C. E.
- Snodgrass, S. R.** see Spector, R.
- Snow, J. A.** see Levine, H. J.
- Snow, T. R.** Substrate effects on myocardial performance during normoxia and hypoxia. 235,4:H144
- Snowdowne, K. W.** see Howell, J. N.
- Snyder, D. W.,** Crafford, W. A., Jr., Glasgow, J. L., Rankin, D., Sobel, B. E., and Corr, P. B. Lysophosphoglycerides in ischemic myocardium effluents and potentiation of their arrhythmogenic effects. 241,10:H700
- Snyder, D. W.** see Corr, P. B.
- Snyder, G.,** Naor, Z., Fawcett, C. P., and McCann, S. M. Action of thyrotropin-releasing hormone on mammothrophs and thyrotrophs. 241,4:E298
- Snyder, J. V.** see Carroll, G. C.
- Sobel, B. E.**  
see Ahumada, G.  
Bergmann, S. R.  
Corr, P. B.  
Henry, P. D.  
Klein, M. S.  
Lerch, R. A.  
Mimbs, J. W.  
Pérez, J. E.  
Snyder, D. W.
- Sobin, S. S.** see Farrell, A. P.
- Sobocińska, J.,** and Greenleaf, J. E. Cerebrospinal fluid  $[Ca^{2+}]$  and rectal temperature response during exercise in dogs. 230:1416
- Sobocińska, J.** see Szczepańska-Sadowska, E.
- Sobocinski, P. Z.,** Canterbury, W. J., Jr., Mapes, C. A., and Dinterman, R. E. Involvement of hepatic metallothioneins in hypozincemia associated with bacterial infection. 234,3:E399
- Sobocinski, P. Z.**  
see George, D. T.  
Mapes, C. A.
- Soboszlai, G. B.,** McTigue, M., and Weiner, M. W. Mechanism of active chloride transport by urinary bladder of the Colombian toad. 233,2:F421
- Sodal, I. E.** see Schwartz, R. S.
- Sodoyez, J. C.,** Sodoyez-Goffaux, F. R., and Moris, Y. M.  $^{125}I$ -insulin: kinetics of interaction with its receptors and rate of degradation in vivo. 239,2:E3
- Sodoyez-Goffaux, F. R.** see Sodoyez, J. C.
- Sodt, P. C.** see Dowell, R. T.
- Soergel, K. H.** see Costri, N. V.
- Sofer, S. S.** see Murphy, T. L.
- Sohraby, S.** see Burg, M.
- Sohtell, M.** see Biagi, B.
- Sokabe, H.** see Shiono, K.
- Sokoloff, L.**  
see Kuschinsky, W.  
Sakurada, O.
- Soldin, S.** see Lock, J. E.
- Sole, M. J.**  
see Nakhlooda, A. F.  
Stephenson, R. K.
- Solez, K.,** Ponchak, S., Buono, R. A., Vernon, N., Finer, P. M., Miller, M., and Heptinstall, R. H. Inner medullary plasma flow in the kidney with ureteral obstruction. 231:1315
- Soll, A. H.** Secretagogue stimulation of  $^{14}C$ aminopyrine accumulation by isolated canine parietal cells. 238,1:G366
- Soll, A. H.,** and Wollin, A. Histamine and cyclic AMP in isolated canine parietal cells. 237,6:E444
- Soll, A. H.** see Wollin, A.
- Solomon, R. J.** see Goldstein, L.
- Solomon, S.**  
see Bengel, H. H.  
Caffisch, C. R.  
Park, Y. S.  
Vorherr, H.
- Solomon, T.** see Petersen, H.
- Solomon, T. E.,** and Grossman, M. I. Effect of atropine and vagotomy on response of transplanted pancreas. 236,5:E186
- Solomon, T. E.,** Grossman, M. I., and Meyer, J. H. Pancreatic response to intestinal perfusion with lactic acid or acidified albumin. 235,4:E560
- Solomon, T. E.,** Petersen, H., Elashoff, J., and Grossman, M. I. Interaction of caerulein and secretin on pancreatic size and composition in rat. 235,4:E714
- Solomon, T. E.**  
see Singer, M. V.  
Yamada, T.
- Soltoff, S.** see Coburn, R. F.
- Soltoff, S. P.**  
see Balaban, R. S.  
Gullans, S. R.
- Somberg, J. C.,** Mudge, G. H., Jr., Risler, T., and Smith, T. W. Neurally mediated augmentation of arrhythmogenic properties of highly polar cardiac glycosides. 238,7:H202
- Somberg, J. C.,** Risler, T., and Smith, T. W. Neural factors in digitalis toxicity: protective effect of C-1 spinal cord transection. 235,4:H531
- Somes, R. G., Jr.,** Smagula, R. M., and Lerner, J. Selective breeding of chickens for erythrocytes with high and low leucine transport activity. 241,10:C233
- Somjen, D.,** Ismail-Beigi, F., and Edelman, I. S. Nuclear binding of  $T_1$  and effects on  $Q_{O_2}$ , Na-K-ATPase, and  $\alpha$ -GPDH in liver and kidney. 240,3:E146
- Sommer, O.** see Bünger, R.
- Song, M. K.,** and Adham, N. F. Role of prostaglandin  $E_2$  in zinc absorption in the rat. 234,3:E99
- Song, Y. K.** see Hong, S. K.
- Sonne, B.**  
see Hilsted, J.  
Richter, E. A.
- Sonnenberg, A.,** Müller-Lissner, S. A., Schattenmann, G., Siewert, J. R., and Blum, A. L. Duodenogastric reflux in the dog. 242,5:G603
- Sonnenberg, A.,** Müller-Lissner, S. A., Weiser, H. F., Müller-Duysing, W., Heinzel, F., and Blum, A. L. Effect of liquid meals on duodenogastric reflux in humans. 243,6:G42
- Sonnenberg, A.** see Müller-Lissner, S. A.
- Sonnenberg, G. E.** see Keller, U.
- Sonnenberg, H.,** and Chong, C. Comparison of micropuncture and microcatheterization in papillary collecting duct. 239,8:F92
- Sonnenberg, H.**  
see Jamison, R. L.  
Wilson, D. R.
- Sonnenblick, E. H.** see Capasso, J. M.
- Sonnenschein, R. R.,** and Weissman, M. L. Sympathetic vasomotor outflows to hindlimb muscles of the cat. 235,4:H482
- Sonnenschein, R. R.**  
see Hall, R. E.  
Weissman, M. L.
- Sontag, C. R.** see McCormack, C. E.
- Sood, S.** see Garnett, E. S.
- Soodak, H.** Osmosis, diffusion, convection. 235,4:R3
- Soodak, H.,** and Iberall, A. Forum on osmosis. IV. More on osmosis and diffusion. 237,6:R114
- Soodak, H.** see Iberall, A. S.
- Soper, B. D.** see Tepperman, B. L.
- Sophasan, S.** see Tanner, G. A.
- Sorbie, J.** see Valberg, L. S.
- Sordahl, L. A.** see Asimakis, G. K.
- Sorge, J.**  
see Bashford, C. L.  
Chance, B.
- Sorkin, E.**  
see Del Rey, A.  
Jungi, T. W.
- Sorkin, M. I.** see Osgood, R. W.
- Sosin, D. M.** see White, T. P.
- Souhrada, J. F.** see Newman, J. H.
- Soulsby, M. E.** see Bruni, F. D.
- South, F. E.**  
see Jacobs, H. K.  
Kamm, K. E.  
Kastner, P. R.  
Miller, V. M.  
Zatzman, M. L.
- Southern, P. M.** see Cronin, R. E.

- Southworth, M.** see Argenzio, R. A.
- Sowers, J. R.** Modulation of corticosteroid secretion by dopaminergic mechanisms in rhesus monkeys. 243,6:E375
- Sowers, J. R., and Barrett, J. D.** Hormonal changes associated with hypertension in neoplasia-induced hypercalcemia. 242,5:E330
- Sowers, J. R.** see Barrett, J. D.
- Spaan, J. A. E.**  
see Avolio, A. P.  
Ruiter, J. H.
- Spacapan de Castuma, E.** see Mattiazzi, A. R.
- Spaeth, A. E.** see Windmueller, H. G.
- Spalding, B. C., Senyk, O., Swift, J. G., and Horowicz, P.** Unidirectional flux ratio for potassium ions in depolarized frog skeletal muscle. 241,10:C68
- Spanier, A. H.** see Shizgal, H. M.
- Spanier, A. M., and Weglicki, W. B.**  $Ca^{2+}$ -tolerant adult canine myocytes: preparation and response to anoxia/acidosis. 243,12:H448
- Spann, J. F.**  
see Carey, R. A.  
Houser, S. R.  
Natarajan, G.
- Spann, J. F., Jr.** see Jaeger, J. M.
- Spannhake, E. W.** see Hyman, A. L.
- Spanos, E.** see Pike, J. W.
- Spargo, B. H.** see Toback, F. G.
- Sparks, H. V.**  
see Belloni, F. L.  
Harlan, D. M.  
Hazeyama, Y.  
Morganroth, M. L.  
Phair, R. D.  
Sullivan, S.  
Young, E. W.
- Sparks, H. V., Jr.** see Manfredi, J. P.
- Sparks, J. W.**  
see Hay, W. W., Jr.  
Myers, S. A.
- Sparrow, M. P.** Regression of skeletal muscle of chicken wing after stretch-induced hypertrophy. 242,11:C333
- Sparrow, M. P.** see Bonnin, C. M.
- Spath, J. A., Jr., and Barsotti, R. J.** Blood flow and ultrastructure in ischemic myocardium of cats given dexamethasone. 242,11:H55
- Spath, J. A., Jr.**  
see Gee, M. H.  
Havill, A. M.
- Spear, J. F., and Moore, E. N.** Supernormal conduction in the canine bundle of His and proximal bundle branches. 238,7:H300
- Spear, J. F.**  
see Nattel, S.  
Simson, M. B.
- Specht, P. C.** Propagation of stimulated slow waves in cat intestinal muscle. 231:228
- Specian, R. D., and Neutra, M. R.** Regulation of intestinal goblet cell secretion. I. Role of parasympathetic stimulation. 242,5:G370
- Specian, R. D.** see Neutra, M. R.
- Spector, A. Z.** see Spector, R.
- Spector, J. I., Zaroulis, C. G., Pivacek, L. E., Emerson, C. P., and Valeri, C. R.** Physiologic effects of normal- or low-oxygen-affinity red cells in hypoxic baboons. 232,1:H79
- Spector, R.** Thiamine transport in the central nervous system. 230:1101
- Spector, R., Spector, A. Z., and Snodgrass, S. R.** Model for transport in the central nervous system. 232,1:R73
- Speeg, K. V., Jr.** see McKinney, T. D.
- Speir, G. R., Takeuchi, K., Peitsch, W., and Johnson, L. R.** Mucosal gastrin receptor. VII. Up- and downregulation. 242,5:G243
- Speir, G. R.** see Takeuchi, K.
- Spelman, F. A.** see Astley, C. A.
- Spencer, A. M., Sack, J., and Hong, S. K.** Relationship between PAH transport and Na-K-ATPase activity in the rabbit kidney. 236,5:F126
- Spencer, F., Shire, H. W., and Yochim, J. M.** Core temperature in the female rat: effect of pinealectomy or altered lighting. 231:355
- Spencer, F.** see Yochim, J. M.
- Spencer, H., Kramer, L., Wiatrowski, E., and Osis, D.** Magnesium-fluoride interrelationships in man. I. Effect of fluoride on magnesium metabolism. 233,2:E165
- Spencer, H., Kramer, L., Wiatrowski, E., and Osis, D.** Magnesium-fluoride interrelationships in man. II. Effect of magnesium on fluoride metabolism. 234,3:E343
- Spennay, J. G.** Acetylsalicylic acid hydrolase of gastric mucosa. 234,3:E606
- Spennay, J. G.** see Sack, J.
- Sperelakis, N., Shigenobu, K., and Rubio, R.** [ $^3H$ ]sucrose compartments in frog skeletal muscle relative to sarcoplasmic reticulum. 234,3:C181
- Sperelakis, N.**  
see Harder, D. R.  
Pelleg, A.  
Vogel, S.
- Sperling, M. A.**  
see Anand, R. S.  
Devaskar, S. U.  
Ganguli, S.
- Spevack, S.** see Gennari, F. J.
- Spieckermann, G.** see Friedman, S. M.
- Spiegel, A. M., Levine, M. A., Aurbach, G. D., Downs, R. W., Jr., Marx, S. J., Lasker, R. D., Moses, A. M., and Breslau, N. A.** Deficiency of hormone receptor-adenylate cyclase coupling protein: basis for hormone resistance in pseudohypoparathyroidism. 243,6:E37
- Spielman, W. S., and Osswald, H.** Characterization of the postocclusive response of renal blood flow in the cat. 235,4:F286
- Spielman, W. S., and Osswald, H.** Blockade of postocclusive renal vasoconstriction by an angiotensin II antagonist: evidence for an angiotensin-adenosine interaction. 237,6:F463
- Spielman, W. S., and Thompson, C. I.** A proposed role for adenosine in the regulation of renal hemodynamics and renin release. 242,11:F423
- Spielman, W. S.**  
see Blackshear, J. L.  
Colindres, R. E.  
Freeman, R. H.  
Knox, F. G.  
Lohmeier, T. E.
- Spilker, H. L.** see Longhurst, J. C.
- Spingola, L. J.** see Meyer, J. H.
- Spinowitz, B. S., and Zadunaisky, J. A.** Action of adenosine on chloride active transport of isolated frog cornea. 237,6:F121
- Spitalewitz, S.** see Faubert, P. F.
- Spitzer, A.** see Goldsmith, D. I.
- Spitzer, J. A.** see Bagby, G. J.
- Spitzer, J. J.**  
see Fritschka, E.  
Kelleher, D. L.  
Long, W. M.  
Montini, J.  
Romanosky, A. J.  
Wolfe, R. R.
- Spitzer, K. W., and Walker, J. L.** Intracellular chloride activity in quiescent cat papillary muscle. 238,7:H487
- Spodick, D. H.** see Nakamura, Y.
- Spokes, K.** see Silva, P.
- Sprague, R. S.** see Lonigro, A. J.
- Spray, G. F.** see Lin, T.-M.
- Sprecher, D.** see Liang, C.-S.
- Spring, K. R.** Optical techniques for the evaluation of epithelial transport processes. 237,6:F167
- Spring, K. R., and Giebisch, G.** Tracer Na fluxes in *Necturus* proximal tubule. 232,1:F461
- Spring, K. R.**  
see Ericson, A.-C.  
Kimura, G.
- Spurgeon, H. A., Thorne, P. R., Yin, F. C. P., Shock, N. W., and Weisfeldt, M. L.** Increased dynamic stiffness of trabeculae carneae from senescent rats. 232,1:H373
- Spurgeon, H. A.**  
see Wei, J. Y.  
Yin, F. C. P.
- Sraer, J., Sraer, J. D., Chansel, D., Jueppner, H., Hesch, R. D., and Ardailou, R.** Evidence for glomerular receptors for parathyroid hormone. 235,4:F96
- Sraer, J.**  
see Beaufils, M.  
Chaumet-Riffaud, P.
- Sraer, J. D.** see Sraer, J.
- Sréter, F. A.** see Mabuchi, K.
- Sridaran, R., and Gihori, G.** Induction of luteolysis by dihydrotestosterone in the pregnant rat. 241,4:E444
- Stacey, T. E., Weedon, A. P., Haworth, C., Ward, R. H. T., and Boyd, R. D. H.** Feto-maternal transfer of glucose analogues by sheep placenta. 234,3:E32
- Stacey, T. E.** see Weedon, A. P.
- Stack, R. S.** see Phillips, H. R.
- Stahl, M.** see Sheikh, M. I.
- Stahl, R. A. K., Attallah, A. A., Bloch, D. L., and Lee, J. B.** Stimulation of rabbit renal PGE<sub>2</sub> biosynthesis by dietary sodium restriction. 237,6:F344
- Stahr, L. J.** see Elwyn, D. H.
- Stainsby, W. N.** Oxygen uptake for negative work, stretching contractions by in situ dog skeletal muscle. 230:1013
- Stainsby, W. N., and Barclay, J. K.** Effect of initial length on relations between oxygen uptake and load in dog muscle. 230:1008
- Stainsby, W. N.** see Lambert, C. R.
- Standen, D. J.** see Zehr, J. E.
- Stang, H. D., and Boggs, D. R.** Effect of methylcellulose injection on murine hematopoiesis. 233,2:H234
- Stanga, D.** see Ward, C. A.
- Stanley, N. N.** see Kelsen, S. G.
- Stansbury, R. S.** see Brand, P. H.
- Stanton, B. A., and Giebisch, G.** Effects of pH on potassium transport by renal distal tubule. 242,11:F544
- Stanton, B. A., and Giebisch, G. H.** Potassium transport by the renal distal tubule: effects of potassium loading. 243,12:F487
- Stanton, H. C., and Woo, S. K.** Development of adrenal medullary function in swine. 234,3:E137
- Stanton, M.** see Johnson, J. A.
- Stanton, T. L.** see Beckman, A. L.
- Stapleton, F. B.** see Linshaw, M. A.
- Stark, E.**  
see Káteszi, M.  
Makara, G. B.
- Stark, R. I.** see Daniel, S. S.
- Stark, R. J., and O'Doherty, J.** Intracellular Na<sup>+</sup> and K<sup>+</sup> activities during insulin stimulation of rat soleus muscle. 242,5:E193
- Stark, R. J., and O'Doherty, J.** Effect of ionophore A23187 on cytosolic Ca<sup>2+</sup> and enzyme secretion. 243,12:C196
- Stark, R. J.** see O'Doherty, J.
- Starkus, J. G., and Narahashi, T.** Sensitivity of excitable and inexcitable membranes to  $\alpha$ -dihydrograyanotoxin II. 235,4:C204

- Starkus, J. G.**, and Shrager, P. Modification of slow sodium inactivation in nerve after internal perfusion with trypsin. 235,4:C238
- Starling, J.** see Rodriguez, H. J.
- Statham, N. J.** see Piacsek, B. E.
- Staub, J.-F.**, Perault-Staub, A.-M., and Milhaud, G. Endogenous nature of circadian rhythms in calcium metabolism. 237,6:R311
- Staub, N. C.** see Vreim, C. E.
- Stauffer, W.** see Keller, U.
- Stavskaya, O. N.** see Rodionov, I. M.
- Steane, J. E.** see Jackson, M. J.
- Steel, R. B.**, Smith, C. H., and Kelley, L. K. Placental amino acid uptake. VI. Regulation by intracellular substrate. 243,12:C46
- Steele, R.** see Burg, M.
- Steele, R. D.**  
see Benjamin, L. E.  
Conn, A. R.
- Steele, R. E.**  
see Johnson, J. P.  
Schwartz, G. J.
- Steele, T. H.**, and Underwood, J. L. Blunted norepinephrine natriuresis in the isolated spontaneously hypertensive rat kidney. 235,4:F425
- Steen, J. A.** see Moreno, A. H.
- Steen, P. A.** see Sejersted, O. M.
- Steer, M. L.**, and Glazer, G. Parallel secretion of digestive enzymes by the *in vitro* rabbit pancreas. 231:1860
- Steer, M. L.**  
see Gilliland, L.  
Koike, H.
- Stef, J. J.** see Dodds, W. J.
- Steffen, D. G.**, and Platner, W. S. Subcellular membrane fatty acids of rat heart after cold acclimation or thyroxine. 231:650
- Steffen, J. M.**, Rigler, G. L., Moore, A. K., and Riedesel, M. L. Urea recycling in active golden-mantled ground squirrels (*Spermophilus lateralis*). 239,8:R168
- Steffen, R. P.**  
see Inciarte, D. J.  
McKenzie, J. E.
- Steffens, A. B.** Influence of the oral cavity on insulin release in the rat. 230:1411
- Steffens, A. B.**  
see De Jong, A.  
Parameswaran, S. V.
- Stein, J. H.**, Lifschitz, M. D., and Barnes, L. D. Current concepts on the pathophysiology of acute renal failure. 234,3:F171
- Stein, J. H.**  
see Jamison, R. L.  
Osgood, R. W.  
Patak, R. V.  
Reineck, H. J.  
Stern, M. D.
- Stein, L. B.**, Mishkin, S., Fleischner, G., Gatmaitan, Z., and Arias, I. M. Effect of fasting on hepatic ligandin, Z protein, and organic anion transfer from plasma in rats. 231:1371
- Stein, P. D.**, Marzilli, M., Sabbah, H. N., and Lee, T. Systolic and diastolic pressure gradients within the left ventricular wall. 238,7:H625
- Stein, P. D.**, and Sabbah, H. N. Accentuation of heart sounds in anemia: an effect of blood viscosity. 235,4:H664
- Stein, P. D.**  
see Marzilli, M.  
Sabbah, H. N.
- Stein, T. P.**, Buzby, G. P., Gertner, M. H., Hargrove, W. C., Leskiw, M. J., and Mullen, J. L. Effect of parenteral nutrition on protein synthesis and liver fat metabolism in man. 239,2:G280
- Stein, T. P.**, Leskiw, M. J., Buzby, G. P., Giandomenico, A. L., Wallace, H. W., and Mullen, J. L. Measurement of protein synthesis rates with [<sup>15</sup>N]glycine. 239,2:E294
- Stein, T. P.**, Leskiw, M. J., and Wallace, H. W. Equilibration of <sup>15</sup>N-labeled amino compounds in man. 230:1326
- Stein, T. P.**, Leskiw, M. J., and Wallace, H. W. Measurement of half-life of human plasma fibrinogen. 234,3:E504
- Stein, T. P.**, Leskiw, M. J., Wallace, H. W., and Oram-Smith, J. C. Changes in protein synthesis after trauma: importance of nutrition. 233,2:E348
- Stein, T. P.**, Mullen, J. L., Oram-Smith, J. C., Rosato, E. F., Wallace, H. W., and Hargrove, W. C., III. Relative rates of tumor, normal gut, liver, and fibrinogen protein synthesis in man. 234,3:E648
- Stein, T. P.**, Oram-Smith, J. C., Leskiw, M. J., Wallace, H. W., Long, L. C., and Leonard, J. M. Effect of nitrogen and calorie restriction on protein synthesis in the rat. 230:1321
- Steinbach, J. H.** see Poitras, P.
- Steinberg, D.**  
see Cooper, G. P.  
Melish, J.
- Steinberg, M. I.** see Holland, D. R.
- Steinberg, S. E.**, Campbell, C., and Hillman, R. S. A new animal model for studies of *in vivo* folate kinetics. 241,4:G516
- Steiner, G.**, and Evans, S. Effect of serotonin on brown adipose tissue and on its sympathetic neurons. 231:34
- Steiner, K. E.** see Cherrington, A. D.
- Steiner, R. A.**, Illner, P., Marques, P., Williams, D., Shen, L., Edwards, L., and Gale, C. C. Inhibition of dopamine-induced release of growth hormone by thyrotropin-releasing hormone. 233,2:E430
- Steiner, R. A.** see Stewart, J. K.
- Steiner, R. W.**, and Blantz, R. C. Acute reversal by saralasin of multiple intrarenal effects of angiotensin II. 237,6:F386
- Steingrimsdottir, L.**, Brasel, J., and Greenwood, M. R. C. Hormonal modulation of adipose tissue lipoprotein lipase may alter food intake in rats. 239,2:E162
- Steinmetz, M. A.** see Adams, T.
- Steinmetz, P. R.**  
see Al-Awqati, Q.  
Husted, R. F.  
Schwartz, J. H.
- Steinsapir, J.**, Rojas, A. M., and Tchernitchin, A. Theophylline-estrogen interaction in the rat uterus: role of the ovary. 242,5:E121
- Steinseifer, B.** see Pasyk, S.
- Stekiel, W. J.**, Willems, W. J., Harder, D. R., and Lombard, J. M. Active vascular smooth muscle tone and venous membrane potentials during hemorrhage. 238,7:H144
- Stekiel, W. J.**  
see Harder, D. R.  
Lombard, J. H.  
Willems, W. J.
- Stella, A.**, and Zanchetti, A. Effects of renal denervation on renin release in response to tilting and furosemide. 232,1:H500
- Stella, A.** see Dampney, R. A. L.
- Steller, R. N.** see Fray, J. C. S.
- Stemper, T. J.**, and Cooke, A. R. Effect of a fixed pyloric opening on gastric emptying in the cat and dog. 230:813
- Stene, J. K.**, Burns, B., Permutt, S., Caladini, P., and Shanoff, M. Increased cardiac output following occlusion of the descending thoracic aorta in dogs. 243,12:R152
- Stenson, W. F.**, and Lobos, E. Metabolism of arachidonic acid by pancreatic acini: relation to amylase secretion. 242,5:G493
- Stephens, A.** see Reeve, E. B.
- Stephens, G. A.**, Davis, J. O., Freeman, R. H., and Watkins, B. E. Effects of sodium and potassium salts with anions other than chloride on renin secretion in the dog. 234,3:F10
- Stephens, G. A.**  
see DeForrest, J. M.  
Freeman, R. H.  
Seymour, A. A.
- Stephens, J. E.**  
see Scharschmidt, B. F.  
Van Dyke, R. W.
- Stephens, J. R.**, Woolson, R. F., and Cooke, A. R. Osmolyte and tryptophan receptors controlling gastric emptying in the dog. 231:848
- Stephens, N. L.**, and Brutsaert, D. L. Maximal force potential of tetanized mammalian smooth muscle. 242,11:C283
- Stephens, N. L.**, Cardinal, R., and Simmons, B. Mechanical properties of tracheal smooth muscle: effects of temperature. 233,2:C92
- Stephens, N. L.**, Kroeger, E. A., and Loh, W. Intracellular pH in hypoxic smooth muscle. 232,1:E330
- Stephens, N. L.**  
see Hanks, B. S. R.  
Skoog, C.
- Stephenson, A. H.** see Lonigro, A. J.
- Stephenson, E. W.** Potassium flux in smooth muscle of frog stomach. 230:743
- Stephenson, E. W.** Activation of fast skeletal muscle: contributions of studies on skinned fibers. 240,9:C1
- Stephenson, J. L.** see Schwartz, G. J.
- Stephenson, R. B.**, and Donald, D. E. Reversible vascular isolation of carotid sinuses in conscious dogs. 238,7:H809
- Stephenson, R. B.**, and Donald, D. E. Reflexes from isolated carotid sinuses of intact and vagotomized conscious dogs. 238,7:H815
- Stephenson, R. B.**, Smith, O. A., and Scher, A. M. Baroreceptor regulation of heart rate in baboons during different behavioral states. 241,10:R277
- Stephenson, R. B.** see Astley, C. A.
- Stephenson, R. K.**, Sole, M. J., and Baines, A. D. Neural and extraneural catecholamine production by rat kidneys. 242,11:F261
- Stephenson, R. S.** A bipolar electrode for electromyography of limb muscles of small animals. 234,3:C198
- Steplock, D.**  
see Sansom, S. C.  
Weinman, E. J.
- Steplock, D. A.** see Weinman, E. J.
- Sterkers, O.**, Saumon, G., Tran Bay Huy, P., and Amiel, C. K, Cl, and H<sub>2</sub>O entry in endolymph, perilymph, and cerebrospinal fluid of the rat. 243,12:F173
- Sterman, W. D.** see Bersohn, M. M.
- Stern, J. E.**, and Conn, P. M. Perfusion of rat pituitaries: requirements for optimal GnRH-stimulated LH release. 240,3:E504
- Stern, J. S.**  
see Chan, C. P.  
Faust, I. M.  
Greenwood, M. R. C.  
Milam, K. M.  
Walberg, J. L.
- Stern, M. D.**, Bowen, P. D., Parma, R., Osgood, R. W., Bowman, R. L., and Stein, J. H. Measurement of renal cortical and medullary blood flow by laser-Doppler spectroscopy in the rat. 236,5:F80



- Stern, M. D., Lappe, D. L., Bowen, P. D., Chimosky, J. E., Holloway, G. A., Jr., Keiser, H. R., and Bowman, R. L.** Continuous measurement of tissue blood flow by laser-Doppler spectroscopy. 232,1:H441
- Stern, P.** see Harman, M. C.
- Stern, P. H.** see Krieger, N. S.
- Sterns, R. H.** Oscillations of plasma K<sup>+</sup> and insulin during K<sup>+</sup> infusion in awake anephric dogs. 243,12:F44
- Stettler-Stevenson, M. A., Flouret, G., and Peterson, D. R.** Handling of luteinizing hormone-releasing hormone by renal proximal tubular segments in vitro. 241,10:F117
- Stetson, M. H., and Anderson, P. J.** Circadian pacemaker times gonadotropin release in free-running female hamsters. 238,7:R23
- Stevens, C. E.** see Argenzio, R. A.
- Stevens, E. D., and Carey, F. G.** One why of the warmth of warm-bodied fish. 240,9:R151
- Stevens, E. D.** see Renaud, J. M.
- Stevenson, J. G.** see Guntheroth, W. G.
- Stevenson, J. H.** see Ozand, P. T.
- Stevenson, N. R., and Fierstein, J. S.** Circadian rhythms of intestinal sucrose and glucose transport; cued by time of feeding. 230:731
- Stevenson, N. R., Sitren, H. S., and Furuya, S.** Circadian rhythmicity in several small intestinal functions is independent of use of the intestine. 238,1:G203
- Steward, D. J.** see Tait, G. A.
- Stewart, C. C.** see Atkinson, R. L.
- Stewart, D. J., Sax, J., Funk, R., and Sen, A. K.** Possible role of cyclic GMP in stimulus-secretion coupling by salt gland of the duck. 237,6:C200
- Stewart, D. J., and Sen, A. K.** Role of cyclic GMP in cholinergic activation of Na-K pump in duck salt gland. 240,9:C207
- Stewart, D. K.** see Huntsman, L. L.
- Stewart, E. T.** see Dodds, W. J.
- Stewart, H. E., and Kasbekar, D. K.** Gastric oxyntic cell tubulin: characterization and possible significance. 240,3:G317
- Stewart, J. J., and Burks, T. F.** Actions of cholecystokinin octapeptide on smooth muscle of isolated dog intestine. 232,1:E306
- Stewart, J. J., and Burks, T. F.** Actions of pentagastrin on smooth muscle of isolated dog intestine. 239,2:G295
- Stewart, J. J., Burks, T. F., and Weisbrodt, N. W.** Intestinal myoelectric activity after activation of central emetic mechanism. 233,2:E131
- Stewart, J. K., Koerker, D. J., Goodner, C. J., Gale, C. C., Minton, M. F., and Steiner, R. A.** Regulation by catecholamines of spontaneous growth hormone secretion in the baboon. 241,4:E196
- Stewart, P. M., Batshaw, M., Valle, D., and Walser, M.** Effects of arginine-free meals on ureagenesis in cats. 241,4:E310
- Stezoski, S. W.** see Morita, H.
- Stiles, R. G.** see Harris, T. R.
- Stiles, R. N., and Rietz, R. R.** Involuntary ankle oscillations from normal subjects. 233,2:R8
- Stinner, J. N.** Functional anatomy of the lung of the snake *Pituophis melanoleucus*. 243,12:R251
- Stinnett, H. O., Peterson, D. F., and Bishop, V. S.** Cardiovascular responses to aortic nerve stimulation. 230:1374
- Stinnett, H. O., Peterson, D. F., and Bishop, V. S.** Rabbit cardiovascular responses to aortic nerve stimulation at fixed carotid pressure. 236,5:H769
- Stinnett, H. O., Sepe, F. J., and Magnusson, M. R.** Cardiovascular responses to unilateral and bilateral stimulation of rabbit aortic nerves. 242,11:H790
- Stinnett, H. O., Sepe, F. J., and Magnusson, M. R.** Rabbit carotid baroreflexes after carotid sympathectomy, vagotomy, and  $\beta$  blockade. 241,10:H600
- Stinnett, H. O.** see Chen, H. I.
- Sepe, F. J.**
- Stinson, D. A., Taylor, P. M., Rees, E. P., and Boonyaparakob, U.** Hypercapnia and right-duct lymph flow in pups and adult dogs. 232,1:H236
- Stirewalt, W. S.** see Airhart, J.
- Stirling, C. E.** see Harms, V.
- Stitzer, S. O., and Martinez-Maldonado, M.** Mechanism of decrease in plasma renin activity during volume expansion. 230:1550
- Stjernquist, M.** see Ottesen, B.
- Stocco, D. M.** see Nathan, R. D.
- Stock, M. J.** see Rothwell, N. J.
- Stoddard, C.** see Sarna, S.
- Stoeckle, H.** see Gold, J. H.
- Stoff, J.** see Silva, P.
- Stoff, J. S., Rosa, R., Hallac, R., Silva, P., and Epstein, F. H.** Hormonal regulation of active chloride transport in the dogfish rectal gland. 237,6:F138
- Stoff, J. S., Rosa, R. M., Silva, P., and Epstein, F. H.** Indomethacin impairs water diuresis in the DI rat: role of prostaglandins independent of ADH. 241,10:F231
- Stokes, B. T., Garwood, M., and Walter, P.** Oxygen fields in specific spinal loci of the canine spinal cord. 240,9:H761
- Stokes, B. T.** see Reiser, P. J.
- Stokes, G. D., and Dunson, W. A.** Permeability and channel structure of reptilian skin. 242,11:F681
- Stokes, J. B.** Integrated actions of renal medullary prostaglandins in the control of water excretion. 240,9:F471
- Stokes, J. B.** Potassium secretion by cortical collecting tubule: relation to sodium absorption, luminal sodium concentration, and transepithelial voltage. 241,10:F395
- Stokes, J. B.** Na and K transport across the cortical and outer medullary collecting tubule of the rabbit: evidence for diffusion across the outer medullary portion. 242,11:F514
- Stokland, O., Miller, M. M., Ilebakk, A., and Kil, F.** Mechanism of hemodynamic responses to occlusion of the descending thoracic aorta. 238,7:H423
- Stokland, O.** see Ehrlich, W.
- Stokols, M. F., Koschier, F. J., Goldinger, J. M., and Hong, S. K.** Renal transport of NAP-taurine. 241,10:F9
- Stokols, M. F.** see Koschier, F. J.
- Stoll, B. J.** see Lee, J. C.
- Stoll, P. J.** see Osborne, J. L.
- Stoll, R., Murer, H., Fleisch, H., and Bonjour, J.-P.** Effect of diphosphonate treatment on phosphate transport by renal brush border vesicles. 239,8:F13
- Stoll, R. W.** see Wen, S.-F.
- Stolze, H., and Schulz, I.** Effect of atropine, ouabain, antimycin A, and A23187 on "trigger Ca<sup>2+</sup> pool" in exocrine pancreas. 238,1:G338
- Stolze, H.** see Wakasugi, H.
- Stone, D. N.** see Dujardin, J.-P.
- Stone, H. L.** see Billman, G. E.
- Gwartz, P. A.**
- Schwartz, P. J.**
- Stoner, L. C.** Isolated, perfused amphibian renal tubules: the diluting segment. 233,2:F438
- Stoner, L. C.** see Boudry, J. F.
- Natke, E., Jr.**
- Shareghi, G. R.**
- Storelli, C.** see Hildmann, B.
- Storer, E. H.** see Groszmann, R. J.
- Storey, J. M.** see Balaban, R. S.
- Mandel, L. J.**
- Storlien, L. H.** see Boyle, F. C.
- Milam, K. M.**
- Storm, D. R.** see Rice, M. G.
- Robertson, R. P.**
- Stowe, D. F., Mathey, D. G., Moores, W. Y., Glantz, S. A., Townsend, R. M., Kabra, P., Chatterjee, K., Parmley, W. W., and Tyberg, J. V.** Segment stroke work and metabolism depend on coronary blood flow in the pig. 234,3:H597
- Stowe, D. F.** see Wilkerson, P. L.
- Stowe, N.** see Schnermann, J.
- St. Petery, L. B., Jr., and Van Mierop, L. H. S.** Evidence for the presence of adrenergic receptors in 3-day-old chick embryo. 232,1:H250
- Stratmann, M. G.** see Raichle, M. E.
- Strack, I.** see Eisenstein, A. B.
- Morley, M. G.**
- Stragand, J. J., and Hagemann, R. F.** Effect of luminal contents on colonic cell replacement. 233,2:E208
- Strand, J.** see Beierwaltes, W. H.
- Strand, J. C., Edwards, B. S., Anderson, M. E., Romero, J. C., and Knox, F. G.** Effect of imidazole on renal function in unilateral ureteral-obstructed rat kidneys. 240,9:F508
- Strandell, T.** see Erward, R.
- Strandhoy, J. W.** see Parker, R. E.
- Strasberg, S. M., Ilson, R. G., and Petrunka, C. N.** [<sup>14</sup>C]erythritol clearance and canalicular bile acid-independent flow in the baboon. 242,5:G475
- Straub, P. W.** see Blättler, W.
- Vogt, A.**
- Straube, R.** see Cutilletta, A. F.
- Strauss, H. C., Bache, R. J., Masterton, C. E., Abou-Donia, M. B., McHale, P. A., and Menzel, D. B.** Radiochemical determination of [<sup>14</sup>C]procainamide in canine myocardium. 234,3:H399
- Strauss, H. C.** see Austin, M.
- Browning, D. J.**
- Strauss, H. W.** see Jacobs, M. L.
- Strauss, P. R.** Effects of serum on membrane transport. III. Serum and inhibition of lysine transport. 236,5:C111
- Strehlo, B. L.** see Wells, D. J.
- Stricker, E. M., Vagnucci, A. H., McDonald, R. H., Jr., and Leenen, F. H.** Renin and aldosterone secretions during hypovolemia in rats: relation to NaCl intake. 237,6:R45
- Stricker, E. M.** see Van Zoeren, J. G.
- Strickler, R. C., and Tobias, B.** 20 $\alpha$ -Hydroxysteroid dehydrogenase and 17 $\beta$ -estradiol dehydrogenase localize in cytosol of human term placenta. 242,5:E178
- Striffler, J. S., and Curry, D. L.** Rat liver-pancreas preparation: perfusion technique and metabolic functions. 237,6:E340
- Striffler, J. S., and Curry, D. L.** Effect of fasting on insulin removal by liver of perfused liver-pancreas. 237,6:E349
- Strike, L. E.** see Webster, W. P.
- Stringer, G. I.** see Whitford, G. M.
- Strobeck, J. E.** see Capasso, J. M.
- Stromberg, D., and Wiederhielm, C.** Interstitial fluid oncotic pressures in rabbit subcutaneous tissue. 231:888



- Strome, D. R.**, Clancy, R. L., and Gonzalez, N. C. Myocardial CO<sub>2</sub> buffering: role of transmembrane transport of H<sup>+</sup> or HCO<sub>3</sub><sup>-</sup> ions. 230:1037
- Stroud, M. R.** *see* Bresler, E. H.
- Strubbe, J. H.** *see* De Jong, A.
- Strull, W. M.** *see* Fray, J. C. S.
- Strunz, U. T.**, and Grossman, M. I. Effect of intragastric pressure on gastric emptying and secretion. 235,4:E552
- Strzelecki, T.** *see* Rogulski, J.
- Stubbs, D. H.** *see* Johnson, J. A.
- Stuesse, S. L.**, Levy, M. N., and Zieske, H. Effects of glucagon on cardiac chronotropic response to vagal stimulation in the dog. 242,11:H7
- Stuesse, S. L.**, Wallick, D. W., and Levy, M. N. Autonomic control of right atrial contractile strength in the dog. 236,5:H860
- Stuesse, S. L.**, Wallick, D. W., Zieske, H., and Levy, M. N. Changes in vagal phasic chronotropic responses with sympathetic stimulation in the dog. 241,10:H850
- Stull, J. T.**  
*see* High, C. W.  
Manning, D. R.
- Stunkard, A. J.** *see* Kissileff, H. R.
- Styka, P. E.**, and Penney, D. G. Regression of carbon monoxide-induced cardiomegaly. 235,4:H516
- Su, L.-C.**, Owen, C. A., Jr., Zollman, P. E., and Hardy, R. M. A defect of biliary excretion of copper in copper-laden Bedlington terriers. 243,6:G231
- Su, L.-C.**, Ravanshad, S., Owen, C. A., Jr., McCall, J. T., Zollman, P. E., and Hardy, R. M. A comparison of copper-loading disease in Bedlington terriers and Wilson's disease in humans. 243,6:G226
- Suarez-Kurtz, G.** Release of creatine kinase from frog muscle by osmotic changes. 242,11:C398
- Suarez-Kurtz, G.**, and Eastwood, A. B. Release of sarcoplasmic enzymes from frog skeletal muscle. 241,10:C98
- Sucanthapree, C.** *see* Denniss, A. R.
- Suda, M.** *see* Saito, M.
- Suda, S.** *see* Kuschinsky, W.
- Suehiro, S.**, and Ninomiya, I. Pericorony nerve mediates inhibitory sympathetic response to coronary occlusion. 243,12:H170
- Suehiro, S.** *see* Suga, H.
- Suga, H.** External mechanical work from relaxing ventricle. 236,5:H494
- Suga, H.** Total mechanical energy of a ventricle model and cardiac oxygen consumption. 236,5:H498
- Suga, H.** Systolic quick releases of nonexcised blood-perfused canine papillary muscle. 238,7:H153
- Suga, H.**, Hayashi, T., and Shirahata, M. Ventricular systolic pressure-volume area as predictor of cardiac oxygen consumption. 240,9:H39
- Suga, H.**, Hayashi, T., Shirahata, M., Suehiro, S., and Hisano, R. Regression of cardiac oxygen consumption on ventricular pressure-volume area in dog. 240,9:H320
- Suga, H.**, Hisano, R., Hirata, S., Hayashi, T., and Ninomiya, I. Mechanism of higher oxygen consumption rate: pressure-loaded vs. volume-loaded heart. 242,11:H942
- Suga, H.**, Nakayama, K., and Sagawa, K. Nonexcised papillary muscle preparation: force and length measurement and control. 233,2:H162
- Suga, H.**, Saeki, Y., and Sagawa, K. End-systolic force-length relationship of non-excised canine papillary muscle. 233,2:H711
- Suga, H.**, and Sagawa, K. End-diastolic and end-systolic ventricular volume clamped for isolated canine heart. 233,2:H718
- Suga, H.**, and Sagawa, K. Transient force responses in blood-perfused papillary muscle after step changes in load. 235,4:H267
- Suga, H.**, and Sagawa, K. Accuracy of ventricular lumen volume measurement by intraventricular balloon method. 236,5:H506
- Suga, H.**, and Sagawa, K. Graphical estimation of ventricular wall force and stress from pressure-volume diagram. 236,5:H787
- Suga, H.**  
*see* Khalafbeigui, F.  
Kitabatake, A.  
Lau, V.-K.  
Saeki, Y.
- Sugawara, M.** *see* Tamiya, K.
- Sugden, M. C.** *see* Moore, T. J.
- Sugden, P. H.** *see* Williams, I. H.
- Sugden, P. L.** *see* Osborn, E. C.
- Sugg, W. L.** *see* Watson, J. T.
- Sugimoto, T.** *see* Okada, Y.
- Sugishita, Y.**, Kakihana, M., and Murao, S. Decreased reactive hyperemia after coronary perfusion with nonoxygenated solution. 234,3:H625
- Suki, W. N.** Calcium transport in the nephron. 237,6:F1
- Suki, W. N.**, and Rouse, D. Hormonal regulation of calcium transport in thick ascending limb renal tubules. 241,10:F171
- Suki, W. N.**  
*see* Crumb, C. K.  
Peraino, R. A.  
Weinman, E. J.
- Sukowski, E.** *see* Pindok, M. T.
- Sulaiman, W. R.** *see* Rennie, M. J.
- Sullivan, A. C.**  
*see* Comai, K.  
Greenwood, M. R. C.  
Levin, B. E.
- Sullivan, H. G.**, Miller, J. D., Griffith, R. L., III, and Becker, D. P. CSF pressure transients in response to epidural and ventricular volume loading. 234,3:R167
- Sullivan, L. P.**, Welling, D. J., Deeds, D. G., and Simone, J. N. Kinetic analysis of potassium transport in bullfrog kidney. 233,2:F464
- Sullivan, L. P.**, Welling, D. J., and Rome, L. A. Effects of sodium and chloride on potassium transport by the bullfrog kidney. 240,9:F127
- Sullivan, L. P.**  
*see* Deeds, D. G.  
McCabe, R.  
Wilkinson, H. L.
- Sullivan, S.**, and Sparks, H. V. Diminished contractile response of aortas from diabetic rabbits. 236,5:H301
- Sullivan, S. M.**, and Johnson, P. C. Effect of oxygen on arteriolar dimensions and blood flow in cat sartorius muscle. 241,10:H547
- Sullivan, S. M.**, and Johnson, P. C. Effect of oxygen on blood flow autoregulation in cat sartorius muscle. 241,10:H807
- Sulzman, F. M.**, Fuller, C. A., Hiles, L. G., and Moore-Ede, M. C. Circadian rhythm dissociation in an environment with conflicting temporal information. 235,4:R175
- Sulzman, F. M.**, Fuller, C. A., and Moore-Ede, M. C. Comparison of synchronization of primate circadian rhythms by light and food. 234,3:R130
- Sulzman, F. M.**  
*see* Fuller, C. A.  
Kass, D. A.
- Sumi, T.**, and Umeda, Y. Adrenal epinephrine in hyperuricemia induced by hypothalamic stimulation of the rat. 236,5:E212
- Summers, P. J.** *see* Ashmore, C. R.
- Summers, R. W.**  
*see* Dusdieker, N. S.  
Scott, L. D.
- Summy-Long, J. Y.**, and Severs, W. B. Macromolecular changes in the subfornical organ area after dehydration and renin. 237,6:R26
- Sumner, R. P.** *see* Nishimura, H.
- Sumpio, B. E.**, and Maack, T. Kinetics, competition, and selectivity of tubular absorption of proteins. 243,12:F379
- Sunagawa, K.**, Burkhoff, D., Lim, K. O., and Sagawa, K. Impedance loading servo pump system for excised canine ventricle. 243,12:H346
- Sund, T.** *see* Piene, H.
- Sundaram, S. G.** *see* Shakir, K. M. M.
- Sundaram, U.** *see* Rapoport, S. I.
- Sundet, W. D.**  
*see* Fater, D. C.  
Schultz, H. D.
- Sundin, U.** GDP binding to rat brown fat mitochondria: effects of thyroxine at different ambient temperatures. 241,10:C134
- Sundler, F.** *see* Ottesen, B.
- Suno, M.** *see* Nagaoka, A.
- Surawicz, B.** *see* Ito, S.
- Surawicz, C. M.**, Saunders, D. R., Sillery, J., and Rubin, C. E. Linolenate transport by human jejunum: presumptive evidence for portal transport at low absorption rates. 240,3:G157
- Suri, P. K.** *see* Cserr, H. F.
- Surma, M. L.** *see* Cohen, M. P.
- Surmitis, J. M.** *see* Paradise, N. F.
- Susić, H.**, Nasjletti, A., and Malik, K. U. Bradykinin effects on adrenergic transmission in the canine kidney: relation to prostaglandins. 241,10:R146
- Sussman, I. I.**, Rosner, W., and Weiss, H. J. Concentration-dependent dissociation of factor VIII in 1 M NaCl. 230:434
- Suter, C. M.** *see* Ormsbee, H. S., III
- Sutherland, S. B.** *see* Sidhu, P.
- Sutliiff, V. E.**  
*see* Collen, M. J.  
Gardner, J. D.  
Raufman, J.-P.
- Sutton, E. T.** *see* Baker, C. H.
- Sutton, R. A. L.**  
*see* Burnatowska, M. A.  
Harris, C. A.
- Suzuki, H.**, Handa, M., Kondo, K., and Saruta, T. Role of renin-angiotensin system in glucocorticoid hypertension in rats. 243,6:E48
- Suzuki, H.**, Itoh, T., and Kuriyama, H. Effects of diltiazem on smooth muscle and neuromuscular junction in the mesenteric artery. 242,11:H325
- Suzuki, H.**, and Twarog, B. M. Membrane properties of smooth muscle cells in pulmonary arteries of the rat. 242,11:H900
- Suzuki, H.**, and Twarog, B. M. Membrane properties of smooth muscle cells in pulmonary hypertensive rats. 242,11:H907
- Suzuki, H.** *see* Kuriyama, H.
- Suzuki, S.**, Franco-Saenz, R., Tan, S. Y., and Mulrow, P. J. Effects of indomethacin on plasma renin activity in the conscious rat. 240,3:E286
- Suzuki, T.**  
*see* Ito, K.  
Itoh, Z.  
Karaki, H.  
Takahashi, I.
- Suzuoki, Z.** *see* Nagaoka, A.

- Svensjö, E., Arfors, K.-E., Raymond, R. M., and Grega, G. J. Morphological and physiological correlation of bradykinin-induced macromolecular efflux. 236,5:H600
- Swabb, E. A., Hynes, R. A., and Donowitz, M. Elevated intraluminal pressure alters rabbit small intestinal transport in vivo. 242,5:G58
- Swabb, E. A., Hynes, R. A., Marnane, W. G., McNeil, J. S., Decker, R. A., Tai, Y.-H., and Donowitz, M. Intestinal filtration-secretion due to increased intraluminal pressure in rabbits. 242,5:G65
- Swabb, E. A., Tai, Y.-H., and Jordan, L. Reversal of cholera toxin-induced secretion in rat ileum by luminal berberine. 241,4:G248
- Swain, D. P., and Lalone, B. J. Rat gracilis muscle preparation for combined macro- and microvascular research. 242,11:H713
- Swain, J. L., Sabina, R. L., McHale, P. A., Greenfield, J. C., Jr., and Holmes, E. W. Prolonged myocardial nucleotide depletion after brief ischemia in the open-chest dog. 242,11:H818
- Swain, M. L.  
see Cox, R. H.  
Fischer, G. M.
- Swan, H. J. C.  
see Vas, R.  
Vyden, J. K.
- Swan, K. G. see Kerr, J. C.
- Swann, J., and Turek, F. W. Cycle of lordosis behavior in female hamsters whose circadian activity rhythm has split into two components. 243,12:R112
- Swanson, G. D. Evaluation of the Grodins respiratory model via dynamic end-tidal forcing. 233,2:R66
- Swanson, J. W., Besarab, A., Pomerantz, P. P., and DeGuzman, A. Effect of erythrocytes and globulin on renal functions of the isolated rat kidney. 241,10:F139
- Swatzell, R. H., Jr. see Hageman, G. R.
- Swayze, C. R. see Tripp, M. R.
- Sweatt, D. see Greenberg, S.
- Sweeley, C. C. see Moore, K. H.
- Sweet, C. S., Colombo, J. M., and Gaul, S. L. Central antihypertensive effects of inhibitors of the renin-angiotensin system in rats. 231,1:794
- Swendsen, M. E.  
see Siassi, F.  
Wang, M.
- Swick, R. W.  
see Augustine, S. L.  
Garlick, P. J.  
Harney, M. E.
- Świerczek, J. S., and Konturek, S. J. Gastric alkaline response to mucosa-damaging agents: effect of 16,16-dimethyl prostaglandin E<sub>2</sub>. 241,4:G509
- Swift, J. G. see Spalding, B. C.
- Swindall, B. T. see Inciarte, D. J.
- Switzer, S. J. see Cowley, A. W., Jr.
- Swyet, C. R. see Fry, D. L.
- Sybers, H. D. see Roeske, W. R.
- Syftestad, G. T., and Boelkins, J. N. Effect of hemorrhage on blood flow to marrow and osseous tissue in conscious rabbits. 238,7:H360
- Sylk, D. see Puschett, J. B.
- Sylk, D. B. see Winaver, J.
- Sylvester, J. T., Scharf, S. M., Gilbert, R. D., Fitzgerald, R. S., and Traystman, R. J. Hypoxic and CO hypoxia in dogs: hemodynamics, carotid reflexes, and catecholamines. 236,5:H22
- Sylvia, A. L. see Balaban, R. S.
- Syrota, A., Girault, M., Pocidal, J.-J., and Yudilevich, D. L. Endothelial uptake of amino acids, sugars, lipids, and prostatic glands in rat lung. 243,12:C20
- Szabo, A. C. see de Carle, D. J.

- Szabo, A. J. see Iguchi, A.
- Szabo, J. see Oldendorf, W. H.
- Szafarczyk, A., Alonso, G., Ixart, G., Malaval, F., Nougues-Soule, J., and Assenmacher, I. Serotonergic system and circadian rhythms of ACTH and corticosterone in rats. 239,2:E482
- Szalay, L. see Bencsáth, P.
- Szczepańska, M., and Angielski, S. Prevention of maleate-induced tubular dysfunction by acetoacetate. 239,8:F50
- Szczepańska-Sadowska, E., Sobocińska, J., and Sadowski, B. Central dipogenic effect of vasopressin. 242,11:R372
- Szczepańska-Sadowska, E., Sobocińska, J., Sadowski, B., and Kosowski, S. Inhibition of osmotic thirst by electric stimulation of the basal forebrain in dogs. 236,5:R117
- Szénási, G., Bencsáth, P., Lehoczy, E., and Takács, L. Tubular transport and urinary excretion of phosphate after renal denervation in the anesthetized rat. 240,9:F481
- Szidon, J. P. see Magno, M.
- Szilagyi, J. E., Masaki, Z., Brosnihan, K. B., and Ferrario, C. M. Neurogenic suppression of carotid sinus reflexes by vagal afferents in sodium-depleted dogs. 241,10:H255
- Szmidt, J. see Kingma, Y. J.
- Szokol, M. see Möhring, J.
- Szurszewski, J. H.  
see Kreulen, D. L.  
Krier, J.  
Morgan, K. G.  
Sanders, K. M.
- Szvetko, D. see Mabuchi, K.
- Szwed, J. J. see Friedman, J. J.
- Szyjewicz, J. see Weinstein, S. W.

## T

- Taborsky, G. J., Jr., Halter, J. B., and Porte, D., Jr. Morphine suppresses plasma catecholamine responses to laparotomy but not to 2-deoxyglucose. 242,5:E317
- Taborsky, G. J., Jr., and Porte, D., Jr. Endogenous hyperglycemia restores insulin release impaired by somatostatin analogue. 240,3:E407
- Taborsky, G. J., Jr., Smith, P. H., and Porte, D., Jr. Differential effects of somatostatin analogues on  $\alpha$ - and  $\beta$ -cells of the pancreas. 236,5:E123
- Tabsh, K., Nuwayhid, B., Murad, S., Ushioda, E., Erkkola, R., Brinkman, C. R., III, and Assali, N. S. Circulatory effects of chemical sympathectomy in fetal, neonatal, and adult sheep. 243,12:H113
- Tabsh, K. see Lieb, S. M.
- Tacker, W. A. see Geddes, L. A.
- Taegtmeyer, H. see Lesch, M.
- Tagger, O. Y. see McCoshen, J. A.
- Tague, L. L.  
see Mailman, D.  
Pawlik, W.  
Sen, P. C.
- Taher, S. M. see Cadnapaphornchai, P.
- Tai, C.-Y. see Jackson, M. J.
- Tai, H. H. see Lee, K. Y.
- Tai, Y.-H., and Decker, R. A. Mechanisms of electrolyte transport in rat ileum. 238,1:G208
- Tai, Y.-H., Decker, R. A., Marnane, W. G., Charney, A. N., and Donowitz, M. Effects of methylprednisolone on electrolyte transport by in vitro rat ileum. 240,3:G365
- Tai, Y.-H., Feser, J. F., Marnane, W. G., and Desjeux, J.-F. Antisecretory effects of berberine in rat ileum. 241,4:G253
- Tai, Y.-H.  
see Donowitz, M.  
Swabb, E. A.
- Taillon, P. see Latt, W. W.
- Taira, N. see Motomura, S.
- Tait, G. A., Young, R. B., Wilson, G. J., Steward, D. J., and MacGregor, D. C. Myocardial pH during regional ischemia: evaluation of a fiber-optic photometric probe. 243,12:H1027
- Takabatake, T. see Nomura, G.
- Takach, K. see Baker, C. H.
- Takács, L.  
see Bencsáth, P.  
Szénási, G.
- Takahashi, A. see Kumon, A.
- Takahashi, I., Nakaya, M., Suzuki, T., and Itoh, Z. Postprandial changes in contractile activity and bile concentration in gallbladder of the dog. 243,6:G365
- Takahashi, I. see Itoh, Z.
- Takahashi, J. S., and Menaker, M. Interaction of estradiol and progesterone: effects on circadian locomotor rhythm of female golden hamsters. 239,8:R497
- Takahashi, K., Hayafuji, C., and Murakami, N. Foster mother rat entrains circadian adrenocortical rhythm in blinded pups. 243,6:E443
- Takahashi, K., Inoue, K., Kobayashi, K., Hayafuji, C., Nakamura, Y., and Takahashi, Y. Mutual influence of rats having different circadian rhythm of adrenocortical activity. 234,3:E515
- Takahashi, Y. see Takahashi, K.
- Takahashi, Y. I., Smith, J. E., and Goodman, D. S. Vitamin A and retinol-binding protein metabolism during fetal development in the rat. 233,2:E263
- Takamitsu, Y. see Kimura, G.
- Takano, T. see Vyden, J. K.
- Takata, Y. see Di Nicolantonio, R.
- Takayanagi, R. see Itoh, Z.
- Takeda, H. see Chance, B.
- Takeda, K. see Buñag, R. D.
- Takeda, M. see Skopik, S. D.
- Takeguchi, N., Hattori, M., Sano, A., and Horikoshi, I. Intracellular potassium ion in relation to acid secretory rate by frog gastric mucosa. 237,6:E51
- Takeguchi, N., Horikoshi, I., and Hattori, M. Uptake of K<sup>+</sup> by frog gastric mucosa from submucosal side and acid secretory rate. 232,1:E294
- Takeguchi, N., Nishimura, Y., Morii, M., Horikoshi, I., and Inoue, S. K<sup>+</sup> selectivity and HCl secretion in *Xenopus* and their relation to cAMP and Ba<sup>2+</sup>. 240,3:G331
- Takeguchi, N. see Berglin, T.
- Takemura, J. see Seino, S.
- Takeshita, A., Mark, A. L., and Brody, M. J. Prevention of salt-induced hypertension in the Dahl strain by 6-hydroxydopamine. 236,5:H48
- Takeshita, A., Mark, A. L., Eckberg, D. L., and Abboud, F. M. Effect of central venous pressure on arterial baroreflex control of heart rate. 236,5:H42
- Takeshita, A. see Imaizumi, T.
- Taketomi, S. see Tsuda, M.
- Takeuchi, A., and Persellin, R. H. Cellular augmentation of polymorphonuclear leukocyte chemotaxis. 236,5:C22
- Takeuchi, K., and Johnson, L. R. Effect of cell proliferation and loss on aspirin-induced gastric damage in the rat. 243,6:G463
- Takeuchi, K., Merhav, A., and Silen, W. Mechanism of luminal alkalization by bullfrog fundic mucosa. 243,6:G377
- Takeuchi, K., Peitsch, W., and Johnson, L. R. Mucosal gastrin receptor. V. Development in newborn rats. 240,3:G163

- Takeuchi, K., Speir, G. R., and Johnson, L. R.** Mucosal gastrin receptor. I. Assay standardization and fulfillment of receptor criteria. 237,6:E284
- Takeuchi, K., Speir, G. R., and Johnson, L. R.** Mucosal gastrin receptor. II. Physical characteristics of binding. 237,6:E295
- Takeuchi, K., Speir, G. R., and Johnson, L. R.** Mucosal gastrin receptor. III. Regulation by gastrin. 238,1:G135
- Takeuchi, K., Speir, G. R., and Johnson, L. R.** Mucosal gastrin receptor. IV. Binding specificity. 239,2:G395
- Takeuchi, K.**  
see Johnson, L. R.  
Peitsch, W.  
Speir, G. R.
- Takeuchi, S.** see Itoh, Z.
- Talano, J.** see Randall, W. C.
- Talbot, T. L.** see Fry, D. L.
- Talbott, R. E.** Postural reactions of dogs to sinusoidal motion in the peripheral visual field. 239,8:R71
- Talbott, R. E., and Brookhart, J. M.** A predictive model study of the visual contribution to canine postural control. 239,8:R80
- Talbott, R. E.** see Schuster, D.
- Täljedal, I.-B.**  
see Bloom, G. D.  
Gagerman, E.
- Tallman, R. D., Jr., Kuntz, A. L., and Miller, D. A.** Effect of timing of  $\text{Fic}_{\text{O}_2}$  changes on ventilatory period in domestic fowl. 237,6:R260
- Talo, A., and Hodgson, B. J.** Spike bursts in rabbit oviduct. I. Effect of ovulation. 234,3:E430
- Talo, A.** see Hodgson, B. J.
- Talwalkar, R. T.** see Kotchen, T. A.
- Tamai, S.** see Nosaka, S.
- Tamayo, J.** see Bellowin-Font, E.
- Tamiya, K., Sugawara, M., and Sakurai, Y.** Maximum lengthening velocity during isotonic relaxation at preload in canine papillary muscle. 237,6:H83
- Tan, S. T.**  
see Brady, A. J.  
Roos, K. P.
- Tan, S. Y.**  
see Feldman, D.  
Suzuki, S.
- Tanahashi, N.** see Tomita, M.
- Tanaka, K.**  
see Morimoto, S.  
Tomita, M.
- Tanche, M.** see Baconnier, P.
- Tang, F. Y.** see Tang, L. K.
- Tang, L. K.** Effect of serum sex steroids on pituitary LH response to LHRH and LH synthesis. 238,1:E458
- Tang, L. K., Martellock, A. C., and Horiuchi, J. K.** Estradiol stimulation of LH response to LHRH and LHRH binding in pituitary cultures. 242,5:E392
- Tang, L. K., Martellock, A. C., and Tang, F. Y.** Estradiol stimulation of pituitary cAMP production and cAMP binding. 243,6:E109
- Tang, L. K., and Tang, F. Y.** Sex difference in LH response to LHRH and DBcAMP and effect of  $17\beta$ -estradiol. 236,5:E216
- Tang, L. K., and Tang, F. Y.** Effect of  $17\beta$ -estradiol on pituitary cAMP binding and responses to DBcAMP. 240,3:E297
- Tang, L. K., and Tang, F. Y.** LH responses to LHRH, DBcAMP, and  $17\beta$ -estradiol in cultures derived from aged rats. 240,3:E510
- Tang, L. K. L.** Sex difference in LH response to LHRH and DBcAMP and effect of testosterone. 235,4:E291
- Tang, S. S.** see Moake, J. L.
- Tange, J. D.** see Epstein, F. H.
- Tannen, R. L.** Ammonia metabolism. 235,4:F265
- Tannen, R. L., and Kunin, A. S.** Effect of potassium on ammoniogenesis by renal mitochondria. 231:44
- Tannen, R. L., and Kunin, A. S.** Effect of pH on ammonia production by renal mitochondria. 231:1631
- Tannen, R. L., and Kunin, A. S.** Effect of pH on metabolism of  $\alpha$ -ketoglutarate by renal cortical mitochondria. 240,9:F120
- Tannen, R. L., and McGill, J.** Influence of potassium on renal ammonia production. 231:1178
- Tannen, R. L.**  
see Hood, V. L.  
Kunin, A. S.  
Terao, N.
- Tanner, G. A.** Effects of kidney tubule obstruction on glomerular function in rats. 237,6:F379
- Tanner, G. A., Carmines, P. K., and Kinter, W. B.** Excretion of phenol red by the *Necturus* kidney. 236,5:F442
- Tanner, G. A., and Sophasan, S.** Kidney pressures after temporary renal artery occlusion in the rat. 230:1173
- Tanner, G. A., and Yum, M. N.** Effects of chronic tubular obstruction in *Necturus* kidney. 234,3:F112
- Tanner, R.** see Shimomura, A.
- Tapner, E. J., Bloom, A. S., and Lewand, D. L.** Endogenous norepinephrine release induced by tyramine modulates intestinal ion transport. 241,4:G264
- Tapner, E. J., Powell, D. W., and Morris, S. M.** Cholinergic-adrenergic interactions on intestinal ion transport. 235,4:E402
- Tarao, K., Olinger, E. J., Ostrow, J. D., and Balistreri, W. F.** Impaired bile acid efflux from hepatocytes isolated from the liver of rats with cholestasis. 243,6:G253
- Tarazi, R. C.**  
see Sen, S.  
Wicker, P.
- Tarjan, E.** see Weisinger, R. S.
- Tarnowski, D.** see Crofton, J. T.
- Tarr, M.** see Terreros, D. A.
- Tarvin, J. T., and Pace, C. S.** Glucose-induced electrical activity in the pancreatic  $\beta$ -cell: effect of veratridine. 240,9:C127
- Tarvin, J. T., Sachs, G., and Pace, C. S.** Glucose-induced electrical activity in pancreatic  $\beta$ -cell: modulation by pH. 241,10:C264
- Tasler, J.** see Konturek, S. J.
- Tate, E. H.** see Pollack, L. R.
- Tatemoto, K.** see Jensen, R. T.
- Tato, F.** see Giudicelli, J.-F.
- Taubert, K., Templeton, G., Willerson, J. T., and Shapiro, W.** Effects of digitalis and calcium on papillary muscles in normal and hypoxic states. 231:66
- Taubert, K., Willerson, J. T., Shapiro, W., and Templeton, G. H.** Contraction and resting stiffness of isolated cardiac muscle: effects of inotropic agents. 232,1:H275
- Tavcloni, N., Reed, J. S., and Boyer, J. L.** Hemodynamic effects on determinants of bile secretion in isolated rat liver. 234,3:E584
- Taya, K., and Greenwald, G. S.** Postovulatory steroidogenesis after PMS-induced ovulation in immature female rats. 241,4:E221
- Taylor, A., and Windhager, E. E.** Possible role of cytosolic calcium and Na-Ca exchange in relation of transepithelial sodium transport. 236,5:F505
- Taylor, A.** see Frindt, G.
- Taylor, A. E.**  
see Brace, R. A.  
Drake, R.  
Granger, D. N.  
Levine, S. E.  
Mortillaro, N. A.  
Parker, R. E.  
Renkin, E. M.  
Valleau, J. D.
- Taylor, A. W.** see Ferguson, R. J.
- Taylor, C. J.** see Ludens, J. H.
- Taylor, C. R.** see Cavagna, G. A.
- Taylor, D. J.** see Smith, O. A.
- Taylor, D. L.** see Vander, A. J.
- Taylor, F. B., III.** see Murphy, T. L.
- Taylor, H. L.** see Dawson, A. K.
- Taylor, I. L., Impicciatore, M., Carter, D. C., and Walsh, J. H.** Effect of atropine and vagotomy on pancreatic polypeptide response to a meal in dogs. 235,4:E443
- Taylor, I. L., Kauffman, G. L., Jr., Walsh, J. H., Trout, H., Chew, P., and Harmon, J. W.** Role of the small intestine and gastric antrum in pancreatic polypeptide release. 240,3:G387
- Taylor, J. F. N.** see Downing, S. E.
- Taylor, J. J., D'Agrosa, L. S., and Burns, E. M.** The pacemaker cell of the sinoatrial node of the rabbit. 235,4:H407
- Taylor, J. M.** see Peavy, D. E.
- Taylor, M. A.** see Goldstein, L.
- Taylor, P. M.** see Stinson, D. A.
- Taylor, R. G.** see Holly, R. G.
- Taylor, R. R.** see Bonnin, C. M.
- Tchao, R.** see Rabito, C. A.
- Tchernitchin, A.** see Steinsapir, J.
- Teague, R. J.** see Schemmel, R. A.
- Teague, S., Denes, P., Amat-y-Leon, F., and Rosen, K. M.** Effect of anomalous pathway location on rate of canine experimental A-V reentrant tachycardia. 233,2:H44
- Teasdale, G. M.** see Gross, P. M.
- Teckentrup, U.** see Konturek, S. J.
- Teeter, B. C.** see Dent, J.
- Teitelbaum, S. L.**  
see Baran, D. T.  
Hough, S.
- Telford, G. L.** see Ormsbee, H. S., III
- Tellier, M.** see Roch-Ramel, F.
- Tempel, G. E.**  
see Johnson, J. A.  
Jones, S. B.
- Templeman, D. C.** see De Carle, D. J.
- Templeton, G., Adcock, R., Willerson, J. T., Nardizzi, L., Wildenthal, K., and Mitchell, J. H.** Relationships between resting tension and mechanical properties of papillary muscle. 231:1679
- Templeton, G.**  
see Crie, J. S.  
Mukherjee, A.  
Taubert, K.
- Templeton, G. H.**  
see Krishnamurthy, V. S. R.  
Taubert, K.  
Willerson, J. T.
- Ten Eick, R. E.**  
see Elson, J. J.  
McGee, J.
- Tenney, S. M.**  
see Jones, R. M.  
Nattie, E. E.
- Tenore, A., Parks, J. S., Gasparo, M., and Koldovsky, O.** Thyroidal response to peroral TSH in suckling and weaned rats. 238,1:E428
- Teoh, K. K.** see Billman, G. E.
- Tepper, B.** see Fuller, C. A.
- Tepperman, B. L., and Soper, B. D.** Prostaglandin  $\text{E}_2$ -binding sites and cAMP production in porcine fundic mucosa. 241,4:G313
- Tepperman, B. L.** see Pawlik, W.



- Terao, N.**, and Tannen, R. L. Stimulation of ammoniogenesis by acute acidosis: evidence for a urinary inhibitor. 239,8:F445
- Terao, T.**, and Owen, C. A., Jr. Copper metabolism in pregnant and postpartum rat and pups. 232,1:E172
- Terasawa, E.**, Wiegand, S. J., and Bridson, W. E. A role for medial preoptic nucleus on afternoon of proestrus in female rats. 238,1:E533
- Terashima, R.**, Anderson, F. L., and Jubiz, W. Prostaglandin E release in the dog: effect of sodium. 231,1429
- Terblanche, S. E.** *see* Fell, R. D.
- Teredesai, P. R.** *see* Puschett, J. B.
- Winaver, J.**
- Terhaar, C.** *see* Jones, R. M.
- Terjung, R. L.** Muscle fiber involvement during training of different intensities and durations. 230:946
- Terjung, R. L.**, and Koerner, J. E. Biochemical adaptations in skeletal muscle of trained thyroidectomized rats. 230:1194
- Terjung, R. L.** *see* Kaciuba-Uscilko, H. Meyer, R. A.
- Ter Keurs, H. E. D. J.** *see* Van Heuning, R.
- Ter-Pogossian, M. M.** *see* Lerch, R. A.
- Raichle, M. E.**
- Terragno, N. A.** *see* Leffler, C. W.
- Terreros, D. A.**, and Grantham, J. J. Marshall Barber and the origins of micropipette methods. 242,11:F293
- Terreros, D. A.**, Tarr, M., and Grantham, J. J. Transmembrane electrical potential differences in cells of isolated renal tubules. 241,10:F61
- Testoni, F. J.** *see* Hyde, R. J.
- Teubner, E.** *see* Burnell, J. M.
- Teulon, J.**, and Anagnostopoulos, T. Proximal cell K<sup>+</sup> activity: technical problems and dependence on plasma K<sup>+</sup> concentration. 243,12:F12
- Tews, J. K.**, and Harper, A. E. Food and protein intake, glucagon, and distribution of  $\alpha$ -aminoisobutyrate in the rat. 238,1:E358
- Textor, S. C.**, Brunner, H., and Gavras, H. Evidence for bradykinin potentiation by angiotensin congeners in conscious rats. 240,9:H255
- Thaler, M. M.** *see* Pickart, L. R.
- Thames, M.** *see* Sadoshima, S.
- Thames, M. D.** Reflex suppression of renin release by ventricular receptors with vagal afferents. 233,2:H181
- Thames, M. D.** Effect of *d*- and *l*-propranolol on the discharge of cardiac vagal C fibers. 238,7:H465
- Thames, M. D.**, and Abboud, F. M. Interaction of somatic and cardiopulmonary receptors in control of renal circulation. 237,6:H560
- Thames, M. D.**, Eastham, C. L., and Marcus, M. L. Baroreflex control of heart interval in conscious renal hypertensive dogs. 241,10:H332
- Thames, M. D.**, Miller, B. D., and Abboud, F. M. Baroreflex regulation of renal nerve activity during volume expansion. 243,12:H810
- Thames, M. D.**, Miller, B. D., and Abboud, F. M. Sensitization of vagal cardiopulmonary baroreflex by chronic digoxin. 243,12:H815
- Thames, M. D.**, Peterson, M. G., and Schmid, P. G. Stimulation of cardiac receptors with veratrum alkaloids inhibits ADH secretion. 239,8:H784
- Thames, M. D.**, and Schmid, P. G. Cardiopulmonary receptors with vagal afferents tonically inhibit ADH release in the dog. 237,6:H299
- Thames, M. D.**, and Schmid, P. G. Interaction between carotid and cardiopulmonary baroreflexes in control of plasma ADH. 241,10:H431
- Thames, M. D.**, Waickman, L. A., and Abboud, F. M. Sensitization of cardiac receptors (vagal afferents) by intracoronary acetylcholinesterase inhibitor. 239,8:H628
- Thames, M. D.** *see* Felder, R. B.
- Osborn, J. L.**
- Walker, J. L.**
- Thaw, C.** *see* Gershengorn, M. C.
- Theen, J.**, Gilboe, D. P., and Nuttall, F. Q. Liver glycogen synthase and phosphorylase changes in vivo with hypoxia and anesthetics. 243,6:E182
- Thenen, S. W.** *see* Godbole, V. Y.
- Grundler, M. L.**
- Theodorakis, M. C.** External scintigraphy in measuring rate of gastric emptying in beagles. 239,2:G39
- Theodore, J.** *see* Hance, A. J.
- Robin, E. D.**
- Theodoropoulos, T.**, Fang, S.-L., Azizi, F., Ingbar, S. H., Vagenakis, A. G., and Braverman, L. E. Effect of diphenylhydantoin on hypothalamic-pituitary-thyroid function in the rat. 239,2:E468
- Theroux, P.** *see* Crozatier, B.
- Thibault, M. C.**, Kozlov, N., Arruda, J. A. L., and Kurtzman, N. A. Renal hydrogen ion secretion after release of unilateral ureteral obstruction. 231:1233
- Thoa, N. B.** *see* Kvetnansky, R.
- Thoman, E. B.**, Zeidner, L. P., and Denenberg, V. H. Cross-species invariance in state-related motility patterns. 241,10:R312
- Thomas, C.** *see* Bell, P. D.
- Plath, D. W.**
- Williams, R. H.**
- Thomas, C. E.** *see* Navar, L. G.
- Thomas, F. B.** *see* Yovos, J. G.
- Thomas, J. L.** *see* Nolan, W. F.
- Thomas, J. X., Jr.** *see* Barber, M. J.
- Jones, C. E.**
- Rinkema, L. E.**
- Thomas, L.** *see* Clarke, W. L.
- Thomas, M. L.**, Anast, C. S., and Forte, L. R. Regulation of calcium homeostasis in the fetal and neonatal rat. 240,3:E367
- Thomas, M. L.** *see* Forte, L. R.
- Thomas, M. R.**, Ulrichsen, R. F., and Calaresu, F. R. Function of lateral reticular nucleus in central cardiovascular regulation in the cat. 232,1:H157
- Thomas, P. A.**, and Kelly, K. A. Hormonal control of interdigestive motor cycles of canine proximal stomach. 237,6:E192
- Thomas, S. R.**, and Mikulecky, D. C. A network thermodynamic model of salt and water flow across the kidney proximal tubule. 235,4:F638
- Thomasset, M.**, Parkes, C. O., and Cuisinier-Gleizes, P. Rat calcium-binding proteins: distribution, development, and vitamin D dependence. 243,6:E483
- Thompson, C. I.**, Rubio, R., and Berne, R. M. Changes in adenosine and glucogen phosphorylase activity during the cardiac cycle. 238,7:H389
- Thompson, C. I.** *see* Spielman, W. S.
- Thompson, D. A.**, Lilavivathana, U., Campbell, R. G., Welle, S. L., and Craig, A. B. Thermoregulatory and related responses to 2-deoxy-D-glucose administration in humans. 239,8:R291
- Thompson, D. A.** *see* Welle, S. L.
- Thompson, G. E.** *see* Bell, A. W.
- Thompson, I. G.**, and Mills, J. W. Isoproterenol-induced current changes in glands of frog skin. 241,10:C250
- Thompson, I. G.** *see* Cheung, J. Y.
- Thompson, J. C.** *see* Guzman, S.
- Konturek, S. J.**
- Llanos, O. L.**
- Thompson, L.** *see* Carney, S.
- Thompson, M. E.**, and Hedge, G. A. Corticosterone secretion after inhibition of prostaglandin synthesis by indomethacin. 240,3:E131
- Thompson, S. M.** *see* Helman, S. I.
- Thompson, W. J.**, Chang, L. K., and Rosenfeld, G. C. Histamine regulation of adenylyl cyclase of enriched rat gastric parietal cells. 240,3:G76
- Thompson, W. J.** *see* Ecknauer, R.
- Thompson, W. L.**, and Wannemacher, R. W., Jr. Effects of infection and endotoxin on rat hepatic RNA production and distribution. 238,1:G303
- Thompson, W. L.** *see* Dole, W. P.
- Thomsen, K.**, Holstein-Rathlou, N.-H., and Leyssac, P. P. Comparison of three measures of proximal tubular reabsorption: lithium clearance, occlusion time, and micropuncture. 241,10:F348
- Thomson, A. B. R.** Unstirred water layer and age-dependent changes in rabbit jejunal D-glucose transport. 236,5:E685
- Thomson, A. B. R.** Limitations of Michaelis-Menten kinetics in presence of intestinal unstirred layers. 236,5:E701
- Thomson, A. B. R.** Effect of age on uptake of homologous series of saturated fatty acids into rabbit jejunum. 239,2:G363
- Thomson, A. B. R.** Influence of sodium on major diffusion barriers to passive intestinal uptake. 243,6:G148
- Thomson, A. B. R.**, and Dietschy, J. J. Intestinal kinetic parameters: effects of unstirred layers and transport preparation. 239,2:G372
- Thomson, A. B. R.**, and O'Brien, B. D. Uptake of cholesterol into rabbit jejunum using three in vitro techniques: importance of bile acid micelles and unstirred layer resistance. 241,4:G270
- Thor, P.**, Król, R., Konturek, S. J., Coy, D. H., and Schally, A. V. Effect of somatostatin on myoelectrical activity of small bowel. 235,4:E249
- Thor, P.** *see* Konturek, S. J.
- Thor, P. J.**, Copeland, E. M., Dudrick, S. J., and Johnson, L. R. Effect of long-term parenteral feeding on gastric secretion in dogs. 232,1:E39
- Thor, P. J.**, Sendur, R., and Konturek, S. J. Influence of substance P on myoelectrical activity of the small bowel. 243,6:G493
- Thor, P. J.** *see* Mukhopadhyay, A. K.
- Thorbert, G.**, Alm, P., Owan, C., and Sjöberg, N.-O. Regional distribution of autonomic nerves in guinea pig uterus. 233,2:C25
- Thorbert, G.** *see* Alm, P.
- Thornborough, J. R.** *see* Passo, S. S.
- Thornburg, K. L.**, Binder, N. D., and Faber, J. J. Distribution of ionic sulfate, lithium, and bromide across the sheep placenta. 236,5:C58



- Thornburg, K. L., Bissonnette, J. M., and Faber, J. J.** Absence of fetal placental waterfall phenomenon in chronically prepared fetal lambs. 230:886
- Thornburg, K. L., and Faber, J. J.** Transfer of hydrophilic molecules by placenta and yolk sac of guinea pig. 233:2:C111
- Thornburg, K. L.**  
see Anderson, D. F.  
Armentrout, T.  
Bissonnette, J. M.  
Faber, J. J.  
Woods, L. L.
- Thorne, P. R.** see Spurgeon, H. A.
- Thornell, L.-E., and Eriksson, A.** Filament systems in the Purkinje fibers of the heart. 241,10:H291
- Thorp, K.** see Pine, M. B.
- Thorvaldson, J.** see Ilebekk, A.
- Thrasher, T. N., Brown, C. J., Keil, L. C., and Ramsay, D. J.** Thirst and vasopressin release in the dog: an osmoreceptor or sodium receptor mechanism? 238,7:R333
- Thrasher, T. N., Jones, R. G., Keil, L. C., Brown, C. J., and Ramsay, D. J.** Drinking and vasopressin release during ventricular infusions of hypertonic solutions. 238,7:R340
- Thrasher, T. N., Keil, L. C., and Ramsay, D. J.** Hemodynamic, hormonal, and drinking responses to reduced venous return in the dog. 243,12:R354
- Thrasher, T. N., Nistal-Herrera, J. F., Keil, L. C., and Ramsay, D. J.** Satiety and inhibition of vasopressin secretion after drinking in dehydrated dogs. 240,3:E394
- Thrasher, T. N.** see Lee, M.-C.
- Thubrikar, M., Piepgrass, W. C., Shaner, T. W., and Nolan, S. P.** The design of the normal aortic valve. 241,10:H795
- Thuillez, C.** see Crozatier, B.
- Tibbits, G. F., Barnard, R. J., Baldwin, K. M., Cugali, N., and Roberts, N. K.** Influence of exercise on excitation-contraction coupling in rat myocardium. 240,9:H472
- Tibbling, L.** see Ask, P.
- Tiengo, A.** see Cobelli, C.
- Tildon, J. T.** see Ozand, P. T.
- Tillotson, L. G.** see Inui, K.-I.
- Tingwald, G.** see Schnermann, J.
- Tinker, J. P.** see Weiner, I. M.
- Tiran, J., Avrucl, L. I., and Albisser, A. M.** A circulation and organs model for insulin dynamics. 237,6:E331
- Tischler, M. E., and Goldberg, A. L.** Amino acid degradation and effect of leucine on pyruvate oxidation in rat atrial muscle. 238,1:E480
- Tischler, M. E., and Goldberg, A. L.** Production of alanine and glutamine by atrial muscle from fed and fasted rats. 238,1:E487
- Tisher, P. W.** see Tong, E. Y.
- Toback, F. G., and Havener, L. J.** Mechanism of enhanced phospholipid formation during potassium depletion nephropathy. 236,5:E429
- Toback, F. G., Havener, L. J., Dodd, R. C., and Spargo, B. H.** Phospholipid metabolism during renal regeneration after acute tubular necrosis. 232,1:E216
- Toback, F. G., Havener, L. J., and Spargo, B. H.** Stimulation of renal phospholipid formation during postassium depletion. 233,2:E212
- Toback, F. G.**  
see Aithal, H. N.  
Katz, A. I.
- Tobia, A. J.** see Walsh, G. M.
- Tobian, L.** see Goto, A.
- Tobias, B.** see Strickler, R. C.
- Tobin, J. D.**  
see DeFronzo, R. A.  
Elahi, D.
- Tobin, P.** see Jennings, D. B.
- Tod, M.** see Cassin, S.
- Toda, N.** Actions of bradykinin on isolated cerebral and peripheral arteries. 232,1:H267
- Toda, N.** Mechanical responses of isolated dog cerebral arteries to reduction of external K, Na, and Cl. 234,3:H404
- Toda, N.** Responses to prostaglandins H<sub>2</sub> and I<sub>2</sub> of isolated dog cerebral and peripheral arteries. 238,7:H111
- Toda, N.** Mechanisms of ouabain-induced arterial muscle contraction. 239,8:H199
- Toda, N.** Relaxant responses to transmural stimulation and nicotine of dog and monkey cerebral arteries. 243,12:H145
- Toda, N., and Miyazaki, M.** Angiotensin-induced relaxation in isolated dog renal and cerebral arteries. 240,9:H247
- Todhunter, D. A., and Scholz, R. W.** In vivo incorporation of tritium from <sup>3</sup>H<sub>2</sub>O into pulmonary lipids of meal-fed and starved rat. 239,2:E407
- Toffolo, G.** see Cobelli, C.
- Togawa, T.**  
see Kamiya, A.  
Yamakoshi, K.-I.
- Tomanek, R. J., Bhatnagar, R. K., Schmid, P., and Brody, M. J.** Role of catecholamines in myocardial cell hypertrophy in hypertensive rats. 242,11:H1015
- Tomanek, R. J.**  
see Lorkovic, H.  
Mueller, T. M.  
Wangler, R. D.
- Tominaga, S., Curnish, R. R., Belardinelli, L., Rubio, R., and Berne, R. M.** Adenosine release during early and sustained exercise of canine skeletal muscle. 238,7:H156
- Tomita, M., Gotoh, F., Sato, T., Amano, T., Tanahashi, N., Tanaka, K., and Yamamoto, M.** Photoelectric method for estimating hemodynamic changes in regional cerebral tissue. 235,4:H56
- Tomoike, H., Franklin, D., Kemper, W. S., McKown, D., and Ross, J., Jr.** Functional evaluation of coronary collateral development in conscious dogs. 241,10:H519
- Tomoike, H., Ootsubo, H., Sakai, K., Kikuchi, Y., and Nakamura, M.** Continuous measurement of coronary artery diameter in situ. 240,9:H73
- Tomoike, H.**  
see Crozatier, B.  
Hirakawa, S.
- Tomomatsu, E., and Nishi, K.** Increased activity of carotid sinus baroreceptors by sympathetic stimulation and norepinephrine. 240,9:H650
- Tomomatsu, E., and Nishi, K.** Comparison of carotid sinus baroreceptor sensitivity in newborn and adult rabbits. 243,12:H546
- Tomovic, R.** Some control conditions for self-organization—what the control theorist can learn from biology. 235,4:R205
- Tong, E. Y., Mathé, A. A., and Tisher, P. W.** Release of norepinephrine by sympathetic nerve stimulation from rabbit lungs. 235,4:H803
- Tønnesen, K.** see Keiding, S.
- Tonnu, N. T.** see Planche, E.
- Toouli, J., Dodds, W. J., Honda, R., and Hogan, W. J.** Effect of histamine on motor function of opossum sphincter of Oddi. 241,4:G122
- Topping, D. C., and Visek, W. J.** Synthesis of macromolecules by intestinal cells incubated with ammonia. 233,2:E341
- Toraason, M. A., and Wright, G. L.** Transport of calcium by duodenum of spontaneously hypertensive rat. 241,4:G344
- Toraason, M. A.** see Knecht, E. A.
- Torda, T.** see Yamaguchi, I.
- Tordoff, M. G., Geiselman, P. J., Grijalva, C. V., Kiefer, S. W., and Novin, D.** Amygdaloid lesions impair ingestive responses to 2-deoxy-D-glucose but not insulin. 242,11:R129
- Torella, R.** see Giugliano, D.
- Torretti, J.**  
see Friedman, P. A.  
Jones, S. M.  
Silva, P.
- Tosteson, D. C.** see Kirk, R. G.
- Toto, R. D.** see Hulter, H. N.
- Toubas, P. L., Silverman, N. H., Heymann, M. A., and Rudolph, A. M.** Cardiovascular effects of acute hemorrhage in fetal lambs. 240,9:H45
- Touboul, P.** see Billette, J.
- Tousimis, A. J.** see Fry, D. L.
- Touvay, C.**  
see Corman, B.  
Poujeol, P.
- Tow, D. E.** see Khuri, S. F.
- Townsend, R. M.** see Stowe, D. F.
- Townsley, J. D.** see Schut, H. A. J.
- Toyo-Oka, T., and Ross, J., Jr.** Ca<sup>2+</sup> sensitivity change and troponin loss in cardiac natural actomyosin after coronary occlusion. 240,9:H704
- Traber, D.** see Drake, R.
- Traber, D. L.**  
see Gabel, J. C.  
Miller, T. H.
- Trachte, G. J., and Lefer, A. M.** Effect of angiotensin II receptor blockade by [Sar<sup>1</sup>-Ala<sup>8</sup>]angiotensin II in hemorrhagic shock. 236,5:H280
- Tracy, P. J.** see Pento, J. T.
- Tranair, C., and Silverman, M.** Transcapillary exchange of molecular weight markers in the postglomerular circulation: application of a barrier-limited model. 242,11:F436
- Tran Bay Huy, P.** see Sterkers, O.
- Tranberg, K. G., and Dencker, H.** Modeling of plasma disappearance of unlabeled insulin in man. 235,4:E577
- Tranberg, K.-G.** Hepatic uptake of insulin in man. 237,6:E509
- Trank, J. W.** see Faraci, F. M.
- Trapani, A.** see Abel, P. W.
- Trasko, C. S.** see Witters, L. A.
- Travis, V. L.** see Gross, P. A.
- Traycoff, R. B.** see Wortsman, J.
- Traystman, R. J., and Fitzgerald, R. S.** Cerebrovascular response to hypoxia in baroreceptor- and chemoreceptor-denervated dogs. 241,10:H724
- Traystman, R. J.**  
see Jones, M. D., Jr.  
Koehler, R. C.  
Rosenberg, A. A.  
Sylvester, J. T.
- Trechsel, U., Eisman, J. A., Fischer, J. A., Bonjour, J.-P., and Fleisch, H.** Calcium-dependent, parathyroid hormone-independent regulation of 1,25-dihydroxyvitamin D. 239,2:E119
- Trechsel, U., Schenk, R., Bonjour, J.-P., Russell, R. G. G., and Fleisch, H.** Relation between bone mineralization, Ca absorption, and plasma Ca in phosphonate-treated rats. 232,1:E298
- Trechsel, U.** see Wieland, P.
- Tre, M.** see Gordon, R. D.
- Trefry, J.** see Mulieri, L. A.
- Trelstad, R. L.** see Wolfe, R. R.
- Triandafilou, J.** see Himms-Hagen, J.
- Trier, J. S.**  
see Lichtenberger, L. M.  
Rampal, P.
- Trigg, D.** see Buerkert, J.

- Trimarco, B.** see Rengo, F.
- Trimble, E. R.,** Berthoud, H. R., Siegel, E. G., Jeanrenaud, B., and Renold, A. E. Importance of cholinergic innervation of the pancreas for glucose tolerance in the rat. 241,4:E337
- Trimble, E. R., and Renold, A. E.** Ventral and dorsal areas of rat pancreas: islet hormone content and secretion. 240,3:E422
- Trimble, E. R.** see Berthoud, H. R.
- Trimble, J., and Downey, J.** Contribution of myocardial contractility to myocardial perfusion. 236,5:H121
- Trimbale, M. E.** Transport and metabolism of octanoate by the perfused rat kidney. 237,6:F210
- Trinh-Trang-Tan, M.-M.,** Diaz, M., Grünfeld, J.-P., and Bankir, L. ADH-dependent nephron heterogeneity in rats with hereditary hypothalamic diabetes insipidus. 240,9:F372
- Tripathi, S., and Rangachari, P. K.** In vitro primate gastric mucosa: electrical characteristics. 239,2:G77
- Tripp, M. R.,** Meyer, M. W., Einzig, S., Leonard, J. J., Swayze, C. R., and Fox, I. J. Simultaneous regional myocardial blood flows by tritiated water and microspheres. 232,1:H173
- Trippodo, N. C.** Interstitial fluid dynamics in conscious renal hypertensive rats. 242,11:H376
- Trippodo, N. C.,** Coleman, T. G., Cowley, A. W., Jr., and Guyton, A. C. Angiotensin II antagonists in dehydrated rabbits without baroreceptor reflexes. 232,1:H110
- Trippodo, N. C.,** McCaa, R. E., and Guyton, A. C. Effect of prolonged angiotensin II infusion on thirst. 230:1063
- Trippodo, N. C.,** Walsh, G. M., Ferrone, R. A., and Dugan, R. C. Fluid partition and cardiac output in volume-depleted Goldblatt hypertensive rats. 237,6:H18
- Trippodo, N. C.,** Walsh, G. M., and Frohlich, E. D. Fluid volumes during onset of spontaneous hypertension in rats. 235,4:H52
- Trippodo, N. C.** see Hall, J. E.  
Lohmeier, T. E.  
Yamamoto, J.
- Triscari, J.** see Greenwood, M. R. C.  
Levin, B. E.
- Tristani, F. E.,** Kamper, D. G., McDermott, D. J., Peters, B. J., and Smith, J. J. Alterations of postural and Valsalva responses in coronary heart disease. 233,2:H694
- Trizna, W.** see Fine, L. G.  
Schlondorff, D.
- Troehler, U.** see Bonjour, J.-P.
- Troen, B. R.** see Johnson, M. D.
- Tröhler, U.,** Bonjour, J.-P., and Fleisch, H. Plasma level and renal handling of P<sub>i</sub>: effect of overnight fasting with and without P<sub>i</sub> supply. 241,10:F509
- Troll, J. H.** see Moake, J. L.
- Tronier, B.** see Hilsted, J.
- Trout, D. L.,** Putney, J. D., and Conway, E. S. Relative rates of gastric emptying of glucose vs. fat in rats fed nonliquid meals. 234,3:E660
- Troutman, S. L.** see Taylor, I. L.
- Troutman, S. L.** see Andreoli, T. E.  
Schafer, J. A.  
Work, J.
- Truelove, E. L.** see Oberg, S. G.
- Trzcinka, G. P.** see Lipton, J. M.
- Tsagaris, T. J.** see Anderson, F. L.  
Kralios, A. C.
- Tsai, P.** see Baldwin, D., Jr.
- Tsakiris, A. G.,** Gordon, D. A., Padiyar, R., and Fréchette, D. Relation of mitral valve opening and closure to left atrial and ventricular pressures in the intact dog. 234,3:H146
- Tsakiris, A. G.,** Padiyar, R., Gordon, D. A., and Lipton, J. Left atrial size and geometry in the intact dog. 232,1:H167
- Tsao, T.-S.** see Rabkin, R.
- Tsay, B. L.** see Lin, M. T.
- Tse, W. W.,** Han, J., and Yoon, M. S. Effect of acetylcholine on automaticity of canine Purkinje fibers. 230:116
- Tseng, H. C.,** Grendell, J. H., and Rothman, S. S. Food, duodenal extracts, and enzyme secretion by the pancreas. 243,6:G304
- Tsitlik, J.** see Yin, F. C. P.
- Tso, P.,** Balint, J. A., Bishop, M. B., and Rodgers, J. B. Acute inhibition of intestinal lipid transport by Pluronic L-81 in the rat. 241,4:G487
- Tso, P.,** Balint, J. A., and Rodgers, J. B. Effect of hydrophobic surfactant (Pluronic L-81) on lymphatic lipid transport in the rat. 239,2:G348
- Tso, P.,** Buch, K. L., Balint, J. A., and Rodgers, J. B. Maximal lymphatic triglyceride transport rate from the rat small intestine. 242,5:G408
- Tsuchiya, M.,** Ferrone, R. A., Walsh, G. M., and Frohlich, E. D. Regional blood flows measured in conscious rats by combined Fick and microsphere methods. 235,4:H357
- Tsuchiya, M.,** Walsh, G. M., and Frohlich, E. D. Systemic hemodynamic effects of microspheres in conscious rats. 233,2:H617
- Tsuchiya, M.** see Ferrone, R. A.  
Pfeffer, M. A.  
Walsh, G. M.
- Tsuda, K.** see Seino, S.
- Tsuda, M.,** Taketomi, S., and Iwatsuka, H. Selective inhibition by neuraminidase of insulin action on hexose metabolism and mouse adipocytes. 239,2:E186
- Tucker, B. J., and Blantz, R. C.** Factors determining superficial nephron filtration in the mature, growing rat. 232,1:F97
- Tucker, B. J., and Blantz, R. C.** An analysis of the determinants of nephron filtration rate. 232,1:F477
- Tucker, B. J., and Blantz, R. C.** Determinants of proximal tubular reabsorption as mechanisms of glomerulotubular balance. 235,4:F142
- Tucker, B. J., and Blantz, R. C.** Effects of glomerular filtration dynamics on the glomerular permeability coefficient. 240,9:F245
- Tucker, B. J.,** Peterson, O. W., Ziegler, M. G., and Blantz, R. C. Analysis of adrenergic effects of the anesthetics Inactin and  $\alpha$ -chloralose. 243,12:F253
- Tucker, B. J.** see Hargens, A. R.
- Tucker, H. J.,** Snape, W. J., Jr., and Cohen, S. Comparison of proximal and distal colonic muscle of the rabbit. 237,6:E383
- Tucker, J. M.** see Deeds, D. G.
- Tulenko, T. N.,** and Rabinowitz, J. L. Fatty acid metabolism in human fetal placental vasculature. 240,3:E65
- Tuma, R. F.,** Lindbom, L., and Arfors, K.-E. Dependence of reactive hyperemia in skeletal muscle on oxygen tension. 233,2:H289
- Tuma, R. F.** see Mayrovitz, H. N.
- Tumas, J.** see Kloner, R. A.
- Tung, C. S.** see Chen, H. I.
- Turek, F. W.** see Ellis, G. B.  
Swann, J.
- Turkenkopf, I. J.,** Johnson, P. R., and Greenwood, M. R. C. Development of pancreatic and plasma insulin in prenatal and suckling Zucker rats. 242,5:E220
- Turlapaty, P. D. M. V.,** Altura, B. T., and Altura, B. M. Influence of Tris on contractile responses of isolated rat aorta and portal vein. 235,4:H208
- Turlapaty, P. D. M. V.,** Lum, G., and Altura, B. M. Vascular responsiveness and serum biochemical parameters in alloxan diabetes mellitus. 239,2:E412
- Turlapaty, P. D. M. V.** see Johansson, B.
- Turlejska, E.** see Kozlowski, S.
- Turnberg, L. A.** see Rees, W. D. W.
- Turnbull, A. J.** see Kluger, M. J.
- Turner, B. M.** see Florant, G. L.
- Turner, J. D.,** Le, N.-A., and Brown, W. V. Effect of changing dietary fat saturation on low-density lipoprotein metabolism in man. 241,4:E57
- Turner, J. M.** see Keaney, N. P.
- Turner, M. D.** see Anzai, T.
- Turner, R. J., and Moran, A.** Heterogeneity of sodium-dependent D-glucose transport sites along the proximal tubule: evidence from vesicle studies. 242,11:F406
- Turner, R. J.** see Grinstein, S.  
Moran, A.  
Silverman, M.
- Turner, S. T.,** Kiezbak, G. M., and Dousa, T. P. Mechanism of glucocorticoid effect on renal transport of phosphate. 243,12:C227
- Turner, T. T., and Giles, R. D.** Sperm motility-inhibiting factor in rat epididymis. 242,11:R199
- Turnheim, K.** see Kolassa, N.
- Turo, K. A., and Florini, J. R.** Hormonal stimulation of myoblast differentiation in the absence of DNA synthesis. 243,12:C278
- Tuthill, R.** see Ohanian, E. V.
- Tuttle, R. S., and McCleary, M.** Inferior cardiac nerve activity in the cat during occlusion of the mesenteric artery. 236,5:H286
- Tuttle, R. S., and McCleary, M.** Carotid sinus distension and superior cervical ganglion transmission. 240,9:H716
- Tuttle, R. S., and McCleary, M.** Sinus afferents supplying superior cervical ganglion. 242,11:H168
- Twarog, B. M.** see Suzuki, H.
- Twickler, J.** see Fernandez, L. A.
- Tyberg, J. V.** see Glantz, S. A.  
Kilpatrick, D.  
Rubin, S. A.  
Stowe, D. F.  
Wilkinson, P. L.  
Wyatt, H. L.
- Tyce, G. M.,** Sharpless, N. S., and Owen, C. A. Jr. Demethylation in erythrocytes: a reaction involving hemoglobin. 235,4:E150
- Tyce, G. M.** see Hamlet, M. A.  
Kaye, M. P.  
Muldoon, S. M.  
Rorie, D. K.  
Wong, K.-L.
- Tygstrup, N.** see Keiding, S.
- Tyler, K. A.** see Bia, M. J.
- Tyler, T.** see Cassin, S.
- Tyler, T. L.** see Leffler, C. W.
- Tyson, J. E.** see Leontic, E. A.  
McCoshen, J. A.  
Zacur, H. A.
- Tyuma, I.** see Okada, Y.
- Tzivoni, D.** see Vas, R.

## U

- Uchida, Y. Tachypnea following stimulation of afferent cardiac sympathetic nerve fibers. 230:1003
- Uchikawa, T., and Borle, A. B. Kinetic analysis of calcium desaturation curves from isolated kidney cells. 234,3:R29
- Uchikawa, T., and Borle, A. B. Studies of calcium-45 desaturation from kidney slices in flow-through chambers. 234,3:R34
- Ueda, Y. *see* Okada, Y.
- Ueki, I. F. *see* Deen, W. M.
- Uhlemann, E. R., Rottman, A. J., and Gardner, J. D. Actions of peptides isolated from amphibian skin on amylase release from dispersed pancreatic acini. 236,5:E571
- Uhlemann, E. R. *see* Gardner, J. D.
- Ui, M.  
*see* Kusaka, M.  
Okajima, F.  
Shikama, H.
- Ullrich, W. C. *see* Dasse, K. A.
- Ulrichsen, R. F. *see* Thomas, M. R.
- Umeda, Y. *see* Sumi, T.
- Umstetter, C. *see* Shiao, Y.-F.
- Underwood, J. L. *see* Steele, T. H.
- Undesser, E. K., Shinnick-Gallagher, P., and Gallagher, J. P. Spinal sympathetic reflex and random activity in the isolated amphibian spinal cord. 240,9:R295
- Ungaro, B. *see* Sacà, L.
- Unger, R. H.  
*see* Muñoz-Barragan, L.  
Schusdziarra, V.
- Unger, T., Buu, N. T., and Kuchel, O. Renal handling of free and conjugated catecholamines following surgical stress in the dog. 235,4:F542
- Unger, T. *see* Rascher, W.
- Uno, D. *see* Nomura, G.
- Unruh, H. W. *see* Dhalla, N. S.
- Urakabe, S. *see* Kimura, G.
- Urakawa, N. *see* Karaki, H.
- Urist, M. R., Mikulski, A. J., Nakagawa, M., and Yen, K. A bone matrix calcification-initiator noncollagenous protein. 232,1:C115
- Urthaler, F., Walker, A. A., and James, T. N. Changing negative inotropic effect of acetylcholine in maturing canine cardiac muscle. 238,7:H1
- Urthaler, F.  
*see* Hageman, G. R.  
Woods, W. T.
- Ushioda, E.  
*see* Lieb, S. M.  
Tabsh, K.
- Utley, J. *see* Carlson, E. L.
- Utsunomiya, T., Krausz, M. M., Dunham, B., Valeri, C. R., Levine, L., Shepro, D., and Hechtman, H. B. Modification of inflammatory response to aspiration with ibuprofen. 243,12:H903
- Utsunomiya, T., Krausz, M. M., Shepro, D., and Hechtman, H. B. Prostaglandin control of plasma and platelet 5-hydroxytryptamine in normal and embolized animals. 241,10:H766
- Utsunomiya, T.  
*see* Dunham, B. M.  
Krausz, M. M.
- Uvelius, B. *see* Johansson, B.
- Uyama, O. *see* Matsumoto, M.
- Uzunova, A. D., Ramey, E. R., and Ramwell, P. W. Gonadal hormones and pathogenesis of occlusive arterial thrombosis. 234,3:H454
- Vaage, O. *see* Hermansen, L.
- Vahtoranta, K. *see* Alihanka, J.
- Vaamonde, C. A.  
*see* Michael, U. F.  
Oster, J. R.
- Vacher, D. *see* Saraux, B.
- Vagenakis, A. G. *see* Theodoropoulos, T.
- Vagnucci, A. H. Analysis of circadian periodicity of plasma cortisol in normal man and in Cushing's syndrome. 236,5:R268
- Vagnucci, A. H. *see* Stricker, E. M.
- Valberg, L. S., Sorbie, J., and Hamilton, D. L. Gastrointestinal metabolism of cadmium in experimental iron deficiency. 231:462
- Valdez, J. M. *see* Dies, F.
- Valentinuzzi, M. E. *see* Arrendondo, M. T.
- Valenzuela, G. *see* Harper, M. J. K.
- Valeri, C. R.  
*see* Spector, J. I.  
Utsunomiya, T.
- Valladares, W. R. *see* Levy, B. I.
- Valle, D. *see* Stewart, P. M.
- Valle, R. *see* Carbonin, P.
- Valleau, J. D., Granger, D. N., and Taylor, A. E. Effect of solute-coupled volume absorption on oxygen consumption in cat ileum. 236,5:E198
- Valleau, J. D. *see* Granger, D. N.
- Vallejo, A. R. *see* Gómez, B.
- Valtin, H. Structural and functional heterogeneity of mammalian nephrons. 233,2:F491
- Valtin, H.  
*see* Dunn, M. J.  
Edwards, B. R.  
Gellai, M.  
Harmanci, M. C.
- Vanable, J. W., Jr. *see* Barker, A. T.
- Van Beaumont, W. *see* Greenleaf, J. E.
- Van Brederode, J. F. M. *see* Borst, C.
- Van Breemen, C. *see* Loutzenhiser, R.
- Van Capelle, F. J. L. *see* Billette, J.
- Van Cauter, E. Method for characterization of 24-h temporal variation of blood components. 237,6:E255
- Van Cauter, E., L'Hermite, M., Copin-schi, G., Refetoff, S., Desir, D., and Robyn, C. Quantitative analysis of spontaneous variations of plasma prolactin in normal man. 241,4:E355
- Van Dam, J. *see* Altevener, R. J.
- Van den Bos, G. C. *see* Randall, O. S.
- Van den Pol, A. N. Amino acid incorporation in medial hypothalamic nuclei: circadian, perikarya, and neuropeptide variations. 240,9:R16
- Van Den Pol, A. N. Lateral hypothalamic damage and body weight regulation: role of gender, diet, and lesion placement. 242,11:R265
- Vander, A. J., Mouw, D. R., Cox, J., and Johnson, B. Lead transport by renal slices and its inhibition by tin. 236,5:F373
- Vander, A. J., Taylor, D. L., Kalitis, K., Mouw, D. R., and Victory, W. Renal handling of lead in dogs: clearance studies. 233,2:F532
- Vander, A. J.  
*see* Clamage, D. M.  
Mouw, D. R.  
Smith, J. M.  
Victory, W.  
Webb, R. C.
- Vandermeers, A. *see* Vandermeers-Piret, M. C.
- Vandermeers-Piret, M. C., Vandermeers, A., Wijns, W., Rathé, J., and Christophe, J. Lack of adaptation of pancreatic colipase in rats and mice. 232,1:E131
- Van der Schee, E. J. *see* Smout, A. J. P. M.
- Vander Tuig, J. G. *see* Lin, M. H.
- VanderWeele, D. A., Skoog, D. R., and Noving, D. Glycogen levels and peripheral mechanisms of glucose-induced suppression of feeding. 231:1655
- VanderWeele, D. A.  
*see* Fox, K. A.  
Martin, J. R.
- VanDeventer, G. *see* Poitras, P.
- Vandewalle, A., Farman, N., Bencsath, P., and Bonvalet, J. P. Aldosterone binding along the rabbit nephron: an autoradiographic study on isolated tubules. 240,9:F172
- Vandewalle, A., Farman, N., and Bonvalet, J. P. Renal handling of sodium in Kyoto-Okamoto rats: a micropuncture study. 235,4:F394
- Vandewalle, A., Wirthensohn, G., Heidrich, H.-G., and Guder, W. G. Distribution of hexokinase and phosphoenolpyruvate carboxykinase along the rabbit nephron. 240,9:F492
- Vandewalle, A. *see* Farman, N.
- Vandewalle, C. M. *see* Putney, J. W., Jr.
- Van De Water, J. M. *see* Yablonski, M. R.
- Van Doorn, A. B. D. *see* Vonk, R. J.
- Van Dyke, R. W., Stephens, J. E., and Scharshmidt, B. F. Bile acid transport in cultured rat hepatocytes. 243,6:G484
- Van Dyke, R. W. *see* Scharshmidt, B. F.
- Van Eerdewegh, P. *see* Dubois, A.
- Van Gerven, W. *see* Arts, T.
- Van Harn, G. L., Rubio, R., and Berne, R. M. Formation of adenosine nucleotide derivatives in isolated hog carotid artery strips. 233,2:H299
- Van Heuningen, R., Rijnsburger, W. H., and Ter Keurs, H. E. D. J. Sarcomere length control in striated muscle. 242,11:H411
- Vanhoutte, P. M. Effects of anoxia and glucose depletion on isolated veins of the dog. 230:1261
- Vanhoutte, P. M., and Levy, M. N. Pre-junctional cholinergic modulation of adrenergic neurotransmission in the cardiovascular system. 238,7:H275
- Vanhoutte, P. M.  
*see* De Mey, J. G.  
Driessens, M.  
Janssens, W. J.  
Muldoon, S. M.
- Van Itallie, C. M., and Fernstrom, J. D. Osmolal effects on vasopressin secretion in the streptozotocin-diabetic rat. 242,5:E411
- Van Itallie, T. B. *see* Kissileff, H. R.
- Van Kampen, E. J. *see* Zweens, J.
- Van Mechelen, H. *see* Pouleur, H.
- Van Mierop, L. H. S. *see* St. Petery, L. B., Jr.
- Vannucci, R. C., and Duffy, T. E. Carbohydrate metabolism in fetal and neonatal rat brain during anoxia and recovery. 230:1269
- Vannucci, R. C., Nardis, E. E., Vannucci, S. J., and Campbell, P. A. Cerebral carbohydrate and energy metabolism during hypoglycemia in newborn dogs. 240,9:R192
- Vannucci, R. C. *see* Hernández, M. J.
- Vannucci, S. J. *see* Vannucci, R. C.
- Van Os, C. H. *see* Walling, M. W.
- Van Petten, G. R.  
*see* Lai, P. C. W.  
Mears, G. J.
- Van Prooyen, H. C. *see* Botelho, S. Y.
- Van Steenhoven, A. A., Verlaan, C. W. J., Veenstra, P. C., and Reneman, R. S. In vivo cinematographic analysis of behavior of the aortic valve. 240,9:H286
- Van Thiel, D. *see* Dugas, M. C.
- Van Thiel, D. H. *see* Graham, T. O.

## V



- Van Tienhoven, A.**  
see Hillman, P. E.  
Rowe-Murphy, D. L.
- Vantrappen, G.**  
see De Wever, I.  
Eeckhout, C.
- Van Trigt, P., III, Bauer, B. J., Olsen, C. O., Rankin, J. S., and Wechsler, A. S.** An improved transducer for measurement of cardiac dimensions with sonomicrometry. 240,9:H664
- Van Wimersma Greidanus, T. J. B.** see Dogterom, J.
- Van Zoeren, J. G., and Stricker, E. M.** Thermal homeostasis in rats after intra-hypothalamic injections of 6-hydroxydopamine. 230:932
- Varadani, P. T., Darrow, R. M., and Nafz, M. A.** Cellular processing of insulin. Effects of lectin, lysosomotropic and other agents. 243,6:E140
- Varadani, P. T., Darrow, R. M., Nafz, M. A., and Norris, G. L.** Binding, degradation, and bioactivity of insulin in primary cultures of rat hepatocytes. 243,6:E132
- Vargas, C. B., Vargas, F. F., Pribyl, J. G., and Blackshear, P. L.** Hydraulic conductivity of the endothelial and outer layers of the rabbit aorta. 236,5:H53
- Vargas, F. F., and Blackshear, G. L.** Transcapillary osmotic flows in the in vitro perfused heart. 240,9:H448
- Vargas, F. F., and Blackshear, G. L.** Secondary driving forces affecting transcapillary osmotic flows in perfused heart. 240,9:H457
- Vargas, F. F., Blackshear, G. L., and Majerle, R. J.** Permeability and model testing of heart capillaries by osmotic and optical methods. 239,8:H464
- Vargas, F. F., and Johnson, J. A.** Effect of hyperosmolarity on resting and developed tension in heart muscle. 232,1:C155
- Vargas, F. F.** see Vargas, C. B.
- Vari, R. C., and Ott, C. E.** In vivo proximal tubular fluid-to-plasma chloride concentration gradient in the rabbit. 242,11:F575
- Vari, R. C.** see Ott, C. E.
- Vartsky, D.** see Cohn, S. H.
- Vary, T. C., and Neely, J. R.** Characterization of carnitine transport in isolated perfused adult rat hearts. 242,11:H585
- Vary, T. C., and Neely, J. R.** A mechanism for reduced myocardial carnitine levels in diabetic animals. 243,12:H154
- Vas, R., Diamond, G. A., Wyatt, H. L., Da Luz, P. L., Swan, H. J. C., and Forrester, J. S.** Noninvasive analysis of regional myocardial wall motion: cardiokymography. 233,2:H700
- Vas, R., Hirsch, M., Diamond, G. A., Tzivoni, D., Pichler, M., Elkayam, U., and Forrester, J. S.** Analysis of cardiac kinetics: use of a new photo-optic technique. 238,7:H98
- Vasdev, S. C., and Kako, K. J.** Metabolism of ingested erucic acid in the rat. 235,4:E509
- Vassalle, M.** Cardiac automaticity and its control. 233,2:H625
- Vassalle, M., and Lin, C. I.** Effect of calcium on strophanthidin-induced electrical and mechanical toxicity in cardiac Purkinje fibers. 236,5:H689
- Vassalle, M.**  
see Bhattacharyya, M. L.  
Ishikawa, S.  
Lin, C. I.
- Vassallo, D. V.** see Mill, J. G.
- Vasselli, J. R.**  
see Cleary, M. P.  
Sclafani, A.
- Vasu, M. A., O'Keefe, D. D., Kapellakis, G. Z., Vezieridis, M. P., Jacobs, M. L., Daggett, W. M., and Powell, W. J., Jr.** Myocardial oxygen consumption: effects of epinephrine, isoproterenol, dopamine, norepinephrine, and dobutamine. 235,4:H237
- Vasu, M. A.**  
see Geffin, G. A.  
O'Keefe, D. D.
- Vaswani, A.**  
see Aloia, J. F.  
Cohn, S. H.
- Vatner, S. F.** Effects of exercise and excitement on mesenteric and renal dynamics in conscious, unrestrained baboons. 234,3:H210
- Vatner, S. F., and Manders, W. T.** Depressed responsiveness of the carotid sinus reflex in conscious newborn animals. 237,6:H40
- Vatner, S. F., and McRitchie, R. J.** Reflex limb dilatation following norepinephrine and angiotensin II in conscious dogs. 230:557
- Vatner, S. F., Pagani, M., Rutherford, J. D., Millard, R. W., and Manders, W. T.** Effects of nitroglycerin on cardiac function and regional blood flow distribution in conscious dogs. 234,3:H244
- Vatner, S. F., Priano, L. L., Rutherford, J. D., and Manders, W. T.** Sympathetic regulation of the cerebral circulation by the carotid chemoreceptor reflex. 238,7:H594
- Vatner, S. F., and Zimpfer, M.** Bainbridge reflex in conscious, unrestrained, and tranquilized baboons. 240,9:H164
- Vatner, S. F.**  
see Boettcher, D. H.  
Heyndrickx, G. R.  
Macho, P.  
McRitchie, R. J.  
Millard, R. W.  
Pagani, M.  
Rutherford, J. D.  
Zimpfer, M.
- Vaughan, M.** see Clyman, R. I.
- Vaughn, D. A.** see Fanestil, D. D.
- Veatch, G.** see Weber, F. L., Jr.
- Veale, W. L.**  
see Eagan, P. C.  
Kasting, N. W.  
Pittman, G. J.
- Veenstra, P. C.**  
see Arts, T.  
Van Steenhoven, A. A.
- Veiga, J. A. S., Roselino, E. S., and Migliorini, R. H.** Fasting, adrenalectomy, and gluconeogenesis in the chicken and a carnivorous bird. 234,3:R115
- Veitia, M. C.** see Bruce, B. K.
- Velasco, I. T., Pontieri, V., Rocha E Silva, M., Jr., and Lopes, O. U.** Hyperosmotic NaCl and severe hemorrhagic shock. 239,8:H664
- Velasco, I. T.** see Lopes, O. U.
- Velasquez, M. T., and Alexander, N.** Plasma and lymph dopamine- $\beta$ -hydroxylase and norepinephrine during carotid occlusion. 236,5:H96
- Velasquez, M. T.** see Alexander, N.
- Velázquez, H., Wright, F. S., and Good, D. W.** Luminal influences on potassium secretion: chloride replacement with sulfate. 242,11:F46
- Velussi, C., Danielli-Betto, D., and Boschiero, R.** Effects of two synaptic activators, calcium and ethanol, on MEPP distribution in time. 237,6:C264
- Venkatachalam, K. K.** see Cortes, P.
- Venkatachalam, M. A.** see Hostetter, T. H.
- Venkataraman, R.** see Salathé, E. P.
- Ventola, A.** see LaMont, J. T.
- Venuti, M.** see Okolicanyi, L.
- Verbeustel, S.** see Pector, J. C.
- Verdonk, C. A.** see Rizza, R. A.
- Vergara, J. L., Rapoport, S. I., and Nasar-Gentina, V.** Fatigue and posttetric potentiation in single muscle fibers of the frog. 232,1:C185
- Verghese, C. P.** see Cortes, P.
- Vergne-Marini, P.** see Schmulen, A. C.
- Verhaeghe, R. H.** Action of adenosine and adenine nucleotides on dogs' isolated veins. 233,2:H114
- Verhas, M.** see Schoutens, A.
- Vérine, A., Salers, P., and Boyer, J.** Effects of apoproteins C on lipoprotein lipase activity bound to rat fat cells. 243,6:E175
- Verine, H. J.** see Moore, E. W.
- Verlaan, C. W. J.** see Van Steenhoven, A. A.
- Vermillion, D. L., Gillespie, J. P., Cooke, A. R., and Wood, J. D.** Does 5-hydroxytryptamine influence "purinergic" inhibitory neurons in the intestine? 237,6:E198
- Verna, N. C.** see Levine, S. D.
- Vernick, R.** see Lesch, M.
- Vernon, N.** see Solez, K.
- Verrier, E. D.** see Consigny, P. M.
- Verrier, R. L., Brooks, W. W., and Lown, B.** Protective zone and the determination of vulnerability to ventricular fibrillation. 234,3:H592
- Verrier, R. L.**  
see Brooks, W. W.  
Mata, R. J.
- Versmold, H. T.** see Lister, G.
- Vesely, D. L.** Human and rat growth hormones enhance guanylate cyclase activity. 240,3:E79
- Vesely, D. L.** Angiotensin II stimulates guanylate cyclase activity in aorta, heart, and kidney. 240,3:E391
- Vetter, K.** see Wieland, P.
- Vetterlein, F., dal Ri, H., and Schmidt, G.** Capillary density in rat myocardium during timed plasma staining. 242,11:H133
- Vetterlein, F.** see Meyer, H. H.
- Vezieridis, M. P.** see Vasu, M. A.
- Vicalvi, J. J., Jr.** see Miller, T. B., Jr.
- Victory, W., Levenson, R., and Vander, A. J.** Effect of glucagon on zinc excretion in anesthetized dogs. 240,9:F299
- Victory, W., Smith, J. M., and Vander, A. J.** Renal tubular handling of zinc in the dog. 241,10:F532
- Victory, W., Vander, A. J., and Mouw, D. R.** Effect of acid-base status on renal excretion and accumulation of lead in dogs and rats. 237,6:F398
- Victory, W., Vander, A. J., and Mouw, D. R.** Renal handling of lead in dogs: stop-flow analysis. 237,6:F408
- Victory, W.**  
see Vander, A. J.  
Webb, R. C.
- Vidruk, E. H.** see Sampson, S. R.
- Viestenz, K. E.** see Klevay, L. M.
- Vigas, M.** see Sirek, A.
- Vigna, S. R., and Gorbman, A.** Effects of cholecystokinin, gastrin, and related peptides on coho salmon gallbladder contraction in vitro. 232,1:E485
- Vilet, R.** see Dies, F.
- Villanueva, M. L., Collins, S. M., Jensen, R. T., and Gardner, J. D.** Structural requirements for action of cholecystokinin on enzyme secretion from pancreatic acini. 242,5:G416
- Villanueva, M. L., Martinez, J., Bodanszky, M., Collins, S. M., Jensen, R. T., and Gardner, J. D.** Selective modification of the ability of cholecystokinin to cause residual stimulation of pancreatic enzyme secretion. 243,6:G214
- Villarreal, D.** see Echtenkamp, S. F.
- Villegas, L.** Applied pressures and net water flux across in vitro frog gastric mucosa. 235,4:E361



- Villegas, L. Asymmetry in osmotic response of frog gastric mucosa. 238,1:G298
- Villey, D. *see* Burg, M.
- Vinay, P., Gougoux, A., and Lemieux, G. Isolation of a pure suspension of rat proximal tubules. 241,10:F403
- Vinay, P., Lemieux, G., Cartier, P., Ahmad, M., and Baverel, G. Effect of fatty acids on renal ammoniogenesis in vivo and in vitro studies. 231:880
- Vinay, P., Mapes, J. P., and Krebs, H. A. Fate of glutamine carbon in renal metabolism. 234,3:F123
- Vinay, P.  
*see* Gougoux, A.  
*see* Lemieux, G.
- Vincent, J. D. *see* Simonnet, G.
- Vinik, A. *see* Hansen, B. C.
- Vinten-Johansen, J., Duncan, H. W., Finkenberg, J. G., Hume, M. C., Robertson, J. M., Barnard, R. J., and Buckberg, G. D. Prediction of myocardial O<sub>2</sub> requirements by indirect indices. 243,12:H862
- Viola-Magni, M. P. *see* Biondi, R.
- Violini, R. *see* Rengo, F.
- Visek, W. J. *see* Topping, D. C.
- Viskoper, R. J., Maxwell, M. H., Lupu, A. N., and Rosenfeld, S. Renin stimulation by isoproterenol and theophylline in the isolated perfused kidney. 232,1:F248
- Visscher, M. B. *see* Paradise, N. F.
- Vittone, L., Grassi, A., Chiappe, L., Argel, M., and Cingolani, H. E. Relaxing effect of pharmacologic interventions increasing cAMP in rat heart. 240,9:H441
- Vivian, K. H. B. *see* Rees, W. D. W.
- Vlahakes, G. J., and Powell, W. J., Jr. Effect of hyperosmotic mannitol on myocardial oxygen consumption. 233,2:H444
- Vlahakes, G. J.  
*see* Allard, J. R.  
*see* Consigny, P. M.
- Vogel, S., and Sperelakis, N. Blockade of myocardial slow inward current at low pH. 233,2:C99
- Vogel, S., and Sperelakis, N. Valinomycin blockade of myocardial slow channels is reversed by high glucose. 235,4:H46
- Vogel, S. *see* Pelleg, A.
- Vogel, W. M. *see* Connelly, C.
- Vogt, A., Hofmann, V., and Straub, P. W. Lack of fibrin formation in exercise-induced activation of coagulation. 236,5:H577
- Voigt, J., and Sekeris, C. E. Differences in inducibility by glucocorticoids of rat liver TO and TAT. 235,4:E374
- Vokonas, P. S., Pirzada, F. A., Robbins, S. L., and Hood, W. B., Jr. Experimental myocardial infarction. XV. Segmental mechanical behavior and morphology of ischemic myocardium during hypothermia. 235,4:H736
- Vokonas, P. S. *see* Malsky, P. M.
- Von Albertini, B. *see* Kahn, T.
- Von Colditz, J. H. *see* Purtock, R. V.
- Von Engelhardt, W., and Hales, J. R. S. Partition of capillary blood flow in rumen, reticulum, and omasum of sheep. 232,1:E53
- Von Gulich, M. *see* Járos, G. G.
- Vonk, R. J., Danhof, M., Coenraads, T., van Doorn, A. B. D., Keulemans, K., Scaf, A. H. J., and Meijer, D. K. F. Influence of bile salts on hepatic transport of dibromosulphthalein. 237,6:E524
- Vorherr, H., Vorherr, U. F., and Solomon, S. Contamination of prolactin preparations by antidiuretic hormone and oxytocin. 234,3:F318
- Vorherr, U. F. *see* Vorherr, H.
- Vorobioff, J. *see* Groszmann, R. J.
- Vowles, L. *see* Roch-Ramel, F.
- Voyles, N. *see* Lavine, R. L.
- Vranic, M.  
*see* Gauthier, C.  
*see* Hetenyi, G., Jr.  
*see* Issekutz, B., Jr.  
*see* Kemmer, F. W.  
*see* Lickley, H. L. A.  
*see* Minuk, H. L.  
*see* Perez, G.  
*see* Radziuk, J.  
*see* Ross, G.  
*see* Sirek, A.
- Vreim, C. E., Snashall, P. D., Demling, R. H., and Staub, N. C. Lung lymph and free interstitial fluid protein composition in sheep with edema. 230:1650
- Vreim, C. E., Snashall, P. D., and Staub, N. C. Protein composition of lung fluids in anesthetized dogs with acute cardiogenic edema. 231:1466
- Vreim, C. E., and Staub, N. C. Protein composition of lung fluids in acute alloxan edema in dogs. 230:376
- Vrobel, T. R., Ring, W. S., Anderson, R. W., Emery, R. W., and Bache, R. J. Effect of heart rate on myocardial blood flow in dogs with left ventricular hypertrophy. 239,8:H621
- Vu Van Kha, H. *see* Le Maho, Y.
- Vyden, J. K., Takano, T., Nagasawa, K., Ogawa, T., Groseth-Robertson, M., and Swan, H. J. C. Effect of sex difference and pregnancy on the normal reactive hyperemia curve. 233,2:H500
- Vyhmeister, I. *see* Wang, M.

## W

- Wachter, K. W. *see* Merriam, G. R.
- Wachter, M. *see* Case, R. B.
- Waddell, W. J. *see* Lyman, G. E.
- Wade, C. E., Bie, P., Keil, L. C., and Ramsay, D. J. Osmotic control of plasma vasopressin in the dog. 243,6:E287
- Wade, C. E., Bie, P., Keil, L. C., and Ramsay, D. J. Effect of hypertonic intracarotid infusions on plasma vasopressin concentration. 243,6:E522
- Wade, G. N.  
*see* Gray, J. M.  
*see* Schwartz, S. M.
- Wade, J. B., Kachadorian, W. A., and DiScala, V. A. Freeze-fracture electron microscopy: relationship of membrane structural features to transport physiology. 232,1:F77
- Wade, J. B.  
*see* Forrest, J. N., Jr.  
*see* Johnson, J. P.  
*see* LeHir, M.
- Wadoux, P. *see* Lemieux, G.
- Wagner, J. *see* Mouw, D. R.
- Wagner, L. K. *see* Ingebrechtsen, W. R., Jr.
- Wagner, M. E., and Heinemann, H. O. Effect of potassium on utilization of [<sup>14</sup>C]palmitic acid in renal cortex of the rat. 232,1:F254
- Wahren, J.  
*see* DeFronzo, R. A.  
*see* Maehlum, S.
- Waibel, P. E. *see* El Halawani, M. E.
- Waickman, L. A. *see* Thames, M. D.
- Waid, T. H. *see* Miller, R. E.
- Waite, L. C. *see* Pento, J. T.
- Wakade, A. R. *see* Kulkarni, P.
- Wakao, Y. *see* Campbell, K. B.
- Wakasugi, H., Stolz, H., Haase, W., and Schulz, I. Effect of La<sup>3+</sup> on secretagogue-induced Ca<sup>2+</sup> fluxes in rat isolated pancreatic acinar cells. 240,3:G281
- Walberg, J. L., Molé, P. A., and Stern, J. S. Effect of swim training on development of obesity in the genetically obese rat. 242,11:R204
- Wald, A., and Adibi, S. A. Stimulation of gastric acid secretion by glycine and related oligopeptides in humans. 242,5:G85
- Wald, H.  
*see* Berl, T.  
*see* Popovtzer, M. M.
- Wald, R. W. *see* McGillivray, R.
- Waldhäusl, W. K., Gasič, S., Bratusch-Marrain, P., Korn, A., and Nowotny, P. Feedback inhibition by biosynthetic human insulin of insulin release in healthy human subjects. 243,6:E476
- Waldinger, T., Seaton, J. F., and Harrison, T. S. Blood pressure vulnerability to volume contraction: regulation by adrenal cortical hormones. 233,2:R239
- Waldron, T. L. *see* DeForrest, J. M.
- Walgenbach, S. C., Donald, D. E., and Melcher, A. Inhibition of carotid pressor response by left aortic depressor nerve in dogs. 240,9:H555
- Wali, S. *see* Rhoades, R. A.
- Walker, A. A.  
*see* Donald, T. C.  
*see* Urthaler, F.
- Walker, B. R. Diuretic response to acute hypoxia in the conscious dog. 243,12:F440
- Walker, F. J. *see* Murphy, T. L.
- Walker, J. B. *see* Roberts, J. J.
- Walker, J. L., Thames, M. D., Abboud, F. M., Mark, A. L., and Klopstein, H. S. Preferential distribution of inhibitory cardiac receptors in left ventricle of the dog. 235,4:H188
- Walker, J. L. *see* Spitzer, K. W.
- Walker, J. M., Glotzbach, S. F., Berger, R. J., and Heller, H. C. Sleep and hibernation in ground squirrels (*Citellus* spp): electrophysiological observations. 233,2:R213
- Walker, K. L. *see* Lau, Y. T.
- Walker, L. A., Whorton, A. R., Smigel, M., France, R., and Frölich, J. C. Antidiuretic hormone increases renal prostaglandin synthesis in vivo. 235,4:F180
- Walker, M. D.  
*see* Gardner, J. D.  
*see* Korman, L. Y.
- Wallace, H. W. *see* Stein, T. P.
- Wallace, K. B., Bailie, M. D., and Hook, J. B. Angiotensin-converting enzyme in developing lung and kidney. 234,3:R141
- Wallace, K. B., Bailie, M. D., and Hook, J. B. Development of angiotensin-converting enzyme in fetal rat lungs. 236,5:R57
- Wallace, K. B., Bailie, M. D., Hook, J. B., and Roth, R. A. Disposition of 5-hydroxytryptamine in lungs of developing rats. 239,8:R401
- Wallace, K. B., Hook, J. B., and Bailie, M. D. Postnatal development of the renin-angiotensin system in rats. 238,7:R432
- Wallace, K. B., Roth, R. A., Hook, J. B., and Bailie, M. D. Age-related differences in angiotensin I metabolism by isolated perfused rat lungs. 238,7:R395
- Wallace, K. B. *see* Roth, R. A.
- Wallach, J. *see* Charney, A. N.
- Wallach, J. D. *see* Charney, A. N.
- Wallach, J. H. *see* Kaufman, M. P.
- Wallenstein, M. C. Role of sympathetic system in morphine-induced mydriasis in rat. 241,10:R130
- Wallenstein, M. C., and Wang, S. C. Mechanism of morphine-induced mydriasis in the cat. 236,5:R292
- Wallick, D. W., Felder, D., and Levy, M. N. Autonomic control of pacemaker activity in the atrioventricular junction of the dog. 235,4:H308
- Wallick, D. W., Levy, M. N., Felder, D. S., and Zieske, H. Effects of repetitive bursts of vagal activity on atrioventricular junctional rate in dogs. 237,6:H275

- Wallick, D. W., Martin, P. J., Masuda, Y., and Levy, M. N. Effects of autonomic activity and changes in heart rate on atrioventricular conduction. 243,12:H523
- Wallick, D. W. *see* Stuesse, S. L.
- Wallick, E. T. *see* Whitsett, J. A.
- Wallin, B. G., and Eckberg, D. L. Sympathetic transients caused by abrupt alterations of carotid baroreceptor activity in humans. 242,11:H185
- Wallin, J. D., and Kaplan, R. A. Effect of sodium fluoride on concentrating and diluting ability in the rat. 232,1:F335
- Wallin, J. D., and Lee, P. A. Effect of prolactin on diluting and concentrating ability in the rat. 230:1524
- Wallin, J. D. *see* Schultz, T. A.
- Walling, M. M. *see* Lee, D. B. N.
- Walling, M. W. Intestinal Ca and phosphate transport: differential responses to vitamin D<sub>3</sub> metabolites. 233,2:E488
- Walling, M. W., Mircheff, A. K., Van Os, C. H., and Wright, E. M. Subcellular distribution of nucleotide cyclases in rat intestinal epithelium. 235,4:E539
- Walling, M. W. *see* Brautbar, N. Gafer, U. Lee, D. B. N. Levine, B. S.
- Wallinga-de Jonge, W., Boom, H. B. K., Boon, K. L., Griep, P. A. M., and Lamerée, G. C. Force development of fast and slow skeletal muscle at different muscle lengths. 239,8:C98
- Wallis, A. T. *see* Butt, T. J.
- Wallis, R. *see* Cassin, S.
- Wallmark, B. *see* Fellenius, E.
- Wallshein, V. *see* Bruns, M. E. H.
- Walsley, B. *see* Loiselle, D. S.
- Walser, M. *see* Chen, J. S. Stewart, P. M. Weber, F. L., Jr.
- Walsh, E. K., Furniss, W. W., and Schettini, A. On measurement of brain elastic response in vivo. 232,1:R27
- Walsh, E. K., and Schettini, A. Elastic behavior of brain tissue in vivo. 230:1058
- Walsh, G. M., Ferrone, R. A., Tsuchiya, M., Woods, E. F., and Deland, E. C. Hemodynamic and metabolic responses to repeated blood sampling in the rat. 239,8:H805
- Walsh, G. M., Tsuchiya, M., Cox, A. C., Tobia, A. J., and Frohlich, E. D. Altered hemodynamic responses to acute hypoxemia in spontaneously hypertensive rats. 234,3:H275
- Walsh, G. M. *see* Ferrone, R. A. Trippodo, N. C. Tsuchiya, M.
- Walsh, J. *see* Seal, A.
- Walsh, J. H. *see* DuVal, J. W. Lamers, C. B. Mayer, E. A. Poitras, P. Taylor, I. L. Yamada, T.
- Walsh, J. V., Jr., and Singer, J. J. Calcium action potentials in single freshly isolated smooth muscle cells. 239,8:C162
- Walsh, J. V., Jr., and Singer, J. J. Penetration-induced hyperpolarization as evidence for Ca<sup>2+</sup> activation of K<sup>+</sup> conductance in isolated smooth muscle cells. 239,8:C182
- Walsh, J. V., Jr. *see* Singer, J. J.
- Walsh, K. B. *see* Fidelman, M. L.
- Walter, D. O. Invited comments on Pattee's reduction to complementarity. 236,5:R247
- Walter, D. O. Hofstadter's metaphorical fugue on minds and machines (Book Review). 238,7:R291
- Walter, D. O. Choosing the right fictions of scientific law. 239,8:R365
- Walter, D. O., and Yates, F. E. On physics and brain theories (concluding episode): a dialogue of criticism and response. 240,9:R115
- Walter, J. *see* Fejes-Tóth, G.
- Walter, P. *see* Stokes, B. T.
- Walter, T. K. *see* Lister, G.
- Walus, K. M., and Jacobson, E. D. Relation between small intestinal motility and circulation. 241,4:G1
- Wambach, G., and Higgins, J. R. Antihypertensive effect of progesterone in rats with mineralocorticoid-induced hypertension. 236,5:E366
- Wang, B. C., Share, L., and Crofton, J. T. Central infusion of vasopressin decreased plasma vasopressin concentration in dogs. 243,6:E365
- Wang, B.-C. *see* Baines, A. D.
- Wang, J. *see* Pierson, R. N., Jr.
- Wang, L. C. H. *see* Glass, J. D.
- Wang, M., Vyhnmeister, I., Kopple, J. D., and Swendseid, M. E. Effect of protein intake on weight gain and plasma amino acid levels in uremic rats. 230:1455
- Wang, M. *see* Siassi, F.
- Wang, P. S. *see* Liu, T.-C.
- Wang, S. C. *see* Huang, T. F. Sapru, H. N. Wallenstein, M. C.
- Wangler, R. D., Peters, K. G., Laughlin, D. E., Tomanek, R. J., and Marcus, M. L. A method for continuously assessing coronary blood flow velocity in the rat. 241,10:H816
- Wangness, P. J., Martin, R. J., and Gahagan, J. H. Insulin and growth hormone in lean and obese pigs. 233,2:E104
- Wannemacher, R. W., Jr. *see* Bunner, D. L. Thompson, W. L.
- Wanstok, F. *see* Bonvalet, J. P.
- Wantzelius, D. G., and Goetz, K. L. Circuit for automatically zeroing aortic flow base line from electromagnetic flowmeter. 232,1:H534
- Ward, A., Pollock, M. L., Jackson, A. S., Ayres, J. J., and Pape, G. A comparison of body fat determined by underwater weighing and volume displacement. 234,3:E94
- Ward, C. A., Rueggsegger, B., Stanga, D., Zingg, W., and Herbert, M. A. Relation of proteins, platelets, and gas nuclei in adhesion to a synthetic material. 233,2:H100
- Ward, C. A. *see* Fountain, S. W. Osada, H.
- Ward, D. G., Adair, J. R., Schramm, L. P., and Gann, D. S. Parabrachial pons mediates hypothalamically induced renal vasoconstriction. 234,3:R223
- Ward, D. G., Baertschi, A. J., and Gann, D. S. Neurons in medullary areas controlling ACTH: atrial input and rostral projections. 233,2:R116
- Ward, D. G. *see* Baertschi, A. J. Munzner, R. F.
- Ward, R. H. T. *see* Stacey, T. E. Weedon, A. P.
- Wardzala, L. J., Crettaz, M., Horton, E. D., Jeanrenaud, B., and Horton, E. S. Physical training of lean and genetically obese Zucker rats: effect on fat cell metabolism. 243,6:E418
- Wardzala, L. J. *see* Salans, L. B.
- Ware, R. A. *see* Kleinman, J. G.
- Warltier, D. C., Gross, G. J., and Brooks, H. L. Pharmacologic- vs. ischemia-induced coronary artery vasodilation. 240,9:H767
- Warltier, D. C. *see* Gross, G. J.
- Warnock, D. G., and Burg, M. B. Urinary acidification: CO<sub>2</sub> transport by the rabbit proximal straight tubule. 232,1:F20
- Warnock, D. G., and Eveloff, J. NaCl entry mechanisms in the luminal membrane of the renal tubule. 242,11:F561
- Warnock, D. G., Patlak, C. S., and Burg, M. B. Contribution of leaked load to solute transport by renal tubules. 234,3:F480
- Warnock, D. G., Reenstra, W. W., and Yee, V. J. Na<sup>+</sup>/H<sup>+</sup> antiporter of brush border vesicles: studies with acridine orange uptake. 242,11:F733
- Warnock, D. G., and Yee, V. J. Anion permeabilities of the isolated perfused rabbit proximal tubule. 242,11:F395
- Warnock, D. G. *see* Berry, C. A. Cogan, M. G. Lucci, M. S.
- Washburne, J. D. *see* Havill, A. M.
- Wasserman, R. H. *see* Feher, J. J. Peterlik, M.
- Wasserstrom, J. A., and Ferrier, G. R. Voltage dependence of digitalis afterpotentials, aftercontractions, and inotropy. 241,10:H646
- Wasserstrom, J. A., Schwartz, D. J., and Fozzard, H. A. Catecholamine effects on intracellular sodium activity and tension in dog heart. 243,12:H670
- Wasserstrum, N., and Herd, J. A. Baroreflexive depression of oxygen consumption in the squirrel monkey at 10°C. 232,1:H451
- Wasserstrum, N., and Herd, J. A. Elevation of arterial blood pressure in the squirrel monkey at 10°C. 232,1:H459
- Wasserstrum, N., and Herd, J. A. Heart rate and oxygen uptake response to angiotensin in the squirrel monkey at 10°C. 233,2:H10
- Wassner, S. J., and Li, J. B. N<sup>6</sup>-methylhistidine release: contributions of rat skeletal muscle, GI tract, and skin. 243,6:E293
- Wassner, S. J., Orloff, S., and Holliday, M. A. Protein degradation in muscle: response to feeding and fasting in growing rats. 233,2:E119
- Watanabe, C. R. *see* Krivokapich, J.
- Waterlow, J. C., Golden, M. H. N., and Garlick, P. J. Protein turnover in man measured with <sup>15</sup>N: comparison of end products and dose regimes. 235,4:E165
- Waterlow, J. C. *see* Garlick, P. J.
- Watkins, B. E., Davis, J. O., Hanson, R. C., Lohmeier, T. E., and Freeman, R. H. Incidence and pathophysiological changes in chronic two-kidney hypertension in the dogs. 231:954
- Watkins, B. E. *see* DeForrest, J. M. Freeman, R. H. Lohmeier, T. E. Stephens, G. A.
- Watkins, C. A. *see* Rannels, D. E.
- Watkins, J. B. *see* Rostand, S. G.
- Watkins, M. L. *see* Andreoli, T. E. Schafer, J. A.
- Watkins, W. D. *see* Peterson, M. B. Schuette, A. H.
- Watkinson, W. F., Foley, D. H., Rubio, R., and Berne, R. M. Myocardial adenosine formation with increased cardiac performance in the dog. 236,5:H13
- Watkinson, W. P. *see* Rembert, J. C.

- Watlington, C. O.**, Jessee, S. D., and Baldwin, G. Ouabain, acetazolamide, and Cl<sup>-</sup> flux in isolated frog skin: evidence for two distinct active Cl<sup>-</sup> transport mechanisms. 232,1:F550
- Watlington, C. O.**, Perkins, F. M., Munson, P. J., and Handler, J. S. Aldosterone and corticosterone binding and effects of Na<sup>+</sup> transport in cultured kidney cells. 242,11:F610
- Watlington, C. O.** *see* Fidelman, M. L.
- Watson, E. L.**, Farnham, C. J., Friedman, J., and Farnham, W. Effects of monensin on amylase release from mouse parotid acini. 240,9:C189
- Watson, E. L.**, Williams, J. A., and Siegel, I. A. Calcium mediation of cholinergic-stimulated amylase release from mouse parotid gland. 236,5:C233
- Watson, J. B.**  
*see* Humphreys, M. H.  
Kaysen, G. A.
- Watson, J. T.**, Platt, M. R., Rogers, D. E., Sugg, W. L., and Willerson, J. T. Similarities in coronary flow between external counterpulsation and intra-aortic balloon pumping. 230:1616
- Watson, P. D.** Colloid osmotic pressure changes in isolated isogravimetric cat hindlimb. 242,11:H512
- Watson, P. D.**, Bell, D. R., and Renkin, E. M. Early kinetics of large molecule transport between plasma and lymph in dogs. 239,8:H525
- Watson, P. D.** *see* Bell, D. R.
- Watts, J. A.**, Koch, C. D., and LaNoue, K. F. Effects of Ca<sup>2+</sup> antagonism on energy metabolism: Ca<sup>2+</sup> and heart function after ischemia. 238,7:H909
- Watts, J. A.** *see* LaNoue, K. F.
- Weaver, L. C.** Cardiopulmonary sympathetic afferent influences on renal nerve activity. 233,2:H592
- Weaver, L. C.**, Danos, L. M., Oehl, R. S., and Meckler, R. L. Contrasting reflex influences of cardiac afferent nerves during coronary occlusion. 240,9:H620
- Weaver, L. C.**, Macklem, L. J., Reimann, K. A., Meckler, R. L., and Oehl, R. S. Organization of thoracic sympathetic afferent influences on renal nerve activity. 237,6:H44
- Weaver, L. C.**  
*see* Meckler, R. L.  
Reimann, K. A.
- Webb, J. G.** *see* Newman, W. H.
- Webb, R. C.**, and Bohr, D. F. Mechanism of membrane stabilization by calcium in vascular smooth muscle. 235,4:C227
- Webb, R. C.**, Winquist, R. J., Victory, W., and Vander, A. J. In vivo and in vitro effects of lead on vascular reactivity in rats. 241,10:H211
- Webb, R. C.**  
*see* Bhalla, R. C.  
Hagen, E. C.  
Koehler, M. F.
- Webber, C. L., Jr.** *see* Chung, J. M.
- Weber, F. L., Jr.**, Maddrey, W. C., and Walser, M. Amino acid metabolism of dog jejunum before and during absorption of keto analogues. 232,1:E263
- Weber, F. L., Jr.**, Veach, G., and Friedman, D. W. Stimulation of ammonia production from glutamine by intraluminal glucose in small intestine of dogs. 242,5:G552
- Weber, H.**  
*see* Levine, S. D.  
Schlondorff, D.
- Weber, K. T.**, and Janicki, J. S. Instantaneous force-velocity-length relations in isolated dog heart. 232,1:H241
- Weber, K. T.**, and Janicki, J. S. Myocardial oxygen consumption: the role of wall force and shortening. 233,2:H421
- Weber, K. T.**, and Janicki, J. S. Interdependence of cardiac function, coronary flow, and oxygen extraction. 235,4:H784
- Weber, K. T.**, Janicki, J. S., and Fishman, A. P. Aerobic limit of the heart perfused at constant pressure. 238,7:H118
- Weber, K. T.**, Janicki, J. S., and Hefner, L. L. Left ventricular force-length relations of isovolumic and ejecting contractions. 231:337
- Weber, K. T.**, Janicki, J. S., Reeves, R. C., and Hefner, L. L. Factors influencing left ventricular shortening in isolated canine heart. 230:419
- Weber, K. T.**  
*see* Hunter, W. C.  
Janicki, J. S.
- Weber, P.**  
*see* Blumenstock, F.  
Goldfarb, R. D.
- Webster, M. E.** *see* Avolio, A. P.
- Webster, S. K.** *see* Beck, N.
- Webster, W. P.**, Mandel, S. R., Strike, L. E., Penick, G. D., Griggs, T. R., and Brinkhous, K. M. Factor VIII synthesis: hepatic and renal allografts in swine with von Willebrand's disease. 230:1342
- Wechsler, A. S.**  
*see* Kleinman, L. H.  
Van Trigt, P., III
- Wechsler, R. L.** *see* Dugas, M. C.
- Weedon, A. P.**, Stacey, T. E., Ward, R. H. T., and Boyd, R. D. Bidirectional sodium fluxes across the placenta of conscious sheep. 235,4:F536
- Weedon, A. P.** *see* Stacey, T. E.
- Weems, W. A.** Intestinal wall motion, propulsion, and fluid movement: trends toward a unified theory. 243,6:G177
- Weems, W. A.**, and Seygal, G. E. Fluid propulsion by cat intestinal segments under conditions requiring hydrostatic work. 240,3:G147
- Weerasinghe, C.**, and Bornstein, J. Effect of synthetic C-terminal fragments of hGH on insulin release by isolated islets. 234,3:E527
- Weerasinghe, C.**, and Bornstein, J. Effect of synthetic C-terminal fragments of hGH on glucose oxidation by isolated islets. 236,5:E4
- Weerasuriya, A.**, Bieger, D., and Hockman, C. H. Interaction between primary afferent nerves in the elicitation of reflex swallowing. 239,8:R407
- Weglicki, W. B.**  
*see* Beckman, J. K.  
Owens, K.  
Ruth, R. C.  
Spanier, A. M.
- Wehrmacher, W. H.** *see* Yelich, M. R.
- Wei, E. P.**, Ellis, E. F., and Kontos, H. A. Role of prostaglandins in pial arteriolar response to CO<sub>2</sub> and hypoxia. 238,7:H226
- Wei, E. P.**, and Kontos, H. A. Responses of cerebral arterioles to increased venous pressure. 243,12:H442
- Wei, E. P.**, Kontos, H. A., and Patterson, J. L., Jr. Dependence of pial arteriolar response to hypercapnia on vessel size. 238,7:H697
- Wei, E. P.**, Kontos, H. A., and Said, S. I. Mechanism of action of vasoactive intestinal polypeptide on cerebral arterioles. 239,8:H765
- Wei, E. P.**  
*see* Dietrich, W. D.  
Ellis, E. F.  
Kontos, H. A.  
Navari, R. M.
- Wei, J. Y.**, Spurgeon, H. A., and Lakatta, E. G. Electromechanical responsiveness of hyperthyroid cardiac muscle to  $\beta$ -adrenergic stimulation. 243,6:E114
- Weick, R. F.**, and Pomerantz, D. K. Mechanism of induction of LH surge in the rhesus monkey: positive feedback of estrogen? 236,5:R102
- Weidman, M.** *see* McDonald, G. B.
- Weidner, W. A.** *see* Nellis, S. H.
- Weigel, R. J.**, Connor, J. A., and Prosser, C. L. Two roles of calcium during the spike in circular muscle of small intestine in cat. 237,6:C247
- Weigel, R. J.**  
*see* Fritz, M. E.  
Prosser, C. L.
- Weinberg, J. M.** *see* Frega, N. S.
- Weinberger, M.** *see* Heyes, M. P.
- Weinberger, M. H.** *see* Hoeg, J. M.
- Weinberger, S. F.** *see* Jones, S. M.
- Weiner, I. M.** Urate transport in the nephron. 237,6:F85
- Weiner, I. M.**, Tinker, J. P., Weinman, E. J., Senekjian, H. O., and Sansom, S. C. Kinetic constants for urate transport (Letter to the Editor). 242,11:F100
- Weiner, I. M.** *see* Costanzo, L. S.
- Weiner, M. W.** *see* Soboslai, G. B.
- Weiner, R.** *see* Messina, E. J.
- Weiner, R. G.** *see* Hardison, W. G. M.
- Weingarten, H. P.**, and Powley, T. L. Ventromedial hypothalamic lesions elevate basal and cephalic phase gastric acid output. 239,2:G221
- Weinman, E. J.**, Sansom, S. C., Steplock, D. A., Sheth, A. U., Knight, T. F., and Senekjian, H. O. Secretion of urate in the proximal convoluted tubule of the rat. 239,8:F383
- Weinman, E. J.**, Senekjian, H. O., Sansom, S. C., Steplock, D., Sheth, A., and Knight, T. F. Evidence for active and passive urate transport in the rat proximal tubule. 240,9:F90
- Weinman, E. J.**, Steplock, D., Suki, W. N., and Eknoyan, G. Urate reabsorption in proximal convoluted tubule of the rat kidney. 231:509
- Weinman, E. J.**, Suki, W. N., and Eknoyan, G. D-Glucose enhancement of water reabsorption in proximal tubule of the rat kidney. 231:777
- Weinman, E. J.**  
*see* Knight, T. F.  
Sansom, S. C.  
Senekjian, H. O.  
Sheth, A. U.  
Weiner, I. M.
- Weinreb, S.**, Hruska, K. A., Klahr, S., and Hammerman, M. R. Uptake of P<sub>i</sub> in brush border vesicles after release of unilateral ureteral obstruction. 243,12:F29
- Weinstein, A. M.** *see* Schwartz, G. J.
- Weinstein, E. M.** *see* Downing, S. E.
- Weinstein, S. S.** *see* Kraut, J. A.
- Weinstein, S. W.**, Bank, N., Klose, R., and Szyjwicz, J. Effects of tubular reabsorbate on efferent vessel plasma composition. 236,5:F119
- Weinstein, S. W.**, and Szyjwicz, J. Early postglomerular plasma concentrations of chloride, sodium, and inulin in the rat kidney. 231:522
- Weinstein, S. W.**, and Szyjwicz, J. Single-nephron function and renal oxygen consumption during rapid volume expansion. 231:1166
- Weinstein, S. W.**, and Szyjwicz, J. Superficial nephron tubular-vascular relationships in the rat kidney. 234,3:F207
- Weintraub, R. M.**  
*see* Gaasch, W. H.  
Pine, M. B.
- Weintraub, W. S.** *see* Hattori, S.
- Weir, G. C.**  
*see* DuVal, J. W.  
Honey, R. N.  
Saffouri, B.
- Weisbrodt, N.** *see* Mukhopadhyay, A. K.



- Weisbrodt, N. W. see Malloy, M. H.  
Mukhopadhyay, A. K.  
Nemeth, P. R.  
Schanbacher, L. M.  
Stewart, J. J.
- Weise, V. see Kim, Y. D.
- Weiser, H. F. see Sonnenberg, A.
- Weiser, J. N. see Feldman, D.
- Weisfeldt, M. L. see Efron, M. B.  
Frederiksen, J. W.  
Greene, H. L.  
Spurgeon, H. A.  
Yin, F. C. P.
- Weisgraber, K. H. see Fry, D. L.
- Weisinger, R. S., Coghlan, J. P., Denton, D. A., Fan, J. S. K., Hatzikostas, S., McKinley, M. J., Nelson, J. F., and Scoggins, B. A. ACTH-elicited sodium appetite in sheep. 239,2:E45
- Weisinger, R. S., Considine, P., Denton, D. A., Leksell, L., McKinley, M. J., Mouw, D. R., Muller, A. F., and Tarjan, E. Role of sodium concentration of the cerebrospinal fluid in the salt appetite of sheep. 242,11:R51
- Weisinger, R. S. see McKinley, M. J.
- Weiss, A. K. see Pfeffer, M. A.
- Weiss, E. S. see Henry, P. D.
- Weiss, G. K. see Ratner, A.
- Weiss, H. J. see Sussman, I. I.
- Weiss, H. R. Regional oxygen consumption and supply in the dog heart: effect of atrial pacing. 236,5:H231
- Weiss, H. R. Regional oxygen consumption and supply in heart: effect of methoxamine-induced pressure rise. 241,10:H370
- Weiss, H. R., Cohen, J. A., and McPherson, L. A. Blood flow and relative tissue  $PO_2$  of brain and muscle: effect of various gas mixtures. 230:839
- Weiss, H. R. see Kleinert, H. D.
- Weiss, J., and Shine, K. I. Extracellular  $K^+$  accumulation during myocardial ischemia in isolated rabbit heart. 242,11:H619
- Weiss, J., and Shine, K. I.  $[K^+]$ , accumulation and electrophysiological alterations during early myocardial ischemia. 243,12:H318
- Weiss, J. B. see Shiao, Y.-F.
- Weiss, J. L. see Frederiksen, J. W.
- Weiss, M. B. see Karagueuzian, H. S.
- Weiss, R. A. see Al-Bander, H. A.
- Weiss, R. E., and Reddi, A. H. Influence of experimental diabetes and insulin on matrix-induced cartilage and bone differentiation. 238,1:E200
- Weiss, R. M. see Biancani, P.  
Rosen, M. R.
- Weissman, M. L., Rubinstein, E. H., and Sonnenschein, R. R. Vascular responses to short-term systemic hypoxia, hypercapnia, and asphyxia in the cat. 230:595
- Weissman, M. L., Sonnenschein, R. R., and Rubinstein, E. H. Mechanisms of vascular changes in skeletal muscle during asphyxia in the cat. 235,4:H72
- Weissman, M. L. see Sonnenschein, R. R.
- Weisz, A. M. see Carbonin, P.
- Weitzman, E. D. see Kronauer, R. E.
- Weitzman, R. E., and Fisher, D. A. Log linear relationship between plasma arginine vasopressin and plasma osmolality. 233,2:E37
- Weitzman, R. E., and Fisher, D. A. Arginine vasopressin metabolism in dogs. I. Evidence for a receptor-mediated mechanism. 235,4:E591
- Weitzman, R. E., Fisher, D. A., DiStefano, J. J., III, and Bennett, C. M. Episodic secretion of arginine vasopressin. 233,2:E32
- Weitzman, R. E., Reviczky, A., Oddie, T. H., and Fisher, D. A. Effect of osmolality on arginine vasopressin and renin release after hemorrhage. 238,1:E62
- Weitzman, R. E. see Moses, A. M.  
Robillard, J. E.  
Wilson, K. C.
- Welbourne, T. C., and Bazer, G. T. Mitochondrial glutamine permeability and renal ammonia production in metabolic acidosis. 239,2:E51
- Welbourne, T. C., and Francoeur, D. Influence of aldosterone on renal ammonia production. 233,2:E56
- Welch, M. J. see Klein, M. S.  
Raichle, M. E.
- Welch, W. J. see Kotchen, T. A.
- Welle, S. L., Thompson, D. A., and Campbell, R. G.  $\beta$ -Adrenergic blockade inhibits thermogenesis and lipolysis during glucoprivation in humans. 243,12:R379
- Welle, S. L. see Thompson, D. A.
- Weller, J. L. see Yuwiler, A.
- Welling, D. J., Welling, L. W., and Hill, J. J. Phenomenological model relating cell shape to water reabsorption in proximal nephron. 234,3:F308
- Welling, D. J. see Deeds, D. G.  
Sullivan, L. P.  
Welling, L. W.  
Wilkinson, H. L.
- Welling, L. W., and Welling, D. J. Physical properties of isolated perfused basement membranes from rabbit loop of Henle. 234,3:F54
- Welling, L. W. see Welling, D. J.
- Wells, D. J., Strehlo, B. L., and Kaye, M. P. Specific binding of nerve growth factor to normal and denervated canine heart. 241,10:C215
- Wells, D. J. see Kaye, M. P.
- Welsh, J. E. see Winn, H. R.
- Welsh, M. J., and Widdicombe, J. H. Pathways of ion movement in the canine tracheal epithelium. 239,8:F215
- Welsh, M. J. see Widdicombe, J. H.
- Wen, S. F., Wong, N. L. M., Evanson, R. L., Lockhart, E. A., and Dirks, J. H. Electrolyte transport in remnant kidney of the dog: effect of furosemide. 230:1231
- Wen, S. F. Micropuncture studies of glucose transport in the dog: mechanism of renal glycosuria. 231:468
- Wen, S. F., Boynar, J. W., Jr., and Stoll, R. W. Effect of phosphate deprivation on renal phosphate transport in the dog. 234,3:F199
- Wen, S. F., and Stoll, R. W. Effect of volume expansion on renal glucose transport in normal and uremic dogs. 236,5:F567
- Wendt, I. R., and Barclay, J. K. Effects of dantrolene on the energetics of fast- and slow-twitch muscles of the mouse. 238,7:C56
- Wendt, I. R., and Chapman, J. B. Fluorometric studies of recovery metabolism of rat fast- and slow-twitch muscles. 230:1644
- Wendt, I. R., and Gibbs, C. L. Recovery heat production of mammalian fast- and slow-twitch muscles. 230:1637
- Wenger, J. see Schedl, H. P.
- Wenger, T. L. see Austin, M.
- Wentland, S. H. see Carlson, T. H.
- Werber, A. see Fink, G. D.
- Werber, A. H., and Fink, G. D. Cardiovascular and body fluid changes after aortic baroreceptor deafferentation. 240,9:H685
- Werlin, S. L., and Grand, R. J. Development of secretory mechanisms in rat pancreas. 236,5:E446
- Werner, J. C., Lee, J. C., and Downing, S. E. Preservation of left ventricular function by insulin in experimental catecholamine cardiomyopathy. 238,7:H257
- Werner, J. C., Whitman, V., Fripp, R. R., Schuler, H. G., and Morgan, H. E. Carbohydrate metabolism in isolated, working newborn pig heart. 241,4:E364
- Werner, J. C. see Downing, S. E.  
Lee, J. C.
- Werner, P. L., Benson, J. W., Brodsky, J. B., Hollander, P. M., Asplin, C. M., Johnson, D. G., and Palmer, J. P. Comparison of glucagon responses to 2-deoxy-D-glucose and hypoglycemia in man. 239,2:E227
- Wesley, C. R. see Gilmore, J. P.
- Wesselman, A. see Rouslin, W.
- West, N. H. see Jones, D. R.
- Westbie, D. K. see Schultz, T. A.
- Westcott, K. R. see Robertson, R. P.
- Westenfelder, C., Arevalo, G. J., Baranowski, R. L., Kurtzman, N. A., and Katz, A. I. Relationship between mineralocorticoids and renal  $Na^+K^+$ -ATPase: sodium reabsorption. 233,2:F593
- Westenfelder, C., Arruda, J. A. L., Lockwood, R., Boonjareon, S., Nascimento, L., and Kurtzman, N. A. Distribution of renal blood flow in dogs with congestive heart failure. 230:537
- Westenfelder, C., Hamburger, R. K., and Garcia, M. E. Effect of vanadate on renal tubular function in rats. 240,9:F522
- Westenfelder, C. see Al-Bazzaz, F.  
Arruda, J. A. L.
- Westerfield, M., Moore, J. W., Kim, Y. S., and Padilla, G. M. How *Gymnodinium breue* red tide toxin(s) produces repetitive firing in squid axons. 232,1:C23
- Westerhof, N. see Randall, O. S.
- Westrop, R. J. see Bradbury, M. W. B.
- Weswig, P. H. see Eakin, D. J.  
Oh, S. H.
- Wetstein, L. see Harken, A. H.
- Wetzel, G. D. see Feig, P. U.
- Wever, R. A. Commentary on the mathematical model of the human circadian system by Kronauer et al. 242,11:R17
- Weyman, A. E. see Franklin, T. D., Jr.
- Whalen, G. see Hackel, D. B.
- Whalen, G. E. see Costriani, N. V.
- Whalen, W. J. see Schubert, R. W.
- Whanger, P. D. see Eakin, D. J.  
Oh, S. H.
- Whang-Peng, J. see Bynum, G. D.
- Wheelan, S. see Willerson, J. T.
- Wheeler, D. D. see Graves, J. S.
- Wheeler, D. M., Horres, C. R., and Lieberman, M. Sodium tracer kinetics and transmembrane flux in tissue-cultured chick heart cells. 243,12:C169
- Whinnery, M. A., and Kunau, R. T., Jr. Effect of potassium deficiency on papillary plasma flow in the rat. 237,6:F226
- Whinnery, M. A., Shaw, J. O., and Beck, N. Thromboxane  $B_2$  and prostaglandin  $E_2$  in the rat kidney with unilateral ureteral obstruction. 242,11:F220
- Whinnery, M. A. see Kunau, R. T., Jr.
- Whipple, J. H. see Atkinson, R. L.
- Whistler, S. J. see Babbs, C. F.  
Geddes, L. A.
- White, C. W. Abnormalities in baroreflex control of heart rate in canine heart failure. 240,9:H793
- White, C. W. Reversibility of abnormal arterial baroreflex control of heart rate in heart failure. 241,10:H778
- White, E. see Coccani, F.



- White, F.**  
see Kumada, T.  
Roch-Ramel, F.
- White, F. C.**  
see Badke, F. R.  
Crozier, B.  
Sanders, M.
- White, F. N.** see Crawshaw, L. I.
- White, G. L.** see Hinshaw, L. B.
- White, J. F.** Intracellular potassium activities in *Amphiuma* small intestine. 231:1214
- White, J. F.** Activity of chloride in absorptive cells of *Amphiuma* small intestine. 232,1:E553
- White, J. F., and Imon, M. A.** Bicarbonate absorption by in vitro amphibian small intestine. 241,4:G389
- White, J. F.**  
see Gerencser, G. A.  
Gunter-Smith, P. J.
- White, J. T.** see Merrill, G. F.
- White, T. P., and Brooks, G. A.** [ $^{14}\text{C}$ ]glucose, -alanine, and -leucine oxidation in rats at rest and two intensities of running. 240,3:E155
- White, T. P., Maxwell, L. C., Sosin, D. M., and Faulkner, J. A.** Capillarity and blood flow of transplanted skeletal muscles of cats. 241,10:H630
- White, T. P.** see Faulkner, J. A.
- Whitehead, D. S.** see Garriss, D. R.
- Whitehorn, D.** see Morrison, S. F.
- Whitehouse, R.** see Abu-Hamdan, D. K.
- Whiteis, C. A.** see Schmid, P. G.
- Whitesell, L. F.** see Liedtke, A. J.
- Whitfield, C. F., and Schworer, M. E.** Locus of *N*-ethylmaleimide action on sugar transport in nucleated erythrocytes. 241,10:C33
- Whitfield, C. F.** see Cheung, J. Y.
- Whitford, G. M., Pashley, D. H., and Reynolds, K. E.** Fluoride absorption from the rat urinary bladder: a pH-dependent event. 232,1:F10
- Whitford, G. M., Pashley, D. H., and Reynolds, K. E.** Fluoride tissue distribution: short-term kinetics. 236,5:F141
- Whitford, G. M., Pashley, D. H., and Stringer, G. I.** Fluoride renal clearance: a pH-dependent event. 230:527
- Whitman, V.**  
see Abu-Erreish, G. M.  
Werner, J. C.
- Whitmer, J. T.** see Abu-Erreish, G. M.
- Whitmoyer, D. I.** see Leung, P. C. K.
- Whitnall, M. H.** see Kumada, M.
- Whitney, P.** see Chiang, M.-J.
- Whitsett, J. A., Manton, M. A., Darovec-Beckerman, C., Adams, K. G., and Moore, J. J.**  $\beta$ -Adrenergic receptors in the developing rabbit lung. 240,3:E351
- Whitsett, J. A., and Wallick, E. T.** [ $^3\text{H}$ ]ouabain binding and  $\text{Na}^+/\text{K}^+$ -ATPase activity in human placenta. 238,1:E38
- Whittembury, G.** see González, E.
- Whittle, B. J. R.** see Kauffman, G. L., Jr.
- Whittow, G. C.** see Pettit, T. N.
- Whorton, A. R.** see Walker, L. A.
- Wiatrowski, E.** see Spencer, H.
- Wicker, P., and Tarazi, R. C.** Importance of injection site for coronary blood flow determinations by microspheres in rats. 242,11:H94
- Wickham, W. K.** see Bissonnette, J. M.
- Wicklein, D.** see Donowitz, M.
- Wickler, S. J.** Seasonal changes in enzymes of aerobic heat production in the white-footed mouse. 240,9:R289
- Wickler, S. J.** Nonshivering thermogenesis in skeletal muscle of seasonally acclimatized mice, *Peromyscus*. 241,10:R185
- Wickler, S. J.** Capillary supply of skeletal muscles from acclimatized white-footed mice *Peromyscus*. 241,10:R357
- Widdicombe, J. H., Basbaum, C. B., and Highland, E.** Ion contents and other properties of isolated cells from dog tracheal epithelium. 241,10:C184
- Widdicombe, J. H., and Welsh, M. J.** Anion selectivity of the chloride-transport process in dog tracheal epithelium. 239,8:C112
- Widdicombe, J. H.** see Welsh, M. J.
- Wideman, R. F., Jr., and Braun, E. J.** Stimulation of avian renal phosphate secretion by parathyroid hormone. 241,10:F263
- Wideman, R. F., Jr., Clark, N. B., and Braun, E. J.** Effects of phosphate loading and parathyroid hormone on starling renal phosphate excretion. 239,8:F233
- Wideman, R. F., Jr.** see Clark, N. B.
- Widmer, J.** see Roch-Ramel, F.
- Wiechel, K.-L.** see Erwald, R.
- Wiedeman, M. P.** see Mayrovitz, H. N.
- Wiederhielm, C. A.** see Stromberg, D.
- Wiederhielm, C. A., and Black, L. L.** Osmotic interaction of plasma proteins with interstitial macromolecules. 231:638
- Wiederhielm, C. A., Fox, J. R., and Lee, D. R.** Ground substance mucopolysaccharides and plasma proteins: their role in capillary water balance. 230:1121
- Wiederhielm, C. A.** see Bouskela, E.
- Wiegand, D. M.** see Duane, W. C.
- Wiegand, S. J.** see Terasawa, E.
- Wiegel, F. W., and DeLisi, C.** Evaluation of reaction rate enhancement by reduction in dimensionality. 243,12:R475
- Wiegman, D. L., Harris, P. D., Miller, F. N., Morff, R. J., and Wilmoth, F. R.** Survival and microvascular responses to hemorrhage with three anesthetic combinations. 235,4:H753
- Wiegman, D. L., Joshua, I. G., Morff, R. J., Harris, P. D., and Miller, F. N.** Microvascular responses to norepinephrine in renovascular and spontaneously hypertensive rats. 236,5:H645
- Wiegman, D. L.**  
see Faber, J. E.  
Harris, P. D.  
Morff, R. J.
- Wiegner, A. W., Allen, G. J., and Bing, O. H. L.** Weak and strong myocardium in series: implications for segmental dysfunction. 235,4:H776
- Wiegner, A. W., and Bing, O. H. L.** Laser scanner measurement of central segment performance in isolated cardiac muscle preparations. 237,6:H260
- Wieland, F., Fischer, J. A., Trechsel, U., Roth, H.-R., Vetter, K., Schneider, H., and Huch, A.** Perinatal parathyroid hormone, vitamin D metabolites, and calcitonin in man. 239,2:E385
- Wieling, W.** see Borst, C.
- Wiemann, G. F.** see Shiang, H. H.
- Wiener, H.** see Kolassa, N.
- Wientroub, S., Hagan, M. P., and Reddi, A. H.** Reduction of hematopoietic stem cells and adaptive increase in cell cycle rate in rickets. 243,12:C303
- Wiesmann, W., Sinha, S., Yates, J., and Klahr, S.** Cholinergic agents inhibit sodium transport across the isolated toad bladder. 235,4:F564
- Wiesmann, W. P., Sinha, S., and Klahr, S.** Effects of insulin, ADH, and cyclic AMP on sodium transport in the toad bladder. 232,1:F307
- Wiesner, R.** see Kumar, R.
- Wiggins, H. S.** see Saunders, D. R.
- Wijs, W.** see Vandermeers-Piret, M. C.
- Wikman-Coffelt, J., Refsum, H., Hollosi, G., Rouleau, L., Chuck, L., and Parmley, W. W.** Comparative force-velocity relation and analyses of myosin of dog atria and ventricles. 243,12:H391
- Wilborn, W. H.** see Granger, D. N.
- Wilbur, W. J., Power, G. G., and Longo, L. D.** Water exchange in the placenta: a mathematical model. 235,4:R181
- Wilbur, W. J.** see Faber, J. J.
- Wilce, P. A.** see Rossier, B. C.
- Wilcox, C. J.** see Caton, D.
- Wilcox, W. C.**  
see McNeill, J. R.  
Pang, C. C. Y.
- Wildenthal, K.**  
see Crie, J. S.  
Griffin, E. E.  
Templeton, G.  
Willerson, J. T.
- Wiley, K. S.** see Cohen, M. L.
- Wilkening, R. B., Anderson, S., Martenson, L., and Meschia, G.** Placental transfer as a function of uterine blood flow. 242,11:H429
- Wilkinson, C. W., Engeland, W. C., Shinsako, J., and Dallman, M. F.** Nonsteroidal adrenal feedback demarcates two types of pathways to CRF-ACTH release. 240,3:E136
- Wilkinson, C. W.**  
see Dallman, M. F.  
Laudenslager, M. L.
- Wilkinson, H. L., Deeds, D. G., Sullivan, L. P., and Welling, D. J.** Effects of ouabain on potassium transport in the perfused bullfrog kidney. 236,5:F175
- Wilkinson, P. L., Stowe, D. F., Tyberg, J. V., and Parmley, W. W.** Pressure and flow changes during Valsalva-like maneuvers in dogs following volume infusion. 233,2:H93
- Will, J. A.** Monocrotaline also causes medial hypertrophy of pulmonary veins (Letter to the Editor). 241,10:H894
- Will, J. A.**  
see Ghodsi, F.  
Hayes, B. E.  
Manohar, M.
- Will, P. C., Lebowitz, J. L., and Hopfer, U.** Induction of amiloride-sensitive sodium transport in the rat colon by mineralocorticoids. 238,7:F261
- Willems, W. J., Harder, D. R., Contney, S. J., McCubbin, J. W., and Stekiel, W. J.** Sympathetic supraspinal control of venous membrane potential in spontaneous hypertension in vivo. 243,12:C101
- Willems, W. J.**  
see Harder, D. R.  
Lombard, J. H.  
Stekiel, W. J.
- Willerson, J. T., Wheelan, S., Adcock, R. C., Templeton, G. H., and Wildenthal, K.** Species differences in responses to hyperosmolality and D600 in cat and rat heart. 235,4:H276
- Willerson, J. T.**  
see Burton, K. P.  
Crie, J. S.  
Hillis, L. D.  
Krishnamurthy, V. S. R.  
Mukherjee, A.  
Taubert, K.  
Templeton, G.  
Watson, J. T.
- Williams, D.** see Steiner, R. A.
- Williams, D. D.** see Marques, P. R.
- Williams, E. H., Kao, R. K., and Morgan, H. E.** Protein degradation and synthesis during recovery from myocardial ischemia. 240,3:E268
- Williams, E. S.** see Gilmour, R. F., Jr.
- Williams, G. C.** see Pries, J. M.
- Williams, G. H.**  
see Braley, L. M.  
Koletsky, R. J.
- Williams, G. M., Davis, J. O., Freeman, R. H., DeForrest, J. M., Seymour, A. A., and Rowe, B. P.** Effects of the oral converting enzyme inhibitor SQ 14225 in experimental high output failure. 236,5:F541

- Williams, G. M.**  
see Lohmeier, T. E.  
Seymour, A. A.
- Williams, I. H., Chua, B. H. L., Sahms, R. H., Siehl, D., and Morgan, H. E.** Effects of diabetes on protein turnover in cardiac muscle. 239,2:E178
- Williams, I. H., Sugden, P. H., and Morgan, H. E.** Use of aromatic amino acids as monitors of protein turnover. 240,3:E677
- Williams, J. A.** Regulation of pancreatic acinar cell function by intracellular calcium. 238,1:G269
- Williams, J. A., Cary, P., and Moffat, B.** Effects of ions on amylase release by dissociated pancreatic acinar cells. 231:1562
- Williams, J. A., Korc, M., and Dormer, R. L.** Action of secretagogues on a new preparation of functionally intact, isolated pancreatic acini. 235,4:E517
- Williams, J. A., and Phang, J. M.** Production of ornithine by intact human erythrocytes. 242,11:C393
- Williams, J. A., Sankaran, H., Roach, E., and Goldfine, I. D.** Quantitative electron microscope autoradiographs of  $^{125}$ I-cholecystokinin in pancreatic acini. 243,6:G291
- Williams, J. A.**  
see Dormer, R. L.  
Fink, S. A.  
Goldfine, I. D.  
Iwamoto, Y.  
Korc, M.  
Otsuki, M.  
Ponnappa, B. C.  
Sankaran, H.  
Watson, E. L.
- Williams, J. S.** see Jones, S. M.
- Williams, K.** see Batey, R. G.
- Williams, L. F., Jr.** see Schoetz, D. J., Jr.
- Williams, M. A.** see Huang, M.-T.
- Williams, P. E.**  
see Abumrad, N. N.  
Cherrington, A. D.
- Williams, R. F.** see Goodman, A. L.
- Williams, R. H., Thomas, C., Bell, D., and Navar, L. G.** Autoregulation of nephron filtration rate in the dog assessed by indicator-dilution technique. 233,2:F282
- Williams, R. H.**  
see Bell, P. D.  
Jacobs, T. P.
- Williams, R. S., and Bishop, T.** Enhanced receptor-cyclase coupling and augmented catecholamine-stimulated lipolysis in exercising rats. 243,6:E345
- Williams, W. M., and Huang, K. C.** Renal tubular transport of folic acid and methotrexate in the monkey. 242,11:F484
- Williamson, J. R.** see Schaffer, S. W.
- Willis, G. J.** see McCaleb, M. L.
- Willis, J. S., Ellory, J. C., and Becker, J. H.** Na-K pump and Na-K-ATPase: disparity of their temperature sensitivity. 235,4:C159
- Willis, L. R., and Bauer, J. H.** Aldosterone in the exaggerated natriuresis of spontaneously hypertensive rats. 234,3:F29
- Willis, L. R.** see Hoeg, J. M.
- Willis, P. L.** see Dubuc, P. U.
- Willis, W. T.** see Baylis, C.
- Wilmore, D. W.** see Aulick, L. H.
- Wilmoth, F. R.**  
see Baker, C. H.  
Wiegman, D. L.
- Wilson, A. F.** see Jeving, R.
- Wilson, C. B.** see Baylis, C.
- Wilson, D. F.** Estimates of quantal release and binomial statistical-release parameters at rat neuromuscular junction. 233,2:C157
- Wilson, D. F.** Depression, facilitation, and mobilization of transmitter at the rat diaphragm neuromuscular junction. 237,6:C31
- Wilson, D. F.** Influence of presynaptic receptors on neuromuscular transmission in rat. 242,11:C366
- Wilson, D. F., Erecińska, M., Drown, C., and Silver, I. A.** Effect of oxygen tension on cellular energetics. 233,2:C135
- Wilson, D. F.**  
see Erecińska, M.  
Nishiki, K.  
Nuutinen, E. M.
- Wilson, D. R., and Honrath, U.** Cross-circulation study of natriuretic factors in rats with reduced nephron mass. 235,4:F465
- Wilson, D. R., and Sonnenberg, H.** Urea secretion in medullary collecting duct of the rat kidney during water and mannitol diuresis. 240,9:F165
- Wilson, F. A.** Intestinal transport of bile acids. 241,4:G83
- Wilson, G. J.** see Tait, G. A.
- Wilson, H. D.** see Schedl, H. P.
- Wilson, J. D.** Introduction. 243,6:E3
- Wilson, J. D.** see Griffin, J. E.
- Wilson, J. L.** see Scheel, K. W.
- Wilson, J. M.** see Fray, J. C. S.
- Wilson, K. C., Weitzman, R. E., and Fisher, D. A.** Arginine vasopressin metabolism in dogs. II. Modeling and system analysis. 235,4:E598
- Wilson, K. J.** see Baudinette, R. V.
- Wilson, P. D.** see Ormsbee, H. S., III
- Wilton, A.** see Osborn, E. C.
- Win, R.** see Pinto, J. G.
- Winand, J.** see Pector, J.-C.
- Winaver, J., Sylk, D. B., Teredesai, P. R., Robertson, J. S., and Puschett, J. B.** Dissociative effects of piretanide on proximal tubular  $\text{PO}_4$  and  $\text{HCO}_3$  transport. 238,7:F60
- Winblad, J. M.** see Schloerb, P. R.
- Winder, W. W.** Time course of the  $\text{T}_2$ - and  $\text{T}_1$ -induced increase in rat soleus muscle mitochondria. 236,5:C132
- Winder, W. W., Beattie, M. A., and Holman, R. T.** Endurance training attenuates stress hormone responses to exercise in fasted rats. 243,12:R179
- Winder, W. W., Boullier, J., and Fell, R. D.** Liver glycogenolysis during exercise without a significant increase in cAMP. 237,6:R147
- Winder, W. W., and Holloszy, J. O.** Response of mitochondria of different types of skeletal muscle to thyrotoxicosis. 232,1:C180
- Winder, W. W., Holman, R. T., and Garhart, S. J.** Effect of endurance training on liver cAMP response to prolonged submaximal exercise. 240,9:R330
- Winder, W. W.**  
see Conlee, R. K.  
Fell, R. D.  
Fitts, R. H.  
Holloszy, J. O.  
McLane, J. A.
- Windhager, E. E.**  
see Costanzo, L. S.  
Friedman, P. A.  
Frindt, G.  
Taylor, A.
- Windmueller, H. G., and Spaeth, A. E.** Source and fate of circulating citrulline. 241,4:E473
- Winegrad, S.** see Frank, J. S.
- Winfree, A. T.** The tides of human consciousness: descriptions and questions. 242,11:R163
- Winfree, A. T.** Circadian timing of sleepiness in man and woman. 243,12:R193
- Wing, A. J.** see Kluger, M. J.
- Winkle, R. A., Jaillon, P., Griffin, J. C., and Schnitzger, I.** Time dependency of ventricular fibrillation thresholds determined using trains of stimuli. 239,8:H457
- Winkler, K.** see Keiding, S.
- Winn, H. R., Park, T. S., Curnish, R. R., Rubio, R., and Berne, R. M.** Incorporation of adenosine and its metabolites into brain nucleotides. 239,8:H212
- Winn, H. R., Rubio, R., and Berne, R. M.** Brain adenosine concentration during hypoxia in rats. 241,10:H235
- Winn, H. R., Welsh, J. E., Rubio, R., and Berne, R. M.** Brain adenosine production in rat during sustained alteration in systemic blood pressure. 239,8:H636
- Winquist, R. J.** see Webb, R. C.
- Winship, D.** see Gerhardt, D.
- Winston, S.** see Major, T. C.
- Winter, T. W.** see Jacobs, F. A.
- Wirth, A., Holm, G., Nilsson, B., Smith, U., and Björntorp, P.** Insulin kinetics and insulin binding to adipocytes in physically trained and food-restricted rats. 238,1:E108
- Wirth, J. B., and Epstein, A. N.** Ontogeny of thirst in the infant rat. 230:188
- Wirth, J. B.** see McHugh, P. R.
- Wirthensohn, G.** see Vandewalle, A.
- Wise, H. D.** see Riggs, T. R.
- Wise, K. L.** see Abumrad, N. N.
- Wise, W. E.** see Schoetz, D. J., Jr.
- Wish, J. B.** see Kraut, J. A.
- Wist, A. O.** see Fabiato, A.
- Wit, A. L., and Cranefield, P. F.** Reentrant excitation as a cause of cardiac arrhythmias. 235,4:H1
- Wit, A. L.**  
see Bassett, A. L.  
Fenoglio, J. J., Jr.  
Karagueuzian, H. S.
- Withrington, P. G.** see Richardson, P. D. I.
- Witte, C. L.** see Farrell, K. J.
- Witte, M. H.** see Farrell, K. J.
- Wittenberg, B. A.** see Cole, R. P.
- Witters, L. A., and Trasko, C. S.** Regulation of hepatic free fatty acid metabolism by glucagon and insulin. 237,6:E23
- Witzmann, F. A.**  
see Fitts, R. H.  
Kim, D. H.
- Wodzicki, A.** see McCoshen, J. A.
- Wolf, M. B.** Estimation of whole-body capillary transport parameters from osmotic transient data. 242,11:R227
- Wolfe, M. H.** see Wolfe, R. R.
- Wolfe, M. M.** see Misbin, R. I.
- Wolfe, R. A.** see Hansen, B. C.
- Wolfe, R. R.** Measurement of urea kinetics in vivo by means of constant tracer infusion of di- $^{15}\text{N}$ -urea. 240,3:E428
- Wolfe, R. R., and Burke, J. F.** Effect of burn trauma on glucose turnover, oxidation, and recycling in guinea pigs. 233,2:E80
- Wolfe, R. R., and Burke, J. F.** Glucose and lactate metabolism in experimental septic shock. 235,4:R219
- Wolfe, R. R., Durkot, M. J., and Wolfe, M. H.** Investigation of kinetics of integrated metabolic response to adrenergic blockade in conscious dogs. 241,4:E385
- Wolfe, R. R., Elahi, D., and Spitzer, J. J.** Glucose and lactate kinetics after endotoxin administration in dogs. 232,1:E180
- Wolfe, R. R., Hochachka, P. W., Treilstad, R. L., and Burke, J. F.** Lactate oxidation in perfused rat lung. 236,5:E276
- Wolfe, R. R., and Miller, H. I.** Cardiovascular and metabolic responses during burn shock in the guinea pig. 231:892
- Wolfe, R. R., Miller, H. I., and Spitzer, J. J.** Glucose and lactate kinetics in burn shock. 232,1:E415

- Wolfe, R. R. *see* Durkot, M. J.  
Wolff, D. *see* Essig, A.  
Wolff, N. C. *see* Houpt, T. R.  
Wolfson, J. A. *see* Arruda, J. A. L.  
Wolgast, M., Larson, M., and Nygren, K. Functional characteristics of the renal interstitium. 241,10:F105  
Wolk, M. J. *see* Levine, H. J.  
Wolkoff, A. W., Goresky, C. A., Sellin, J., Gatmaitan, Z., and Arias, I. M. Role of ligandin in transfer of bilirubin from plasma into liver. 236,5:E638  
Wollheim, C. B. *see* Janjic, D.  
Siegel, E. G.  
Wollin, A., Soll, A. H., and Samloff, I. M. Actions of histamine, secretin, and PGE<sub>2</sub> on cyclic AMP production by isolated canine fundic mucosal cells. 237,6:E437  
Wollin, A. *see* Dozois, R. R.  
Soll, A. H.  
Wolosin, J. M. *see* Forte, J. G.  
Wondergem, R. Transmembrane potential of rat hepatocytes in primary monolayer culture. 241,10:C209  
Wong, B. Y. S. *see* Goodyer, A. V. N.  
Wong, C. *see* Lautt, W. W.  
Wong, K. Y. *see* Goldfine, I. D.  
Jones, A. L.  
Wong, K.-L., and Tyce, G. M. A potential artifact in use of a new technique for rapid brain removal. 234,3:E365  
Wong, N. L. M., and Quamme, G. A. Tubular handling of bicarbonate and chloride in the dog. 241,10:F219  
Wong, N. L. M. *see* Roch-Ramel, F.  
Wen, S. F.  
Wong, P. C., Zimmerman, B. G., and Friedman, P. Release of PGE and PGI<sub>2</sub> in the pump-perfused dog kidney and associated hypotension. 240,9:F545  
Wong, P. C. *see* Zimmerman, B. G.  
Wong, T. M. *see* Mukherjee, A.  
Woo, S. K. *see* Stanton, H. C.  
Wood, C. A. *see* Hardison, W. G. M.  
Wood, C. D. *see* Shizgal, H. M.  
Wood, C. E., Keil, L. C., and Rudolph, A. M. Hormonal and hemodynamic responses to vena caval obstruction in fetal sheep. 243,6:E278  
Wood, C. E., Shinsako, J., and Dallman, M. F. Comparison of canine corticosteroid responses to mean and phasic increases in ACTH. 242,5:E102  
Wood, C. L., and Blum, J. J. Effect of vasoactive intestinal polypeptide on glycogen metabolism in rat hepatocytes. 242,5:E262  
Wood, C. L. *see* Rowe-Murphy, D. L.  
Wood, C. M., McMahon, B. R., and McDonald, D. G. Oxygen exchange and vascular resistance in the totally perfused rainbow trout. 234,3:R201  
Wood, J. *see* Singer, M. V.  
Wood, J. D., Mayer, C. J., Ninchoji, T., and Erwin, D. N. Effects of depleted calcium on electrical activity of neurons in Auerbach's plexus. 236,5:C78  
Wood, J. D. *see* Athey, G. R.  
Cooke, H. J.  
Dodds, W. J.  
Schulze, K.  
Vermillion, D. L.  
Wood, L. D. H. *see* Prewitt, R. M.  
Wood, R. J., Rolls, B. J., and Ramsay, D. J. Drinking following intracarotid infusions of hypertonic solutions in dogs. 232,1:R88  
Wood, R. J., Rolls, E. T., and Rolls, B. J. Physiological mechanisms for thirst in the nonhuman primate. 242,11:R423  
Wood, R. J. *see* Ramsay, D. J.  
Rolls, B. J.  
Wood, S. C., Johansen, K., and Gatz, R. N. Pulmonary blood flow, ventilation/perfusion ratio, and oxygen transport in a varanid lizard. 233,2:R89  
Woodcock, E. A., and Johnston, C. I. Selective inhibition by epinephrine of parathyroid hormone-stimulated adenylate cyclase in rat renal cortex. 242,11:F721  
Woodger, T. L., Sirek, A., and Anderson, G. H. Diabetes, dietary tryptophan, and protein intake regulation in weanling rats. 236,5:R307  
Woodhall, P. B. *see* Dennis, V. W.  
Woods, E. F. *see* Walsh, G. M.  
Woods, J. R., Jr., Brinkman, C. R., III, Dandavino, A., Murayama, K., and Assali, N. S. Action of histamine and H<sub>1</sub> and H<sub>2</sub> blockers on the cardiopulmonary circulation. 232,1:H73  
Woods, J. R., Jr., Dandavino, A., Brinkman, C. R., III, Nuwayhid, B., and Assali, N. S. Cardiac output changes during neonatal growth. 234,3:H520  
Woods, L. L., Thornburg, K. L., and Faber, J. J. Transplacental gradients in the guinea pig. 235,4:H200  
Woods, M. *see* Harmon, J. W.  
Woods, R. L., and Johnston, C. I. Role of vasopressin in hypertension: studies using the Brattleboro rat. 242,11:F727  
Woods, S. C., and Porte, D., Jr. Relationship between plasma and cerebrospinal fluid insulin levels of dogs. 233,2:E331  
Woods, W. T., Sherf, L., and James, T. N. Structure and function of specific regions in the canine atrioventricular node. 243,12:H41  
Woods, W. T., Urthaler, F., and James, T. N. Progressive postnatal changes in sinus node response to atropine and propranolol. 234,3:H412  
Woodward, J. J. *see* Casillas, E.  
Woolf, P. D. Resumption of prolactin secretion after dopaminergic inhibition: differential effects of dopamine and its agonists. 240,3:E700  
Woolf, P. D., and Letourneau, K. Characterization of a pituitary cell culture system derived from pregnant rats. 236,5:E239  
Woolson, R. F. *see* Stephens, J. R.  
Wooten, M. *see* Chiasson, J.-L.  
Worgul, T. J., Santen, R. J., Samojlik, E., Irwin, G., and Falvo, R. E. Evidence that brain aromatization regulates LH secretion in the male dog. 241,4:E246  
Work, J., Troutman, S. L., and Schafer, J. A. Transport of potassium in the rabbit pars recta. 242,11:F226  
Work, J. *see* Jamison, R. L.  
Wortsman, J., and Traycoff, R. B. Biological activity of protein-bound calcium in serum. 238,3:E104  
Wray, H. L., and Glinos, A. D. Cyclic nucleotides and growth regulation in suspension cultures of mammalian cells. 234,3:C131  
Wright, E. M. Transepithelial transport in cell culture: Introduction. 240,9:C91  
Wright, E. M. *see* Nord, E.  
Walling, M. W.  
Wright, F. S. Flow-dependent transport processes: filtration, absorption, secretion. 243,12:F1  
Wright, F. S., and Briggs, J. P. Feedback regulation of glomerular filtration rate. 233,2:F1  
Wright, F. S., and Giebisch, G. Renal potassium transport: contributions of individual nephron segments and populations. 235,4:F515  
Wright, F. S. *see* Briggs, J. P.  
Good, D. W.  
Peterson, L. N.  
Velázquez, H.  
Wright, G. L., and Rankin, G. O. Concentrations of ionic and total calcium in plasma of four models of hypertension. 243,12:H365  
Wright, G. L. *see* Knecht, E. A.  
Toraason, M. A.  
Wright, L. *see* Hirschowitz, B. I.  
Wright, P. *see* Bartels, H.  
Wright, R. D. *see* Blair-West, J. R.  
Wright, S. H., Snape, W. J., Jr., Battle, W., Cohen, S., and London, R. L. Effect of dietary components on gastrocolonic response. 238,1:G228  
Wright, S. H. *see* Nord, E.  
Wu, V.-Y. *see* Cohen, M. P.  
Wu, W. *see* Costrini, N. V.  
Wu, Z.-A. C., and Gaginella, T. S. Functional properties of noradrenergic nervous system in rat colonic mucosa: uptake of [<sup>3</sup>H]norepinephrine. 241,4:G137  
Wu, Z.-A. C., and Gaginella, T. S. Release of [<sup>3</sup>H]norepinephrine from nerves in rat colonic mucosa: effects of norepinephrine and prostaglandin E<sub>2</sub>. 241,4:G416  
Wünsch, E. *see* Konturek, S. J.  
Wurster, R. D. *see* Barman, S. M.  
Chung, J. M.  
Geis, G. S.  
Norris, J. E.  
Wyatt, H. L., Chuck, L., Rabinowitz, B., Tyberg, J. V., and Parmley, W. W. Enhanced cardiac response to catecholamines in physically trained cats. 234,3:H608  
Wyatt, H. L. *see* Vas, R.  
Wyatt, R. F. *see* Hayashi, H.  
Wyban, J. A., Ahearn, G. A., and Maginniss, L. A. Effects of organic solutes on transmembrane PD and Na transport in freshwater prawn intestine. 239,8:C11  
Wylds, A. C. *see* Boineau, J. P.  
Wyse, B. W. *see* Reibel, D. K.  
Wyss, C. R., Bennett, T. D., and Scher, A. M. Beat-by-beat control of cardiac output in awake dogs with atrioventricular block. 242,11:H1118

Y

- Yablonski, M. E. *see* Hakim, A. A.  
Yablonski, M. R., Van De Water, J. M., Mount, B. E., Laska, E. D., and Indech, R. B. Calibrated impedance plethysmograph. 239,8:H283  
Yacoe, M. E., Cummings, J. W., Myers, P., and Creighton, G. K. Muscle enzyme profile, diet, and flight in South American bats. 242,11:R189  
Yacoub, N. J. *see* Donahue, M. J.  
Yadava, V. P. *see* Al-Bazzaz, F.  
Yaffe, S. *see* Büniger, R.  
Yagil, R., Lerner, Z., Etzion, Z., and Berlyne, G. M. Acid-base changes in milk and blood of rats in acidosis and alkalosis. 231:132  
Yamada, K. *see* Ohe, K.  
Yamada, T., Solomon, T. E., Petersen, H., Levin, S. R., Lewin, K., Walsh, J. H., and Grossman, M. I. Effects of gastrointestinal polypeptides on hormone content of endocrine pancreas in the rat. 238,1:G526  
Yamada, T. *see* Seal, A.  
Yamagishi, T., and Debas, H. T. Cholecystokinin inhibits gastric emptying by acting on both proximal stomach and pylorus. 234,3:E375  
Yamagishi, T. *see* Debas, H. T.



- Yamaguchi, I.**, and Kopin, I. J. Plasma catecholamine and blood pressure responses to sympathetic stimulation in pithed rats. 237,6:H305
- Yamaguchi, I.**, and Kopin, I. J. Blood pressure, plasma catecholamines, and sympathetic outflow in pithed SHR and WKY rats. 238,7:H365
- Yamaguchi, I.**, Torda, T., Hirata, F., and Kopin, I. J. Adrenoceptor desensitization after immobilization stress or repeated injection of isoproterenol. 240,9:H691
- Yamaguchi, O.** see Constantinou, C. E.
- Yamaguchi, T.**, Hitzig, B., and Coburn, R. F. Endogenous prostaglandin in guinea pig taenia coli. 230:149
- Yamaguchi, T.**, Hitzig, B., and Coburn, R. F. Endogenous prostaglandins and mechanical tension in canine trachealis muscle. 230:1737
- Yamakoshi, K.-I.**, Shimazu, H., and Togawa, T. Indirect measurement of instantaneous arterial blood pressure in the rat. 237,6:H632
- Yamakoshi, K.-I.**, Shimazu, H., Togawa, T., and Ito, H. Admittance plethysmography for accurate measurement of human limb blood flow. 235,4:H821
- Yamamoto, J.**, Trippodo, N. C., Ishise, S., and Frohlich, E. D. Total vascular pressure-volume relationship in the conscious rat. 238,7:H823
- Yamamoto, J.**, Trippodo, N. C., MacPhee, A. A., and Frohlich, E. D. Decreased total venous capacity in Goldblatt hypertensive rats. 240,9:H487
- Yamamoto, J.** see Ishise, S.
- Yamamoto, K.** see Abe, Y.
- Morimoto, S.
- Okahara, T.
- Yamamoto, M.** see Tomita, M.
- Yamamoto, W. S.** A mathematical simulation of the hyperpnea of metabolic CO<sub>2</sub> production and inhalation. 235,4:R265
- Yamamoto, W. S.** Computer simulation of ventilatory control by both neural and humoral CO<sub>2</sub> signals. 238,7:R28
- Yamasaki, K.**, and Lico, M. C. Electroencephalographic serotonin synchronization: area postrema and solitary tract nucleus. 241,10:R158
- Yamashiro, S. M.** see Livnat, A.
- Yarger, W. E.**, Boyd, M. A., and Schrader, N. W. Evaluation of methods of measuring glomerular and nutrient blood flow in rat kidneys. 235,4:H592
- Yarimizu, S.** see Moore, L. C.
- Schnermann, J.
- Yasuhara, K.** see Kusachi, S.
- Saito, D.
- Yasumura, S.** Effect of adrenal steroids on bone resorption in rats. 230:90
- Yasumura, S.**, Ellis, K. J., Fairchild, E., Brook, D., and Cohn, S. H. Effect of graded doses of cortisol on total body calcium in rats. 231:1760
- Yasumura, S.** see Cohn, S. H.
- Yasunaga, K.** see Nosaka, S.
- Yates, F. E.** Editorial. 232,1:R3
- Yates, F. E.** Reductionist versus organismic biology. 233,2:R73
- Yates, F. E.** Explanation in science: is there a general theory of systems? 233,2:R169
- Yates, F. E.** Is physics envy the curse of biology? 234,3:R1
- Yates, F. E.** Thermodynamics and life. 234,3:R81
- Yates, F. E.** Good manners in good modeling: mathematical models and computer simulations of physiological systems. 234,3:R159
- Yates, F. E.** Osmosis: a transport of confusion. 235,4:R1
- Yates, F. E.** Complexity and the limits to knowledge. 235,4:R201
- Yates, F. E.** Scientific creativity, pathological science, and the gauntlet of review. 236,5:R1
- Yates, F. E.** Integrative physiology as physical biology. 236,5:R239
- Yates, F. E.** Comparative physiology: compared to what? 237,6:R1
- Yates, F. E.** Introducing a forum on osmosis. 237,6:R93
- Yates, F. E.** Integrative pharmacology—beyond structure-activity relationships into pharmacokinetics. 237,6:R251
- Yates, F. E.** Two minds about brain asymmetries. 238,7:R1
- Yates, F. E.** Physical causality and brain theories. 238,7:R277
- Yates, F. E.** Getting the homunculus out of the head. 239,8:R363
- Yates, F. E.** Comparative physiology of energy production: homeotherms and poikilotherms. 240,9:R1
- Yates, F. E.** Our daily rounds of activity and temperature. 242,11:R1
- Yates, F. E.** Structure and function, form and process. 242,11:R409
- Yates, F. E.** *Physiological Integrations in Action* (Book Review). 243,12:R471
- Yates, F. E.** see Maran, J. W.
- Smith, S. W.
- Walter, D. O.
- Yates, J.** see Wiesmann, W.
- Yates, J. C.**, Schofield, B., and Roth, S. H. Acid secretion and motility of isolated mammalian gastric mucosa and attached muscularis externa. 234,3:E319
- Yates, J. C.** see Dhalla, N. S.
- Yau, W.** see Prosser, C. L.
- Yeager, J. C.**, Scott, J. B., and Haddy, F. J. An extracorporeal shunt for the measurement of coronary flow in the closed-chest dog. 233,2:H154
- Yedavally, S.** see Penney, D. G.
- Yedlin, S. T.** see Young, G. P.
- Yee, V. J.** see Warnock, D. G.
- Yeh, A. K.** see Yip, L. C.
- Yeh, K. Y.** see Seetharam, B.
- Yelich, M. R.**, Euler, D. E., Wehrmacher, W. H., Sinha, S. N., and Randall, W. C. Parasympathetic influence on atrial vulnerability in the puppy. 235,4:H683
- Yelich, M. R.**, and Filkins, J. P. Mechanism of hyperinsulinemia in endotoxemia. 239,2:E156
- Yelich, M. R.** see Filkins, J. P.
- Yellin, E. L.**, Peskin, C., Yoran, C., Koenigsberg, M., Matsumoto, M., Laniado, S., McQueen, D., Shore, D., and Frater, R. W. M. Mechanisms of mitral valve motion during diastole. 241,10:H389
- Yellin, E. L.** see McQueen, D. M.
- Yen, K.** see Urist, M. R.
- Yen, R. T.**, and Fung, Y. C. Effect of velocity distribution on red cell distribution in capillary blood vessels. 235,4:H251
- Yen, S. S. C.** see Adashi, E. Y.
- Yeoh, H. H.**, Rice, L. E., Maggio, A., and Levin, M. L. Effects of 4-pentenol acid on renal phosphate and calcium excretion in the dog. 231:216
- Yim, G. K. W.** see Babbs, C. F.
- Yin, F. C. P.**, Cohen, J. M., Tsitlik, J., Zola, B., and Weisfeldt, M. L. Role of carotid artery resistance to collapse during high-intrathoracic-pressure CPR. 243,12:H259
- Yin, F. C. P.**, Spurgeon, H. A., Rakusan, K., Weisfeldt, M. L., and Lakatta, E. G. Use of tibial length to quantify cardiac hypertrophy: application in the aging rat. 243,12:H941
- Yin, F. C. P.** see Lakatta, E. G.
- Spurgeon, H. A.
- Yingling, J. E.** see Anderson, D. E.
- Yip, L. C.**, Yeh, A. K., and Balis, M. E. Subcellular distribution of PribPP synthetase activity of rat intestinal mucosa. 239,2:G266
- Yipintsoi, T.**, Penpargkul, S., Ritzer, T., and Scheuer, J. Myocardial energy supply-demand factors: flow and metabolism during isoproterenol infusion in dogs. 237,6:H696
- Yipintsoi, T.** see Cohen, M. V.
- Yochim, J. M.**, and Shirer, H. W. Evidence for a photoperiod-sensitive pacemaker for estrous cycle of the rat. 241,4:E261
- Yochim, J. M.**, and Spencer, F. Core temperature in the female rat: effect of ovariectomy and induction of pseudopregnancy. 231:361
- Yochim, J. M.** see Spencer, F.
- Yokoo, H.** see Shambaugh, G. E., III
- Yokoyama, K.** see Hosomi, H.
- Yokoyama, S.**, and Ozaki, T. Polarity of effects of stimulation of Auerbach's plexus on longitudinal muscle. 235,4:E345
- Yokoyama, S.**, Ozaki, T., and Kajitsuka, T. Excitation conduction in Auerbach's plexus of rabbit small intestine. 232,1:E106
- Yokoyama, S.**, Ozaki, T., and Kajitsuka, T. Excitation conduction in Meissner's plexus of rabbit small intestine. 232,1:E109
- Yoneda, S.** see Matsumoto, M.
- Yonezawa, Y.**, Ninomiya, I., and Nishiura, N. A multichannel telemetry system for recording cardiovascular neural signals. 236,5:H513
- Yoo, P.** see Schlondorff, D.
- Yoon, M. S.** see Tse, W. W.
- Yoran, C.**, Higginson, L., Romero, M. A., Covell, J. W., and Ross, J., Jr. Reflex sympathetic augmentation of left-ventricular inotropic state in the conscious dog. 241,10:H857
- Yoran, C.** see Yellin, E. L.
- Yorio, T.**, and Bentley, P. J. Permeability of the rabbit colon in vitro. 232,1:F5
- Yoshida, H.** see Michelakis, A. M.
- Yoshii, C.** see Yoshii, K.
- Yoshii, K.**, Yoshii, C., Kobatake, Y., and Kurihara, K. High sensitivity of *Xenopus* gustatory receptors to amino acids and bitter substances. 243,12:R42
- Yoshimura, F. K.** see Rossier, B. C.
- Yoshimura, R.** see Kanaide, H.
- You, C. H.**, Rominger, J. M., and Chey, W. Y. Effects of atropine on the action and release of secretin in humans. 242,5:G608
- Young, D. B.** Relationship between plasma potassium concentration and renal potassium excretion. 242,11:F599
- Young, D. B.**, and Jackson, T. E. Effects of aldosterone on potassium distribution. 243,12:R526
- Young, D. B.**, and McCaa, R. E. Role of the renin-angiotensin system in potassium control. 238,7:R359
- Young, D. B.**, McCaa, R. E., Pan, Y.-J., and Guyton, A. C. Effectiveness of the aldosterone-sodium and -potassium feedback control system. 231:945
- Young, D. B.**, Murray, R. H., Bengis, R. G., and Markov, A. K. Experimental angiotensin II hypertension. 239,8:H391
- Young, D. B.**, Pan, Y.-J., and Guyton, A. C. Control of extracellular sodium concentration by antidiuretic hormone-thirst feedback mechanism. 232,1:R145



- Young, D. K.**, and Marsh, D. J. Pulse wave propagation in rat renal tubules: implications for GFR autoregulation. 240,9:F446
- Young, D. M.** *see* Milman, H. A.
- Young, E. W.**, and Sparks, H. V. Prostaglandin E release from dog skeletal muscle during restricted flow exercise. 236, 5:H596
- Young, E. W.**, and Sparks, H. V. Prostaglandins and exercise hyperemia of dog skeletal muscle. 238,7:H191
- Young, E. W.** *see* Morganroth, M. L.
- Young, G. P.**, Friedman, S., Yedlin, S. T., and Alpers, D. H. Effect of fat feeding on intestinal alkaline phosphatase activity in tissue and serum. 241,4:G461
- Young, J. A.** *see* Denniss, A. R.
- Young, J. B.**, and Landsberg, L. Effect of diet and cold exposure on norepinephrine turnover in pancreas and liver. 236,5: E524
- Young, J. B.**, and Landsberg, L. Effect of concomitant fasting and cold exposure on sympathoadrenal activity in rats. 240,3: E514
- Young, R. B.** *see* Tait, G. A.
- Young, V. R.**  
*see* Conway, J. M.  
Goodman, M. N.  
Matthews, D. E.  
Motil, K. J.
- Youngberg, S. P.** *see* Knox, F. G.
- Yovos, J. G.**, O'Dorisio, T. M., Pappas, T. N., Cataland, S., Thomas, F. B., Mekhjian, H., and Carey, L. C. Effects of amino acids and gastric inhibitory polypeptide on insulin release in dogs. 242,5:E53
- Yu, B. P.**  
*see* Beck, N.  
Herlihy, J. T.  
Liepa, G. U.  
McCarter, R. J. M.
- Yu, K. F.** *see* Haddad, G. G.
- Yu, K. T.**, and Gould, M. K. Permissive effect of ATP on insulin-stimulated sugar transport by rat soleus muscle. 234,3: E407
- Yu, K. T.**, and Gould, M. K. Effect of prolonged anaerobiosis on <sup>125</sup>I-insulin binding to rat soleus muscle: permissive effect of ATP. 235,4:E606
- Yu, L. C.** *see* Chou, C. C.
- Yu, S. S.** *see* Aviv, A.
- Yü, T.-F.** *see* Dju, M. Y.
- Yu, Y. M.** *see* Chou, C. C.
- Yuasa, S.** *see* Kimura, G.
- Yudilevich, D. L.**, Eaton, B. M., Short, A. H., and Leichtweiss, H.-P. Glucose carriers at maternal and fetal sides of the trophoblast in guinea pig placenta. 237, 6:C205
- Yudilevich, D. L.**  
*see* Eaton, B. M.  
Syrota, A.
- Yukimura, T.** *see* Okahara, T.
- Yum, M. N.** *see* Tanner, G. A.
- Yun, J. C. H.**, Delea, C. S., Bartter, F. C., and Kelly, G. Increase in renin release after sinoaortic denervation and cervical vagotomy. 230:777
- Yunice, A. A.**, King, R. W., Jr., Kraikitanitch, S., Haygood, C. C., and Lindeman, R. D. Urinary zinc excretion following infusions of zinc sulfate, cysteine, histidine, or glycine. 235,4:F40
- Yuu, H.** *see* Otsuki, M.
- Yuwiler, A.**, Klein, D. C., Buda, M., and Weller, J. L. Adrenergic control of pineal N-acetyltransferase activity: developmental aspects. 233,2:E141
- Yuwiler, A.** *see* Brammer, G. L.
- Z**
- Zabinski, M. P.**, and Biancani, P. Longitudinal force and stress of rat's esophagus: age-related changes. 232,1:E580
- Zabinski, M. P.**  
*see* Behar, J.  
Biancani, P.
- Zaccaria, J.** *see* Bloomer, J. R.
- Zacur, H. A.**, Mitch, W. E., Tyson, J. E., Ostrow, P. T., and Foster, G. V. Autoregulation of rat pituitary prolactin secretion demonstrated by a new perfusion method. 242,5:E226
- Zadunaisky, J. A.**  
*see* Degnan, K. J.  
Spinowitz, B. S.
- Zahajsky, T.** *see* Fejes-Tóth, G.
- Zahm, J.-M.** *see* Puchelle, E.
- Zaman, Q.** *see* Freidman, H. S.
- Zambraski, E. J.**, and DiBona, G. F. Angiotensin II in antinatriuresis of low-level renal nerve stimulation. 231:1105
- Zambraski, E. J.**, and Dunn, M. J. Renal prostaglandin E<sub>2</sub> secretion and excretion in conscious dogs. 236,5:F552
- Zambraski, E. J.** *see* Prosnitz, E. H.
- Zamlauskis, M. J.** *see* Merckens, L. S.
- Zanchetti, A.**  
*see* Baccelli, G.  
Dampney, R. A. L.  
Stella, A.
- Zanetta, A. C.** *see* Rebolledo, O. R.
- Zaneveld, L. J. D.** *see* Bhattacharyya, A. K.
- Zanzi, I.**  
*see* Aloia, J. F.  
Cohn, S. H.
- Zapf, J.** *see* Schoenle, E.
- Zapf, W. M.**  
*see* Murphy, B. J.  
Peterson, M. B.  
Schuette, A. H.
- Zaroulis, C. G.** *see* Spector, J. I.
- Zatzman, M. L.**, and South, F. E. Circannual renal function and plasma electrolytes of the marmoset. 241,10:R87
- Zatzman, M. L.**  
*see* Kamm, K. E.  
Kastner, P. R.
- Zawalich, W.**, Maturro, S., and Felig, P. Influence of physical training on insulin release and glucose utilization by islet cells and liver glucokinase activity in the rat. 243,6:E464
- Zečević, D.**, and Levitan, H. Temperature acclimation: effects on membrane physiology of an identified snail neuron. 239,8:C47
- Zehr, J. E.**, Standen, D. J., and Cipolle, M. D. Characterization of angiotensin pressor responses in the turtle *Pseudemys scripta*. 240,9:R276
- Zehr, J. E.**  
*see* Kurz, K. D.  
Livnat, A.  
Schultz, H. D.
- Zeidler, R. B.** *see* Kim, H. D.
- Zeidner, L. P.** *see* Thoman, E. B.
- Zeigler, D. W.** *see* Johnson, J. A.
- Zeleznik, A. J.**, Keyes, P. L., Menon, K. M. J., Midgley, A. R., Jr., and Reichert, L. E., Jr. Development-dependent responses of ovarian follicles to FSH and hCG. 233,2:E229
- Zelis, R.**  
*see* Flaim, S. F.  
Longhurst, J.  
Nellis, S. H.
- Zenser, T. V.**, and Davis, B. B. Effects of calcium on prostaglandin E<sub>2</sub> synthesis by rat inner medullary slices. 235,4:F213
- Zenser, T. V.**, Herman, C. A., and Davis, B. B. Effects of calcium and A23187 on renal inner medullary prostaglandin E<sub>2</sub> synthesis. 238,1:E371
- Zenser, T. V.**, Levitt, M. J., and Davis, B. B. Possible modulation of rat renal prostaglandin production by oxygen. 233,2: F539
- Zenser, T. V.**  
*see* Armbricht, H. J.  
Brown, W. W.  
Curnow, R. T.  
George, D. T.
- Zerbe, G. O.**, Archer, P. G., Banchero, N., and Lechner, A. J. On comparing regression lines with unequal slopes. 242,11: R178
- Zerbe, R. L.** *see* Feuerstein, G.
- Zerwekh, J.** *see* Schmulen, A. C.
- Zetterström, R.** *see* Aperia, A.
- Zeuthen, T.** *see* McLennan, W. L.
- Zfass, A. M.** *see* Bitar, K. N.
- Ziegler, M. G.** *see* Tucker, B. J.
- Ziembra, A.** *see* Greenleaf, J. E.
- Zierler, K.**, and Rogus, E. Insulin does not hyperpolarize rat muscle by means of a ouabain-inhibitable process. 241,10: C145
- Zierler, K.**, and Rogus, E. M. Hyperpolarization as a mediator of insulin action: increased muscle glucose uptake induced electrically. 239,2:E21
- Zieske, H.**  
*see* Levy, M. N.  
Stuesse, S. L.  
Wallick, D. W.
- Zieve, F. J.** *see* Freude, K. A.
- Zijlstra, W. G.** *see* Zweens, J.
- Zilenovski, A. M.**, Kuroda, S., Bhat, S., Bank, D. E., and Bank, N. Effect of sodium bicarbonate on phosphate excretion in acute and chronic PTX rats. 236,5:F184
- Zilversmit, D. B.** *see* Ross, A. C.
- Zimmerman, B. G.**, and Mommsen, C. Renal blood flow changes in contralateral kidney of Goldblatt hypertensive dog. 241,10:H145
- Zimmerman, B. G.**, Wong, P. C., Kounenis, G. K., and Kraft, E. J. No effect of intrarenal converting enzyme inhibition on canine renal blood flow. 243,12: H277
- Zimmerman, B. G.**  
*see* Satoh, S.  
Wong, P. C.
- Zimmerman, M. B.** *see* Blaine, E. H.
- Zimmerman, T. W.**, Dobbins, J. W., and Binder, H. J. Mechanism of cholinergic regulation of electrolyte transport in rat colon in vitro. 242,5:G116
- Zimmermann, W. A.** *see* Aeberhard, P. F.
- Zimpfer, M.**, Manders, W. T., Barger, A. C., and Vatner, S. F. Pentobarbital alters compensatory neural and humoral mechanisms in response to hemorrhage. 243,12:H713
- Zimpfer, M.**  
*see* Boettcher, D. H.  
Vatner, S. F.
- Zin, W. A.** *see* Fonseca-Costa, A.
- Zingg, W.** *see* Ward, C. A.
- Zink, H.**, and Horster, M. Maturation of diluting capacity in loop of Henle of rat superficial nephrons. 233,2:F519
- Zink, J.**, and Greenway, C. V. Intraperitoneal pressure in formation and reabsorption of ascites in cats. 233,2:H185
- Zinman, B.**  
*see* Goriya, Y.  
Minuk, H. L.  
Nelson, J. D.
- Zinner, M. J.**, Kasher, F., Modlin, I. M., and Jaffe, B. M. Effect of xenopsin on blood flow, hormone release, and acid secretion. 243,6:G195
- Zinner, M. J.**, Kerr, J. C., and Reynolds, D. G. Primate gastric circulation: effects of catecholamines and adrenergic blockade. 230:346

- Zinner, M. J.** *see* Donowitz, M.  
**Zipes, D. P.**  
*see* Elharrar, V.  
 Gilmour, R. F., Jr.  
**Zipser, R. D.,** and Martin, K. Urinary excretion of arterial blood prostaglandins and thromboxanes in man. 242,5:E171  
**Ziskin, M. C.** *see* Meier, G. D.  
**Zitnik, G.** *see* Guarneri, T.  
**Zmuda, M. J.** *see* Chin, T. Y.  
**Zola, B.** *see* Yin, F. C. P.  
**Zoller, K. M.** *see* Kraut, J. A.  
**Zollman, P. E.** *see* Su, L.-C.  
**Zor, U.** *see* Naor, Z.  
**Zouboulis-Vafiadis, I.,** Dumont, M., and Erlinger, S. Conjugation is rate limiting in hepatic transport of ursodeoxycholate in the rat. 243,6:G208  
**Zucker, A.,** Gleason, S. D., and Schneider, E. G. Renal and endocrine response to water deprivation in dog. 242,11:R296  
**Zucker, A.**  
*see* Nishimura, H.  
 Obika, L. F. O.  
**Zucker, I.,** and Boshes, M. Circannual body weight rhythms of ground squirrels: role of gonadal hormones. 243,12:R546  
**Zucker, I.,** Fitzgerald, K. M., and Morin, L. P. Sex differentiation of the circadian system in the golden hamster. 238,7:R97  
**Zucker, I. H.,** Earle, A. M., and Gilmore, J. P. Changes in the sensitivity of left atrial receptors following reversal of heart failure. 237,6:H555  
**Zucker, I. H.,** Gilmore, C., Dietz, J., and Gilmore, J. P. Effect of volume expansion and veratrine on salt gland secretion in the goose. 232,1:R185  
**Zucker, I. H.,** and Kaley, G. Natriuresis induced by intracarotid infusion of hypertonic NaCl. 230:427  
**Zucker, I. H.,** Share, L., and Gilmore, J. P. Renal effects of left atrial distension in dogs with chronic congestive heart failure. 236,5:H554  
**Zucker, I. H.** *see* Gilmore, J. P.  
**Zucker, M. B.** *see* Grant, R. A.  
**Zugaib, M.** *see* Lieb, S. M.  
**Zullo, J.** *see* Jones, R. M.  
**Zuperku, E. J.**  
*see* Hopp, F. A.  
 Kostreva, D. R.  
 Purtock, R. V.  
**Zusman, R. M.,** Keiser, H. R., and Handler, J. S. Effect of adrenal steroids on vasopressin-stimulated PGE synthesis and water flow. 234,3:F532  
**Zwart, A.,** and Luijendijk, S. C. M. Excretion-retention diagram to evaluate gas exchange properties of vertebrate respiratory systems. 243,12:R329  
**Zweens, J.,** Frankena, H., Van Kampen, E. J., Rispens, P., and Zijlstra, W. G. Ionic composition of arterial and mixed venous plasma in the unanesthetized dog. 233,2:F412  
**Zweifach, B. W.**  
*see* De Lano, F. A.  
 Hargens, A. R.

# Subject Index to Volumes 230-243

## A

**A 23187:** see Ionophore calcium

### Abdomen

vascular capacitance

reflex response from aortic baroreceptors, 235,4:H488

response to splanchnic stimulation, 231:434

**Abdominal afferents,** depressor responses (monkey, dog), 240,9:R23

**Abomasum,** gastrin concentration, fetal and neonatal (sheep), 241,4:G235

**Absorbate,** collection and analysis, proximal straight tubules, 241,10:F597

### Absorptiometry

bone mass, 230:143

photon, postmenopausal women, 235,4:E82

**Absorption:** see specific subject and site

**Absorption coefficient,** Evans blue dye, 232,1:H204

**Absorptive cells,** chloride activity, small intestine (*Amphiuma*), 232,1:E553

**Absorptive intensity,** measurement, in vivo, 239,8:F466

**Acceleration,** low-frequency, cardiovascular regulation during, 243,12:H998

**Accessory cells,** branchial epithelium (fish), 238,7:R199, R207

**Acclimation, Acclimatization:** see

Temperature, and the specific

environmental condition

**4-Acetamido-4'-isothiocyanostilbene-**

**2,2'-disulfonic acid**

p-aminohippurate transport, renal tubules (garter snake), 238,7:F16

electrical effects, proximal convoluted tubule, 240,9:F459

organic ion transport, renal cortex, 234,3:F302

pH regulation, muscle fibers (barnacle), 237,6:C185

pH transients

diaphragm muscle, 235,4:C49

muscle fiber (barnacle), 233,2:C61

sulfate transport and, proximal convoluted tubules, 241,10:F300

### Acetate

metabolic substrate, fetus, 230:357

perfusion, tissue potassium and, kidney, 242,11:F360

pyruvate oxidation, adrenergic stimulation, myocardial (guinea pig), 242,11:H30

splanchnic and skeletal muscle, prolonged exercise, 233,2:E195

transport, pars recta, 234,3:F332

### Acetazolamide

acid excretion, kidney, 240,9:F306

acid transport, renal cortical tissue, cell pH and, 239,8:F440

alkalinization, active, gastric mucosa (amphibia), 233,2:E1

ammoniogenesis, renal, 234,3:F235

bicarbonate absorption collecting tubules, 234,3:F141

small intestine (amphibian), 241,4:G389

bicarbonate reabsorption

kidney, 232,1:F484

papillary collecting duct, 243,12:F74

proximal tubule, 236,5:F58, 237,6:F447

renal insufficiency, 234,3:F472

bicarbonate transport

duodenum (bullfrog), 239,2:G198

fluid and, proximal tubules, 240,9:F54

proximal convoluted tubules,

233,2:F307

carbon dioxide permeability

kidney tubules, 240,9:F231

proximal convoluted tubule, 242,11:F470

carbonic anhydrase and, proximal acidification, 238,7:F372

carbonic anhydrase inhibition, proximal reabsorption and, 242,11:F274

carbonic anhydrase (tobacco hornworm), 241,10:R92

chemoreceptor response and, carotid body, 242,11:C200

chloride absorption-base excretion, coupling, skin (frog), 235,4:F33

chloride concentration gradient, newborn, 239,8:F328

chloride flux mechanisms, skin (frog), 232,1:F550

chloride transport, urinary bladder (toad), 233,2:F421

cochlear potential, 235,4:F317

contralateral kidney clamping, 230:1225

gluconeogenesis, hydrogen ion transport, urinary bladder (turtle), 239,8:F366

hydrogen excretion, skin (frog), 233,2:F46

ionic requirements, proximal tubular sodium transport, 236,5:F268

juxtamedullary and superficial nephrons, 239,8:F336

lactate and sodium, kidney, 240,9:F343

luminal fluid acidification and, kidney tubules, 242,11:F521

maleate and, inhibition of renal bicarbonate reabsorption, 231:1258

maleic acid-induced tubular dysfunction and, 243,12:F604

metabolic acidosis, proximal reabsorption during, 242,11:F499

phosphaturic effect of furosemide, 232,1:F105

physiological studies, 232,1:F291

potassium reabsorption and secretion, perfused kidney (bullfrog), 235,4:F26

potassium transport, renal (bullfrog), 233,2:F464

sodium absorption, skin (frog), 233,2:F46

sodium transport, bladder (toad), 232,1:F210

theophylline-induced bicarbonate secretion, small intestine (*Amphiuma*), 236,5:F775

volume expansion, compensatory adaptation, 235,4:F528

**Acetazolamine,** specialized cell function and, urinary bladder (turtle), 242,11:F627

### Acetoacetate

ketone bodies

antiammoniogenic effect of, 239,8:F420

kinetics of, 243,12:R7

nonsteady state, turnover, 240,3:E253

turnover and net ketone production, hepatic, 235,4:E238

ketone utilization, hepatocytes, fetal, 235,4:E330

metabolism, brain, fetal, 241,4:E200

pyrimidine biosynthesis, brain, fetal, 243,6:E234

substrate oxidation specificity, muscle, 236,5:C66

tubular dysfunction, maleate-induced, 239,8:F50

**Acetoacetyl-CoA-thiolase,** ketone utili-

zation, hepatocytes, fetal,

235,4:E330

**Acetone,** nonsteady state turnover, tracer technique, 240,3:E253

**N-Acetyl-4-aminoantipyrine,** water distribution indicator, developing teeth, 232,1:F358

**Acetylaspartate,** fatty acid metabolism, lung, 232,1:E358

**Acetylation,** prostaglandin synthesis, renomedullary, 236,5:H65

### Acetylcarnitine

fatty acid metabolism, lung, 232,1:E358

urinary excretion of, ketosis, 243,6:E168

### Acetylcholine

acid and alkaline secretion, gastric (frog), 239,2:G255

acute renal failure, norepinephrine-induced, 235,4:F131

adenosine monophosphate, cyclic, pancreatic islets, 235,4:E493

adrenergic-cholinergic interactions, cardiovascular neurotransmission, 238,7:H275

anoxia, glucose depletion and, 230:1261

arousal from hibernation, 230:368

atrial contractility, 239,8:H365

atrioventricular junctional rate, 237,6:H275

automaticity of Purkinje fibers, 230:116

blood flow, renal, 232,1:F147

bombesin effects and, gastric muscle contraction, 243,6:G141

calcium-ion dependent secretagogue stimulation, gastric glands, 239,2:G90

cardiac function and metabolism, newborn (lamb), 233,2:H451

cardiac muscle cell sensitivity, embryo (chick), 233,2:C172

cardiac responses, vagal stimulation, 243,12:H219

chloride and sodium ion fluxes, tracheal epithelium, 231:1546

cholera toxin inotropic effect and, ventricular muscle (chick), 243,12:H434

cholinergic and histaminergic reflex vasodilation, 234,3:H305

colonic muscle response, 237,6:E383

contractile response

ductus arteriosus, 231:240

vascular smooth muscle, 238,7:H761

### desensitization

cholinergic receptor at sinoatrial cell, 238,7:H439

muscle (frog), 242,11:C319

differential sensitivity, sinus node neurotransmitters, 233,2:H211

eccrine myoepithelial mechanical properties and functions, 237,6:C177

electrolyte excretion, kidney tubules (chicken), 240,9:F211

energy budget (chicken), 239,8:R57

enzyme secretion and, pancreas, 243,12:C196

epinephrine and, interaction on heart protein kinase, 234,3:H432

fibrinogen synthesis, 233,2:H1

fluid exchange, transcapillary, 230:1148

glomerular filtration rates, 233,2:F61

glycogen metabolism and, muscle contraction (roundworm), 242,11:R514

heart, 231:781

hibernation, 230:1018

indomethacin-induced pulmonary vaso-

constriction (lamb), 238,7:H639

insulin release and, 231:1246

lithium, 230:1132

microvascular cholinergic receptors,

liver, 236,5:E728

SUBJECT INDEX

**Acetylcholine (continued)**

- muscarinic receptor activation, blood flow and, coronary, 240,9:H941
- muscle layers, portal vein, 242,5:G498
- negative inotropic effect, cardiac muscle, maturation, 238,7:H1
- noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112
- norepinephrine release, sympathetic nerve stimulation, lungs, 235,4:H803
- pancreatic acinar cell function, 238,1:G269
- phosphate uptake, cellular renal cortex, role of guanosine monophosphate, cyclic, 233,2:E203
- Purkinje fiber action potentials (sheep), 238,7:H237
- receptors: *see* Receptors
- relaxant responses and, cerebral arteries, 243,12:H145
- release
  - adrenergic-cholinergic axoaxonic synapse, gut, 236,5:E738
  - neural control, heart, 240,9:H431
  - neuromuscular junction, 236,5:C225
  - sympathetic stimulation effects, cardiac, 241,10:H850
- resynaptic inhibition, renal adrenergic nerves, 237,6:H326
- sensitivity differences, sinoatrial and atrioventricular nodes, 241,10:H684
- smooth muscle cell
  - responses (frog), 232,1:C144
  - gastric (toad), 237,6:E172
- sodium and calcium transmembrane movement, pancreatic acinar cells, 242,5:G513
- sodium-potassium exchange effects, smooth muscle, 243,12:H553
- vagal sensitivity and, differential sensitivity, cardiac, 234,3:H460
- vascular capacitance, intestinal, 234,3:H7
- vascular reactivity, isolated tibia, 236,5:H904
- vasodilation, interstitial pressure control, renal, 243,12:F325
- zinc excretion, urinary, 240,9:F299
- Acetyl-CoA**, translocation, lung, 232,1:E364
- Acetyl-CoA carboxylase**, portacaval shunt, liver, 239,2:G83
- $\beta$ -N-Acetylglucosaminidase**, myometrial lysosomes, ovarian hormone effects, 232,1:E423
- Acetylglutamate**, arginine-free meals and, 241,4:E310
- Acetyl glyceryl ether phosphorylcholine**, smooth muscle contraction, ileum, 241,10:C130
- N-Acetylimidazole**, sodium channel, bladder epithelium (turtle, toad), 239,8:F299
- Acetylsalicylic acid**
  - cation transport, gastric mucosal cells, 235,4:E16
  - gastric mucosal integrity, prostaglandin effects, 242,5:G337
- Acetylsalicylic acid esterase**, gastric mucosa, 234,3:E606
- Acetylsalicylic acid hydrolase**, gastric mucosa, 234,3:E606
- Acetylstrophanthidin**
  - cardiac receptors, sensitization, 239,8:H628
  - digitalis and vascular resistance, hypotension, gracilis muscle, 238,7:H729
  - myocardial function and, newborn, 241,10:H637
- Acetyl transfer**, lipogenesis, pulmonary, 232,1:E358
- N-Acetyltransferase**
  - circadian rhythms, pineal gland, running and blindness, 234,3:R110
  - pineal, adrenergic control development aspects, 233,2:E141

- ultradian lighting schedule, circadian activity, pineal gland, 232,1:E375
- Acid**
  - buffering, extrarenal, parathyroid hormone and, 239,8:F533
  - cimetidine and, potential difference, gastric mucosa (frog), 240,3:G267
  - disposal, duodenum, 243,6:G348
  - endogenous production, spirinolactone effects, renal, 240,9:F381
- excretion
  - aldosterone and, kidney, 243,12:F494
  - bicarbonate-free perfused kidney, 240,9:F306
  - bicarbonate reabsorption and, kidney (toad), 243,12:F67
  - electrolyte handling and, kidney (toad), 243,12:F60
- extrusion, pH transients, diaphragm muscle, 235,4:C49
- gastric: *see* Gastric acid
- infused gastrin, gastric response to, 242,5:G660
- pancreatic secretion, protein digests of, 242,5:G634
- production, feedback regulation of, fasting ketogenesis, 242,11:F238
- secretion, 230:319
  - corticosterone effects, gastric mucosa, newborn, 240,3:G442
  - gastric glands, 240,3:G232, 243,6:G313
  - gastric mucosa, oxygen and carbon dioxide effects, 231:1240
  - gastric mucosa (piglet), 242,5:G79
  - gastric mucosa (quail), 241,4:G382
  - gastrin receptor development, newborn, 240,3:G163
  - inhibition by substituted benzimidazoles, 243,6:G505
  - ionic requirements for, oxyntic cells (frog), 242,5:G388
  - isolated parietal cells, 237,6:E444
  - oxalacetate and lipate effects, 231:209
  - stomach, fetal, 240,3:G206
  - urinary epithelia, hydrogen ion transport and, 235,4:F77
  - xenopsin effects, 243,6:G195
- titratable
  - excretion, kidney, 240,9:F306
  - nanoliter samples, 242,11:F95
- transport, active, muscle fibers (barnacle), 233,2:C61
- weak
  - absorption, large intestine (equine), 233,2:E469
  - glucose-induced electrical activity,  $\beta$ -cells, 241,10:C264
  - muscle fibers and (barnacle), 241,10:C193
- Acid-base balance**
  - acetazolamide effects, papillary collecting duct, 243,12:F74
  - acidification and, distal, 243,12:F364
  - acute disturbance
    - magnesium reabsorption and, kidney tubule, 243,12:F197
    - potassium delivery and, juxtamedullary end-descending limb, 243,12:F188
  - aestivation (lungfish), 232,1:R10
  - aldosterone and, kidney response to, 243,12:F494
  - alterations, ammonia production, renal, 236,5:E289
  - arterial carbon dioxide pressure, 236,5:F30
  - artificial ventilation experiments, 236,5:R126
  - bicarbonate reabsorption and, kidney tubules, 243,12:F335
  - cerebrospinal fluid, 231:579
  - changes
    - milk and blood, 231:132
    - thermal acclimation, temperature selection and (fish), 242,11:R157
  - chloride transport and, gastric mucosa (frog), 243,6:G60

- disorders, mineralocorticoid deficiency, 232,1:F136
- disturbances, chronic metabolic, plasma anion gap changes, 235,4:F291
- effects, renal and systemic, chronic spirinolactone administration, 240,9:F381
- electrolyte handling and, kidney (toad), 243,12:F60
- equilibrium, amiloride, 236,5:F48
- fasting ketogenesis regulation, 242,11:F238
- fluoride
  - absorption, bladder, 232,1:F10
  - renal clearance, 230:527
  - tissue distribution, 236,5:F141
- gill (rainbow trout), 238,7:R251
- glutamine metabolism and, kidney and mitochondria, 243,12:F181
- hemorrhagic shock
  - hyperosmotic sodium chloride and, 239,8:H664
  - innervated lung, 241,10:H883
- homeostasis
  - alkalosis, bladder (turtle), 239,8:F167
  - pH disequilibrium, renal, 240,9:F138
- hypoparathyroidism and, renal and systemic, 241,10:F495
- inorganic phosphate levels, fasting effects, renal, 241,10:F509
- insulin secretion and, 234,3:E426
- medullary collecting duct, 241,10:F659
- metabolic and respiratory acidosis, kidney, 233,2:F32
- parathyroid hormone effects, proximal tubules, 236,5:F387
- phosphate excretion and, kidney, 243,12:F471
- potassium transport and, distal tubule, 242,11:F544
- protein wasting, prolonged fasting, 243,6:E251
- regulation
  - arsenite effects, renal tissue, 237,6:F93
  - carbon dioxide tension and, kidney tubules, 242,11:F78
  - carbonic anhydrase, gill (fish), 238,7:R240
  - ion transport, gill epithelium (fish), 238,7:R224
  - pregnancy, 231:1764
  - respiratory and chloride cells, freshwater- and seawater-adapted (teleost), 238,7:R260
- status
  - ammonium chloride effects, 239,2:E328
  - lead excretion and accumulation, renal, 237,6:F398
  - temperature effects (turtle), 239,8:R254
  - temperature transients, 230:1389
  - ventilation and, during graded activity (lizard), 240,9:R29
  - ventilatory response, hypercapnia, 230:590
  - water and air breathers (trout, turtle), 234,3:R155
- Acid-base metabolism**, glucocorticoid steroids and, renal and systemic, 239,8:F30
- Acid-base nomograms**, arterial carbon dioxide pressure, 236,5:F30
- Acid-base titration**, coulometric, nanoliter samples, 242,11:F95
- Acid-buffering response**, acute, endogenous parathyroid hormone independence from, 243,12:F141
- Acidemia**
  - ammonium chloride and, 239,2:E328
  - phosphaturia, ammonium chloride induced, 242,11:F552
  - phosphaturic response, parathyroid hormone, 239,2:E328
  - protein wasting, prolonged fasting and, 243,6:E251
- Acid hydrolase**, myometrial lysosomes, ovarian hormone effects, 232,1:E423



**Acidic peptide:** *see* Peptides**Acidification**

- acridine orange uptake, brush border vesicles, renal, 242,11:F733
  - amino acid solution, oxyntic mucosa, 243,6:G336
  - antral, gastrin release, 236,5:E173
  - carbon dioxide permeability, proximal convoluted tubule, 242,11:F470
  - carbonic anhydrase and, proximal tubule, 238,7:F372
  - distal
    - diet and blood pH effects, 243,12:F364
    - hypothyroidism, 236,5:F536
  - electrical effects, proximal convoluted tubule, 240,9:F459
  - electrolyte handling and, kidney (toad), 243,12:F60
  - esophageal, electrical activity and, 243,6:G415
  - glucocorticoid steroids and, renal, 239,8:F30
  - hydrogen ion transport, bladder (turtle), 233,2:F502
  - luminal bicarbonate concentration and, proximal tubules, 243,12:F53
  - luminal fluid, cortical collecting tubule, 242,11:F521
  - luminal somatostatin and, duodenal, 241,4:G109
  - metabolic acidosis effects, collecting tubules, 241,10:F669
  - renal
    - amiloride, 236,5:F48
    - hypoparathyroidism and, 241,10:F495
    - spironolactone effects, 240,9:F381
    - renal tubular, sodium, 236,5:F434
    - sodium and bicarbonate transport relations, proximal convoluted tubule, 240,9:F222
  - sodium-hydrogen exchange
    - amiloride effects, proximal tubules, 241,10:F374
    - reversible, proximal tubular, 241,10:F380
  - sodium ion-hydrogen ion exchanger, renal microvillus membrane vesicles, 238,7:F461
  - tubular, 241,10:F219
  - turtle, 233,2:F145
  - urinary
    - apical membrane and (toad), 233,2:F607
    - ATPase and (toad, turtle), 240,9:C201
    - carbon dioxide transport, 232,1:F20
    - carbonic anhydrase and, 243,12:F311
    - deranged, mechanisms and classification, 239,8:F515
    - hydrogen ion transport and, 235,4:F77
    - lithium effects, 242,11:F23
    - osmolar influences, bladder (toad), 239,8:F565
    - parathyroid hormone effects, 232,1:F429
- Acidity**
- gastric, osmotic water flow (frog), 236,5:E63
  - regulation, bicarbonate transport and, gastroduodenal, 242,5:G183
- Acidosis**
- acid-base changes, milk and blood, 231:132
  - $\beta$ -adrenoreceptor blockade, 230:959
  - amino-acid metabolism (sheep), 239,2:E248
  - ammoniogenesis, 239,8:F445
  - ammonia metabolism, 235,4:F265
  - bicarbonate reabsorption, kidney, 232,1:F484
  - bicarbonate transport and, kidney tubules, 243,12:F335
  - calcium ion exchange, myocardial, 236,5:H525
  - cardiac cell response, 243,12:H448
  - cerebrovascular reactivity and (goat), 242,11:R441

- contracture, myocardial, 232,1:H526
- coronary dilator actions, experimental diabetes (lamb), 243,12:H252
- diabetic, ventricular function, insulin effects (lamb), 241,10:H401
- distal renal tubular, 239,8:F515
- electrolyte transport, intestinal, 239,2:G427
- electrophysiological changes and, myocardial ischemia (rabbit), 243,12:H318
- gluconeogenic enzymes, distribution, nephron, 235,4:F246
- glutamate metabolism
  - glucogenicity and (sheep), 241,4:E465
  - renal cortical mitochondria, 237,6:F55
- glutamine and, renal, 238,7:F199
- glutamine metabolism (sheep), 234,3:E197
- glutamine permeability, renal mitochondria, 239,2:E51
- glutamine transport, renal mitochondria, 234,3:F514
- hydrochloric acid-inhibited renin secretion, 239,8:F44
- hypercapnia and, cardiovascular responses, hindlimb, 237,6:H359
- hypercapnic, renin secretion, 238,7:F119
- hyperchloremic
  - aldosterone and, 238,7:F79
  - plasma anion gap changes, 235,4:F291
- insulin effects, cardiac, 240,9:H636
- intestinal absorption, calcium and phosphorus, 239,2:G480
- intracellular, myocardial ischemia, Tris effects, 235,4:H167
- $\alpha$ -ketoglutarate metabolism, renal cortical mitochondria, 240,9:F120
- lactic
  - pathophysiology, 239,8:F135
  - sodium-bicarbonate treatment, 242,11:F586
- lithium effects, renal, 242,11:F23
- medullary collecting duct, 241,10:F659
- metabolic
  - acidification rate and, collecting tubules, 241,10:F669
  - acute, endogenous parathyroid hormone and, 243,12:F141
  - adaptation influenced by pH change, 231:1631
  - ammonia production, renal, 239,2:E51
  - ammonium chloride and, 242,11:F552
  - arsenite effects, renal tissue, 237,6:F93
  - bicarbonate excretion, calcium absorption and, renal, 238,7:F394
  - bicarbonate reabsorption, 234,3:F472
  - blood pH, potassium, and phosphorus relations, 235,4:F345
  - diabetes and, coronary blood flow (lamb), 238,7:H263
  - 1,25-dihydroxyvitamin D<sub>3</sub> and, low calcium diet, 243,12:F570
  - glucose intolerance, 236,5:E328
  - glucose utilization and blood flow, cerebral, 241,10:H772
  - 25-hydroxyvitamin D<sub>3</sub>-1-hydroxylase and, 243,6:E265
  - kidney, 233,2:F82
  - magnesium reabsorption and, kidney tubules, 243,12:F197
  - mineralocorticoid deficiency, renal, 236,5:F283
  - mineralocorticoid deficiency, 232,1:F136
  - parathyroid hormone action and calcium mobilization, 230:127
  - parathyroid hormone and, phosphorus deprivation, 241,10:F23
  - pH, intracellular liver, 236,5:F240
  - phosphorus reabsorption, fasting effects, 237,6:F241
  - plasma ammoniogenic factor, kidney, 241,10:F112
  - proximal reabsorption, 242,11:F499
  - renal, aldosterone and, 238,7:F79

- sodium bicarbonate and sodium chloride reabsorption coupling, renal, 236,5:F232
- mineral and nonmineral acids, 235,4:F345
- muscle contraction, 240,9:C121
- parathyroid hormone effects, 232,1:F429
- parathyroid hormone resistance, 237,6:F175
- protein wasting due to, fasting, 243,6:E251
- renal
  - hyperkalemia, 236,5:F283
  - mineralocorticoid deficiency, 236,5:F283
- renal tubular, mineralocorticoid deficiency, 232,1:F136, 236,5:F283
- respiratory
  - ammoniogenesis, 239,8:F445
  - brain pH changes, 230:804
  - citric acid cycle activity, 234,3:H40
  - hypoxia, carbon dioxide effects, 239,8:H545
  - intracellular pH, liver, 236,5:F240
  - ion transport and, intestinal, 242,5:G486
  - renin secretion, 234,3:H573
  - reversibility, perfused heart, 234,3:H40
  - tubular, maleic acid-induced proximal tubular dysfunction and, 243,12:F604
- Acid phosphatase**
  - bone differentiation, 238,1:E200
  - brown fat peroxisomal  $\beta$ -oxidation, 239,8:C208
- cardiac lymph
  - ischemia, 232,1:H602
  - nonischemic myocardium, 236,5:H112
- cathepsin D content, starvation-induced atrophy, heart, 240,9:H222
- myometrial lysosomes, ovarian hormone effects, 232,1:E423
- sodium restriction, renin, renal, 237,6:F367
- Acid protease**, renin-like activity, cerebral microvessels, 238,7:H384
- Acid ribonuclease**, cathepsin D content, starvation-induced atrophy, heart, 240,9:H222
- Acinar cells:** *see* Pancreatic acinar cells
- Acini:** *see* Pancreatic acini
- Aconitase**, pyruvate-perfused heart, 237,6:R159
- Acoustic impedance matching**, phonocardiogram system, 238,7:H604
- Acridine orange**
  - parietal cell function, 238,1:G165
  - proton uptake, secretory granules, pancreatic  $\beta$ -cells, 242,11:C382
  - uptake, brush border vesicles, renal, 242,11:F733
- Acrodermatitis enteropathica**, zinc-binding ligands, milk, 235,4:E556
- Acrosin**
  - activity and inhibitors spermatozoa, 237,6:E40
- ACTH:** *see* Adrenocorticotrophic hormone or Adrenocorticotropin
- Actin**, fibrin and, cross-linking by fibrin-stabilizing factor, 233,2:H346
- Actin complex**, phosphorylation, cardiac (bovine), 236,5:C41
- Actinomycin D**
  - enzyme induction, liver, 235,4:E374
  - prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
  - sodium transport, bladder (toad), 232,1:F307
  - thymidine kinase activity, myocardial, 236,5:H73
- Action potentials:** *see* Potentials
- Action space**, mapping, thermodynamics, 234,3:R85
- Activation energy:** *see* Energy

- Activation sequence**, atrial, anatomic landmarks and, 242,11:H421
- Active transport**: see specific subject and site
- Activity**
- circulation and oxygen transport (crayfish), 240,9:R99
  - daily, body temperature and, 242,11:R1 pattern
  - hypothalamic neurons, sympathetic nerve discharge and, 242,11:R34
  - sympathetic neurons, brain stem, 240,9:R335
  - random, sympathetic reflexes and, spinal cord (frog), 240,9:R295
  - rhythm: see Rhythm
  - scope (crayfish), 240,9:R87
  - sympathetic-related, baroreceptor-denervated, brain stem neurons, 240,9:R348
- Activity metabolism**, thermal dependence, locomotory energetics (lizard), 241,10:R342
- Actomyosin**
- ATPase: see Adenosine triphosphatase content, aortic, normal maturing, 237,6:H34
  - hypertrophy, cardiac, 241,10:H263
  - natural, calcium ion sensitivity, infarction, cardiac, 240,9:H704
  - pharmacology, neonatal, aortic, 237,6:C81
  - release, gastrointestinal tract, 243,6:E293
- Acuity**, visual (dolphin), 237,6:R301
- Acylation**, spontaneous hypertension, aortic, 240,9:H33
- Acyl carnitine**
- metabolism, fasting, 238,1:E409
  - substrate effects, ischemic heart, 240,9:H391
  - utilization, aorta, 243,12:H128
- Acyl carnitine esters**
- transport
  - heart, 242,11:H585
  - myocardium, diabetes and, 243,12:H154
- Acyl CoA**, substrate effects, ischemic heart, 240,9:H391
- Acyl-CoA monoglyceride acyltransferase**, fatty acid esterification, intestinal insulin and, 238,1:E364
- Acyl-CoA-synthetase**, fatty acid esterification, intestinal insulin and, 238,1:E364
- Acyl donor**, fatty acid esterification, 234,3:E236
- Acyl hydrolase**
- activity, vasopressin effects, kidney medulla, 241,10:F649
  - prostaglandin biosynthesis and, cultured cells, 243,12:C205
  - prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
- Acyl receptors**: see Receptors
- Acyltransferase**, fatty acid incorporation, lipids, hepatocytes (rainbow trout), 243,12:R223
- Adaptation**: see specific subject and site
- Adenine**, diabetic renal cortex, 238,1:E341
- Adenine compounds**, vascular smooth muscle response, 233,2:H114
- Adenine nucleosides**, restoration, myocardial ischemia, 237,6:H247
- Adenine nucleotides**
- calcium ion activity, ischemic heart, 238,7:H909
  - cold, metabolism, 230:120
  - cytosolic
  - phosphorylation, heart, 235,4:C213
  - phosphorylation state, 234,3:C73, C82
  - degradation, ischemic heart, computer model, 232,1:H386, H394
  - distribution, heart, 232,1:R158
  - hypoxic, anoxic or ischemic brain, 239,2:E501
  - incorporation, brain, 239,8:H212
  - intestinal transport, 238,7:C177
  - intramitochondrial, energy-linked functions and, heart, 241,10:H672
  - levels, soleus muscle, 234,3:E407
  - metabolism, fetal heart, 233,2:H282
  - oxygen deficiency, myocardial, 234,3:H620
  - phosphorylation state, Amytal effects, perfused heart, 237,6:C221
  - platelets (Chediak-Higashi cattle), 237,6:R239
  - restoration, myocardial ischemia, 237,6:H247
  - transport, ischemia, cardiac, 241,10:H663
  - venous smooth muscle response, 233,2:H114
- Adenine nucleotide translocase**, carnitine and atractyloside effects, cardiac, 241,10:H505
- Adenine translocase**, energy-linked functions, heart mitochondria, 241,10:H672
- Adenohypophyseal cells**, sensitivity, estradiol and luteinizing hormone-releasing hormone, 240,3:E602
- Adenohypophysis**
- blood flow, 243,6:E427
  - cortisol secretion, angiotensin II, 233,2:E273
  - growth hormone secretion, 239,2:E1
  - portal vascular route, hypophyseal stalk/neural lobe, 239,8:R463
- Adenosine**
- activity, cardiac cycle changes, 238,7:H389
  - atrial contractility, 239,8:H365
  - blood flow
  - colon, 238,1:G478
  - distribution, myocardial, transmural, 239,8:H7
  - neurohumoral regulation, bones and marrow, 237,6:H440
  - postocclusive renal, 235,4:F286
  - regulation, coronary, 243,12:H159
  - brain, hypoxia, 241,10:H228
  - calcium uptake and, vascular smooth muscle, 242,11:H797
  - capillary control, rest and exercise, red muscle, 243,12:H196
  - capillary fluid exchange, intestinal, 235,4:H707
  - capillary permeability, intestinal, 241,4:G24
  - chloride active transport, isolated cornea (frog), 237,6:F121
  - chloride and sodium transport, cornea (bullfrog), 236,5:C268
  - <sup>14</sup>C-labeled, uptake, liver and kidney, hemorrhagic shock, 233,2:R83
  - content, skeletal muscle, hyperemia, 237,6:H1
  - coronary blood flow and, awake state, 243,12:H628
  - coronary blood flow (miniature swine), 235,4:H601
  - coronary circulation, hibernation (hamster), 241,10:R50
  - coronary dilator actions of, experimental diabetes (lamb), 243,12:H252
  - coronary resistance and, conscious exercise, 242,11:H24
  - coronary vasodilation
  - nonmetabolically coupled, 238,7:H569
  - postocclusion, 238,7:H214
  - degradation, blood, 243,12:H538
  - dipyridamide and, cerebral blood flow, 240,9:H775
  - distribution, myocardial, during coronary constriction, 236,5:H833
  - exercise vasodilation, 236,5:H705
  - gracilis muscle, 238,7:H703
  - formation, myocardial, with increased cardiac performance, 236,5:H13
  - formation sites, heart, 240,9:H963
  - free-flow functional hyperemia and, striated muscle (hamster), 242,11:H688
  - hemorrhagic shock, 240,9:R52
  - hyperemia, skeletal muscle, 230:1531
  - hypothesis, purine metabolism, heart, 232,1:H394
  - hypoxic hyperemia, cerebral, 241,10:H134
  - incorporation, brain, 239,8:H212
  - infusion, reactive and exercise hyperemia during, 243,12:H181
  - intracoronary, coronary blood volume and, 241,10:H194
  - microcirculation hemodynamics, intestinal, 235,4:H707
  - N<sup>6</sup>-monobutyl, metabolism, isolated perfused kidney, 237,6:F75
  - mucosal entry kinetics, ileal, 233,2:E47
  - muscarinic receptor activation, blood flow and, coronary, 240,9:H941
  - myocardial
  - coronary functional hyperemia and, 243,12:H480
  - coronary resistance and, during cardiac performance, 239,8:H509
  - oxygenation, colon, 238,1:G478
  - oxygen deficiency, myocardial, 234,3:H620
  - oxygen uptake, blood flow relations, intestinal, 242,5:G202
  - postocclusive vasoconstriction, renal, 237,6:F463
  - production, systemic blood pressure alteration, brain, 239,8:H636
  - prostaglandins, coronary responses to, 235,4:H400
  - reflex activation, cardiac afferent nerves, 239,8:H316
  - relaxation, vascular smooth muscle, 230:1239
  - release, exercising skeletal muscle, 238,7:H156
  - renal hemodynamics, renin release and, 242,11:F423
  - salvage rates, myocardial ischemia, 237,6:H247
  - tissue, hypoxic coronary dilation, 243,12:H514
  - vasa vasorum nourishment, aortic wall, 240,9:H781
  - vascular reactivity, lung, red blood cells and platelets, 234,3:H186
  - vasodilation and, coronary, 243,12:H538
  - venous smooth muscle response, 233,2:H114
- Adenosine deaminase**
- formation sites, heart, 240,9:H963
  - hyperemia and, striated muscle (hamster), 242,11:H688
  - inhibition, fetal heart, 233,2:H282
  - localization, heart, kidney, liver, 239,8:H721
  - myocardial ischemia, 237,6:H247
- Adenosine diphosphate**
- active transport, epithelial tissues (frog), 240,9:F357
  - hemorrhagic shock, 240,9:R52
  - internal, electric current generation, giant axon (squid), 235,4:C63
  - muscle contraction, 240,9:C121
  - platelet accumulation and release (pig), 240,9:H99
  - platelet agglutination, inhibition of, 230:1406
  - platelet aggregation, 232,1:H381
  - fluid balance and, lung (sheep), 242,11:H645
  - platelet function, 238,7:H54
  - respiratory control, active transport and, midgut (horr.worm), 238,7:C10
  - uptake, liver and kidney, hemorrhagic shock, 233,2:R83
- Adenosine hypothesis**, exercise vasodilation, gracilis muscle, 238,7:H703
- Adenosine kinase**
- formation sites, heart, 240,9:H963
  - myocardial ischemia, 237,6:H247

**Adenosine monophosphate**

- active transport, epithelial tissues (frog), 240,9:F357
  - antidiuretic action, urinary bladder, 237,6:F483
  - creatine phosphate, muscle contraction, 240,9:C121
  - deamination
    - fast and slow muscle, 237,6:C111
    - working skeletal muscle, 239,8:C32
  - hemorrhagic shock, 240,9:R52
  - phosphorylase reversal and, contracting muscle, 237,6:R291
  - respiratory control and active transport, midgut (hornworm), 238,7:C10
  - thin ascending limb, Henle's loop (hamster), 243,12:F167
- Adenosine monophosphate, cyclic**
- absorption and secretion, chloroquine effects, ileum, 243,6:G117
  - acetylcholine-stimulated pancreatic islets, 235,4:E493
  - adrenal, nycthemeral rhythm and adrenocorticotropin, 235,4:R210
  - $\beta$ -adrenergic stimulation, ovarian tissue, 239,2:E139
  - adrenoceptor agonist effects, parotid acinar cells, 242,5:G481
  - aging effects, 243,12:F121
  - alkaline secretion, gastric (frog), 239,2:G255
  - alkalinization, active, gastric fundic mucosa (amphibian), 233,2:E1
  - aminopyrine accumulation and, parietal cells, 238,1:G366
  - analogues
    - bicarbonate transport, proximal convoluted tubules, 239,8:F127
    - calcium transport, Henle's loop, 239,8:F121
    - vasopressin and, 232,1:F368
  - angiotensin II effects, cardiac, 235,4:H281
  - antidiuretic hormone and, bladder (toad), 239,8:F250
  - arteriolar, spontaneous hypertension, 243,12:H398
  - atrial contractility, 239,8:H365
  - bladder responses (toad), 232,1:F173
  - 8-bromo-, calcium transport and, kidney tubules, 241,10:F171
  - calcium
    - cortical collecting tubule, 243,12:F481
    - magnesium, and phosphate, renal handling, 233,2:F541
    - slow waves, colon, 242,5:G124
    - submandibular mucin secretion, 241,10:C76
  - calcium ion mobilization and, blood platelets, 241,10:H613
  - calcium reabsorption, distal tubular, 239,8:F478
  - calcium uptake
    - microsomal, aorta, 234,3:H508
    - muscle mitochondria, 234,3:C7
  - cardiac relaxation, 240,9:H441
  - catecholamine sensitivity, brown fat cells, cold acclimation, 242,11:C250
  - cell sensitivity to, urinary bladder (toad), 241,10:F129
  - cell suspension cultures, growth regulation, 234,3:C131
  - chloride transport
    - corneal (frog), 233,2:F94
    - rectal gland (dogfish), 237,6:F138
  - cholera toxin effects, intestinal epithelial cells (chicken), 243,12:C107
  - chondrosarcoma metabolism, regulation, 239,2:E201
  - contractile force, heart, regulation, 233,2:H269
  - contraction-relaxation rates, maximal, heart, 233,2:H404
  - dependent protein kinase, phosphorylation of cardiac regulatory proteins, 231:1330

**dibutylryl**

- alkaline secretion and, duodenum (bullfrog), 241,4:G528
- atrial contractility, 239,8:H365
- berberine effects, ileum, 241,4:G253
- bicarbonate transport, proximal tubules, 238,7:F166
- bicarbonate transport and, gastroduodenal (bullfrog), 242,5:G100
- calcium-ion dependent, gastric glands, 239,8:G90
- fibrinogen synthesis, 233,2:H1
- glomerular action, 233,2:F102
- hydrogen ion secretion, gastric mucosa (frog), 236,5:E784
- hyperpolarization of thyroid cells, 231:52
- kidney function in hemorrhagic shock, 230:724
- lipolysis, adipose tissue, exercise, 239,2:E422
- luteinizing hormone response, sex differences, 236,5:E216
- metabolism, isolated perfused kidney, 237,6:F75
- pepsinogen secretion, esophagus (frog), 238,1:G79
- submandibular secretions, 235,4:C256
- vasopressin and, 232,1:F368
- effects, 230:441
- endocrine pancreas secretory responses, effect of leukocytic endogenous mediators, 233,2:E240
- 17 $\beta$ -estradiol effects, binding and responses to  $N^6$ -O-2'-dibutylryl, pituitary, 240,3:E297
- estradiol stimulation, pituitary gland, 243,6:E109
- fibrinogen synthesis, 233,2:H1
- gap junction, myometrium, 239,8:C217
- gastric stimulation, gastric glands, 242,5:G504
- glomerular actions, 233,2:F102
- glucagon and 25(OH)vitamin D<sub>3</sub>, renal interactions, 240,9:F271
- gluconeogenesis, liver, suckling rat, 233,2:E175
- glycogen metabolism
  - hepatic, diabetes, 234,3:E13
  - muscle contraction (roundworm), 242,11:R514
- glycogenolysis, 231:191
- liver, during exercise, 237,6:R147
- gonadotropin release, 235,4:E586
- hexose transport, kidney cells, 242,11:C94
- histamine
  - gastric glands, 238,1:G312
  - gastric mucosa (piglet), 242,5:G79
  - isolated parietal cells, 237,6:E444
- homeostasis, fetal and neonatal, 240,3:E367
- hormone receptor deficiency, pseudohypoparathyroidism, 243,6:E37
- hormone-stimulated, insulin inhibition, renal cortex, 236,5:E649
- human chorionic gonadotropin, granulosa cell cultures, 236,5:E129
- hydrochloric acid and, oxyntic cell, gastric mucosa (bullfrog), 235,4:E140
- hydroosmotic response to, collecting tubules, 243,12:F503
- hyperpolarization, thyroid cells, 231:52
- insulin
  - exercise and, 233,2:E509
  - glucose transport, fat cells, 240,3:E556
  - insulin release, isolated islets, 234,3:E527
- intestinal phospholipase A, triglyceride and, 242,5:G168
- ion transport
  - intestinal, 238,1:G491
  - modulation, ileal, 243,6:G36
- ischemic heart, computer model, 237,6:R327
- isoproterenol-induced contraction, potas-

- sium-depolarized heart, 241,10:H187
- isoproterenol-induced increase, calcium effects, uterus, 237,6:C257
- levels
  - luteinizing hormones and, 241,4:E14
  - paired stimulus effects, heart, 240,9:H441
- luteinizing hormone release, pituitary, 240,3:E504
- luteinizing hormone response, sex differences, 235,4:E291
- manganese effects, amylase release, pancreatic acini (guinea pig), 241,4:G359
- mediation, acetylcholine-induced acid secretion (frog), 239,2:G255
- metabolic acidosis effects, phosphorus deprivation, kidney, 241,10:F23
- metabolism, antidiuretic hormone, papillary collecting duct, 240,9:F311
- $N^6$ -monobutylryl-, chondrosarcoma metabolism, regulation, 239,2:E201
- muscarinic inhibition, ventricular muscle (chick), 243,12:H434
- $N^6$ , O-2'-dibutylryl adenosine 3',5'-luteinizing hormone responses, pituitary, aging, 240,3:E510
- nephrogenous, vanadate effects, kidney tubules, 240,9:F522
- neural sympathetic stimulation, 240,9:H630
- norepinephrine and hypertonicity effects, 231:306
- pancreatic acini, Gila monster venom effects, 242,5:G470
- parathyroid hormone effects, glomeruli, 235,4:F458
- parathyroid hormone-mediated refractorness, kidney, 236,5:E401
- parathyroid hormone receptors and, kidney (chick), 242,5:E154
- parathyroid hormone resistance, 237,6:F175
- pepsinogen release and, gastric glands, 243,6:G218
- peptide action, pancreatic acinar cells (amphibian), 235,4:E112
- peritubular osmolality and, kidney, 241,10:F443
- permeability, proximal tubule, 236,5:F71
- PHI effects, pancreatic acini (guinea pig), 241,4:G498
- phosphate deprivation, nicotinamide effects, 242,11:F447
- phosphate uptake, renal cortex, 233,2:E203
- phosphaturia, fasting, 237,6:F241
- phosphodiesterase inhibitor effects, pancreatic acini, 242,5:G547
- phosphorylase kinase regulation, heart, 240,3:E340
- phosphorylation
  - microsomal, aorta, 234,3:H508
  - sarcoplasmic reticulum, hyperthyroidism, 234,3:H426
- pituitary, response to gonadotropin-releasing hormone, sex differences, 235,4:E37
- plasma
  - exercise and, glycogenolysis, 240,3:E451
  - urine, and renal papillary content, dissociation following vasopressin, 237,6:F218
- platelet-perfused heart (guinea pig), 241,10:H18
- postobstructive phosphaturia, ureteral, 237,6:F14
- potassium-depleted kidney, urinary concentrating ability, 231:1204
- potassium selectivity, hydrochloric acid secretion and (frog), 240,3:G331
- production
  - fundic mucosa (hog), 241,4:G313
  - isolated fundic mucosal cells, 237,6:E437

**Adenosine monophosphate, cyclic (continued)**

- prostaglandin biosynthesis and, cultured cells, 243,12:C205
- prostaglandin effects
  - glomeruli, 235,4:F458
  - interaction, gastric mucosa, 235,4:E546
- prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
- prostaglandin F<sub>1α</sub>, coronary ligation and, 234,3:H718
- prostaglandin-histamine interactions, fundic glands, 242,5:G21
- prostaglandin production, renal, 233,2:F539
- prostaglandin-vasopressin interaction, urinary bladder (toad), 241,10:F625
- protein kinase activity
  - cardiac, 234,3:H638
  - diabetes effects, myocardial, 240,9:H375
  - renal medullary tubules, 238,7:F269
- protein kinase dependence
  - acetylcholine and epinephrine interaction, 234,3:H432
  - adipose tissue, 237,6:E11
  - regulation of heart contractile force, 236,5:H84
  - renal cell function, 238,7:F1
- response, submaximal exercise, liver, trained rats, 240,9:R330
- secretin and, small intestinal epithelial cells, 238,1:G190
- secretion, bile, glucagon effects, 238,1:G119
- sodium chloride cotransport
  - kidney, 241,10:F432
  - nephron heterogeneity, 241,10:F412
  - tracheal mucosa, 240,9:F101
- sodium ion transport, bladder (toad), 235,4:F359, F586
- sodium-potassium-ATPase activity, rectal gland (dogfish), 237,6:F468
- sodium reabsorption, distal tubular, 239,8:F478
- sodium transport and, skin (frog), 241,10:F279
- theophylline effects, pancreatic acini, 239,2:G324
- thiocyanate action, gastric glands, 240,3:G232
- transport
  - high-resistance epithelia (amphibia), 240,9:C103
  - hydrazine effects, urinary bladder (toad), 239,8:F319
- transport properties, kidney epithelia (toad), 241,10:C154
- urinary
  - 1,25-dihydroxyvitamin D regulation, 239,2:E119
  - tubular handling, growth, 242,11:F705
  - vascular smooth muscle, 234,3:H508
  - vasoactive intestinal peptide and, small intestinal epithelial cells, 238,1:G190
  - vasopressin-elicited refractoriness, urinary bladder (toad), 240,9:F551
  - water flow, stimulation (toad), 239,8:F160
- Adenosine monophosphate deaminase**
  - contracting fast and slow muscle, 237,6:C111
  - nucleotide metabolism, nephron, 243,12:F349
- Adenosine nucleotide derivatives**, formation, carotid artery strips (hog), 233,2:H299
- Adenosine phosphate, cyclic**, inorganic phosphate, renal handling, 234,3:F497
- Adenosine triphosphatase**: *see also* Calcium-ATPase; Calcium-magnesium-ATPase; Sodium-potassium-ATPase

**activity**

- actin-activated myosin, smooth muscle contraction, arterial (swine), 240,9:C222
- anion-stimulated, intestinal alkaline phosphatase, 238,1:G3
- anion-stimulated, small intestinal brush border, 236,5:E70
- pancreatic islets, 230:441
- sarcolemmal, turbine effects, heart failure, 240,9:H238
- actomyosin**
  - calcium ion sensitivity, smooth muscle (chicken gizzard), 237,6:C213
  - thyrotoxic soleus muscle, 238,7:C15
  - training, 230:1622
- bicarbonate-stimulated, in bile salt-independent fraction of bile flow, 235,4:E158
- calcium, intestinal calcium transport and, in uremia, 238,1:G424
- calcium transport, cardiac sarcoplasmic reticulum, in hyperthyroidism, 235,4:H745
- dependence, hyperosmolarity, muscle, 240,3:E263
- differential stain, epitrochlearis muscle, 239,2:E454
- energy production and consumption, gastric mucosa (frog), 236,5:E301
- F<sub>0</sub>-F<sub>1</sub> proton translocating effects, urinary acidification (toad, turtle), 240,9:C201
- histochemical reaction, thyrotoxic soleus muscle, 238,7:C15
- hypertrophy, cardiac, 241,10:H263
- magnesium, calcium-stimulated, sarcoplasmic reticulum 242,11:C242
- microsomal localization, gill (rainbow trout), 238,7:R251
- myofibril, neonatal skeletal muscle, thyroid deficiency and, 235,4:C97
- myofibrillar
  - propranolol effects, 237,6:C195
  - skeletal muscle, 233,2:C14
  - thyroid deficiency and sympathectomy, neonatal, 236,5:C30
- myosin**
  - pressure overload and digitalis effects, cardiac, 234,3:H253
  - recovery after pressure-overload hypertrophy and failure, 234,3:H711
- oligomycin-sensitive, myocardial ischemia (pig), 240,9:H308, 242,11:H254
- sodium- and potassium-dependent salt gland (duck), 237,6:C200
- sodium-potassium dependent, nuclear binding of L-3,5,3'-triiodothyronine, 240,3:E146
- transport, potassium and, kidney, 242,11:F207
- Adenosine triphosphate**
  - actomyosin ATPase, regulation (chicken gizzard), 237,6:C213
  - blood oxygen transport, organ weights (shrew), 236,5:R221
  - calcium ion activity, ischemic heart, 238,7:H909
  - calcium transport and peritubular (teleost), 243,12:R34
  - plasma membrane, myometrium, 242,11:C278
  - calcium uptake system, pancreatic microsomes, 240,3:G122
  - chemical energetics, smooth muscle, 235,4:C1
  - chloride and sodium transport, cornea (bullfrog), 236,5:C268
  - chronic altitude hypoxia effects, 242,11:R447
  - content
    - intracellular, salinity and (brine shrimp), 238,7:R91
    - myocardial, restoration after ischemia, 237,6:H247

- creatine analogue effects, ischemic heart, 243,12:H911
- depletion**
  - sugar transport, intestinal cells (chick), 237,6:C64
  - sugar transport, intestinal cells, 238,7:C73
- diabetic heart, 236,5:H806
- distribution, myocardial, during coronary constriction, 236,5:H833
- energy metabolism and, myocardium, 242,11:F699
- energy production and consumption, gastric mucosa (frog), 236,5:E301
- exogenous, regulation of sodium ion-dependent sugar transport, intestinal epithelial cells, 238,7:C177
- fasting and refeeding effects, pancreas, 242,5:G215
- heart levels, 230:1744, 1751
- hemoglobin function, postnatal, 238,7:H73
- hydrogen ion secretion, gastric mucosa, 230:1688
- hydrolysis, sarcoplasmic reticulum, hyperthyroidism, 235,4:H745
- hypoxia and, lung model, 241,4:E47
- insulin action, glucose transport, fat cells, 240,3:E556
- insulin binding, soleus muscle, 235,4:E606
- intestinal absorption, 233,2:E47
- intravenous, hemorrhagic shock, 240,9:R52
- ion transport, plasma membrane, 234,3:F89
- ischemia, myocardial function and, newborn, 242,11:H1077
- ischemic myocardium, fructose 1,6-diphosphate effects, 241,10:H576
- isoproterenol effects, ischemic myocardium, 239,8:H469
- lactic acid and, muscle contraction, 240,9:C121
- levels, myocardial ischemia, Tris effects, 235,4:H167
- lysosomes and, protection from cooling, 242,11:C192
- maleate-induced tubular dysfunction, 239,8:F50
- metabolic gradients, atrial pacing effects, 233,2:H217
- metabolic inhibitor effects, proximal tubule (rabbit), 243,12:F133
- metabolism, gastric mucosa (frog), 239,2:G411
- microregions, left ventricular subendocardium, 240,9:H804
- mucosal entry kinetics, ileal, 233,2:E47
- muscle, metabolite changes during stimulation, 242,11:C218
- muscle fiber fatigue, caffeine and (frog), 241,10:C160
- myocardium, deprived, 232,1:E423
- noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112
- phosphorus nuclear magnetic resonance spectroscopy, cardiac and skeletal muscle, 242,11:H729
- phosphorylase reversal, contracting muscle, 237,6:R291
- placental vasculature, lipid metabolism, fetal, 240,3:E65
- proteolysis and, lung, 241,4:E101
- proton uptake, secretory granules, pancreatic β-cells, 242,11:C382
- renal cortical tubule suspension, 238,7:F50
- reperfusion effects, myocardium, 241,10:H591
- respiratory control and active transport, midgut (hornworm), 238,7:C10
- sarcoplasmic reticulum function and, vascular smooth muscle, 242,11:C242
- serotonin effects, intestinal, 232,1:E85
- skeletal muscle, 232,1:E243



- sodium ion channel and, intestinal epithelial cells (chicken), 243,12:C116  
sodium permeability, myocardial cell swelling, 239,8:H31  
sodium reabsorption, 232,1:F152  
sugar transport, insulin-stimulated, soleus muscle, 234,3:E407  
synthesis  
  myocardial, oxygen deficiency and, 234,3:H620  
  thermodynamics, 235,4:R99  
uptake, enhanced, hemorrhagic shock, kidney and liver, 233,2:R83  
utilization, with recovery metabolism (frog), 232,1:C30
- Adenosine 5'-triphosphate antimycin A**, cardiac function and, 242,11:H79
- Adenosine triphosphate-MgCl<sub>2</sub>**, treatment, shock and ischemia, 242,11:R604
- S-Adenosylhomocysteine hydrolase**, adenosine formation, heart, 240,9:H963
- S-Adenosyl-L-methionine decarboxylase**  
  cardiac hypertrophy, 239,2:E372  
  regulation of content, cultured fibroblasts, 243,12:C262  
  thymic, endocrine regulation, 237,6:E6
- Adenylate**  
  energy charge, fetal heart, 233,2:H282  
  metabolism, contracting fast and slow muscle, 237,6:C111
- Adenylate cyclase**  
  action sites, mammalian nephron, 240,9:F159  
  activity  
    dithiothreitol effects (toad), 243,12:C52  
    myocardial, physical training, 234,3:H608  
  adrenergic receptor regulation and, 243,6:E43  
   $\beta$ -adrenergic receptors, developing lung, 240,3:E351  
  aging effects, 243,12:F121  
  anesthetic-induced inhibition, urinary bladder (toad), 237,6:F372  
  antidiuretic hormone and, bladder (toad), 239,8:F250  
  antidiuretic hormone effects, adenosine monophosphate, cyclic system, papillary collecting duct, 240,9:F311  
  berberine effects, ileum, 241,4:G253  
  calcitonin action  
    bladder responses (toad), 232,1:F173  
    renal, 232,1:E515  
  cholera toxin, 232,1:E210  
  compartmentalization, heart, 232,1:R158  
  concentrating ability, 232,1:F335  
  coupling deficiency, pseudohypoparathyroidism, 243,6:E37  
  coupling protein, hormone receptor deficiency, pseudohypoparathyroidism, 243,6:E37  
  gastric mucosa, 232,1:E35  
  glucagon and 25(OH)vitamin D<sub>3</sub>, renal interactions, 240,9:F271  
  histamine and, gastric glands, 238,1:G312  
  histamine and serotonin effects, gastric mucosa, 232,1:E85  
  hormonal effects, choroid plexus, 232,1:E353  
  human chorionic gonadotropin responsiveness, granulosa cell culture (pig), 240,3:E622  
  ileal mucosa, 232,1:E210  
  intestinal transport, intraluminal pressure effects, 242,5:G65  
  kidney cortical tubules, isolated, 237,6:F350  
  metabolism, mesenteric artery, 232,1:H191  
  ovarian development, 233,2:E229
- parathyroid hormone and, renal, 236,5:E401  
parathyroid hormone receptors and, kidney (chick), 242,5:E154  
parathyroid hormone-stimulated, epinephrine inhibition, renal cortex, 242,11:F721  
pepsinogen release and, gastric glands, 243,6:G218  
phosphaturia, fasting, 237,6:F241  
plasma membrane, renal medulla, 234,3:F247  
prostaglandins and, interaction, gastric mucosa, 235,4:E546  
prostaglandin-stimulated, glomeruli, 235,4:F458  
protein kinase activity, renal medulla, 232,1:F50  
purine metabolism, computer model, 232,1:H386, H394  
receptor-cyclase coupling, exercise effects, 243,6:E345  
regulation  
  kidney, 241,10:F364  
  parathyroid hormone, renal, 239,2:E396  
  renal, homeostasis, fetal and neonatal, 240,3:E367  
  segmentation, nephron, mammalian, 241,10:F203  
  shock, 230:724  
  sodium and chloride transport, tracheal mucosa, 240,9:F101  
  sodium-calcium exchange and, ischemic heart, 242,11:C288  
  sodium transport, bladder (toad), 232,1:F307  
  stimulation  
    liver, 239,2:E75  
    parathyroid hormone (human and bovine), 235,4:F96  
  thin ascending limb, Henle's loop (hamster), 243,12:F167  
  vanadate effects, kidney function, tubular, 240,9:F522  
  vascular contractile response, mannitol-induced, 232,1:H59  
  vasopressin-elicited refractoriness, urinary bladder (toad), 240,9:F551
- Adenylate pool**, 230:579
- Adenyl cyclase**  
  cholera toxin effects, intestinal epithelial cells (chicken), 243,12:C107  
  cyclooxygenase and, distal nephron, 235,4:F451  
  histamine regulation, gastric parietal cells, 240,3:G76
- ADH: see** Antidiuretic hormone; Vasopressin
- Adipectomy**, 231:1090
- Adipocytes**  
  brown  
    catecholamine sensitivity, cold acclimation, 242,11:C250  
    respiration, butyrate effects (hamster), 242,11:C46  
    size and number, obesity, 243,6:E217  
  cold-induced changes, brown adipose tissue, 240,3:E379  
  diet-induced increase, 235,4:E279  
  epithelial cells and, metabolic cooperativity, 241,10:C204  
  exercise effects, hormone-sensitive lipase activity, 230:385  
  glucose metabolism, streptozotocin diabetes, 235,4:E175  
  glucose transport  
    deactivation, insulin receptors and, 242,5:E234  
    growth hormone effects, 242,5:E368  
    hyperinsulinemia, 235,4:E53  
    insulin effects, 240,3:E556  
    measurement with L-arabinose uptake, 234,3:E112  
  glucose transport system, insulin and insulin mimickers, 234,3:E484
- glucose utilization, bovine hypothalamic extract and, 234,3:E554  
hyperplasia  
  brown adipose tissue, 242,5:E353  
  cafeteria feeding effects, 242,11:R349  
  insulin action, sex differences, 243,6:E158  
  insulin-resistant, fatty acid synthesis, 234,3:E182  
  lipolysis, 230:1439  
  lipoprotein lipase activity, apoprotein C effects, 243,6:E175  
  lipoprotein lipase distribution, 232,1:E316  
  liposome interaction effects, hexose uptake and insulin action, 241,4:E281  
  metabolism, obesity and physical training effects, 243,6:E418  
  morphology, cold exposure and, 242,5:E93  
  obesity, 230:982  
  size and number, dietary obesity susceptibility, 240,3:E47  
  size regulation, glycerol release, fasting, 241,4:E76  
  water content, cell size and, 231:1568
- Adipose cells**  
  dietary composition effects, glucose metabolism, 240,3:E175  
  size-function relations, insulin binding and degradation, 240,3:E166  
  swim training effects, genetic obesity, 242,11:R204
- Adipose cellularity**, hypothalamic lesion, obesity, 242,11:R311
- Adipose tissue**  
  body composition and, lateral hypothalamic lesions and obesity effects, 242,5:E437  
  brown: see Brown fat  
  cellularity  
    exercise training, 239,2:E422  
    hypothalamic lesions, 239,8:R337  
  cytoplasmic estrogen-binding sites, 239,2:E237  
  development, hydroxycitrate effects, 240,3:E72  
  erucic acid metabolism, 235,4:E509  
  estradiol effects, cell nuclei, 240,3:E43  
  genetic obesity, development, 234,3:E568  
  growth hormone, effects of glycogen metabolism after hypophysectomy, 238,1:E389  
  hyperplasia, cafeteria feeding effects, 242,11:R349  
  insulin stimulation, 230:602  
  leucine metabolism, hypothyroidism effects, 240,3:E669  
  lipid metabolism, portavacal diversion effects, 234,3:E579  
  lipogenesis and insulin sensitivity (*ob/ob* mouse), 240,3:E101  
  lipolysis  
    exercise training, 239,2:E422  
    independent regulation, 237,6:E11  
  lipoprotein lipase  
    endotoxin shock, 238,7:H235  
    glycerol release and, fasting, 241,4:E76  
    hormonal modulation, food intake and, 239,2:E162  
  metabolism, 243,12:R258  
  obesity, 241,4:E108  
  morphology  
    cold exposure and, 242,5:E93  
    plasma insulin levels and, 240,3:E358  
  obesity, diet-induced, 235,4:E279  
  phenoxybenzamine effects, obesity and, 243,6:E398  
  phosphorylase, independent regulation, 237,6:E11  
  progesterin, 239,2:E237  
  subcutaneous, vascular responses to hypothalamic stimulation, 237,6:H386  
  vascular resistance, sympathetic activity and, tilting effects, 242,11:H161  
  white  
    norepinephrine turnover, 242,5:E253

- Adipose tissue** (*continued*)  
phosphoenolpyruvate carboxykinase activity, 235,4:E197
- Adiposity**  
food intake and, hormone effects, weanling, 240,3:E499  
hypothalamic lesions, lateral, 239,8:R337  
progestins, antiestrogens and, female, 240,3:E474
- Adipsia**: *see* Drinking; Water intake
- Admittance plethysmography**: *see* Plethysmography
- ADP**: *see* Adenosine diphosphate
- Adrenal artery**, P-113 infusion, aldosterone secretion (sheep), 236,5:E333
- Adrenal cells**, sensitivity to angiotensin II, adrenocorticotropin, and potassium, comparative study, 233,2:E402
- Adrenal cortex**  
aldosterone response to potassium, adrenocorticotropin hormone effects (sheep), 237,6:E500  
androgen-stimulating hormone, 236,5:E616  
angiotensin metabolism, with adrenal transplants (sheep), 235,4:E525  
circadian rhythm differences, mutual influence, 234,3:E151  
electrical response, aldosterone secretion and, 237,6:E158  
fetal, diabetes, 240,3:E217  
glucocorticoid system, angiotensin II effects, 233,2:E273  
hemorrhage responses, awake state, 243,12:R416  
hormones, bile acid production, diurnal rhythms, 236,5:R175  
mechanoreceptor control, hormone secretion, fetal (sheep), 243,6:E278  
restitution of blood volume, after hemorrhage, 230:1683  
thymic biosynthetic polyamine decarboxylases, regulation, 237,6:E6
- Adrenal cortical hormones**, regulation of blood pressure, vulnerability to volume contraction, 233,2:R239
- Adrenal corticosteroids**: *see* Corticosteroids
- Adrenalectomy**  
aldosterone binding, kidney, 240,9:C20  
aldosterone effects, sodium-potassium ATPase, nephron, 241,10:F273  
angiotensin II, central effects, 235,4:H392  
bile acid production, diurnal rhythms, 236,5:R175  
bleeding volume, 233,2:R239  
cardiac contractility, 239,8:H65  
cardiac responses, acute hypoxia (piglet), 238,12:R751  
cation transport, colon, 238,7:F181  
compensatory adrenal growth and, 231:408  
coronary regulation and gluconeogenesis, liver (chicken and ruminant), 234,3:R115  
growth, compensatory, 234,3:H173  
deoxycorticosterone, mineralocorticoid activity, 242,5:E305  
epinephrine mediation, plasma glycerol elevation, 233,2:E369  
fluid absorption and cell volume, renal, 241,10:F502  
glucocorticoid responsiveness, intestinal enzymes, 242,5:G89  
gluconeogenesis, hepatic, 235,4:E354  
glutamine extraction, renal, acidosis and renal arteriovenous difference, 238,7:F199  
keto acid oxidation, diabetes, 239,2:E215  
mineralocorticoids and sodium-potassium-ATPase, renal, relations, 233,2:F593  
modulation of insulin effects, hindlimb muscle, 242,5:E323  
morphine-induced mydriasis, 241,10:R130  
mydriasis, 236,5:R292  
obesity and, hypothalamic, 243,6:E152  
plasma ammoniagenic factor, metabolic acidosis, renal, 241,10:F112  
potassium homeostasis and, 241,10:F151, 242,11:F641  
protein turnover, hemi-corpus, 238,1:E564  
proteinuria, angiotensin- and norepinephrine-induced, 237,6:F133  
renal hypertension, 234,3:E267  
renin release, renal arterial hypotension, 233,2:H191  
sucrase, jejunal, circadian rhythms, 235,4:E437
- Adrenal gland**  
adenosine monophosphate, cyclic, mythemeral rhythm and, 235,4:R210  
adrenergic mechanisms, gastric distension, 243,12:H748  
adrenocorticotropin, diurnal changes, 239,8:R309  
aldosterone, calcium effects, 232,1:E388  
aldosterone release, angiotensin II and potassium ions, relations, 237,6:E363  
androgen secretion, 239,2:E109  
angiotensin I, 234,3:F130  
autotransplant, aldosterone secretion (sheep), 236,5:F333  
blood flow: *see* Blood flow  
catecholamine secretion, ionophore effects, 242,5:E137  
chromogranin synthesis (bovine), 235,4:E475  
contribution to cardiac responses, acute hypoxia (piglet), 239,8:H751  
coronary regulation, newborn (lamb), 234,3:H173  
corticosterone, gastrin receptor induction, newborn, 240,3:G442  
demedullation catecholamines and, 242,11:H1015  
plasma catecholamine and blood pressure responses, 237,6:H305  
denervation, circadian rhythm and stress, 240,3:E363  
development, hypophysectomy (calf, heifer), 232,1:E497  
developmental changes (rabbit, dog), 240,3:E694  
dopamine  $\beta$ -hydroxylase synthesis (bovine), 235,4:E475  
enucleation  
inner medullary collecting duct function and, 242,11:F453  
mineralocorticoid activity, 242,5:E305  
natriuresis, 233,2:F8  
sodium balance, 238,1:E220  
sodium excretion and, 231:1421  
estrogen secretion, 239,2:E109  
function, hemorrhage effects, newborn (lamb), 240,3:E585  
gastrin binding and, sex differences, 243,6:G469  
growth, compensatory, 231:408  
insufficiency, adrenal hormones and, 242,11:F641  
mineralocorticoid deficiency, 232,1:F136  
acidosis, renal, 236,5:F283  
mydriasis, morphine-induced, mechanism, 236,5:R292  
nonsteroidal feedback, pathways to corticoliberin and corticotropin release, 240,3:E136  
number, pathways to corticoliberin and corticotropin release, 240,3:E136  
phosphoenolpyruvate carboxykinase activity, kidney and adipose tissue, 233,2:E147  
plasma catecholamines, exercise, 241,10:H243  
regulation, water deprivation and, female, 241,10:R21  
renal hypertension, 234,3:E267  
renin activity, calcium effects, 232,1:E388  
responses  
adrenocorticotropin hormones, 242,5:E102  
arterial hypotension (sheep), 242,5:E215  
steroids, regulation of renal sodium-potassium-ATPase, 241,10:F186  
surfactant secretion, cholinergic stimulation of, 243,12:C39  
tyrosine hydroxylase activity, carotid body (rabbit, cat), 240,9:R38
- Adrenal glomerulosa**  
angiotensin II receptors, potassium ion-regulated, 239,2:E317  
calcium role, angiotensin, 241,4:E42
- Adrenal hormones**  
glutamine extraction, renal, 238,7:F199  
potassium homeostasis and, extrarenal, 242,11:F641
- Adrenalin**: *see* Epinephrine
- Adrenal insufficiency**, cardiovascular homeostasis, 233,2:F509
- Adrenal medulla**  
activity, fasting and cold exposure effects, 240,3:E314  
biosynthesis, development (swine), 234,3:E137  
cardiac sympathetic innervation and, newborn, 243,12:H20  
dopamine  $\beta$ -hydroxylase secretion (bovine), 234,3:E600  
enzymes, 234,3:E137  
epinephrine  
hyperuricemia and, 236,5:E212  
muscular glycogenolysis, running, 240,3:E526  
neurotransmitter role, 242,11:H593  
fasting and cold exposure effects, 241,4:E316  
hyperresponsivity, spontaneous hypertension, 234,3:H690  
lateral hypothalamic lesion syndrome, 232,1:R128  
plasma catecholamines, exercise, 241,10:H243  
protein synthesis (bovine), 235,4:E475
- Adrenal nerves**, spontaneous hypertension, spinal transection, 243,12:R506
- Adrenal regeneration hypertension**: *see* Hypertension
- Adrenal state**, glucocorticoid induction, liver enzymes, 235,4:E374
- Adrenal steroids**: *see* Steroids
- Adrenal system**, model, 233,2:E273
- Adrenal tissues**, angiotensin II receptors, potassium balance of, 237,6:E519
- Adrenal transplant**  
aldosterone response to potassium, adrenocorticotropin effects (sheep), 237,6:E500  
angiotensin metabolism (sheep), 235,4:E525
- Adrenal vein**, ligature, insulin secretion, 232,1:E237
- Adrenarche**  
homologue (rabbit, dog), 240,3:E694  
pubertal endocrinology (baboon), 241,4:E305
- Adrenergic activity**  
renal, prostaglandin  $E_2$  and kallikrein effects, 241,10:F477  
renin secretion, prostaglandins and, 236,5:F472
- Adrenergic agonists**  
 $\beta$ -, isoproterenol-induced adenosine monophosphate, cyclic increases, uterus, 237,6:C257  
bicarbonate transport, gastric and duodenal (bullfrog), 242,5:G100  
glycogen metabolism, anesthesia, liver, 243,6:E182  
insulin hyperpolarization, muscle, 241,10:C145

- isoproterenol action on venous return, 232,1:H152
- prostaglandin and renin-angiotensin systems, interaction, glomeruli, 239,8:F602
- renin and, 238,1:E416
- secretory response, dispersed submandibular cells, 238,7:C90, C99
- submandibular excretory ducts, 235,4:F548
- ventricular chronic volume overload, 237,6:H575
- Adrenergic blockade:** *see* Blockade
- Adrenergic blockers**
- coronary vasoconstriction, 240,9:H493
- renin release, 230:410
- Adrenergic-cholinergic synapse:** *see* Synapse
- Adrenergic control**
- N-acetyltransferase, pineal development aspects, 232,1:E141
- calcium effects, colonic smooth muscle, 243,6:G134
- contractility, myocardial, in hyperthyroidism, 237,6:H590
- glucagon and insulin secretion, stress, spontaneous diabetes, 240,3:E373
- ion exchange, respiratory and chloride cells, freshwater- and seawater-adapted (teleost), 238,7:R260
- oxygen delivery, myocardium, exercise, awake state, 242,11:H805
- venous membrane potential, spontaneous hypertension, 243,12:C101
- Adrenergic depolarization,** brown adipose tissue, 231:700
- $\beta$ -Adrenergic dilator,** skeletal muscle, 243,12:H819
- Adrenergic drugs,** erythropoiesis, 236,5:H422
- Adrenergic effects,** inactin and  $\alpha$ -chloroalose, 243,12:F253
- Adrenergic events,** prostaglandin E and, pancreatic islets, 239,2:E490
- Adrenergic fluorescent nerves,** uterine, distribution (guinea pig), 233,2:C25
- Adrenergic hormones,** gastrointestinal, colonic muscle response, 237,6:E383
- Adrenergic innervation**
- density and distribution, arterial, 239,8:H252
- inhibitory, relaxation, mesenteric lymphatics, 240,9:H498
- Adrenergic mechanisms**
- blood flow, mesenteric (baboon), 234,3:E457
- calcium, eccrine sweat secretion (monkey), 241,10:C113
- morphine-induced mydriasis, 241,10:R130
- colonic blood flow (monkey), 240,3:G25
- gastric-cardiovascular reflexes, 243,12:H748
- gut, 230:298
- hyperuricemia and epinephrine, during hypothalamic stimulation, 236,5:E212
- hypoglycemia, 236,5:E147
- inotropism and chronotropism, cardiac, 234,3:H525
- insulin secretion modulation, 234,3:E106
- intralobar pulmonary arteries and veins, 240,9:H274
- norepinephrine, hormonal and neurotransmitter functions, 234,3:E252
- pepsinogen release, gastric glands, 243,6:G218
- protein kinase, 234,3:H432
- restrained spontaneously hypertensive rats, 234,3:H690
- salbutamol stimulation, arteriolar number, 236,5:H134
- Adrenergic modulation,** renin release, carotid sinus, 242,11:R318
- Adrenergic nerve endings**
- norepinephrine disposition, 239,8:H238
- norepinephrine overflow, saphenous veins, 236,5:H263
- Adrenergic nerves**
- blood flow and, foot (chicken), 242,11:R582
- heart function, pharmacological analysis (embryonic chick), 232,1:R116
- heart rate, 238,7:H515
- norepinephrine
- anthopleurin-B-stimulated release (guinea pig), 243,12:C237
- intestinal, 241,4:G264
- metabolism, 243,12:H732
- uptake, metabolism and, pregnancy, 236,5:C277
- ovarian steroid effects, uterus and oviduct, 240,9:C165
- pial arteriolar response, hypercapnia, 238,7:H697
- pregnancy effects, uterus and oviduct, 240,9:C165
- renal, presynaptic inhibition by acetylcholine, 237,6:H326
- Adrenergic neurons,** smooth muscle, oviduct, 234,3:C96
- Adrenergic neurotransmission:** *see* Transmission
- $\alpha$ -Adrenergic phenomena,** catecholamine action, calcium ions and, 238,1:E3
- Adrenergic receptors:** *see* Receptors
- $\beta$ -Adrenergic relaxation,** protein kinase and, arterial smooth muscle, coronary, 242,11:H177
- Adrenergic response**
- brown fat, 232,1:R101
- hypertension, 230:1545
- isoproterenol, spontaneous hypertension, 241,10:H497
- Adrenergic stimulation**
- adenosine monophosphate, cyclic, ovarian tissue, 239,2:E139
- aged heart, 239,8:H501
- amino acids, skeletal muscle, 232,1:E243
- blood flow and, coronary, awake state, 243,12:H13
- calcium and sodium uptake, lacrimal cells, 239,2:G99
- catecholamine uptake and secretion, heart, 243,6:E52
- circulation, mesenteric (baboon), 234,3:E457
- colonic circulation (monkey), 240,3:G25
- glucose turnover, 238,1:E463
- methoxamine effects, heart, 241,10:H370
- pyruvate oxidation, energy-linked changes, perfused heart (guinea pig), 242,11:H30
- renin synthesis, 243,12:F434
- surfactant secretion, 243,12:C39
- sympathetic, amylase, parotid, 236,5:E371
- urea flux (trout), 232,1:R110
- Adrenergic stimuli,** circulatory effects, renal (piglets and swine), 237,6:H690
- Adrenergic system,** hemorrhage, vascular smooth muscle, 238,7:H144
- Adrenergic tone,** spinal anesthesia, pancreatic islets, 239,2:E150
- Adrenergic transmission:** *see* Transmission
- Adrenergic vasoconstriction:** *see* Vasoconstriction
- Adrenergic vasodilation:** *see* Vasodilation
- Adrenergic vessels,** prostaglandin modulation, hemorrhagic shock, 241,10:H85
- Adrenoceptor agonists,** effects, parotid acinar cells, 242,5:G481
- Adrenoceptors:** *see* Receptors
- Adrenocortical function,** maternal and fetal, diabetes, 240,3:E217
- Adrenocortical secretion,** prostaglandin synthesis inhibition, indomethacin, 240,3:E131
- Adrenocortical system,** diurnal changes, hormone rhythms, 239,8:R309
- Adrenocorticotrophic hormone**
- adrenal corticosteroid production and, water deprivation, female, 241,10:R21
- aldosterone response to potassium, adrenal transplant (sheep), 237,6:E500
- angiotensin II effects, awake state, 243,12:R82
- atrial receptors in, 231:692
- calcium role, adrenal glomerulosa cell response, 241,4:E42
- mean and phasic increases, corticosteroid responses, 242,5:E102
- water flow, stable prostaglandin endoperoxide analogues (toad), 242,11:F119
- Adrenocorticotropin**
- adenosine monophosphate responses, choroid plexus, 232,1:E353
- adrenal cell sensitivity, 233,2:E402
- adrenal corticosteroid and, dose-response curves, sodium balance influence, 238,1:E543
- adrenal responsiveness, nycthemeral rhythm in, 235,4:R210
- androgen secretion, cortical, 236,5:E616
- angiotensin II effects, 233,2:E273
- circadian rhythm
- serotonergic system and, 239,2:E482
- stress response and, autotransplanted adrenal, 240,3:E363
- corticotropin releasing factor and, paraventricular lesions, 240,3:E441
- diurnal changes, 239,8:R309
- endocrine responses, arterial hypotension (sheep), 242,5:E215
- feedback
- control, 232,1:R5
- inhibition, rate-sensitive, during stress, 234,3:R46
- negative, 234,3:R39
- fibrinogen response, 235,4:H223
- fibrinogen synthesis, 233,2:H1
- hemorrhage effects, newborn (lamb), 240,3:E585
- hypotension effects, fetal (lamb), 240,3:E656
- lipolysis, adipose tissue, exercise, 239,2:E422
- medullary neuron control, 233,2:R116
- permeability, plasma/cerebrospinal fluid barrier, 234,3:E327
- prostaglandin synthesis inhibition, indomethacin, 240,3:E131
- regulatory mechanisms, 233,2:E61
- renin-angiotensin-aldosterone system (marmot), 233,2:R37
- secretion
- angiotensin II infusion, 234,3:R66
- mechanoreceptor control of, fetal (sheep), 243,6:E278
- vasopressin and, neurohypophysis, 240,3:E689
- sodium appetite (sheep), 239,2:E45
- Adrenocorticotropin-triiodothyronine**
- fructose, metabolism, hypophysectomy, 237,6:E325
- Adrenorenal rete,** catecholamine flow, renal function during, 240,9:F30
- Aerobic glycolysis:** *see* Glycolysis
- Aerobic heat:** *see* Heat
- Aerobic limit:** *see* Exercise
- Aeromonas hydrophilia,** febrile response, 231:198
- Aestivation**
- acid-base balance, blood and plasma composition (lungfish), 232,1:R10
- lung ventilation (lungfish), 233,2:R181
- Afebrile response:** *see* Fever
- Afferent arterioles:** *see* Arterioles
- Afferent cardiac sympathetic fibers:** *see* Nerve fibers

- Afferent fibers**, stimulation with conduction velocities (monkey, dog), 240,9:R23
- Afferent nerves**
- aortic, baroreflex bradycardia inhibition, 243,12:H607
  - baroreceptor, implantable stimulating electrode, 239,8:H706
  - cardiac: *see also* Cardiac nerves
  - contrasting reflexes, 239,8:H316
  - contrasting reflexes, coronary occlusion, 240,9:H620
  - reinnervation, 233,2:H431
  - cardiac sympathetic, kidney function and, 241,10:R267
  - cardiopulmonary
  - cardiac tamponade, 232,1:H5
  - carotid pressor response inhibition, 240,9:H555
  - depressor responses (dog, monkey), 240,9:R23
  - hypoxia, 239,8:H545
  - descending spinal sympathetic pathways and, interaction, 234,3:H223
  - dopamine, 230:1494
  - hepatic venous pressoreceptor discharges, 232,1:C76
  - intermediate network, reflex swallowing, 239,8:R407
  - peripheral neural input, stellate ganglion, 242,11:R237
  - renal: *see also* Renal nerves
  - kidney function and, 243,12:F425
  - reflex effects, heart and kidney, 241,10:R286
  - renal excretion
  - during volume load, 235,4:H670
  - signal, 234,3:H21
  - somatic, stimulation, bradycardia and, 236,5:R225
  - spinal
  - bradycardia, 232,1:H464
  - nonhypotensive arteriovenous shunt, 236,5:H35
  - splanic, reflex responses, 242,11:R247
  - sympathetic: *see also* Sympathetic nerves
  - cardiopulmonary, renal nerve responses, 233,2:H592
  - contrasting reflex effects, coronary occlusion, 240,9:H620
  - depressor responses to stimulation (monkey, dog), 240,9:R23
  - reflex effects on kidney, 233,2:R580
  - thoracic sympathetic, renal nerve activity, 237,6:H44
  - vagal: *see* Vagal afferents
- Afferent pathways**
- bradycardia, coronary occlusion, 239,8:H172
  - reflex circulatory changes, 235,4:H759
- Afferent stimulation**, pericoronary nerve, reflex circulatory changes, 235,4:H759
- Afferents**
- abdominal, depressor responses (monkey, dog), 240,9:R23
  - pericoronary nerve, stimulation, reflex circulatory changes, 235,4:H759
  - somatic, stimulation, bradycardia, 236,5:R225
  - spinal, nonhypotensive arteriovenous shunt, 236,5:H35
- Affinity chromatography**: *see* Chromatography
- A fibers**, ventral root mapping, 232,1:H590
- A $\delta$  fibers**, depressor responses to stimulation (monkey, dog), 240,9:R23
- Afibrinogenemia**, anand-induced, fibrinogen synthesis, 233,2:H562
- Aftercontractions**: *see also* Muscle, heart
- cardiac Purkinje fibers, 243,12:H77
  - digitalis, voltage dependence, cardiac, 241,10:H646
- Afterload**
- coronary circulation and, awake state, 243,12:H94
  - curves, left ventricular, catecholamine cardiomyopathy, 238,7:H257
- Frank-Starling mechanism**, 234,3:H338
- interaction with preload, 232,1:H697
  - isovolumic pressure fall, 235,4:H701
  - left ventricular, microsphere shunting across coronary circulation, 236,5:H7
  - myocardial contractility and power density, 237,6:R225
  - myocardial relaxation, 239,8:H1
  - series elasticity, smooth muscle, 233,2:H248
  - stress, left ventricular shortening, 238,7:H126
- Afterpotentials**, digitalis, voltage dependence, cardiac, 241,10:H646
- Agglutinin**
- peanut, binding, epithelial cells, kidney, 242,11:C117
  - wheat germ, insulin binding and insulin sensitivity, fat cells, 238,1:E267
- Aggregates**, particle: *see* Particle aggregates
- Aggregation**, platelet: *see* Platelets
- Aging**
- $\beta$ -adrenergic stimulation, heart, 239,8:H501
  - amino acid transport, diaphragm, 235,4:E304
  - angiotensin I metabolism, lungs, 238,7:R395
  - arterial baroreceptor reflexes, racing (greyhound), 240,9:H383
  - arterial wall mechanics, 233,2:H256
  - L-asparagine synthetase activity, pancreatic, 236,5:E746
  - body element composition, 232,1:E419
  - body water compartments, 236,5:R215
  - bone, chondroosseous blood flow and, 242,11:H365
  - bone mass, 230:143
  - calcium
  - dietary, adaptation, 236,5:E763
  - intestinal absorption, 236,5:E763
  - restriction, adaptation, 239,2:E322
  - cardiac hypertrophy, tibial length and, 243,12:H941
  - cardiac muscle mechanics, spontaneous hypertension, 235,4:H2
  - carotid artery mechanical properties, 233,2:E256
  - disease, triggering cycle and homeostasis, membrane, 243,12:R229
  - esophageal sphincter mechanics, 233,2:E407
  - fat-free mass, total body water, intracellular water and, 238,7:R82
  - fatty acid oxidation, cardiac, 232,1:E258
  - fatty acid uptake, jejunal, 239,2:G363
  - gluconeogenesis from glycerol, 230:362
  - glucocorticoid induction, liver enzymes, 235,4:E374
  - D-glucose, transport, jejunal, 236,5:E685
  - glucose utilization, aortic, 230:30
  - growth hormone stimulation, myocardial thymidine kinase, 236,5:H73
  - heart function and morphology, spontaneous hypertension, 237,6:E218
  - insulinotropic factor secretion, intestinal, 236,5:E710
  - insulin resistance, skeletal muscle, in genetic obesity, 239,2:E363
  - insulin sensitivity, skeletal muscle, 236,5:E519
  - intercapillary distance, coronary, 231:1852
  - lipids, serum, changes with food restriction, 238,1:E253
  - longitudinal force and stress, esophageal, 232,1:E580
  - luteinizing hormone, pituitary cultures, 240,3:E510
  - lymph flow, 232,1:H236
  - metallothionein metabolism, 237,6:E18
  - muscle structure and metabolism and, 242,11:R89
  - myocardial blood flow, oxygen delivery and (sheep), 243,12:H729
- myocardial, review of, 242,11:H927
- permeability
- <sup>125</sup>I-albumin, aorta (cockere), 239,8:H642
  - transcutaneous, larval and adult (salamander), 239,8:R505
- phosphorous restriction, adaptation, 239,2:E322
- pituitary adenosine monophosphate, cyclic response, gonadotropin-releasing hormone, 235,4:E37
- potassium homeostasis and, hyperinsulinemia, 242,5:E373
- pulmonary and thyroid function, 237,6:E224
- pulmonary hypertension, chronic hypoxia, 240,9:H62
- sodium ion excretion effects, saline-loaded hypertension, 231:1364
- starvation and, 239,2:E269, E277
- stiffness, dynamic, of senescent trabeculae carneae, 232,1:H373
- testosterone secretion, luteinizing hormone and, 243,6:E257
- transcapillary pressure changes (Starling), 240,9:H843
- urinary concentrating ability, 240,9:F147
- vascular smooth muscle function, diet and, 238,7:H652
- vasopressin-dependent adenosine monophosphate, cyclic and, 243,12:F121
- vitamin D metabolism, calcium and estrogen effects (quail), 241,4:E275
- Agonists**: *see also* specific agent
- $\beta$ -
  - isoproterenol-induced adenosine monophosphate, cyclic increases, uterus, 237,6:C25
  - length-tension relations, volume overload heart failure, 235,4:H690
  - salbutamol stimulation of arteriolar number, 236,5:H134
- AHR-5850**, vasoactive intestinal polypeptides and, cerebral arterioles, 239,8:H765
- Air**
- expired, carbon dioxide concentration, artificial ventilation experiments, 236,5:R126
  - temperature: *see* Temperature, environmental
- Air-blood barrier**
- amino acid, pulmonary absorption, 240,9:C215
  - pulmonary drug absorption, neonatal, 234,3:C191
- Air breathers**, myocardial inotropy, carbon dioxide (turtle), 234,3:R155
- Air-water interface**, denaturation in vitro (rat, dog, pig), 236,5:F501
- Airway**
- caliber, thin-fiber muscle afferents and, 243,12:R383
  - fluid, 230:376
  - hypoxia: *see* Hypoxia
  - mechanics, smooth muscle, 241,10:C42
  - pressure: *see* Pressure
  - secretions, prostaglandin effects, 240,9:F101
  - upper, receptor reflexes (monkey), 234,3:H293
- Alanine**
- absorption, inhibition by sodium ricinoleate, 236,5:E534
  - acute uremia, hindquarter, 241,4:E415
  - blood  $\beta$ -hydroxybutyrate, 230:1385
  - <sup>14</sup>C-labeled, metabolism, starvation, 241,4:E121
  - 2,3-<sup>12</sup>C<sub>2</sub>-labeled, gluconeogenesis measurement, neonatal, 240,3:E615
  - clofibrate acid effects, skeletal muscle, 240,3:E203
  - Cori cycle activity, 232,1:E145
  - exchangeable mass, starvation, 241,4:E121
  - formation and release, muscular, effect of fasting and diabetes, 233,2:E109



- gluconeogenesis (ovine fetus and lamb), 233,2:E462, 235,4:E448  
 histidine production, kidney, 237,6:E1  
 hypoglycemia, kinetics, 236,5:E147  
 metabolism, gluconeogenesis and, 231:619  
 oxidation, carnitine effects, liver and skeletal muscle, 234,3:E494  
 phosphate transport, microvillus membrane vesicles, kidney, 242,11:F126  
 plasma, carbon kinetics, 239,2:E30, E39  
 production  
   atrial muscle, feeding and fasting effects, 238,1:E487  
   renal, 237,6:F7  
 release  
   amyta<sup>1</sup>-effects, perfused heart, 237,6:C221  
   muscle, after endotoxin, 239,2:E311  
   skeletal muscle, 232,1:E243  
 synthesis, hindlimb, 230:1379  
 temperature-dependent potentials, proximal tubules, 236,5:F302  
 U-<sup>14</sup>C-labeled  
   glucogenesis and glucose turnover (fish), 240,9:R246  
   oxidation, rest and exercise, 240,3:E155
- β-Alanine**  
 histidine production, kidney, 237,6:E1  
 uptake and metabolism, 230:643
- L-Alanine**  
 metabolic hyperemia, gut, 239,2:G12  
 metabolism, LLC-PK<sub>1</sub> renal epithelia (pig), 242,11:C41
- <sup>15</sup>N-labeled  
 plasma turnover rates and pools, 237,6:E418  
 whole-body protein metabolism, trauma and, 241,4:E64
- Alanine aminotransferase**  
 diabetes, fasting and, muscle, 233,2:E109  
 gluconeogenesis (chicken and carnivorous bird), 234,3:R115
- Albumin**  
 calcium binding, differential, serum, 238,1:E104  
 catecholamine responses, 232,1:F123  
 clearance, intestinal mucosa, 242,5:G448  
 concentration, transvascular microautoradiography, 239,8:H289  
 Evans blue dye, 232,1:H205  
 simultaneous accumulation, aortic wall, 233,2:H66  
 uptake and, serum effects, 243,12:H708  
 excluded volume  
   increased venous pressure and, skin, 242,11:H1038  
   increased venous pressure and, muscle, 242,11:H1044  
 expansion, urine collection device, 233,2:F615  
 hyperoncotic  
   renal glucose reabsorption and, 232,1:F286  
   sodium transport, superficial and juxtamedullary nephron, 237,6:F34
- <sup>125</sup>I-labeled  
 autoradiography, arteries, 239,8:H289  
 permeability, aorta, aging effects (cockler), 239,8:H642  
 infusion, renal glucose reabsorption effects, 232,1:F286  
 interstitial, hind paw, 239,8:H532  
 kidney function effects, 240,9:F569  
 microspheres, <sup>99m</sup>Tc-labeled, hemodynamic effects on bile secretion, liver, 234,3:E584  
 motility and, spermatozoa, 242,11:C304  
 permeability, renal peritubular capillaries, 231:283  
 plasma, α-ketoisocaproate binding to, free fatty acid effects, 242,5:E67  
 polyethylene glycol and, brain, 240,9:F319
- production, following thyroidectomy, liver, 240,3:E18  
 radioiodinated, cerebral interstitial fluid drainage, lymph, 240,9:F329  
 radioiodinated human serum, escape rate, volume expansion, 234,3:F386  
 serum  
   colloid osmotic pressure, isogravimetric hindlimb, 242,11:H512  
   muscular exercise, 233,2:E115  
   placental binding, steroid transfer and, 238,1:E208  
   plasma-lymph transport, 239,8:H525  
   silver quantification, autoradiography, 238,7:H414  
 substrate free, perfused kidney, 235,4:F52  
 synthesis, chronic renal failure, 243,12:F372  
 thrombin-stimulated fibrinogen synthesis, 230:996  
 transmural diffusion, arterial stretch effects, 240,9:H645  
 transmural transport, aortic (dog, human, pig), 240,9:H54  
 volume expansion, 232,1:F123
- Albumin-calcium-palmitate complexes**, serum, 238,1:E104
- Albumin fraction**, 230:376  
 V bovine serum, potassium ions, loss, renal tissue, 235,4:F228
- Albumin-globulin ratio**  
 colloid osmotic pressure and, 233,2:H295  
 plasma, oncotic pressure, calculation errors, 239,8:H810
- Albuminuria**, nephrectomy, chronic renal failure, 243,12:F372
- Albuterol**, erythroid progenitor cell activation, 236,5:H422
- Alcohol**  
 blood-brain barrier, permeability, 230:543  
 erythrocyte permeability, temperature effects, 242,11:C74  
 fatty, sodium effects, passive intestinal uptake, 243,6:G148  
 ingestion, bone and mineral metabolism and, 238,1:E507  
 membrane permeability, temperature effects, lung cells, 243,12:C285  
 permeability  
   erythrocytes, 238,7:C107  
   lung cells, 233,2:C104  
 permeation, intestine, 236,5:E721  
 splanchnic and skeletal muscle substrate turnover, prolonged exercise, 233,2:E195
- Aldosterone**: see also Renin-angiotensin-aldosterone system  
 acid-labile conjugate, 234,3:E472  
 adrenocorticotropin/adrenal corticosteroid dose-response curves, 238,1:E543  
 altered arterial ion transport, hypertension, 243,12:H927  
 ammonia production, renal, 233,2:E56  
 angiotensin II, hypertension, 235,4:F174  
 angiotensin II formation, blockade, 237,6:F424  
 antagonism, sodium ion transport (toad), 236,5:C117  
 antidiuretic hormone response, collecting tubules, temperature effects, 239,8:F595  
 binding  
   colonic mucosa, 240,3:G417  
   cytoplasmic and nuclear receptors, kidney, 240,9:C20  
   isolated kidney tubules, 240,9:F172  
   kidney glomeruli, 243,12:F235  
   kidney tubules, 241,10:F605, 242,11:F63  
   sodium transport, kidney cells, 242,11:F610  
   urinary bladder epithelium (toad), 235,4:C82
- biosynthesis  
 angiotensin II effects, 243,6:E450  
 stimulation by experimental edema, role of kidneys, 240,3:E12  
 bleeding volume, regulation, 233,2:R239  
 calcium effects, adrenal and macula densa, 232,1:E388  
 cation transport  
   colon, 238,7:F181  
   cortical collecting tubules, 235,4:F576  
 cell sensitivity to, urinary bladder (toad), 241,10:F129  
 chronic sodium balance, renal, 239,8:F271  
 clearance, renal hyperchloremic acidosis, 238,7:F79  
 concentration  
   plasma, converting-enzyme inhibitor in high output failure, 236,5:F541  
   plasma, hypertension during antidiuretic hormone and hypotonic saline infusion, 236,5:H314  
 deficiency, renal acidosis, 236,5:F283  
 dietary chloride effects, 241,10:F361  
 distal deranged acidification, 239,8:F515  
 electrolyte transport, esophageal (rabbit, opossum), 239,2:G5  
 excretion, water restriction acclimation, 240,9:R319  
 extrarenal potassium homeostasis and, 242,11:F641  
 fluid absorption and, proximal tubules, 241,10:F502  
 hydrogen ion transport, urinary epithelia, 235,4:F77  
 insulin-mediated sodium transport, urinary bladder (toad), 232,1:F270  
 metabolic acidosis, 232,1:F136  
 metabolites, renal handling, 234,3:E472  
 mineralocorticoid activity, adrenalec-tomy, 242,5:E305  
 mineralocorticoid deficiency, renal acidosis, 236,5:F283  
 natriuresis and  
   hypertonic infusions, 242,11:F30  
   spontaneous hypertension, 234,3:F29  
 osmolality and, after hemorrhage, 238,1:E62  
 plasma, angiotensin I effects, 234,3:F130  
 plasma potassium concentration and, renal, 242,11:F599  
 potassium, postprandial excretion (sheep), 233,2:F213  
 potassium and adrenocorticotrophic hormone effects, adrenal transplant (sheep), 237,6:E500  
 potassium-angiotensin II receptors, relations, smooth muscle and adrenal tissues, 237,6:E519  
 potassium control, renin-angiotensin system, 238,7:R359  
 potassium distribution and, 243,12:R526  
 potassium excretion, renal (sheep), 234,3:F371  
 potassium homeostasis, extrarenal, 240,9:F257  
 potassium secretion and, distal tubule, 243,12:F487  
 production, adrenal cells, comparative effects of angiotensin II, adrenocorticotropin, and potassium, 233,2:E402  
 prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532  
 proteinuria, angiotensin- and norepinephrine-induced, 237,6:F133  
 pyridine nucleotide oxidative response, kidney, 232,1:E401  
 receptors: see Receptors  
 release, angiotensin II and potassium ions, adrenal, 237,6:E363  
 renal cell function, 238,7:F1  
 renovascular hypertension, 236,5:H101  
 rhythms (squirrel monkey), 233,2:R230  
 rRNA synthesis, bladder (toad), 232,1:C174  
 secretion, 230:311, 1063

**Aldosterone (continued)**

- adrenal cortex electrical responses, 237,6:E158
- adrenocortical, angiotensin metabolism (sheep), 235,4:E525
- angiotensin II-inhibited intracerebro-ventricular, 239,2:E447
- aortic constriction, 232,1:F434
- caval constriction, 232,1:F559
- hypovolemia, 237,6:R45
- modulation of, dopaminergic mechanisms (monkey), 243,6:E375
- P-113 infusion, adrenal arterial (sheep), 236,5:F333
- renin-angiotensin system, 232,1:F434
- sodium deficiency (sheep), 236,5:F333
- sodium, postprandial excretion (sheep), 233,2:F213
- sodium and water retention, 234,3:F490
- sodium excretion, 230:1504
- sodium-potassium-ATPase
  - after potassium loading, nephron, 238,7:F380
  - induction, proximal tubular cells, 241,10:F356
  - nephron, 241,10:F273
  - regulation, renal, 241,10:F186
- sodium pump and, bladder, 230:1603
- sodium retention, pregnancy, 240,9:R175
- sodium transport
  - amiloride-sensitive colon, 238,7:F261
  - bladder (toad), 235,4:F586
  - peritubular membrane, cortical collecting tubule, 242,11:F664
  - sulfuric acid feeding, kidney, 243,12:F494
  - testosterone and, antagonism, bladder (toad), 239,8:F443
  - thyroid hormone and, interaction on sodium ion transport, bladder (toad), 236,5:C125
  - transport, high-resistance epithelia (amphibia), 240,9:C103
  - urinary acid-labile, sodium deficit effects, growth, 242,5:E241
  - urinary excretion rate, 234,3:E472
  - vasopressin-treated diabetes, 234,3:F106
  - water deprivation and, 242,11:R296
- d-Aldosterone**, cortical tubules, 240,9:F38
- Aldosterone amiloride**, transport properties, kidney epithelia (toad), 241,10:C154
- Aldosterone-potassium feedback control system**, effectiveness, 231:945
- Aldosterone-sodium feedback control system**, effectiveness, 231:945
- Algorithm**
  - eye movement detection, REM sleep, 241,10:R217
  - radioopaque marker identification, heart rotation, 239,8:H573
- Alimentary epithelium**, electrolyte permeation, 240,3:G191
- Alimentary tract**, cobalamin absorption, 241,4:G294
- Aliphatic esterase**, gastric mucosa, 234,3:E606
- Alkaline**
  - response, mucosa-damaging agents, gastric, 241,4:G509
  - secretion
    - duodenal (amphibian), 240,3:G401, 240,3:G472
    - duodenum (bullfrog), 241,4:G528
    - gastric, mediators (frog), 239,2:G255
    - gastric, prostaglandin effects, 239,2:G44
- Alkaline phosphatase**
  - adaptation to diets, 239,2:G445
  - adaptation to low dietary phosphate, 237,6:E465
  - adenosine formation, heart, 240,9:H963
  - bone differentiation, 238,1:E200
  - calcium absorption, age effects, 236,5:E763

- ethanol effects, jejunal brush border membrane, 237,6:E68
- glucocorticoid effects, kidney, 243,12:C227
- intestinal, anion-stimulated phosphohydrolase activity, 238,1:G3
- intestinal brush-border membrane, diabetes, 238,1:G114
- intestinal phosphate transport and (chick), 240,3:E379
- phosphate transport and, renal brush-border vesicles, 239,8:F13
- tissue and serum, fat feeding effects, intestinal, 241,4:G461
- transport, brush-border membrane, duodenal, 242,5:G533

**Alkalinization**

- active, gastric fundic mucosa (amphibia), 233,2:E1
- luminal, fundic mucosa (bullfrog), 243,6:G377
- urine, phosphate excretion, 236,5:F184

**Alkaloids**, sodium-dependent transport, harmaline and, renal, 238,7:F210**Alkalosis**

- acid-base changes, milk and blood, 231:132
- $\beta$ -adrenoreceptor blockade, 230:959
- bicarbonate reabsorption, kidney, 232,1:F484
- metabolic
  - bicarbonate-chlorine exchange, bladder (turtle), 239,8:F167
  - electrolyte transport, intestinal, 239,2:G427
  - intracellular pH, liver, 236,5:F240
  - plasma anion gap changes, 235,4:F291
  - renal acidification, 236,5:F48
  - renal tissue slice metabolism, arsenite effects, 237,6:F93
  - secondary hypercapnia and renal response, 238,7:F283
- mineralocorticoid
  - amiloride attenuation, 236,5:F48
  - potassium ion deprivation, renal, 235,4:F298
  - renal excretion, citrate, 231:84
- respiratory
  - brain pH changes, 230:804
  - hydrogen ion secretion, distal, 235,4:F203
  - hypoxia, carbon dioxide effects, 239,8:H545
  - intracellular pH, liver, 236,5:F240
  - ion transport and, intestinal, 242,5:G486
  - phosphate excretion and, renal, 243,12:F471
  - venous efflux of prostaglandins, ventilatory rate effects, 242,11:F38

**Alkyl aryl thiourea compounds**, cerebral blood flow tracers, 238,7:H776**Allantoic fluid**, potentials (sheep), 236,5:C58**Allantoin**

- excretion, renal, 233,2:F373
- plasma, hyperuricemia induced by hypothalamic stimulation, 236,5:E212
- urate uptake and, kidney cortex, 242,11:F158
- uric acid metabolism, muscular dystrophy, 234,3:E421
- Allasotonic contraction**, oxygen consumption, myocardial, 233,2:H421
- Allergy**, food, intestines and, 242,5:G1
- Alligator**, cutaneous heat flow, 230:1205
- Allometry**, intraspecies, kidney weight, glomerular filtration rate and, 242,11:R303

**Alloperfusion**, autoperfusion and, step function input, kidney, 233,2:H488**Allopurinol**

- secretion, jejunum, 238,1:G141
- uric acid synthesis, renal, 238,7:F481
- uric acid synthesis (chicken), 234,3:F446
- Allosteric transport**, urate, proximal tubules, 241,10:F565

**Alloxan**

- action, glucose metabolism, fibroblasts, 240,3:E640, 240,3:E645
- diabetes: see Diabetes
- diabetic acidosis, ventricular function, insulin effects (lamb), 241,10:H401
- injection, fourth ventricle, glycoprotein feeding and, 243,12:R312
- pentose-monophosphate shunt, fibroblasts, 240,3:E645
- protein composition, lung fluids, edema, 230:376
- pulmonary vascular permeability, 239,8:H96
- tricarboxylic acid pathways, fibroblasts, 240,3:E645

**Alpha stimulation**, exercise oxygen consumption, skeletal muscle, 238,7:H331**Altitude**

- blood flow, cerebral (duck), 232,1:H596
- blunted pulmonary vasoconstriction, 238,7:H849
- high
  - reduced water intake, 240,9:R187
  - spaceflight: see Spaceflight
  - vasopressin effects, fluid and electrolyte balance, 240,9:R182

**Alveolar cells**, type 2, surfactant secretion, cholinergic stimulation of, 243,12:C39**Alveolar macrophages**: see Macrophages**Alveolar membrane**, filtration coefficient, 234,3:H266**Alveolar permeability**: see Permeability**Alveoli**

- epithelial cells, dome formation in, 243,12:C96
- hypoxia, isogravimetric capillary pressures, 241,10:H732
- surface area, regression lines with unequal slopes, 242,11:R178

 **$\alpha$ -Amanitin**, ribonucleic acid synthesis and endogenous polymerases, myocardial, in hyperthyroidism, 236,5:H451**Ambient temperature**: see Temperature**Ambulatory monitoring**, hot flashes, 237,6:R306**Ameroid constrictor**, regional myocardial dysfunction, 239,8:H399**Amfenac sodium**, pial arteriolar response, carbon dioxide and hypoxia, 238,7:H226**Amides**, permeability, lung endothelium, 230:1708**Amiloride**

- acid excretion, renal, 236,5:F48
- acid lumen pH, renal potassium transport and, 230:239
- acridine orange uptake and, brush border vesicles, renal, 242,11:F733
- activity, skin (larval frog), 237,6:R74
- antidiuretic hormone-stimulated sodium chloride cotransport, nephron heterogeneity, 241,10:F412
- bicarbonate absorption, collecting tubules, 234,3:F141
- calcium movement and, cortical collecting duct, 242,11:F285
- calcium transport, distal nephron, 235,4:F367
- carbon dioxide and oxygen fluxes, bladder epithelia (toad), 236,5:F413
- chloride concentration gradient, newborn, 239,8:F328
- chloride fluxes, skin (frog), 234,3:F437
- chloride transport, urinary bladder (toad), 233,2:F421
- clearance of calcium and sodium, 230:67
- corticosteroid-induced changes, colonic function, 241,4:G300
- diluting segment, distal tubule (amphibian), 233,2:F438
- effect on shunt pathways, 231:164
- electrical characteristics, gastric mucosa (monkey), 239,2:G77

- epithelial cell culture, thick ascending limbs, kidney, 242,11:C229  
 high-resistance epithelia (amphibia), 240,9:C103  
 hydrogen excretion, skin (frog), 233,2:F46  
 ionic conductance and, cortical collecting tubule, 243,12:F81  
 isoproterenol-induced changes, glands, skin (frog), 241,10:C250  
 mineralocorticoid alkalosis, attenuation, 236,5:F48  
 permeability studies, short-circuit current, colon, 232,1:F5  
 phosphate transport and, cortical collecting tubules, 242,11:F379  
 potassium absorption and, urinary bladder (turtle), 241,10:F315  
 potassium secretion and, luminal chloride effects, kidney, 242,11:F46  
 renal cell function, 238,7:F1  
 secretion, gastric, fetal, 240,3:G206  
 short-circuit current inhibition, bladder (toad), 236,5:C221  
 skin, electrical parameters (frog), 243,12:F581  
 sodium and bicarbonate transport relations, proximal convoluted tubule, 240,9:F222  
 sodium and potassium transport, kidney tubules, 242,11:F514  
 sodium channel, bladder epithelium (turtle, toad), 239,8:F299  
 sodium concentration, luminal, distal tubules (snake), 239,8:F412  
 sodium-hydrogen exchange  
   brush border vesicles, renal failure, 243,12:F293  
   microvillus membrane vesicles, renal, 241,10:F374  
   proximal tubular, 241,10:F380  
 sodium ion transport, stomach (mammalian), 234,3:E228  
 sodium transport  
   bladder (toad), 234,3:F192  
   tissues and cells, 242,11:C131  
 transepithelial potentials, distal tubule (reptile), 234,3:F238  
 transport characteristics, renal collecting tubules, 233,2:F559
- Amine precursor uptake and decarboxylation** cells, veratrine and potassium effects, ileal secretion, 240,3:G211
- Aminergic mechanisms**, hypothalamic regulation, growth hormone, 233,2:E61
- Amines**  
 adenosine monophosphate responses, choroid plexus, 232,1:E353  
 adrenergic, 230:158  
 biogenic  
   arousal from hibernation (ground squirrel), 236,5:R162  
   brain, feedback inhibition, 234,3:R46  
   energy budget (chicken), 239,8:R57  
   extraction, flow dependence of, lung, 242,11:H844  
   growth hormone regulation, 233,2:E61  
   impact on energy balance (fowl), 232,1:R137  
   lung disposition, hypertension, 239,8:H736  
   temperature maintenance, 239,8:R296  
 dietary, meal-induced gastrin release, 243,6:G341  
 exogenous, asymmetric contraction, ear artery, 238,7:H618  
 sympathomimetic  
   cardiovascular actions, 236,5:H592  
   myocardial contractility, hyperthyroidism, 237,6:H590  
 uptake, aortic endothelium (pig), 232,1:C88
- L-Amino acid**, pancreatic responses, mediation by gut receptors, 231:669
- L-Amino acid-decarboxylase inhibitors**, serotonin, brain content, and cold-induced metabolism, 235,4:R41
- Amino acid derivative hormones**, pharmacokinetics, 237,6:R251
- Amino acid N-acetyltransferase**, activity, development, liver, 238,1:G429
- Amino acids**  
 absorption  
   aspirin effects, 236,5:E495  
   ileum, newborn, 234,3:E257  
   in streptozotocin diabetes, 235,4:E457  
   intestinal, 241,4:G176  
   nephron, 236,5:F163  
   peritubular, 238,7:F324  
   proximal convoluted and straight tubules, 236,5:F149  
   pulmonary, 240,9:C215  
   transepithelial, membrane mechanisms, 238,7:F335  
 $\alpha$ -aminoisobutyric acid reabsorption and, renal, 237,6:F274
- aromatic  
 metabolism, heart, 240,3:E677  
 protein turnover, heart, 240,3:E677  
 arterial muscle responses, 232,1:H131  
 blood-brain barrier transport systems, 230:94  
 branched-chain  
   exercise effects, 242,5:E407  
   fetal heart, 234,3:E306  
   metabolism, brain, fetal, 241,4:E200  
   cardiac work, 237,6:E431  
   carrier transport, 240,9:C215  
   concentration, glucocorticoid effects, blood and muscle, 237,6:E564
- content  
 blood-brain, during anoxia and reoxygenation, 233,2:E326  
 incubated renal cortex slices, 236,5:F398  
 conversion, red blood cells, 242,11:C393  
 cycling, fasting and acidosis effects (sheep), 239,2:E248  
 cytoplasmic dipeptidase activities and, 233,2:E450  
 degradation, atrial muscle, 237,6:E480  
 developmental, renal cortex, 236,5:F398  
 dietary, gastrocolonic response, 238,1:G228  
 dietary regulation, transport, 230:245  
 distribution, cerebrospinal fluid to brain and blood, 242,11:F171  
 effect on chloride transport, intestinal (sea hare), 240,9:R61  
 fatty acid incorporation, lung, 232,1:E364
- free  
 blood, fetal and maternal (seal), 242,11:R85  
 liver extract and, gastric acid secretion, 239,2:G493  
 gastric inhibitory polypeptides and, insulin release (foxhound), 242,5:E53  
 gastric secretion stimulation  
   intestinal phase, 234,3:E64  
   pyloric gland area, 233,2:E170  
 gastrin regulation and, antrum, 243,6:G429  
 glucogenesis, glucose turnover and (fish), 240,9:R246  
 gustatory receptor sensitivity to (frog), 243,12:R42  
 hexose monophosphate shunt, cardiac myocytes, 232,1:E570  
 His-Leu hydrolysis, converting enzyme activity, endothelial (pig), 232,1:C95  
 hydrolysis and transport, proximal tubule, 238,7:F151  
 incorporation  
   cells, tracheal epithelium, 241,10:C184  
   medial hypothalamic nuclei, 240,9:R16  
 influx, unidirectional, liver, 232,1:E492  
 infusion, urinary zinc excretion, 235,4:F40  
 insulin and growth hormone absorption and, kidney tubules, 242,11:F745  
 insulin release, fetal pancreas, 239,2:E57
- interorgan transport, hemorrhagic shock, 231:377  
 intestinal hyperemia and, 235,4:H677  
 intraduodenal, pancreatic growth stimulation, 239,2:G400  
 intravenous, pancreatic secretion stimulation, 236,5:E678  
 intravenous infusion, sleep and, 238,1:E307  
 isoproterenol and, skeletal muscle, 232,1:E243  
 jejunum, newborn, 239,2:G306  
 kidney function and, 243,12:F284  
 leukocytic endogenous mediator, hepatic, 232,1:C15
- level  
 in nephron, methionine sulfoximine effects, 231:1536  
 mixed meal effects, 240,3:E54  
 liver, 232,1:E492  
 membrane potential, pancreatic  $\beta$ -cells, 240,3:E245
- metabolism  
 anoxic heart, 237,6:H535  
 atrial, feeding and fasting effects, 238,1:E480, E487  
 clofibrate acid effects, skeletal muscle, 240,3:E203  
 fasting and acidosis effects (sheep), 239,2:E248  
 glutamine deprivation and, tissue culture, 236,5:E234  
 hemorrhagic shock, muscle (monkey), 233,2:E439  
 hindlimb wound model, 242,11:R570  
 isolated perfused kidney, 235,4:F376  
 jejunum, 232,1:E263  
 kidney, 237,6:E1  
 pancreatic islets (toadfish), 233,2:F19  
 plasma and tissue concentrations, 243,6:E413  
 rest and exercise, 240,3:E155  
 small intestine, 242,5:G552  
 muscle protein synthesis, 242,5:E184  
 neutral, placental transport, 230:706  
<sup>15</sup>N-labeled, single dose, plasma turnover, 237,6:E418  
 osmoregulation, 230:925  
 oxidation, carnitine effects, liver and skeletal muscle, 234,3:E494  
 pancreatectomy, mixed meal response, 242,5:E335  
 perfusion, anoxic and ischemic myocardium, 236,5:H873
- plasma  
 diet amino acid content and, 243,12:R99  
 effect of protein intake in uremia, 230:1455  
 glucagon secretion, 236,5:E20  
 postinsulin hypophagia, 243,12:R304  
 transplacental gradients, 235,4:H200  
 pools, kidney slices, 236,5:F398  
 protein and glucose ingestion and, liver and gastrointestinal tract, 241,4:E90
- release  
 acute uremia, hindquarter, 241,4:E415  
 keto acids and, kidney, 235,4:E47  
 peripheral, hypothalamic obesity, 238,1:E32  
 rubidium fluxes, pancreatic  $\beta$ -cells, 240,3:E245
- secretion  
 peptide stimulation of, 242,5:G85  
 transepithelial, membrane mechanisms, 238,7:F335  
 solution, acidification of, oxyntic mucosa, 243,6:G336  
 splanchnic and skeletal muscle, during exercise, 233,2:E195  
 stimulation with, perfused organ system, 241,4:E215  
 sulfur, metabolism, portacaval shunt effects, 241,4:G503  
 supply, brain, 242,5:E1  
 transport  
   active, peritubular, 238,7:F324

**Amino acids (continued)**

- active, transepithelial, 238,7:F335  
 anoxia, 233,2:E326  
 blood-brain barrier, 233,2:E320, E326, 243,6:E272  
 calcium deprivation effects, hepatocytes, 241,10:C3  
 cerebral, 233,2:E320  
 cold acclimation and, liver (fish), 242,11:R280  
 cultured crypt cells, intestinal, 239,8:C190  
 diaphragm, insulin resistance, newborn, 235,4:E304  
 epithelium, 241,4:G451  
 erythrocytes (chicken), 241,10:C233  
 growth hormone supply and, 235,4:E316  
 hepatocytes, after partial hepatectomy, 236,5:E594  
 inhibition, pancreas, 238,1:G440  
 interorgan (sheep), 239,2:E242  
 intestinal, 233,2:E249, 235,4:C73  
 intestinal membrane vesicles, genetic diabetes, 238,1:G419  
 islets of Langerhans (toadfish), 233,2:E19  
 jejunal aspirin effects, 236,5:E495  
 jejunum, Hirschsprung's disease, 239,2:G123  
 low potassium ion-treated cells (Chinese hamster), 243,12:C124  
 membrane vesicles, analysis, 233,2:E445  
 modifications by food, protein, and glucagon, 238,1:E358  
 ouabain binding and, placenta, 238,1:E38  
 pars recta, 234,3:F332  
 passive permeability, 238,7:F335  
 peritubular, 238,7:F324  
 placental, 233,2:E308  
 placental microvillous membrane vesicles, 234,3:C27  
 plasma membrane, 234,3:F89  
 preincubation, 235,4:E304  
 reoxygenation, 233,2:E326  
 small intestine (killifish), 237,6:E567  
 sodium-coupled  
   sodium-dependent, harmaline and, renal, 238,7:F210  
   sodium ricinoleate and, 236,5:E534  
   thioglucose obesity, soleus muscle, 243,6:E74  
   vitamin B<sub>6</sub> deficiency, 235,4:E316  
 whole blood and plasma, stability of samples (sheep), 239,2:E242  
 tubular handling of microinfused angiotensin II, 234,3:F325  
 turnover, glucose and (fish), 240,9:R246  
 uptake  
   cholinergic effects, parotid gland, 239,2:G183  
   circadian clock and, 241,10:R31  
   endothelial, lung, 243,12:C20  
   hepatic, hypothalamic obesity, 238,1:E32  
   in insulin-sensitive muscle, neurotrophic regulation, 232,1:C83  
   islet of Langerhans and other tissues (toadfish), 233,2:E19  
   metabolism and, 230:643  
   placenta, maternal and fetal, 241,10:C106  
   placental, 234,3:C27  
   venous muscle response, 232,1:H131  
 whole-body metabolism, dietary protein effects, 240,3:E712  
 zinc clearance and, renal, 241,10:F487  
 Z-Phe-His-Leu hydrolysis, and converting enzyme activity, endothelial (pig), 232,1:C95  
 **$\beta$ -Amino acids**, taurine secretion and, kidney (fish), 242,11:R64  
**Amino acid transaminase**, branched-chain,  $\alpha$ -ketoisocaproate stimulation, kidney and muscle, 236,5:E514

- Amino acid transferase**, branched-chain, keto acids and, isolated perfused kidney, 235,4:E47  
 **$\alpha$ -Aminobutyric acid**, isogabaculine and, ornithine decarboxylase and putrescine metabolism, 243,12:C35  
 **$\gamma$ -Aminobutyric acid**, glycogen metabolism and, muscle contraction (roundworm), 242,11:R514  
**Amino compounds**, <sup>15</sup>N-labeled, equilibration of, 230:1326  
**1-Aminocyclopentanecarboxylic acid**, absorption, pulmonary, 240,9:C215  
**2-Aminoethylisothiuronium bromide**, platelet cohesion, 241,10:H45  
**Aminogluthethimide**, androgen secretion, adrenal, 239,2:E109  
**Aminoglycoside**, nephrotoxic renal failure and, 241,10:F1  
**p-Aminohippurate**  
   azotemia effects, renal clearance, 230:901  
   extraction, renal renin release and, 237,6:F188  
   <sup>3</sup>H-labeled, accumulation, proximal tubular segments, 239,8:F222  
   lactate uptake, peritubular, proximal tubule (snake), 238,7:F296  
   organic ion transport, renal cortex, 234,3:F302  
   papillary plasma flow, potassium deficiency effects, 237,6:F226  
   probenecid uricosuria inhibition, 232,1:F222  
   prostaglandin E excretion, 235,4:F473  
   renal tubular transport, 230:256, 1509  
   saccharin-excretion, renal, 238,7:F10  
   secretion  
     proximal tubules, 237,6:F85, 243,12:F404  
     renal (*Necturus*), 236,5:F442  
   transport  
     aerobic, kidney, 235,4:F278  
     aerobic and anaerobic, renal, 232,1:F239  
     chloride substitute effects, kidney tubules (snake), 241,10:F632  
     DIDS effects, renal tubules, 238,7:F99  
     inhibitors, renal tubules (garter snake), 236,5:F379  
     kidney, 241,10:F9  
     SITS effects, renal tubules (snake), 238,7:F16  
     sodium-potassium-ATPase activity, renal, 236,5:F126  
     tubular (pig), 239,8:F108  
     tubular maximum, circannual renal function (marmot), 241,10:R87  
     tubular transit, lumen and cells, 232,1:F416  
   uptake  
     electrolytes, effects, 232,1:F239  
     proximal tubular segments, kidney (pig), 241,10:F591  
     renal, pH-temperature dependence, 233,2:F382  
**p-Aminohippuric acid**  
   absorption, pulmonary, neonatal, 234,3:C191  
   brush border vesicles, kidney (flounder), 237,6:F291  
   clearance, renal venous portal contribution (chicken), 240,9:F46  
   prostaglandin transport, renal tubular, 233,2:F133  
   secretion  
     heterogeneity, proximal tubules, 240,9:F430  
     urinary bladder (crab), 243,12:R147  
   transport  
     bladder (crab), 238,7:R311  
     kidney tubules (monkey), 242,11:F484  
     prostaglandin transport and, renal, comparison, 234,3:F80  
     urinary bladder (rock crab), 242,11:R25  
   uptake, separated tubules, renal fuels, 235,4:F137

- Aminoisobutyrate**, <sup>14</sup>C-labeled, insulin effects, starvation and aging, skeletal muscle, 236,5:E519  
 **$\alpha$ -Aminoisobutyrate**  
   distribution, food intake and, 238,1:E358  
   transport, diaphragm, newborn, 235,4:E304  
**Aminoisobutyric acid**  
   <sup>14</sup>C-labeled, uptake, carbachol, parotid gland, 239,2:G183  
   transport, thioglucose obesity, soleus muscle, 243,6:E74  
   uptake, insulin-sensitive muscle, 232,1:C83  
 **$\alpha$ -Aminoisobutyric acid**  
   absorption, proximal tubules, 236,5:F149  
   active transport, low potassium ion-treated ovary cells (Chinese hamster), 243,12:C124  
   blood-brain transport, histamine effects, 243,12:H307  
   clearance, renal, 237,6:F274  
   distribution, cerebrospinal fluid to brain and blood, 242,11:F171  
   inhibition, cholecystokinin effects, pancreas, 238,1:G440  
   insulin and growth hormone and, kidney tubules, 242,11:F745  
   transport  
     placental, 233,2:E308  
     thioglucose obesity, soleus muscle, 243,6:E74  
 **$\gamma$ -Aminolevulinic acid synthetase**, induction in muscle, exercise or thyroxine, 235,5:R180  
**6-Aminonicotinamide**, pyruvate kinase regulation, hepatocytes, 240,3:E279  
**Amino-oxyacetate**, utilization, aorta, 243,12:H128  
**Aminooxyacetic acid**, induction in muscle, anoxic and ischemic myocardium, 236,5:H873  
**Aminophylline**  
   adenosine effects, intestinal, 235,4:H707  
   effects, functional hyperemia, coronary, 243,12:H480  
   ion movement, tracheal epithelium, 239,8:F215  
   laryngeal chemoreflex, neonatal (piglet), 233,2:R30  
   muscle relaxation, 230:1239  
   veratrine and potassium effects, ileal secretion, 240,3:G211  
**Aminopyrine**  
   accumulation  
     gastric glands, 243,6:G313  
     histamine effects, gastric glands, 238,1:G312  
     parietal cells, 237,6:E444  
   acid secretion, gastric glands, 243,6:G505  
   <sup>14</sup>C-labeled  
     accumulation, secretagogue stimulation, isolated parietal cells, 238,1:G366  
     clearance, gastric mucosal blood flow and, 238,1:G131  
     electrophysiology and secretion, stomach (frog), 234,3:E120  
     gastric acid secretion and, gastric glands, 241,4:G431  
     gastrin stimulation, gastric glands, 242,5:G504  
     permeability, capillaries (frog), 240,9:H597  
     uptake, prostaglandin-histamine effects, fundic glands, 242,5:C21  
**Aminotransferases**, liver, hypothalamic obesity, 238,1:E32  
**Ammonia**  
   acidification and, collecting tubules, 241,10:F669  
   activity, zinc deficiency, 235,4:E203  
   equilibration, 230:1326  
   excretion  
     glutamine metabolism, renal, 235,4:E261  
     renal, 234,3:F514



- glucocorticoids and, renal and systemic, 239,8:F30  
 importance, meal-induced gastrin release, 243,6:G341  
 intestinal cell incubation, macromolecule synthesis (chick, rat), 233,2:E341  
 metabolism, 235,4:F265  
   contracting fast and slow muscle, 237,6:C111  
   nanoliter samples, acid-base titration, 242,11:F95  
 N-labeled, myocardial extraction, 242,11:H536  
 pH effects, production by renal mitochondria, 231:1631  
 phosphaturic response, parathyroid hormone, 239,2:E328  
 production  
   acid-base alterations, renal, 236,5:E289  
   glucose and, small intestine, 242,5:G552  
   metabolic acidosis, 239,2:E51  
   mineralocorticoid deficiency, 232,1:F136  
   mineralocorticoid deficiency acidosis, renal, 236,5:F283  
   renal, aldosterone effects, 233,2:E56  
   renal, potassium effects, 231:1178  
   synthesis, glutamine extraction, renal, 238,7:F199  
   urinary, protein turnover measurement, end product, 235,4:E165  
   via prepyriform cortex, effect on regulation of food intake, 231:1263
- Ammoniogenesis**  
 acetazolamide effects, renal, 234,3:F235  
 acidosis-stimulated, 239,8:F445  
 amiloride, renal, 236,5:F48  
 anti-ammoniogenic effect, ketone bodies, cellular mechanisms, 239,8:F420  
 fatty acid effects, renal, 231:880  
 glutamine deprivation, tissue culture, 236,5:E234  
 hypercapnia, kidney and liver, 243,12:F227  
 ketone body effects, glutamine metabolism, kidney and mitochondria, 243,12:F181  
 mitochondrial, high protein diet, 235,4:E261  
 renal, 234,3:F235  
   fatty acid effects, 231:880  
   fatty acid inhibitory action, fluoroacetate effects, 237,6:F7  
   renal mitochondria, potassium effects, 231:44
- Ammoniogenic factor**, plasma, metabolic acidosis, renal, 241,10:F112
- Ammonium**  
 excretion, prolonged fasting, 243,6:E251  
 lithium and, sodium-hydrogen exchanger, renal microvillus membrane, 241,10:C220  
 metabolism, jejunal, 232,1:E263  
 reabsorption, potassium handling and, kidney (toad), 243,12:F67
- Ammonium chloride**  
 dissociation from acidemia, 239,2:E328  
 metabolic acidosis effects, 1,25-dihydroxyvitamin D<sub>3</sub>, 243,12:F570  
 phosphaturia of, acidemia role, 242,11:F552  
 phosphaturic response, parathyroid hormone, 239,2:E328  
 pH transients, muscle fibers (barnacle), 233,2:C61  
 red cell osmotic behavior, nonelectrolytes, 236,5:C238
- Ammonium ions**  
 amiloride-sensitive, transport (blue crab), 241,10:R370  
 rubidium-86 efflux, pancreatic islets, 236,5:E139
- Ammonium-sodium exchange**, freshwater muscle, 235,4:R35
- Amnion**, osmoregulation, 232,1:R124
- Amniotic fluid**  
 $\alpha$ -fetoprotein (ovine), 235,4:E27  
 potentials (sheep), 236,5:C58  
 pressure, fetal and maternal, analysis of (sheep), 243,12:R433  
 prolactin effects, 232,1:R124  
 prolactin transport, fetal membrane, 243,12:R552  
 transfer and catabolism, fetal-maternal (sheep), 240,3:E191
- Amperometric detection**, norepinephrine overflow, saphenous vein, 236,5:H263
- Amphiphiles**  
 coronary arteries and, 240,9:H229  
 erythrocytes and, 240,9:H222  
 perfused hearts and, 240,9:H229
- Amphorectin B**  
 chloride reabsorption, collecting duct segment, 239,8:F552  
 diuretic and indanone effects, cornea and bladder (toad), 238,7:R70  
 electrolyte transport, gallbladder (*Necturus*), 238,1:G358  
 glucose and sodium ion reabsorption, dissociation, proximal tubules (*Necturus*), 236,5:F392  
 ion permeation, bladder epithelium (toad), 235,4:F507  
 potassium ion transport, excised urinary bladder (toad), 237,6:F145  
 sodium channel, bladder epithelium (turtle, toad), 239,8:F299
- Amphotericin B**  
 gastric acid secretion and, gastric glands, 241,4:G431  
 nephrotoxic renal failure and, 241,10:F1  
 permeability studies, colon, 232,1:F5  
 phosphate transport, microvillus membrane vesicles, kidney, 242,11:F126  
 thermodynamic analysis, corneal epithelium (frog), 242,11:F690
- Amplifiers**  
 automatic cardiac action potential duration meters, 236,5:H183  
 operational, voltage clamp, 235,4:C69
- Amrinone**, parathyroid hormone interaction, bone culture, 243,6:E499
- Amygdaloid lesions**, ingestive responses, 2-deoxy-D-glucose and insulin, 242,11:R129
- Amygdaloid nucleus**, central, lesions, oral motor deficits, 237,6:R126
- Amylase**  
 adrenergic sympathetic stimulation, parotid gland, 236,5:E371  
 adrenoceptor agonists effects, parotid acinar cells, 242,5:G481  
 blood, endocrine secretion, pancreas, 241,4:G170  
 caerulein-secreatin interaction, trophic effects, pancreas, 235,4:E714  
 chloride secretion, intestinal, 239,2:G190  
 circulating, biliary and plasma levels, 243,6:G54  
 enzyme secretion and, pancreas, 243,12:C196  
 fasting and refeeding effects, pancreas, 242,5:G215  
 insulin action, pancreatic acini, 240,3:G56  
 pancreatic, 232,1:E131  
 dietary lipids and, 243,6:G10  
 enteropancreatic circulation and, 241,4:G54  
 hepatobiliary clearance, 243,6:G21  
 release  
   A23187 and, pancreatic acini, 238,1:G458  
   cholinergic-stimulation, calcium mediation, parotid gland, 236,5:C233  
   dissociated pancreatic acinar cells, ion effects, 231:1562  
   extracellular calcium effects, dispersed pancreatic acini, 236,5:E754  
   manganese effects, pancreatic acini (guinea pig), 241,4:G359  
   monensin effects, parotid acini, 240,9:C189  
   pancreatic acinar cells (amphibian), 235,4:E112  
   pancreatic acini, 235,4:E743  
   pancreatic acini, actions of amphibian peptides, 236,5:E571  
   secretagogue action, pancreatic acini, 235,4:E517  
   secretagogue-stimulated theophylline effects, pancreatic acini, 239,2:G324
- secretion  
 arachidonic acid metabolism and, pancreatic acini, 242,5:G493  
 bombesin-induced desensitization, pancreatic acini, 238,1:G213  
 cholecystokinin action, pancreatic acini, 242,5:G416  
 cholecystokinin-induced, pancreatic acini, 240,3:G459  
 cholecystokinin-induced desensitization, 239,2:G272  
 development, fetal, 236,5:E446  
 pancreatic acinar cells, regulation by calcium, 238,1:G269  
 pancreatic acini, 242,5:G547  
 protein synthesis and, pancreas, 243,6:G69  
 residual stimulation of, cholecystokinin effects (guinea pig), 243,6:G214  
 reversal, dibutyl cyclic GMP effects, 240,3:G466
- $\alpha$ -Amylase**, endocrine secretion, pancreas, 241,4:G170
- Amytal**, cardiac metabolism and, 237,6:C221
- Anaerobic metabolism**  
 acid-base alterations, 236,5:E289  
 active transport, epithelial tissues (frog), 240,9:F357  
 function and, coupling, renal papilla, 236,5:F423  
 heart, perfused at constant pressure, 238,7:H118  
 renal, 233,2:F207
- Anaerobiosis**  
 insulin binding to soleus muscle, 235,4:E606  
 renin activity and arterial pressure, myocardial, 232,1:H470
- Analgesics**, toxicity, renal failure, 243,12:F311, 243,12:F416
- Analog circuitry**, peak time measurement, 236,5:H785
- Anaphylaxis**, smooth muscle contraction, ileum, 241,10:C130
- Anastomoses**  
 arteriovenous, 230:1466  
 blood flow in, foot (chicken), 242,11:R582  
 coronary microsphere shunting, 236,5:H7  
 capillary, heart, 235,4:H321  
 intercapillary transit time, skeletal muscle, 233,2:H122
- Anatomy**  
 functional (snake), 243,12:R251  
 heart (lungfish), 232,1:H24
- Ancrod**  
 afibrinogenemia, fibrinogen synthesis, 233,2:H562  
 fibrin production, 232,1:H629
- Androgens**  
 adrenal, pubertal endocrinology (baboon), 241,4:E305  
 gastrin binding and, sex differences, 243,6:G469  
 pituitary adenosine monophosphate, cyclic response, gonadotropin-releasing hormone, 235,4:E37  
 platelet aggregation, 232,1:H381  
 receptors: see Receptors  
 secretion, adrenal, 239,2:E109  
 sex differences, cardiovascular responses, 235,4:H242  
 sexual maturation, male, in continuous light, 234,3:E262

**Androgen-stimulating hormone**, cortical, 236,5:E616

### Androstenedione

adrenal development (rabbit, dog), 240,3:E694  
 androgen secretion, cortical, 236,5:E616  
 pubertal endocrinology (baboon), 241,4:E305  
 secretion, adrenal, 239,2:E109

### Anemia

acute isovolemic, 231:1451  
 apnea, laryngeal (pig), 239,8:R25  
 blood flow, cerebral, 240,9:H209  
 cardiorespiratory changes, 241,10:H864  
 erythrocyte circulation, spleen, 239,8:H272  
 heart sounds, accentuation, blood viscosity and, 235,4:H664  
 hemolytic, methylcellulose injection, 233,2:H234  
 iron-deficiency, blood flow, coronary, 232,1:H470  
 mitochondrial bioenergetics, muscle, 242,5:E418  
 oxygen delivery, postnatal, 237,6:H71  
 physiologic, oxygen delivery, development (lamb), 237,6:H668  
 sickle cell, deoxythymidine kinase activity, implanted sponge connective tissue, zinc deficiency, 236,5:E272  
 space flight, erythropoiesis, food and water restriction, effects, 238,7:R301  
 ventricular performance, hemodilution, 235,4:H767

**Anemometry**, fiber-optic laser Doppler, coronary sinus blood flow, 242,11:H1111

**Anephria**: see Nephrectomy

**Anephric state**, vasopressin, catecholamines, plasma volume and, 240,9:H827

### Anesthesia

amino acid supply during, brain, 242,5:E1  
 angiotensin, vasopressor and depressor actions (chicken), 242,11:H314  
 carotid hypotension, 237,6:H424  
 carotid sinus reflex, 238,7:H815  
 control, arterial hemodynamics, 239,8:H681  
 chloralose, 230:951  
 glucose and endocrine responses, electrical stimulation, hypothalamic, 242,11:R220  
 glycogen metabolism, hypoxia effects, liver, 243,6:E182  
 halothane: see Halothane  
 hemodynamic response, spontaneously hypertensive and Wistar-Kyoto rats, 238,7:H539  
 hyperbaric pressure, reversal, 230:1244  
 impedance, systemic arterial input, 238,7:H902  
 ketamine, thermal balance and (monkey), 241,10:R301  
 left ventricular function, 232,1:H44  
 microvascular dynamics and, spontaneous hypertension, 241,10:H821  
 microvascular effects of, decerebration, 243,12:H837  
 microvascular responses, hemorrhage, 235,4:H753  
 nephron filtration following, 232,1:F329  
 pentobarbital  
   circulatory filling pressure measurement, 234,3:H94  
   descending pressor pathway, 234,3:H152  
 pentobarbitone, plasma vasopressin and, 234,3:E463  
 peridural, pressor response to muscle ischemia, 237,6:H433  
 peripheral circulation, after hemorrhage, 236,5:H206  
 plasma potassium and insulin oscillations, potassium infusion, 243,12:F44

renin activity and arterial pressure, effect of sodium, 231:1185  
 response to hemorrhage and, 243,12:H713  
 saline load, renal response, 237,6:F262  
 spinal, pancreatic islet function, 239,2:E150  
 steroid, cerebral circulatory response to metabolic depression (baboon), 234,3:H74  
 Telazol (monkey), 239,8:R241  
 thermoregulation (monkey), 239,8:R241  
 thiopental, sodium and water excretion and, renal, 243,12:F265  
 ventricular fibrillation, 239,8:H422  
**Anesthetics**: see also specific agent  
 adenylyl cyclase inhibition, bladder (toad), 237,6:F372  
 adrenergic effects of, 243,12:F253  
 autoregulation and, 230:652  
 dissociative, thermoregulation (monkey), 239,8:R241  
 local, 230:493  
   exercise vasodilation, 236,5:H705  
**Angina pectoris**  
 cold exposure, cutaneous, 239,8:H114  
 training effects, skeletal muscle and heart, 243,12:H830  
**Angiocardiography**, mitral valve opening and closure, 234,3:H146  
**Angiogenesis**, salbutamol and, 236,5:H154  
**Angiography**  
 carotid, osmotic opening, blood-brain barrier, 238,7:R421  
 volume measurement, ventricular, 240,9:H896  
 wall shear stress, carotid artery, 239,8:H14  
**Angiopathy**, diabetic, experimental juvenile, 243,12:H139  
**Angiotensin**: see also Renin-angiotensin system; Renin-angiotensin-aldosterone system  
 acute renal failure, 233,2:F247  
 adenosine and, interaction in blockade of postocclusive renal vasoconstriction, 237,6:E463  
 adrenergic transmission, perfused mesentery, 236,5:H211  
 adrenocortical metabolism, adrenal transplants (sheep), 235,4:E525  
 antagonists, sodium depletion and, carotid sinus reflexes, 241,10:H255  
 arterial pressure, area postrema, 239,8:H108  
 blockade: see Blockade  
 blood-borne, central pressor actions, 239,8:R358  
 cardiac function, blood flow distribution and, 231:1579  
 central and peripheral blockade, hypertension, 234,3:H629  
 chronic sodium balance, renal, 239,8:F271  
 competitive antagonists, pressor responses, renal artery stenosis, 240,9:H862  
 congeners, bradykinin potentiation, 240,9:H255  
 contraction  
   aorta and portal vein, 235,4:H208  
   depolarized uterus, 236,5:C171  
   deoxycorticosterone effects, vascular smooth muscle, 237,8:H197  
 drinking, 233,2:R44, 242,11:R136  
 caval ligation, 240,9:R75  
 rates (killifish), 239,8:R31  
 regulatory (pigeon), 239,8:R219  
 water deprivation, 240,9:R75  
 during hemorrhage and shock, 231:1300  
 effects, drinking induced by caval ligation, 243,12:R558  
 heart rate response, 10°C (squirrel monkey), 233,2:H10

hypertension  
   renal, 239,8:H81  
   renovascular, 240,9:H788  
 infusion, receptor regulation, adrenal, 239,2:E317  
 lithium inhibition of, 230:1132  
 long-term, pressor effects, awake state, 241,10:H381  
 monoamine interaction, drinking, 240,9:R106  
 nephron function and, Goldblatt hypertension, 243,12:F553  
 osmosensitivity and, third ventricular interaction, 236,5:R75  
 pressor responses  
   renal artery stenosis, 240,9:H862  
   turtle, 240,9:R276  
 production, fatty acids and, 234,3:E593  
 prostaglandin I<sub>2</sub> effects, kidney glomeruli, 243,12:F276  
 proteinuria, corticoid effects, 237,6:F133  
 receptors: see Receptors  
 relaxation, renal and cerebral arteries, 240,9:H247  
 renal blood flow and, 243,12:H277  
 renal tubular handling, 236,5:F365  
 renal vasculature, humoral and mechanical factors, 235,4:R64  
 renin  
   plasma activity, 234,3:H670  
   secretion, during carbon dioxide retention, 234,3:H573  
 renin release  
   carotid occlusion, 236,5:H108  
   inhibition, kidney slices, 235,4:F62  
 renovascular hypertension, 236,5:H101  
 sensitivity, forebrain control, 239,8:R372  
 single nephron glomerular function (trout), 239,8:R509  
 sodium excretion, 230:1042  
 sodium restriction on renin, renal, 237,6:F367  
 vascular resistance, gut (dogfish), 234,3:R196  
 vasodepressor action, awake state (chicken), 243,12:H456  
 vasopressor and depressor actions, anesthesia (chicken), 242,11:H314  
**Angiotensin analog**  
 jejunal response, 240,3:G17  
 pressor responses, renal artery stenosis, 240,9:H862  
 renal hypertension, 233,2:H514  
**Angiotensin antagonists**  
 adrenal cortex, electrical activity, 237,6:E158  
 adrenergic transmission, modulation, mesentery, 236,5:H211  
 anesthesia (chicken), 242,11:H314  
 angiotensin II inhibition (eel), 235,4:H95  
 angiotensin II receptor blockade, hemorrhagic shock, 236,5:H280  
 blood pressure, uteroplacental, 239,8:H266  
 central and peripheral blockade, hypertension, 234,3:H629  
 conductance, mesenteric, 232,1:H260  
 genetic hypertension, 234,3:H447  
 mesenteric vasculature, 237,6:H218  
 mesenteric vasoconstrictor response, vasopressin, 236,5:H200  
 P-113, aldosterone secretion, sodium deficiency (sheep), 236,5:F333  
 parotid saliva secretion, 237,6:E56  
 postocclusive renal vasoconstriction blockade, 237,6:F463  
 renal blood flow, renin release responses to hypertonic saline and, 237,6:F441  
 renal cortical smooth muscle active factor, responses, 232,1:F84  
 renal hypertension, 234,3:E267  
 reversal of multiple intrarenal effects of angiotensin II, 237,6:F386  
 uteroplacental blood flow, pregnancy, 242,11:H142  
 vascular action, mesenteric, 232,1:H305

**Angiotensinase**

kidney, developing, 234,3:R141  
renin-angiotensin system development,  
postnatal, 238,7:R432

**Angiotensin-converting enzyme: see**  
Converting enzyme**Angiotensin I**

concentration, postnatal, 238,7:R432  
des-Asp<sup>1</sup>-labeled  
formation of angiotensin II from, mes-  
enteric vasculature, 237,6:H218  
renal and adrenal responses,  
234,3:F130  
hydrolysis, renal tubules, 236,5:F365  
lung disposition, hypertension,  
237,8:H736

**metabolism**

age-related differences, lung,  
238,7:R395  
sheep, 233,2:H527  
renins, uterine and renal, kinetic differ-  
ences, 233,2:E434  
vascular effects, intrarenal, 240,9:H914

**Angiotensin I-converting enzyme,**

231:1750  
inhibition, drinking and, 242,11:R136

**Angiotensin II**

adenosine monophosphate, cyclic con-  
centration, atrial, 235,4:H281  
adrenal cell sensitivity, 233,2:E402  
adrenal cortex, electrical activity,  
237,6:E158  
adrenergic transmission, modulation,  
mesentery, 236,5:H211  
adrenocorticotropin/adrenal corticoste-  
roid dose-response curves,  
238,1:E543  
adrenocorticotropin secretion, 234,3:R66  
aldosterone biosynthesis and, 243,6:E450  
aldosterone secretion  
aortic constriction, 232,1:F434  
sodium deficiency (sheep), 236,5:F333  
angiotensin III and, intrarenal,  
236,5:F252  
angiotensinogen  
plasma concentration, 232,1:E234  
production, liver, 239,2:E442  
antidiuretic hormone release, central  
sites of action, 234,3:F135  
antidiuretic response, anteroventral  
third ventricle lesion, 236,5:E610  
binding, renal glomeruli, 230:1187  
blockade: see Blockade  
blood flow

postocclusive renal, 235,4:F286  
renal, 232,1:F538  
renal cortical and medullary, laser-  
Doppler spectroscopy, 236,5:F80  
blood pressure, uteroplacental,  
239,8:H266  
blunted hypoxic vasoconstriction, pul-  
monary, 238,7:H849  
calcium role, adrenal glomerulosa cell re-  
sponse, 241,4:E42  
catecholamine release and, species differ-  
ences, 243,12:R65  
central, pressor and dipsogenic re-  
sponses, 242,11:R498  
central blockade, drinking inhibition,  
234,3:F41  
central infusion, hemodynamics in so-  
dium depletion, 237,6:H139  
central nervous system and, awake state,  
243,12:R82  
central responses, spontaneous hyper-  
tension, 232,1:H426  
circulating, glomerular filtration rate  
control, 241,10:R190  
concentration, postnatal, 238,7:R432  
converting enzyme inhibition, glucocorti-  
coid hypertension, 238,7:H844  
coronary vasoconstriction, modulation  
by cardiac prostaglandin synthesis,  
238,7:H895  
corticotropin-releasing factor,  
233,2:E273  
degradation, kidney tubules, 232,1:F319

**des-Asp<sup>1</sup>-labeled**

adrenergic transmission, mesentery,  
236,5:H211  
intrarenal role, 236,5:F252  
desensitization, ileal, 232,1:H223  
dietary chloride effects, 241,10:F361  
dipsogenic levels, angiotensin-generating  
capacity of renin and, 238,7:R372  
dopamine,  $\beta$ -hydroxylase release, car-  
diac, 235,4:H281  
electrolyte excretion, intrarenal,  
232,1:F538  
electrolyte transport, kidney, 232,1:F298  
endogenous, renal hemodynamics and,  
233,2:F388  
esophageal smooth muscle (opossum),  
235,4:E738  
exogenous and endogenous, isolated per-  
fused kidney, 235,4:F605  
fatty acid-deficient diet, renal vasocon-  
striction, 243,12:H61  
formation, blockade during sodium dep-  
rivation, 237,6:F424  
glomerular filtration, 232,1:F538  
Goldblatt hypertension, veins and arter-  
ies, 241,10:H525  
hemorrhage and, renal dynamics,  
235,4:F46  
hydrolysis, renal tubular, 236,5:F365  
11-hydroxycorticosteroid secretion,  
234,3:R66  
hypertension, 239,8:H391  
renal, 230:311  
renal dynamics, 235,4:F174  
Ile<sup>1</sup>-labeled angiotensin III, adrenergic  
transmission, modulation, mesen-  
tery, 236,5:R211  
increased venous pressure and, renal  
hemodynamics, 243,12:F260  
infusion, electrolyte, fluid, and vasopres-  
sin response, 240,9:R130  
inhibition  
eel, 235,4:H95  
renal hemodynamic response,  
233,2:F290  
renin secretion, renal (dog, pig),  
240,9:F70  
stroke-prone spontaneous hyperten-  
sion, 236,5:H409  
injections, effect on water intake, preop-  
tic area, 240,9:R70  
intracerebroventricular infusion, inhibi-  
tion of aldosterone secretion,  
239,2:E447  
intracranial injection, vasopressin re-  
lease and drinking induced by (mon-  
key), 237,6:R20  
intrapituitary infusion, cortisol secre-  
tion, 233,2:E273  
intraventricular, mediated by sympa-  
thetic nervous system, 235,4:H392  
isoproterenol-induced thirst, fluid bal-  
ance and, 241,10:R152  
jejunum, 240,3:G17  
metabolism (sheep), 233,2:H527  
parotid saliva secretion (sheep),  
237,6:E56  
plasma concentration, thirst, 240,9:R229  
plasma levels, awake state, 241,10:H381  
potassium ions and, relationship in al-  
dosterone release, adrenal slices,  
237,6:E363  
pressor and dipsogenic action, subforn-  
ical organ, 239,8:R382  
pressor effects, awake state,  
241,10:H381  
pressor response  
hypoxic lungs, 235,4:H104  
volume expansion effects, pregnancy  
(ewe), 240,9:H908  
prolonged infusion, effect on thirst,  
230:1063  
prostaglandin E synthesis and water  
flow, bladder (toad), 234,3:F532  
prostaglandin synthesis  
cardiac, 238,7:H895

**glomerular, 239,8:F486**

renomedullary, 236,5:H65  
proteinuria, mechanism, 233,2:F13  
receptors: see Receptors  
reflex limb dilatation after, 230:557  
renal function  
goosefish, 236,5:R297  
saralasin and indomethacin effects  
(piglet), 238,7:R438  
renal response, awake state, 243,12:F543  
renin, plasma activity, 234,3:R66  
renin release  
atrial pressure and, 235,4:H175  
inhibition, kidney slices, 235,4:F62  
isoproterenol-induced, 238,7:F387  
salt intake and, glomerular adaptation,  
238,7:F428  
Sar<sup>1</sup>, Ile<sup>8</sup>-labeled  
pressor responses, renal artery steno-  
sis, 240,9:H2, 240,9:H827  
pressor response (turtle), 240,9:R276  
saralasin-induced reversal, multiple in-  
trarenal effects, 237,6:F386  
sensitivity, forebrain control, 239,8:R372  
sodium, excretion and depletion,  
232,1:F298, F538  
sodium and hypertension effects, renin  
release, kidney slices, 240,9:F501  
sodium depletion and, effect on angio-  
tensinogen production, 238,1:E145  
sodium reabsorption, renal tubular,  
233,2:R73  
stimulation, guanylate cyclase activity,  
aorta, heart, kidney, 240,3:E391  
stroke prone, spontaneous hypertension,  
236,5:H409  
tachyphylaxis, ileal, 232,1:H223  
tubular handling, amino acids and,  
234,3:F325  
vascular effects, intrarenal, 240,9:H914  
vascular reactivity  
central, in spontaneous hypertension,  
232,1:H426  
lung, red blood cells and platelets in,  
234,3:H186  
normotensive and hypertensive, preg-  
nancy (ewe), 238,7:H209  
vascular resistance, after pulmonary ar-  
tery constriction, 236,5:H866  
vascular response (fish), 240,9:R139  
vasoconstrictor-vasodilator interactions  
adrenergic transmission  
intrarenal, in ureteral obstruction,  
236,5:F131  
modulation, mesentery, 236,5:H211  
vasopressin and neurogenic mechanism  
interaction, hypertension,  
242,11:H37  
vasopressin secretion, 234,3:R66  
water permeability, renal tubular,  
232,1:F298  
water regulation, dorsomedial hypothal-  
amic lesion and, 242,11:R285  
water retention and, systemic hemody-  
namics, 243,12:H934  
**Angiotensin II antagonists**  
aldosterone secretion, 232,1:F434  
antinatriuresis, low-level renal nerve  
stimulation, 231:1105  
autoregulation  
kidney, 230:1078  
renal blood flow, 231:1267  
blood flow, laser-Doppler spectroscopy,  
232,1:H441  
conversion, tonin effects, submaxillary  
gland, 232,1:E522  
dehydration, without baroreceptor re-  
flexes, 232,1:H110  
electrolyte excretion, intrarenal control,  
232,1:F538  
fluid volume and pressor responses,  
renal artery stenosis, 243,12:H779  
glomerular filtration and, 233,2:F366  
hemodynamics, renal, 233,2:F388  
hemorrhage, renal, 235,4:F46  
hypertension, renal, 233,2:H514  
loop gain, dehydration, 232,1:H110

**Angiotensin II antagonists** (continued)

normothermia (marmot), 233,2:R37  
renal cortical smooth muscle factor, responses, 232,1:F84  
renal responses, 231:593  
sodium excretion, renal, 233,2:F388  
vascular action, mesenteric, 232,1:H305  
vasopressin and, reciprocal mechanisms controlling mesenteric conductance, 232,1:H260

**Angiotensin III**, formation from angiotensin I, mesenteric vasculature, 237,6:H218

**Angiotensinogen**

angiotensin II, glucocorticoids and plasma concentration, 232,1:E234  
partial purification, 236,5:E655  
production

angiotensin II and sodium depletion effects, 238,1:E145  
angiotensin II-stimulated liver, 239,2:E442

renin-angiotensin system development, postnatal, 238,7:R432

**Anhidrosis**

ectodermal dysplasia, vasodilation, 240,9:H571

impaired heat tolerance, 239,8:R226, R233

**Anionic dye**, organic, sulfobromophthalein-glutathione uptake, hepatocytes, 239,8:C118

**Anions**

adenosine triphosphatase activity, stimulation, small intestinal brush border, 236,5:E70

*p*-aminohippurate transport and, kidney tubules (snake), 241,10:F632

axial, asymmetry, isotonic fluid transport, proximal tubule, 236,5:F89

chloride transport, tracheal epithelium, 239,8:C112

crystal growth inhibition, urine, 233,2:F455

**exchange**

alkalosis, bladder (turtle), 239,8:F167  
erythrocytes (dogfish), 237,6:R132

ileum, 238,1:G208  
proximal convoluted tubules, 241,10:F300

flux, brush border and basolateral membranes, renal and intestinal, 238,7:F452

**gap**

ileum, 232,1:E574  
plasma, in chronic metabolic acid-base disturbances, 235,4:F291

gradients, intestinal cells (chick), 237,6:C64

**inorganic**

transport, bladder (crab), 238,7:R311  
transport, brush border and basolateral membranes, renal and intestinal, 238,7:F452

interstitial distribution, striated muscle, 237,6:C125

nephron, in volume expansion, 233,2:F118

**organic**

secretory system, kidney tubules (monkey), 242,11:F484

sulfobromophthalein excretion effects, 240,3:G85

transport, bladder (crab), 238,7:R311  
transport, hepatic, bile salts and, 237,6:E524

transport, kidney, 241,10:F9  
transport, prostaglandin  $E_2$  secretion and, proximal tubules, 237,6:F268

transport, renal cortex, 232,1:F513  
transport, renal cortex, SITS effects, 234,3:F302

transport, urinary bladder (crab), 242,11:R25, 243,12:R147

transport system, proximal tubules, 239,8:F222

permeability: see Permeability

proton-donor, myocardial tissue culture, 239,8:H769

renal tubular (chicken), 233,2:F133

renin secretion, 234,3:F10

stimulation, phosphohydrolase activity of intestinal alkaline phosphatase, 238,1:G3

substitution, proximal tubular sodium transport, 236,5:F268

superoxide: see Superoxide anions

transport  
bumetanide effects, proximal tubule, 235,4:F403

large intestine (equine), 233,2:E469  
liver, 242,5:G628

proximal tubules, 240,9:F430  
tubular (teleost), 239,8:F143

weak acid effects, muscle fibers (bar-nacle), 241,10:C193

unmeasured, chronic metabolic acid-base disturbances, 235,4:F291

urinary bladder (toad), 233,2:F421

**Anisomolal solutions**, volumetric measurements, isolated cardiac muscle, 236,5:H519

**Ankle**, oscillations, involuntary, from normal subjects, 233,2:R8

**Anodal blockade**: see Blockade

**Anodal hyperpolarization**, vagal C-fiber afferents, 239,8:R454

**Anorexia**, hepatic-portal infusion, 232,1:E119

**Anosmia**, metabolic rates, carbon dioxide effects, 241,10:R264

**Anoxia**

adenine nucleotide metabolism, fetal heart, 233,2:H282

adenosine nucleotide derivatives, carotid artery (hog), 233,2:H299

adenosine triphosphate synthesis, myocardial, 234,3:H620

amino acid perfusion, myocardial, 236,5:H873

amino acid transport, blood-brain, 233,2:E326

aspartate, conversion to succinate, heart, 237,6:H535

calcium removal and, cardiac myocytes, 243,12:C184

cardiac cell response, 243,12:H448  
carnitine transport, heart, 242,11:H585

cytochrome redox state and, kidney, 243,12:F356

diabetic heart, 239,8:H614

energetic state and potassium loss, myocardial, 235,4:H537

energy metabolism, heart, 232,1:R164

energy production and consumption, gastric mucosa (frog), 236,5:E301

glutamate, conversion to succinate, heart, 237,6:H535

hydrogen ion and potassium ion transport, gastric mucosa (bullfrog), 239,2:G485

insulin effects, cardiac, 240,9:H636  
intracellular pH during, hypothermia effects, 243,12:C62

kinetics, midgut (hornworm), 238,7:C10  
lung redox state, 230:1198

metabolism, developing brain, 230:1269  
myocardial function during, coronary artery occlusion, 242,11:H980

oxygen consumption rate and, arterial wall, 243,12:H948

oxygen dependence, embryo (salamander), 236,5:R282

placental vasculature, lipid metabolism, fetal, 240,3:E65

potassium exchange, myocardial, 232,1:H85

potassium ion homeostasis during, brain (turtle, rat), 243,12:R281

sugar transport, insulin-stimulated, adenosine triphosphate effects, soleus muscle, 234,3:E407

vascular glucose depletion, 230:1261

ventricular tachyarrhythmias, reperfusion- and digitalis-induced, 240,9:H730

**Anoxic perfusion**

brain metabolism, 239,2:E501

cardiac, intracellular calcium and electrogram, 239,8:H380

**Ansa subclavia**

left, cyclic nucleotides and norepinephrine stimulation, 240,9:H630

ventral root mapping, cardiac nerves, 232,1:H590

**Antagonistic vascular reflexes**: see Reflexes

**Antagonists**: see specific subject

**Antennal gland**, *p*-aminohippuric acid transport

bladder (crab), 238,7:R311,  
242,11:R25, 243,12:R147

**Anthopleurin-B**, norepinephrine release, adrenergic nerves (guinea pig), 243,12:C237

**Antiandrogens**, occlusive arterial thrombosis, 234,3:H454

**Antiarrhythmic drugs**

cardiac action potential, maximum up-take velocity, 234,3:H312

ischemia, cardiac, 235,4:H574

**Antiarrhythmic effects**, ventricular, pentobarbital, 239,8:H427

**Antibiotics**

chemiluminescence, phagocytizing alveolar macrophages, 235,4:C103

intestinal lesions, prednisolone-induced, 235,4:E703

**Anticoagulants**, circulation, oxygen transport and activity (crayfish), 240,9:R99

**Anticoagulation**, endogenous, extracorporeal perfusion, heparinlike inhibitor, 239,8:H742

**Antidiuresis**

anteroventral third ventricle lesions, 236,5:E610

blood flow, renal cortical, 232,1:F111  
erythrocyte velocity, vasa recta, 237,6:F326

glomerular actions, 233,2:F102  
Henle's loop, 239,8:F72

hypertonic solution infusion, third ventricular, 238,7:R340

kallikrein excretion, renal, vasopressin effects, 239,8:F388

osmosensitivity and angiotensin, third ventricle interaction, 236,5:R75

papillary epithelium, renal, 235,4:F69  
periventricular preoptic hypothalamus and, 234,3:R122

pH, mucosal and serosal, bladder (frog), 237,6:F483

postprandial, aldosterone effects (sheep), 233,2:F213

**Antidiuretic hormone**: see also Vasopressin

**action**

calcium effects, cortical collecting tubule, 243,12:F481

microtubules and microfilaments, bladder (toad), 236,5:F14

adenosine monophosphate, cyclic metabolism, papillary collecting duct, 240,9:F311

adenosine monophosphate, cyclic and, 232,1:F368

altered membrane fluidity, urinary bladder (toad), 240,9:F63

anesthetic-induced adenylate cyclase inhibition, bladder (toad), 237,6:F372

apical membrane, urinary bladder (toad), 233,2:F607

atrial distension, heart failure, renal effects, 236,5:H556

bioassay, identification in prolactin powder, 234,3:F318

blood flow distribution, renal cortical, 232,1:F111



- calcium-prostaglandin interaction and, 242,11:F313
- calcium reabsorption, distal tubular, 239,8:F478
- central infusion, plasma vasopressin concentration and, 243,6:E365
- clearance, renal, with reduced blood flow, 232,1:F341
- collecting duct alterations, intramembranous, 235,4:F440
- collecting tubule response, temperature effects, 239,8:F595
- comparative physiology, renal, 238,7:F437
- conductance, mesenteric, mechanism, 232,1:H260
- deficiency, adenosine monophosphate, cyclic content, plasma urine and kidney papilla, 237,6:F218
- erythrocyte velocity, vasa recta, 237,6:F326
- feedback mechanism, sodium control, 232,1:R145
- hemodynamic, hormonal and drinking responses to, 243,12:R354
- hydroosmotic response
- collecting tubules, 243,12:F503
  - verapamil effects, bladder (toad), 239,8:F250
- hypertension
- corticosterone and DOCA, 233,2:F403
  - spontaneous, 232,1:H426
  - vasopressin effects, 242,11:F727
- infusion
- cardiac output during, awake state, 243,12:H663
  - hypertension, 236,5:H314
- inhibition of renin secretion, renal (dog, pig), 240,9:F70
- intraportal osmolality, 236,5:E603
- kallikrein-kinin system, 239,8:F388
- kidney heterogeneity, hypothalamic diabetes insipidus, 240,9:F372
- NADH fluorescence, oxygen consumption, hepatocytes, 242,11:C172
- nephron function (reptiles, birds, mammals), 239,8:R197
- nonpressor central nervous system natriuresis, 237,6:F157
- osmolal effects, streptozotocin diabetes, 242,5:E411
- osmotic control, vasopressin, 243,6:E287
- parathyroid hormone and, interactions on urine concentrations, 239,8:F244
- particle aggregation, intramembranous, time course, urinary bladder (toad), 234,3:F461
- peritubular osmolality and, kidney, 241,10:F443
- plasma
- baroreflex control, 241,10:H431
  - hypertonic intracarotid infusion effects, 243,6:E522
  - positive end-expiratory pressure ventilation, 239,2:E474
- prolactin preparations, contamination, 234,3:F318
- prostaglandin E<sub>2</sub> interaction, cortical collecting tubule, 241,10:F452, F461
- prostaglandins, 233,2:E169
- excretion, renal, 235,4:E624
- synthesis, renal, 235,4:F180
- prostaglandin-vasopressin interaction, urinary bladder (toad), 241,10:F625
- protein kinase activation, renal medulla (bovine), 232,1:F50
- release
- angiotensin II-stimulated, central sites of action, 234,3:F135
  - inhibition by cardiopulmonary receptors with vagal afferents, 237,6:H299
- resistance
- acute renal failure, 241,10:F556
  - ischemic renal failure, 239,8:F17
- sodium chloride cotransport and, nephron heterogeneity, 241,10:F412
- sodium entry kinetics, skin (frog), 235,4:C35
- sodium ion transport, bladder (toad), 235,4:F359
- sodium reabsorption, distal tubular, 239,8:F478
- sodium transport
- bladder (toad), 232,1:F307
  - skin (frog), 241,10:F279
- spontaneous hypertension, 235,4:H361
- brain, 242,11:H496
- stimulation
- renin, dehydration effects, 231:655
  - water flow, thromboxane and, 239,8:F160
- supraoptic neurosecretory cells, left atrial distension, 236,5:R261
- temperature and, interactions, cortical collecting tubules, 238,7:F470
- transcellular sodium chloride cotransport, kidney, 241,10:F432
- transport, hydrazine effects, urinary bladder (toad), 239,8:F319
- urine concentration and, 239,8:F84
- vasopressor role, deoxycorticosterone hypertension, 232,1:F260
- veratrum alkaloid stimulation, cardiac receptors, 239,8:H784
- water diuresis and, diabetes insipidus, 241,10:F231
- water permeability
- microfilaments and, urinary bladder (toad), 243,12:C200
  - sodium and potassium ions and (toad), 243,12:F476
- water retention, carbon dioxide pressure and, 234,3:F291
- Antidiuretic therapy**, oral, diabetes insipidus, 243,12:R491
- Antiestrogen**
- gonadotropin release, pituitary, 240,3:E125
  - progestins and, adiposity, female, 240,3:E474
- Antigenic compounds**, clearance (sheep), 233,2:H527
- Anti- $\gamma$ -globulin**, Sepharose-bound, myoglobin radioimmunoassay, 239,8:H565
- Antihemophilic factor**, dissociation, 230:434
- Antihistamines**
- hyperosmolar-induced vasodilation, 242,11:H450
  - vasodilation and, 231:1002
- Antihypertensive agents**: see specific agent; see also Hypertension
- Anti-inflammatory agents**
- arterial actions, cerebral and peripheral, 232,1:H267
  - nonsteroidal
  - prostaglandin E synthesis and water flow, bladder (toad), 234,3:F532
  - sodium and water retention, 234,3:F490
- Anti-insulin serum**
- Cori cycle activity, 232,1:E136
  - gluconeogenesis and, 235,4:E354
- Antilipolysis**, insulin action, fat cells, sex differences, 243,6:E158
- Antilymphocyte globulin**, shock, 230:178
- Antimicrotubule agents**, microtubules and steroidogenesis, luteal cells, 243,6:E380
- Antimineralocorticoids**, mechanism of action, 231:93
- Antimycin A**
- calcium ions, trigger pool, exocrine pancreas, 238,1:G338
  - chemoreceptor response and, carotid body, 242,11:C200
  - metabolism and transport, proximal tubule (rabbit), 243,12:F133
- Antinatriuresis**
- low-level renal nerve stimulation, angiotensin II effects, 231:1105
- postprandial, aldosterone effects (sheep), 233,2:F213
- post-volume expansion, 233,2:F416
- renal tubular, neurogenic regulation, 233,2:F73
- saralasin and, 237,6:F386
- Antipain**, cellular processing of insulin, 243,6:E140
- Antiperistalsis**, gastric and duodenal (chicken), 235,4:E670
- Antiphosphatase action**, 25(OH)-vitamin D<sub>3</sub>, Fanconi syndrome, 236,5:E90
- Antipyrine**
- blood flow tracer, cerebral, 238,7:H776
- <sup>14</sup>C-labeled
- blood flow measurement, cerebral, 234,3:H59
  - myocardial blood flow, 232,1:H576
- iodo [<sup>14</sup>C]-labeled, blood flow measurement, cerebral, 234,3:H59
- permeability, capillaries (frog), 240,9:H597
- Antisecretin serum**, gastric secretion, 240,3:G239
- Antithrombin III**, extracorporeal perfusion, 239,8:H742
- $\alpha$ -Antitrypsin-bound tripsin**: see Trypsin
- Antral mucosa**
- isolated, ion transport, 231:1783
  - somatostatin release, organ culture, 241,4:G59
- Antral muscle**, excitation-contraction mechanisms, ethyl alcohol effects, 242,5:G222
- Antral pouch**, esophageal sphincter regulation, 234,3:E157
- Antral spiking activity**, migrating myoelectric complex and (sheep), 233,2:E483
- Antrectomy**
- gastric emptying, 234,3:E375
- gastrointestinal adaptation, gastrin effects, 243,6:G16
- lactation and, gastrin levels, food intake and duodenal mucosal growth, 237,6:E98
- Antropyloric control**, fluid emptying, gastric, 241,4:G403
- Antrum**
- food effects, gastrin regulation, 243,6:G429
  - gastric
  - corticosterone induction, newborn, 240,3:G442
  - denervation, pancreatic polypeptide release, 240,3:G387
  - efferent vagal fibers, discharge, 235,4:E366
  - electrical and mechanical effects of cholecystokinin, 235,4:E324
  - electrical arrhythmias, 239,2:G59
  - endogenous prostaglandin effects, 241,4:G191
  - esophageal sphincter regulation, 234,3:E157
  - gastrin receptors, 237,6:E284, E295
  - innervation, bile flow, 236,5:E584
  - peptides, gastric secretion and, 238,1:G495
  - resection, pancreatic polypeptide release, 240,3:G387
  - gastric-cholecystokinin-secretin interactions, smooth muscle, 236,5:E39
  - gastric emptying, food particle size, 239,2:G133
  - gastrin levels, chemically defined diets, 238,1:G376
  - gastrin release, inhibitor, 235,4:E410
  - pyloropancreatic reflex, 234,3:E468
  - smooth muscle response, bethanechol and progesterone, 235,4:E422
- Aorta**
- abdominal, Doppler flowmeter, direct calibration, 232,1:H534

**Aorta (continued)**

actomyosin content  
 normal maturing, 237,6:H34  
 pharmacology, neonatal, 237,6:C81  
 adenosine triphosphate effects, sarcoplasmic reticulum, 242,11:C242  
 age and hypertension, glucose metabolism, 230:30  
 amine uptake, metabolism and, endothelial (pig), 232,1:C88  
 baroreceptor deafferentation  
 blood pressure measurement, 241,10:H268  
 body fluid changes, 240,9:H685  
 baroreceptors: *see* Receptors  
 blood flow: *see* Blood flow  
 calcium-45 efflux, lanthanum and reduced temperature effects, 234,3:C139  
 calcium pools, Tris effects, 235,4:H208  
 clamping, during Ringer loading, 232,1:F92  
 coarctation, induction of hypertension and, 231:1794  
 coarctation-banding, left ventricular concentric hypertrophy, model, 234,3:H515  
 constriction  
 aftercontractions, papillary muscle, 237,6:H649  
 aldosterone secretion, 232,1:F434  
 and prophylactic digitalization, myocardial hypertrophy, 233,2:H600  
 glomerular filtration rate, 233,2:F61  
 myocardial adenosine, 239,8:H509  
 myocardial oxygen extraction and, 242,11:H310  
 proximal reabsorption and sodium excretion, 232,1:F92  
 renal nerve modulation, renin secretion, 242,11:R367  
 renin-angiotensin system, 232,1:F434  
 renin release and, nonfiltering kidney, 241,10:F156  
 RNA polymerase activity, muscle and nonmuscle cells, 240,9:H901  
 urine concentration and, 239,8:F84  
 contractile response, diabetic, 236,5:H301  
 contractility, 234,3:H508  
 contracting substance, prostacyclin-thromboxane interactions (rabbit), 241,10:H18  
 contraction  
 oxygen and, 238,7:H716  
 Tris effects, 241,10:H337  
 converting enzyme activity, endothelial (pig), 232,1:C95  
 diameter, measurement, techniques (dog, sheep), 235,4:H610  
 diet and aging effects, 238,7:H652  
 endogenous lipid, glycogen and protein utilization, 243,12:H128  
 Evans blue dye accumulation, measurement and interpretation, 232,1:H204  
 extracellular space measured, ionic tracers, 230:1806  
 flow, cinematographic analysis, 240,9:H286  
 geometric similarity to venae cavae, mammals, 241,10:R100  
 guanylate cyclase activity, angiotensin II effects, 240,3:E391  
 histamine synthesis, shear stress and, 234,3:H701  
 hydraulic conductivity, endothelial and outer layers, 236,5:H53  
 hypertension, baroreceptor resetting in, 230:664  
 hypertrophy: *see* Hypertrophy  
 impedance, hemorrhage and volume expansion, 238,7:H902  
 input, impedance (mammal), 237,6:R3, R7  
 insufficiency  
 increased inotropic state, 242,11:H973

quantification, 239,8:H121  
 interval-force relations, 230:893  
 ion concentration gradients, cold (rat squirrel), 237,6:C17  
 ion transport, temperature effects (rat squirrel), 237,6:C23  
 ligation, renal ischemia and, 243,12:H869  
 mechanical activity, spontaneous, 235,4:H208  
 mechanism of activation, prostaglandin H<sub>2</sub> analogue U-44069, 241,10:C243  
 microsomal calcium uptake, adenosine monophosphate, cyclic effects, 234,3:H508  
 ouabain and potassium relaxation, renal hypertension, 243,12:H896  
 oxygen and glucose influences, water and ion content, 231:1800  
 partial constriction, lithium reabsorption, proximal tubules, 241,10:F348  
 permeability, <sup>125</sup>I-albumin, aging effects (cockereel), 239,8:H642  
 phospholipids, deacylation-reacylation cycle, spontaneous hypertension, 240,9:H33  
 pressure-dimension techniques (dog, sheep), 235,4:H610  
 pressure: *see* Pressure  
 prostaglandin synthesis, hypertension, 233,2:H493  
 regurgitation  
 aortic valve damage, 241,10:H95  
 quantification during cardiac catheterization, 239,8:H121  
 serum protein transport, concentration, time and location effects (dog, human, pig), 240,9:H54  
 silver quantification, autoradiography, 238,7:H414  
 smooth and venous muscles, comparison, 232,1:H131  
 smooth muscle activity, volume loading, 238,7:H379  
 subcoronary stenosis, contractile function, 240,9:H80  
 thoracic  
 descending, occlusion, 238,7:H423  
 occlusion, cardiac output following, 243,12:R152  
 protein transport (dog, human, pig), 240,9:H54  
 quantitative, microautoradiography, 239,8:H289  
 wall, oxygen consumption rate, 243,12:H948  
 uptake, albumin and Evans blue dye, serum effects, 243,12:H708  
 vasa vasorum, nourishment and, 240,9:H781  
 vascular strips, helically cut, 238,7:H107  
 vasodepressors, hemodynamic responses, 234,3:H67  
 wall, oxygen consumption rate, 243,12:H948  
**Aortic arch**  
 baroreceptors: *see* Receptors  
 chemoreceptor stimulation, hindlimb vein response, 242,11:H1050  
 isolated, dominant inhibition, 240,9:H555  
 perfusion, 230:664  
 baroreceptor resetting, 236,5:H174  
 reflexes: *see* Reflexes  
**Aortic balloon occluder**, fetal (lamb), 238,7:H656  
**Aortic bulb**  
 diving and (beaver, nutria), 242,11:R434  
 functions, model study, 240,9:R200  
**Aortic-caval fistula**, effect on mineralocorticoid activity, 231:56  
**Aortic clamp**  
 distal tubular function, volume expansion, 239,8:F228  
 renin activity, juxtaglomerular apparatus, 238,7:F488

**Aortic depressor nerve**

baroreceptor resetting, 236,5:H174  
 carotid pressor response inhibition, 240,9:H555  
 central cardiovascular regulation, 239,8:R137  
 projection to hypothalamus, 239,8:R130  
**Aortic flow**: *see* Flow  
**Aortic nerve**  
 activation, stimulus train composition effects on heart rate, 237,6:H366  
 activity, multichannel telemetry system, 236,5:H513  
 barosensory attenuation, 230:1480  
 denervation, fetal (lamb), 242,11:H916  
 depressor, 230:664  
 dominant inhibition, 240,9:H555  
 ECG-coupled stimulation, 230:1374  
 excitatory afferents, baroreflex bradycardia inhibition, 243,12:H607  
 stimulation  
 cardiovascular responses at fixed carotid pressure, 236,5:H769  
 cardiovascular responses to, 242,11:H790  
 reflexes, 236,5:H127  
 subthalamic-mediated bradycardia, 236,5:H471  
 transection, noradrenergic mechanisms after, 240,9:H481  
**Aortic pressure**: *see* Pressure  
**Aortic stenosis**, fiber orientation, left ventricular hypertrophy, 236,5:H487  
**Aortic valve**  
 behavior, cinematography, 240,9:H286  
 closed, diastolic vibration, second heart sound, 234,3:H696  
 damage, changes after, 241,10:H95  
 heart sounds, accentuation in anemia, 235,4:H664  
 normal, design of, 241,10:H795  
 stenosis, subcoronary, 236,5:H760  
**Aortic wall**  
 Evans blue dye and albumin, simultaneous accumulation, 233,2:H66  
 hydraulic conductivity, 236,5:H53  
 nourishment, vasa vasorum and, 240,9:H781  
**Aortic wavelength**, heart rate body-size relations (mammals), 237,6:R3, R7  
**Aortocaval fistula**: *see* Fistula  
**Apical membrane**  
 potassium permeability, cortical collecting tubule, 241,10:F395  
 rupture effects, compliance and permeability, bladder (toad), 242,11:F8  
 vesicles, sugar transport, 243,12:C293  
**Apnea**  
 cigarette smoke and, 240,9:H584  
 laryngeal chemoreflex, neonatal (piglet), 233,2:R30  
 laryngeal reflex, chemodenervated newborn (pig), 237,6:R10  
 silver quantification, laryngeal reflex (piglet), 239,8:R25  
**Apomorphine**  
 cerebral circulatory response (baboon), 233,2:H222  
 dopaminergic inhibition, prolactin secretion, 240,3:E700  
 vomiting, myoelectric activity, 233,2:E131  
**Apoprotein B**, triglyceride and, dissociation in very-low-density lipoproteins, 239,2:E354  
**Apoprotein C**, lipoprotein lipase activity, fat cells, 243,6:E175  
**Apoproteins**  
 binding and removal, liver, 243,6:G389  
 fat absorption mechanisms, intestinal, 240,3:G1  
 Triton-induced hyperlipidemia, intestinal model, 238,1:G453  
**Apparatus and techniques**: *see also* specific subject and site, and Models  
 arteriovenous oxygen difference ana-

- lyzer, flowing whole blood, 232,1:H437
- balloon catheter, left ventricular cineangiographic technique, 232,1:H434
- cantilever transducer, arterial graft measurements, 233,2:H568
- capillary filtration, strain gauge measurement, 232,1:H354, H361
- cardiography, impedance, coronary heart disease, 233,2:H694
- cardiokymography, noninvasive analysis of regional myocardial wall motion, 233,2:H700
- cineangiography, left ventricular internal calibration, 232,1:H434
- circulatory stress tests, coronary heart disease, 233,2:H694
- compartamental model fitting, 233,2:R1
- coronary embolization, selective, 232,1:H335
- Coulter counter
- contraction of isolated smooth muscle cells in suspension (frog), 232,1:C138
  - smooth muscle responses to cholinergic drugs (frog), 232,1:C144
- cuff occluder, hydraulic, 232,1:H99
- diffusive-indicator and microsphere technique for myocardial blood flow, 232,1:H495
- digital arterial pressure and, compliance, measurement, 233,2:H168
- digital occlusion cuff, 232,1:H338
- echocardiography, cross-sectional, closed chest canine model, 233,2:H417
- electron probe microanalysis, 232,1:F391
- epithelial transport, isolated membrane vesicles, 233,2:E445
- extracorporeal shunt, measurement of coronary flow in closed chest dog, 233,2:H154
- fitting straight lines to experimental data, 233,2:R94
- freeze-fracture electron microscopy, relations of membrane structure to transport physiology, 232,1:F77
- Grodins respiratory model, evaluation via dynamic end-tidal forcing, 233,2:R66
- heart block, indirect cauterization without atriotomy, 233,2:H723
- hepatic hemodynamics, systems analysis, 233,2:R188
- implantable semiconductor  $\beta$ -radiation detector, 232,1:H95
- insulin delivery rate, glucose-induced deconvolution analysis, 233,2:E500
- ionic composition, plasma, 233,2:F412
- kidney, perfused, function and structure (bullfrog), 233,2:F481
- laser-Doppler spectroscopy, tissue blood flow, 232,1:H441
- manometry, esophageal (opossum), 233,2:E152
- metal-film thermopiles, for right ventricular papillary muscle, 233,2:C146
- microelectrode, self-filling and semifloating, glass, 232,1:C207
- micropressure, lymph vessel contractility, 233,2:H57
- microscope-television system, for flow velocity in skin capillaries, 233,2:H318
- microwave stimulation, thyroid, 233,2:E363
- neuromuscular junction, quantal release and binomial statistical release parameters, estimation, 233,2:C157
- papillary muscle dynamics measurement, 233,2:H384
- nonuniform strain distribution, 233,2:H410
- servocontrol system, 233,2:H162
- parameter identifiability and experiment design, thyroid hormone metabolism, 233,2:R134
- pneumoplethysmograph, digital arterial pressure and compliance, H168
- potassium, total exchangeable, indirect measurement, 233,2:F253
- potassium transport, renal, kinetic analysis (bullfrog), 233,2:F464
- renal vasospasm (monkey), 233,2:H622
- science, a general theory of systems, 233,2:R169
- signal processing system, ultrasonic measurement of urine flow, 232,1:F471
- Sperber technique, tubular transport capacity (chicken), 232,1:F443
- step function input, kidney, 233,2:H488
- stopped-flow, bicarbonate-chloride exchange kinetics, erythrocytes (dogfish), 237,6:R132
- storage telemetry, radionuclide tracers by implantable thermoluminescent dosimeters, 233,2:E479
- Swan-Ganz catheter, left ventricular cineangiographic technique, 232,1:H434
- thermodynamics, field and circuit, for integrative physiology, 233,2:R171
- ultrasound, hypertrophy, left ventricular, 232,1:H426
- urine collection device, 233,2:F615
- voltage clamp, axonal repetitive firing, *Gymnodinium breve* toxin and (squid), 232,1:C23
- voltage-clamp, cardiac automaticity, 233,2:H625
- volume clamping, ventricular, 233,2:H718
- Appetite:** see Feeding, and the specific dietary constituent
- Aprotinin**
- angiotensin II receptor blockade, hemorrhagic shock, 236,5:H280
  - short-circuit current inhibition, bladder (toad), 239,8:F459
  - uteroplacental blood flow, pregnancy, 242,11:H142
- Arabinose**, hypertonic, osmotic opening, blood-brain barrier, 238,7:R421
- transport
- adipocytes, 234,3:E112
  - dietary composition effects, adipose cells, 240,3:E175
  - uptake, adipocyte glucose transport measurement, 234,3:E112
- Arachidonates**
- aortic phospholipids, spontaneous hypertension, 240,9:H33
  - $^3\text{H}$ -labeled, release, vasopressin stimulation of, kidney medulla, 241,10:F649
- Arachidonic acid**
- androgen-mediated sex differences, cardiovascular responses, 235,4:H242
  - conversion, vasoconstrictor response, 232,1:E201
  - coronary vascular response, increased myocardial oxygen consumption, 235,4:H372
  - deficiency effects, renal vasoconstriction, 243,12:H61
  - fibrinogen response, 235,4:H223
  - 15-hydroperoxy
  - angiotensin-induced relaxation, renal and cerebral arteries, 240,9:H247
  - prostaglandin actions on cerebral and peripheral arteries, 238,7:H111
  - 5-hydroxytryptamine-stimulated release, phosphatidylinositol, salivary glands (blowfly), 243,12:C222
  - indomethacin pretreatment and, awake state, 243,12:F543
  - mesenteric vascular bed, 235,4:H326
  - metabolic, imidazole effects, ureteral-obstructed kidney, 240,9:F508
  - metabolism, pancreatic acini, 242,5:G493
  - pial arteriolar response, carbon dioxide and hypoxia, 238,7:H226
  - platelet function, 238,7:H54
- prostaglandin-adenylate cyclase-adenosine monophosphate, cyclic interaction, gastric mucosa, 235,4:E546
- prostaglandin and renin-angiotensin systems, interaction, glomeruli, 239,8:F602
- prostaglandin  $\text{E}_2$  production, bladder, 239,8:F452
- prostaglandin  $\text{E}$  synthesis, water flow and, bladder (toad), 234,3:F532
- prostanoids and, gastric vascular actions, 242,5:G582
- pulmonary vascular bed, 239,8:H40
- renal vascular response, prostaglandin inhibitors, 234,3:H496
- renin release
- prostaglandin  $\text{I}_2$  effects, glomeruli, 243,12:F276
  - prostaglandins and, kidney cortex, 240,3:E609
- splanchnic artery occlusion shock, 231:112
- vascular action, mesenteric, 232,1:H305
- vascular effects, renal, 233,2:H573
- Arcuate nucleus**, neurohypophysis, dopaminergic innervation effects, 241,4:E186
- Area postrema**
- angiotensin, pressor action, 239,8:H108
  - serotonin effects, solitary tract nucleus and, 241,10:R158
- Arginine**
- circulating, source and fate of, 241,4:E473
  - deficiency, ureagenesis and, 241,4:E310
  - gastric inhibitory polypeptide interaction, insulin release and, 242,5:E343
  - glucagon and glucose turnover, extrapancreatic, 234,3:E213
  - hormone secretion and, pancreas, obesity, 241,4:E146
  - influx, cellular, hepatic blood flow rate, 238,7:H553
  - infusion, insulin and growth hormones (pig), 233,2:E104
  - insulin secretion, acid-base alterations and, 234,3:E426
  - metabolism
  - isolated perfused kidney, 235,4:F376
  - red blood cells, 242,11:C393
  - urea synthesis and, skeletal muscle cells, 242,5:E87
  - pulses, early insulin and glucagon response, 236,5:E85
- Arginine chloromethyl ketones**, short-circuit current inhibition, bladder (toad), 239,8:F459
- Arginine vasopressin:** see Vasopressin
- Arginine vasotocin**
- diluting segment, distal tubule (amphibian), 233,2:F438
  - vascular response, renal and peripheral (bullfrog), 239,8:R156
  - water balance (newt), 238,7:R113
- Aromatic hydrocarbons:** see Hydrocarbons
- Aromatization**, brain, luteinizing hormone secretion and, male, 241,4:E246
- Arousal state:** see Awake state
- Arrhythmias**
- cardiac
  - cardiopulmonary resuscitation, 241,10:H442
  - copper deficiency, electrocardiography, 240,9:H185
  - lysophosphatides and, 243,12:H187
  - myocardial ischemia, thromboxanes and, 238,7:H87
  - ouabain, 230:1168
  - sympathetic neural effects, 240,9:H590
  - coronary occlusion and, dorsal root section effects, 231:923
  - countershock, myocardial cells (chick embryo), 235,4:H214
  - electrical, gastric antrum, 239,2:G59

**Arrhythmias (continued)**

- hypothalamic stimulation-induced, 234,3:H199
- infarct growth toward endocardium, 236,5:H356
- polar cardiac glycosides, 238,7:H202
- postcountershock, defibrillator waveform safety factor, 242,11:H662
- reentrant excitation, cardiac, 235,4:H1
- reflex mechanisms, 234,3:H199
- release, myocardium at risk and, 243,12:H340
- respiratory sinus, breathing pattern and heart rate, 241,10:H620
- sinus node, 241,10:H311
- strophanthidin toxicity, Purkinje fibers, 234,3:H477, 236,5:H689
- sunendocardial fibers, 238,7:H581
- sympathetic origin, 233,2:H535
- ventricular
  - anoxia effects, 240,9:H730
  - coronary occlusion during exercise, 237,6:H520
  - during myocardial ischemia, 233,2:H329
  - phenytoin effects, 241,10:H67
  - sequentially applied pulses (calf), 243,12:H982
  - ventricular defibrillation threshold, temporal stability, 235,4:H553
  - vulnerability, relation to ventricular repolarization and T wave form, 236,5:H391
- Arrhythmogenesis**, electrophysiological changes and, myocardial ischemia (rabbit), 243,12:H318
- Arrhythmogenic effects**
  - distension, sinus node, 241,10:H311
  - geometric similarity, aorta and venae cavae, mammals, 241,10:R100
  - length-dependent sensitivity, vascular smooth muscle, 241,10:H557
  - lysophosphoglycerides, ischemic myocardium, 241,10:H700
  - myocardial, oxygen saturation, methoxamine effects, 241,10:H370
  - potassium effects, vascular smooth muscle, 241,10:H217
  - sympathectomy effects, renal hypertension, 241,10:H449
  - tail, lead effects, vascular reactivity, 241,10:H211
- Arrhythmogenic properties**, polar cardiac glycosides, neural augmentation, 238,7:H202
- Arsenazo III**, cytosolic free calcium levels and, proximal tubules, 242,11:C124
- Arsenic**, excretion, biliary, metallothionein effects, 234,3:E47
- Arsenite**, renal tissue slice metabolism and, 237,6:F93
- Arterial access**, chronic, unrestrained rat, 238,7:H599
- Arterial cannula**, blood pressure recording, 239,8:H137
- Arterial compliance**: see Compliance
- Arterial hemodynamics**, systemic, (diamond python), 243,12:R205
- Arterial load**: see Load; Loading
- Arterial occlusion**, partial, intestinal oxygen uptake, 236,5:H731
- Arterial pressure**: see Pressure
- Arterial stretch**, Evan's blue dye transport, transmural albumin uptake, 240,9:H645
- Arterial transport**, diffusive transmural, protein, aortic (dog, human, pig), 240,9:H54
- Arterial wall**, 230:30, 211
  - aortic, hydraulic conductivity, 236,5:H53
  - changes, renal hypertension, 242,11:H477
  - connective tissue content, 234,3:H533
  - mechanics
    - aging effects, 233,2:H256
    - arginine vasopressin, physiological doses, 234,3:H167

- atherosclerosis (racing greyhound), 236,5:H790
- hypertension, 237,6:H597
- normotension and spontaneous hypertension, 237,6:H159
- oxygen consumption rate of, 243,12:H948
- passive mechanics, strain-energy-density factor, 234,3:H533
- pial, composition, 236,5:H151
- small, norepinephrine effects in hypertension, 236,5:H545
- thickness, graft, 237,6:H265
- Arteries**: see also specific artery
  - baroreceptors: see Receptors
  - baroreflexes: see Reflexes
  - circulation, p-aminohippuric acid and uric acid clearance, renal (chicken), 240,9:F46
  - collateral, distribution, heart, 238,7:H504
  - connective tissue composition, 234,3:H533
  - glucose and lactate, plasma concentration (sheep), 235,4:E487
  - grafts: see Grafts
  - human, potassium in, 234,3:H404
  - inelasticity, barostasis and, 232,1:H197
  - isolated perfused, contractile response to mannitol, 232,1:H59
  - mechanical properties, arginine vasopressin effects, 234,3:H167
  - mechanics, norepinephrine effects, 231:420
  - muscle contraction, ouabain-induced (monkey, dog), 239,8:H199
  - open-loop gain, dietary sodium effects in hypotension, 233,2:H191
  - optical reflectance, 233,2:H66
  - Evans blue dye measurement, 232,1:H204
  - oxygen content, cerebral blood flow (lamb), 240,9:H209
  - peripheral, barostasis between different steady-state flows, 232,1:H197
  - placental vasculature, lipid metabolism, fetal, 240,3:E65
  - pressure: see Pressure
  - protein transport, transmural, measurement, 232,1:H204
  - quantitative microautoradiography, radioactivity and silver comparison, 239,8:H289
  - series elasticity, smooth muscle, 233,2:H248
  - silver quantification, autoradiography, 238,7:H414
  - small, responses to hemorrhage, anesthetics and, 235,4:H753
  - smooth muscle contraction, myosin light chain phosphorylation-associated (swine), 240,9:C222
  - thrombosis: see Thrombosis
- Arteriography**, coronary stenosis, unselected dogs, 235,4:H350
- Arteriolar networks**, oxygen diffusion, 237,6:H681
- Arterioles**
  - afferent
    - autoregulation, kidney tubules, 240,9:F446
    - diameter, spontaneous hypertension, 242,11:H961
    - glomerular filtration, feedback control, 236,5:F40
    - juxtaglomerular anatomy, 237,6:F333
    - renin release, enhancement of, 242,11:F267
  - afferent and efferent, juxtaglomerular, anatomy, 237,6:F333
  - blood flow: see Blood flow
  - capillary limb, blood pressure fluctuations, nailfold, 236,5:H888
  - cerebral: see Cerebral arterioles
  - circulation: see Circulation
  - closure, hypertension, 236,5:H157

- diameter, spontaneous hypertension, 243,12:H243
- dilation, oxygen effects, sartorius muscle, 241,10:H807
- efferent
  - acute renal failure, 238,7:F305
  - angiotensin II and III, effects, renal, 236,5:F252
  - glomerular filtration, 233,2:F366, F396
  - juxtaglomerular anatomy, 237,6:F333
  - renal, acute renal failure, 238,7:F305
  - renin depletion, 232,1:F215
  - resistance, glomerular dynamics, 236,5:F25
- glomerular, corticosteroid binding, 243,12:F235
- intracerebral, study of, 243,12:H598
- maturation effects, striated muscle (hamster), 241,10:H325
- mesenteric, adenosine monophosphate, cyclic production, hypertension, 243,12:H398
- method for study, microcirculation, 241,10:H108
- microvascular, heat stress and, cremaster muscle, 242,11:H996
- number, salbutamol stimulation, spontaneous hypertension, 236,5:H134
- pial, fatty acids and cyclooxygenase and, 242,11:H629
- pressure: see Pressure
- reactive hyperemia, prostaglandin inhibitors, 232,1:H571
- reactive hyperemia in, cheek pouch (hamster), 241,10:H748
- renal
  - resistance, maturational development, 236,5:F465
  - tubuloglomerular feedback, 243,12:F447
- responses, contracting muscle, 235,4:H494
- spontaneous hypertension and, cremaster muscle, 242,11:H381
- striated muscle, adenosine effects, hyperemia (hamster), 242,11:H688
- sulfhemoglobin-red blood cells, mean transit time and blood flow velocity, 238,7:H745
- system hypoxia effects, muscle microcirculation, 240,9:H746
- vascular smooth muscle, tetrodotoxin effects, 242,11:H967
- vasodilation: see Vasodilation
- wall tension, mesenteric flow and, autoregulation, 241,10:H829
- Arteriosonde**, indirect blood pressure determination, renal hypertension, 237,6:H720
- Arteriovenous circulation**: see Circulation
- Arteriovenous difference**
  - catecholamine uptake and excretion, kidney, 242,11:F56
  - graded activity (lizard), 239,8:R174
  - renal, acidosis and, 238,7:F199
- Arteriovenous fistula**: see Fistula
- Artifacts**
  - brain removal technique, 234,3:E365
  - oxygen uptake, myocardial reactive hyperemia, 235,4:H87
  - technical, distal tubular fluid, 232,1:F497
- Artificial intelligence**, physical causality, brain theories and, 238,7:R277
- Aryl hydrocarbon hydroxylase**, iron absorption, 236,5:E763
- Ascending pressor and depressor pathways**, spinal cord, 231:786
- Ascites**
  - converting enzyme inhibitor, 236,5:F541
  - excretion, splanchnic control of, cirrhosis, 242,11:F390
  - formation
    - caval constriction, 232,1:F559
    - cirrhosis, 238,7:F353
    - portal cirrhosis and, 233,2:F572



- formation and reabsorption, intraperitoneal pressure and, 233,2:F185  
mobilization in cirrhosis, following furosemide or mannitol diuresis, 235,4:F12  
salt and water retention, 232,1:F315  
sodium retention, 233,2:F572, F586  
**Ascorbate**, pregnancy, 236,5:E386  
**Ascorbic acid**  
flux, ileal, 233,2:E374  
transport, central nervous system, 232,1:R73  
**Asepsis**, vascular access, long-term, 241,10:H606  
**Asialo-PMSG**: see Gonadotropin, pregnant mares serum  
**L-Asparagine**, homeostasis, role of L-asparagine synthetase, pancreas, 236,5:E746  
**L-Asparagine synthetase**, pancreatic, homeostasis of L-asparagine, 236,5:E746  
**Aspartate**: see also Malate-aspartate  
<sup>14</sup>C-labeled, gluconeogenesis, insulin effects, 235,4:E22  
conversion to succinate, anoxic heart, 237,6:H535  
U-<sup>14</sup>C-labeled, glucogenesis and glucose turnover (fish), 240,9:R246  
**Aspartate aminotransferase**, gluconeogenesis (chicken and carnivorous bird), 234,3:R115  
**Aspartic acid**, angiotensin II, tubular handling, 234,3:F325  
**Asphyxia**  
apneic  
carotid bodies and baroreceptors (duck), 242,11:R105  
cerebral, oxygen conservation (duck), 239,8:R352  
respiratory chemosensitivity, 230:861  
vascular changes, skeletal muscle, 235,4:H72  
vascular responses to, 230:595  
**Aspiration**, inflammatory response to, ibuprofen, 243,12:H903  
**Aspirin**: see also Acetylsalicylic acid  
action on gastric mucosa, 230:762  
amino acid transport, jejunal, 236,5:E495  
angiotensin-induced relaxation, renal and cerebral arteries, 240,9:H247  
gastric damage, cell proliferation and loss effects, 243,6:G463  
gastric mucosal damage, alkaline secretion response, 241,4:G509  
hemorrhage, 230:940  
metabolic damage, gastric mucosa, 239,2:G457  
occlusive arterial thrombosis, 234,3:H454  
pial arterioles and, 242,11:H629  
platelet aggregation, mesenteric arterioles, 239,8:H220  
positive end-expiratory pressure effects, negative inotropism, 241,10:H783  
prostaglandin E receptor regulation, hepatic, 241,4:E291  
vasopressin action, water excretion and, 232,1:F529  
**Assembly process**, definition, 233,2:R75  
**Asymmetry**  
axial and radial, upper esophageal sphincter pressure, 239,2:G49  
brain, 238,7:R1, R277  
contractile response, ear artery, to exogenous amines, 238,7:H618  
osmotic response, gastric mucosa (frog), 238,1:G298  
**Asynergy**, left ventricular, intracoronary isoproterenol, infusion, 239,8:H594  
**Atherogenesis**, histamine synthesis, aortic, 234,3:H701  
**Atherogenic diet**: see Feeding  
**Atherosclerosis**  
arterial stretch effects, transmural albumin and Evan's blue dye transport, 240,9:H645  
dietary, arterial wall properties (racing greyhound), 236,5:H790  
estrogen effects, cholesterol feeding, 241,4:E372  
Evans blue dye accumulation, aortic, 232,1:H204  
mechanical alternans, papillary muscle, 239,8:H674  
oxygen consumption rate, arterial wall, 243,12:H948  
smooth muscle mechanics (racing greyhound), 236,5:H790  
transmural protein transport, aortic (dog, human, pig), 240,9:H54  
**Atomic absorption**, potassium secretion, distal tubule, 236,5:F192  
**Atomic models**: see Models  
**ATPase**: see Adenosine triphosphatase; Calcium-potassium-ATPase; Sodium-potassium-ATPase  
**Atractyliside**, electrical activity, cardiac, 241,10:H505  
**Atria**: see Heart atria  
**Atrial junction**: see Junction  
**Atrial pressure**: see Pressure  
**Atrial receptors**: see Receptors  
**Atrial sinus conduction**: see Conduction  
**Atrialotomy**, avoidance of, creating permanent complete heart block, 233,2:H723  
**Atrioventricular block**  
cardiac rhythm, 237,6:H10  
chronic, closed-chest, 241,10:H279  
**Atrioventricular conduction**: see Conduction  
**Atrioventricular junction**: see Junction  
**Atrioventricular nodal potentials**: see Potentials  
**Atrioventricular node**  
action potentials: see Potentials  
activation, cycle-length-dependent properties, 231:1129  
calcium selectivity, active membrane, 236,5:C1  
complete heart block, 233,2:H723  
conduction, atrial fibrillation, heart, 243,12:H754  
isolated blood-perfused preparation, atrioventricular junctional rhythm, 239,8:H181  
sensitivity differences, vagal stimulation, 241,10:H684  
short memory, rate-dependent changes, 241,10:H26  
structure and function of, 243,12:H41  
vagal activity, 237,6:H275  
**Atrioventricular tachycardia**: see Tachycardia  
**Atrophy**  
disuse effects on sarcoplasmic reticulum, fast and slow skeletal muscles, 243,12:C156  
fetal heart, leupeptin effects, 237,6:E35  
muscular: see Muscle  
**Atropine**  
acetylcholine-stimulated pancreatic islets, 235,4:E493  
aortic constriction and, myocardial oxygen extraction, 242,11:H310  
atrioventricular block, 237,6:H10  
autonomic heart rate control, neonatal development during sleep, 238,7:H829  
baroreflex control of heart rate, nitroprusside-induced hypotension, 243,12:R18  
bicarbonate secretion, gastric, 234,3:E535  
blood flow, cerebral (goat), 232,1:H495  
body volume regulation (tick), 238,7:R102  
calcium ions trigger pool, exocrine pancreas, 238,1:G338  
cardiac function and metabolism, newborn (lamb), 233,2:H451  
cardiac tamponade, 232,1:H5  
cerebral vasodilation and, hypercapnia, 242,11:H683  
complete heart block, 233,2:H723  
contractility, vascular smooth muscle, 240,9:H971  
contractions and, smooth muscle cells (guinea pig), 243,6:G497  
deoxyribonucleic acid synthesis, gastric mucosa, 235,4:E565  
duodenogastric reflux and, 242,5:G603  
electrical responses, esophageal sphincter, 243,6:G415  
electrical stability, electrical, 234,3:H503  
electrolyte excretion, choline effects, kidney tubules (chicken), 240,9:F211  
gastric acid response, gastric and intestinal meals, 232,1:E542  
gastrin and somatostatin secretion, neural control of, 243,6:G442  
gastrin release, antral, 236,5:E173  
glucose tolerance and, pancreas, 241,4:E337  
inhibition, renal adrenergic nerves, 237,6:H326  
insulin release, sham feeding-induced, 242,5:E280  
ion transport and, intestinal, 231:252  
microvascular cholinergic receptors, liver, 236,5:E728  
migrating motor complex, neural control, 237,6:E451  
motor function, esophageal, 240,3:G290  
muscarinic receptor activation, blood flow and, coronary, 240,9:H941  
noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112  
pancreas, transplanted, 236,5:E186  
pancreatic polypeptide response, meal, 235,4:E443  
pancreatic response effects, hydrochloric acid and secretin, 240,3:G376  
parasympathetic cardiac control, opposing central and peripheral effects, 232,1:H146  
pepsinogen secretion, esophagus (frog), 238,1:G79  
plasma insulin levels, oscillations (monkey), 240,3:E5  
pressure, lower esophageal sphincter (opossum), 234,3:E301  
Purkinje fibers, 230:116  
action potentials (sheep), 238,7:H237  
receptors: see Receptors  
salivary secretion (tick), 235,4:R76  
secretin, action and release, 242,5:G608  
secretory responses, intact and transplanted pancreas, 238,1:G18  
sinus node response, postnatal, 234,3:H412  
smooth muscle cell response (frog), 232,1:C144  
sodium transport, cholinergic inhibition, bladder (toad), 235,4:F664  
substance P effects and, intestinal motility, 243,6:G493  
vagus, 230:105  
vascular reactivity, isolated tibia, 236,5:H904  
vasodilation, pressor response buffering, 236,5:H165  
vasomotor control response, 232,1:H146  
water transportation (toad), 239,8:F154  
**Attenuation factor**, compartmental models, neurons, 235,4:R93  
**Auerbach's plexus**  
atrioventricular node, excitable, 236,5:C78  
bladder, function and structure (toad), 236,5:F14  
calcium depletion, neuronal electrical activity, 236,5:C78  
excitation conduction, 232,1:E100  
lipid transition, seasonal changes (hedgehog), 236,5:E589  
lung, amino acid transport, serum effects, 236,5:C111

**Auerbach's plexus** (continued)

- myenteric neurons, burst-type, small intestine, 240,3:G437
- placental, water and nonelectrolyte transfer (sheep, guinea pig), 236,5:C47
- plasma, phosphate fluxes, liver, 236,5:C202
- postjunctional sensitivity, myasthenia (frog), 236,5:C53
- renal, phospholipid formation during potassium depletion, 236,5:E429
- stimulation, polarity of effects on longitudinal muscle, 235,4:E345
- thyroid function, seasonal changes (hedgehog), 236,5:E589

**Auscultation**, heart sounds, accentuation in anemia, 235,4:H664

**Autocovariance analysis**, cortisol periodicity, normal and in Cushing's syndrome, 236,5:R268

**Autografts**

- contractile properties, skeletal muscle, 238,7:C120
- skeletal muscles, capillarity and blood flow after, 241,10:H630

**Autoimmune disease**, acetylcholine receptor turnover, myasthenia gravis, 243,6:E31

**Automated analyses**: see specific subject and site; see also Models

**Automaticity**, 230:1366

- atrial, ectopic, 234,3:H471
- atrioventricular junctional rhythm, 237,6:H275
- cardiac, and its control, 233,2:H625
- epinephrine effects, ventricular pacemaker, 242,11:H677
- overdrive suppression, cultured myocardial cells (chick), 238,7:H24
- pacemaker, atrial ectopic foci, 238,7:H788
- Purkinje fibers, catecholamine effects, 231:1415
- Purkinje strands, ventricular, 239,8:H247
- spontaneous, intracellular recordings, 242,11:H1115
- structure and function of atrioventricular node, 243,12:H41

**Autonomic activity**, heart rate changes and, atrioventricular conduction, 243,12:H525

**Autonomic afferents**: see Afferents

**Autonomic agents**

- cardiac muscle cell supersensitivity (chick embryo), 233,2:C172
- electromyogram, colon, 234,3:E641
- neonatal growth, cardiac effects (sheep), 234,3:H520

**Autonomic blockade**: see Blockade

**Autonomic blocking agents**, smooth muscle, ureteral and portal, 236,5:C192

**Autonomic drugs**

- effects, colonic muscle, 240,3:G361
- smooth muscle responses, duodenal (opossum), 236,5:E33

**Autonomic ganglions**, celiac plexus, 237,6:E90

**Autonomic imbalance**, carotid sinus denervation, 237,6:H475

**Autonomic inhibition**, ventricular, exercised spontaneously hypertensive rat, 235,4:H193

**Autonomic innervation**, tracheal smooth muscle, 238,7:C27

**Autonomic interaction**, stimulation-induced bradycardia, 236,5:R225

**Autonomic mechanisms**, integrative (diving seal), 232,1:H508

**Autonomic nerves**

- distribution, uterine, 233,2:C25
- glucagon and insulin release, 233,2:E380
- glucagon response to 2-deoxy-D-glucose, hypoglycemia and, 239,2:E227

inotropic responses, atrial, 239,8:H333

**intracardiac**

- atrioventricular junctional rhythm, 239,8:H181
- distribution, 239,8:H181
- vagal stimulation, 239,8:H494

**Autonomic nervous system**

- adrenergic-cholinergic axoaxonic synapse, reciprocal, intestine, 236,5:E738
- atrioventricular junctional rhythm, 237,6:H275
- blood flow, renal, during dynamic exercise (baboon), 236,5:H141
- cardiac control, 232,1:H485
- cellular injury and, myocardial ischemia, 240,9:H738
- control, ventricular refractoriness, 241,10:H878
- development, heart rate, neonatal, sleep, 238,7:H829
- digitalis toxicity, 235,4:H531
- dysfunction, long-term monitoring, 240,9:R384
- exercise, 230:85
- gut, 230:298
- hemorrhage heart rate, volume overload, 235,4:H422
- hypothalamic knife cuts, obesity and, 243,12:R445
- hypoxic responses, spinal, 241,10:H679
- ion transport, intestinal, 235,4:E402
- migrating motor complex, vagal control of, 243,6:G276
- neurophysiology, myenteric neurons, burst-type, 240,3:G437
- nitroprusside-induced hypotension, heart rate during, 243,12:R18
- noncholinergic vasodilators, feet (duck, chicken), 237,6:H112
- norepinephrine and, intestinal, 241,4:G264
- norepinephrine release, ventricular, 238,7:H406
- oxygen uptake, intestinal, 236,5:H731
- pacemaker activity, atrioventricular junction, 235,4:H308
- vagal stimulation, cardiac responses to, 243,12:H219
- ventricular electrical stability, 234,3:H503

**Autonomic neuromediation**, release, ventricular electrical stimulation, 238,7:H794

**Autonomic neurophysiology**, Auerbach's plexus, depleted calcium, 236,5:C78

**Autonomic organization**, parabrachial pons mediation, renal vasoconstriction, 234,3:R223

**Autonomic reflex**: see Reflexes

**Autonomic regulation**

- cardiac pacemakers, 242,11:H98
  - cardiac, ventral root stimulation, 233,2:H655
  - cardiovascular, submergence and emergence (bullfrog), 237,6:R210
  - carotid sinus reflex function, alloxan diabetes, 236,5:H417
  - central, salt gland secretion (duck), 239,8:R489
  - contractile strength, right atrial, 236,5:H860
  - salivary ductal transport, 233,2:F22
- Autonomic responses**, coronary heart disease, 233,2:H694
- Autonomics**, electromechanical dissociation and, 241,10:R213

**Autoperfusion**

- alloperfusion and, step function input, kidney, 233,2:H488
- gracilis muscle, 242,11:H713

**Autophagy**, ethionine effects, pancreas, 242,5:G297

**Autoradiography**

- aldosterone binding, kidney tubules, 240,9:F172

amino acid supply, brain, 242,5:E1

angiotensin II injection effect on water intake, preoptic area, 240,9:R70

arterial, radioactivity and silver comparison, 239,8:H289

bile acid derivative, hepatic lobular concentration gradient, 238,1:G233

<sup>45</sup>calcium, 230:1217

cardiac cellular response to altered nutrition, neonatal, 233,2:H356

cholecystokinin, pancreatic acini, 243,6:G291

collateral circulation, development of, 242,11:H1031

colon, 230:251

concentration dependency, nephron, 242,11:F69

corticosteroid binding, kidney glomeruli, 243,12:F235

electron microscope, carbonic anhydrase sites, gastric mucosa (quail), 241,4:G382

estrogen action, ovary, 243,6:E188

goblet cell secretion, intestinal, 242,5:G370

<sup>125</sup>I-insulin action, pancreatic acini, 240,3:G69

myocardial infarction, experimental, 232,1:H576

ouabain-binding sites, gastric mucosa (frog), 243,6:G297

pH gradients, developing teeth, 232,1:F364

purine nucleoside and nucleotide transport, ileal, 233,2:E47

quinuclidinyl benzilate binding sites, salt gland (avian), 243,12:C254

silver quantification: see Silver quantification

sodium-potassium-ATPase localization, urinary bladder, 231:1735

taurocholate transport, acinar heterogeneity, 243,6:G455

water compartments, developing teeth, 232,1:F358

**Autoregulation**

acute hypertension, cerebral arterioles, 240,9:H511

angiotensin II inhibition, 233,2:F290

arterial sensitivity, vascular smooth muscle, 241,10:H557

arteriovenous shunts, spontaneous hypertension, 242,11:H722

atrial pacing effects, 233,2:H217

**blood flow**

adenosine infusion, 243,12:H181

cerebral (monkey), 239,8:H539

coronary, 230:1

gastric, 241,4:G143

intestinal, 238,7:H836

intestinal, foodstuff absorption, 239,8:H156

oxygen consumption and, skeletal muscle, 239,8:H516

oxygen effects, sartorius muscle, 241,10:H807

oxygen uptake and, gastric, 241,4:G143

pancreas, 242,5:G596

renal, 237,6:F479

renal, after renin depletion, 232,1:F215

spatial and temporal perfusion, myocardial, 235,4:H64

cerebral arterial and arteriolar, hypotension and hypertension, 234,3:H371

cerebral blood flow, sympathetic nerves and, 236,5:H549

circulatory hepatic, role of portal blood composition, 233,2:E255

colonic, intrinsic, 238,1:G478

coronary

adenosine and, 238,7:H214

blood flow, 230:1

circulation, hibernation and (hamster), 241,10:R50

histograms, 234,3:H361

- myocardial carbon dioxide tension distribution, 234,3:H361
- diuresis, exaggerated in spontaneous hypertension, 235,4:F409
- escape, colonic blood flow (monkey), 240,3:G25
- extracorporeal, closed chest coronary artery perfusion, 236,5:H652
- filtration rate
- glomerular, after renin depletion, 232,1:F215
  - glomerular, kidney tubules, 240,9:F446
  - renal, 232,1:F325
  - single nephron, feedback mediation, 237,6:F63
- gastrin mucosal receptors, 238,1:G135
- glucose uptake, midterm fetal liver, 234,3:E560
- homeometric, 235,4:H267
- hypercalcemia, renal, 232,1:F490
- hypertension, 232,1:H639
- increased venous pressure, cerebral arteriolar response to, 243,12:H442
- intestinal
- during metabolic hyperemia, 237,6:F548
  - pulsatile pressure and metabolic rate effects, 242,11:H769
- kidney perfusion, study method, 242,11:F86
- liver-pancreas preparation, 237,6:E340, E349
- lower limit, 237,6:H174
- metabolic
- intracoronary adenosine and, 241,10:H194
  - nonischemic myocardial hypoxia, 243,12:H514
- myogenic responses, gut, 235,4:H157
- oxygenation, intestinal, 243,6:G91
- oxygen uptake, myocardial reactive hyperemia, 235,4:H87
- pituitary prolactin secretion, perfusion method, 242,5:E226
- postcontraction vasodilation, 230:493
- prostaglandin inhibitors, renal, 237,6:F20
- reactive hyperemia
- microvessels, cheek pouch (hamster), 241,10:H748
  - skeletal muscle, 234,3:H352
- renal
- angiotensin II and III, role, 236,5:F252
  - blood flow, prostaglandin effects, synthetase inhibitors, 231:1541
  - glomerular filtration rate, intrarenal renin and, 236,5:F559
  - neural input, humoral and mechanical factors, 235,4:R64
  - renin-angiotensin system and, 233,2:F366
  - renin release, 242,11:F267
  - whole kidney and single nephron studies, 234,3:F357
- sinus node, 241,10:H311
- sodium reabsorption, 232,1:F152
- species differences, 230:652
- spontaneous hypertension, 236,5:F246
- stop-flow pressure feedback, reduced renal vascular resistance, 237,6:F204
- superior mesenteric flow, fasting and feeding effects, 237,6:H174
- wall tension, mesenteric flow and, arterioles, 241,10:H829
- whole-body
- in perinephritic hypertension, 233,2:H535
  - salt loading hypertension, 240,9:H361
- Autoregulatory control**, hindlimb resistance, perfusion, 241,10:H789
- Autoregulatory hypothesis**, insulin, perfused liver-pancreas preparation, 237,6:E349
- Autotransplantation**, migratory myoelectric complex, small bowel, nervous control, 238,1:G102
- Auxotonic contraction**, cardiac: *see* Muscle, heart
- Awake state**
- adenosine, coronary blood flow and, 243,12:H628
  - $\alpha$ -adrenergic receptor blockade, coronary circulation and, 243,12:H94
  - amino acid supply, brain, 242,5:E1
  - angiotensin II effects, central nervous system, 243,12:R82
  - aortic insufficiency, increased inotropic state, 242,11:H973
  - arousal
    - central osmotic fluid regulatory responses, 236,5:R75
    - temperature regulation (marmot), 235,4:R82  - arterial pressure regulation, carotid baroreflex and, exercise, 241,10:H838
  - baroreceptor control, heart rate (toad), 241,10:R307
  - bile acid effects, biliary secretion, 242,5:G40
  - blood flow and distribution, regional, heat stress and (baboon), 237,6:H705
  - bolus calcium injections, transient response of calcium homeostatic system (pig), 243,12:R125
  - brain, multiprobe monitoring, 243,12:R462
  - captopril, renal response to, indomethacin pretreatment, 243,12:F543
  - cardiac denervation, left atrial stretch effects, 242,11:H1056
  - cardiac output
    - control, atrioventricular block and, 242,11:H1118
    - vasopressin infusion and dehydration, 243,12:H663  - cardiovascular changes, 242,11:H810
  - chronic marker implantation heart, 241,10:H104
  - chronic unilateral denervation, kidney function with, 242,11:F140
  - collateral development, awake state, 241,10:H519
  - coronary artery occlusion, DNA synthesis in coronary collaterals, 242,11:H1031
  - coronary blood flow, adrenergic stimulation effects, 243,12:H13
  - coronary resistance, adenosine and, 242,11:H24
  - corticosteroid responses, adrenocorticotrophic hormones, 242,5:E102
  - glucose load, absorption and disposition, 242,5:E398
  - glucose uptake, insulin effects, hepatic, 242,5:E97
  - heart failure, nitroglycerin effects, model, 243,12:H974
  - hepatobiliary and pancreatic clearance, circulating pancreatic amylase, 243,6:G21
  - hibernation, biogenic amines (ground squirrel), 236,5:R162
  - hypertonic saline infusion, cirrhosis, kidney response to, 242,11:F390
  - hypoxia, diuretic response to, 243,12:F440
  - indomethacin effects, plasma renin activity, 240,3:E286
  - inotropy, sympathetic reflex control, left ventricular, 241,10:H857
  - kidney response, volume expansion (monkey), 242,11:F649
  - left atrial pressure effects, renal function (monkey), 243,12:R119
  - left ventricular regional function, ischemia effects, 240,9:H413
  - metabolic responses, adrenergic blockade, 241,4:E385
  - microsphere injection, left atrium, 243,12:H488
  - motility patterns, species differences (rat, rabbit, human), 241,10:R312
- oxygen consumption, gastrointestinal tract and liver, newborn (lamb), 240,3:G297
- oxygen delivery, adrenergic control of, myocardium, exercise, 242,11:H805
- oxygen uptake, digestion, gut, newborn (lamb), 241,4:G289
- plasma potassium and insulin oscillations, potassium infusion and, 243,12:F44
- postextrasystolic potentiation, ischemic myocardium, 241,10:H654
- preload changes, systolic pressure-diameter relations, 240,9:H354
- pressor effects, angiotensin II, 241,10:H381
- prostacyclin effects, liver vasculature, 243,12:H584
- pulmonary injury and prostaglandin production, endotoxemia (sheep), 240,9:H348
- reflexes, atrial and pulmonary stretch receptors, 242,11:H1065
- regional blood flow measurement, 241,10:H273
- renal hypertension, baroreflex control of heart, 241,10:H332
- response to hemorrhage, corticosterone effects, 243,12:R416
- spinal cord, hypothalamic, and air temperature interaction (marmot), 236,5:R107
- thyrotoxicosis, left ventricular performance in (calf), 242,11:H113
- vasodepressor action, angiotensin (chicken), 243,12:H456
- vasopressin effects, water and sodium balance, 243,12:R512
- Axial asymmetry**: *see* Asymmetry
- Axon**
- giant
    - action potential (squid), 235,4:C55
    - electric current generation (squid), 235,4:C63
    - electric current generation by sodium-calcium exchange, 236,5:C103
    - equaptic transmission (squid), 234,2:C162
    - membrane currents, protein cross-linking reagents, effects (squid), 238,7:C127
    - repetitive firing, production by *Gymnodinium breve* toxin (squid), 232,1:C23
    - slow sodium inactivation, trypsin modification (crayfish), 235,4:C238
- 13-Azaprostanic acid**, stimulation of water flow (toad), 239,8:F160
- Azo analog 1**, renin release, prostaglandin  $I_2$  effects, glomeruli, 243,12:F276
- 9,11-Azoprostanoic acid**, potassium depletion, kidney, 240,9:F151
- Azotemia**, renal clearance of *p*-aminohippuric acid and tetraethylammonium chloride, 230:901

## B

- Backflux hypothesis**, sodium-to-chloride permeability, proximal convoluted tubule, 235,4:F592
- Backleak**
- glycine, peritubular uptake, 238,7:F324
  - ischemic, acute renal failure, 238,7:F305
  - tubular, renal failure, 237,6:F319
- Backpressure**, ureteral, albumin effects, perfused kidney, 240,9:F569
- Bacteremia**, transvascular fluid balance during, fibronectin effects, intestines, 242,11:H557
- Bacteria**, injection effects, trace metals (lizard), 240,9:R272
- Bacterial endotoxin**: *see* Endotoxin
- Bainbridge reflex**: *see* Reflexes
- Ballistocardiogram**, long-term monitoring, 240,9:R384

**Balloon**

- catheter: see Catheters
- gastric, intestinal motility monitoring, 235,4:E532
- intraventricular, for volume measurement, 236,5:H506

**Barber, Marshall**, micropipette methods, 242,11:F293**Barbiturates**

- adenylate cyclase inhibition, bladder (toad), 237,6:F372
- autoregulation, 230:652
- left ventricular function, 232,1:H44
- saline load, denervated and intact kidney, 237,6:F262
- transport and, urinary bladder (toad), 239,8:F319

**Barium**

- action potentials, smooth muscle cells, stomach (toad), 239,8:C162
- calcium paradox and, 242,11:H203
- cardiac muscle contraction, excitation-contraction coupling (mammal), 240,9:H216
- intracellular potentials, perfused proximal tubules, 240,9:F200
- lactogen release, placental, 240,3:E550
- potassium activity and, proximal straight tubules, 241,10:F677
- potassium selectivity, hydrochloric acid secretion and (frog), 240,3:G331
- smooth muscle contraction, arterial, 242,11:C25

**Barium ions**

- alteration of potassium ion conductance, vascular muscle, 230:1031
- contraction
  - systolic, heart, 239,8:H438
  - transient tension responses to step length changes, heart muscle, 238,7:H340
- electrogenic hydrogen chloride theory, stomach (frog), 233,2:E298
- inhibition of electrogenic chlorine secretion, gastric mucosa (frog, piglet), 239,2:G151
- rubidium-86 efflux, pancreatic islets, 236,5:E139

**Barometric method**, ventilatory measurement, sleeping infant, 243,12:R164**Baroreceptor reflexes**: see Reflexes**Baroreceptors**: see Receptors**Baroreflex**: see Reflexes**Barosensory attenuation**, temporal relations, 230:1480**Barostasis**, arterial, between different steady-state flows, 232,1:H197**Barostatic reflex**: see Reflexes**Bartter's syndrome**, prostaglandins, 233,2:F169**Basal metabolism**

- active transport, epithelial tissues (frog), 240,9:F357
- central nervous system and, vertebrates, 241,10:R203
- oxygen consumption, cardiac, 240,9:H39

**Base**

- excretion, chloride absorption and, coupling, skin (frog), 235,4:F33
- weak, electrophysiology and secretion, stomach (frog), 234,3:E120

**Basilar artery**, activator calcium, 241,10:H129**Basolateral membrane**

- adenylate cyclase, manganese ion effects on, renal, 242,11:F457
- anion flux, renal and intestinal, 238,7:F452
- fluidity, kidney, 242,11:F246
- flux,  $\alpha$ -amylase, pancreas, 241,4:G170
- organic ion transport, SITS effects, renal cortex, 234,3:F302
- potassium permeability, cortical collecting tubule, 241,10:F395
- potential: see Potentials

**sodium transport**, skin(frog), 241,10:F279

- sulfate secretion, hydrogen ion-dependent, kidney tubule (teleost), 243,12:F150

**Bayliss response**, reactive hyperemia, microvessels, cheek pouch (hamster), 241,10:H748**Behavior**

- aggressive and submissive, castration and testosterone implants, 233,2:E495
- avoidance, baroreceptor reflex and (baboon), 241,10:R277
- dominant-subordinate, castration and testosterone implants, 233,2:E495
- feeding: see Feeding; Fasting
- hypometabolic, blood flow redistribution, 235,4:R89
- ingestive, after intracerebral and intracerebroventricular glucose and 2-deoxy-D-glucose, 233,2:R127
- motility patterns, species differences (rat, rabbit, human), 241,10:R312
- photoperiodic regulation of growth, light-dark cycle (lamb), 241,4:E1
- regulation, peripheral resistance and, 236,5:H880
- sodium concentration effects, cerebrospinal fluid (sheep), 242,11:R51

**Behavioral stress**, cardiac changes, 236,5:H750**Benzimidazoles**, gastric acid secretion and, 243,6:G505**Benzolamide**

- blood flow, renal, 236,5:F494
- carbon dioxide permeability, proximal convoluted tubule, 242,11:F470
- carbonic anhydrase and, proximal acidification, 238,7:F372
- chloride gradient
  - proximal tubule, 237,6:F473
  - thin loop of Henle, 235,4:F192
- prostaglandin E excretion, 236,5:F494

**Berberine**

- antisecretory effects, ileum, 241,4:G253
- luminal, cholera toxin-induced secretion, ileum, 241,4:G248

**Betamethasone**, sodium-potassium-ATPase induction, proximal tubular cells, 241,10:F356**Betamethasone 17-valerate**, differential effects, colon, 241,4:G306**Beta probe**: see Probe**Bethanechol**

- cholinergic regulation, electrolyte transport, colon, 242,5:G116
- electrical responses, esophageal sphincter, 243,6:G415
- gastrin release, gastric fistula, 235,4:E720
- lower esophageal sphincter pressure and, 231:1250
- lower esophageal sphincter responses (baboon), 235,4:E42
- mechanical responses after progesterone, antral and gastroduodenal smooth muscle, 235,4:E422
- microvascular cholinergic receptors, liver, 236,5:E728
- myoelectric activity, 236,5:E458
- myoelectric properties, ileocecal sphincter, 240,3:G450
- pancreatic polypeptide release, 235,4:E443
- pepsinogen secretion, esophagus (frog), 238,1:G79
- pyloroplasty, 230:389
- relaxation modulation, lower esophageal sphincter (opossum), 237,6:E481

**Bezold-Jarisch reflex**: see Reflexes**B fibers**, ventral root mapping, 232,1:H590**Biaxial deformation**, femoral and jugular vein, 233,2:H15**Bicarbonate****absorption**

- cortical collecting tubules, 234,3:F141
- lysine effects, proximal tubules, 242,11:F604

**parathyroid hormone effects**, proximal tubules, 236,5:F387**small intestine** (amphibian), 241,4:G389**acidification**

- renal, 236,5:F48
- tubular, 241,10:F219

**aldosterone effects**, potassium distribution, 243,12:R526**anion permeability**, proximal tubules, 242,11:F395**ATPase activity**

- intestinal alkaline phosphatase, 238,2:F63
- small intestinal brush border, 236,5:E70

**backleak**, 238,7:F166**brain**, 230:804**buffered Krebs-Ringer**, contraction, vascular smooth muscle, 235,4:H208**buffered solutions****atrial myocardial inotropic response**, 237,6:H318**smooth muscle contraction and**, 241,10:H337**carbon dioxide permeability**, kidney tubules, 240,9:F231**chloride gradient and**, proximal tubules, 237,6:F473**chloride transport and**, gastric mucosa (frog), 243,6:G60**<sup>14</sup>C-labeled**, incorporation into blood glucose, insulin and fasting effects, 235,4:E22**concentration**, biphasic postprandial pancreatic secretion, 238,1:G332**conductance**, electrical effects, proximal convoluted tubule, 240,9:F459**distal deranged acidification**, 239,8:F515**excretion****calcium ion absorption**, renal, 238,7:F394**diuretic effects**, 230:1225**phosphaturic effect of furosemide**, 232,1:F105**proximal tubules**, acetazolamide effects, 237,6:F447**extracellular, pH regulation**, muscle fibers (barnacle), 240,9:C80**flux**, carbonic anhydrase and, gill (fish), 238,7:R240**formation**, oxygen tension, cerebrospinal fluid, 236,5:F220**gastric potential**, gastric mucosa (frog), 240,3:G267**gastrointestinal transport****acid regulation and mucosal protection**, 242,5:G183**hormone and local transmitter effects** (bullfrog), 242,5:G100**homeostasis in cerebrospinal fluid**, potassium depletion and, 231:579**hydrogen ion removal**, mechanisms, stomach and duodenum, 235,4:E692**intracellular**, skeletal muscle, 230:228**intracellular pH and**, gastric mucosa (bullfrog), 237,6:E82**ion permeation and**, proximal tubules (Necturus), 235,4:F89**lithium transport and**, erythrocytes, 237,6:C102**luminal**, concentration, acidification and, proximal tubule, 243,12:F53**microsomal localization**, gill (rainbow trout), 238,7:R251**modulation of glucose-induced biphasic insulin release**, islets of Langerhans, 231:713**nutrient**, gastric mucosal protection (bullfrog), 239,2:G536



- oxygen requirement, sodium reabsorption, proximal tubules, 238,7:F175  
 pancreatic, response to meals varying in pH, 233,2:E41  
 pancreatic secretin concentration, 236,5:E539  
 pancreatic secretion of, atropine effects, 242,5:G608  
 permeability: see Permeability  
 physiological studies, renal, 232,1:F291  
 plasma, arterial carbon dioxide pressure, natural variations, 236,5:F30  
 potassium uptake, gastric mucosal (frog), 232,1:E294  
 potential drop in gastric mucosa, 230:61  
 pyloropancreatic reflex, 234,3:E468  
 reabsorption, 231:1010  
   acetazolamide effects, papillary collecting duct, 243,12:F74  
   acetazolamide effects, renal, 232,1:F484  
   carbonic anhydrase and, proximal tubules, 238,7:F372  
   carbonic anhydrase and, renal, 243,12:F311  
   carbonic anhydrase-dependent, proximal tubules, 236,5:F58  
   carbonic anhydrase inhibition and, proximal tubules, 242,11:F274  
   chloride concentration gradient, newborn, 239,8:F328  
   distal tubule, kidney, 243,12:F335  
   edema, 231:749  
   inhibition by maleate plus acetazolamide, 231:1258  
   kidney tubules, 242,11:F78  
   maleic acid-induced tubular dysfunction, 243,12:F604  
   pH disequilibrium, kidney, 240,9:F138  
   piretanide effects, proximal tubules, 238,7:F60  
   potassium handling and, kidney (toad), 243,12:F67  
   proximal tubules, 242,11:F499  
   proximal tubules, acetazolamide effects, 237,6:F447  
   renal impaired, hypothyroidism, 236,5:F536  
   renal insufficiency, 234,3:F472  
   renal tubular acidification kinetics, 236,5:F434  
   secondary hypercapnia in metabolic alkalosis, renal response, 238,7:F283  
   volume expansion and, renal, 232,1:F484  
 secretion, 230:1517  
   alkalinization, active, gastric fundic mucosa (amphibia), 233,2:E1  
   alkalosis, bladder (turtle), 239,8:F167  
   atropine effects, pancreatic, 240,3:G376  
   forestomach (llama), 235,4:E1  
   gastric, 234,3:E535  
   gastric, 16,16-dimethyl prostaglandin E<sub>2</sub> effects, 239,2:G44  
   ileum, 232,1:E574  
   interdigestive state, pancreatic, 241,4:G98  
   intestinal, somatostatin and, 238,1:G67  
   large intestine (equine), 233,2:E469  
   pancreatic, 233,2:E530, 234,3:E286  
   pancreatic, atropine effects, 238,1:G18  
   pancreatic, parenteral feeding, long-term effects, 233,2:E524  
   pancreatic, vagally mediated (pig), 237,6:F535  
   pancreatic, vasoactive intestinal polypeptides and (pig), 237,6:F535  
   submaxillary duct epithelium, 242,11:F132  
   theophylline-induced, small intestine (*Amphiuma*), 236,5:F775  
   sodium-hydrogen exchanger, kidney, 241,10:C220  
 sodium-potassium-ATPase effects, bile secretion, 243,6:G243  
 sodium transport, bladder (toad), 232,1:F210  
 transport  
   amiloride inhibition, renal, 241,10:F374  
   bile salt-independent fraction of bile flow and, 234,5:E158  
   carbon dioxide and acetazolamide effects, proximal tubules, 240,9:F54  
   control mechanisms of, proximal convoluted tubule, 242,11:F532  
   dibutyl adenosine monophosphate, cyclic and, proximal tubules, 238,7:F166  
   effect of autonomic agents, 231:252  
   gill epithelium (fish), 238,7:R224  
   jejunal, 232,1:E62  
   muscle fibers, pH and (barnacle), 237,6:C185  
   muscle fibers (barnacle), 240,9:C80  
   nephron, parathyroid hormone effects, 233,2:F29  
   parathyroid hormone and, proximal tubules, 238,7:F166  
   parathyroid hormone effects, proximal tubules, 236,5:F387  
   parathyroid hormone inhibition, proximal convoluted tubules, 239,8:F127  
   pars recta, 233,2:F154  
   piretanide effects, proximal tubules, 238,7:F60  
   prostaglandin stimulation, duodenum (bullfrog), 239,2:G198  
   proximal convoluted tubules, 233,2:F307  
   renal microvillus membrane vesicles, 238,7:F461  
   sodium relations, proximal convoluted tubule, 240,9:F222  
   surface epithelial, duodenum, 243,6:G348  
   urinary bladder, 233,2:F421  
   urinary, calcium ion absorption and, renal, 238,7:F394  
**Bicarbonate-chloride exchange**  
   kinetics, erythrocytes (dogfish), 237,6:R132  
   metabolic alkalosis, bladder (turtle), 239,8:F167  
**Bicarbonate-free kidney:** see Kidney  
**Bicarbonate ion,** modulation, blood flow during hypoxia and hypercapnia, 243,12:H33  
**Bicarbonaturia,** maleate-induced, independent of carbonic anhydrase, 231:1010  
**Bicuculline,** seizures, sympathetic neural effects on cerebral vessels, 237,6:H178  
**Bi-ionic diffusion potential:** see Potentials  
**Bile**  
   adenosine monophosphate, cyclic, secretion, glucagon effects, 238,1:G119  
   amylase output, 243,6:G54  
   biliary flow, sulfobromophthalein excretion effects, 240,3:G85  
   canalicular flow, erythritol clearance and (baboon), 242,5:G475  
   canalicular formation, insulin effects, 231:40  
    $\beta$ -carotene absorption, intestinal, 235,4:E686  
   cholereses, taurocholate- and secretin-induced, 234,3:E146  
   choleric properties, cation-anion gap, 236,5:E434  
   collection and composition, elasmobranchs, 230:970  
   concentration, postprandial changes, gallbladder, 243,6:G365  
   diversion, chylomicron composition and, 235,4:E183  
   enrichment, tauroursodeoxycholic acid and (hamster), 243,6:G424  
   erythritol clearance, induced cholereses, 234,3:E146  
   excretion, anions, elasmobranchs, 230:970  
   flow  
   bile acid effects, 242,5:G40  
   bile salt-independent, 236,5:E434  
   bile salt-independent fraction, bicarbonate and, 235,4:E158  
   cholephilic dye transport, 232,1:E445  
   conjugation, hepatic transport and, 243,6:G208  
   gastrins I and II effects, 236,5:E584  
   histamine-stimulated, metiamide effects, 231:516  
   liver, 242,5:G628  
   oxygen consumption and, liver (skate), 242,5:G313  
   taurocholate- and secretin-induced cholereses, 234,3:E146  
   formation  
   bile acid structure, 238,1:G10  
   liver, 230:876  
   inert solute clearance, 236,5:E434  
   intestinal hyperemia, 235,4:H677  
   mannitol clearance, induced cholereses, 234,3:E146  
   peptide fragments, gastrin and cholecystokinin, structure-function relations, 233,2:E286  
   pigments, jejunum, 240,3:G312  
   postprandial intestinal hyperemia, 238,1:G284  
   retinol transport, lymphatic and portal, 239,2:G210  
   secretion  
   dibromosulphthalein transport, hepatic, 237,6:E524  
   hemodynamic effects, liver, 234,3:E584  
   liver, pancreatic polypeptide effects (pig), 243,6:G204  
   permeability characteristics, bile duct, 242,5:G52  
   sodium-potassium-ATPase effects, 243,6:G243  
   vitamin K<sub>2</sub> absorption, colonic and ileal, 233,2:E124  
   vitamin K<sub>1</sub> transport, 234,3:E54  
**Bile acid**  
   circadian distribution, enterohepatic circulatory system, 230:1351  
   conjugation  
   fetal hepatic organ cultures, 231:1124  
   hepatic transport, 243,6:G208  
   taurine and, 232,1:E75  
   critical micellar concentration, 238,1:G10  
   disruption mechanism, gastric mucosal barrier, 242,5:G95  
   diversion, cholesterol oxidation (primate), 235,4:R55  
   efflux, hepatocytes, cholestatic liver, 243,6:G253  
   facilitated transport, choleretic effects, 242,5:G347  
   feedback (primate), 235,4:R55  
   hydroxy, structure and bile formation, 238,1:G10  
   hydroxy and keto, comparison, 234,3:E637  
   keto, structure and bile formation, 238,1:G10  
   metabolism and synthesis, in vitro, 237,6:E177  
   micelles, cholesterol uptake and, jejunum, 241,4:G270  
   production, diurnal rhythms, 236,5:R175  
   secretion, sodium-potassium-ATPase effects, 243,6:G243  
   secretory rate, 241,4:G337  
   sham feeding, 234,3:E417  
   structure, biliary lipid secretion and, 234,3:E637

**Bile acid (continued)**

- sulfation, development, liver, 238,1:G429
- taurine-conjugated, lipid secretion and sucrose clearance and, biliary, 242,5:G40
- tauroursodeoxycholic acid, cholesterol saturation and (hamster), 243,6:G424
- transport
  - hepatocytes, 243,6:G484
  - intestinal, 241,4:G83
- uptake
  - liver, 231:734
  - sodium ion transport inhibitor effects, hepatocytes, 243,6:G48
- Bile acid-CoA**, activity, development, liver, 238,1:G429
- Bile acid derivative**, hepatic lobular concentration gradient, 238,1:G233
- Bile acid sulfotransferase**, activity, development, liver, 238,1:G429
- Bile duct**
  - ligation, cholestasis, hepatocytes, 243,6:G253
  - permeability characteristics, 242,5:G52
- Bile salt**
  - absorption, intestinal, neonatal, 239,2:G319
  - active transport, intestinal, neonatal, 239,2:G319
  - amphiphile effects and, heart, 240,9:H229
  - biliary lipid secretion, sulfobromophthalein excretion effects, 240,3:G85
  - biliary permeability and, 235,4:E158
  - biliary transport, sulfobromophthalein and micelles in, 236,5:E10
  - cholephilic dye transport, 232,1:E445
  - conjugation, hepatic transport, 243,6:G208
  - dibromosulphthalein transport, hepatic, 237,6:E524
  - dihydroxy, lipase-colipase activity inhibition, pancreatic, 241,4:G328
  - disruption mechanism, gastric mucosal barrier, 242,5:G95
  - excretion, taurocholate- and secretin-induced cholerases, 234,3:E146
  - extraction, hepatic, 236,5:E191
  - 25-hydroxyvitamin D<sub>3</sub> absorption, intestinal, 236,5:E441
  - independent bile flow, 236,5:E434
  - independent fraction of bile flow, bicarbonate and, 235,4:E158
  - inhibition of ion transport, gastric mucosa, 231:1433
  - ion transport, gastric mucosa, 230:319
  - metabolism, fetal (sheep), 239,2:G354, 243,6:G172
  - output, insulin effects, 231:40
  - phenol 3,6-dibromophthalein disulfonate uptake, hepatic, 232,1:E560
  - pool, fetal (sheep), 239,2:G354
  - secretion, gastric mucosa (amphibian), 240,3:G245
  - solute-coupled volume absorption, oxygen consumption and, ileal, 236,5:E198
  - sulfate esters, intestinal transport, sulfation patterns, 238,1:G34
  - transport
    - acinar heterogeneity of, 243,6:G455
    - hepatocytes, 243,6:G484
    - ileum, 241,4:G469
    - intestinal, postnatal (guinea pig), 243,6:G189
- Biliary canaliculus membrane**, bioelectrical constraints, permselectivity, 235,4:E570
- Biliary clearance**
  - bile-associated and bile salt-independent fractions, 235,4:E570
  - carboxylinulin, ferrocyanide-sucrose and methoxylinulin, 235,4:E570
  - probe analysis, permselectivity, 235,4:E570

**Biliary excretion**

- cadmium transport, liver, 236,5:C139
- defect, copper (dog), 243,6:G231
- 24,25-dihydroxyvitamin D<sub>3</sub>, 243,6:E370
- effect of BSP and BSP-GSH, 231:399
- hydroxyvitamin D<sub>3</sub>, vitamin D depletion and, 242,5:G522
- metals, metallothionein effects, 234,3:E47
- rate, bile acid derivative, lobular concentration gradient, 238,1:G233
- sulfobromophthalein effects, 240,3:G85
- Biliary lipids**
  - secretion, glycohydrofusidate effects, 231:1875
  - transport, micelles and sulfobromophthalein in, 236,5:E10
- Biliary secretion**
  - bile acid structure effects, awake state, 242,5:G40
  - determinants of, liver (skate), 242,5:G319
  - hepatic, pancreatic polypeptide effects (pig), 243,6:G204
  - sham feeding, 234,3:E417
- Biliary tract**, obstruction, cholesterol oxidation and (primate), 235,4:R55
- Biliary transport**
  - cholephilic dyes, 232,1:E445
  - electrolytes, 235,4:E158
  - maximum, sulfobromophthalein and micelles in, 236,5:E10
- Biliary tree**, permeability, bile acid effects, 242,5:G40
- Bilirubin**
  - clearance, hepatic, 236,5:C9
  - fat cell metabolism, lipolysis and, 237,6:E504
  - glutathione S-transferases, 239,2:G439
  - kinetics, fasting effects, Gilbert's syndrome, 240,9:R266
  - liver transport, 230:736
  - metabolism, fasting effects, 240,9:R266
  - postprandial changes, gallbladder, 243,6:G365
  - transfer, ligandin and, hepatic, 236,5:E638
  - uptake
    - hepatic, 236,5:E638
    - hepatocytes, 236,5:C9
- Binding**: see also specific subject and site
  - nonspecific, modeling methodology forum, 243,12:R475
- Bioassays**
  - dose-response curves, sigmoidal, simultaneous analysis, 235,4:E97
  - renal cortical smooth muscle active factor, 232,1:F84
- Bioavailability**, therapeutic drugs: see Drugs
- Biochemical oscillations**: see Oscillations
- Biochemistry**: see specific subject and site
- Biocompatibility**, membrane oxygenators (sheep), 234,3:H646
- Bioelectrical activity**: see Electrical activity, and specific subject and site
- Bioelectric effect**, sensitivity to change, 239,8:R414
- Bioenergetics**, proton semiconductors and energy transduction, 235,4:R99
- Bioengineering**, contributions to physiology, 234,3:R85
- Biogenic amines**: see Amines
- Biological activity**: see specific subject and site
- Biological clock**
  - circadian body temperature rhythms, medial preoptic lesions, 242,11:R352
  - rhythm: see Rhythm
  - temperature dependence, circadian pacemaker, 241,10:R17
- Biological complexity**, control, function,

measurement and structure, 236,5:R241, R247

**Biological fields**, thermodynamic description, 234,3:R85

**Biological fluids**: see Fluids

**Biological systems**

- complex, computer modeling, 239,8:R1
- control, evolution of, 242,11:R173
- general theory and definitions, 233,2:R169
- proton semiconductors and energy transduction, 235,4:R99

**Biological transport**: see specific subject and site

**Biology**

- mathematical, contributions to physiology, 234,3:R159
- molecular, control theory, 235,4:R205
- organizational levels, 233,2:R75
- physical, complexity and limits to knowledge, 235,4:R201
- physical integrative physiology and, 236,5:R239
- "physics" envy, 234,3:R1
- reductionistic: see Reductionism
- versus organismic, 233,2:R73, R75
- spectroscopy, power and communicational, 234,3:R3
- thermodynamics, 234,3:R3, R85

**Biomechanics**: see specific subject and site

**Biophysics**

- field and circuit thermodynamics, 233,2:R171
- thermodynamics, 234,3:R3

**Biopsy**

- heart muscle: see Muscle, heart
- rapid-freezing transmuril drill, cardiac, 240,9:H126

**Biosynthesis**, prostaglandin, cultured cells, 243,12:C205

**Biothermal injury**, subclinical and clinical, 235,4:R228

**Biplane cinematography**: see Cinematography

**Birefringence**, smooth muscle cells (toad), 232,1:C5

**N,N'-Bis(trimethylsilyl) urea**, tracer studies, urea kinetics, 240,3:E428

**Bladder**: see Gallbladder; Urinary bladder

**Blastocyst**, implantation, uterine blood flow and (guinea pig), 241,4:E142

**Bleeding volume**: see Blood volume; Volume

**Bleedout**, Doppler flowmeter, direct calibration, 232,1:H534

**Blinding**, circadian adrenocortical rhythm, entrainment, 243,6:E443

**Blindness**

- bile acid production, diurnal rhythms, 236,5:R175
- circadian pacemaker, fixed interval feeding, 236,5:R249
- circadian rhythm
  - adrenocortical, 234,3:E515
  - pineal and activity cycles, 234,3:R110
  - pineal multiunit activity and, 231:136

**Blockade**

- $\alpha$ -, adipose tissue and, obesity, 243,6:E398

$\beta$ -

- carotid baroreflexes after, 241,10:H600
- potassium homeostasis and, hyperinsulinemia, 242,5:E373
- adrenergic
  - blood flow, cerebral, hemorrhagic hypotension (goat), 232,1:H368
  - colonic circulation (monkey), 240,3:G25
  - erythropoietin, 230:508
  - gastric circulation, 230:346
  - glucose kinetics and, sepsis and burns, 241,10:R222
  - hemodynamic effects in acute cardiac tamponade, 232,1:H5

- hemorrhagic shock, 232,1:F409  
hypoglycemia, 236,5:E147  
hypoxia, hindlimb resistance in, 243,12:H1010  
insulin secretion modulation dependent on thyroid states, 234,3:E106  
lacrimal gland flow, 230:80  
mesenteric circulation (baboon), 234,3:E457  
metabolic response to, awake state, 241,4:E385  
prostaglandins, 232,1:E201  
pyloric pressure response, insulin-induced hypoglycemia, 241,4:G321  
renal function, 232,1:F409  
repetitive extrasystole, 230:1469  
shock, 230:41  
venous occlusion, 233,2:H264
- $\alpha$ -adrenergic**  
glucose-induced electrical activity, islet cells, 233,2:C164  
glucose turnover, 238,1:E467
- $\beta$ -adrenergic**  
cardiac hypertrophy development, 232,1:H639  
cardiac responses to norepinephrine and insulin (piglet), 233,2:C164  
cold exposure, cutaneous cardiac effects, 239,8:H114  
hepatic artery response to vasopressin, 239,2:G378  
myocardial contractility in hyperthyroidism, 237,6:H590  
nonhypotensive arteriovenous shunt, 236,5:H35  
norepinephrine release, ventricular, 238,7:H406  
spontaneous hypertension development, 232,1:H639  
tachycardia, 240,9:H874  
thermogenesis and lipolysis, glucopivation, 243,12:R379  
vagal C fiber discharge, 238,7:H465  
vasoconstrictor and vasodilator responses to mannitol, coronary artery, 235,4:H728  
ventricular electrical stability, 234,3:H503  
ventricular fibrillation threshold, 234,3:H592
- $\alpha$ -adrenergic receptor**  
cardiovascular responses, 235,4:F199  
coronary circulation and, awake state, 243,12:H94
- $\beta$ -adrenergic receptor**, exercise oxygen consumption, skeletal muscle, 238,7:H331
- adrenoceptor, renal, renin release, 236,5:H580  
 $\alpha$ -adrenoceptor, renin secretion, intrarenal, 240,3:E682  
adrenoceptor, muscle pH and, 230:959  
angiotensin  
  high output failure, 236,5:F541  
  hypertension, renovascular, 240,9:H788  
angiotensin II, 232,1:F559  
  formation, during sodium deprivation, 237,6:F414  
  glomerular filtration and, 233,2:F366  
  receptors, hemorrhagic shock, 236,5:H280  
  saralasin, hemorrhagic shock, 236,5:H280  
angiotensin receptors, cardiovascular responses, 235,4:F199  
anodal myelinated fibers, effect on vagal C-fiber afferents, 239,8:R454  
atrioventricular  
  cardiac output control and, awake state, 242,11:H1118  
  cardiac rhythms, 237,6:H10  
autonomic  
  cardiovascular regulation during low-frequency acceleration, 243,12:H998  
  hemodynamic effects in cardiac tamponade, 232,1:H5  
  pacemaker responses, 234,3:H465  
  cardiac receptor, diving bradycardia (duck), 238,7:R50  
  central, thirst, 234,3:F41  
  central and peripheral angiotensin, hypertension, 234,3:H629  
  cholinergic receptor, liver microcirculation, 236,5:E728  
  cold block, hemorrhage and, 237,6:R203  
  converting enzyme, hypertension, 236,5:F21  
  differential nerve, pressor response to muscle ischemia, 237,6:H433  
  distal nephron, chloride, newborn, 239,8:F328  
  dopamine receptors, cerebral circulation (baboon), 233,2:H222  
  exocytosis, ethionine effects, pancreas, 242,5:G297  
  ganglionic  
    cardiopulmonary responses, 232,1:H73  
    nonuniform sympathetic neural activity, heart, 237,6:H606  
    pressor responses, vasopressin, hypertension, 242,11:H44  
    sympathetic hyperresponsiveness, hypertension, 237,6:R39  
    sympathetic, peripheral circulation, hemorrhage, 236,5:H206  
  H<sub>1</sub> and H<sub>2</sub>, hyperosmolar-induced vasodilation, 242,11:H450  
  H<sub>1</sub> and H<sub>2</sub> receptors  
    cardiopulmonary circulation and, 232,1:H73  
    esophageal sphincter, lower (baboon), 235,4:E42  
  hemodilution and, 235,4:H767  
  magnesium and phenolamine, pressor response to potassium (dogfish), 242,11:R185  
  metabolic  
    hydrostatic forces and, myocardial, 241,10:H740  
    sodium permeability, myocardial, 239,8:H31  
  monopolar, vagal C-fiber afferents, 239,8:R454  
  neuronal uptake, mesentery, 236,5:H211  
  postocclusive renal vasoconstriction, angiotensin II antagonist, 237,6:E463  
  pressor response, muscle ischemia, 237,6:H433, H453  
  prostaglandin synthesis, microvascular response, skeletal muscle, 243,12:H51  
   $\alpha$ -receptor, neurogenic vasomotion, ear, desynchronized (sheep), 243,12:R142  
   $\beta$ -receptor, baroreflex sensitivity, heart rate (monkey), 241,10:H571  
  reticuloendothelial, opsonic protein electroimmunoassay, 232,1:R80  
  slow channel, myocardial, by valinomycin, glucose reversal, 235,4:H46  
  slow inward current, myocardial (embryonic chick), 233,2:C99  
  sympathetic, pancreatic islet function, 239,2:E150  
  synaptic  
    heavy metals and, 232,1:C128  
    thermosensitive neurons and, hypothalamic tissue slices, 243,12:R480  
  tetrodotoxin, skeletal muscle (frog), 234,3:C187  
  vagal  
    cold, left ventricular dP/dt, 238,7:H93  
    esophageal function (opossum), 232,1:E159  
    migrating motor complex, 243,6:G276  
    reflex circulatory changes, 235,4:H759  
    systemic blood pressure during hemorrhage, 234,3:H192  
  vagosympathetic, thirst inhibition, 242,11:R452
- Blocking agents**  
adrenergic, amylase and calcium, parotid, 236,5:E371  
 $\alpha$ -adrenergic, reflex vasodilation, 234,3:H305  
 $\beta$ -adrenoceptor, isoproterenol-induced renin release, 238,7:F387  
autonomic, smooth muscle, ureteral and portal, 236,5:C192  
fast-channel, Purkinje fiber action potential overshoot, 237,6:H204  
H<sub>2</sub>, contractile force, heart, 236,5:H84  
neural, cardiovascular control, submergence and emergence (bullfrog), 237,6:R210
- Blood**  
acidosis and alkalosis, 231:132  
aestivation (lungfish), 232,1:R10  
alanine and  $\beta$ -hydroxybutyrate, 230:1385  
angiotensin II, adrenorenal rete, 240,9:F30  
arterial, prostaglandin and thromboxane excretion, urinary, 242,5:E171  
artificial substitutes, working heart, 242,11:H485  
chemistry, homeostasis, prolonged fasting (seal), 242,11:R591  
coagulation: see Coagulation  
  components, 24-hour temporal variation, 237,6:E255  
  congestion, epithelial cell extrusion, small intestine, 232,1:E408  
  constituents: see specific constituent  
  ductus venosus, streaming to brain and heart, fetal (lamb), 237,6:H724  
  fluid distribution, overhydration, 238,7:H645  
  hibernation, constituents during (marmot), 234,3:R178  
  homeostasis  
    artificial ventilation experiments, 236,5:R126  
    central nervous system investigations, 236,5:R126  
  loss, cardiovascular effects, fetal (lamb), 240,9:H45  
  macromolecular transport, prostaglandin effects, 232,1:H690  
  metabolites: see Metabolites  
  oxygen: see Oxygen  
  platelets: see Platelets  
  pump: see Pump  
  reservoir  
    function, splanchnic organs, 232,1:H67  
    splenic, isoproterenol and, 236,5:H238  
  resistivity, admittance plethysmography, limb (human), 236,5:H821  
  rheology: see Rheology  
  role, endotoxin shock, 233,2:E71  
  sampling, repeated hemodynamic and metabolic responses, 239,8:H805  
  sampling protocols, sequential design and, kinetic experiments, 240,9:R259  
  sequestration, radioiodinated serum albumin and <sup>51</sup>Cr-labeled erythrocytes, 234,3:F386  
  splenic stasis of, 231:1672  
  values, effect of splenectomy, 231:1254  
  velocity, coronary sinus, measurement of, 242,11:H1111  
  viscosity  
    heart sound accentuation, anemia, 235,4:H664  
    hematocrit variations, 233,2:H106  
    plasma viscosity and red blood cell aggregation effects, skeletal muscle, 241,10:H513  
  volume: see Blood volume; Volume
- Blood-bone disequilibrium**  
cell energetics and calcium fluxes, linkage, 236,5:C244  
metabolic inhibitors, 236,5:C244
- Blood-brain barrier**  
amino acid carriers, 230:94

**Blood-brain barrier (continued)**

- amino acid distribution, cerebrospinal fluid, 242,11:F171
- amino acid transport, 242,5:E1
- cardiac glycosides, 238,7:H202
- dopa transport (monkey), 238,7:R318
- evaluation of brain site perfusion, push-pull cannula, 236,5:R48
- hexose transport, phosphorylation and, 236,5:C96
- hydrophilic materials (dogfish), 232,1:R45
- iodide efflux, after injection into caudate nucleus, 235,4:F331
- iodide (teleosts), 234,3:R61
- ion concentrations, choroid epithelium, ouabain and potassium effects, 238,7:F399
- keto acid transport, 243,6:E272
- lipid-mediated penetrability, neonates and adults, 243,12:C161
- nonelectrolytes, permeability, 235,4:H299
- nonelectrolytes (salamander), 234,3:R52
- noradrenaline effects (baboon), 233,2:H458
- osmotic opening, reversible, 238,7:R421
- permeability, ontogeny of, urea, 243,12:R400
- permeability of alcohols and water, 230:543
- pharmacokinetics, 242,11:R339
- polyethylene glycol and albumin efflux, 240,9:F319
- protein transport, during metrazole-induced convulsions, 233,2:C74
- relevance to cerebral circulation and norepinephrine, 231:483
- steroid hormones
  - brain sequestration, 239,2:E96
  - transport, 239,2:E96
- sympathetic nerves and (dog, cat, monkey), 235,4:H544
- testosterone-estradiol transport, 239,2:E103
- thiocyanate efflux, after injection into caudate nucleus, 235,4:F331
- thirst and vasopressin release, osmoreceptor or sodium receptor mechanism, 238,7:R333
- transport
  - amino acids: *see* Amino acids
  - histamine effects, 243,12:H307
  - tryptophan and phenylalanine, portal-caval shunt effects, 241,4:G163

**Blood cells**

- amino acid transport (sheep), 239,2:E242
- circadian profiles, insulin receptors, 242,5:E127
- lipids, seasonal changes (hedgehog), 236,5:E589
- red: *see* Erythrocytes
- white: *see* Leukocytes

**Blood-cerebrospinal fluid exchange**

- hydrophilic materials (dogfish), 232,1:R45

- nonelectrolytes (salamander), 234,3:R52

**Blood flow: *see also* Circulation:****Microcirculation****adrenal**

- digestion and, 238,7:H220
- hormone release and acid secretion, xenospin effects, 243,6:G195
- regulation, hemorrhagic hypotension and, 241,10:H872
- angiotensin, vasopressin and methoxamine effects, 231:1579
- aortic
  - aortic baroreceptor responses and, 242,11:H520
  - automatic zeroing circuit, electromagnetic flowmeter, 232,1:H542
  - changes during Valsalva-like maneuvers following volume infusion, 233,2:H93

- arterial, venous congestion, local, hand, 240,9:H980
- arteriolar
  - autoregulation, 231:1686
  - reactive hyperemia, 232,1:H571
- arteriolar dimensions and, oxygen effects, sartorius muscle, 241,10:H547
- asphyxia, skeletal muscle, 235,4:H72
- autoregulation: *see* Autoregulation
- bile salt effects, ileal, 241,4:G469
- bone
  - after hemorrhage, 238,7:H360
  - cooling and heating effects, 236,5:H1
  - measurement by <sup>85</sup>Sr microspheres and bone seeker clearances, 236,5:H1
  - neurohumoral regulation, 237,6:H440
  - regional, 242,11:H365
- brain and muscle, inspired gases, 230:839
- capillarity and, transplanted skeletal muscle, 241,10:H630
- capillary
  - diphosphonates, bone, 232,1:H341
  - foot (chicken), 242,11:R582
  - gastric (sheep), 232,1:E53
  - heat stress (sheep), 232,1:E53
  - hyperemia, skeletal muscle (chicken), 232,1:H411
  - hypoxia, 234,3:E248
  - intestines, laser-Doppler velocimetry, 242,5:G668
  - laser-Doppler spectroscopy, 232,1:H441
  - measurement of, 243,12:H1018
  - microscope-television system, 233,2:H318
  - mucosal (sheep), 232,1:E53
  - muscular (sheep), 232,1:E53
  - partition, in rumen, reticulum, and omasum (sheep), 232,1:E53
  - reactive hyperemia, skeletal muscle, 234,3:H352
  - recruitment and, 238,7:H31
- capsaicin injection, skeletal muscle, 240,9:H315
- cardiac function and, collateral development, 240,9:H811
- cardiac output-blood volume relations, essential hypertension, 243,12:R318
- carotid artery, metabolic depression (baboon), 234,3:H74
- celiac arterial, 230:583
- central nervous system (dogfish), 232,1:R45
- central shunt, fetal (lamb), 241,10:H60
- cerebral
  - acetylcholine effects, 239,8:H73
  - acute hypotension and hypertension, 234,3:H371
  - adenosine effects, 240,9:H775
  - alkyl aryl thiourea compounds as tracers, 238,7:H776
  - angiotensin II, central infusion, sodium depletion and, 237,6:H139
  - arterial oxygen content effects (lamb), 240,9:H209
  - autoregulation (cat, monkey), 235,4:H56
  - autoregulation during halothane anesthesia (monkey), 233,2:H670
  - autoregulation during renal hypertension, 234,3:H35
  - baroreceptors and chemoreceptors, hypoxia, 241,10:H724
  - Bohr effect, oxygen supply (duck), 236,5:H744
  - brain stimulation (goat), 232,1:H495
  - calculation from intracarotid xenon-133 injection, accuracy, 238,7:H750
  - carbon dioxide, arterial, effects (duck), 232,1:H596
  - carbon dioxide tension and, fetal, newborn and adult (sheep), 242,11:H862
  - cerebrospinal fluid formation, 239,8:R277
  - digestion and, 238,7:H220

- dipyridamole effects, 240,9:H775
- effect of PCO<sub>2</sub>, 231:127
- estimates, scattering, xenon-133 intra-carotid injections, 236,5:H680
- fuels, 230:619
- hemorrhagic hypotension (goat), 232,1:H368
- 5-hydroxytryptamine and (baboon), 234,3:H300
- hypercapnia and (goat), 242,11:R441
- hypoxia (bird, duck), 234,3:H230
- influence of norepinephrine, 231:489
- intracranial pressure and, 241,10:H78
- measurement with iodo [<sup>14</sup>C]antipyrine, 234,3:H59
- metabolic acidosis, 241,10:H772
- metabolic regulation, arterioles, 234,3:H582
- microsphere shunting, 237,6:H25
- norepinephrine and blood-brain barrier, 231:483
- oxygen consumption and, neonatal, 234,3:R209
- photoelectric method for measurement, 235,4:H56
- quantification, thermodynamic technique, 238,7:H220
- redistribution, 236,5:H549
- regional, electrical activation of angiotensin and osmosensitive sites, 235,4:H445
- regulation, fetal (ovine), 235,4:H162
- regulation (monkey), 239,8:H539
- sodium extraction, test for contamination, 238,7:H868
- sympathetic nerves and (dog, cat, monkey), 235,4:H544
- sympathetic nerves, effects, 236,5:H549
- sympathetic regulation, carotid chemoreflex and, 238,7:H594
- two-component clearance curves (bird, duck), 234,3:H230
- vasoactive intestinal polypeptide effects, 239,8:H765
- cerebral cortex, hemodilution, reflectometry, 236,5:H759
- chronic reduction, uterine, pregnancy (sheep), 242,11:H297
- collateral
  - inhibitory effect of cardiac contraction, 233,2:H541
  - system, 233,2:H541
- colon
  - adrenergic stimulation and blockade (monkey), 240,3:G25
  - glucagon and hypovolemic shock, 238,1:G434
  - intrinsic control, 238,1:G478
  - continuous measurement, cerebral, anesthesia (cat, dog), 241,10:H228
  - control by temperature, 231:1457
- coronary
  - adenosine and, 239,8:H7
  - adenosine and, conscious exercise, 242,11:H24
  - adenosine and glycogen phosphorylase, cyclic changes, 238,7:H389
  - adenosine formation, myocardial, 236,5:H12
  - adrenals and, newborn (lamb), 234,3:H173
  - atrial pacing, 236,5:H231
  - awake pigs, 235,4:H435
  - capillary-myocardial exchange, 234,3:H679
  - carotid sinus reflex vasoconstriction (dog, pig), 241,10:H149
  - characteristics (miniature pig), 235,4:H601
  - cholinergic stimulation in newborn (lamb), 233,2:H451
  - circulatory assistance, 230:1616
  - constant, measurement, 233,2:H154
  - contractility, myocardial, 236,5:H121
  - coronary washout effects (swine), 239,8:H371



- debt, reactive hyperemia, 234,3:H625  
determination by microspheres, 242,11:H94  
diabetes with metabolic acidosis (lamb), 238,7:H263  
extracorporeal shunt for measurement, in closed-chest dog, 233,2:H154  
fructose 1,6-diphosphate effects, 241,10:H576  
hemodilution, 235,4:H767  
hemorrhage; 239,8:H326  
hypoxia, carbon dioxide effects, 239,8:H545  
implantable semiconductor  $\beta$ -radiation detector, 232,1:H95  
indomethacin, 235,4:H372  
inosine and, 233,2:H438, 238, 7:H569  
integral extraction ratios, 235,4:H794  
interdependence with cardiac function, oxygen extraction and, 235,4:H784  
iron-deficiency anemia, 232,1:H470  
ischemic arrest and reperfusion, 235,4:H619  
isolated heart preparation for external assessment of myocardial metabolism, 236,5:H644  
isoproterenol and propranolol effects, 239,8:H469  
left ventricular, tachycardia, 230:1072  
local regulation, 236,5:H833  
metabolism and (pig), 234,3:H597  
methoxamine effects, 241,10:H370  
microspheres, shunting, 236,5:H7  
myocardium, exercise, awake state, 242,11:H805  
nitroglycerin, 234,3:H244  
phasic (miniature pig), 235,4:H601  
reactive hyperemia, myocardial, 235,4:H87  
right ventricular hypertrophy (pony), 240,9:H881  
right ventricular systolic hypertension (pony), 235,4:H628  
rubidium-86, 234,3:H724  
segment stroke work (pig), 234,3:H597  
sympathectomized ventricle, 235,4:H429  
transmural distribution (miniature pig), 235,4:H601  
velocity, method of assessment, 241,10:H816  
coronary collateral, 230:1072  
coronary occlusion in exercise, 237,6:H520  
early changes during myocardial infarction, 237,6:H371  
endogenous, calcium antagonists, 239,8:H163  
endurance exercise (miniature swine), 234,3:H614  
isoproterenol and propranolol effects, 239,8:H469  
myocardial ischemia, dopamine analogue effects, 235,4:H118  
coronary regional  
  nitroglycerin effects, 234,3:H244  
  spatial and temporal perfusion, heterogeneity, myocardium, 235,4:H64  
coronary retrograde  
  measurement, 233,2:H154  
  ventricular sympathectomy, 238,7:H196  
cortical, chronic caval, 242,11:F370  
cremaster muscle (hamster), 242,11:H211  
cutaneous, during heating and cooling, 230:1205  
dexmethasone and, ischemic myocardium, 242,11:H55  
digital, occlusion cuff, 232,1:H338  
distribution  
  cardiovascular effects, hemorrhage, fetal (lamb), 240,9:H45  
  determinants, fetal (lamb), 238,7:H656  
  endotoxin challenge and (rooster), 241,10:H67  
  hyperthyroidism, fetal, 239,8:H302  
  hypothermia and posthypothermia, 234,3:H706  
  nutritional and nonnutritional circuits, hindpaw, neural control, 234,3:H384  
  ductus venosus, hemorrhage effects, umbilical, fetus (lamb), 242,11:H543  
  during bird flight, 230:920  
  edema, histamine-catecholamine interaction, 234,3:H180  
  electromagnetic flow transducers (baboon), 236,5:H508  
  endocardial-epicardial ratio  
  coronary occlusion, 234,3:H653  
  endurance exercise (miniature swine), 234,3:H614  
  fast and slow muscles, 236,5:C185  
  femoral  
    calcium effects, 241,10:F77  
    lumbar nerve stimulation (swine), 240,9:H505  
  foot (chicken), 242,11:H582  
  forearm, baroreceptors, renin control, 235,4:H29  
  forelimb, hypothalamus, 230:1561  
  gastric, 230:346  
    16,16-dimethyl prostaglandin E<sub>2</sub>, topical effects, 238,1:H514  
    glucagon and hypovolemic shock, 238,1:H434  
    pentagastrin stimulation and, 242,5:H655  
  gastric mucosa  
    aspirin-reduced, 238,1:H131  
    indomethacin-reduced, 238,1:H131  
    pulseless perfusion, 236,5:E28  
  gastrointestinal, glucagon and hypovolemic shock, 238,1:H434  
  gastrointestinal tract, newborn (lamb), 240,3:H297  
  gastrointestinal wall, motility and, 235,4:H34  
  gill, adrenergic receptor regulation, 232,1:H18  
  gut (dogfish), 234,3:H196  
  hepatic  
    amino acid influx, 232,1:E492  
    bile secretion and, 234,3:E584  
    capacitance responses, 240,9:H18  
    digestion and, 238,7:H220  
    distribution, determinants, fetal (lamb), 238,7:H656  
    hepatic nerve stimulation, 232,1:H652  
    hypoxemia, fetal (lamb), 238,7:H656  
    isoproterenol-induced myocardial injury, 236,5:H813  
    microsphere shunting, 237,6:H25  
    rate, arginine and glucose influx, cellular, 238,7:H553  
    reciprocity, steady-state, systems analysis, 233,2:H188  
    umbilical flow and, fetal (lamb), 238,7:H656  
  hepatic and renal, prostacyclin effects, 243,12:H584  
  hepatic arterial  
    control, 239,8:H559  
    vasopressin effects, 239,2:H378  
  high-energy phosphates and, subendocardium, left ventricular, 240,9:H804  
  hindlimb muscles, 235,4:H482  
  histamine infusion, systemic, effects, 233,2:H148  
  hormone release and, xenopsin effects, 243,6:H195  
  hypothalamic and thalamic, during somatic afferent stimulation, 231:270  
  ileal  
    solute-coupled volume absorption, 236,5:E198  
    water transport, intestinal, 236,5:E482  
  iliac, nitroglycerin effects, 234,3:H244  
  inferior vena caval, fetal (lamb), 237,6:H724  
  integral of inflow minus outflow, hepatic, 240,9:H18  
  interorgan transport, amino acids, hemorrhagic shock, 231:377  
  intestinal  
    absorptive hyperemia and, 242,11:H785  
    albumin clearance and, ischemia and oxygen radical effects, 242,5:H448  
    autoregulation, 243,6:H475  
    autoregulation during foodstuff absorption, 239,8:H156  
    capillaries, metabolic hyperemia, 237,6:E548  
    dietary component effects, 242,5:H27  
    distribution, adenosine effects, 235,4:H707  
    exchange vessels in, 242,5:H570  
    fasting and feeding, 237,6:H174  
    fetal (lamb), 242,11:H50  
    glucose exposure, 238,7:H164  
    hypercapnia, 230:595  
    hyperosmolality, ileal, 234,3:H14  
    hypoxia, 234,3:E248  
    intraluminal pressure effects, 242,5:H65  
    intrinsic regulation, 238,7:H836  
    laser-Doppler velocimetry, 242,5:H668  
    local control, 237,6:H174  
    luminal distension, 239,2:H516  
    metabolic hyperemia, 239,2:H12  
    microsphere shunting, 237,6:H25  
    microsphere size effects, 241,10:H408  
    muscle and mucosal villi, 233,2:H685  
    myogenic responses, 235,4:H157  
    oxygenation regulation and, 242,5:H435  
    postprandial, bile and, 238,1:H284  
    pulsatile pressure and metabolic rate effects, 242,11:H769  
    reduction, oxygen consumption and, 238,1:H502  
    small intestinal mucosa, intramural distribution, 237,6:E373  
    vascular capacitance, using mean transit time of indicator, 234,3:H7  
    vasoconstrictors, 230:298  
    villus, 230:916  
    wall, digestion and, 238,7:H220  
  intestinal, superior  
    arterial, 230:583  
    mechanical reduction, intestinal oxygen consumption and, 238,1:H502  
  intestinal, sympathetic stimulation, mucosal, 235,4:H40  
    partial arterial occlusion, 236,5:H731  
  intralamellar (fish), 239,8:H428  
  intrarenal  
    following salt loading, 231:1111  
    influence of blood rheology on distribution, 230:1448  
    microsphere measurement, 241,10:H342  
    reflex-activated catecholamine flow, 240,9:F30  
  intratubular pressure and, 238,7:F205  
  jejunal, 230:583  
    postprandial intestinal hyperemia, 243,6:H248  
    prostaglandins and, 24,5:H140  
  limb, admittance plethysmography, 235,4:H821  
  local, central neural influence, 233,2:H141  
  lung, control by respiratory gases (duck), 234,3:H146  
  luteal, pseudopregnancy, 237,6:E30  
  marrow, after hemorrhage, 238,7:H360  
  maturational changes, striated muscle (hamster), 241,10:H317  
  maximal muscle, 230:327  
  measurement  
    coronary sinus, 242,11:H1111  
    pancreatic islets, 242,5:E298  
    thermodynamic technique, 238,7:H682  
  mesenteric  
    adrenergic mechanisms (baboon), 234,3:E457

**Blood flow (continued)**

- angiotensin II receptor blockade, 236,5:H280
- arachidonic acid effects, 231:112
- arterioles, regulation in, 231:1686
- excitement-induced (baboon), 234,3:H210
- histamine receptors, 234,3:E370
- hyperosmotic sodium chloride and hemorrhagic shock, 239,8:H664
- nitroglycerin, 234,3:H244
- occlusion shock, splanchnic artery, 234,3:H1
- SAO shock, 230:684
- metabolic regulation, myocardial adenosine, 239,8:H509
- microregional, hemodilution reflectometry, 236,5:H759
- microsphere effects, 233,2:H617
- microvascular (bat wing), 232,1:H400, 237,6:H59
- motility and, small intestine, 241,4:G1
- muscle, 230:595
- capillary control, rest and exercise, 243,12:H196
- exercise effects, 231:1515, 243,12:H296
- muscle, heart, sinoaortic reflexes, 240,9:H421
- myocardial
- adenosine and, 239,8:H7, H509
- after coronary artery occlusion, ethyl adenosine effects, 231:1495
- aging effects (sheep), 243,12:H729
- angiotensin II-induced coronary vasoconstriction, 238,7:H895
- autonomic indices, ischemic heart, 243,12:H788
- autoradiographic measurement, 232,1:H576
- awake pigs, 235,4:H435
- capillaries, in isometrically contracting heart, 233,2:H276
- collateral and ischemic, quantitation with microspheres and diffusible indicator, 234,3:H487
- contractile force, 230:1
- coronary occlusion, exercise, 237,6:H520
- coronary stenosis and, 242,11:H260
- diving (seal), 242,11:H97
- endurance exercise (miniature swine), 234,3:H614
- energy supply-demand, 237,6:H696
- fetal and adult (sheep), 238,7:H399
- heart rate effect, left ventricular hypertrophy, 239,8:H621
- hematocrit variations, effects, 233,2:H106
- implantable semiconductor  $\beta$ -radiation detector, 232,1:H95
- infarct size and risk area relations, 242,11:H867
- intracoronary adenosine and, 241,10:H194
- intramyocardial distribution in hemorrhagic shock, 230:41
- mitochondrial enzyme defects, ischemia (pig), 240,9:H308
- oxygen consumption and, 235,4:H237, H372
- perfusion, 232,1:H645
- perfusion and ischemia, regional, 236,5:H385
- $PO_2$  distribution, 234,3:H361
- prostaglandin synthesis, cardiac, 238,7:H895
- radioactive microsphere suspensions, effects, 232,1:H331
- radiochemical determination, 234,3:H399
- regional ischemia, 243,12:H26
- stellate stimulation, 239,8:H359, 243,12:H410
- stenosis and, exercise, 243,12:H698
- sympathetic nerve stimulation, 243,12:H566
- transmural distribution, 232,1:H173
- Tween 80 solutions, 232,1:H331
- verapamil effects, 241,10:H12
- volume-overload hypertrophy effects, 241,10:H564
- myocardial ischemia, 237,6:H253
- calcium antagonists, 239,8:H163
- dopamine analogue effects, 235,4:H118
- myocardial, regional
- after coronary occlusion in exercise, 237,6:H520
- arterial hypertension, 240,9:H855
- predictions, 239,8:H308
- simultaneous measurement with titrated water and microspheres, 232,1:H173
- neurohypophyseal, control of (sheep), 241,10:H36
- nutrient, measurement, methods, 235,4:H592
- organ
- arteriovenous shunt, 242,11:H722
- isometric exercise, 236,5:H218
- rest and meditation, 235,4:H89
- spontaneous and renal hypertension, comparison, 236,5:H403
- osseous tissue, after hemorrhage, 238,7:H360
- overlap, quantitation, 234,3:H487
- oxygen delivery interactions, gut and liver, newborn (lamb), 240,3:G297
- oxygen uptake relations, intestinal, 242,5:G202
- pancreatic, digestion and, 238,7:H220
- parathyroid gland effects, calcium homeostasis, bone, 242,5:E146
- peripheral
- burn wound, 233,2:H520
- heart failure, arteriovenous shunt model, 236,5:H698
- venous congestion, local, hand, 240,9:H980
- pial arteriolar, local regulation, 238,7:H226
- pituitary, 243,6:E427
- placental
- fetal size and (guinea pig), 243,12:H404
- prostaglandin  $E_2$  effects, 231:754
- platelets (pig), 240,9:H99
- plethysmography and Doppler flowmetry comparison, hand, 236,5:H899
- portal, 230:171, 233,2:H50
- amino acid influx, 232,1:H491
- autoregulation, role of portal blood composition, 233,2:E255
- composition, role in hepatic circulation, 233,2:E255
- distribution, fetal (lamb), 238,7:H656
- splanchnic hemodynamics, 242,5:G156
- prostacyclin effects, 243,12:H584
- prostaglandin effect, kidney medulla, 240,9:F471
- pulmonary (varanid lizard), 233,2:H89
- changes during Valsalva maneuvers following volume infusion, 233,2:H93
- rectal gland (dogfish), 243,12:R296
- redistribution, hypometabolic behavior and, 235,4:H89
- regional
- awake heat-stressed baboon, 237,6:H705
- bypass, lung thromboxane effects (sheep), 242,11:H462
- calculation from xenon-133 injection, 238,7:H750
- digestion and, 238,7:H220
- distribution, reference sample microsphere method, 239,8:H443
- diving (beaver, nutria), 242,11:R434
- estimates, scattering, xenon-133 intracarotid injection, 236,5:H680
- gut, awake state, newborn (lamb), 241,4:G289
- heart failure, awake state, 243,12:H974
- hyperoxia, 238,7:H244
- hypertension, 230:691
- left ventricular pressure gradients, 238,7:H625
- measurement by combined Fick and microsphere methods, 235,4:H357
- measurement by microsphere method (gerbil), 242,11:H990
- microsphere redistribution, intestines, 243,12:H123
- norepinephrine elevation, fetal (lamb), 239,8:R115
- postprandial, 238,7:H220
- quantification, thermodynamic technique, 238,7:H682
- renal ischemia and, 243,12:H869
- salt loading hypertension, 240,9:H361
- vasopressin effects, awake state, 243,12:H663
- regional beds, microsphere shunting, 237,6:H25
- regulation
- adenosine, awake state, 243,12:H628
- adenosine formation, coronary, 240,9:H963
- adenosine infusion, muscle, 243,12:H181
- renal, 231:961
- adenosine role in, 242,11:F423
- angiotensin and, 239,8:F271
- angiotensin I effects, 234,3:F130
- angiotensin II effects, 233,2:F290, 232,1:F298, F538, 241,10:R190, 242,11:F149, 243,12:F260
- angiotensin II formation, chronic blockade, 237,6:F414
- angiotensin metabolism (sheep), 233,2:H527
- arginine vasopressin, fetal (ewe), 238,7:F407
- atrial pressure, graded reduction, 235,4:H175
- atrial receptors and, 242,11:H220
- autoregulation, 233,2:H290, 237,6:F473
- baroreflex activation of renin, 239,8:H342
- bradykinin effects, 241,10:R146
- bradykinin, natriuretic action, 237,6:F182
- captopril effects, awake state, 243,12:F543
- catecholamine infusion effects (swine), 240,9:F276
- changes, Goldblatt hypertension, 241,10:H145
- congestive heart failure, 230:537
- continuous measurement, 234,3:H219
- cortical, measurement by laser-Doppler spectroscopy, 236,5:F80
- determinations, microsphere shunting, 237,6:H25
- distribution, 230:1448
- distribution following salt loading, 231:1111
- diuretic-induced changes, 236,5:F494
- dynamic leg exercise (baboon), 236,5:H141
- endotoxic shock, 232,1:H54
- excitement-induced (baboon), 234,3:H210
- glomerular, 231:961
- glomerular tubular obstruction, 237,6:F379
- hemorrhage effects, fetus (lamb), 242,11:H543
- imidazole effects, ureteral obstruction, 240,9:F508
- interstitial pressure control, 243,12:F325
- intrarenal converting enzyme inhibitor, 243,12:H277
- krypton-85 washout technique, 232,1:H54

- laser-Doppler spectroscopy, 232,1:  
H441
- left atrium-pulmonary vein baroreflex effects, 233,2:H587
- mannitol-induced diuresis, 240,9:F411
- measurement, intrarenal, with xenon-133, 237,6:H395
- measurement methods, 235,4:H592
- medullary, measurement by laser-Doppler spectroscopy, 236,5:F80
- microsphere estimation, left ventricular cannulation, 238,7:H736
- neutral input, humoral and mechanical factors, 235,4:R64
- nitroglycerin, 234,3:H244
- norepinephrine outflow, renal nerve stimulation, 239,8:F371
- occlusion shock, splanchnic artery, 234,3:H1
- operant conditioning, 236,5:H141
- papillary, spontaneous hypertension progression, 236,5:F36
- perfusate osmolality, 235,4:F352
- perfusion pressure (sheep), 236,5:F246
- plasma oncotic pressure effects, 231:1550
- plasma volume expansion, 235,4:F156
- postocclusive, 235,4:F286
- pregnancy, angiotensin II effects (ewe), 238,7:H209
- presynaptic  $\alpha$ -receptor function, vascular bed, 239,8:H422
- prostaglandin analogues, effects, 233,2:H573
- prostaglandin  $E_2$  secretion, 236,5:F552
- prostaglandin inhibitors, 234,3:H496, 235,4:F338
- prostaglandin synthetase inhibitor effects, 231:1541
- proteinuria, angiotensin II-induced, 233,2:F13
- redistribution mechanisms, after carotid artery occlusion, 232,1:F167
- regional renin release, 237,6:F188
- renal nerve stimulation, 234,3:H219
- renal vasoconstriction blockade, 237,6:F463
- renin-angiotensin system and, 233,2:F366
- renin-angiotensin system effects, autoregulation, 231:1267
- saralasin and indomethacin effects (piglet), 238,7:R438
- secretin, 232,1:F147
- sodium intake and, 239,8:F271
- sodium reabsorption, 232,1:F152
- splanchnic hemodynamics, 242,5:G156
- spontaneous hypertension, 236,5:F246, 242,11:H961
- step function input, 233,2:H488
- stop-flow pressure feedback, 235,4:F351, 237,6:F204
- temporal decoupling, arterial pressure changes and, 233,2:F396
- transient postocclusive renal vasospasm (monkey), 233,2:H622
- transient response to arterial pressure changes, 233,2:F396
- tubular obstruction, 237,6:F392
- tubuloglomerular feedback, 234,3:F154
- variability, radiolabeled microspheres, 243,12:H371
- vasa recta, acid-base disturbances, 243,12:F188
- vasoactive agents, splanchnic oxygen uptake, 243,6:G1
- vasopressin clearance, 232,1:F341
- vasopressin-prostaglandin inhibition, 232,1:F416
- venous efflux of prostaglandins and, 242,11:F38
- volume expansion, 237,6:F392
- renal adrenergic nerves
- presynaptic inhibition, 237,6:H326
- stimulation (piglets, swine), 237,6:H690
- renal cortex
- antidiuretic hormone, 232,1:F111
- caval constriction, 232,1:F507
- renal distribution
- during exercise, 236,5:H141
- intrarenal, bradykinin and, 237,6:H433
- reactive hyperemia, 233,2:F89
- saralasin and indomethacin effects (piglet), 238,7:R438
- renal, glomerular filtration
- feedback control, 236,5:F40
- glucagon effects, 233,2:F61
- glycine effects, 233,2:F61
- hemorrhage control, 235,4:F46
- histamine receptors, 235,4:F570
- hypercalcemia, 232,1:F490
- hypertonic saline effects, 237,6:F441
- hypoxia, carbon dioxide effects, 239,8:H545
- interactions among reflexes, 230:19
- intra arterial drug administration, 234,3:H219
- renal, prostaglandins, 237,6:F20, F182
- effects, 233,2:F169
- endoperoxides, 236,5:H407
- renal, renin
- depletion, 232,1:F215
- release, 235,4:F175
- release of, ventricular receptor, 233,2:H181
- secretion during  $CO_2$  retention, 234,3:H573
- renin-angiotensin system, fetal (sheep), 240,9:H848
- resistance, hypothermia, 235,4:H136
- resting, soleus and gracilis muscle, 239,8:H516
- retrograde, septal artery and collaterals, 238,7:H504
- right ventricular calculation, 238,7:504
- serotonin, brain content, temperature and, 235,4:R41
- sinoarotic reflexes, defense behaviors, 240,9:H421
- skeletal muscle
- asphyxia, 235,4:H72
- atrium-pulmonary vein baroreflex effects, 233,2:H587
- characteristics, 233,2:C14
- contracting, 233,2:E514
- endotoxin effects, 239,2:E311
- exercise, adenosine release and, 238,7:H156
- exercise hyperemia, metabolic control, 238,7:H191
- hypertension, 240,9:H361
- left atrium-pulmonary vein baroreflex effects, 233,2:H587
- local control, 239,8:H516
- local regulation, 238,7:H156
- $\alpha$ -stimulation, 238,7:H156
- skin
- heating and cooling effects (alligator), 235,4:R160
- monoamine depletion and, 238,7:R364
- small bowel, glucagon and hypovolemic shock, 238,1:G434
- small intestinal mucosa, prediction of passive absorption, 239,2:G23
- splanchnic
- hypoxia, carbon dioxide effects, 239,8:H545
- lactic acidosis, 239,8:F135
- skeletal muscle and, during exercise, 233,2:E195
- sympathetic stimulation and partial arterial occlusion, 236,5:H731
- vasopressin effects, 233,2:H50
- splenic
- microsphere shunting, 237,6:H25
- vasopressin effects, 233,2:H50
- steady-state exercise hyperemia, potassium and osmolality effects, 242,11:H949
- streamline, vasopressin effects, 233,2:H50
- subendocardial, 230:41, 239,8:H308
- subendocardial fibers, reperfusion and, 238,7:H581
- subendocardial/subepicardial ratios, measurement techniques, 232,1:H173
- submandibular gland, kallikrein-kinin system and, 242,11:H1010
- thyroid, microwave stimulation, 233,2:E363
- tilting effects, 242,11:H161
- tissue, laser-Doppler spectroscopy, 232,1:H441
- transmural distribution
- hyperoxia and, 238,7:H244
- muscarinic receptor activation, coronary, 240,9:H941
- ultrasonic detection, Doppler flowmeter, awake state, 241,10:H273
- umbilical, 230:886
- distribution, fetal (lamb), 238,7:H656
- fetal (lamb), 237,6:H724
- uneven, placenta, maternal and fetal (sheep), 241,10:H486
- uterine
- angiotensin II and (ewe), 238,7:H209
- blastocyst implantation and (guinea pig), 241,4:E142
- 17 $\beta$ -estradiol effects, puerperal (ovine), 239,2:E333
- placental transfer as a function of (ewe), 242,11:H429
- pregnancy (sheep), 237,6:R52
- prostaglandin effects (sheep), 234,3:H557
- uteroplacental
- kinins and, pregnancy, 242,11:H142
- renin and, 239,8:H266
- vascular smooth muscle, local regulation, 238,7:H716
- vasoactive intestinal peptide effects, 239,8:H73
- velocity
- during reactive hyperemia in skeletal muscle (chicken), 233,2:H379
- sulfhemoglobin-red blood cells, microvessels, 238,7:H745
- ventral medulla, hypoxia, 242,11:R195
- ventricular, variable load impedance, 237,6:H125
- visceral, defense behaviors, 240,9:H421
- xenon-133 technique, 232,1:H441
- zero offset in electromagnetic flowmeter, 233,2:H157
- Blood pressure:** *see also* Pressure
- androgen-mediated sex differences, cardiovascular responses, 235,4:H242
- angiotensin, 230:1042
- central site, 239,8:R358
- effects at 10°C (squirrel monkey), 233,2:H10
- receptor binding, brain, 241,10:R124
- angiotensin II
- central, 242,11:R498
- effects, awake state, 243,12:R82
- formation, chronic blockade, 237,6:F424
- intraventricular, 235,4:H392
- angiotensin II receptors and potassium balance, relations, smooth muscle and adrenal tissues, 237,6:E519
- antidiuretic hormone
- intraventricular and plasma concentrations, 243,6:E365
- levels, positive end-expiratory pressure ventilation, 239,2:E474
- aortic, effect of elevation on left ventricular function, 231:1476
- aortic nerve stimulation, 230:1374
- aortic nerve transection, 240,9:H481
- arterial
- angiotensin II, central infusion, sodium depletion and, 237,6:H139
- angiotensin II hypertension, 235,4:F174
- arginine vasopressin effects, 234,3:H167

**Blood pressure (continued)**

carbon monoxide-induced hypoxic, 236,5:H22  
 cardiogenic shock, 235,4:H657  
 carotid sinus stimulation, 230:951  
 during anesthesia, sodium effects, 231:1185  
 exercise, 230:85  
 hypoxic tachycardia, 240,9:H874  
 instantaneous, indirect measurement, 237,6:H632  
 myocardial ischemia, 238,7:H87  
 renin-angiotensin-aldosterone system, 230:311  
 systemic (caged baboon), 236,5:H96  
 telemetry system, 239,8:H570  
 tyrosine infusion, 239,8:H206  
 arterial catheter, 239,8:H137  
 autonomic control (bullfrog), 237,6:R210  
 baroreceptor control  
   awake state (toad), 241,10:R307  
   behavioral influence (baboon), 241,10:R277  
 baroreceptor reflex (monkey), 232,1:H451  
 biogenic amine and angiotensin I, lung, 239,8:H736  
 blood volume relations, hypertension, 243,12:R318  
 cadmium and, 238,2:E53  
 cardiac output, hypertension, 243,12:H1018  
 cardiogenic chemoreflex, 240,9:H528  
 carotid occlusion, 236,5:H96  
 carotid sinus reflex, 238,7:H815  
 carotid sinus, reversible vascular isolation, 238,7:H809  
 catecholamine release and, exercise effects (dogfish), 242,11:R306  
 cerebral  
   angiotensin II effects, awake state, 243,12:R82  
   bicarbonate ion modulation, 243,12:H33  
   circulation and, sympathetic regulation, 238,7:H594  
   fastigial cerebellar nucleus stimulation, 243,12:H226  
   intracerebral arterioles, 243,12:H598  
 changes during Valsalva-like maneuvers, 233,2:H93  
 cigarette smoke and, 240,9:H584  
 circulatory mechanoreceptors (turtle), 242,11:R216  
 cold exposure (monkey), 232,1:H451  
 control, carotid baroreceptor reflex resetting, 241,10:H802  
 coronary  
   adenosine and, awake state, 243,12:H628  
   adenosine effects, 243,12:H538  
    $\alpha$ -adrenergic receptor blockade effects  
   adrenergic stimulation and, awake state, 243,12:H13  
   aminophylline effects, 243,12:H480  
   awake state, 243,12:H94  
   experimental diabetes (lamb), 243,12:H252  
   mitochondrial oxidative phosphorylation role in, 243,12:H159  
   nonischemic myocardial hypoxia, 243,12:H514  
   programmable pressure control system, 243,12:H796  
 coronary sinus, training effects, angina pectoris, 243,12:H830  
 fatty acid-deficient diet, kidney, 243,12:H61  
 gastrointestinal tissue, 243,6:G155  
 Goldblatt hypertension, kidney, 241,10:H145  
 hemorrhage effects, newborn (lamb), 240,3:E585  
 left ventricular, sympathetic reflex control, awake state, 241,10:H857  
 mean, decreased, hypoxia, 243,12:R265

measurement, aortic baroreceptor defasculation, 241,10:H268  
 mesotocin effects (bullfrog), 235,4:F151  
 mestranol effects, spontaneous hypertension, 233,2:H369  
 methoxamine effects, heart, 241,10:H370  
 muscular blood flow, running speed and, 243,2:R318  
 nailfold capillaries, fluctuations, 236,5:H888  
 nickel and, 238,2:E53  
 norepinephrine elevation, fetal (lamb), 239,8:R115  
 nucleus tractus solitarius destruction, 236,5:H736  
 occlusion cuff, digital, 232,1:H338  
 oncotic needle-type colloid osmometer, 236,5:H736  
 open-loop gain, arterial, dietary sodium effects in hypotension, 233,2:H191  
 osmosensitivity and angiotensin, third ventricle interaction, 236,5:R75  
 oxygen consumption (monkey), 232,1:H451  
 phenylephrine (monkey), 232,1:H451  
 pithed spontaneously hypertensive rats, 238,7:H365  
 pituitary endorphins, shock, 241,10:H479  
 potassium effects (dogfish), 241,10:R228  
 prostaglandin  $F_{2\alpha}$  effects, central nervous system, 242,11:R545  
 prostaglandins and catecholamines effects, hemorrhage, 240,9:R166  
 pulse-width discriminator, 239,8:H133  
 reflex response, splenic afferents, 242,11:R247  
 regulation  
   calcium ions, 232,1:C165  
   hypertension, 232,1:C165  
   implantable stimulating electrode, baroreceptor afferent nerves, 239,8:H706  
   sodium ions, 232,1:C165  
   uteroplacental renin and, 239,8:H266  
 renal (bullfrog), 233,2:F481  
 acute emotion and (baboon), 236,5:R198  
 adrenal nerve activity and, 230:1733  
 function and, 239,8:H805  
 sodium handling, spontaneous hypertension, 235,4:F425  
 renin release, isoproterenol, dopamine and glucagon effects, 242,11:F267  
 repeated blood sampling, 239,8:H805  
 response  
   angiotensin II, awake state, 241,10:H381  
   hypothalamic stimulation, 231:1708  
   raised carotid pressure (toad), 237,6:H639  
 right ventricular, calculation, 238,8:H932  
 sensory nerve block, muscle ischemia, 237,6:H433  
 sex hormone effects, 232,1:H617  
 sinoaortic denervation, 236,5:H736  
 spinal sympathetic response, hypoxia, 241,10:H679  
 spontaneous hypertension, spinal transection, 243,12:R506  
 sympathetic stimulation, pithed rats, 237,6:H305  
 sympathoadrenal response to immobilization stress, spontaneous hypertension, 236,5:H457  
 systemic  
   adenosine production, brain, 239,8:H636  
   baroreflex bradycardia inhibition and, 243,12:H607  
   vagal restraint during hemorrhage, 234,3:H192  
   systemic hypoxia effects, muscle microcirculation, 240,9:H746

systolic  
   cadmium-induced hypertension, 235,4:H385  
   fibrinogen synthesis, 233,2:H1  
   prostaglandin  $E_2$  and analogues, effects, 235,4:H223  
 systolic and diastolic, noninvasive measurement (swine), 242,11:H127  
 tilting effects (fish), 242,11:R70  
 training effects, angina pectoris, 243,12:H830  
 vagotomy, 230:777  
 vandate, 239,8:H47  
 vasopressin effects, acute and chronic, 237,6:F232

**Blood vessels**

bone, hormone effects, 241,10:H91  
 chemical sympathectomy, long-term effects, 237,6:H527  
 cuff occluder, hydraulic, 232,1:H99  
 elastic properties, in vivo studies, 237,6:H265  
 pulmonary, splanchnic arterial occlusion shock (pig), 241,10:H34  
 reactivity, method for study, 241,10:H108  
 spontaneous hypertension, vascular smooth muscle, 242,11:H751  
 systemic hypoxia effects, muscle microcirculation, 240,9:H746  
 wall thickness, in vivo measurement, 237,6:H265  
**Blood volume:** *see also* Volume  
 active, endotoxin shock, indicator-dilution measurement, 236,5:H291  
 adrenal cortex, restitution after hemorrhage, 230:1683  
 angiotensin II, hypertension, 239,8:H391  
 antidiuretic hormone, hypotonic saline infusion and, 236,5:H314  
 aortic occlusion, 238,7:H423  
 arteriolar dimensions and, oxygen effects, sartorius muscle, 241,10:H547  
 Bainbridge reflex (baboon), 240,9:H164  
 brain cortex, hemodilution reflectometry, 236,5:H759  
 cardiac, thermodilution measurement, fetal (lamb), 239,8:H125  
 cardiac output, fetal (sheep), 238,7:H80  
 cardiac output relations, essential hypertension, 243,12:R318  
 central, changes during Valsalva-like maneuvers, 233,2:H93  
 central venous, shift effects, arterial baroreflex control of heart rate, (monkey), 241,10:H571  
 cerebral, regional, photoelectric measurement (cat, monkey), 235,4:H56  
 changes during exercise, oxygen delivery, 240,9:H177  
 circulating, endotoxin shock, 242,11:H172  
 coronary  
   hemorrhage, 239,8:H326  
   coronary, intracoronary adenosine and, 241,10:H194  
   end-diastolic, ventricular (pig), 235,4:H182  
   essential hypertension, 243,12:R318  
   estrogen-induced iron-59 uptake (quail), 236,5:E342  
   expansion, renal response, growth rate and, 231:832  
   fluid distribution, overhydration, 238,7:H645  
   hemorrhage, corticosterone effects, 243,12:R416  
**Blower, brain, adenosine concentrations, hypoxia, 241,10:H228**

**Body**

cell mass, indirect measurement, 233,2:E253  
 composition  
   age- and race-related changes, 232,1:E419  
   aging, 236,5:R215, 238,7:R82



- compartmental, total-body nitrogen, potassium and calcium, 239,2:E524  
 dietary obesity, 232,1:R38  
 elemental, comparison between black and white adults, 232,1:E419  
 exercise, 232,1:R38  
 fat-free mass as reference standard, 236,5:R215  
 glucose loading and (squirrel monkey), 234,3:R20  
 hypothalamic lesions, 237,6:R68  
 hypothalamic lesions, lateral, 239,8:R337  
 indirect measurement, 233,2:F253  
 lateral hypothalamic lesions and obesity effects, 242,5:E437  
 long-term fasting (geese), 241,4:E342  
 3-methylhistidine excretion and, 240,3:E302  
 semipurified diet, maturation (squirrel monkey), 241,10:R316  
 thyroid treatment and, 243,12:R170  
 control, insulin-growth hormone ratio, 238,1:E231  
 densitometry, 3-methylhistidine excretion and, 240,3:E302  
 density, circulating ergostatic factor, 239,8:R344  
 fat, carbonic anhydrase (tobacco hornworm), 241,10:R92  
 fluid: *see* Fluid  
 lower, negative pressure, heart rate and, 236,5:H42  
 mass: *see* Mass  
 neutron activation analysis, total, postmenopausal women, 235,4:E82  
 positions: *see* Posture  
 size  
 dietary obesity, 232,1:R38  
 differences, transferrin catabolism (various species), 238,7:R306  
 exercise, 232,1:R38  
 heart rate and, aortic wavelength as determinant (mammals), 237,6:R3, R7  
 voluntary food intake and, 238,1:E318  
 surface  
 miliaria rubra, 239,8:R226, R233  
 ventricular activation, detection of, 241,10:H363  
 temperature: *see* Temperature, body  
 total, rubidium-86, integral extraction ratio, 235,4:H794  
 volume: *see* Volume  
 water: *see* Water  
 weight: *see* Weight
- Body surface electrocardiogram:** *see* Electrocardiography
- Bohr effect,** 230:471  
 blood oxygen transport, organ weights (shrew), 236,5:H744  
 cerebrospinal fluid, arterial and cisternal, 236,5:F220  
 hypoxia, carbon dioxide effects, 239,8:H545  
 oxygen supply, cerebral blood flow (duck), 236,5:H744  
 temperature acclimation (crayfish), 240,9:R93
- Bombesin**  
 action, pancreatic acinar cells (amphibian), 235,4:E112  
 amylase release, pancreatic acini, 236,5:E571  
 desensitization of enzyme secretion, dispersed pancreatic acini, 238,1:G213  
 enzyme secretion, pancreatic acini, 239,2:G272, 240,3:G459  
 fasting and refeeding effects, pancreas, 242,5:G215  
 gastric muscle and, 243,6:G141  
 gastrin and somatostatin secretion  
 neural control of, 243,6:G442  
 stomach, 241,4:G242  
 gastrin release, gastric fistula, 235,4:E720
- pancreatic acinar cells, PHI effects (guinea pig), 241,4:G498  
 pancreatic enzyme secretion, cholecystokinin effects, 242,5:G464  
 postreceptor modulation, peptide and secretin, 242,5:G423  
 receptors: *see* Receptors  
 stress-induced eating and, 241,10:R72, 243,12:R159  
 theophylline effects, pancreatic acini, 239,2:G324
- Bond graphs,** cellular energy conversion, brown adipose tissue, 235,4:R121
- Bone**  
 adrenal steroids, resorption of, 230:90  
 aerobic glycolysis (embryonic chick, newborn rat), 234,3:C41, C51  
 blood flow: *see* Blood flow; Circulation; Microcirculation  
 calcium homeostasis, parathyroid gland effects, 242,5:E146  
 calcium incorporation, 238,1:E200  
 capillary permeability, diphosphate, 232,1:H341  
 cell isolation, enzymatic, 240,9:C234  
 cells, aerobic glycolysis (embryonic chick, newborn rat), 234,3:C41, C51  
 chondroosseous blood flow, regional, 242,11:H365  
 circulation, hormone effects, 241,10:H91  
 culture, amrinone and parathyroid hormone interaction, 243,6:E499  
 density, age- and race-related changes, 232,1:E419  
 differentiation, diabetes and insulin effects, 238,1:E200  
 diphosphate, extraction and clearance, 232,1:H341  
 endochondral, formation, diabetes and insulin effects, 238,1:E200  
 formation  
 calcium fluxes and parathyroid hormone regulation, 232,1:E535  
 calcium metabolism, thyroparathyroidectomy and 1,25-dihydroxyvitamin D<sub>3</sub> effects, 233,2:E160  
 giant cell tumors, protein kinase, parathyroid hormone modulation, 239,2:E144  
 histomorphometry, 238,1:E507  
 lactate production and gradients, calvaria (embryonic chick, newborn rat), 234,3:C41, C51  
 lactic acid production, calvaria, 234,3:C51  
 loss, postmenopausal and osteoporotic women, 242,5:E82  
 mass, aging, 230:143  
 matrix, calcification-initiator noncollagenous protein, 232,1:C115  
 maturation arrest, after thyroparathyroidectomy, role of calcium, 232,1:F33  
 medullary, vitamin D metabolism (quail), 234,3:E622  
 membrane, aerobic glycolysis (embryonic chick, newborn rat), 234,3:C41, C51  
 metabolic acidosis, 230:127  
 metabolism, alcohol ingestion and, 238,1:E507  
 mineral content  
 magnesium effects, phosphate depletion, 237,6:E152  
 postmenopausal women, 235,4:E82  
 mineralization  
 calcium absorption, intestinal, 232,1:E298  
 calcium plasma levels, 232,1:E298  
 diabetes and insulin effects, 238,1:E200  
 phosphonate effects, 232,1:E298  
 mobilization by 1,25-dihydroxyvitamin D<sub>3</sub>, neonatal calvaria, 237,6:E113  
 morphogenesis, noncollagenous protein and, 232,1:C115
- parathyroid hormone effects, 242,11:F197  
 parathyroid hormone metabolism, 239,8:F1  
 peak mass, postmenopausal women, 235,4:E82  
 phosphorus mobilization, growth, 236,5:E283  
 potassium and strontium exchange, 242,11:H705  
 red cell space, hypocalcemic femur, 234,3:E6  
 resorption  
 calcium fluxes and, parathyroid hormone regulation, 232,1:E535  
 calcium metabolism, thyroparathyroidectomy and 1,25-dihydroxyvitamin D<sub>3</sub> effect, 233,2:E160  
 calcium resorption and, intestinal, 232,1:E298  
 neonatal calvaria, 1,25-dihydroxyvitamin D<sub>3</sub> effects, 237,6:E113  
 solubility, neonatal calvaria, 237,6:E113  
 Tc-pyrophosphate clearance, 236,5:H1  
 vascular reactivity, isolated tibia, 236,5:H904  
 vitamins, 24R,25(OH)<sub>2</sub>D<sub>3</sub> and 1,25(OH)<sub>2</sub>D<sub>3</sub> interaction (chicken), 238,1:E494
- Bone marrow**  
 blood flow  
 after hemorrhage, 238,7:H360  
 neurohumoral regulation, 237,6:H440  
 cell membrane transport, cation changes during maturation, 235,4:C251  
 cells, rickets, 243,12:C303  
 cytology, splenectomy effects, 231:1254  
 erythropoiesis, albuterol effects, 236,5:H422
- Bovine growth hormone:** *see* Growth hormone
- Bovine pancreatic peptide:** *see* Peptides
- Bowditch effects**  
 myocardial power density, rate of generation, 237,6:R225  
 phenomenon, 230:893
- Bowel**  
 intestinal control and, gastric secretion, 243,6:G372  
 small  
 food intake regulation and, 242,11:R429  
 metallothionein induction, 243,6:G396
- Bowman's space,** glomerular ultrafiltration dynamics, 239,8:F171
- Brachial nerves,** forelimb circulation, 230:797
- Bradycardia**  
 afferent pathways, coronary occlusion, 239,8:H172  
 autonomic afferents, spinal, 232,1:H464  
 baroreceptor and Bezold-Jarisch reflexes, interaction, 237,6:H655  
 baroreflex, inhibition, aortic nerve excitatory afferents, 243,12:H607  
 carotid chemoreceptors, vagi and, 240,9:H874  
 cigarette smoke and, 240,9:H584  
 diving  
 bullfrog, 237,6:R210  
 cardiac receptor stimulation and blockade (duck), 238,7:R50  
 carotid bodies and baroreceptors (duck), 242,11:R105  
 frog, 234,3:R172  
 hypoxic, reversal by halothane or midcollicular decerebration, 231:179  
 hypoxic vagal, abolition by lateral mesencephalic lesions, 237,6:R15  
 reflex  
 brain 5-hydroxytryptamine alterations, 236,5:R302  
 circulatory changes due to pericoronary stimulation, 235,4:H759  
 vagal, central cardiovascular regulation, 239,8:R137

**Bradycardia (continued)**

- septum, stimulation, 236,5:R225
- somatic afferents, stimulation, 236,5:R225
- subthalamic-mediated, extracellular single-unit recording, 236,5:H471
- trigeminal and aortic vasodepressor responses, 234,3:H67
- vagal
  - cardiac preganglionic neurons, 243,12:R92
  - cardioinhibitory neurons, 235,4:R286
  - cardioinhibitory neurons, distribution, medulla, 238,7:R57
  - stimulation of external cuneate nucleus, 235,4:R286

**Bradykinin**

- adrenergic transmission and, kidney, 241,10:R146
- cerebral artery activity, 232,1:H267
- contractile response, ductus arteriosus, 231:240
- contraction, arterial, 232,1:H267
- epicardial, cardiac sympathetic afferents and, 242,11:H148
- fibrinogen synthesis, 233,2:H1
- high salt, prostaglandins in stroke-prone spontaneous hypertension, 243,12:H360
- hydrolysis, proximal tubule, 230:1420
- macromolecular efflux, 236,5:H600
- myocardial excitation, 230:306
- natriuretic action, renal prostaglandins and, 237,6:F182
- potentiation, angiotensin congeners, 240,9:H255
- preservative, 230:306
- prostaglandin E synthesis and water flow, bladder (toad), 234,3:F532
- prostaglandin synthesis
  - papillary collecting tubule cells, 241,10:F94
  - renomedullary, 236,5:H65
- pulmonary vasoconstriction, indomethacin-induced (lamb), 238,7:R57
- reabsorption, proximal tubules, inhibited by peptides, 231:240
- reactive hyperemia, arteriolar, 232,1:H571
- reflex activation, cardiac afferent nerves, 239,8:H316
- renal hemodynamic alterations, prostaglandin relations and, 237,6:F433
- renal vascular responses, prostaglandin inhibitors, 234,3:H496
- tracheal smooth muscle relaxation, thin-fiber muscle afferents, 243,12:R383
- transcapillary fluid exchange, 230:1148
- vascular action, mesenteric, 232,1:H305

**Brain**

- accelerative exchange diffusion, isolated capillaries, 236,5:C96
- adenosine and metabolites, incorporation, 239,8:H212
- adenosine concentration, hypoxia, 241,10:H228
- adenosine production, systemic blood pressure alteration, 239,8:H636
- amine depletion, 231:1638
- amino acids: see Amino acids
- $\alpha$ -aminobutyrate distribution, 238,1:E358
- angiotensin
  - blockade, hypertension, 234,3:H629
  - sensitivity, forebrain, 239,8:R372
- angiotensin II actions
  - awake state, 243,12:R82
  - forebrain site, 239,8:R382
- anoxia and metabolism, 230:1269
- anteroventral third ventricle, electrical activation, 235,4:H445
- antidiuretic hormone release, angiotensin II-stimulated, 234,3:F135
- aromatization, luteinizing hormone secretion and, male, 241,4:E246
- asymmetries, 238,7:R1, R277
- autoregulation, cerebral blood flow and

- its relation to cerebrospinal fluid, 231:929
- biogenic amines, feedback inhibition, 234,3:R46
- blood and, amino acid distribution, 242,11:F171
- blood flow: see Blood flow, cerebral
- calcium injection, intraventricular, body temperature and (chicken), 239,8:R62
- capillary permeability, sodium extractions, 238,7:H868
- capillary transfer constant, amino acid distribution, 242,11:F171
- carbon fuels, fetal, 233,2:E457
- cell volume abnormalities, 239,8:F195
- cerebrospinal fluid sink action, ontogeny of, 243,12:R400
- cholecystokinin, immunological studies, 239,2:E232
- choroid plexus and, anatomic relations, comparative study (fish species), 238,7:R76
- circadian activity, epilepsy (baboon), 239,8:R35
- circulation, indomethacin effects, 243,12:H416
- copper metabolism, 232,1:E172
- cortical activity, sympathetic nerve discharge, 240,9:R335
- cortical rhythm, sympathetic neurons, 240,9:R348
- 2-deoxyglucose, glucose, insulin and free fatty acid mobilization, intraventricular, 236,5:E317
- development, postnatal, 241,4:G199
- dopamine receptor activation, heat production and, 242,11:R471
- ductus venosus blood streaming, fetal (lamb), 237,6:H724
- early experiences, 238,7:R3
- edema: see Edema
- effect of inspired gases, blood flow and tissue  $P_{O_2}$ , 230:839
- elastic behavior, 230:1058
- elastic response, measurement, 232,1:R27
- electrical stimulation, forebrain angiotensin and osmosensitive sites, hemodynamic effects, 235,4:H445
- epidural pressure, fluid dynamics and, 232,1:H255
- estradiol transport, human serum and, 239,2:E103
- extracellular space, nonelectrolyte permeability, 235,4:H299
- extracerebral contamination, sodium extractions, 238,7:H868
- factor S, relation to sleep-promoting material from urine, 238,1:E116
- fastigial activation, renal vascular tone, plasma renin activity, 239,8:H232
- fastigial nucleus stimulation and, 243,12:H226
- fluid and electrolyte homeostasis, forebrain, 239,8:R372
- forebrain, basal, stimulation, in inhibition of osmotic thirst, 236,5:R117
- fuel metabolism, fetal, 241,4:E200
- fuels, 230:619
- general systems theory, 238,7:R3
- glucose metabolism, 231:1840
- gray matter, glucose metabolic rate, non-invasive determination, 238,1:E69
- hemispheric specialization, 238,7:R3
- hexose transport, phosphorylation and, capillary, 236,5:C96
- $\beta$ -hydroxybutyrate transport, 230:619
- 5-hydroxytryptamine alterations, reflex bradycardia, 236,5:R302
- hypertonic solutions, third ventricular infusions, drinking and, 238,7:R340
- infantile stimulation, 238,7:R3
- interstitial fluid, efflux, 240,9:F319
- intracellular pH, 230:1108
- hypothermia effects, anoxia, 243,12:C62

- iodide efflux, after injection into caudate nucleus, 235,4:F331
- isorenin-angiotensin system, drinking inhibition, 234,3:F41
- laterality, 238,7:R3
- lesions
  - anteroventral third ventricle, antidiuretic response to angiotensin II, 236,5:E610
  - febrile response to pyrogens, 231:1638
  - thirst and normal water economy in, 234,3:R122
  - thirst deficits and hypernatremia, 233,2:R44
- lipid-mediated blood-brain-barrier penetrability, neonates and adults, 243,12:C161
- mechanical properties, 232,1:R27
- metabolism
  - anoxic perfusion, 239,2:E501
  - blood flow and, metabolic acidosis, 241,10:H772
  - halothane anesthesia and (monkey), 233,2:H670
  - hypoglycemia, newborn, 240,9:R192
  - ketone bodies, 231:1490
  - monoamine depletion, diencephalon, 238,7:R364
  - nucleotides, 239,8:H212
- multiprobe monitoring, awake state, 243,12:R462
- noradrenergic mechanisms, aortic nerve transection, 240,9:H481
- organization, 238,7:R3
- osmosensitivity, third ventricle, interaction with angiotensin, 236,5:R75
- oxygen consumption, halothane anesthesia and (monkey), 233,2:H670
- pH, hypoxia, 242,11:R195
- pharmacokinetics, 242,11:R339
- pharmacology, osmotic barrier opening and, 238,7:R421
- polyethylene glycols, albumin and, 240,9:F319
- potassium homeostasis, anoxia (turtle, rat), 243,12:R281
- pressure, elastic response, 232,1:R27
- protein synthesis, 230:1108
- pyrimidine biosynthesis, ketone body inhibition of, brain, fetal, 243,6:E234
- removal technique, artifact, glucose, 234,3:E365
- renin, enzyme differences, 242,5:E292
- response, hypothalamic stimulation, 231:1708
- sequestration, steroid hormones, 239,2:E96
- serotonin
  - metabolic heat production in cold, 235,4:R41
  - protein intake regulation, weanling, 236,5:R307
  - turnover, uremia, 232,1:E526
- shivering, midbrain reticular formation control, 232,1:R190, R198
- site, perfusion, evaluation with push-pull cannula, 236,5:R48
- size, body metabolism relations, vertebrates, 241,10:R203
- sodium injection, intraventricular, body temperature and (chicken), 239,8:R62
- spontaneous hypertension, vasopressin and, 242,11:H496
- stimulation
  - cerebral blood flow and behavior (goat), 232,1:H495
  - hyperuricemia and epinephrine during, 236,5:E212
  - sucrose, entry, 238,7:R421
- synaptosomal thyroid hormones, 235,4:E638
- temperature
  - body temperature and, independence (flying kestrel), 237,6:R58
  - corneal convection and (pigeon), 242,11:R577

- temperature stress, 230:110  
 testosterone transport, human serum and, 239,2:E103  
 theories  
   criticism and response, 240,9:R115  
   physical causality and, 238,7:R277  
 thiamine transport, 230:1101  
 thiocyanate efflux, after injection into caudate nucleus, 235,4:F331  
 transport, pharmacokinetic model, 232,1:R73  
 tryptophan and phenylalanine, uptake, 241,4:G163  
 uptake, 230:94  
   index, thiourea compounds, 238,7:H776  
   uptake index, keto acids, 243,6:E272  
 ventricular perfusion, central chemical control of ventilation (turtle), 235,4:R257  
 ventriculocisternal perfusion, 238,7:F42  
   free fatty acid turnover, cerebrospinal fluid, 236,5:H802  
 white matter, glucose metabolic rate, noninvasive determination, 238,1:E69
- Brain barrier systems**  
 iodide (teleosts), 234,3:R61  
 nonelectrolytes (salamander), 234,3:R52  
 urea compounds, 238,7:H776
- Brain-blood partition coefficient**, thiourea compounds, 238,7:H776
- Brain cortex**: see Cerebral cortex
- Brain-gut axis**, neurotensin effects, stress-induced gastric ulcers, 242,5:G342
- Brain stem**  
 coupled oscillators, 239,8:R48  
 frontocortical pathway blockade, ventricular fibrillation prevention, ischemic heart, 240,9:H156  
 inhibition, 230:263  
 neural augmentation of arrhythmogenic properties, polar cardiac glycosides, 238,7:H202  
 neurons  
   response to carotid occlusion, 231:20  
   sympathetic-related activity, 240,9:R348  
   phase relations, shifts in, 239,8:R48  
   rostral, thermosensitivity (duck), 235,4:R130  
   serotonin synchronization, 241,10:R158  
   shivering  
   facilitation, 232,1:R198  
   inhibition, 232,1:R190  
   sympathetic nerve, rhythm, 239,8:R42, R48  
   sympathetic neurons, activity patterns, 240,9:R335  
   sympathetic oscillators, 239,8:R48, R143  
   thermosensitivity, cold (duck), 241,10:R136  
   unit discharges, sympathetic neurons, 240,9:R348  
   vasopressin content, spontaneous hypertension, 242,11:H496  
   ventral, plasma insulin levels, 241,4:E22
- Brain ventricles**: see Cerebral ventricles
- Branchial circulatory system**, gill re-constriction (eel), 238,7:R165
- Branchial epithelium**  
 accessory cells (fish), 238,7:R207  
 accessory cells (teleost), 238,7:R199  
 ion transport (fish), 238,7:R224
- Branchial ion**  
 exchange, contribution of Jean Maet, 238,7:R143  
 transport, prolactin effects, opercular membrane, 242,11:R380
- Branchial permeability**: see Permeability
- Branchial vascular resistance**: see Resistance
- Breaking jet**, valve closure, diastole, 241,10:H389
- Breast**, cancer, steroid hormone receptors and, 243,6:E99
- Breath analysis**  
<sup>14</sup>CO<sub>2</sub> (primate), 235,4:R55  
 sterol balance and, simultaneous, in cholesterol oxidation (primate), 235,4:R55
- Breath holding**, heart rate and, 241,10:H620
- Breathing**: see Respiration
- Breathing pattern**: see Respiratory pattern
- Breeding**, selective, leucine transport, erythrocytes (chicken), 241,10:C233
- Bretylium**, catecholamine and blood pressure response, pithed rats, 237,6:H305
- Brockmann body**, model, pancreatic endocrine secretion (catfish), 243,6:E352
- Brody effect**  
 electrocardiographic potentials (pig), 232,1:H406  
 vectorcardiographic potentials (pig), 235,4:H182
- Bromocresol green**, prostaglandin metabolism and transport, lungs, 232,1:E382
- Bromide**, distribution, placental (sheep), 236,5:C58
- Bromide space**, extracellular water measurements, 235,4:F254
- 8-Bromoadenosine**, luteinizing hormones and, pituitary, 241,4:E6
- 8-Bromoadenosine monophosphate**, cyclic, adenosine monophosphate, cyclic levels, luteinizing hormone synthesis and release, 241,4:E14
- Bromobenzene**, cytochrome P-450 induction, hepatocytes, 234,3:C102
- Bromocriptine**  
 dopaminergic inhibition, prolactin secretion, 240,3:E700  
 milk prolactin assay, 238,1:E83  
 parathyroid hormone response (cattle), 239,2:E255  
 prolactin secretion and, pituitary, 242,5:E226
- 2-Bromoethylamine hydrobromide**, papillary necrosis, electrolyte excretion and, 241,10:F14
- Bromosulphophthalein**, 230:974  
 biliary transport, 232,1:E445  
 effect on biliary excretion, 231:399
- Bronchi**, parabronchial blood flow, control (duck), 234,3:R136
- Brown adipocytes**: see Adipocytes
- Brown adipose tissue**: see Brown fat
- Brown fat**  
 abnormal, cold acclimation and obesity, 239,2:E301  
 abnormal composition,  $\beta$ -adrenoreceptor binding and, obesity, 243,6:E217  
 adrenergic responses, 232,1:R101  
 cafeteria feeding, 241,4:E116  
 calcium uptake, cold acclimation, 234,3:C7  
 catecholamine sensitivity, cold acclimation and, 242,11:C250  
 cellular energy conversion, 235,4:R121  
 cold-induced changes, 240,3:E379  
 cyanide-insensitive palmitoyl-CoA-dependent NAD<sup>+</sup> reduction, 239,8:C208  
 depolarization, mediated by adrenergic receptors, 231:700  
 enzyme changes, aerobic heat production effects, 240,9:R289  
 genetic obesity, thyroxine effects, 241,4:E436  
 heat production, butyrate effects (hamster), 242,11:C46  
 hyperplasia, cold adaptation and hyperphagia, 242,5:E353  
 leucine utilization, site of action of insulin, 233,2:E97
- lipoprotein lipase, distribution, 233,2:E316  
 metabolic adaptations, extreme ambient temperatures, 231:153  
 mitochondrial oxidative capacity, 239,8:C208  
 muscular dystrophy, 239,8:C18  
 noncompensation, partial lipectomy, 231:538  
 nonshivering thermogenesis, seasonal acclimatization, 241,10:R185  
 norepinephrine metabolism, thyroid cold acclimation influences, 232,1:E656  
 norepinephrine turnover, reduced, 242,5:E253  
 pad, intracapsular, norepinephrine turnover, 232,1:E565  
 peroxisomal  $\beta$ -oxidation, cold adaptation, 239,8:C208  
 phosphoenolpyruvate carboxykinase activity, glucocorticoid regulation, 235,4:E197  
   glucocorticoid regulation, 233,2:E147  
 serotonin effects, 231:34  
 surgical reduction, 231:1090  
 sympathetic activity, thyroid treatment and, 243,12:R170  
 temperature regulation, newborn (harp seal), 236,5:R188  
 thermogenesis  
   regulation, 238,1:E552  
   thyroxine effects, 241,10:C134  
 thyroid hormone effects, respiration, newborn, 241,4:E449  
 triiodothyronine effects, metabolism, 231:161  
 trophic response to cold, guanethidine effects, 242,11:C159  
 tyrosine hydroxylase activity, thyroid cold acclimation influences, 232,1:E565  
 ventromedial hypothalamic lesions, obesity-induced, 243,6:E338  
 water content, cell size relations, 231:1568
- Brush border**  
 ascorbic acid flux, ileal, 233,2:E374  
 epithelial transport, analysis, 233,2:E445  
 intestinal  
   anion-stimulated phosphohydrolase activity of alkaline phosphatase, 238,1:G3  
   enzymes, dietary adaptation, 239,2:G445  
   proteins, postnatal development, 239,2:G524  
   kidney, glucagon and insulin processing, 242,11:F112  
 renal: see also Kidney brush border  
   alkaline phosphatase in phosphate depletion, 237,6:E465  
   peptides, hydrolysis and transport, 238,7:F151  
   regeneration, after ischemia, 241,10:F28  
 small intestinal  
   anion-stimulated ATPase activity, 236,5:E70  
   folic acid transport, 235,4:E678
- Brush-border enzymes**, digestion of tripeptides and disaccharides, 231:87
- Brush-border membrane**  
 duodenal, inorganic phosphate transport, 242,5:G533  
 fluidity, kidney, 242,11:F246  
 glucose carrier, sodium ion-dependent renal cortex, 234,3:E1  
 inorganic anion transport, renal and intestinal, 238,7:F452  
 intestinal  
   enzymes in diabetes, 238,1:G114  
   hydrolysis by everted sacs, diabetes, 238,1:G114  
 jejunal  
   disaccharidases, ethanol effects, 237,6:E68

**Brush-border membrane (continued)**

- peptidases of, ethanol effects (hamster), 242,5:G442
- phosphate transport, glucocorticoid effects, 243,12:C227
- renal, lactate sodium cotransport, 239,8:F496
- small intestine, sodium-chloride absorption, 242,5:G263, 242,5:G272
- sulfate secretion, hydrogen ion-dependent, kidney tubules (teleost), 243,12:F150
- Brush-border membrane vesicles**
  - acridine orange uptake, renal, 242,11:F733
  - p*-aminohippuric acid transport, kidney (flounder), 237,6:F291
  - bile acid transport, intestinal, 241,4:G83
  - hexose transport system, jejunum (chick), 240,3:G102
  - intestinal
    - divalent cation uptake, 239,2:G452
    - glucose transport, diabetes, 238,1:G419
    - leucine transport, diabetes, 238,1:G419
    - vitamin B<sub>12</sub> uptake, 239,2:G452
  - nicotinic acid transport, kidney, 240,9:F185
  - phosphate effects, transport properties (pig), 239,8:F352
  - phosphate transport, kidney failure, 242,11:F17
  - phosphate uptake, ureteral obstruction and, 243,12:F29
  - renal
    - carboxylic acid transport, 243,12:F456
    - myo-inositol transport, D-glucose-inhibited, 239,8:F113
    - phosphate transport, diphosphate treatment and, 239,8:F13
    - potential-dependent D-glucose uptake, 242,11:F340
    - sodium ion-hydrogen ion exchanger, 238,7:F461
  - small intestine, cycloleucine transport (killifish), 237,6:E567
  - sodium-chloride, entry mechanism, 242,11:F561
  - sodium-hydrogen exchange, renal failure, 243,12:F293
  - sugar transport, kidney (flounder), 242,11:F415
- Brush-border microvilli**, luteinizing hormone-releasing hormone, renal, 241,10:F117
- BSP**: see Sulfobromophthalein
- Buccal force pump**, aestivating lungfish, 233,2:F181
- Buffering power**
  - acid, extrarenal, parathyroid hormone and, 239,8:F533
  - intracellular, muscle fibers (barnacle), 233,2:C61
  - pressor response,  $\beta$ -adrenergic and cholinergic vasodilation, 236,5:H165
- Buffers**
  - inotropic response, atrial myocardium, 237,6:H318
  - intracellular, pH regulation, muscle fibers (barnacle), 237,6:C185
  - oxygen, myocardial reactive hyperemia, 235,4:H87
- Buffer values**, muscle, 234,3:F432
- Bulbus cordis**, electrophysiology (lungfish), 232,1:H24
- Bulk content**, dietary: see Feeding
- Bumetanide**
  - anion transport, proximal tubules, 235,4:F403
  - bile acid uptake and, hepatocytes, 243,6:G48
  - chloride transport, cornea (bullfrog), 234,3:F297
  - cytochrome and, kidney, 243,12:F356
  - uncoupling of sodium bicarbonate from sodium phosphate, proximal tubules, 235,4:F403

- Bundle branch**, proximal, conduction, supernormal, 238,7:H300
- Bundle of His**, conduction, supernormal, 238,7:H300
- Burns**
  - glucose kinetics and, adrenergic blockade effects, 241,10:R222
  - lactate and, 233,2:E80
  - peripheral circulation, 233,2:H520
  - protein metabolism and, 231:476
  - trauma, glucose infusion and metabolism, 233,2:E80
- n*-Butanol**
  - blood flow tracer, cerebral, 238,7:H776
  - diffusion, cortical collecting tubules, 238,7:F470
- Butoxamine**
  - erythropoiesis, 236,5:H422
  - injection, adrenoreceptor desensitization after, 240,9:H691
- t*-Butyl acetazolamide**: see Acetazolamide
- 2-*n*-Butyl-methylenedioxyindene**, mechanics and energetics, skeletal muscle (frog), 242,11:C347
- Butyrate**, ouabain-sensitive respiration and, brown adipocytes (hamster), 242,11:C46
- Bypass**: see also Shunt
  - blood flow during, lung thromboxane effects (sheep), 242,11:H462
  - cardiopulmonary, potassium and verapamil cardioplegia, ischemic arrest, 240,9:H326
  - jejunoileal, muscle adaptation after, intestinal, 241,4:G259
  - right heart, aortic occlusion and, 243,12:R152
  - thromboxane effects, acute pulmonary hypertension (sheep), 243,12:H471

## C

**Cable analysis**

- current-voltage relations, distal tubules (snake), 239,8:F402
- sodium concentration, luminal, distal tubule (snake), 239,8:F412

**Cable properties**

- dystrophic muscle (chicken), 237,6:C131
- stretch effects, Purkinje fibers (sheep), 237,6:C119

**Cadmium**

- adrenergic neuromuscular transmission, 232,1:C128
- arrest, pressure-sarcomere relations, 239,8:H101
- blood concentrations, 232,1:H114
- blood pressure, hypertension, 238,1:E53
- chronic feeding, systolic pressure response, 232,1:H114
- hypertension, genetic influence, 235,4:H385
- immobilization and storage, age effects, 237,6:E18
- metallothionein induction and, small bowel, 243,6:G396
- physiologic-metabolic changes, cardiac, 239,8:H22
- transport, mediated, liver, 236,5:C139
- uptake, hepatic, metallothionein effects, 234,3:E47

**Cadmium telluride**, kinetics, regional myocardial, 242,11:H849

- Cadmium thiocyanate**, hepatic, hypozincemia associated with bacterial infection, 234,3:E399

**Caerulein**

- action, pancreatic acinar cells (amphibian), 235,4:E112
- amylase release, dispersed pancreatic acini, 236,5:E571
- arachidonic acid metabolism and, pancreatic acini, 242,5:G493

- hydrocortisone and, pancreatic growth, 241,4:G37
- luminal somatostatin and, pancreatic secretion, 241,4:G109
- myoelectric activity, small bowel, 235,4:E249, 238,1:G384
- pancreas, transplanted, 236,5:E186
- pancreatic secretion and, 238,1:G18
- prostacyclin-induced inhibition of, 238,1:G531
- parenteral feeding, long-term, 233,2:E524
- satiety and (pig), 240,9:R310
- satiety effects, 235,4:R23
- secretin and, interaction, pancreatic size and composition, 235,4:E714
- substance P effects, gastric and pancreatic secretion, 241,4:G74
- transit, intestine, 230:132
- Cafeteria feeding**: see Feeding
- Caffeine**
  - calcium ion association, skeletal muscle (frog), 234,3:C110
  - calcium mobilization, smooth muscle, 240,9:C239
  - inhibition, ventricular contraction, 242,11:H349
  - load dependence, cardiac muscle relaxation (frog, cat, rat), 237,6:H455
  - muscle fiber fatigue and (frog), 241,10:C160
  - potassium-stimulated respiration, skeletal muscle (frog), 243,12:C87
  - rest-twitch potentiation and, ventricular muscle, 241,10:H583
  - sodium, 230:441
  - strophanthidin toxicity, Purkinje fibers, 236,5:H689
- Calcemia**
  - 1,25-dihydroxyvitamin D regulation, 239,2:E119
  - parathyroid hormone effects, 232,1:E535
  - phosphate, inorganic, renal handling, 234,3:F497
  - phosphate restriction, kidney tubules, 242,11:F353
- Calcification**
  - bone matrix, protein-inhibited, 232,1:C115
  - developing teeth, autoradiography, 232,1:F364
  - pancreatic, calcium bicarbonate and carbonate complexes, 241,4:G182
- Calciotropic hormones**, perinatal, 239,2:E385
- Calcite**, calcium bicarbonate and calcium carbonate complexes, 241,4:G182
- Calcitonin**
  - action sites, mammalian nephron, 240,9:F159
  - acute effect, renal electrolyte transport, 240,9:F12
  - blood vessels and, bone, 241,10:H91
  - bone resorption, 230:90
  - calcium homeostatic system and, awake state (pig), 243,12:R125
  - calcium transport and, kidney tubules, 241,10:F171
  - nephron, 238,1:E573
  - electrolyte excretion, parathyroid hormone effects, renal, 243,12:F514
  - excretion, 236,5:E15
  - gastrointestinal metabolism, experimental iron deficiency, 231:462
  - insulin, glucagon secretion and, 242,5:E206
  - magnesium reabsorption, renal, 239,8:F524
  - metabolic acidosis, 230:127
  - nicotinamide effects, phosphate deprivation, 242,11:F447
  - parathyroid hormone and, renal, 236,5:E401
  - perinatal, 239,2:E385
  - regulation of plasma calcium, 231:1533
  - stimulation, sodium excretion (starling), 238,7:R406



**Calcium**

A23187 and, effects on renal inner medullary prostaglandin  $E_2$  synthesis, 238,1:E371

**absorption**

cecum, 240,3:G424  
chlorothiazide effects, intestines, 242,5:G575  
1,25-dihydroxyvitamin  $D_3$  effects, 233,2:E160  
1,25-dihydroxyvitamin  $D_3$  effects, colon, 240,3:G350  
hypercalciuria and, 237,6:F415  
intestinal, age effects, 236,5:E763  
intestinal, bone mineralization and, 232,1:E298  
intestinal, dietary calcium and 1,25-dihydroxyvitamin  $D_3$  effects, 238,1:G75  
intestinal, metabolic acidosis, 239,2:G480  
intestinal, parathyroid hormone effects, 232,1:E535  
intestinal, phosphate and vitamin D, 241,4:G49  
intestinal, thyroparathyroidectomy, 233,2:E160  
intestinal calcium binding protein and, quantitative relations (chick), 236,5:E556  
intestinal phosphorus depletion effects, 236,5:E451  
jejunal, renal disease, 238,1:G349  
parathyroid hormone-sensitive, distal nephron, 235,4:F367  
saturable and nonsaturable components, duodenal, 240,3:G32  
tubular, hypercalcemia, 233,2:F201  
vitamin D and, small intestine, 239,2:G643

absorption and secretion, chloroquine effects, ileum, 243,6:G117

acetylcholine receptors and, myasthenia gravis, 243,6:E31

action potentials: see Potentials

activation, cardiac muscle relaxation (frog, cat, rat), 237,6:H455

**activator**

basilar artery, 241,10:H129  
myocardial, neonatal, 242,11:H834  
active membrane selectivity, atrioventricular node, 236,5:C1  
adenosine monophosphate, cyclic, and slow waves, colon, 242,5:G124  
submandibular mucin secretion, 241,10:C76

uterus, 237,6:C257

adenosine triphosphate protective action, lysosomes, 242,11:C192

adrenal glomerulosa cells, angiotensin, 241,4:E42

$\alpha$ -adrenergic stimulation, lacrimal cells, 239,2:G99

adrenergic sympathetic stimulation, parotid gland, 236,5:E371

albumin binding, differential, serum, 238,1:E104

aldosterone responses, adrenal, 232,1:E388

$\alpha$ -aminoisobutyric acid inhibition, pancreas, 238,1:G440

amylase release and, parotid acini, 240,9:C189

angiotensin II tachyphylaxis, 232,1:H223

antagonism, verapamil and, heart, 241,10:H12

antidiuretic hormone action and, cortical collecting tubule, 243,12:F481

atrial contractility, 239,8:H365

atrial tension, 236,5:H629

balance, 1,25-dihydroxyvitamin  $D_3$  effects, 233,2:E160

basal electrolyte transport and, ileum, 243,6:G28

binding  
blood platelets, 241,10:H613

plasma membrane, myometrium, 239,8:C66

sarcolemmal, taurine effects, heart failure, 240,9:H238

binding protein, vitamin D-dependent, kidney, 243,12:F243

blockers, vascular smooth muscle, 236,5:H613

body, age- and race-related changes, 232,1:E419

bolus, injections, calcium homeostatic system and, awake state (pig), 243,12:R125

bone levels, alcohol effects, 238,1:E507

bone maturation arrest, after thyroparathyroidectomy, 232,1:F33

calcitonin effects, insulin secretion, 242,5:E206

catecholamine secretion, ionophore effects, adrenal gland and spleen, 242,5:E137

cell, respiration and, skeletal muscle (frog), 243,12:C87

cell content, total, chemotactic factors, 237,6:C43

cellular, postreceptor modulation, 242,5:G423

channel, verapamil effects, clonal pituitary cells, 243,6:E68

channel blockers, platelet  $\alpha$ -adrenergic receptors, 242,11:H19

chelation, potentials, prolonged gastrointestinal muscle, 233,2:C19

chemical maturation, 242,11:R390

chlorpromazine effects, ischemic myocardium, 241,10:H714

circular muscle spike, small intestine, 237,6:C247

**clearance**

diuretic effects on, 230:67

shock, 230:724

comparative response, developing myocardium, 242,11:H13

compartments, anterior pituitary, 238,1:E167

complexes, serum, cellular uptake, 238,1:E104

concentration, plasma, hypertension, 243,12:H365

conservation, calcitonin effects, renal, 240,9:F12

content, brain, parathyroid hormone, 239,8:F1

contractile activation, cerebral artery, 242,11:H760

contractions, depolarized uterus, 236,5:C171

contracture, myocardial, hypoxic and posthypoxic, 232,1:H526

**control**

ammonium chloride and, 239,2:E328

myocytes, intracellular, 237,6:C147

**current**

circular muscle, small intestine, 237,6:C247

inward, arterial smooth muscle, 237,6:C75

**cytosolic**

pancreatic acinar secretion, 242,5:G513

sodium transport regulation, bladder (toad), 236,5:F505

stimulus-secretion coupling (blowfly), 241,4:G150

cytosolic free, proximal tubules, 242,11:C124

deficiency, 1,25-dihydroxyvitamin  $D_3$  and, 236,5:E118

deoxycorticosterone effects, vascular smooth muscle, 237,6:H197

**dependence**

arterial smooth muscle (swine), 242,11:C102

cardiac myocytes, 237,6:C147

contraction, smooth muscle, arterial (swine), 240,9:C222

dependent, viscoelasticity, 231:1501

depletion, Auerbach's plexus, neuronal electrical activity, 236,5:C78

depolarization, diastolic, 243,12:H767

**deprivation**

adaptation after parathyroidectomy, 232,1:E336

hepatocytes, 241,10:C3

desensitization and, muscle (frog), 242,11:C319

**dietary**

active transport, colon, 238,1:G75

adaptation, age effects, 236,5:E763

cellular and paracellular transport, ileum, 235,4:E726

restriction, adaptation with age, 239,2:E322

vitamin D metabolism (quail), 234,3:E622

diet low in, bone resorption, 230:90

1,25-dihydroxyvitamin D regulation, 239,2:E119

distribution, anterior pituitary slices, kinetic analysis, 238,1:E167

eccrine sweat secretion and (monkey), 241,10:C113

**efflux**

nephron, ionophore RO 2-2985 effect, 235,4:F381

smooth muscle, 240,9:C239

electrical stimulation, liver, 240,3:E226

electrolyte excretion, renal, 240,9:F17

estrogen effects, renal vitamin D hydroxylases and serum  $1\alpha,25$ -dihydroxyvitamin  $D_3$  (chick), 235,4:E138

**exchange**

hypoxic myocardium, neonatal, 237,6:H612

mitochondrial, myocardial tissue culture, 239,8:H769

myocardial tissue culture, 237,6:H239

**excretion**

bicarbonate excretion and, 238,7:F394

calcitonin and (starling), 238,7:R406

medullary collecting duct, 239,8:F24

parathyroid hormone effects, renal, 243,12:F514

renal, parathyroidectomy (starling), 233,2:F138

renal, parathyroid hormone effects, 231:1152

renal, 4-pentenol acid effects, 231:216

terminal nephron, 232,1:F545

urinary, 1,25-dihydroxyvitamin  $D_3$  effects, 233,2:E160

urinary, parathyroid hormone effects, 232,1:E535

urinary, parathyroid hormone and 1,25-dihydroxyvitamin  $D_3$  effects, 236,5:F349

urinary, regulation, 232,1:E545

exercise, heavy, sitting and supine, 236,5:R206

**extracellular**

amylase release, dispersed pancreatic acini, 236,5:E754

gastric stimulation and (frog), 241,4:G365

heart muscle stiffness, 232,1:H275

hyperpolarization, parathyroid, 236,5:C15

removal, anoxia and, cardiac myocytes, 243,12:C184

tetanus tension (frog), 240,9:C193

**flux**

atrial, A23187 effects, 235,4:C13

cell energetics and linkage, blood-bone energetics, 236,5:C244

glucose and, pancreatic islets, 238,1:E87, E96

hypoxic myocardium, neonatal, 237,6:H612

kidney, 241,4:E136

kidney cells, 234,3:R29, R34

myometrium membrane vesicles, 240,9:C175

pancreatic acini, secretagogue effects, 240,3:G38

**Calcium (continued)**

- parathyroid hormone role in, 232,1:E535
- reciprocal inhibition of cardiac responses to norepinephrine and insulin (piglet), 233,2:H665
- free, 242,11:Ca-EGTA solutions, 242,11:C404
- function, myocardial tissue culture, 237,6:H239
- glucagon release, perfused pancreas, 236,5:E98
- glucose-stimulated, islet cells, 232,1:E114
- glycogenolysis and, 231:191
- heart contractile force regulation, 233,2:H269
- high, adenosine monophosphate, cyclic levels, heart, 240,9:H441
- high-phosphate diet and parathyroidectomy effects, kidney, 241,4:E136
- homeostasis
  - circadian rhythm, 237,6:R311
  - embryo (chick), newborn (rat), 234,3:C41
  - fetal and neonatal, 240,3:E367
  - intestinal, bone mineralization, 232,1:E298
  - metabolic acidosis effects, 243,6:E265
  - parathyroid gland effects, bone, 242,5:E146
  - streptozotocin-induced diabetes mellitus, 242,5:E451
  - vitamin D and magnesium effects, 241,4:E35
  - vitamin D<sub>3</sub> metabolism, renal, 239,2:E12
- hormone-induced changes, hepatocytes, 242,11:C172
- hydrogen ions and, relations, heart muscle, 237,6:H497
- hypertrophy, cardiac, 241,10:H263
- hypothyroidism, homeostasis in, 230:456
- incorporation, smooth muscle, 240,9:C248
- influx
  - digoxin-norepinephrine response, vascular smooth muscle, 236,5:H613
  - muscarinic inhibition of, ventricular muscle (chick), 243,12:H434
  - venous smooth muscle reactivity, extracellular sodium effects, 235,4:H581
- infusion, renal handling, 236,5:F349
- inorganic phosphate effects, cardiac function, 242,11:H79
- insulin action, glucose transport, fat cells, 240,3:E556
- insulin release, 231:1246
- islet  $\beta$ -cells, 240,9:C64
- intake, saturable and nonsaturable components, duodenal transport, 240,3:C32
- internal, control of intercellular coupling, heart, 234,3:H101
- intracellular
  - antidiuretic hormone and, bladder (toad), 239,8:F250
  - antidiuretic-parathyroid hormone interaction, urine, 239,8:F244
  - dantrolene inhibition of, 243,6:E59
  - ischemic heart, 239,8:H380
  - movements, skinned muscle fibers, 240,9:C1
  - nutrient-induced movement, pancreatic  $\beta$ -cells, 243,6:E196
  - overload, calcium paradox and, 237,6:H713
  - pools, contractile activity, smooth muscle, 242,11:C36
  - smooth muscle relaxation, 233,2:H114
- intrarenal, phosphate handling, 230:790
- isometric contractions, atrial, 235,4:H295
- kinetic characteristics, colon, 240,3:C350
- kinetics, 1,25-dihydroxyvitamin D<sub>3</sub> effects, 233,2:E160
- lacrimal secretion and, 235,4:C188
- lactogen release, placental, 240,3:E550
- lanthanum-displaceable, islet cells, 232,1:E114
- levels
  - neutrophils, chemotactic factors, 237,6:C43
  - slow waves, intestinal, 243,12:C7
- load, calcitonin effects, renal, 240,9:F12
- loss, aging, 230:143
- low
  - metabolic acidosis effects, 243,12:F570
  - solutions, cardiac slow channel activation (frog), 242,11:H827
- magnesium metabolism, 234,3:F466
- magnesium transport, nephron, 239,8:F393
- maximum velocity of contraction, heart, 243,12:H391
- mediation
  - amylase release, cholinergic-stimulated, parotid gland, 236,5:C23
  - gastric emptying slowing (monkey), 243,6:G200
- membrane, thyrotropin-releasing hormone effects, thyrotropic cells, 243,6:E298
- membrane potentials, islet  $\beta$ -cells, 240,9:C64
- membrane stabilization, vascular smooth muscle, 235,4:C227
- messenger role, pancreatic acinar cell function, 239,2:G335
- metabolic acidosis, effect on mobilization of, 230:127
- metabolism
  - circadian rhythms, endogenous nature, 237,6:R311
  - heart cells, 242,11:H1022
  - parathyroid hormone and, 236,5:F311, 232,1:E535
  - potassium and verapamil cardioplegia, ischemic arrest, 240,9:H326
- micropuncture, superficial nephrons, 243,12:F561
- microvolume samples, kidney tubules, 242,11:F202
- miniature end-plate potentials, timing (frog), 237,6:C264
- movement, pancreas, 238,1:G247
- muscarinic stimulation, lacrimal cells, 239,2:G99
- myocardial mitochondrial
  - function, 237,6:H224
  - ischemia, 233,2:H677
- myosin phosphorylation, perfused heart, 239,8:H756
- neurohumoral stimulation and, colonic smooth muscle, 243,6:G134
- neuromuscular dependence, esophageal smooth muscle (opossum), 232,1:E547
- norepinephrine and methylxanthine effects, smooth muscle, 240,9:C239
- norepinephrine release
  - arterial, potassium-free solution, 232,1:H140
  - nerves, colonic mucosa, 241,4:G416
- normal and hypoxic states, papillary muscles in, 231:66
- paradox, induction, 237,6:H713
- paradox heart failure, taurine effects, 240,9:H238
- parathyroidectomy effects, intestinal, 232,1:E336
- parathyroid hormone effects, kidney (fowl), 241,10:F263
- parathyroid hormone-receptor-cyclase system and kidney, 241,10:F364
- parathyroid hormone receptors and, kidney (chick), 242,5:E154
- parathyroid hormone resistance, 237,6:F175
- permeability: *see also* Permeability
  - Henle's loop, 236,5:F357
  - myocardial cell, 235,4:H461
  - pancreatic  $\beta$ -cells, 239,8:C124
- phosphate excretion, renal (starling), 239,8:F233
- phosphate reabsorption, renal tubular, 234,3:F22
- phosphate transport, intestinal (chick), 240,3:E379
- phosphate uptake, cellular, renal cortex, role of guanosine monophosphate, cyclic, 233,2:E203
- phosphatidylinositol breakdown, salivary glands (blowfly), 243,12:C222
- phosphorylase kinase regulation, heart, 240,3:E340
- plasma
  - bone mineralization, 232,1:E298
  - paresis (cow), 235,4:E634
  - regulation by parathyroid hormone and calcitonin, 231:1533
- pools
  - exchangeability, serum, 238,1:E104
  - kidney cells, 234,3:R29, R34
  - Tris effects, aorta and portal vein, 235,4:H208
- postobstructive phosphaturia, ureteral, 237,6:F14
- potassium conductance, smooth muscle cells, stomach (toad), 239,8:C182
- potassium efflux, sublingual gland, 235,4:C128
- potassium release, parotid gland, 235,4:C180
- pressure overload, left ventricular, 238,7:H134
- prolactin release and, neoplastic GH<sub>3</sub> cells, 240,3:E705
- prostaglandin biosynthesis and, cultured cells, 243,12:C205
- prostaglandin E<sub>2</sub> synthesis, medullary, 235,4:F213
- prostaglandin E synthesis, water flow, bladder (toad), 234,3:F532
- prostaglandin interaction, antidiuretic hormones and, 242,11:F313
- prostaglandin release and, 241,10:F77
- protein-bound, biological activity, serum, 238,1:E104
- protein synthesis and, pancreatic, 243,6:G69
- protein synthesis inhibitor effects, pancreatic acini, 243,6:G285
- pumping, 230:158
- pump: *see* Pump
- reabsorption
  - calcitonin and, nephron, 238,1:E573
  - distal tubular, effects of parathyroid hormone, antidiuretic hormone, and adenosine monophosphate, cyclic, 239,8:F478
  - medullary structures, 233,2:F197
  - renal, in hypercalcemia, 232,1:F490
- receptors: *see* Receptors
- red cell space, bone, in hypocalcemia, 234,3:E6
- regulation, pancreatic acinar cell function, 238,1:C269
- regulation of concentration, bolus calcium injections and, awake state (pig), 243,12:R125
- release
  - digoxin-norepinephrine response, vascular smooth muscle, 236,5:H613
  - fast- and slow-twitch muscles, dantrolene effects, 238,7:C56
  - regenerative, isolated cardiac cells, 236,5:C70
- release mechanism, calcium-induced, vascular smooth muscle, 243,12:H641
- renal handling
  - bicarbonate excretion and, 238,7:F394
  - 1,25-dihydroxyvitamin D<sub>3</sub> effects, 236,5:F349
  - parathyroid hormone and adenosine monophosphate, cyclic effects, 233,2:F541
  - parathyroid hormone effects, 236,5:E401, F311, F349

- ultrafiltrable plasma, 236,5:F349
- renin release, 232,1:F377
  - control, kidney slices (pig), 235,4:F22
  - renin responses, adrenal, 232,1:E388
  - renin secretion control, renal (dog, pig), 240,9:F70
- response, smooth muscle, 230:1217
- sarcolemmal binding, cardiac contractility and, muscle preparations, 240,9:H576
- sarcoplasmic reticulum, heart failure, 242,11:H855
- secretagogue action, pancreatic acini, 235,4:E517
- secretion
  - anomalous, ileal, 236,5:E473
  - 1,25-dihydroxyvitamin D<sub>3</sub> effects, colon, 240,3:G350
  - secretory mechanisms, pancreatic, development, 236,5:E446
  - secretory response, dispersed submandibular cells, 238,7:C90, C99
  - serum, homeostasis, fetal and neonatal, 240,3:E367
  - skeletal release, hypocalcemia and, 242,5:E287
  - smooth muscle contractions, Tris effects, 241,10:H337
  - sodium entry kinetics, skin (frog), 235,4:C35
  - sodium transport, cholinergic inhibition, bladder (toad), 235,4:F564
  - solubility, pancreatic calcification, 241,4:G182
  - spike, pancreatic  $\beta$ -cells, 239,8:C124, 241,10:C69
  - stimulus-secretion coupling
    - exocrine pancreas, 240,3:G199
    - salt gland (duck), 237,6:C200
  - strophanthidin inotropy, Purkinje fibers, cardiac, 240,9:H561
  - strophanthidin toxicity, Purkinje fibers, 234,3:H477, 236,5:H689
  - structure, myocardial tissue culture, 237,6:H239
  - surface-bound, intestinal muscle, 238,1:G520
  - tension regulation, skinned muscle fibers (crayfish), 233,2:C127
  - thyrotropin secretion, thyrotropin-releasing hormone stimulated, 242,5:E109
  - tolerance, cardiac cells, anoxia/acidosis effects, 243,12:H448
  - total body
    - compartmental model, 239,2:E524
    - cortisol effects, 231:1760
    - neutron activation measurement of (guinea pig), 241,10:R419
    - postmenopausal and osteoporotic women, 242,5:E82
    - postmenopausal women, 235,4:E82
    - transcellular transport, small intestinal epithelium, 240,3:G409
    - transepithelial potential, strontium medium (monkey), 242,11:C360
    - transepithelial transport, cecum, 240,3:G424
  - transfer, intraluminal and contraluminal magnesium effects, nephron, 238,7:F187
  - transport
    - A23187 and, extracellular, pancreas, 238,1:G458
    - active, 230:441
    - adenine nucleotides and, heart mitochondria, 241,10:H672
    - adenosine triphosphatase, sarcoplasmic reticulum, hyperthyroidism, 235,4:H745
    - calcitonin and, nephron, 238,1:E573
    - calcium ATPase and, intestinal, in uremia, 238,1:G424
    - cecal and colonic, diabetes, 235,4:E699
    - cellular and paracellular, ileum, 235,4:E726
    - cyclic nucleotide agonists of cholecystokinin, 242,5:G161
    - dietary, calcium effects, colon, 238,1:G75
    - 1,25-dihydroxyvitamin D<sub>3</sub> effects, 240,3:G90
    - 1,25-dihydroxyvitamin D<sub>3</sub> effects, colon, 238,1:G75
    - distal convoluted tubule, 235,4:F492
    - distal nephron, 235,4:F367
    - duodenal and ileal, 231:865
    - duodenum, spontaneous hypertension, 241,4:G344
    - erythrocytes, hypertonic conditions, 237,6:C96
    - failing hearts due to calcium deficiency and overload, 231:1159
    - furosemide effects, nephron, 241,10:F340
    - guanosine monophosphate, cyclic and, salt gland (duck), 240,9:C207
    - Henle's loop, parathyroid hormone effect, 239,8:F121
    - hypophysectomy effects, duodenal, 232,1:E229
    - intestinal, aging and, 239,2:E322
    - intestinal, vitamin D<sub>3</sub> metabolites and, 233,2:E488
    - intestinal epithelial cells (chicken), 243,12:C116
    - manganese effects, pancreatic acini (guinea pig), 241,4:G359
    - medullary collecting duct, 239,8:F24
    - nephron, 237,6:F1, 242,11:F346
    - pancreatic acinar cells (amphibian), 235,4:E112
    - papillary collecting duct, 239,8:F92
    - parathyroid hormone effects, nephron, 236,5:F342
    - piretanide effects, proximal tubules, 238,7:F60
    - plasma membrane, myometrium, 239,8:C66
    - potassium-free perfusion, heart, 237,6:C1
    - proteinase pretreatment effects, sarcolemmal vesicles, cardiac, 243,12:C191
    - renal peritubular surface (teleost), 234,3:F522
    - saturable and nonsaturable components, duodenal, 240,3:G32
    - small intestine, lactation and, 239,2:E64
    - small intestine, vitamin D and, 239,2:G463
    - sodium and adenosine triphosphate effects, peritubular (teleost), 243,12:R34
    - somatostatin effects, intestinal, 241,4:G215
    - theophylline effects, pancreatic acini, 239,2:G324
    - thick ascending limb, kidney tubules, 241,10:F171
    - tubular cell plasma membrane, isolated, 237,6:F1
    - uremic ileum, 242,5:G128
    - vitamin D metabolism and, aging (quail), 241,4:E275
    - voltage dependence, thick ascending limb of Henle's loop, 236,5:F357
    - tubular handling, growth, 242,11:F705
    - ultrafiltration, hypercalcemia, 233,2:F201
    - uptake
      - adenosine effects, vascular smooth muscle, 242,11:H797
      - aortic microsomal, adenosine monophosphate, cyclic and, 234,3:H508
      - cultured heart cells, embryo (chick), 239,8:C197
      - mitochondria, skeletal muscle, cold acclimation, 234,3:C7
      - myocardial ischemia, 233,2:H677
      - myometrium plasma membrane, 242,11:C278
      - plasma membrane, myometrium, 239,8:C66
      - sarcoplasmic reticulum, 242,11:C242
      - subcellular fractions of human umbilical artery, 231:1074
      - thyroid hormone effects, muscle, 242,11:R401
      - water transportation (toad), 239,8:F154
      - uterus, comparison of laying and nonlaying birds, 232,1:E437
      - ventricular fibrillation, 235,4:H231
      - ventricular shortening, 230:419
      - voltage-dependent movement, cortical collecting duct, 242,11:F285
  - Calcium-45**
    - bone clearance, 236,5:H1
    - desaturation
      - kidney cells, kinetic analysis, 234,3:R29
      - kidney slices, flow-through chambers, 234,3:R34
    - efflux
      - aortic, lanthanum and reduced temperature effects, 234,3:C139
      - intestinal muscle, external ions and, 238,1:G520
      - pancreatic islets, glucose inhibition, 235,4:E191
      - incorporation, bone, 238,1:E200
      - influx, lacrimal gland, 239,2:G106
  - Calcium antagonists**
    - atrial action potential plateau, 233,2:H203
    - basilar artery, 241,10:H129
    - blood flow, myocardial ischemia, 239,8:H163
    - coronary vasoconstriction, 240,9:H493
    - diltiazem, mesenteric artery, 242,11:H325
    - lower esophageal sphincter (opossum), 238,1:G40
    - myocardial calcium paradox and, 237,6:H713
    - neurohumoral stimulation and, colonic smooth muscle, 243,6:G134
    - norepinephrine release, adrenergic nerves (guinea pig), 243,12:C237
    - prolactin release and, clonal pituitary cells, 243,6:E68
    - renin secretion inhibitors, renal (dog, pig), 240,9:F70
    - skeletal muscle and (frog), 242,11:C347
    - smooth muscle contraction and, arterial, 242,11:C25
  - Calcium-ATPase**
    - calcium transport and, intestinal, in uremia, 238,1:G424
    - intracellular activity, 232,1:C50
    - kinetics, sarcoplasmic reticulum, hyperthyroidism, 235,4:H745
    - phosphorylation, sarcoplasmic reticulum, hyperthyroidism, 234,3:H426
    - transcellular transport, small intestine epithelium, 240,3:G409
  - Calcium bicarbonate**, calcification, pancreatic, 241,4:G182
  - Calcium-binding protein**: see Protein
  - Calcium-calcium exchange**, glucose-induced, pancreatic islets, 238,1:E96
  - Calcium carbonate**, calcification, pancreatic, 241,4:G182
  - Calcium chloride**, Goldblatt hypertension, veins and arteries, 241,10:H525
  - Calcium clamp**, hypocalcemia effect, parathyroid hormone secretion, 240,3:E649
  - Calcium-homeostatic system**, transient response, bolus calcium injections, awake state (pig), 243,12:R125
  - Calcium ion antagonists**
    - ischemic myocardium, 239,8:H658
    - pancreatic acinar cells, 240,3:G281
  - Calcium ionophores**: see Ionophores

**Calcium ions**

- absorption, renal, bicarbonate excretion and, 238,7:F394
- action potentials, arterial smooth muscle, 237,6:C75
- activation, potassium ion conductance, smooth muscle cells, stomach (toad), 239,8:C182
- activator, vascular heterogeneity, smooth muscle, 243,12:H553
- actomyosin adenosine triphosphatase sensitivity, regulation (chicken gizzard), 237,6:C213
- antagonism, energy metabolism, 238,7:H909
- atrial action potential plateau, 233,2:H203
- binding
  - sarcolemmal, myocardial contractility and, 238,7:H373
  - sarcolemmal uncoupling cation effects, neonatal, 237,6:H332
- blood pressure regulation, 232,1:C165
- calcification, pancreatic, 241,4:G182
- catecholamine actions and,  $\alpha$ -adrenergic mechanisms, liver and other tissues, 238,1:E3
- cerebrospinal fluid concentration, exercise, 230:1416
- channel blockers, endotoxin shock, cardiac, 240,9:H954
- concentration, plasma, hypertension, 243,12:H365
- cycling energetics, deuterium oxide effects, skeletal muscle (frog), 239,8:C105
- cystolic activity, collecting tubules, 243,12:F503
- cytosolic, ionophore A23187 effects, pancreas, 243,12:C196
- cytosolic activity, proximal convoluted kidney tubules, 240,9:F558
- digoxin-norepinephrine response, vascular smooth muscle, 236,5:H613
- efflux
  - depolarized uterus, 236,5:C171
  - diabetes, 239,2:E132
  - resting and contracting skeletal muscle, muscle length effects, 231:555
- exchange
  - acetylcholinesterase effects, myocardial, newborn, 241,10:H637
  - mobilization, blood platelets, 241,10:H613
  - reoxxygenation and, hypoxia, myocardium, 242,11:H437
  - slow, potassium-depolarized heart, 241,10:H187
- exercise, heavy, sitting and supine, 236,5:R206
- flux
  - dantrolene inhibition of, 243,6:E59
  - pancreatic acinar cells, 238,1:G332, 239,2:G6335
  - secretagogue-induced, lanthanum effects, pancreatic acinar cells, 240,3:G281
- flux inhibitors, gonadotropin-releasing hormones, pituitary, 240,3:E504
- hydrogen ion secretion, gastric mucosa (frog), 236,5:E784
- hypercalcemia, 232,1:F490
- influx
  - control of renin secretion, renal (dog, pig), 240,9:F70
  - microvibration, smooth muscle, ureteral and portal, 236,5:C192
  - pancreatic  $\beta$ -cell, 242,5:E59
- inotropism, atrial myocardium, 237,6:H318
- insulin release, diabetes, 239,2:E132
- intracellular activity, stimulation in Purkinje strands (sheep), 243,12:H133
- intracellular regulation
  - ionophore A23187 effects, pancreas, 243,12:C196

- myometrium, 232,1:C50
- length-tension relations, volume overload heart failure, 235,4:H690
- metabolism, resting and contracting skeletal muscle, 231:555
- mobilization, norepinephrine and methylxanthines, smooth muscle, 240,9:C239
- myocytes, metabolism, heart, 240,9:H659
- myosin light chain phosphorylation and, smooth muscle (swine), 242,11:C109
- neutral protease, immunofluorescence, muscle (hamster), 240,3:E493
- paradox, barium effects, 242,11:H203
- parathyroid hormone receptor-adenylate cyclase system regulation, kidney, 242,11:F457
- permeability, sarcoplasmic reticulum in hyperthyroidism, 235,4:H745
- plasma, cardiac hemodilution, 235,4:H767
- plasma dense granule constituent, species differences, 243,12:R454
- pools, stimulus-secretion coupling, pancreatic acinar cells, 239,2:G335
- potassium ion conductance, pancreatic  $\beta$ -cells, 237,6:C137
- receptors: *see* Receptors
- release
  - pH and, skeletal muscle (frog), 234,3:C110
  - prostaglandin  $H_2$  analogue U-44069 and, aorta, 241,10:C243
- rubidium-86 efflux, pancreatic islets, 236,5:E139
- secretagogue stimulation, gastric glands, 239,2:G90
- secretion, electrically induced, ileal, 239,2:G18
- sensitivity, actomyosin, coronary occlusion, 240,9:H704
- sodium ion channel and, intestinal epithelial cells (chicken), 243,12:C116
- sodium ions and, interaction, adenosine monophosphate, cyclic levels, uterus, 237,7:C257
- subcellular distribution, pancreatic acini, 240,3:G130
- tone and contraction, lower esophageal sphincter (opossum), 237,6:E163
- transport, sarcoplasmic reticulum, hyperthyroidism, 234,3:H426
- trigger pool
  - exocrine pancreas, 238,1:G332
  - lanthanum effects, pancreatic acinar cells, 240,3:G281
- uptake
  - depolarized uterus, 236,5:C171
  - epinephrine, blood platelets, 239,8:H483
  - potassium-stimulated, islet subcellular particles, 240,9:C35
  - uptake system, pancreatic microsomes, 240,3:G122
  - utilization, contractile events, smooth muscle, 243,12:C133
- Calcium-magnesium**, interaction, myocardial, 237,6:H413
- Calcium-magnesium-ATPase**
  - endotoxin-induced myocardial failure, 235,4:H150
  - high-affinity, nephron, 242,11:F346
- Calcium oxalate**, crystal growth inhibitors, urine, 233,2:F455
- Calcium-phosphorus balance**, phosphorus depletion, 236,5:R451
- Calcium-sodium exchange**, smooth muscle relaxation, 232,1:C59
- Calcium-sodium interactions**, gastrointestinal muscles, 233,2:C19
- Calf**, blood flow, admittance plethysmography (human), 235,4:H821
- Calmodulin**, absorption and secretion, chloroquine effects, ileum, 243,6:G117
- Caloric ingestion**: *see* Feeding

**Calorie**

- regulation, gastric emptying (monkey), 236,5:R254
- restriction
  - chondrosarcoma growth and, insulin effects, 241,4:E129
  - protein synthesis, 230:1321
- Calorigenesis**
  - glucagon effects (pigeon), 232,1:E451
  - thyroxine, brown fat mitochondria, 241,10:C134
- Calorigenic effect**, 230:1126
- Calorimetry**
  - biogenic amines, during arousal (ground squirrel), 236,5:R162
  - gradient layer
    - estradiol effects, 243,12:R70
    - estrogen and, 238,7:R400
  - indirect
    - adrenergic blockade, awake state, 241,4:E385
    - thermoregulatory response to 2-deoxy-D-glucose, 239,8:R291
  - liver, 237,6:R334
  - on-line, interventricular septum (rabbit), 243,12:H289
- Calvaria**
  - amrinone effects, parathyroid hormone interactions, 243,6:E499
  - cell isolation, enzymatic, 240,9:C234
  - lactate production, embryo (chick, newborn rat), 234,3:C41, C51
- Campesterol**, uptake and esterification, small intestine, 240,3:G50
- cAMP**: *see* Adenosine monophosphate, cyclic
- Canaliculus**
  - cholestasis effects, hepatocytes, 243,6:G253
  - transport, protoporphyrin, cholera effects, liver, 242,5:G347
- Cancer**
  - estrogen-treated, copper absorption, 236,5:E309
  - hyperthermic therapy, hemodynamic and plasma catecholamine responses, 237,6:H570
- Cannula**
  - chronic, for obtaining cerebrospinal fluid from cisterna magna, 236,5:R13
  - metal, cardiac relaxation indices, 240,9:H669
  - push-pull, evaluation of brain site perfusion, 236,5:R48
- Cannulation**
  - intracaval, hepatic venous blood samples, 235,4:H262
  - left ventricular, microsphere estimation of renal blood flow, 238,7:H736
  - transjugular hepatic, nonisotopic in vivo verification, 237,6:H730
  - vascular, chronic, unrestrained rat, 238,7:H599
- Canrenone**, sodium-potassium-ATPase, induction, proximal tubular cells, 241,10:F356
- Cantilever transducers**: *see* Transducer
- Capacitance**
  - abdominal vascular, reflex from aortic baroreceptors, 235,4:H488
  - aortic arch, hindlimb vein, 242,11:H1050
  - compensation network microelectrode recording: *see* Microelectrodes
  - hepatic
    - active responses, neural and humoral stimuli, 242,11:H1000
    - venous pressure responses, 240,9:H18
  - internal, right ventricle outflow and, 243,12:H99
  - invaginated membrane (crayfish), 235,4:C221
  - splanchnic, blood reservoir function, 232,1:H67
  - vascular
    - abdominal, responses to splanchnic stimulation, 231:434



- intestinal, using mean transit time of indicator, 234,3:H7  
 measurement, 234,3:H94  
 vascular resistance and, hypothermia, skin and skeletal muscle, 240,9:H868
- Capacitance vasculature**, left atrial pressure elevation, reflex effects of, 241,10:H760
- Capacitance vessels**  
 $\beta$ -adrenergic dilator effects, skeletal muscle, 243,12:H819  
 hemorrhagic shock, hyperosmotic sodium chloride and, 239,8:H664  
 venous  
   norepinephrine and tetrodotoxin, spontaneous hypertension, 240,9:H837  
   spontaneous hypertension, 243,12:C101
- Capacitation**, acrosin, spermatozoal, 237,6:E40
- Capacity**  
 capillary exchange, intestinal, 242,5:G570  
 membrane, hypertrophied myocardium, 243,12:H917  
 vascular, tissue volume, monitoring device, 242,11:H698  
 work, muscle, dietary iron effects, 242,5:E418
- Capillaries**  
 blood flow: *see* Blood flow  
 colloid osmotic pressure, isogravimetric hindlimb, 242,11:H512  
 contracting muscle, 235,4:H494  
 control, rest and exercise, red muscle, 243,12:H196  
 control site, heart, 235,4:H321  
 coronary, recruitment, 233,2:H276  
 density, 238,7:H31  
 cold acclimatization, skeletal muscle, 241,10:R357  
 hypertension, 241,10:H306  
 hypoxia, 234,3:E248  
 oxygen exchange, muscle, 240,9:H199  
 spontaneous hypertension, 243,12:H243  
 timed plasma staining, myocardium, 242,11:H133  
 diphosphate extraction and clearance, bone, 232,1:H341  
 exchange  
    $\beta$ -adrenergic dilator effects, skeletal muscle, 243,12:H819  
   extravascular protein and, 234,3:H52  
   exchange capacity, vasoactive agent effects, 243,6:G1  
 fenestrated  
   intestinal, 238,7:H457  
   permeability, intestinal, 241,4:G24  
 filtration  
   macromolecules, small intestine, 241,4:G31  
   strain gauge measurement, 232,1:H354, H361  
 filtration coefficient: *see* Filtration coefficient  
 filtration rate, autoregulation of, intestinal, 243,6:G475  
 fluid exchange  
   ileal, 235,4:E429  
   intestinal, adenosine effects, 235,4:H707  
 glomerular, protein, angiotensin II effects, 233,2:F13  
 growth, long-term stimulated muscle, 243,12:H530  
 hepatic, fluid exchange, in ascites, 233,2:H185  
 hydraulic conductivities, muscle (chicken), 243,12:H491  
 hydraulic pressure, glomerular plasma protein and, 232,1:F58  
 intercapillary distances, heart, frequency analysis, 235,4:H321  
 interstitial fluid exchange (bat wing), 232,1:H297  
 intestinal, oxygen uptake during sympathetic stimulation and partial arterial occlusion, 236,5:H731  
 membrane, temperature effects, 240,9:H29  
 microperfusion  
   temperature effects, 240,9:H29  
   tubuloglomerular feedback, 236,5:F97  
 myocardial, fractional shunt flow, 233,2:H276  
 nailfold, blood pressure fluctuations, 236,5:H888  
 network geometry, red cell distribution, cremaster muscle (hamster), 242,11:H211  
 oncotic pressure, equilibrium, 241,10:F196  
 open  
   permeability: *see* Permeability  
   pressure: *see* Pressure  
   density, intracoronary adenosine and, 241,10:H194  
   peritubular, renal interstitium, 241,10:F105  
   recruitment, maturation, striated muscle (hamster), 241,10:H317  
 osmotic flow, heart, 240,9:H448  
 osmotic reflection coefficient: *see* Osmotic reflection coefficient  
 particles, mean flow, 235,4:H251  
 peritubular  
   carbon dioxide tension, kidney, 242,11:F78  
   fluid uptake, 235,4:F142  
   pressures and reabsorption, saline expansion effects, 240,9:F106  
   proximal tubule reabsorption, 236,5:F478  
 permeability: *see* Permeability  
 plasma protein concentration, glomerular, 232,1:F58  
 pressure: *see* Pressure  
 reactive hyperemia, skeletal muscle (chicken), 232,1:H411  
 recruitment  
   blood flow, 238,7:H31  
   heart, 235,4:H321  
   oxygen regulation, intestinal, 242,5:G435  
 red cell velocity, striated muscle, resting and contracting, 237,6:H481  
 reflection coefficient, colonic, 239,2:G300  
 reserve  
   exercise, 238,7:H31  
   oxygen exchange, muscle, 240,9:H199  
 right ventricular hypertrophy, exercise effects, 243,12:H856  
 sartorius muscle, reactive hyperemia in, 230:715  
 single  
   fluid exchange across, intestinal muscle, 242,11:H268  
   temperature effects on hydraulic conductivity, 240,9:H29  
 skeletal muscle  
   anastomoses, estimated transit time, 233,2:H122  
   density, 233,2:C14  
   in untrained and endurance-trained men, 232,1:H705  
   reactive hyperemia, 233,2:H289  
   reactive hyperemia, arterial pressure effects, 234,3:H352  
   spontaneous hypertension and, cremaster muscle, 242,11:H381  
   Starling forces, forelimb, 233,2:H136  
   surface area, 230:797, 233,2:H141  
   nutritional and nonnutritional circuits, hindpaw, 234,3:H384  
   transcapillary exchange, myocardial, dopamine analogue effects, 235,4:H118  
 transit times  
   exercise, 238,7:H31  
   frequency analysis, muscle, 240,9:H199  
   oxygen exchange, muscle, 240,9:H199  
 velocity: *see* Velocity  
 water balance, 230:1121  
 whole-body transport parameters, osmotic transit data, 242,11:R227
- Capillarity**  
 blood flow and, transplanted skeletal muscle, 241,10:H630  
 oxygenation and, intestinal, 243,6:G91
- Capillarization**, stretch-induced growth, wing muscle (chicken), 238,7:C62
- Capillary filtration coefficient**: *see* Filtration coefficient
- Capillary-leak syndrome**, alveolar hypoxia, 241,10:H732
- Capillary membrane**, pulmonary, filtration coefficient, 234,3:H266
- Capillary-myocardial exchange**, coronary flow reduction, effects, 234,3:H679
- Capillary tube chamber**, platelet chemotaxis, 235,4:H23
- Caproic acid**, intestinal hyperemia, postprandial, 238,1:G284
- Caprylic acid**, octanoate metabolism, perfused kidney, 237,6:F210
- Capsaicin**  
 injection  
   cardiovascular depression and, liver, 242,11:H955  
   reflex cardiovascular response, skeletal muscle, 240,9:H315  
   tracheal smooth muscle relaxation, thin-fiber muscle afferents, 243,12:R383
- Capsule**, subcutaneous, long-term studies, 241,10:F687
- Captopril**  
 blood flow and, salivary glands, kinin effects, 242,11:H1010  
 drinking, 242,11:R136  
 caval ligation-induced, 243,12:R558  
 endotoxic shock, cerebellum pressor effects, 240,9:H368  
 renal blood flow and, 243,12:H277  
 renal response to, indomethacin pretreatment, awake state, 243,12:F543
- Carbachol**  
 adenylate cyclase activity, 232,1:E35  
 aminoisobutyric acid uptake, parotid gland, 239,2:G183  
 amylase release  
   pancreatic acini, 236,5:E571, E754  
   parotid gland, 236,5:C233  
 arachidonic acid metabolism and, pancreatic acini, 242,5:G493  
 bicarbonate secretion, gastric, 234,3:E535  
 calcium uptake  
   lacrimal cells, 239,2:G99  
   protein secretion and, lacrimal gland, 230:99  
 electrolyte transport, esophageal (rabbit, opossum), 239,2:G5  
 intestinal nucleotide cyclases and, 235,4:E539  
 intracerebroventricular, free fatty acid mobilization and, 242,5:E248  
 isolated epithelial cells, bladder (toad), 238,7:F140  
 manganese effects, amylase release, pancreatic acini (guinea pig), 241,4:G359  
 oxyntic cell adenosine monophosphate, cyclic and hydrochloric acid, gastric mucosa (bullfrog), 235,4:E140  
 smooth muscle cell contraction, suspension (frog), 232,1:C138  
 sodium uptake, lacrimal cells, 239,2:G99  
 stimulus-secretion coupling, exocrine pancreas, 240,3:G199  
 water transportation (toad), 239,8:F154
- Carbamylcholine**  
 acetylcholine receptors and, myasthenia gravis, 243,6:E31  
 contraction and, smooth muscle cells (guinea pig), 243,6:G497  
 enzyme secretion

**Carbon dioxide (continued)**

- cholecystokinin-induced, pancreatic acini, 240,3:G459
- pancreatic acini, 238,1:G213, 239,2:G272
- fasting and refeeding effects, exocrine pancreas, 242,5:G215
- insulin release, pancreatic islets, 235,4:E493
- pancreatic acinar cells, PHI effects (guinea pig), 241,4:G498
- pancreatic enzyme secretion, cholecystokinin effects, 242,5:G464
- postreceptor modulation, peptide and secretin, 242,5:G423
- secretory mechanisms, pancreatic, development, 236,5:E446
- smooth muscle cell response (frog), 232,1:C144
- sodium transport, bladder (toad), 235,4:F586
- theophylline effects, pancreatic acini, 239,2:G324

**Carbohydrates**

- cerebral metabolism and, hypoglycemia, newborn, 240,9:R192
- consumption
  - hypoxemia, fetus (sheep), 242,11:H657
  - myocardial, in utero (fetal and adult sheep), 238,7:H399
- dietary
  - apoprotein B and triglyceride production, very-low-density lipoprotein, 239,2:E354
  - circulating ergostatic factor, 239,8:R344
  - gastrocolonic response, 238,1:G228
  - digestion, 237,6:R139
  - epinephrine effects, running, 240,3:E526
  - gastric emptying, 239,2:G1
  - gluconeogenesis, hepatic, 230:163
  - hepatic-portal infusion, 232,1:E119
  - hyperemia and, intestinal, 242,5:G27
  - induction of suppression of feeding, 231:1655
  - intake, adipocyte hyperplasia and, 242,11:R349
  - intolerance, parathyroid hormone and, 239,8:F1
  - maleate, effect on metabolism, 230:1163
  - metabolism, 230:1090
  - adaptation, 237,6:R139
  - adipectomy effects, 231:1090
  - colonic, 241,4:G397
  - fetal, hypoxemia in utero, 243,12:H959
  - gluconeogenesis measurement, newborn, 240,3:E615
  - glucose oscillations and, 238,1:E395
  - heart, newborn (pig), 241,4:E364
  - insulin sensitivity estimation, 236,5:E667
  - spontaneous diabetes, liver, 240,3:E83
  - sympathetic and thyroid influences, metabolic rate, 243,12:R339
  - time-dependent insulin effects, liver, 236,5:E246
  - vascularly isolated pancreas, 236,5:E626
- Carbohydrate-to-fat ratio**, glucose metabolism, adipose cells, 240,3:E175

**Carbon**

- colloid, regional myocardial ischemia, 236,5:H340
- fatty acid, lipid synthesis, lung, 240,3:E435
- gluconeogenic, kinetic model, 239,2:E30, E39
- glutamine: see Glutamine carbon
- recycling, 230:1159, 232,1:R66
- transfer, pancreatotomy and, 239,2:E39

**Carbon dioxide**

- acid secretion, gastric mucosa and, 231:1240
- altered, microvascular response, 231:244
- arterial, cerebral blood flow response (duck), 232,1:H596

- bicarbonate and fluid transport, proximal tubules, 240,9:F54
- carbohydrate transport, jejunal, 232,1:E62
- cardiovascular response, hypoxia, 239,8:H545
- carotid body chemoreceptor response to, oligomycin effects, 242,11:C200
- cerebral vascular response, neonatal, 234,3:R209
- concentration
  - expired air, artificial ventilation experiments, 236,5:R126
  - total, parathyroid hormone effects, proximal tubules, 236,5:F387
- content, total, tubular bicarbonate transport and, 233,2:F307
- control, mathematical model, 235,4:R265
- coronary dilator actions of, experimental diabetes (lamb), 243,12:H252
- delivery, acetazolamide effects, kidney, 243,12:F74
- diffusion, oxyntic mucosa, 243,6:G336
- equilibrium, renal tissue, 239,8:F307
- expired, in measurement of leucine metabolism, 238,1:E473
- fixation, pyruvate metabolism, liver mitochondria, 236,5:E501
- flux
  - facilitated, proximal tubule, 240,9:F231
  - voltage-clamped bladder epithelia, mass spectrometry (toad), 236,5:F413
- fraction, timing changes, ventilatory period and (chicken), 237,6:R260
- gradient, distal deranged urinary acidification, 239,8:F15
- hydrogen ion response, bladder, 231:565
- inotropy, myocardial, water and air breathers (trout, turtle), 234,3:R155
- inspired, Grodin's respiratory model, 233,2:R66
- intramural tension, myocardial ischemia, 240,9:H855
- intrapulmonary chemoreceptor dynamic responses (avian), 233,2:R15
- load, endogenous, neurohumoral ventilatory control, 238,7:R28
- metabolic rates and, group effect, 241,10:R264
- myocardial
  - atrial pacing, 232,1:H49
  - buffering, 230:1037
  - myogenesis and (chicken), 237,6:C166
  - permeability: see Permeability
- phosphate transport, bladder (turtle), 238,7:F31
- pH transients, muscle fibers (barnacle), 233,2:C61
- pial arteriolar response, prostaglandins and, 238,7:H226
- pressure
  - acidosis, myocardial, 236,5:H525
  - antidiuretic hormone-induced water retention, 234,3:F291
  - arterial, normal variations, effects on plasma bicarbonate, 236,5:F30
  - bicarbonate and fluid transport, proximal tubules, 240,9:F54
  - extracellular measurements, 236,5:H29
  - hydrogen ion secretion determinant, bladder (turtle), 233,2:F145
  - intramural, as index of severity of myocardial ischemic injury, 237,6:H253
  - microelectrodes, permeability, proximal convoluted tubule, 242,11:F470
  - myocardial measurements with microelectrodes, 236,5:H29
  - pial arterioles, in hypercapnia, 238,7:H697
  - rate of formation of cerebrospinal fluid, 231:127
  - venous, evaluation of regional myocardial

- dial perfusion and ischemia, 236,5:H385
- production
  - doubly labeled water errors, 238,7:R466
  - kidney, 240,9:F343
  - locomotory energetics (lizard), 241,10:R342
  - lung, 230:291
  - paraquat-perfused lung, 234,3:E653
  - reabsorption, total, proximal tubule, 236,5:F58
  - release, radiochemical determination, myocardium, 234,3:H399
  - retention, renin secretion, 234,3:H573
  - skeletal myotube suppression, reversible (chicken), 237,6:C166
- tension
  - blood flow, brain (duck), 232,1:H596
  - cerebral blood flow and, fetal, newborn and adult (sheep), 242,11:H862
  - cerebral cortex, metabolic depression (baboon), 234,3:H74
  - intra gastric, bicarbonate secretion and, 234,3:E535
  - lung model, 241,4:E47
  - portal blood, hepatic circulatory autoregulation, 233,2:E255
  - proximal tubules, 242,11:F78
  - sodium bicarbonate and sodium chloride reabsorption, coupling, renal, 236,5:F232
  - systemic hypoxia, muscle microcirculation, 240,9:H746
  - urine-blood, distal, 243,12:F364
  - urine-blood gradient, in respiratory alkalosis, 235,4:F203
  - venous efflux of prostaglandins and, 242,11:F38
- time-varying signal, model, 235,4:R265
- total
  - bicarbonate reabsorption, proximal tubule, 237,6:F447
  - carbonic anhydrase and, in proximal acidification, 238,7:F372
  - collecting tubules, 234,3:F141
  - parathyroid hormone and, proximal convoluted tubules, 239,8:F127
- transport
  - proximal straight tubule, urinary acidification and, 232,1:F20
  - screen oxygenator for small animals, 237,6:H269
- Carbon fuels**, contributions to oxidative metabolism, fetal, 233,2:E457
- Carbonic anhydrase**
  - acid-base regulation, gill (fish), 238,7:R240
  - acid buffering, extrarenal, 239,8:F533
  - acidification, proximal tubule, 238,7:F372
  - activity, urinary epithelia, hydrogen ion transport and, 235,4:F77
  - ammoniogenesis, renal, 234,3:F235
  - bicarbonate absorption, collecting tubules, 234,3:F141
  - bicarbonate reabsorption
    - proximal tubule, 236,5:F58, 237,6:F447
    - renal insufficiency, 234,3:F472
  - carbon dioxide permeability, kidney tubules, 240,9:F231
  - cells, specialized function, urinary bladder (turtle), 242,11:F627
  - chemoreceptor response and, carotid body, 242,11:C200
  - chloride gradient and, proximal tubule, 237,6:F473
  - cochlear potentials, generation, 235,4:F317
  - comparative properties (tobacco hornworm), 241,10:R92
  - equilibrium, renal tissue, 239,8:F307
  - histochemistry, renal, 243,12:F311
  - inhibition
    - acetazolamide, papillary collecting duct, 243,12:F74

- acid excretion, kidney, 240,9:F306  
 bicarbonate and fluid transport, proximal tubules, 240,9:F54  
 hydrogen ion current responses, bladder, 231:565  
 metabolic acidosis, proximal tubules, 242,11:F499  
 proximal convoluted tubules, 240,9:F459  
 proximal reabsorption and, 242,11:F274  
 maleate-induced bicarbonaturia and, 231:1010  
 measurement, electrometric method, 241,10:R92  
 pH disequilibrium, renal, 240,9:F138  
 phosphaturic effect of furosemide, 232,1:F105  
 salt transport, gill (fish), 238,7:R240  
 sites, gastric mucosa (quail), 241,4:G382  
 teleost fish, 232,1:F278  
 uterus (laying and nonlaying bird), 232,1:E437  
 volume expansion, 232,1:F484  
**Carbonic anhydrase inhibitors**  
 bicarbonate transport and, kidney tubules, 242,11:F532  
 hydrogen ion transport, bladder (turtle), 240,9:F400  
 physiological studies, 232,1:F291  
**Carbon monoxide**  
 blood flow, intestinal villus, 230:916  
 cardiomegaly, regression, 235,4:H516  
 circulatory response and, cerebral (lamb), 243,12:H27  
 diffusing capacity, placental (lamb), 239,8:R115  
 equilibrium between oxygen and hemoglobin, 230:471  
 exchange, placental, 232,1:H311  
 exposure effects, postnatal, 243,12:H328  
 hypoxia, baroreceptor and chemoreceptor denervation, 241,10:H724  
 insensitivity, gastric acid secretion (frog), 238,7:G197  
 metabolism, lung, 230:658  
 redox state, lung, 230:1198  
 uptake, fetal and maternal (sheep), 232,1:H324  
**Carbon tetrachloride**, experimental liver injury, insulin and glucagon after, 241,4:E428  
**Carboxyhemoglobin**  
 carbon monoxide-induced cardiomegaly, 235,4:H516  
 fetal and maternal (sheep), 232,1:H324  
**Carboxyvinulin**, biliary clearance rates, 235,4:E570  
**Carboxykinase**, proximal tubules, 241,10:F403  
**Carboxylic acid**  
 transport, 230:94  
 brush border membrane vesicles, renal, 243,12:F456  
**Carboxy-terminal fragments**, parathyroid hormone, 239,8:F1  
**Carcinogens**, glutathione S-transferases and, 239,2:G439  
**Carcinoma**, steroid hormone receptors and, breast, 243,6:E99  
**Cardiac arrest**: see Heart  
**Cardiac arrhythmias**: see Arrhythmias, cardiac  
**Cardiac automaticity**, hierarchy, sinoatrial node artery distribution and, 241,10:H45  
**Cardiac cells**: see also Heart cells, Muscle cells, Myocytes  
 calcium ion tolerant, exogenous substrate utilization, 240,9:H659  
 calcium-tolerant, anoxia/acidosis effects, 243,12:H448  
 cultured, cation exchange and glycoside binding, 236,5:C87  
 dissociated, calcium transport, contractile activity and, 237,6:C147  
 embryonic, potassium permeability (avian), 236,5:C163  
 enzymatically isolated, sarcomere motion, 236,5:C70  
 extracellular calcium removal and anoxia effects, 243,12:C184  
 right ventricular hypertrophy, exercise effects, 243,12:H856  
 sarcomere length and, direct measurement, 242,11:H68  
 single, relaxation, load dependence (frog, cat, rat), 237,6:H455  
 size, resultant dipole moment, hypertension, 241,10:H541  
 skinned, signal averager, 242,11:H291  
 tissue-cultured, uncoupling cation effects, neonatal, 237,6:H332  
**Cardiac conduction**: see Conduction  
**Cardiac cycle**  
 epicardium deformation measurement, 239,8:H432  
 negative dp/dt, end of systole and, 240,9:H676  
**Cardiac death**  
 sudden ventricular electrical stability, 234,3:H503  
 ventricular fibrillation threshold, 234,3:H592  
**Cardiac denervation**: see Heart  
**Cardiac depression**, endotoxic shock, 240,9:H954  
**Cardiac fibers**: see also Muscle fibers; Purkinje fibers  
 electric current, generation by sodium-calcium exchange, 236,5:C103  
**Cardiac function**: see Heart  
**Cardiac glycosides**: see Glycosides  
**Cardiac membrane**, physiology, quantitative ultrastructural analysis, 235,4:C147  
**Cardiac muscle**: see Muscle, heart  
**Cardiac nerves**  
 afferent, hypertensive chemoreflex, 235,4:H345  
 atrioventricular junctional rhythm, 235,4:H308  
 cardiogenic hypertensive chemoreflex, 238,7:H61  
 cardiovascular regulation, 232,1:H157  
 efferent, hypertensive chemoreflex, 235,4:H345  
 inferior, activity during mesenteric artery occlusion, 236,5:H286  
 parasympathetic innervation, choline acetyltransferase activity, 235,4:H367  
 plasma catecholamines, exercise, 241,10:H243  
 reinnervation, norepinephrine uptake, 235,4:H289  
 stimulation, cardiac responses to, 243,12:H219  
 sympathetic: see also Sympathetic nerves  
 hypoxic tachycardia, 240,9:H874  
 reflex effects of hepatic baroreceptors, 238,7:R390  
 thoracic stimulation, myocardial responses, 232,1:H485  
 ventral root mapping, with evoked potentials, 232,1:H590  
 ventromedial and ventrolateral, arrhythmias, 233,2:H535  
**Cardiac output**  
 activity (crayfish), 240,9:R99  
 airway pressure increases, effects, 232,1:H35  
 anesthesia  
 response to hemorrhage and, 243,12:H713  
 spontaneously hypertensive and Wistar-Kyoto rats, 238,7:H539  
 angiotensin and  $\alpha$ -adrenergic blockade, 235,4:F199  
 angiotensin II, central infusion, and sodium depletion, 237,6:H131  
 angiotensin II antagonism, hypertension, 233,2:H514  
 aortic occlusion and, 243,12:R152  
 arterial baroreceptors, 230:85  
 biventricular hypertrophy, normotensive, 236,5:H640  
 blood volume expansion, 234,3:H21  
 burn shock, 232,1:E415  
 cardiopulmonary resuscitation and, 241,10:H442  
 cardiorespiratory changes, shock, 241,10:H864  
 central shunt, fetal (lamb), 241,10:H60  
 circadian behavior, radiotelemetry, 236,5:R231  
 continuous positive-pressure effects, ventricular, 240,9:H821  
 control  
 atrioventricular block and, awake state, 242,11:H118  
 during blood volume changes, fetal (sheep), 238,7:H80  
 coronary blood flow determinations, microspheres, 242,11:H94  
 coronary occlusion, exercise, 237,6:H520  
 depressed carotid sinus reflex, newborn, 237,6:H40  
 digestion, gut, awake state, newborn (lamb), 241,4:G289  
 distribution, during isometric exercise, 236,5:H218  
 dye-dilution, without blood withdrawal, 235,4:H258  
 endotoxic shock, 236,5:H291  
 endotoxin challenge and (rooster), 241,10:R67  
 exercise  
 shock avoidance and, 236,5:H225  
 spontaneously hypertensive rat, 235,4:H193  
 failure, converting enzyme inhibitor SQ 14225, 236,5:F541  
 flowmeter, electromagnetic, automatic zeroing circuit for aortic flow signals, 232,1:H542  
 Frank-Starling relations and, 231:495  
 Goldblatt hypertension, volume-depleted, 237,6:H18  
 graded activity (lizard), 239,8:R174  
 growth, neonatal (sheep), 234,3:H520  
 hematocrit variations, effects, 233,2:H106  
 hemorrhage, 238,7:H360, 239,8:H326 (chicken), 240,9:H9  
 hemorrhagic hypotension (goat), 232,1:H368  
 hemorrhagic shock, 239,8:H664  
 histamine effects, 232,1:H73  
 hyperosmotic sodium chloride and, hemorrhagic shock, 241,10:H883  
 hypertension, 232,1:H639  
 spontaneous and renal, comparison, 236,5:H403  
 hyperthyroidism, fetal, 239,8:H302  
 hypertonic sodium chloride infusion, 235,4:H18  
 hypothermia, 235,4:H136  
 hypoxemia, spontaneous hypertension, 234,3:H275  
 hypoxia  
 baboon, 232,1:H79  
 carbon dioxide effects, 239,8:H545  
 carbon monoxide hypoxia and, 236,5:H22  
 indicator-dilution curves, 233,2:H350  
 influence of Frank-Starling relations, fetal, 231:495  
 ischemia and exercise, 234,3:H157  
 isovolumic pressure fall, 235,4:H701  
 measurement, by impedance cardiography, 237,6:H491  
 microsphere effects, 233,2:H617  
 micturition, 237,6:H213  
 nephrectomy effects, kidney function, 242,11:F181  
 nitroglycerin effects, heart failure, awake state, 243,12:H974  
 noninvasive estimation, 239,8:R390  
 noninvasive measurement, 237,6:H491

**Cardiac output (continued)**

- norepinephrine and, fetal (lamb), 239,8:R115
  - organ weights (shrew), 236,5:R221
  - oxygen affinity, red cells (baboon), 232,1:H79
  - oxygen delivery (lamb), 237,6:H668
  - pentobarbital effects, hemorrhage and hypotension, 236,5:H607
  - phase plane analysis, dye-dilution curves, 236,5:H796
  - positive end-expiratory pressure
    - negative inotropism, 241,10:H783
    - ventricular dimensions, 242,11:H549
  - pregnancy (sheep), 232,1:H231
  - pressure overload, 230:199
  - rate coherence, 243,12:H501
  - reference sample microsphere method, 239,8:H443
  - reflexes, atrial vs. pulmonary stretch, 242,11:H1065
  - regulation, during rapid volume loading, 237,6:R197
  - repeated blood sampling, 239,8:H805
  - salt-induced hypertension, 236,5:R40
  - salt-loading hypertension, 240,9:H361
  - sinoatrial reflexes, defense behaviors, 240,9:H421
  - sodium depletion, hypertension, 233,2:H514
  - stenosis, renal artery, 240,9:H2
  - thermodilution measurement, fetal (lamb), 239,8:H125
  - vagal afferent effects, sodium depletion, 241,10:H255
  - vanadate, 239,8:H47
  - vasopressin infusion, dehydration and, awake state, 243,12:H663
  - volume load, maintained, 235,4:H670
  - water retention effects, 243,12:H934
- Cardiac rhythm:** see Rhythm
- Cardiac slow channels,** activation, low-calcium solutions (frog), 242,11:H827
- Cardiac tamponade,** acute, renal function, 234,3:F117
- Cardiac vein**
  - anterior, oxygen metabolism, open chest, 243,12:H761
  - drainage, quantitation, 234,3:H163
- Cardiac vein, great,** evaluation of regional myocardial perfusion and ischemia, 236,5:H385
- Cardiac work:** see Heart
- Cardia:** see Stomach
- Cardioacceleration,** volume loading, 237,6:R197
- Cardioacceleratory reflex:** see Reflexes
- Cardioactive steroids,** giant axon (squid), 235,4:C55, C63
- Cardiocardiac reflexes:** see Reflexes
- Cardiodepressant substance,** shock-induced, circulating, isolation, 237,6:H168
- Cardiogenic shock**
  - coronary occlusion, hydrogen peroxide effects, 234,3:H28
  - cysteine, 235,4:H657
- Cardiogram,** impedance, measurement from esophageal probe, 236,5:R168
- Cardiography**
  - impedance
    - cardiac output measurement, 237,6:H491
    - coronary heart disease, 233,2:H694
  - Cardio-Green, cardiac output, without blood withdrawal, 235,4:H258
- Cardioinhibitory neurons,** vagal, distribution, medulla, 238,7:R57
- Cardioinhibitory reflex:** see Reflexes
- Cardiokymography,** myocardial wall motion, 233,2:H700
- Cardiomegaly**
  - carbon dioxide exposure, postnatal, 243,12:H328
  - carbon monoxide-induced, regression, 235,4:H516

**Cardiomyopathy**

- brown adipose tissue, 239,8:C18
  - catecholamines, left ventricular function, preservation by insulin, 238,7:H257
  - norepinephrine-induced, ventricular function after, 242,11:H191
  - vascular resistance, 239,8:H477
- Cardioplegia**
  - magnesium effects, ischemic heart, species differences (rat, rabbit), 242,11:H89
  - potassium, progressive hypothermia during global ischemia, 236,5:H839
  - potassium and verapamil combination, ischemic arrest, 240,9:H326
- Cardiopulmonary afferents:** see Afferent nerves
- Cardiopulmonary bypass:** see Shunt
- Cardiopulmonary receptors:** see Receptors
- Cardiopulmonary resuscitation**
  - cardiac output during, 241,10:H442
  - high intrathoracic pressure, carotid artery resistance and, 243,12:H259
- Cardiopulmonary system**
  - afferent nerves, cardiac tamponade, 232,1:H5
  - baroreflexes, left ventricular effects, 232,1:H634
  - sympathetic afferents, renal nerve response, 233,2:H592
- Cardiorespiratory behavior,** eye movements and, REM sleep, 241,10:R217
- Cardiorespiratory changes,** shock, 241,10:H864
- Cardiorespiratory interaction,** (seal), 240,9:H190
- Cardiorespiratory system**
  - carotid chemoreceptors (diving seal), 232,1:H508
  - Escherichia coli* endotoxin effects, 232,1:H682
  - Pseudomonas* endotoxin effects, 232,1:H682
- Cardiorespiratory variables,** hypophysectomy, shock, 241,10:H479
- Cardiotachometry**
  - circuit for measurement of instantaneous frequency, 238,7:H929
  - R-R interval, high-resolution determination, 236,5:H894
- Cardiovagal mechanism,** integration in medulla oblongata, 231:454
- Cardiovascular activity,** aversive stimulation, covariations, 236,5:H434
- Cardiovascular changes**
  - baroreceptor deafferentation, aortic, 240,9:H685
  - diving (beaver, nutria), 242,11:R434
  - infusion, pathways regulating, 231:854
  - micturition, spontaneous, 237,6:H213
  - renal artery stenosis, 240,9:H2
  - veratridine, awake state, 242,11:H810
- Cardiovascular defense,** sinoaortic reflexes, 240,9:H421
- Cardiovascular development,** oxygen delivery (lamb), 237,6:H668
- Cardiovascular function**
  - changes, catecholamine infusion (swine), 240,9:F276
  - tethering system, direct measurement (caged baboon), 236,5:H775
- Cardiovascular neurons,** response to carotid occlusion, 231:20
- Cardiovascular physiology,** model, 236,5:R168
- Cardiovascular receptors:** see Receptors
- Cardiovascular reflex:** see Reflexes
- Cardiovascular regulation**
  - buffer nerve, 239,8:R130
  - central, paraventricular and supraoptic nuclei, 239,8:R137
  - low-frequency acceleration and, 243,12:H998
  - stimulation of external cuneate nucleus, 235,4:R286

**Cardiovascular responses**

- angiotensin and  $\alpha$ -adrenergic receptor blockade, 235,4:F199
  - aortic nerve stimulation, 242,11:H790
  - fixed carotid pressure, 236,5:H769
  - aversive conditioning, peripheral resistance, 236,5:H880
  - conditional, shock before and after coronary occlusion (monkey), 236,5:H273
  - contracting skeletal muscle reflexes, 233,2:H374
  - diving, chemoreceptor effects (duck), 243,12:R537
  - during burn shock, 231:892
  - graded activity (lizard), 239,8:R174
  - hindlimb hypoxemia, exercise reflex and, 237,6:H359
  - hypoxia, carbon dioxide effects, 239,8:H545
  - isometric exercise, 236,5:H218
  - positive end-expiratory pressure, decreasing lung compliance, 233,2:H635
  - prostaglandin and catecholamine, hemorrhage, 240,9:R166
  - sex differences, androgen-mediated, 235,4:H242
- Cardiovascular system**
  - adrenergic neurotransmission, prejunctional cholinergic modulation, 238,7:H275
  - airway pressure increases, 232,1:H35
  - autonomic control, submergence and emergence (bullfrog), 237,6:R210
  - behavioral stress, 236,5:H750
  - chronically implanted electromagnetic flow transducer, sensitivity to, 236,5:H508
  - circadian behavior, radiotelemetry, 236,5:R231
  - comparative scale factors (mammals), 237,6:R3, R7
  - coronary embolization, selective, 232,1:H335
  - endotoxic shock, 232,1:H682
  - fetal, mathematical model, 239,8:R317
  - homeostasis, adrenal insufficiency and, 233,2:F509
  - integration
    - lateral reticular nucleus site, 233,2:R100
    - radiotelemetry, 236,5:R231
  - neural signs, multichannel telemetry system, 236,5:H513
  - norepinephrine release, peripheral muscarinic control, 239,8:H713
  - parasympathetic control, human disease, 239,8:H581
  - $\beta$ -phenylethylamine actions, 236,5:H592
  - postural changes, renin release, 232,1:H500
  - radioactive microsphere suspensions, effects, 232,1:H331
  - regulation, central, 232,1:H157
  - renin, plasma activity, tolbutamide effects, 236,5:E1
  - Tween 80 solutions, effects, 232,1:H331
  - vanadate, 239,8:H47
- Carnitine**
  - amino acid oxidation, liver and skeletal muscle, 234,3:E494
  - deprivation, obesity and normal weight, 238,1:E409
  - electrical activity, cardiac, 241,10:H505
  - excretion, urinary, ketosis and, 243,6:E168
  - L- and D-labeled, mechanical effects, heart (swine), 243,12:H691
  - myocardial levels, diabetes and, 243,12:H154
  - transport, isolated perfused heart, 242,11:H585
- Carnitine acetyltransferase**
  - activity, cardiac (chick embryo), 233,2:H642



- amino acid oxidation, liver and skeletal muscle, 234,3:E494
- Carnosine**  
histidine production, kidney, 237,6:E1  
L-labeled, uptake and metabolism, 230:643
- $\beta$ -Carotene**, absorption, intestinal, effects of bile, fatty acid, pH, and flow rate, 235,4:E686
- Carotid angiography**, osmotic opening, blood-brain barrier, 238,7:R421
- Carotid artery**  
adenosine nucleotide derivatives, formation (hog), 233,2:H299  
adrenergic constriction, isoproterenol effects, 233,2:H22  
angiotensin II effects, awake state, 243,12:R82  
blood flow: see Blood flow  
calcium blocker effects, 236,5:H613  
chemoreceptor: see Receptors  
chronic access, unrestrained rat, 238,7:H599  
comparative mechanics (rat, rabbit, dog), 234,3:H280  
hypertonic infusions, thirst and, 232,1:R88  
mechanical properties, aging, 233,2:H256  
mechanics, hypertension, 237,6:H597  
myosin light chain phosphorylation, vascular smooth muscle (swine), 242,11:C109  
occlusion  
and left atrial stretch, effects on supraoptic neurosecretory cells, 237,6:R63  
cardiovascular neurons and, 231:20  
intrarenal blood flow redistribution mechanism, 232,1:F167  
left ventricular dP/dt, 238,7:H93  
plasma and lymph dopamine- $\beta$ -hydroxylase, norepinephrine and, 236,5:H96  
pressor response, hypothalamic component, 233,2:H240  
renin release and, role of renal arterial pressure, 236,5:H101  
resistance: see Resistance  
series elastic component, identification, 232,1:H122  
series elasticity, muscle length effects, 234,3:C146  
stenosis, pressure, distal resistance and vasoconstriction relations, 243,12:H236  
wall, shear stress, 239,8:H14
- Carotid body**  
cell membrane characteristics, temperature effects, 233,2:C35  
chemoreceptors: see Receptors  
diving responses, control of (duck), 242,11:R105  
diving (seal), 232,1:H508  
dopamine effect, chemoreceptors, 230:1494  
laryngeal reflex apnea, newborn (pig), 237,6:R10  
reflex: see Reflexes  
resection, hypoxic responses, 236,5:H22  
transduction mechanisms, 239,8:C135  
tyrosine hydroxylase activity (rabbit, cat), 240,9:R38
- Carotid loop**, hemorrhaged plasma volume restoration, gastrointestinal fluid, 234,3:H80
- Carotid occlusion**  
dominant inhibition, left aortic nerve, 240,9:H555  
vagal afferent effects, sodium depletion, 241,10:H255
- Carotid pressor response**: see Pressor response
- Carotid sinus**  
atrial receptors, renal blood flow and, 242,11:H220  
baroreceptors: see Receptors  
baroreceptor reflexes: see Reflexes  
baroreflex: see Reflexes  
bilateral occlusion, nephrectomy effects on kidney function, 242,11:F181  
compensation, cardiovascular responses, 236,5:H769  
deformation, planimetric technique for measuring, 242,11:H921  
denervation  
atrial receptors (monkey), 242,11:F592  
electrocardiographic changes, 237,6:H475  
hepatic baroreceptor reflexes and, 238,7:R390  
distension, ganglion transmission, cervical, 240,9:H716  
efferent, denervation, baroreflexes after, 241,10:H600  
exercise, 230:85  
hypertrophy: see Hypertrophy  
inhibition, cervical ganglion reflex, 240,9:H716  
interplay among reflexes from cardiopulmonary region, carotid body and, 230:19  
isolated, reversible vascular isolation, 238,7:H809  
perfusion, heart failure, 240,9:H793  
pressure: see Pressure  
pulsatile hemodynamics, halothane and, 238,7:H294  
pulsations, regional arterial hemodynamic: see Reflexes  
reflex vasoconstriction, circulation, right coronary (dog, pig), 241,10:H149  
renal and adrenal nerve activity, 230:1733  
renin release, adrenergic modulation of, 242,11:R318
- Carotid sinus nerve**  
central cardiovascular regulation, 239,8:R137  
denervation, tyrosine hydroxylase activity (rabbit, cat), 240,9:R38  
inputs, 233,2:R100  
projections to hypothalamus, 239,8:R130  
stimulation, reflexes, 236,5:H127  
stimulation pattern, 230:951  
tachycardia, hypoxic and cyanide-induced, 240,9:H874
- Carotid system**, raised pressure, effects (toad), 237,6:H639
- $\gamma$ -Carrageenan**, wound, perfused hindlimb, 242,11:R570
- Carrier mechanism**, folic acid, small intestine, 235,4:E678
- Carrier-mediated transport**: see specific subject and site
- Carrier-substrate activity**, glucose transport, renal cells (flounder), 232,1:F227
- Cartesian diver microrespirometer**, oxygen consumption, pial arteries, 236,5:H151
- Cartilage**  
costal, chondrosarcoma metabolism, 239,2:E201  
matrix-induced, differentiation, diabetes and insulin effects, 238,1:E200  
mineralization, calcium absorption, intestinal, 232,1:E298  
pelvic, hormonal activation of ornithine decarboxylase, embryo (chick), 241,4:E545
- Castration**  
dominant-subordinate relations, 233,2:E495  
follicle-stimulating hormone suppression, porcine follicular fluid, 240,3:E209  
growth hormone secretory patterns (sheep), 233,2:E519  
hormone levels after, sex differences, 241,4:E460  
muscle atrophy and, prevention by endurance training, 241,4:E226
- obesity and, 243,12:R347  
platelet aggregation, 232,1:H381  
sex differences, cardiovascular responses, 235,4:H242  
sex hormone effects, blood pressure and vascular connective tissue, 232,1:H617  
testosterone implants, 233,2:E495
- Catabolism**  
muscle protein, thermogenesis, 231:174  
ovine  $^{14}$ C-labeled  $\alpha$ -fetoprotein, fetal (sheep), 240,3:E191
- Catalysis**, carbonic anhydrase inhibitors, 232,1:F291
- Catalytic subunit**, sodium-potassium: ATPase, HeLa cells, 241,10:C173
- Catastrophe theory**, reviewing the reviewers, 241,10:R107
- Catecholamine precursor**, surgical stress, renal, 235,4:F542
- Catecholamines**  
N-acetyltransferase activity, pineal, 233,2:E141  
action potential plateau, atrial, 233,2:H203  
actions,  $\alpha$ -adrenergic mechanisms, liver and other tissues, 238,1:E3  
adrenal medulla  
development (swine), 234,3:E137  
neurotransmitter role, 242,11:H593  
adrenergic receptor regulation, 243,6:E43  
 $\beta$ -adrenergic stimulation and, ovarian, 239,2:E139  
adrenocorticotropin feedback, inhibition, 234,3:R46  
 $\beta$ -adrenoreceptor blockade, 230:959  
albumin effects, 232,1:F123  
anesthetics and, adrenergic effects, 243,12:F253  
arterial pressor responses and (dogfish), 241,10:R228  
atrial contractility, 239,8:H365  
balance, renal, surgical stress and, 235,4:F542  
blood pressure changes and, exercise effects (dogfish), 242,11:R306  
brain, temperature stress, 230:110  
brown fat responses, 232,1:R101  
cardiac  
hypertrophy, renovascular hypertension, 240,9:H408  
sympathectomy, 6-hydroxydopamine and denervation, 240,9:H889  
cardiac output, response to hypertonic sodium chloride infusion, 235,4:H18  
cardiac response, physical training, 234,3:H608  
cardiac rhythms, atrioventricular block, 237,6:H10  
cardiomyopathy, preservation of left ventricular function by insulin, 238,7:H257  
cardiovascular effects, central nervous system, 242,11:R545  
cardiovascular response, hemorrhage, 240,9:R166  
carotid body, 230:1494  
circulating  
plasma renin activity, control, 236,5:H463  
renal excretion control, 240,9:F192  
circulation  
liver, 230:1394  
mesenteric (baboon), 234,3:E457  
colonic blood flow (monkey), 240,3:G25  
concentration, arterial total, hypoxia, 236,5:H22  
contractile response, right ventricular failure, 233,2:H399  
contraction, aorta and portal vein, 235,4:H208  
demethylation, erythrocytes, 235,4:E150  
depletion, laryngeal apnea (piglet), 239,8:R25  
dopamine  $\beta$ -hydroxylase secretion, adrenal (bovine), 234,3:E600

**Catecholamines (continued)**

electrophysiological changes, myocardial ischemia (rabbit), 243,12:H318  
 elevation, iron deficiency, 237,6:R297  
 endogenous release, heart, 243,6:E458  
 endurance training and, fasting and exercise effects, 243,12:R179  
 epinephrine secretion, adrenal (bovine), 234,3:E600  
 fasting and cold exposure effects, sympathoadrenal activity, 240,3:E314  
 flow, renal function during, adrenorenal rete, 240,9:F30  
 fluid reabsorption, proximal, 238,7:F347  
 gastric circulation, 230:346  
 gastric parietal cells, 240,3:G76  
 glucagon and insulin secretion, stress, spontaneous diabetes, 240,3:E373  
 glucose kinetics and, adrenergic blockade effects, sepsis and burns, 241,10:R222  
 glycogenolysis and, 231:191  
 glycogenolysis control, exercise, muscle, 242,5:E25  
 growth hormone inhibition, 233,2:E430  
 hemorrhage, vascular smooth muscle, 238,7:H144  
 histamine-induced edema, 234,3:H180  
 hormonal and neurotransmitter function, 234,3:E252  
 hypertension, hypertonic saline-induced, 240,9:H827  
 hypoglycemia, 236,5:E147  
 recovery, hormonal mechanisms, 236,5:E380  
 hypoxic, carbon monoxide hypoxia and, 236,5:H22  
 infusion, cardiovascular and renal changes during (swine), 240,9:F276  
 inhibitory effect, cardiac Purkinje fibers, 231:1415  
 insulin and glucagon deficiency, glucoregulation during (baboon), 243,6:E225  
 insulin secretion, adrenergic modulation, 234,3:E106  
 ionic transport, cornea, 230:1487  
 lipolysis  
   adipose tissue, 237,6:E11  
   exercise and, 243,6:E345  
 lower body negative pressure and, 243,12:H970  
 mechanism of effect, heart muscle, 243,6:E114  
 metabolic effects, epitrochlearis muscle, 239,2:E461  
 myocardial, reinnervation and, 233,2:H431  
 myocardial cell hypertrophy and, hypertension, 242,11:H1015  
 nerve growth factor-enhanced reinnervation, cardiac, 236,5:H624  
 norepinephrine and denervation effects, renal, 241,10:F477  
 overflow, renal nerve stimulation, 239,8:F371  
 plasma  
   enforced diving and (harbor seal), 242,11:R525  
   exercise, 241,10:H243  
   fluctuations (monkey), 242,5:E40  
   heart failure, arteriovenous shunt model, 236,5:H698  
   hypoxemia and, fetal (lamb), 243,12:R520  
   levels during isotonic volume expansion, 235,4:F119  
   mediation of plasma glycerol elevation by hypothalamic stimulation, 233,2:E369  
 pithed spontaneously hypertensive and normotensive rats, 238,7:H365  
 regional, during carotid occlusion, 236,5:H96  
 renin activity, control, 236,5:H854  
 responses to hyperthermic cancer therapy, 237,6:H570

spontaneous hypertension, 234,3:H690  
 sympathetic stimulation in pithed rats, 237,6:H305  
 thiopental effects, renal, 243,12:F265  
 training and, angina pectoris, 243,12:H830  
 volume expansion, 232,1:F123  
 posture and, heart rate, 243,12:H676  
 potassium accumulation and, ischemia, heart, 242,11:H619  
 pressor response blockade, potassium (dogfish), 242,11:R185  
 pressor response (turtle), 240,9:R276  
 production, neural and extraneural, kidney, 242,11:F261  
 release  
   angiotensin and, anesthesia (chicken), 242,11:H314  
   angiotensin II effects, species differences, 243,12:R65  
   surgical stress, renal, 235,4:F542  
   vasodepressor action and, awake state (chicken), 243,12:H456  
 renal handling, surgical stress and, 235,4:F542  
 renin release, denervated kidney, 232,1:H500  
 responses, morphine effects, 242,5:E317  
 rhythmic contractions, test sphincter (cow), 242,11:R181  
 saline effect, 232,1:F123  
 secretion, ionophore and, adrenal gland and spleen, 242,5:E137  
 sensitivity, cold acclimation, brown fat cells, 242,11:C250  
 slow inward current blockade, myocardial, at low pH (embryonic chick), 233,2:C99  
 smooth muscle factor responses, renal cortical, 232,1:F84  
 sodium activity and, heart, 243,12:H670  
 somatostatin secretion, perfused stomach, 240,3:E274  
 spinal anesthesia and, pancreatic islets, 239,2:E150  
 spontaneous growth hormone, regulation of secretion (baboon), 241,4:E196  
 stimulation, aged heart, 239,8:H501  
 submandibular excretory ducts, 235,4:F548  
 submaximal exercise, liver, trained rats, 240,9:R330  
 sympathetic function, embryonic heart (chick), 232,1:R116  
 sympathetic nerve changes, hypertrophied right ventricle (guinea pig), 243,12:H175  
 sympathoadrenal response to immobilization stress, spontaneous hypertension, 236,5:H457  
 synthesis, acclimation, 230:564  
 synthetic, oxygen consumption, myocardial, 235,4:H237  
 thermogenesis and lipolysis,  $\beta$ -adrenergic blockade effects, 243,12:R379  
 thermogenesis (pigeon), 232,1:E451  
 thermoregulation, brain, 238,7:R364  
 thermoregulatory responses, 239,8:R291  
 thyroid hormone interaction, myocardial ornithine decarboxylase, 243,6:E305  
 transport, renal tubule, 240,9:F83  
 tubular effects, 233,2:F39  
 tyrosine and, normotension and hypotension, 239,8:H206  
 uptake, myocardial, reinnervation and, 235,4:H289  
 uptake and excretion, kidney, 242,11:F56  
 uptake and secretion, cardiac, adrenergic stimulation, 243,6:E52  
 urinary, volume expansion, 232,1:F123  
 urinary excretion, renal nerves and, 240,9:F75  
 vascular resistance, after pulmonary artery occlusion, 236,5:H866  
 vascular response, angiotensin II effects (fish), 240,9:R139

vascular smooth muscle responses, 236,5:H613  
 ventricular fibrillation thresholds, 239,8:H457

**Catechol methyltransferase**, synaptic cleft, vascular tissue, 242,11:H233

**Catechol-O-methyltransferase**, deoxycorticosterone effects, vascular smooth muscle, 237,6:H197

**Cathepsin**, circulating, reticuloendothelial system, following myocardial injury, 236,5:H813

**Cathepsin B**

brush border, intestinal, postnatal development, 239,2:G524

protein, degradation and atrophy, fetal heart, 237,6:E35

protein synthesis and degradation, normal and dystrophic muscle, 239,2:E401

**Cathepsin D**

activity, glucocorticoid effects, hemipus, 238,1:E564

cardiogenic shock, 235,4:H657

fetal heart, 234,3:E306

hypoxia and proteolysis inhibitor, lung, 241,4:E101

immunoreactive, starvation-induced atrophy, heart, 240,9:H222

myocardial ischemia, 238,7:H87

myometrial lysosomes, ovarian hormone effects, 232,1:E423

occlusion shock, splanchnic artery, 234,3:H1

prostacyclin and, hypoxic liver, 238,7:H176

protein synthesis and degradation, normal and dystrophic muscle, 239,2:E401

protein turnover, thyroxine effects, skeletal muscle, 235,4:E231

SAO shock, 230:684

skeletal muscle, 234,3:E38

in fasting, 236,5:E222

**Catheter**

balloon, for internal calibration of left ventricular cineangiography, 232,1:H434

distortion, oxygen uptake, myocardial reactive hyperemia, 235,4:H87

drift, pressure signal multiplexer, 242,11:H288

fluid-filled

  damping ratio, 236,5:H376

  frequency and step responses, determination, 236,5:H376

  relaxation indices, cardiac, 240,9:H669

indwelling

  blood pressure measurement, spontaneous hypertension, 234,3:H690

  cardiovascular function measurement, tethering system (baboon), 236,5:H775

  placental (sheep), 236,5:C58

  pulmonary circulation, hypoxia, 236,5:H818

  pulmonary hypertension, age and sex influences, 240,9:H62

  vascular, sepsis and, 241,10:H606

infection, long-term vascular access, 241,10:H606

injection, left atrium, awake state, 243,12:H488

perfused and nonperfused, esophageal manometry, 233,2:E389

permanent, ionic composition, plasma, 233,2:F412

portal, multiple portal venous blood mixing, 233,2:H50

respiratory gas sampling, pregnant uterus (swine), 234,3:R25

Swan-Ganz, for internal calibration of left ventricular cineangiography, 232,1:H434

wick, interstitial fluid pressure, during loading, subcutaneous, 240,9:R327

**Catheterization**

- arterial, chronic and low compliance system, blood pressure recording, 239,8:H137
  - cardiac, aortic regurgitation, quantification, 239,8:H121
  - chronic
    - fetal (lamb), 238,7:H656
    - placental vascular responses to indomethacin (ovine), 236,5:H61
  - left-atrial, blood flow determination, micro-spheres, 242,11:H94
  - phosphate transport, medullary collecting duct, 237,6:F48
  - pulmonary artery, 235,4:H452
  - vascular, asepsis and, 241,10:H606
- Cation-anion gap**, choleric properties, bile, 236,5:E434

**Cations**

- contents
    - myocardial, calcium paradox induction and, 237,6:H713
    - tubular, 232,1:F42
  - divalent
    - antidiuretic hormones and, 242,11:F313
    - cysteine infusion effects, renal, 241,10:F487
    - pancreatic  $\beta$ -cells, 241,10:C59
    - screening of membrane surface charges, 235,4:C109
    - transport, peritubular (teleost), 243,12:R34
    - uptake, intestinal brush border membrane vesicles, 239,2:G452
  - erythrocytes, changes during maturation, 235,4:C251
  - exchange, cardiac cells, cultured, 236,5:C87
  - excretion, urinary, mineralocorticoids and, 235,4:F576
  - fatty acid utilization, renal cortex, 232,1:F254
  - gastric acid secretion and, gastric glands, 241,4:G431
  - homeostasis, cortical collecting tubules, 235,4:F576
  - inorganic, nephron function (reptiles, birds, mammals), 239,8:R197
  - intracellular, *p*-aminohippurate and sodium-potassium-ATPase activity, renal, 236,5:F126
  - intraventricular injections, body temperature and (chicken), 239,8:R62
  - monovalent
    - active transport, in digitalis toxicity, 235,4:H531
    - p*-aminohippurate uptake, renal, 232,1:F239
  - organic
    - renal tubule transport, 240,9:F83
    - transport, renal cortex, 234,3:F302
    - transport and metabolism, kidney, 241,10:F308
  - selectivity, temperature effects, neuron membrane (snail), 239,8:C47
  - slow channels, myocardial (embryonic chick), 233,2:C99
  - suppressive effects of, gustatory responses and (frog), 243,12:R42
  - transport
    - acetylsalicylic acid effects, gastric mucosal cells, 235,4:E16
    - digoxin effects (sheep), 243,12:H519
    - glucocorticoid and aldosterone effects, 238,7:F181
    - insulin effects (duck), 234,3:C59
    - renal tubules, 236,5:F112
  - uncoupling, cardiac contractility and sarcoplasmic calcium ion binding, neonatal, 237,6:H332
  - vascular, components, smooth muscle, 242,11:H751
- Caudal artery**, membrane properties, salt-induced hypertension, 241,10:H224

**Caudate nucleus**, iodide injection, efflux from brain and, 235,4:F331

**Caudofemoralis muscle**

- glucose uptake, 239,2:E21
- insulin hyperpolarization, ouabain-inhibitable process, 241,10:C145

**Causality**, physical, brain theories, 238,7:R277

**Cauterization**, indirect, for complete heart block without atriotomy, 233,2:H723

**Caval constriction**: see Vena cava

**Caval ligation**

- angiotensin II levels, 240,9:R229
- drinking, angiotensin, 240,9:R75
- drinking induced by, angiotensin effects, 243,12:R558

**Caveolae**, membrane, smooth muscle cell, stomach (toad), 239,8:C175

**C cell**, gastrin concentration, fetal and neonatal (sheep), 241,4:G235

**CCK-octapeptide**: see Cholecystokinin-octapeptide

**Cecum**

- calcium transport
  - diabetes, 235,4:E699
  - transepithelial, 240,3:G424

**Celiac ganglionectomy**, interdigestive myoelectric complex, 237,6:E432

**Celiac plexus**, electrophysiology, 237,6:E90

**Cell-free preparations**, angiotensin I metabolism, lung, 238,7:R395

**Cell line**, GH<sub>3</sub>, verapamil effects, clonal pituitary cells, 243,6:E68

**Cell markers**: see Markers

**Cell membranes**

- amphiphile effects, 240,9:H229
- barrier function, gastric epithelium, 241,4:G275

electrolyte excretion, renal, 243,12:F211

permeability: see Permeability

**Cell**: see also specific type and site

- body mass, indirect measurement, 233,2:F253
- buffering power, muscle fibers (barnacle), 233,2:C61

carbonic anhydrase-rich, specialized function, urinary bladder (turtle), 242,11:F627

chemical activities, intracellular

234,3:F261

- cloned, properties, kidney, 240,9:C106
- components, sodium, vascular smooth muscle, 242,11:H751

**culture**

- cyclic nucleotides and growth regulation, 234,3:C131
- 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub>, estradiol effects (chick), 240,3:E119
- dopaminergic inhibition, prolactin secretion, 240,3:E700
- glucose transport, transepithelial (pig), 240,9:C92
- ion transport, prolactin effects, mammary epithelium, 240,9:C110
- prostaglandin biosynthesis regulation, 243,12:C205
- transepithelial transport, 240,9:C92
- temperature sensitivity (guinea pig), 235,4:C159
- urinary bladder (toad), 241,10:F129
- cycle
  - polyamine metabolism, 243,12:C212
  - rate, rickets, 243,12:C303
- dehydration, following water deprivation, 232,1:R93
- differentiation, mammary epithelium, 240,9:C110, 241,4:E410
- dispersed, methacholine effects, salt gland (duck), 241,10:R77
- division, cardiac, neonatal, 233,2:H356
- energetics
  - calcium fluxes and, linkage, blood-bone disequilibrium, 236,5:C244
  - oxygen tension effects, 233,2:C135
  - enzymatic isolation, bone, 240,9:C234

**fractionation**

- iron metabolism, hepatic, model, 238,1:G30
  - protein, exportable pancreas, 238,1:G467
- growth**
- polyamine content and, 243,12:C262
  - stimulation, hepatic stimulator substance, 242,5:G289
- heterogeneous population**, opercular membrane, prolactin effects, 242,11:R380
- injury**, autonomic nervous system, myocardial ischemia, 240,9:H738
- integrity**, acute renal failure, 234,3:F171
- isolation**, histamine regulation, adenylyl cyclase, parietal cells, 240,3:G76
- macromolecule synthesis** (chick, rat), 233,2:E341
- mass**: see Mass
- migration**
- hormonal control, vaginal, 233,2:R59
  - thyroxine-evoked decrease in lactase activity, jejunal, 243,6:G359
- proliferation and loss effects**, aspirin-induced gastric damage and, 243,6:G463
- shape**, water reabsorption and, proximal nephron, model, 234,3:F308
- sodium transport**, amiloride effects, 242,11:C131
- suspensions**, gill reconstruction (eel), 238,7:R165
- uptake**, calcium complexes, serum, 238,7:E104
- volume**: see Volume
- Cell-to-cell communication**, oscillating prostaglandin release, contracting taenia coli, 239,2:G53
- Cellular compartment**, insulin kinetics, 239,2:E3
- Cellularity**
- adipose, phenoxybenzamine effects, obesity, 243,6:E398
  - adipose tissue, exercise training, 239,2:E422
- Central blockade**: see Blockade
- Central chemosensors**: see Chemosensors
- Central nervous system**
- angiotensin
    - pressor action, 239,8:R358
    - pressor action, area postrema, 239,8:H88
  - angiotensin II
    - dipsogenic and pressor responses, 242,11:R498
    - effects, awake state, 243,12:R82
  - angiotensin II-induced responses, in spontaneous hypertension, 232,1:H426
  - aromatization, luteinizing hormone secretion and, male, 241,4:E246
  - ascorbic acid transport, 232,1:R73
  - blood flow: see Blood flow
  - blood homeostasis, 236,5:R126
  - body metabolism ratio, vertebrates, 241,10:R203
  - circulation: see Circulation
  - control, endocrine thermogenesis (goat), 241,4:E420
  - 2-deoxy-D-glucose privation, 233,2:R127
  - dysfunction, cell volume abnormalities, 239,8:F195
  - euthermia (marmot), 232,1:R203
  - fatty acid mobilization, 232,1:E165
  - hemodynamics, anesthetic depression of, decerebrated rat, 243,12:H837
  - homeostasis, 232,1:R73
  - hydrophilic materials, uptake (dogfish), 232,1:R45
  - ion concentrations, choroid epithelium, ouabain and potassium effects, 238,7:F399
  - lesions, oral motor deficits, 237,6:R126
  - lipomobilizing centers, 236,5:E317

**Central nervous system** (*continued*)

- intracerebroventricular norepinephrine and, 242,5:E248
- microcirculation, control, 233,2:H141
- natriuresis, nonpressor mechanisms, 237,6:F157
- osmosensitivity, angiotensin interaction and, 236,5:F75
- oxygen tensions, spinal cord, 240,9:H761
- peripheral circulating somatostatin control, 2-deoxyglucose effects, 243,6:E213
- pharmacokinetics, 232,1:R73
- pituitary endorphins, shock, 241,10:H479
- plasma insulin oscillation, morphine, reserpine and halothane effects (monkey), 240,3:E1
- prostaglandin  $F_{2\alpha}$  effects, cardiovascular, 242,11:R545
- responses to pathway stimulation, 230:1095
- responsiveness during hibernation, changes, 231:810
- shivering
  - facilitatory areas, 232,1:R198
  - inhibitory areas, 232,1:R190
- stimulation, free fatty acid metabolism, 236,5:E317
- temperature, negative and positive feedback, thermoregulation (pigeon), 243,12:R363
- thermosensitivity (duck), 235,4:R130
- thiamine transport, 230:1101
- trigger process, arousal from hibernation, 230:1018
- vasopressin
  - dipsogenic effect of, 242,11:R372
  - infusion, plasma vasopressin concentration and, 243,6:E365
- Central oscillators**, sympathetic nerve discharge, 239,8:H143
- Central osmolality**: see Osmolality
- Central regulation**, electrolyte excretion, 239,8:F206
- Central transmitters**, energy balance (avian), 239,8:R57
- Central vascular expansion**, renal response, at night (monkey), 239,8:F343
- Central vasomotor pathways**, ischemia, 239,8:H349
- Central venous pressure**: see Pressure
- Centrifugation**
  - density gradient, spermatozoa, 242,11:C304
  - isopycnic
    - cell isolation, bone, 240,9:C234
    - iron metabolism, hepatic, model, 238,1:G30
  - sucrose-density gradient, sodium restriction on reman, renal, 237,6:F367
- Cephalic phase hypothesis**
  - gastric acid output, 239,2:G221
  - insulin secretion, pancreatic islet transplant, 238,1:E336
  - ventromedial hypothalamic obesity, intragastric feeding and, 240,3:E566
- Cephalosporin**, nephrotoxic renal failure and, 241,10:F1
- Cerebellar peduncle**, renal vascular tone, plasma renin activity and, 239,8:H232
- Cerebellectomy**, pressor effect, endotoxin shock, 240,9:H368
- Cerebellum**
  - baroreflex, renin release, 239,8:H232
  - blood flow measurement, anesthesia (cat, dog), 241,10:H228
  - calcium-binding proteins, vitamin D dependence, 243,6:E483
  - cerebrospinal fluid sink action, ontogeny of, 243,12:R400
  - compression, regional sympathetic outflows, 240,9:H109
  - fastigial nucleus stimulation

- cerebral vasodilation and, 243,12:H226
- excitatory spinal sympathetic activity and, 243,12:R25
- pressor effect, endotoxin shock, 240,9:H368
- Cerebral arteries**
  - acute hypotension and hypertension, 234,3:H371
  - adrenergic vasoconstriction (goat), 235,4:H131
  - angiotensin-induced relaxation, 240,9:H247
  - anti-inflammatory agents, 232,1:H267
  - calcium-dependent contractile activation, quick stretch, 242,11:H760
  - chloride potassium and sodium reduction, 234,3:H404
  - electrical properties, 239,8:C23
  - muscle contraction, ouabain-induced (monkey, dog), 239,8:H199
  - oxygen content effects, blood flow (lamb), 240,9:H209
  - prostaglandins  $H_2$  and  $I_2$  actions, 238,7:H111
  - transmural stimulation, relaxant responses to, 243,12:H145
- Cerebral arterioles**
  - abnormalities, acute hypertension, 240,9:H511
  - acute hypotension and hypertension, 234,3:H371
  - circulation, tissue hypoxia, 234,3:H582
  - increased venous pressure and, 243,12:H442
  - response to carbon dioxide and hypoxia, prostaglandins, 238,7:H226
  - vasoactive intestinal polypeptides, vasodilator effects, 239,8:H765
  - vasodilation, prostaglandins and, 237,6:H381
- Cerebral bed**, reflex sympathetic control, 238,7:H594
- Cerebral blood vessels**, permeability, osmotic barrier opening, 238,7:R421
- Cerebral cortex**
  - blood flow and volume, 236,5:H759
  - cerebrospinal fluid sink action, ontogeny of, 243,12:R400
  - mitochondria, redox transitions, 238,7:H249
  - oxidation-reduction changes, hypercapnia, 243,12:H619
  - oxygen delivery and consumption (gerbil), 242,11:C265
- Cerebral defense system**, ventricular fibrillation prevention, ischemic heart, 240,9:H156
- Cerebral infusions**, glucose, ingestive behavioral responses, 233,2:R127
- Cerebral lesions**, ventricular, thirst deficits and hypernatremia, 233,2:R44
- Cerebral metabolic rate**, glucose: see Glucose
- Cerebral metabolism**
  - carbohydrate and energy, hypoglycemia, newborn, 240,9:R192
  - dopamine receptors (baboon), 233,2:H222
  - vasoactive intestinal polypeptide and, 238,7:H449
- Cerebral microvessels**, renin-like enzymatic activity, 238,7:H384
- Cerebral perivascular spaces**, drainage, cervical lymph, 240,9:F329
- Cerebral tissue**, regional hemodynamic changes, photoelectric method for measurement, 235,4:H56
- Cerebral ventricles**
  - alloxan injection, glycopivic feeding and, 243,12:R312
  - angiotensin II infusion, inhibition of aldosterone secretion, 239,2:E447
  - anteroventral third lesion, sodium-chloride hypertension, 243,12:H614
  - choroid plexus and, anatomic relations,

- comparative study (fish species), 238,7:R76
- electrical activation, 235,4:H445
- lateral, angiotensin II infusion, hemodynamics in sodium depletion, 237,6:H139
- saralasin infusion, angiotensin, water deprivation and caval ligation, 240,9:R75
- third, anteroventral region, epinephrine uptake, 242,11:H593
- thirst, normal water economy and, 234,3:R122
- volume loading, cerebrospinal fluid pressure transients, 234,3:R167
- Cerebral vessels**
  - neurogenic control, hypercapnia, 238,7:H697
  - permeability: see Permeability
  - protein transport, during metrazole-induced convulsions, 233,2:C74
  - sympathetic nerves, effects (dog, cat, monkey), 235,4:H544
  - sympathetic neural effects, seizures, 237,6:H178
- Cerebrospinal fluid**
  - amino acid distribution, brain and blood, 242,11:F171
  - arterial and cisternal oxygen tension, relations, 236,5:F220
  - bicarbonate homeostasis, potassium depletion effects, 231:579
  - bicarbonate ion modulation, hypoxia and hypercapnia, 243,12:H33
  - bulk flow, 238,7:F42
  - calcium ions, exercise, 230:1416
  - central respiratory chemosensors (turtle), 235,4:R257
  - cisternal cannula, 236,5:R132
  - efflux, brain, 240,9:F319
  - formation, pressure effects, 239,8:R277
  - formation rate, carbon dioxide pressure effects, 231:127
  - free fatty acid turnover, during hypotension, 236,5:H802
  - hydrophilic materials, uptake (dogfish), 232,1:R45
  - insulin and plasma levels, relations, 233,2:E331
  - iodide and thiocyanate efflux from brain, after injection into caudate nucleus, 235,4:F331
  - nonelectrolytes (salamander), 234,3:R52
  - nonpressor, central nervous system natriuresis, 237,6:F157
  - nucleotides, 239,8:H212
  - pH, 230:804
  - pharmacokinetics, 242,11:R339
  - phenytoin effects, ventricular arrhythmias, 241,10:H67
  - potassium, chloride, and water entry into, 243,12:F173
  - pressure transients, epidural and ventricular volume loading, 234,3:R167
  - renin release and, carotid sinus, 242,11:R318
  - sink action, ontogeny, urea, 243,12:R400
  - sodium concentration, salt appetite and (sheep), 242,11:R51
  - thirst and, 238,7:R333
  - transport, pharmacokinetic model, 232,1:R73
  - vasopressin
    - intraventricular and plasma concentration, 243,6:E365
    - melatonin circadian properties and, 243,6:E489
    - radioimmunoassay, 234,3:E463
- Cerebrovascular lesions**, renal perfusion pressure and, spontaneous hypertension, 238,7:H317
- Cerebrovascular phenomena**, prostaglandins and, 237,6:H381
- Cerebrovascular reactivity**, reduction of, hypercapnia (goat), 242,11:R441
- Cerebrovascular resistance**: see Resistance



- Cerebrovascular response**, hypoxia, baroreceptor and chemoreceptor denervation, 241,10:H724
- Cerebrovascular system**  
barrier and uptake mechanisms, response to noradrenaline (baboon), 233,2:H458  
carbon dioxide, neonatal, 234,3:R209  
5-hydroxytryptamine, potentiation (baboon), 234,3:H300  
regulation, hypoxia, 234,3:H582
- Cerebrovascular transport**, histamine effects, 243,12:H307
- Cerebroventricular infusions**, glucose, ingestive behavioral response, 233,2:R127
- Cerebroventricular response**, hypertension, spontaneous, 232,1:H426
- Cerebrum**  
amino acids: *see* Amino acids  
angiotensin infusion, pressor action, 239,8:R358  
behavior, brain stimulation (goat), 232,1:H495  
blood flow: *see* Blood flow  
dopa utilization (monkey), 238,7:R318  
edema: *see* Edema  
energy metabolism  
  apneic apnoea (duck), 239,8:R352  
  hemorrhagic hypotension, 238,7:H249  
  glucose: *see* Glucose  
  infarction, 230:1354  
  ischemia, ventrolateral medulla and, 239,8:H349  
  oxygen: *see* Oxygen  
  perfusion pressure: *see* Pressure  
  sodium extraction, test for extracerebral contamination, 238,7:H868  
  vascular resistance: *see* Resistance  
  vasoconstriction: *see* Vasoconstriction
- Ceruloplasmin**, copper-loading disease, species differences (dog, human), 243,6:G226
- Cervical sympathetic trunk**, stimulation, amylase and calcium, parotid, 236,5:E371
- Cervix**, tissue, nuclear progesterin receptor-like component, 241,4:E160
- Cesium**, depolarization, diastolic, 243,12:H767
- C fibers**  
vagal: *see* Vagal C fibers  
ventral root mapping, 232,1:H590
- cGMP**: *see* Guanosine monophosphate, cyclic
- Chambers**, capillary tube, platelet chemotaxis, 235,4:H23
- Channels-ratio method**, procainamide determination, myocardial, 234,3:H399
- Charged solutes**: *see* Solutes
- Chednik-Higashi syndrome**, storage pool deficiency, platelets (cattle), 237,6:R239
- Cheek pouch**  
bradykinin-induced macromolecular efflux, 236,5:H600  
oxygen diffusion, arteriolar networks, 237,6:H681  
reactive hyperemia, arterioles (hamster), 241,10:H748
- Chelation**, adenine nucleotide distribution, heart, 232,1:R158
- Chemical activation**, contrasting reflexes, cardiac afferent nerves, 239,8:C316
- Chemical drives**, osmosis, 237,6:R114
- Chemical energetics**: *see* Energetics
- Chemical stimulation**, hypothalamic, insulin and glucagon release, 233,2:E380
- Chemical voltage clamp**: *see* Voltage clamp
- Chemiluminescence**, phagocytizing alveolar macrophages, 235,4:C193
- Chemiosmotic hypothesis**, biological systems, 235,4:R99
- Chemodenervation**, laryngeal reflex apnea, newborn (pig), 237,6:R10
- Chemodeoxycholic acid**, biliary lipid secretion, 234,3:E637
- Chemoreceptors**: *see* Receptors
- Chemoreflex**: *see* Reflexes
- Chemoselective regulation**, gastric emptying, liquid meals, 241,4:G403
- Chemosenitivity**, central, 230:1288
- Chemosensors**, central respiratory (turtle), 235,4:R257
- Chemotactic factors**, calcium levels, neutrophils, 237,6:C43
- Chemotaxis**  
platelets, human, collagen, 235,4:H23  
polymorphonuclear leukocytes, cellular augmentation, 236,5:C22
- Chenodeoxycholic acid**, 7-ketolithocholic acid metabolism and, 239,2:G161
- Chest**  
closed  
  chronic heart block, 241,10:H279  
  electrode-catheter technique, His bundle ablation, 241,10:H283
- Chest wall**, respiratory mechanics, growth and, species differences, newborn, 241,10:R336
- Cheyne-Stokes breathing**: *see* Respiration
- Chloralose**  
carotid hypotension, 237,6:H424  
carotid sinus reflex control, arterial hemodynamics, 239,8:H681  
laryngeal chemoreflex, neonatal (piglet), 233,2:R30  
microvascular effects of, 243,12:H837
- $\alpha$ -Chloralose**, adrenergic effects of, 243,12:F253
- Chloresis**  
bile, cation-anion gap, 236,5:E434  
biliary transport, maximum, 236,5:E10  
gastrins I and II, potency, 236,5:E584
- Chloride**  
absorption  
  base excretion and, coupling, skin (frog), 235,4:F33  
  cholinergic regulation, colon, 242,5:G116  
  epithelial tissue, 236,5:F1  
  forestomach (llama), 235,4:E1  
  intestinal (freshwater prawn), 239,8:C1  
  norepinephrine effects, intestinal, 241,4:G264  
  serotonin effects, ileum, gallbladder, colon, 239,2:G463  
  tryptophan effects, jejunum, newborn, 242,5:G308  
acidification, tubular, 241,10:F219  
activity  
  intracellular, ouabain effects, papillary muscle, 240,9:C183  
  intracellular, papillary muscle, 238,1:H487  
analysis, myocardial, 238,7:C169  
anion permeability, proximal tubules, 242,11:F395  
body, age- and race-related changes, 232,1:E419  
concentration, cellular, left ventricular, 238,7:C169  
concentration gradient  
  distal nephron blockade, newborn, 239,8:F328  
  fluid-to-plasma, proximal tubular, 242,11:F575  
  proximal tubular sodium transport, 236,5:F268  
conductance, skeletal muscle, 232,1:C109  
conservation, renal, collecting duct reabsorption and, 239,8:F552  
content, cellular, skeletal and heart muscle (amphibian), 235,4:C122  
delivery, distal, 235,4:F219  
deoxycorticosterone effects, vascular smooth muscle, 237,6:H197
- dietary restriction, collecting duct reabsorption and, 239,8:F552  
distribution, papillary muscle, 238,7:H487  
electrogenic pump, stomach (frog), 233,2:E298  
entry, inner ear and cerebrospinal fluid, 243,12:F173  
epithelial cells, intestinal (*Aplysia*), 239,8:R454  
equilibrium potential, ouabain effects, papillary muscle, 240,9:C183  
excretion  
  adrenal enucleation effects, kidney, 242,11:F453  
  electrolyte and acid excretion and, kidney (toad), 243,12:F60  
  furosemide effects, 232,1:F397  
  inner medullary collecting duct, 238,7:F504  
  urinary, regulation, 234,3:F97  
  volume expansion effects, 233,2:F118
- flux**  
acetazolamide-sensitive, skin (frog), 232,1:F550  
components, transbranchial (sculpin), 240,9:R364  
cornea (frog), 237,6:F121  
duodenum (amphibian), 240,3:G472  
ileum, 242,5:G237  
insulin release and, pancreatic islets, 235,4:E501  
transcellular and paracellular, proximal tubule (*Necturus*), 235,4:F617  
transmural, gastric mucosa, 235,4:E7  
gastric, 230:351  
gradient  
  metabolic acidosis, proximal tubules, 242,11:F499  
  volume expansion-induced proximal tubule alterations, 237,6:F473  
intracellular, rectal gland (dogfish), 237,6:F468  
intracellular activity  
  ion-selective microelectrodes, 241,10:C258  
  ventricular muscle (mammal), 241,10:C121  
luminal, potassium secretion and, kidney, 242,11:F46  
mercuric, phospholipid metabolism during renal regeneration, 232,1:E216  
microcoulometric analysis, 235,4:F192  
micropuncture, superficial nephrons (avian), 243,12:F561  
nicotine effects, gastric mucosa (frog), 232,1:E251  
papillary necrosis, drug-induced, 241,10:F14  
permeability  
  inhibitory effect of ethacrynic acid, 231:1485  
  proximal convoluted tubule, 241,10:F386  
  transcutaneous, larval and adult (salamander), 239,8:R505  
postglomerular plasma concentrations, 231:822  
potassium secretion, distal tubule, 236,5:F192  
potassium transport, kidney (bullfrog), 240,9:F127  
potential drop, gastric mucosa, 230:61  
reabsorption  
  carbonic anhydrase inhibition and, proximal tubules, 242,11:F274  
  collecting duct segment, 239,8:F552  
  cortical collecting tubules, 241,10:F452, F461  
  nephron filtration and, relations, 233,2:F315  
  proximal tubules, 242,11:F499  
renin activity, potassium-mediated, 242,11:F463  
renin inhibition, sodium chloride, 235,4:F444

**Chloride (continued)**

renin secretion, hydrochloric acid-inhibited, 239,8:F44

secretion

distal convoluted tubule, 243,12:F160

ileal, cholera toxin, 232,1:E210

intestinal, pancreatic enzyme stimulation, 239,2:G190

intestinal, somatostatin and (teleost), 238,1:G67

methylprednisolone effects, ileal, 240,3:G365

opercular membrane, prolactin effects, 242,11:R380

rectal gland (dogfish), 237,6:F468, 243,12:R289

rectal gland (shark), 233,2:F298

teleost, 238,7:R185

tight junction, rectal gland (shark), 242,11:C388

tracheal epithelium, 239,8:F215

segmental reabsorption, volume expansion and recovery, 240,9:F395

self-exchange, skeletal muscle (toad), 242,11:C207

space, 230:925

total body, neutron activation measurement of (guinea pig), 241,10:R419

transepithelial gradient and fractional delivery, thin loop of Henle, 235,4:F192

translocation, small intestinal brush-border membrane, 242,5:G263, G272

transport

amino acid effects, intestinal (sea hare), 240,9:R61

anaerobic metabolic requirements, cornea (bullfrog), 236,5:C268

anion selectivity, tracheal epithelium, 239,8:C112

bicarbonate and pH effects, gastric mucosa (frog), 243,6:G60

bicarbonate-dependent gastric mucosa (bullfrog), 239,2:G536

bladder, 230:1722

corneal, ionophore A23187 effects (frog), 233,2:F94

effect of autonomic agents, 231:252

epithelial cells, intestinal (*Aplysia*), 239,8:R445

esophageal, neurohumoral control (rabbit, opossum), 239,2:G5

glomerular filtration rate, feedback regulation, 233,2:F1

guanosine monophosphate, cyclic, effects, ileal, 243,6:G36

Henle's loop (hamster), 243,12:F167

hormonal regulation, rectal gland (dogfish), 237,6:F138

inner medullary and collecting duct, saline expansion and, 238,7:F504

intestinal, pancreatic enzyme stimulation, 239,2:G190

isolated cornea, adenosine effects (frog), 233,2:F121

isolated skin (frog), 235,4:F33

kidney tubules (salamander), 242,11:F331

liver, 242,5:G628

MK-196 inhibited, cornea (bullfrog), 240,9:F25

papillary collecting duct, 235,4:F219

papillary muscle, 238,7:H487

pars recta, 233,2:F154

phenolphthalein effects (monkey), 243,6:G268

piretanide inhibited, cornea (bullfrog), 240,9:F25

prostaglandin modification of, tracheal mucosa, 240,9:F101

proximal straight tubules, 241,10:F597

rectal gland, 230:1250

renal, amiloride and, 236,5:F48

renal collecting tubules, 233,2:F544, F559

salicylate, 230:319

salt gland, 230:514

skeletal and heart muscle (amphibian), 235,4:C122

small intestine (*Amphiuma*), 232,1:E553

sodium-coupled epithelial tissues, 236,5:F1

sodium-potassium-ATPase and, gill (eel), 238,7:R246

sodium-potassium-ATPase role (shark), 233,2:F298

thin ascending limb of Henle's loop, 232,1:F348

urinary bladder (toad), 233,2:F421

tubuloglomerular feedback, distal, 240,9:F111

uptake

nervous system (dogfish), 232,1:R45

pancreatic islets, obese-hyperglycemic mice, 235,4:E501

venous smooth muscle reactivity, extracellular sodium effects, 235,4:H581

**Chloride-36**, glucose effects, Ehrlich cells, 242,11:C326

**Chloride-base exchange**, isolated skin (frog), 235,4:F33

**Chloride-bicarbonate exchange**

chloride conductance and, small intestinal brush-border membrane, 242,5:G272

ileum, 232,1:E574

luminal alkalization and, fundic mucosa (bullfrog), 243,6:G377

luminal membrane, kidney tubule, 242,11:F561

**Chloride cell**

apical pits, gil arch (mullet), 238,7:R141

branchial epithelium (fish), 238,7:R207

morphology (teleost), 238,7:R199

function

C-4 pathway (crustacean), 238,7:R269

euryhaline adaptation (eel), 238,7:R246

gill epithelium (fish), 238,7:R147

freeze-fractured (fish), 238,7:R207

ion exchange, freshwater and seawater adaptation (teleost), 238,7:R260

ion-secreting epithelia, head region (teleost), 238,7:R185

membrane transport (teleost), 238,7:R171

opercular epithelium (fish), 238,7:R231

polysaccharidic material, gill (teleost), 238,7:R213

rubidium ion transport and, skin (teleost), 241,10:F482

salt-excreting epithelia, C-4 pathway (crustacean), 238,7:R269

salt-excreting organs, vertebrate, comparison, 238,7:R219

tubular system membranes, osmotic response and transport sites (teleost), 238,7:R171

**Chloride-free solution**, gastric mucosa, potential difference (frog), 240,3:G267

**Chloride ions**

absorption, alkalosis, bladder (turtle), 239,8:F167

efflux, cholera toxin effects, intestinal epithelial cells (chicken), 243,12:C107

flux

bladder (toad), 238,7:R70

paracellular component of isotonic fluid absorption, superficial proximal straight tubule, 237,6:F455

tracheal epithelium, acetylcholine effects, 231:1546

microsomal localization, gill (rainbow trout), 238,7:R251

permeability: see Permeability pump: see Pump

secretion, electrogenic, gastric mucosa (frog, piglet), 239,2:G151

sodium ions and, cotransport, gastric mucosa (frog), 238,1:G403

transport

bladder (toad), 238,7:F70

cornea, 230:1487

gill epithelium (toad), 238,7:R224

potassium ion inhibition, gastric mucosa (frog), 238,1:G403

suppression by furosemide, gastric mucosa, 239,2:G532

volume absorption, pars recta, 234,3:F332

**Chloride substitutes**, *p*-aminohippurate transport and, kidney tubules (snake), 241,10:F632

**Chlorimipramine**, thermoregulatory effects, 231:148

**Chlorisondamine chloride**, ganglion blockade, pressor responses to vasopressin, hypertension, 242,11:H44

**Chlorobutanol**, myocardial excitation, 230:306

***p*-Chloromercuribenzoate**, oxalate secretion, proximal tubule, 240,9:F295

**7-Chloro-4-nitrobenzo-2-oxa-1,3-diazole**

sodium channel, transport, bladder epithelium (turtle, toad), 239,8:F299

urinary acidification (toad, turtle), 240,9:C201

**Chlorophenylalanine**, renal clearance, calcium and sodium, 230:67

***p*-Chlorophenylalanine**

adrenocorticotropin feedback inhibition, 234,3:R46

reflex bradycardia, 236,5:R302

serotonin, brain content, and cold-induced metabolism, 235,4:R41

temperature stress, 230:110

***p*-Chlorophenylalanine methyl ester**, nycthemeral rhythm and adrenocorticotropin, 235,4:R210

**8-*p*-Chlorophenylthiocyclic AMP**, proximal tubule permeability, 236,5:F71

**Chloroquine**

absorption and secretion, ileal, 243,6:G117

cellular processing of insulin and, 243,6:E140

**Chlorothiazide**

calcium absorption and, intestines, 242,5:G575

calcium transport, distal convoluted tubule, 235,4:F492

zinc clearance and, kidney tubules, 241,10:F532

**Chlorothiazine**

blood flow, renal, 236,5:F494

prostaglandin E excretion, 236,5:F494

**Chlorpromazine**

abnormal lanthanum accumulation and, ischemic myocardium, 241,10:H714

cholera toxin effects and, intestinal epithelial cells (chicken), 243,12:C107

sarcolemmal lipids, inhibition of, 242,11:H652

sodium ion channel and, intestinal epithelial cells (chicken), 243,12:C116

**Chlortetracycline**, thyrotropic cells, thyrotropin-releasing hormone effects, 243,6:E298

**Chlortetracycline fluorescence**, calcium ion mobilization, blood platelets, 241,10:H613

**Cholecystitis**, fluid transport, gallbladder mucosa, 234,3:E575

**Cholecystokinin**

action

enzyme secretion, pancreatic acini, 242,5:G416

pancreatic acinar cells (amphibian), 235,4:E112

age-dependent inhibition, suckling, 236,5:E567

$\alpha$ -aminoisobutyric acid inhibition, pancreas, 238,1:G440

amylase release, pancreatic acini, 235,4:E743, 236,5:E571, E574

- amylase secretion, biliary, 243,6:G54  
 antral smooth muscle, 236,5:E39  
 bicarbonate transport, gastroduodenal (bullfrog), 242,5:G100  
 biphasic postprandial secretion, pancreas, 238,1:G332  
 bombesin effects and, gastric muscle contraction, 243,6:G141  
 circulating pancreatic elastase and, 238,1:G238  
 contraction  
   gallbladder (salmon), 232,1:E485  
   interdigestive gallbladder, 240,3:G183  
   smooth muscle cells (guinea pig), 243,6:G497  
 cyclic nucleotide agonists of, cholecystokinin receptors, 242,5:G161  
 desensitization, enzyme secretion, pancreas, 239,2:G272  
 electrical and mechanical effects, antral smooth muscle, 235,4:E324  
 electrolyte transport, esophageal (rabbit, opossum), 239,2:G5  
 electron microscopy autoradiographs, pancreatic acini, 243,6:G291  
 enteric parasitism, 237,6:R232  
 enzyme secretion  
   pancreatic acini, 238,1:G213  
   stimulation, pancreatic acini, 240,3:G459  
 fasting and refeeding effects, pancreas, 242,5:G215  
 food intake and, 230:15  
   suppression, gastric emptying and (monkey), 242,11:R491  
 gallbladder  
   response, 230:1461  
   smooth muscle, 230:553  
 gastric emptying, inhibition, 234,3:E375  
 immunological studies, brain, 239,2:E232  
 insulinotropic factor secretion, intestinal, 236,5:E710  
 intestinal satiety, 236,5:R142  
 manganese effects, amylase release, pancreatic acini (guinea pig), 241,4:G359  
 myoelectric activity  
   colon, 236,5:E458  
   small bowel, 232,1:E44  
 pancreatic acinar cell function, 238,1:G269  
   PHI effects (guinea pig), 241,4:G498  
 pancreatic enzyme response, 238,1:G23  
 pancreatic enzyme secretion reversal, dibutyl guanidine monophosphate, cyclic and, 240,3:G466  
 pancreatic exocrine response, obesity, 242,5:G612  
 pancreatic growth and, 239,2:G400  
 pancreatic polypeptide release, vagotomy, 240,3:G114  
 pancreatic response, 239,2:G247  
 pancreatic secretory response, 233,2:E530  
 peptide fragments, structure-function relations, 233,2:E286  
 plasma trypsinogen levels, renal failure and nephrectomy, 242,5:G177  
 postprandial changes, gallbladder, 243,6:G365  
 postreceptor modulation, peptide and secretin, 242,5:G423  
 protein synthesis and  
   pancreatic, 243,6:G69  
   regulation, pancreas, 241,4:G116  
 pylorus and, 243,6:G330  
 receptors: *see* Receptors  
 release, transplanted pancreas, 236,5:E186  
 residual stimulation and, pancreatic enzyme secretion (guinea pig), 243,6:G214  
 restricted stimulation, pancreatic enzyme secretion, 242,5:G464  
 satiety and (pig), 240,9:R310  
 satiety effects, 235,4:R23
- secretion  
   capillary permeability and, intestinal, 242,5:G194  
   cholecystokinin receptors and, pancreatic acini, 242,5:G250  
   pancreatic, 236,5:E678  
   pancreatic acinar cells, 242,5:G513  
   peptide and secretin effects, postreceptor modulation, 242,5:G423  
 sensitivity, protein synthesis inhibitor effects, pancreatic acini, 243,6:G285  
 smooth muscle activity, intestinal, 232,1:E306  
 smooth muscle cells, gastric (toad), 237,6:E172  
 stress-induced eating and, 243,12:R159  
 trophic action, pancreas, 234,3:E286  
 vascular effects, various organs, 232,1:H103
- Cholecystokinin-octapeptide**  
 colonic smooth muscle, 243,6:G134  
 gastric glucagon release, gastric and intestinal phase of meal, 238,1:G109  
 gastric motility and, 240,3:G217  
 intragastric pressure and, 235,4:E552  
 lower esophageal sphincter (opossum), 239,2:G230  
 meal and hormone effects, duodenal, 238,1:G280  
 smooth muscle response, gallbladder, 234,3:E44  
 stress-induced eating and, 241,10:R72
- Cholecystokinin-pancreozymin**  
 calcium ion fluxes, pancreatic acinar cells, 240,3:G281  
 enzyme secretion and, pancreas, 243,6:G304  
 secretory mechanisms, pancreatic development, 236,5:E446
- Cholelithiasis**, fluid transport, gallbladder mucosa, 234,3:E575
- Cholephilic dyes**, biliary transport, two pathways, 232,1:E445
- Cholera toxin**  
 adenosine monophosphate, cyclic levels, luteinizing hormone synthesis and release, 241,4:E14  
 adenosine monophosphate, cyclic, ileal mucosa, 232,1:E210  
 berberine effects, ileum, 241,4:G253  
 B subunit of, migrating action-potential complex activity, 242,5:G47  
 chloride, ileal mucosa, 232,1:E210  
 chloride secretion, intestinal, 239,2:G190  
 epithelial cell extrusion, during fluid transport, small intestine, 232,1:E408  
 epithelial cells, intestinal (chicken), 243,12:C107  
 inotropic effect, acetylcholine inhibition of, ventricular muscle (chick), 243,12:H434  
 intestinal secretion, organic acid proton donors and, 241,4:G227  
 lymph flow, intestinal, 232,1:E13  
 migrating action potential complex, prostaglandin and, 232,1:E529  
 mucin secretion stimulation, intestinal, 240,3:G10  
 prostaglandin E synthesis and water flow, bladder (toad), 234,3:F532  
 secretagogue receptors, pancreatic acinar cells, 238,1:G63  
 secretion and, luminal berberine, ileum, 241,4:G248  
 transport, intestinal, 232,1:E85  
 water transport, intestinal, and ileal blood flow, 236,5:E482
- Choleresis**  
 bile, taurocholate- and secretin-induced, 234,3:E146  
 bile acid structure, bile formation and, 238,1:G10  
 bile salt, permeability and, 235,4:E570
- Choleretics**, canalicular transport, protoporphyrin, liver, 242,5:G347
- Cholestasis**  
 bile acid efflux, hepatocytes, liver, 243,6:G253  
 bile salt sulfate esters, intestinal transport, 238,1:G34  
 neonatal, 237,6:E177
- Cholesterol**  
 bile acid structure, bile formation and, 238,1:G10  
 biliary  
   bile acid effects, 242,5:G40  
   saturation, bile enrichment and (hamster), 243,6:G424  
   secretion, sulfobromophthalein excretion effects, 240,3:G85  
   transport maximum, 236,5:E10  
 biosynthesis, liver, portacaval shunt, 239,2:G83  
 calcium-ATPase kinetics, sarcoplasmic reticulum, in hyperthyroidism, 235,4:H745  
 disposition, during pregnancy, 230:754  
 ingestion, plasma and lymph lipoproteins and, 241,4:G422  
 lipid secretion, biliary, 234,3:E637  
 mechanical alternans, atherosclerotic papillary muscle, 239,8:H674  
 metabolism, low-density lipoprotein receptor function and, 243,6:E5  
 mitochondrial content, membrane properties and, myocardial ischemia (pig), 242,11:H254  
 oxidation, by simultaneous sterol balance and breath analysis (primate), 235,4:R55  
 plasma membrane composition, renal medulla, 234,3:F247  
 secretion, fetal, maternal starvation and (pig), 236,5:E335  
 serum, age-related changes with food restriction, 238,1:E253  
 sodium-calcium exchange and, ischemic heart, 242,11:C288  
 synthesis, hormonal regulation, intestinal, 240,3:G274  
 turnover (primate), 235,4:R55  
 uptake, jejunum, 241,4:G270  
 very low-density lipoprotein catabolism, estrogen effects, 241,4:E372
- Cholesterol ester**, chylomicron composition, duodenal, 235,4:E183
- Cholestyramine resin**, blood flow and, ileal, 241,4:G469
- Cholic acid**, lipid secretion, biliary, 234,3:E637
- Cholic acid-CoA ligase**, activity, development, liver, 238,1:G429
- Cholic acid conjugates**, bile salts excretion, hepatic, 236,5:E191
- Choline**  
 bicarbonate absorption, collecting tubules, 234,3:F141  
 chloride transport, urinary bladder (toad), 233,2:F421  
 deficiency  
   ethionine effects, pancreas, 242,5:G297  
   pancreatic enzyme discharge, 239,2:G418  
 electrolyte excretion, kidney tubules (chicken), 240,9:F211  
 hepatic, intestinal bypass, 239,2:G358  
 neural control, heart, 240,9:H431  
 phospholipid formation, during potassium depletion nephropathy, 236,5:E429  
 phospholipid metabolism, renal regeneration, 232,1:E216  
 potassium ion transport, urinary bladder (toad), 237,6:F145  
 transport  
   bidirectional, renal tubules, 236,5:F112  
   electrolyte excretion, kidney tubules (chicken), 240,9:F211  
   renal tubule, 240,9:F83

- Choline** (continued)  
uptake, renal, during potassium depletion, 233,2:E212
- Choline acetyltransferase**  
activity  
cardiac, after transplantation, 235,4:H367  
cardiac, following vagotomy, 236,5:H620  
cardiac, neuronal origin (chick embryo), 233,2:H642  
ischemic heart, 243,12:H788  
sympathetic nerve changes, hypertrophied right ventricle (guinea pig), 243,12:H175
- Choline chloride**, transport and metabolism, kidney, 241,10:F308
- Cholinergic activation**  
guanosine monophosphate, cyclic and, sodium-potassium pump, salt gland (duck), 240,9:C207  
Purkinje fibers, 230,116
- Cholinergic agents**  
action, pancreatic acinar cells (amphibian), 235,4:E112  
amylase release, pancreatic acini, 235,4:E743  
goblet cell secretion and, intestinal, 242,5:G370  
ion transport, intestinal, 235,4:E402  
receptors: *see* Receptors  
sodium transport, bladder (toad), 235,4:F564
- Cholinergic agonists**  
acetylcholine receptor decrease, myasthenia gravis, 243,6:E31  
<sup>14</sup>C-aminobutyric acid, parotid gland, 239,2:G183  
secretory response, dispersed submandibular cells, 238,7:C90, C99
- Cholinergic augmentation**, pressure, esophageal sphincter (opossum), 234,3:E301
- Cholinergic blockade**: *see* Blockade
- Cholinergic control**  
calcium effects, colonic smooth muscle, 243,6:G134  
pancreatic polypeptide release, 235,4:E443
- Cholinergic drugs**  
sinuatrial node artery distribution, cardiac automaticity and, 241,10:H45  
smooth muscle cell response (frog), 232,1:C144
- Cholinergic effects**, pancreatic islets, 235,4:E493
- Cholinergic inhibition**  
gastrin and somatostatin secretion, 238,1:G495  
pressure, esophageal sphincter (opossum), 234,3:E301  
renal sympathetic nerves, 237,6:H326
- Cholinergic innervation**  
atrioventricular junctional rhythm, 239,8:H181  
cardiac (chick embryo), 233,2:H642  
glucose tolerance and, pancreas, 241,4:E337  
ventricular, cardiac rhythms, 237,6:H10
- Cholinergic mechanisms**  
acid secretion and motility, gastric mucosa (kitten, ferret), 234,3:E319  
lacrimal flow and potentials, 235,4:C8  
newborn (lamb), 233,2:H451  
pepsinogen release, gastric glands, 243,6:G218  
protein kinase, heart, 234,3:H432
- Cholinergic modulation**  
prejunctional, cardiovascular adrenergic neurotransmission, 238,7:H275  
water transport, bladder (toad), 239,8:F154
- Cholinergic nerves**  
atropine effects, hypercapnia, 242,11:H683  
cholecystokinin-octapeptide activity, intestinal smooth muscle, 232,1:E306  
distribution, uterine, 233,2:C25  
excitatory, duodenal muscle, 233,2:E28  
synapses, gut, 236,5:E738
- Cholinergic neurons**  
choline acetyltransferase activity, cardiac, 235,4:H367, 236,5:H620  
regulation, gastrin and somatostatin secretion, 243,6:G442
- Cholinergic receptors**: *see* Receptors
- Cholinergic regulation**, electrolyte transport, colon, 242,5:G116
- Cholinergic response**, lacrimal gland, 230,99, 235,4:C8
- Cholinergic stimulation**  
alkalinization, active, gastric fundic mucosa (amphibia), 233,2:E1  
amylase release, calcium mediation, parotid gland, 236,5:C233  
cardiac function and metabolism, newborn (lamb), 233,2:H451  
gastrin and somatostatin secretion, 238,1:G495  
surfactant secretion, 243,12:C39
- Cholinergic system**, water transport, bladder (toad), 239,8:F154
- Cholinergic vasoconstriction**: *see* Vasoconstriction
- Cholinergic vasodilation**: *see* Vasodilation
- Cholinesterase**  
neural control, heart, 240,9:H431  
smooth muscle cell responses (frog), 232,1:C144
- Choline sulfate**, gastric potential, gastric mucosa (frog), 240,3:G267
- Cholinomimetics**, salivary secretion (tick), 235,4:R76
- Cholylaurine**, biliary secretion, bile acid effects, 242,5:G40
- Cholylglycylhistamine**, lobular concentration gradient, hepatic, 238,1:G233
- Chondroosseous circulation**: *see* Circulation
- Chondrosarcoma**, metabolism, adenosine monophosphate, cyclic regulation, 239,2:E201
- Chonrichthyes**, blockade, potassium pressor effects (dogfish), 242,11:R185
- Chordae tendineae**, fluid dynamics, heart, mathematical model, 242,11:H1095
- Chorioallantoic fluid**, starvation, maternal (pig), 236,5:E335
- Choriodecidual adhesion**, decidual prolactin transport and, fetal membrane, 243,12:R552
- Chorionic gonadotropin, human**: *see* Gonadotropin
- Choroid cell**, sodium and potassium ions, induced changes, 238,7:F399
- Choroid epithelium**, ion concentrations, ouabain and potassium effects, 238,7:F399
- Choroid plexus**  
adenosine monophosphate, hormonal effects, 232,1:E353  
antidiuretic peptide in, 230:50  
brain and anatomic relations, comparative study (fish species), 238,7:R76  
brain barrier system, iodide (teleost), 234,3:R61  
cerebrospinal fluid oxygen tension, 236,5:F220  
cerebrospinal fluid sink action, ontogeny of, 243,12:R400  
permeability, plasma/cerebrospinal fluid barrier, 234,3:E327  
thiamine transport, 230:1101
- Chromaffin tissue**  
blockade, potassium pressor effects (dogfish), 242,11:R185  
dopamine  $\beta$ -hydroxylase secretion (bovine), 234,3:E600  
vascular response, angiotensin II effects (fish), 240,9:R139
- Chromaffin vessels**, biosynthesis (bovine), 235,4:E475
- Chromagrams**, synthesis, perfused adrenal glands (bovine), 235,4:E475
- Chromatin**  
ribonucleic acid polymerases, myocardial, 236,5:H451  
template, postnatal, myocardial, 235,4:H338
- Chromatin-template activity**, myocardial hypertrophy, muscle and non-muscle cells, 240,9:H901
- Chromatography**  
affinity  
pancreatic proelastase 2- $\alpha_1$ -protease inhibitor complex, plasma, 238,1:G177  
renin, brain, 242,5:E292  
allantoin excretion, renal, 233,2:F373  
column  
norepinephrine disposition, saphenous vein, 239,8:H238  
norepinephrine metabolism, pulmonary artery endothelium, 243,12:H732  
DEAE-Sephadex, ribonucleic acid synthesis and endogenous polymerases, myocardial, 236,5:H451  
electrochemical detection, urate secretion, proximal tubule, 239,8:F383  
erucic acid metabolism, 235,4:E509  
gas  
fatty acid, ischemic heart, 239,8:H257  
leucine metabolism, measurement from infusion of L-leucine, 238,1:E473  
mass spectrometer, urea kinetics, 240,3:E428  
prostaglandin biosynthesis, renal papilla, 234,3:F64  
high-performance liquid  
norepinephrine overflow from saphenous vein, 236,5:H263  
proximal tubule, kidney, 240,9:F406  
high-pressure liquid  
bicarbonate reabsorption, proximal tubule, 237,6:F447  
uridine regulation, liver, 242,11:R465  
ion exchange  
coronary arterial smooth muscle, 242,11:H177  
red cell glycolysis, plasma stimulation (cow), 236,5:C262  
lactate absorption, proximal tubule (garter snake), 238,7:F218  
liquid, urate secretion, proximal tubule, 239,8:F383  
mass spectrometry and, prostaglandin synthesis, renal, 235,4:F180  
thin-layer  
myocardial adenosine, after ischemia, 237,6:H247  
prostaglandin E<sub>2</sub> production, bladder, 239,8:F452  
prostaglandin E synthesis and water flow, bladder (toad), 234,3:F532
- Chromatography-spectrometry**, isotope study, plasma amino acid turnover rates and pools, 237,6:E418
- Chromium-51**  
blood volume, active, endotoxic shock, 236,5:H291  
erythrocyte concentration, splenic, 236,5:H238  
erythrocyte escape rate, volume expansion, 234,3:F386
- Chromium (III)**, metabolism, compartment analysis, 232,1:E478
- Chromonar**, coronary artery vasodilation, 240,9:H767
- Chronobiology**, hormone secretion, episodic, 243,6:E310
- Chronotropic effect**, positive, smooth muscle, uterine and portal, 236,5:C192
- Chronotropic response**, cardiac, gluc-



- gon effects, vagal stimulation, 242,1:1:H7
- Chronotropism**  
adrenergic effects, cardiac, 234,3:H525  
atrial response, hyperosmotic media, 233,2:H222
- Chylomicrons**  
assembly, lymphatic lipid transport, 239,2:G348  
erucic acid metabolism, 235,4:E509  
lipid composition, lymph, 235,4:E183  
lipoprotein lipase clearance, 232,1:E316  
remnants, binding and removal, liver, 243,6:G389
- Chylomicron triglyceride**  
thyroid status and  
skeletal muscle, 238,7:F518  
uptake, skeletal muscle, lipoprotein effects, 231:860
- Chyme**, constituents producing intestinal hyperemia, 235,4:H677
- Chymotrypsinogen**, chloride secretion, intestinal, 239,2:G190
- Ciliary frequency**, palate epithelium (frog), 242,11:C31
- Cimetidine**  
acid and, potential difference, gastric mucosa (frog), 240,3:G267  
esophageal sphincter, lower, responses (baboon), 235,4:E42  
gastric secretion, inhibition, oxygen consumption during, 234,3:E445  
gastrin stimulation, gastric glands, 242,5:G504  
histamine and, gastric glands, 238,1:G312  
histamine and adenosine monophosphate, cyclic, gastric mucosa (piglet), 242,5:G79  
pancreatic polypeptide, gastric acid secretion and, 236,5:E488  
pepsin secretion, inhibition, 233,2:E225  
potential difference, gastric mucosa (frog), 240,3:G267  
secretion, proximal tubules, 242,11:F672
- Cineangiography**, left ventricle, internal calibration, 232,1:H434
- Cinefluorography**, biplane, positive end-expiratory pressure, ventricular dimensions, 242,11:H549
- Cinematography**  
aortic valve behavior, 240,9:H286  
biplane, dynamic radiography and, 238,7:H43
- Cinemicrography**, myofilament reorientation, during smooth muscle contraction (toad), 232,1:C5
- Cineradiography**  
biplane, radiopaque marker identification, heart, 239,8:H573  
contractile function, right ventricle, 239,8:H794  
high-speed, epicardial segment rotation, 243,12:H1
- Circadian clock**: see Clock
- Circadian cycles**  
growth hormone release, lack of (monkey), 243,12:R213  
sleepiness, sex differences, 243,12:R193
- Circadian profiles**, insulin receptors, insulin-dependent diabetics, 242,5:E127
- Circadian rhythms**: see Rhythm
- Circadian sleep**: see Sleep
- Circadian system**, interacting oscillators, mathematical model, 242,11:R3, R17, R22
- Circadian zeitgeber**, glucocorticosteroid injections, 243,12:R373
- Circuits**, electrical equivalent, epithelial tissues, renal, 243,12:F519
- Circulation**: see also Blood flow;  
Microcirculation  
arteriolar, neural influences, 233,2:H141  
arteriovenous, adrenergic receptors in regulation (trout, gill), 232,1:H18
- biogenic amines and angiotensin I, lung in hypertension, 239,8:H736  
bone, isolated tibia, 236,5:H904  
branchial (eel), 238,7:R165  
capillary  
central neural influence, 233,2:H141  
intestinal, myogenic responses, 233,2:H547  
right bundle branch-septal model, 236,5:H379  
cardiopulmonary, H<sub>1</sub> and H<sub>2</sub> blockers, 232,1:H73  
cardiovascular muscle, vanadate, 239,8:H47  
catecholamines, liver, 230:1394  
central nervous system, heat stress (baboon), 237,6:H705
- cerebral**  
adrenergic vasoconstriction (goat), 235,4:H131  
carbon monoxide and hypoxia effects (lamb), 243,12:H27  
dopamine receptors, stimulation and blockade (baboon), 233,2:H222  
hematocrit variations, 238,7:H545  
hemorrhage hypotension (goat), 232,1:H368  
indomethacin effects, 243,12:H416  
noradrenaline effects (baboon), 233,2:H458  
regulation, carotid chemoreceptor reflexes, 238,7:H594  
time course, metabolic depression (baboon), 234,3:H74  
vasoactive intestinal polypeptides and, 238,7:H449
- cerebrovascular**, estimates, scattering <sup>133</sup>Xe intracarotid injection, 236,5:H680
- chemical sympathectomy and, fetal, neonatal and adult (sheep), 243,12:H113
- chondroosseous, tibia and femur, 242,11:H365
- collateral**  
awake pigs, 235,4:H435  
coronary artery occlusion and, awake state, 242,11:H1031  
myocardial infarction, 239,8:H731  
renin-angiotensin system and, renal ischemia, 243,12:H869
- control, cardiac afferent nerves, 239,8:H316
- coronary**  
 $\alpha$ -adrenergic receptor blockade effects, awake state, 243,12:H94  
capillary control, 235,4:H321  
force, transient, papillary muscle, 235,4:H267  
microspheres, shunting, 236,5:H7  
systolic and diastolic pressure gradients, 238,7:H625  
tachycardia, 230:1072  
coronary collateral, after myocardial infarction (baboon), 235,4:H413  
cutaneous, sweat gland absence, 240,9:H571
- enterohepatic**  
bile salts extraction, 236,5:E191  
biliary excretion and, 242,5:G522  
25-hydroxyvitamin D<sub>3</sub> absorption, 236,5:E441  
enterohepatic and enteropancreatic, amylase clearance, 243,6:G21
- enteropancreatic**  
amylase output, biliary, 243,6:G54  
pancreatic enzymes and, 239,2:G190  
erythrocytes, spleen, compartmental analysis, 239,8:H272
- extracorporeal**, platelet function, 232,1:H622
- extracorporeal system**, closed-chest coronary perfusion, 236,5:H652
- femoral, lumbar nerve stimulation (swine), 240,9:H505
- forelimb, hypothalamus and brachial nerve effect, 230:797
- gastric  
effects of catecholamines and adrenergic blockade, 230:346  
prostanoids and, 242,5:G582  
gastrointestinal assisted, pulseless perfusion, 236,5:E28
- hepatic**  
autoregulation, role of portal blood composition, 233,2:H255  
cytochrome redox state, 243,12:F356  
ethanol kinetics and, 237,6:E316  
hematocrit variations, 238,7:H545  
iliac, micturition and, 237,6:H213  
insulin, model, 237,6:E331  
intestinal, histamine receptors, 233,2:E219  
intrarenal, 230:901  
krypton-85 washout technique, renal, 232,1:H54  
mechanoreceptors (turtle), 242,11:R216
- mesenteric**  
adrenergic mechanisms (baboon), 234,3:E457  
histamine receptors, 233,2:E219, 234,3:E370  
micturition and, 237,6:H213  
model of, 242,5:G541  
pulsatile pressure and metabolic rate effects, 242,11:H769
- metabolic theory of control**, intestinal, 242,5:G570
- metabolism**, coupling, exercise vasodilation, 236,5:H705
- nerve stimulation, liver, 232,1:H652
- neural control, coronary occlusion, 240,9:H620
- neurohumoral regulation, bones and marrow, 237,6:H440
- osmotic water exchange (frog), 234,3:R172
- oxygen transport and (crayfish), 240,9:R99
- oxygen uptake and, pancreatic, 242,5:G596
- pancreatic, L-asparagine synthetase activity, 236,5:E746
- pancreatic elastase, entry route, 238,1:G238
- pattern, 24-hour, radiotelemetry, 236,5:R231
- peripheral**  
angiotensin I and II effects, intrarenal, 240,9:H914  
aortic occlusion and, 243,12:R152  
burn wood, 233,2:H520  
regulation of, hypoxia, 243,12:H1010  
whole-body response after hemorrhage, 236,5:H206
- platelet removal, hepatic and splenic, 235,4:H314
- portal**  
growth hormone and, 237,6:E107  
potassium reabsorption and secretion (bullfrog), 235,4:F26  
vagal and sinoaortic reflexes, 237,6:H146
- postglomerular, transcapillary exchange, molecular weight markers, model, 242,11:F436
- prostaglandin D<sub>2</sub> effects, perinatal (goat, lamb), 240,9:H755
- prostaglandin E<sub>2</sub>, response of near-term fetus, 231:760
- pulmonary**  
 $\beta$ -adrenergic receptors, hypoxia effects, neonatal (lamb), 240,9:H697  
hypoxia, hemodynamics and structure, 236,5:H818  
prostaglandin E<sub>1</sub> and E<sub>2</sub>, perinatal (goat), 236,5:H828  
prostaglandins, fetal (goat, sheep), 238,7:H282  
transition, fetal (goat), 234,3:H346  
recirculation, fluorescein, retinal, 234,3:H315  
recirculation time, indicator-dilution curves, 233,2:H350

**Circulation (continued)**

- redistribution
  - acute hypometabolic behavior, 235,4:R89
  - microspheres, perfusion, intestinal, 243,12:H123
- reflexes: see Reflexes
- regional, baroreceptor reflexes, arterial, racing (greyhound), 240,9:H383
- renal
  - adrenergic stimulation (piglet and swine), 237,6:H690
  - glucose metabolism, 234,3:F415
  - somatic and cardiopulmonary receptors, interaction, 237,6:H560
- retinal, fluorescein dye-dilution technique, 234,3:H315
- skin
  - heat stress (baboon), 237,6:H705
  - noncholinergic vasodilator innervation (duck, chicken), 237,6:H112
- small intestinal mucosa, model, 237,6:E373
- splanchnic
  - blood reservoir function, 232,1:H67
  - heat stress (baboon), 237,6:H705
  - microsphere size effects, 241,10:H408
- splenic
  - erythrocyte concentration mechanisms, 236,5:H238
  - pH environment and, 231:1672
  - washout kinetics, 231:1665
- stress reactions, sex hormone effects, 231:842
- tilting effects (fish), 242,11:R70
- Circulation croisée**, *see* function input, kidney, 233,2:H488
- Circulation-metabolism coupling**: see Coupling
- Circulatory control**, small intestinal mucosa, model, 237,6:E373
- Circulatory filling pressure**: see Pressure
- Circulatory restraint**, cardiac sympathetics, 237,6:H528
- Circulatory stress tests**, coronary heart disease, 233,2:H694
- Circulatory system**, transport function, multiple regression analysis, 240,9:H133
- Circulatory transition**, pulmonary prostaglandins and, fetal (goat, sheep), 238,7:H282
- Circumflex ligation**, cellular injury, autonomic nervous system and, 240,9:H738
- Circumflex occlusion**, septal artery and collaterals, 238,7:H504
- Circumventricular organs**, macromolecular changes, dehydration and renin, 237,6:R26
- Circus movement**, reentrant excitation, heart, 235,4:H1
- Cirrhosis**
  - ascites formation, 238,7:F353
  - ascites mobilization, following furosemide or mannitol diuresis, 235,4:F12
  - hypertonic saline infusion, renal response to, 242,11:F390
  - liver, chronic experimental, salt and water retention, 232,1:F315
  - portal, ascites formation and sodium retention, 233,2:F572
  - portal-systemic shunting, radioactive microspheres, 240,3:G371
  - sodium retention, efferent mechanisms, 233,2:F586
- Cisterna magna**, cerebrospinal fluid, chronic cannula, 236,5:R132
- Citrate**
  - metabolism, renal slices, arsenite effects, 237,6:F93
  - renal handling
    - during heat-induced hypocitricemia, 231:84
    - hypocitricemia, 237,6:F307

- Citrate-malate pathway**, fatty acid synthesis, lung, 232,1:E358, E364
- Citrate synthase**
  - activity, perfused lung, 236,5:E276
- changes, aerobic heart production effects, 240,9:R289
- metabolism, seasonal acclimatization (goldfinch), 242,11:R563
- muscle fibers, during training, 230:946
- neonatal skeletal muscle, thyroid deficiency and, 235,4:C97
- pyruvate-perfused heart, 237,6:R159
- respiratory acidosis, perfused heart, 234,3:H40
- skeletal muscle mitochondria, thyrotoxicosis, 232,1:C180
- thyrotoxicosis and, soleus muscle mitochondria, 236,5:C132
- Citric acid**
  - cycle
    - muscle enzymes (bat), 242,11:R189
    - respiratory acidosis, perfused heart, 234,3:H40
  - development, heart, fetal, 243,12:H87
- Clamping**
  - aortic, during Ringer loading, 232,1:F92
  - renal artery, two-component natriuretic response to saline loading, 235,4:F126
- Clamp technique**, euglycemic insulin, tissue sensitivity, 237,6:E214
- Clearance**: see also specific subject and site
  - calcium, magnesium and phosphate and, renal, 233,2:F514
  - erythritol, canalicular bile flow and (baboon), 242,5:G475
  - free water, glucose metabolism and, 242,11:F491
  - hepatobiliary and pancreatic, circulating pancreatic amylase, 243,6:G21
  - iodoantipyrine, gastrointestinal tissue blood flow, 243,6:G155
  - kidney, folic acid and methotrexate (monkey), 242,11:F484
  - metabolic rate, 24,25-dihydroxyvitamin D<sub>3</sub>, 243,6:E370
  - norepinephrine, lung, 242,11:H844
  - placental, uterine blood flow and (ewe), 242,11:H429
  - plasma
    - compartmental analysis, 243,12:R1
    - exercise effects, 242,5:E407
  - somatostatin, gastric function and, 243,6:G97
  - sugar, kidney (flounder), 242,11:F415
  - tubular dysfunction, maleic acid-induced, 243,12:F604
- Clofibrate acid**, amino acid metabolism, skeletal muscle, 240,3:E203
- Clomiphene**, gonadotropin release, pituitary, 240,3:E125
- Clonidine**
  - fastigial nucleus, sympathetic activity, 243,12:R25
  - presynaptic  $\alpha$ -receptor function, renal vascular bed, 239,8:H422
  - renin release and, carotid sinus, 242,11:R318
- Closed-loop gain**: see Gain
- Clotting factors**, plasma, deficiency, platelet chemotaxis and, 235,4:H23
- Coagulation**
  - blood, gas or hydrostatic pressure (fish), 239,8:R161
  - exercise-activated, fibrin formation, 236,5:H577
  - fibrinopeptide B release, 232,1:H629
  - intravascular, reticuloendothelial function, 234,3:H323
  - procoagulant activity, leukocytes, peritoneal, 235,4:H333
- Coarctation-banding**, left ventricular concentric hypertrophy, production, model, 234,3:H515

**Cobalt**

- calcium fluxes, pancreatic islets, 238,1:E96
- pancreatic  $\beta$ -cells, 239,8:C124

**Cocaine**

- $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330
- aortic contractile response, diabetes, 236,5:H301
- contractile response, catecholamines, 233,2:H399
- norepinephrine accumulation and, saphenous vein, 243,12:H424
- norepinephrine metabolism, saphenous vein, 234,3:H235
- smooth muscle responses, arterial and venous, 232,1:H131

**Cochlear potentials**: see Potentials**Coenzyme A**: see also Bile acid CoA;

- cholic acid; CoA ligase
- diabetes, fasting and, 240,3:E597
- 3-hydroxy-3-methylglutaryl, reductase, hormonal regulation, intestinal, 240,3:G274
- synthesis, diabetes and fasting effects, heart, 240,9:H606

**Colchicine**

- acid buffering, extrarenal, 239,8:F533
- antidiuretic hormone water permeability and, urinary bladder (toad), 243,12:C200
- binding, oxyntic cell tubulin, gastric, 240,3:G317
- cellular processing of insulin, 243,6:E140
- creatine and muscle mass, relations, 235,4:C199
- gastric secretion (frog), 236,5:E550
- lactose inhibition, mammary gland, 234,3:C177
- microtubules and microfilaments, roles in antidiuretic hormone action, bladder (toad), 236,5:F14
- urinary phosphate and, 231:565

**Cold**

- acclimation
  - abnormal brown adipose tissue, obesity, 239,2:E301
  - brown adipocyte respiration, 238,1:E552
  - brown adipose tissue, cardiomyopathy, 239,8:C18
  - calcium uptake, muscle mitochondria, 234,3:C7
  - catecholamine sensitivity, brown fat cells, 242,11:C250
  - developmental changes, fat cells, brown adipose tissue, 240,3:E379
  - insulin secretion, pancreas, 242,5:E360
  - leucine transport and, liver (fish), 242,11:R280
  - norepinephrine metabolism, brown fat, 232,1:E565
  - temperature selection and (fish), 242,11:R157
  - vasodilation, 239,8:R126
- adaptation, 230:522
  - brown fat peroxisomal  $\beta$ -oxidation, 239,8:C208
  - hyperphagia and, brown fat hyperplasia, 242,5:E353
  - nonshivering thermoregulation, 230:720
- body, blood flow and, foot (chicken), 242,11:R582
- developmental changes, fat cells, brown adipose tissue, 240,3:E379
- enzyme changes, seasonal, 240,9:R289
- exposure
  - adipose tissue morphology and, 242,5:E93
  - blood pressure, arterial (monkey), 232,1:H459
  - calcium-45 efflux, aortic, 234,3:C139
  - cutaneous, reflex cardiac effects, 239,8:H114

- fasting and, sympathoadrenal activity, 240,3:E314  
 fat mobilization, 232,1:E165  
 free fatty acid oxidation, muscle (bovine), 237,6:E309  
 glucose uptake and, diabetes, muscle, 242,1:R109  
 heart rate (monkey), 232,1:H459  
 norepinephrine turnover, pancreas and liver, 236,5:E524  
 norepinephrine turnover and, brown fat, 242,5:E253  
 oxygen consumption, baroreflexive depression (monkey), 232,1:H451  
 thyroid function, obesity (mouse), 233,2:R110  
 maturation, hypothalamic-pituitary-thyroid, 239,2:E223
- stress**  
 metabolic heat production, brain serotonin and, 235,4:R41  
 substrate metabolism (goldfinch), 242,11:R563  
 Telazol anesthesia (monkey), 239,8:R241  
 thyroid treatment and, 243,12:R170  
 tolerance (polar bear cubs), 236,5:R67  
 newborn (northern fur seal), 236,5:R322  
 trophic response to, guanethidine effects, brown fat, 242,11:C159  
 ventromedial hypothalamic lesions, obesity-induced, 243,6:E338
- Cold block**, vagal, hemorrhage, 237,6:R203
- Colipase**  
 fat absorption, intestinal, 240,3:G1  
 pancreatic, 232,1:E131  
 dietary lipids and, 243,6:G10
- Collagen**  
 activity, implanted sponge connective tissue, zinc deficiency, 236,5:E272  
 arterial wall changes, renal hypertension, 242,11:H477  
 atherosclerosis, arterial wall (racing greyhound), 236,5:H790  
 cardiac hypertrophy, renovascular hypertension, 240,9:H408  
 carotid artery, aging effects, 233,2:H256  
 chemotaxis, human platelet, 235,4:H23  
 content, arterial, 234,3:H533  
 floating gels, mammary epithelium, prolactin effects on ion transport, 240,9:C110  
 glomerular basement membrane, diabetes, 242,11:F385  
 hypertensive carotid artery, 237,6:H597  
 interstitial, ischemic arrest, myocardial, 240,9:H116  
 myocardial, volume regulation, 241,10:H740  
 protein exclusion  
   venous pressure and, muscle, 242,11:H1044  
   venous pressure and, skin, 242,11:H1038  
 pulmonary arteries, mechanics and composition, 242,11:H245  
 sex hormone effects, 232,1:H611  
 stretch-induced hypertrophy, skeletal muscle, wing (chicken), 242,11:C333  
 synthesis, hypertrophy, right ventricular, 241,10:H708
- Collagenase**  
 aldosterone binding study, kidney tubules, 240,9:F172  
 bacterial, cytotoxic enzymes of, cell isolation, bone, 240,9:C234  
 cell volume regulation, proximal tubule, 233,2:F325  
 perfusion, small intestine, 242,5:G147  
 renal cell volume, hypnotic media, 238,7:F491  
 renal tubule cell volume, 235,4:F480  
 series elastic component, 232,1:H122
- Collagen gels**, floating, mammary epithelium, 241,4:E410
- Collateral blood flow**: *see* Blood flow
- Collateral development**, coronary, awake state, 241,10:H519
- Collaterals**, cardiac function, blood flow and, 240,9:H811
- Collecting ducts**: *see* Kidney tubules
- Colloidal carbon**: *see* Carbon
- Colloid droplets**, intrathyroidal, cold effects, 239,2:E223
- Colloid osmometer**: *see* Osmometer
- Colloid osmotic pressure**: *see* Pressure
- Colony**  
 activity, neurohumoral control, 236,5:E458  
 blood flow: *see* Blood flow  
 calcium absorption, chlorothiazide effects, 242,5:G575  
 calcium transport  
   active, dietary calcium effects, 238,1:G75  
   diabetes, 235,4:E699  
   1,25-dihydroxyvitamin D<sub>3</sub> effects, 240,3:G350  
   somatostatin effects, 241,4:G215  
 capillaries, permeability, 239,2:G300  
 capillary filtration coefficient, 238,1:G478  
 cation transport, glucocorticoids and aldosterone role, 238,7:F383  
 cell replacement, luminal contents effects, 233,2:E208  
 circulation, adrenergic stimulation and blockade (monkey), 240,3:G25  
 deoxycholic acid, motility and, 238,1:G321  
 deoxyribonucleic acid synthesis, 235,4:E565  
 descending, potassium transport by, 242,11:C81  
 development, 235,4:E207, E213  
 distal, peristalsis, 236,5:E464  
 electrolyte transport  
   cholinergic regulation, 242,5:G116  
   glucocorticoids and aldosterone roles, 238,7:F181  
   serotonin effects, 239,2:G463  
 function  
   corticosteroid-induced changes, spirinolactone and amiloride effects, 241,4:G300  
   corticosteroid-induced changes, cycloheximide effects, 243,6:G112  
   galactosyltransferase, fetal, neonatal and adult, differentiation, 235,4:E213  
   gastrin effects on adaptation, small bowel resection, 243,6:G16  
   intestinal transport, intraluminal pressure effects, 242,5:G65  
   intrinsic nerves, electromyography, 234,3:E641  
 large, motor events (equine), 237,6:E457  
 metabolic dependence, electromyography, 239,2:G173  
 migrating action potential complexes, 238,1:G321  
 motility: *see* Motility  
 mucosal cells, secretion of potassium after potassium adaptation, 231:987  
 muscle, proximal and distal, comparison, 237,6:E383  
 myoelectric activity: *see* Myoelectric activity  
 oxygenation, intrinsic control, 238,1:G478  
 permeability, in vitro, 232,1:F5  
 potassium absorption, 242,5:E209  
 potassium secretion, 234,3:F48  
 slow waves, adenosine monophosphate, cyclic and calcium effects, 242,5:G124  
 smooth muscle, calcium effects on neurohumoral stimulation, 243,6:G134  
 sodium ions, electrochemical gradient, 234,3:F48
- sodium transport**  
 amiloride-sensitive, 238,7:F261  
 epithelia, electrophysiology of, 241,10:F579  
 transmural potential difference, glucocorticoid and aldosterone effects, 238,7:F181  
 venous occlusion, 238,1:G478  
 vitamin K<sub>2</sub> absorption, 230:251  
 factors affecting, 233,2:E124
- Colonic cells**, mucosal, increased potassium secretion, 239,8:F378
- Colonic corticosteroid receptors**: *see* Receptors
- Colonic mucosa**  
 cytosol, corticosteroid-binding studies, 240,3:G417  
 nerves, norepinephrine release, 241,4:G416  
 noradrenergic innervation, 241,4:G137
- Combustion technique**, procainamide determination, myocardium, 233,2:H399
- Communication**  
 hierarchic, thermodynamics and, 233,2:R3  
 sciences, contributions to physiology, 233,2:R159
- Comparative anatomy**: *see* Species differences; Sex differences
- Comparative physiology**: *see* Species differences; Sex differences
- Compartmental analysis**: *see also* Models  
 brain pharmacokinetics, 242,11:R339  
 cerebral blood flow, 238,7:H750  
 chromium (III) metabolism, 232,1:E478  
 erythrocyte circulation, spleen, 239,8:H272  
 indicator-dilution curves, hepatic, 243,6:G76  
 inner ear and cerebrospinal fluids, 243,12:F173  
 new approach, 243,12:R424  
 osmotic opening, blood-brain barrier, 238,7:R421  
 parathyroid hormone secretion (calf), 242,11:R141  
 vs. noncompartmental, 243,12:R1  
 zinc metabolism, 237,6:R340
- Compartments**  
 bilirubin kinetics, fasting effects, 240,9:R266  
 body water, aging, 238,7:R82  
 calcium, anterior pituitary, 238,1:E167  
 cellular, insulin kinetics, 239,2:E3  
 electrophysiological, volumetric properties, Purkinje cells, 238,7:H561  
 glucose turnover, nonsteady state, model, 234,3:E84  
 interstitial fluid, medullary collecting duct, 239,8:F258  
 metabolic systems, 240,9:R120  
 sodium and potassium ions, subcellular, 234,3:F261  
 sucrose, <sup>3</sup>H-labeled, skeletal muscle and sarcoplasmic reticulum (frog), 234,3:C181  
 thermodynamics, models, 234,3:R3
- Complementarity**, biological complexity and, 236,5:R241, R247
- Complexity**, limits to knowledge and, 235,4:R201
- Compliance**  
 arterial  
   aortic bulb, model, 240,9:R200  
   digital, noninvasive measurement, 233,2:H168  
   spontaneous hypertension, 237,6:H584  
 bladder, water permeability and, stretch (toad), 242,11:F8  
 blood flow and venous pressure, hepatic, 240,9:H18  
 cardiac output-blood volume relations, hypertension, 243,12:R318

**Compliance (continued)**

- catheter, esophageal manometry system, 233,2:E389
- diastolic
  - ischemia effects, left ventricular, 240,9:H413
  - left ventricular hypertrophy, myocardial, 242,11:H633
- dynamic, arterial grafts, 233,2:H568
- epidural tissue space, 232,1:H255
- femoral and jugular vein, 233,2:H15
- gallbladder (baboon), 241,4:G376
- hepatic, active capacitance, 242,11:H1000
- hepatic vascular, liver blood volume, 231:292
- interstitial, lymph flow and protein flux, saline effects, intravascular, 240,9:R282
- large arteries, 237,6:H550
- left ventricular free wall and septal diastolic, comparison, 234,3:H392
- load, right ventricular flow and power output, 237,6:H125
- lung, decreased, effect on cardiovascular response to positive end-expiratory pressure, 233,2:H635
- lymphatic compliance, protein flux and, saline effects, 240,9:R282
- myocardial
  - ellipsoidal shells, pressure-volume relations, effect of shape, 238,7:H917
  - hypoxia, 232,1:H526
- pulmonary interstitial, microvascular filtration coefficient, 239,8:H189
- pulmonary vascular, regional sympathetic outflows, 240,9:H109
- tissue, renal hypertension, awake state, 242,11:H376
- umbilical, vascular (sheep), 233,2:H660
- vascular
  - delayed, fluid exchange and, 234,3:H660
  - hypertension, hindlimb capillaries, 236,5:H586
  - intestinal, using mean transit time of indicator, 234,3:H7
  - lymph flow and protein flux, saline effects, 240,9:R282
  - nitroprusside, 237,6:H99
  - placental, 234,3:H289
  - spontaneous hypertension, 237,6:H584
  - venous, hypertension, 240,9:H487
- ventricular
  - chronic volume overload, 237,6:H575
  - diastolic pressure-diameter relations and, 237,6:H644
  - myocardial ischemia, 233,2:H677
  - positive end-expiratory pressure, 236,5:H534
  - whole-body venous, spontaneous hypertension, 237,6:H584
- Compression**, extravascular, coronary collateral blood flow and, 233,2:H541
- Computed axial tomography**: see Tomography
- Computer studies**: see also Models
  - adenine nucleotide distribution, heart, 232,1:R158
  - analog-to-digital converter, 232,1:C211
  - central nervous system transport, 232,1:R73
  - circadian desynchronization (monkey), 232,1:R31
  - creep, cardiac muscle, 232,1:H553
  - energy metabolism
    - heart, anoxic, 232,1:R164
    - heart, glucose effects, 232,1:R175
  - memory oscilloscope, multiplexer, 232,1:C211
  - oxygen exchange, simulation, secondary lamella (trout), 233,2:R145
  - purine metabolism, ischemic heart, 232,1:H386, H394
- Concanavalin A**, cellular processing of insulin, 243,6:E140

**Concentrating ability**

- renal, uninephrectomy and, 233,2:F428
- sodium fluoride effects, 232,1:F335
- Concentrating capacity**, urine, potassium ion-depleted kidney, vasopressin and adenosine monophosphate, cyclic, 231:1204
- Concentrating gradient**, transepithelial, kidney, 235,4:F1
- Concentrating mechanism**
  - urinary, 235,4:F1
  - newborn, 234,3:F16
- Concentration**
  - mechanism, age effects, urinary, 240,9:F147
  - renal ability, pelvic fluid urea concentration and, 239,8:F609
  - renal medullary process, integrative hypothesis, model, 239,8:F578
  - urinary mechanism, papillary collecting duct (desert rodent), 239,8:F539
- urine
  - antidiuretic hormone and, 239,8:F84
  - antidiuretic-parathyroid hormone interaction, 239,8:F244
  - defect, age effects, 240,9:F147
  - renal concentrating ability and, 239,8:F609
- Conceptus**: see Fetus
- Conditioning**
  - aversive, peripheral resistance elevations, 236,5:H880
  - classical, cardiovascular response to shock (monkey), 236,5:H273
  - operant, peripheral resistance elevations, 236,5:H880
  - physical: see Exercise
- Conductance**: see also specific subject and site
  - arterial, hepatic, blood flow, 239,8:H559
  - bladder, 230:1722
  - diffusive, secondary lamella (trout), 233,2:R145
  - hydraulic, isotonic proximal tubular fluid absorption, 236,5:F89
- ionic
  - repetitive firing frequency and (mollusc), 234,3:C155
  - skeletal muscle, 232,1:C109
  - ionic basis, cardiac, 234,3:H101
  - ion pump mechanism, renal tubular, 233,2:F359
  - membrane, atrial action potential, plateau, 233,2:H203
  - mesenteric, intestinal, vasopressin-angiotensin, reciprocal control mechanisms, 232,1:H260
  - osmotic, ileum, 234,3:H14
  - potassium: see also Potassium
    - control by internal calcium, 234,3:H101
    - ischemic heart, 239,8:H380
  - smooth muscle cells, stomach (toad), 239,8:C175, C182
  - shunt, sodium ion, stomach (mammalian), 234,3:E228
  - total tissue, gastric mucosa, 235,4:E7
- Conduction**: see also specific subject and site
  - antiarrhythmic drug effects, 235,4:H574
  - atriosinal (lungfish), 232,1:H24
  - atrioventricular
    - acetylcholine and vagal stimulation effects, 234,3:H460
    - heart rate changes, autonomic activity effects, 243,12:H525
    - vagal stimuli, 239,8:H494
  - cardiac, active force, developmental changes, 240,9:H546
  - concealed, atrial fibrillation, 243,12:H754
  - excitation
    - Auerbach's plexus, 232,1:E100
    - Meissner's plexus, 232,1:E109
  - impulse, developmental changes, cardiac, 240,9:H546

- supernormal bundle of His, proximal bundle branches and, 238,7:H300
- ventricular, during ischemia, 233,2:H329
- Conduction system**
  - heart (fowl), 239,8:R483
  - heavy metal feeding, 239,8:H22
  - tetrodotoxin effects, cardiac action potentials, 236,5:H561
- Conduction velocity**
  - atrial, anatomic landmarks and, 242,11:H421
  - stretch effects, Purkinje fibers (sheep), 237,6:C119
  - structure and function of atrioventricular node, 243,12:H41
  - ventral route, cardiac nerves, 232,1:H590
- Conductivity**
  - hydraulic
    - aortic endothelium and outer layers, 236,5:H53
    - basement membrane, Henle's loop, 234,3:F54
    - coefficient, pars recta, 234,3:F340
    - duodenum and ileum, 237,6:E389
  - osmotic: see Osmotic conductivity
- Congestion**, blood, epithelial cell extrusion, small intestine, 232,1:E408
- Congestive heart failure**: see Heart
- Connective tissue**
  - arterial wall properties, renal hypertension, 242,11:H477
- composition
  - aging effects, 233,2:H256
  - normotension and spontaneous hypertension, 237,6:H159
- content
  - arterial wall mechanics and, hindlimb, 235,4:H649
  - arteries, 234,3:H533, H542
  - carotid artery, 234,3:H280
  - implanted sponge, deoxythymidine kinase activity, zinc deficiency, 236,5:E272
  - pulmonary arteries, mechanics and composition, 242,11:H245
  - subcutaneous capsule, long-term study, 241,10:F687
  - vascular, sex hormones and, 232,1:H611, H617
- Consciousness**
  - limits of models, reflexivity of nature, 242,11:R167
  - tides of human, 242,11:C163
- Constant-infusion isotope dilution method**, glucose-lactate interrelations (sheep), 235,4:E487
- Constraint**, nonholonomic, biological complexity, 236,5:R241, R247
- Constriction**: see also specific subject and site
  - adrenergic, isoproterenol effects, 233,2:H22
  - aortic, aftercontractions, papillary muscle, 237,6:H649
  - arterial, genetic hypertension, 237,6:H159
  - arterial response, 234,3:H542
  - arterial smooth muscle responses, hindlimb, 235,4:H649
  - pulmonary artery, right ventricular systolic hypertension (pony), 235,4:H628
  - thoracic vena cava, renin release, 234,3:F10
- Constrictors**, sympathetic, cardiovascular-respiratory reflex interactions (monkey), 234,3:H293
- Contractile force**, cardiac: see Muscle, heart
- Contractile function**, experimental aortic stenosis, 240,9:H80
- Contractile properties**: see Muscle
- Contractile reserve**: see Muscle, heart
- Contractile response**
  - depolarization-induced, smooth muscle, calcium-free solution, 242,11:C36



- isometric, prolonged exercise, 242,11:C65
- leukotriene D<sub>4</sub> and histamine-induced, smooth muscle, 243,12:C133
- magnesium ion induced, smooth muscle, arterial, 242,11:C25
- Contractility**
- cardiac: *see* Muscle, heart
- muscle: *see* Muscle
- Contraction-relaxation cycle**, vascular smooth muscle, 243,12:H641
- Contractions**: *see* Muscle; *see also* Interdigestive contractions; Phasic contractions
- Control theory**, biology and, 235,4:R205
- Convection**
- diffusion and, capillary-tissue fluid, 234,3:H52
- osmosis and, 235,4:R3
- Convective transport**, neutral solute, porous membranes, 241,10:F469
- Converting enzyme**
- amino acid hydrolysis, aorta (pig), 232,1:C95
- angiotensin, bradykinin potentiation, 240,9:H255
- blockade, renovascular hypertension, 236,5:F21
- development
- lung, fetal, 236,5:R57
- lung and kidney, 234,3:R141
- hemodynamics, renal, 233,2:F290
- inhibition
- adrenal receptors, 239,2:E317
- angiotensin II effects, 241,10:R190, 243,6:E450
- angiotensin II effects, renal, 243,6:E450, F260
- glucocorticoid hypertension, 238,7:H844
- intrarenal, role of angiotensin II and III, 236,5:F252
- intrarenal, blood flow and, 243,12:H277
- nephron function and, Goldblatt hypertension, 243,12:F553
- pump-perfused kidney, 240,9:F545
- renal function, 239,8:F271
- renal hypertension, 240,9:H408
- sodium and angiotension effects, hypertension, renovascular, 240,9:H788
- mesenteric vasculature, 237,6:H218
- Converting enzyme inhibitor**
- carotid sinus reflex, 233,2:H196
- renal ischemia and, 243,12:H869
- renin release, renal arterial hypotension, 233,2:H191
- responses, adrenal and renal, 234,3:F130
- sodium intake effects, 233,2:H196
- SQ 14225
- angiotensin II formation, blockade during sodium deprivation, 237,6:F424
- high output failure, 236,5:F541
- renovascular hypertension, 236,5:F21
- SQ 20,881, vasopressor responses (eel), 235,4:H95
- submandibular gland blood flow, 242,11:H1010
- uteroplacental blood flow, pregnancy, 242,11:H142
- Convulsions**, metrazole-induced, protein transport, cerebrovascular, 233,2:C74
- Cooling**
- blood flow
- cutaneous (alligator), 235,4:R160
- responses, bone, 236,5:H1
- cutaneous veins,  $\alpha$ -adrenoceptor affinity and, 234,3:H330
- hypothalamic, growth hormone regulation, 233,2:E61
- local, vascular responses, skin and skeletal muscle, 240,9:H868
- lysosomes and, effects of adenosine triphosphate, 242,11:C192
- surface, ischemic myocardium, 235,4:H736
- Cooperativity**
- gastrin binding, 237,6:E295
- leukoagglutinin-lymphocyte binding, 237,6:E203, E207
- Copper**
- absorption, regulation, 236,5:E309
- biliary excretion defect (dog), 243,6:G231
- cadmium effects, renal, 232,1:H114
- contents, lymph, 236,5:E180
- deficiency, electrocardiography, 240,9:H185
- excretion, biliary, metallothionein effects, 234,3:E47
- hepatic and renal absorption, species differences (dog, human), 243,6:G226
- metabolism, pregnancy and postpartum, 232,1:E172
- plasma, bacteria injection effects (lizard), 240,9:R272
- urate uptake and, kidney cortex, 242,11:F158
- Copper-loading disease**, Wilson's disease comparison, species differences (dog, human), 243,6:G226
- Core temperature**: *see* Temperature, body
- Cori cycle**
- activation, epinephrine-induced, 232,1:E145
- activity, feeding, 232,1:E136
- glucose turnover, insulin or glucagon deficiency, 236,5:E255
- Cornea**
- adrenergic receptors, ionic transport, 230:1487
- chloride transport
- anaerobic, metabolic requirements (bullfrog), 236,5:C268
- epithelial (frog), 237,6:F121
- ionophore A23187 effects (frog), 233,2:F94
- short-circuit current (frog), 237,6:F121
- convection, brain temperature effects (pigeon), 242,11:R577
- diuretics, indanone and, comparison (toad), 238,7:R70
- electrophysiology, fluorescent cyanine dye studies (frog), 238,7:C21
- epithelium
- chloride transport inhibition, piretanide and MK-196 (bullfrog), 240,9:F25
- sodium and potassium active transport, thermodynamics of (frog), 242,11:F690
- transport, mathematical modeling, 234,3:F215
- Corn oil**, erucic acid metabolism and, 235,4:E509
- Coronary anastomoses**, arteriovenous, microsphere shunting, 236,5:H7
- Coronary artery**
- amphiphile effects, 240,9:H229
- arteriography: *see* Arteriography
- autoregulation, postocclusion, adenosine and, 238,7:H214
- bifurcations, 237,6:H469
- blood flow: *see* Blood flow
- collateral flow, 230:959
- constriction, adenosine distribution, myocardial, 236,5:H833
- contraction, hypoxia-induced depression, 238,7:H761
- disease, acute regional ischemia and, 242,11:H240
- embolization, selective, closed-chest, 232,1:H335
- embolization cannula, 232,1:H335
- extracorporeal shunt, measurement of blood flow, 233,2:H154
- flow-debt repayment, postocclusion, adenosine and, 238,7:H214
- hemodynamics: *see* Hemodynamics
- isolated, mannitol, hypertonic, vasoconstrictor and vasodilator effects, 235,4:H728
- ligation: *see* Ligation
- measurement, drugs and, 240,9:H73
- occlusion
- arterial hypertension, myocardial ischemia and, 240,9:H855
- autonomic indices, ischemic heart, 243,12:H788
- cardiovascular response to shock (monkey), 236,5:H273
- circumflex, renin release, inhibition of, 242,11:H107
- collateral function, awake state, 241,10:H519
- dexamethasone effects, 242,11:H55
- DNA synthesis in coronary collaterals, awake state, 242,11:H1031
- ethyl adenosine, myocardial blood flow and, 231:1495
- extracorporeal circulation system, 236,5:H652
- graded, 243,12:H788
- infarct growth toward endocardium, time course, 236,5:H356
- ischemic myocardium, during hypothermia, 235,4:H736
- left ventricular function and collateral circulation (baboon), 235,4:H413
- myocardial blood flow during, 243,12:H566
- myocardial function and metabolism during, 242,11:H980
- myocardium at risk effects, 243,12:H340
- necrotic wavefront movement after, 243,12:H682
- renal nerve activity during, 243,12:H170
- perfusion: *see* Perfusion
- pressure: *see* Pressure
- reperfusion, lymph flow, cardiac, 237,6:H311
- resistance: *see* Resistance
- right, oxygen metabolism, open chest, 243,12:H761
- right ventricular performance, ischemic, 233,2:H505
- stenosis: *see* Stenosis
- vasoconstriction, thromboxane A<sub>2</sub> induced, 240,9:H493
- vasoconstrictor chemoreflex, prostaglandin F<sub>2α</sub>-induced, 240,9:H528
- vasodilation, maximal, 240,9:H767
- Coronary casts**, pressure wave velocity and reflection, 237,6:H469
- Coronary collaterals**, DNA synthesis in, coronary artery occlusion, awake state, 242,11:H1031
- Coronary compression**, fibrillation and, 237,6:H191
- Coronary dilation**, hypoxic, tissue adenosine and, 243,12:H514
- Coronary dilators**, adenosine and carbon dioxide, experimental diabetes (lamb), 243,12:H252
- Coronary disease**, postural responses, 233,2:H694
- Coronary dynamics**, diabetic newborn (lamb), 237,6:H118
- Coronary endothelium**, ischemia, acute myocardial, 242,11:H337
- Coronary flow**: *see* Flow
- Coronary hemodynamics**: *see* Hemodynamics
- Coronary ligation**: *see* Ligation
- Coronary obstruction**, indicator dilution, resistance and transport increases, 240,9:H262
- Coronary occlusion**
- actomyosin, calcium ion sensitivity and troponin loss, 240,9:H704
- arrhythmias, effect of dorsal root section, 231:923
- blood flow, regional, in hypoxia, 238,7:H244

**Coronary occlusion (continued)**

- cardiac afferent nerves, contrasting reflex influences, 240,9:H620
- cardiac lymph flow, 237,6:H311
- cardiac receptors, sensitization, 239,8:H628
- collateral blood flow, myocardial infarction, 237,6:H371
- collateral development effects, 240,9:H811
- collateral resistance after ventricular sympathectomy, 238,7:H196
- early ventricular diastolic events, 237,6:H542
- left ventricular wall thickness, regional, 240,9:H293
- myocardial performance and collateral flow, exercise, 237,6:H520
- reflexes, afferent pathways, 239,8:H172
- regional function recovery after, myocardium, 240,9:H399
- reperfusion and, effects on subendocardial fibers, 238,7:H581
- stellate stimulation, flow distribution and, myocardial, 239,8:H359
- tachycardia and, left ventricular blood flow, 230:1072
- thoracic spinal neurons and, 238,7:H667
- ultrasonic-dimension gauge, regional wall thickness, 240,9:H293

**Coronary permeability: see Permeability****Coronary resistance: see Resistance****Coronary sinus**

- blood flow, measurement, 242,11:H1111
- carbon dioxide pressure, myocardial carbon dioxide pressure relations, 236,5:H29
- catheterization, adenosine and coronary blood flow, awake state, 243,12:H628
- drainage, quantitation, 234,3:H163
- evaluation of regional myocardial perfusion and ischemia, 236,5:H385
- lactate, myocardial energy supply-demand factors, 237,6:H696
- microsphere loss, left ventricular myocardium, 242,11:H392
- occlusion, collapsible tube, 239,8:H57

**Coronary steal, reverse, stellate stimulation and flow distribution, myocardial, 239,8:H359****Coronary stenosis: see Stenosis****Coronary transport, increase, obstruction, 240,9:H262****Coronary vascular reserve, hypertrophy, blood flow, right ventricular (pony), 240,9:H881****Coronary vascular resistance: see Resistance****Coronary vascular response, indomethacin, 235,4:H372****Coronary vasculature, critical closing and opening phenomena, 238,7:H533****Coronary vasoconstriction: see Vasoconstriction****Coronary vasodilation: see Vasodilation****Coronary vasospasm: see Vasospasm****Coronary vein**

- blood sampling, evaluation of regional myocardial perfusion and ischemia, 236,5:H385
- pressure-flow relations, coronary sinus occlusion, 239,8:H57

**Coronary vessels**

- adrenal regulation, newborn (lamb), 234,3:H173
- insulin effects, neonatal diabetes (lamb), 237,6:H514

**Coronary washout, cardiac function, ischemia and hypoxia (swine), 239,8:H371****Corpuscular volume, red cells, striated muscle, resting and contracting, 237,6:H481****Corpus luteum**

- ascorbate and peroxidase changes, pregnancy, 236,5:E386
- blood flow and function, relations, in pseudopregnancy, 237,6:E30
- estrogen action, 243,6:E188
- granulosa cell culture, human chorionic gonadotropin responsiveness (pig), 240,3:E622

**PMS-induced ovulation, postovulatory steroidogenesis after, 241,4:E221****Corpus striatum, dopamine receptor activation, heat production and, 242,11:R471****Cortical activity, hypothalamic neurons and, 242,11:R34****Corticoids, angiotensin-induced proteinuria, 237,6:F133****Corticoliberin**

- activity, vasopressin and, neurohypophysis, 240,3:E689

**release, nonsteroidal adrenal feedback, 240,3:E136****Corticosteroid-binding globulin: see Globulin****Corticosteroids****adrenal**

- adrenocorticotropin and, dose-response curves, sodium balance influence, 238,1:E543
- production, water deprivation and, female, 241,10:R21
- angiotensin II effects, awake state, 243,12:R82
- binding
  - globulins, pregnancy (monkey), 234,3:E489
  - kidney glomeruli, 243,12:F235
- cerebral cortex mitochondria, 238,7:H249
- colonic function and, spironolactone and amiloride effects, 241,4:G300
- colonic function changes, cycloheximide effects, 243,6:G112
- endotoxin effects, diabetes, 243,12:R77
- feedback, negative, 234,3:R39, R46
- feedback inhibition, fast, model, 234,3:R39
- responses, adrenocorticotropin hormone increases, 242,5:E102
- secretion, modulation of, dopaminergic mechanisms (monkey), 243,6:E375
- taurocholate synthesis, fetal liver, 237,6:E177

**Corticosterone**

- aldosterone biosynthesis
  - angiotensin II effects, 243,6:E450
- edema, 240,3:E12
- antidiuretic hormone response, collecting tubules, temperature effects, 239,8:F595
- binding effects, sodium transport, kidney cells, 242,11:F610
- calcium homeostasis and, streptozotocin-induced diabetes mellitus, 242,5:E451
- circadian rhythm
  - serotonergic system and, 239,2:E482
- stress response and, autotransplanted adrenals, 240,3:E363
- diabetes, vasopressin-treated, 234,3:F106
- diurnal change, 239,8:R309
- electrical stimulation, hypothalamic, 242,11:R220
- episodic secretion, 235,4:R250
- feedback, negative, 234,3:R39
- gastrin receptor induction, newborn, 240,3:G442
- glucocorticoid receptors, 235,4:R115
- hemorrhage responses and, awake state, 243,12:R416
- hypertension: see Hypertension
- hypotensive water restriction effects and, hypertension, 241,10:F525
- insulin resistance for glucose metabolism, disused soleus muscle, 242,5:E12

- norepinephrine accumulation and, saphenous vein, 243,12:H424
- nycthemeral rhythm, adrenocorticotropin and, 235,4:R210
- obesity and, hypothalamic, 243,6:E152
- ontogeny, thyroxine effects, postnatal development, 242,5:E33
- paraventricular lesion effects, stalk median, 240,3:E441

**plasma**

- adrenocortical circadian rhythm, 234,3:E515
- circadian rhythms under constant light, 235,4:R243
- endogenous ultradian rhythm in exposure to prolonged continuous light, 235,4:R250
- indomethacin, 240,3:E131
- levels, running activity, 231:817
- production, adrenal cells, comparative effects of angiotensin II, adrenocorticotropin, and potassium, 233,2:E402
- regulation, water deprivation, and, female, 241,10:R21
- release, nonsteroidal adrenal feedback to pathways, 240,3:E136
- secretion, 230:311
- prostaglandin synthesis, indomethacin inhibition, 240,3:E131
- renin-angiotensin system, 232,1:F434
- sympathoadrenal response to immobilization stress, spontaneous hypertension, 236,5:H457
- total and free, plasma concentrations during development, 235,4:E451

**Corticotropin**

- plasma, release, adrenal number input, 240,3:E136
- release, nonsteroidal adrenal feedback, 240,3:E136

**Corticotropin-releasing factor**

- adrenocorticotropin and, paraventricular lesions, 240,3:E441
- diurnal change, 239,8:R309
- feedback inhibition, 234,3:R46

**Corticotropin-releasing hormone, angiotensin II, 233,2:E273****Cortisol**

- adrenalectomy, 230:163
- bleeding volume regulation, 233,2:R239
- calcium-binding protein, calcium absorption and, intestinal (chick), 236,5:E556
- endocrine responses, arterial hypotension (sheep), 242,5:E215
- epilepsy (baboon), 239,8:R35
- glucose kinetics and, 240,3:E465
- adrenergic blockade effects, sepsis and burns, 241,10:R222
- hemorrhage effects, newborn (lamb), 240,3:E585
- hypoglycemia, 236,5:E147
- insulin-induced recovery, 236,5:E380
- hypotension effects, fetal (lamb), 240,3:E656
- mediation, circadian synchronization in urinary potassium excretion (squirrel monkey), 233,2:R230
- plasma, circadian periodicity, Cushing's syndrome, 236,5:R268
- pubertal endocrinology (baboon), 241,4:E305
- release
  - adrenal cortex electrical activity and, 237,6:E158
  - xenopsin effects, 243,6:G195
- responses to adrenocorticotropin, 238,1:E543
- secretion
  - angiotensin II, intrapituitary infusion, 233,2:E273
  - mechanoreceptor control of, fetal (sheep), 243,6:E278
- taurocholate synthesis, fetal liver, 237,6:E177
- total body calcium and, 231:1760

- Cortisone**, glucocorticoid responsiveness and, postnatal development, 242,5:G89
- Cortisone acetate**  
lead retention, intestinal, suckling, 239,2:G114  
muscle atrophy and, endurance training effects, 241,4:E226  
protein turnover, hemi-corpus, 238,1:E564
- Costal cartilage**, chondrosarcoma metabolism, 239,2:E201
- Cotransport system**, epithelial cell line, kidney, 240,9:C106
- Cotyledons**, blood flow distribution, placenta, maternal and fetal (sheep), 241,10:H486
- Coulometry**, capacitive, oxygen consumption measurement, 243,12:R185
- Coulter counter**  
contraction of isolated smooth muscle cells in suspension (frog), 232,1:C138  
smooth muscle cells, response to cholinergic drugs (frog), 232,1:C144
- Countercurrent**, sodium, papillary cells, 232,1:F111
- Countercurrent exchange**, 230:916  
erythrocyte velocity, vasa recta, 237,6:F326  
oxygen, vasoactive agents and, 243,6:G1  
small bowel mucosa, 239,2:G23
- Countercurrent multiplication system**, renal concentrating and diluting processes, 235,4:F1
- Countercurrent multiplier**, electrical potential differences, Henle's loop, 232,1:F348
- Countercurrent system**  
Henle's loop, 239,8:F57, F72  
prostaglandin production, renal, 233,2:F539  
renal, 235,4:F387
- Countershock**, myocardial cell response, embryo (chick), 235,4:H214
- Count-rate analysis**, baroreceptor resetting, 236,5:H174
- Coupling**  
chloride absorption-base excretion, isolated skin (frog), 235,4:F33  
circulation-metabolism, 230:493  
adenosine and, gracilis muscle, 238,7:H703  
capillary control, red muscle, 243,12:H196  
capillary recruitment and, 238,7:H31  
exercise vasodilation, 236,5:H705  
electrochemical, trachealis muscle, 236,5:C177  
electromechanical  
esophageal smooth muscle (opossum), 240,3:G305  
potassium effects, vascular smooth muscle, 241,10:H217  
electronic, heart cells, viral effects, embryo (chick), 234,3:C170  
energy, to sodium transport, skeletal muscle (frog), 235,4:C25  
excitation-contraction  
barium-induced, cardiac muscle (mam-mal), 240,9:H216  
caffeine and, muscle fibers (frog), 241,10:C160  
calcium, myocardial tissue culture, 237,6:H239  
calcium binding and, muscle preparations, 240,9:H576  
calcium-induced inhibition, skeletal muscle (frog), 240,9:C193  
dantrolene effects, fast and slow-twitch muscles, 238,7:C56  
endotoxin-induced myocardial failure, 235,4:H150  
ethyl alcohol effects, antral muscle, 242,5:G222  
exercise effects, myocardium, 240,9:H472  
hyperthyroid cardiac muscle, 243,6:E114  
hypothermic ischemic myocardium, 240,9:H336  
magnesium effects, myocardial, 237,6:H413  
metabolic depletion, tracheal smooth muscle, 233,2:C8  
metal-film thermopiles, 233,2:C146  
muscle fatigue, post-tetanic (frog), 232,1:C185  
myocardial aging and, 242,11:H927  
myocardial cell, 235,4:H461  
myocardial cells, lanthanum ions and, 237,6:C87  
myocardial tissue culture, 239,8:H769  
myocardium, neonate, 242,11:H834  
myosin light chain phosphorylation, smooth muscle, arterial (swine), 240,9:C222  
sarcolemmal membrane, myocardial contractility and, 238,7:H373  
skeletal muscle (frog), 234,3:C181  
skinned muscle fibers, 240,9:C1  
sodium-calcium exchange, myometrium membrane vesicles, 240,9:C175  
Tris effects, vascular smooth muscle, 235,4:H208  
uncoupling, cation effects, neonatal, 237,6:H332  
uncoupling, magnesium fluxes, myocardial contracture, 234,3:C115  
insulin binding and action, glucose transport, fat cells, 240,3:E556  
insulin-receptor-glucose transport system, adipocytes, streptozotocin diabetes, 235,4:E175  
intercellular  
cardiac, active sodium transport, 236,5:H189  
control by internal calcium, heart, 234,3:H101  
local, metabolic acidosis, cerebral, 241,10:H772  
luminal sodium ion entry, proximal tubule cells (*Necturus*), 236,5:F295  
metabolism and function, renal, 236,5:F243  
nonmetabolic, coronary vasodilation, 238,7:H569  
oxidative metabolism, epithelial tissues (frog), 240,9:F357  
oxidative metabolism and active transport, midgut (hornworm), 238,7:C1  
pharmacomechanical, vascular smooth muscle, 243,12:H641  
pharmacomechanical mechanisms, ileocecal sphincter, 240,3:G450  
pituitary-testis, age effects, 243,6:E257  
potassium ion transport, gastric mucosa (bullfrog), 239,2:G485  
receptor cyclase, exercise and, 243,6:E345  
receptor-effector, glucose transport, fat cells, 240,3:E556  
sodium bicarbonate and sodium chloride reabsorption, renal, during changes in plasma carbon dioxide, 236,5:F232  
solute  
fluid transport, ileal, 235,4:E429  
volume absorption, effect on oxygen consumption, ileal, 236,5:E198  
solute-solvent, kidney tubules, 242,11:F321  
stimulus-response, quinuclidinyl benzilate binding sites, salt gland (avian), 243,12:C254  
stimulus-secretion  
adrenal cortex, aldosterone secretion, 237,6:E158  
arachidonic acid metabolism, pancreatic acini, 242,5:G493  
calcium, pancreatic acini, 240,3:G130  
calcium fluxes, pancreatic acini, 240,3:G38  
calcium ion fluxes, exocrine pancreas, 238,1:G338  
calcium movement (blowfly), 241,4:G150  
extracellular calcium and (frog), 241,4:G365  
glucose-induced insulin release, pancreatic islets, 236,5:E139  
guanosine monophosphate, cyclic role, salt gland (duck), 237,6:C200  
histamine and adenosine monophosphate, cyclic, gastric mucosa (pig-let), 242,5:G79  
ionophore A23187 effects, pancreas, 243,12:C196  
islet cells, 233,2:C164, 237,6:E130  
lacrimal gland, 235,4:C188, 239,2:G106  
methacholine effects, salt gland cells (duck), 241,10:R77  
pancreatic acinar cell function, 238,1:G269, 239,2:G335  
pancreatic acinar secretion, 242,5:G513  
pancreatic acini, 243,6:G285  
protein carboxyl methylation effects, exocrine pancreas, 240,3:G199  
protein carboxyl methylation and, 242,5:G76  
renin release, kidney slices (pig), 235,4:F22  
synthesis-secretion, renin synthesis and, 243,12:F434  
transport, proximal tubules, 236,5:F526
- Coupling ratio**, sarcoplasmic reticulum, vascular smooth muscle, 242,11:C242
- C-4 pathway**, chloride cell function (crustacean), 238,7:R269
- Crab canon**, indirect self-reference and (book review), 238,7:R291
- Cranial window**, blood flow, cerebral, anesthesia (cat, dog), 241,10:H228
- Creatine**  
clearance, des-Asp<sup>1</sup>angiotensin I effects, 234,3:F130  
excretion, hypertension, spontaneous, 234,3:F29  
intracellular, muscle mass and, 235,4:C199  
metabolism, skeletal muscle, 233,2:E91  
transport, placental, 233,2:E308
- Creatine analogue**, adenosine triphosphate depletion and, ischemic heart, 243,12:H911
- Creatine kinase**  
energy metabolism and, myocardium, 242,11:F699  
enzyme release, skeletal muscle (frog), 241,10:C98  
ischemia, myocardial, regional, 236,5:H340  
ischemic myocardium, 238,7:H87  
muscle fibers, 239,8:C58  
myocardial, dexamethasone effects on blood flow, 242,11:H55  
phosphorus nuclear magnetic resonance spectroscopy, cardiac and skeletal muscle, 242,11:H729  
plasma clearance, thyroid function and, 235,4:E614  
release, osmotic changes and, muscle (frog), 242,11:C398
- Creatine phosphate**  
adenosine triphosphate synthesis, myocardial, oxygen deficiency and, 234,3:H620  
distribution, myocardial, during coronary constriction, 236,5:H833  
energy metabolism and, myocardium, 242,11:F699  
levels, myocardial ischemia, Tris effects, 235,4:H167  
metabolism, gastric mucosa (frog), 239,2:G411

- Creatine phosphate** (*continued*)  
microregions, left ventricular subendo-  
cardium, 240,9:H804  
myocardial nucleotide depletion, is-  
chemia, open chest, 242,11:H818  
phosphorus nuclear magnetic resonance  
spectroscopy, cardiac and skeletal  
muscle, 242,11:H729  
reperfusion effects, myocardium,  
241,10:H591  
skeletal muscle, 232,1:E243  
transport, placental, 233,2:E308
- Creatine phosphokinase**  
myocardial-specific, 236,5:H813  
plasma, cardiogenic shock, 235,4:H657
- Creatinine**  
bicarbonate reabsorption and, kidney  
(toad), 243,12:F67  
circannual renal function (marmot),  
241,10:R87  
3-methylhistidine excretion and,  
240,3:E302
- Creatinuria**, triiodothyronine-induced,  
mechanism, 233,2:E91
- Cr-EDTA**  
absorption, effect of luminal osmotic  
pressure, 231:1595  
permeability, heart capillaries,  
239,8:H464
- Creep**, nonexcised papillary muscle,  
233,2:H711
- Cremaster muscle**  
anesthetic depression, decerebration,  
243,12:H837  
capillary network geometry, red cell dis-  
tribution and (hamster),  
242,11:H211  
heat stress, arteriolar vasoconstriction  
and, 242,11:H996  
hyperemia and, adenosine effects (ham-  
ster), 242,11:H688  
maturation, microvascular control (ham-  
ster), 241,10:H325  
microvascular hematocrit, red blood cell  
flow and, 237,6:H481  
microvascular sensitivity, prostaglan-  
dins, decerebrate rat, 243,12:H844  
reactive hyperemia, 232,1:H571  
salbutamol stimulation, arteriolar num-  
ber, 236,5:H134  
spontaneously hypertensive  
erythrocyte and plasma distribution  
in, 242,11:H381  
microcirculation, 241,10:H306
- Cricopharyngeus**, upper esophageal  
sphincter pressure, 239,2:G49
- Crinophagy**, ethionine effects, pancreas,  
242,5:G297
- Critical closing phenomena**, coronary  
vasculature, 238,7:H533
- Critical opening phenomena**, coronary  
vasculature, 238,7:H533
- Cross bridges**  
cardiac muscle: see Muscle, heart  
latissimus dorsi muscle, heat production  
(chick), 233,2:C1  
short-range muscle stiffness, 232,1:C45
- Cross circulation**  
natriuretic factors, reduced nephron  
mass, 235,4:F465  
parabiotic compensatory renal hypertro-  
phy, 232,1:F405
- Cross-correlation analysis**, hypothal-  
amic neurons, sympathetic nerve  
discharge and, 242,11:R34
- Crossover theorem**, ischemic heart,  
model, 236,5:R31
- Crotalaria**, hypertension: see  
Hypertension
- Cryobiology**, iron deficiency, 237,6:R297
- Cryogen**  
endogenous  
excretion, kidney, 241,10:R271  
urine, 243,12:R241
- Crypt cells**  
cultured, intestinal, amino acid trans-  
port, 239,8:C190  
proliferation, villous cell-derived inhibi-  
tor, 241,4:G520
- Crystal growth**, inhibition, macromole-  
cular anionic, 233,2:F455
- Crystalloid hemodilution**: see  
Hemodilution
- Cuff**  
plastic bladder, digital blood pressure  
and blood flow measurement,  
232,1:H338  
pneumatic  
arterial barostasis, 232,1:H197  
automatic timer, inflation device,  
234,3:H740
- Cuff occluder**, hydraulic, blood vessels,  
232,1:H99
- Cuneate nucleus**  
external  
cardioinhibitory units, 238,7:R57  
vagal bradycardia elicited by stimula-  
tion, 235,4:R286
- Current**  
calcium  
circular muscle, small intestine,  
237,6:C247  
inward, arterial smooth muscle,  
237,6:C75  
defibrillation, ventricular (pony, dog),  
238,7:H231  
electric  
generation in cardiac fibers by sodium-  
calcium exchange, 236,5:C103  
sodium pump-generated, giant axon  
(squid), 235,4:C63  
flow, pacemaker activity, sinoatrial node,  
238,7:H307  
inward, atrioventricular node, 236,5:C1  
ionic, electrical activity, cardiac,  
234,3:H101  
kallikrein inhibitors, bladder (toad),  
239,8:F459  
luminal sodium concentration and, distal  
tubule (snake), 239,8:F412  
membrane, protein cross-linking agents  
and, axon (squid), 238,7:C127  
opercular epithelium, ionic contributions  
(fish), 238,7:R231  
potassium  
circular muscle, small intestine,  
237,6:C247  
transient, temperature effects (mol-  
lusc), 234,3:C155  
potassium and sodium, axon (squid),  
238,7:C127  
rapid inward, Purkinje fiber action po-  
tential overshoot, 237,6:H204  
short-circuit  
aldosterone receptors, bladder (toad),  
235,4:C90  
amiloride effects, colonic, 232,1:F5  
apical membrane, urinary bladder  
(toad), 233,2:F607  
bicarbonate absorption, small intes-  
tine (amphibian), 241,4:G389  
bladder (toad), 232,1:F307  
chloride fluxes, skin (frog), 234,3:F437  
chloride transport, cornea (frog),  
237,6:F121  
chloride transport, intestinal (sea  
hare), 240,9:R61  
cholera toxin, ileal, mucosal vs. ser-  
osal, 232,1:E210  
diuretics and indanone, bladder (toad),  
238,7:R70  
gland changes, skin (frog),  
241,10:C250  
glucose transport, transepithelial cell  
culture (pig), 240,9:C92  
hydrogen ion transport, urinary blad-  
der (turtle), 239,8:F366  
inhibition by triaminopyrimidine,  
bladder (toad), 236,5:C221  
ion transport, ileum, 242,5:G237  
nicotine effects, gastric mucosa (frog),  
232,1:E251  
prostaglandin E synthesis and water  
flow, bladder (toad), 234,3:F532  
renal cell, 238,7:F1  
sodium and chloride fluxes and, duo-  
denum (amphibian), 240,3:G472  
sodium transport, colon, 238,7:F261  
somatostatin and, intestinal,  
238,1:G67  
theophylline effects, bladder (toad),  
232,1:F173  
theophylline-induced bicarbonate,  
transport, small intestine (*Am-  
phiuma*), 236,5:E775  
urinary bladder epithelium (toad),  
235,4:C82  
slow-inward, myocardial, pH sensitivity  
(embryonic chick), 233,2:C99  
slow inward, Purkinje fiber action poten-  
tial overshoot, 237,6:H204  
testosterone-aldosterone antagonism,  
bladder (toad), 239,8:F433  
transcellular, ion selectivity, proximal,  
235,4:F234  
transient inward and outward, cardiac  
Purkinje fibers (sheep), 243,12:H77  
urinary acidification and metabolism,  
bladder (toad), 239,8:F565
- Current sending**, cornea (frog),  
238,7:C21
- Current-voltage relations**, distal tubules  
(snake), 239,8:F402
- Curve fitting**, measurement errors,  
237,6:R366
- Cushing response**, 230:1695  
pituitary endorphins, shock,  
241,10:H479
- Cushing's syndrome**, plasma cortisol,  
circadian periodicity, 236,5:R268
- Cutaneous arteries**, properties of, Gold-  
blatt hypertension, 241,10:H525
- Cutaneous vein**, cooling,  $\alpha$ -adrenoceptor  
affinity and, 234,3:H330
- Cutaneous vein nerves**, hyperosmolarity  
effects, 231:141
- Cutaneous vein smooth muscle**,  
hyperosmolarity effects, 231:141
- Cyanide**  
cell volume, renal tubule, 239,8:F571  
energy metabolism, renal, 233,2:F207  
energy production, skeletal muscle  
(frog), 235,4:C25  
giant axon (squid), 235,4:C55  
ionic requirements, proximal tubular so-  
dium transport, 236,5:F268  
myocardial relaxation, 237,6:H185  
tachycardia, carotid chemoreceptors and  
vagi, 240,9:H874  
transepithelial potentials, distal tubule  
(reptile), 234,3:F238
- Cyanine 863**, electrolyte excretion, cho-  
line effects, kidney tubules  
(chicken), 240,9:F211
- Cyanine dye**  
fluorescent, corneal studies (frog),  
238,7:C21  
glucose effects, Ehrlich cells,  
242,11:C326
- Cyanocobalamin**, uptake, brush border  
membrane vesicles, intestinal,  
239,2:G452
- Cybernetics**, contribution to physiology,  
234,3:R159
- Cyclamate**  
anion permeability, proximal tubules,  
242,11:F395  
ionic requirements, proximal tubular so-  
dium transport, 236,5:F268
- Cycles**, futile, fructose-6-phosphate and,  
236,5:E410
- Cyclic adenosine monophosphate**: see  
Adenosine monophosphate, cyclic
- Cyclic guanosine monophosphate**: see  
Guanosine monophosphate, cyclic
- Cyclic monophosphate**: see  
Monophosphate, cyclic
- Cyclic nucleotide phosphodiesterase**:  
see Nucleotide phosphodiesterase,  
cyclic



- Cyclic nucleotides:** *see* Nucleotides, cyclic
- Cyclic variations,** potassium ion conductance, pancreatic  $\beta$ -cells, 237,6:C137
- Cyclocreatine phosphate,** adenosine triphosphate depletion and, ischemic heart, 243,12:H911
- Cycloheximide**  
amino acid content, incubated renal cortex slices, 236,5:F398  
amino acid transaminase, branched-chain, stimulation, kidney and muscle, 236,5:E514  
corticosteroid-induced changes and, colonic function, 243,6:G112  
glucose priming effects, insulin secretion, 240,3:E24  
insulin dependence, paradoxical overeating, 236,5:E205  
mucosal gastrin receptors, up- and downregulation, 242,5:G243  
phase shifting, circadian clock, 241,10:R31  
prostaglandin E synthesis and water flow, bladder (toad), 234,3:F532  
renin synthesis and, kidney, 243,12:F434  
sensitivity, protein synthesis inhibitor effects, pancreatic acini, 243,6:G285  
thymidine kinase activity, myocardial, 236,5:H73  
vitamin D absorption and, 242,5:G326
- Cycloleucine**  
absorption, pulmonary, 240,9:C215  
distribution, cerebrospinal fluid to brain and blood, 242,11:F171  
glucose metabolism, renal, regional, 234,3:F415  
transport, pathways, small intestine (killifish), 237,6:E567
- Cyclooxygenase**  
glomerular, angiotensin II and, 239,8:F486  
inhibition, renal effects, sodium-deprived and sodium-replete, 239,8:F360  
inhibitors, platelet aggregation, mesenteric arterioles, 239,8:H220  
prostaglandin actions, water excretion, kidney medulla, 240,9:F471  
prostaglandin biosynthesis and, cultured cells, 243,12:C205  
prostaglandin-forming, immunohistochemical localization, renal cortex, 235,4:F451
- Cyclooxygenase inhibitors**  
blood flow and, jejunal, 242,5:G140  
fatty acid-deficient diet effects, renal vasoconstriction, 243,12:H61  
pial arteriole effects, 242,11:H629
- Cyclostomes**  
iodide, brain barriers (teleost), 234,3:R71  
nonelectrolytes, brain barriers (salamander), 234,3:E52
- Cyproheptadine**  
cardiogenic hypertensive chemoreflex, neural pathways, 235,4:H345  
thermoregulatory effects, 231:148
- Cysteine**  
amino acid metabolism effects, portal-systemic shunting, 241,4:G503  
cardiogenic shock, 235,4:H657  
infusion  
effects, zinc clearance, renal, 241,10:F487  
urinary zinc excretion, 235,4:F40  
kidney function and, 243,12:F284
- Cystic fibrosis,** mucin secretion and, intestines, 241,4:G443
- Cytochalasin B**  
absorption, kidney tubules, 243,12:F379  
antidiuretic hormone water permeability and, urinary bladder (toad), 243,12:C200  
cellular processing of insulin, 243,6:E140  
gastric secretion (frog), 236,5:E550  
glucose concentration, adipocytes, 238,1:E180  
glucose transport, adipocytes, 234,3:E112  
hexose transport and phosphorylation, isolated brain capillaries, 236,5:C96  
microtubules and microfilaments, roles in antidiuretic hormone action, bladder (toad), 236,5:F14  
sugar transport  
intestinal, 233,2:E357  
intestinal epithelial cells (chick), 237,6:C56
- Cytochrome**  
absorption, kidney tubules, 243,12:F379  
carbon monoxide insensitivity, gastric acid secretion (frog), 238,1:G197  
kinetics, gastric mucosa (frog), 236,5:E301  
midgut (hornworm), 238,7:C10  
redox state, kidney, 243,12:F356
- Cytochrome *a* (*a*<sub>3</sub>),** oxygen delivery, renal cortical tubules, 238,7:F50
- Cytochrome *aa*<sub>3</sub>,** redox states, oxygen delivery and, kidney, 241,10:F257
- Cytochrome *c***  
 $\gamma$ -aminolevulinic acid synthetase, muscle, 236,5:R180  
carbon dioxide exposure and, postnatal, 243,12:H328  
changes, aerobic heat production effects, 240,9:R289  
diabetes, 239,2:E215  
exercise effects, myocardium, 240,9:H472  
exercise-induced hypertrophy, cardiac, 236,5:H268  
heart function, 230:199  
muscle fiber training, 230:946  
neonatal skeletal muscle, thyroid deficiency, 235,4:C97  
oxidation-reduction turnover number, 235,4:C213  
skeletal muscle mitochondria, thyrotoxicosis, 232,1:C130  
thyroidectomy, 230:1194  
thyrotoxicosis, soleus muscle mitochondria, 236,5:C132  
turnover, red skeletal muscle, 241,10:C140  
turnover number, cardiac mitochondria, 234,3:C73
- Cytochrome *c* oxidase**  
brown fat, cold adaptation, 239,8:C208  
diabetes, 239,2:E215  
oxygen delivery and, kidney, 241,10:F257
- Cytochrome oxidase**  
anoxia and, brain (turtle, rat), 243,12:R281  
carbon monoxide insensitivity, gastric acid secretion (frog), 238,1:G197  
cerebral cortex mitochondria, 238,7:H249  
diet effects, brown adipose tissue, 241,4:E116  
energy production, reptiles and mammals, 240,9:R3  
hyperplasia, brown adipose tissue, 242,5:E353  
norepinephrine turnover and, brown fat, 242,5:E253  
skeletal muscle mitochondria, thyrotoxicosis, 232,1:C180  
thyrotoxicosis, soleus muscle mitochondria, 236,5:C132
- Cytochrome *P*-450,** induction in subpopulation of hepatocytes, 234,3:C102
- Cytokins,** plant, tight-junction permeability (*Necturus*), 239,8:C75
- Cytoplasm**  
neutrophils, chemotaxis augmentation, 236,5:C22  
oocyte, potassium exchange (amphibian), 238,7:C133
- Cytoplasmic**  
enzymes, deprived myocardium, 232,1:H288  
magnesium ions, heart, determination, 232,1:R158  
pH, heart, determination, 232,1:R158
- Cytoplasmic control,** myocardial DNA synthesis, 238,7:H66
- Cytoplasmic dipeptides,** activity, tissue, 233,2:E450
- Cytoplasmic distribution,** chloride, ouabain effects, papillary muscle, 240,9:C183
- Cytoplasmic microtubules,** 231:61
- Cytoplasmic 5'-nucleotidases,** purine metabolism regulation, 243,12:C270
- Cytoplasmic pools,** sodium and potassium ions, 234,3:F261
- Cytoplasmic receptors:** *see* Receptors
- Cytoplasmic redox state:** *see* Oxidation-reduction
- Cytoplasmic regulation,** cytokinins, tight-junction permeability (*Necturus*), 239,8:C75
- Cytoplasmic RNA:** *see* Ribonucleic acid
- Cytoprotection**  
gastric, alkaline secretion, 241,4:G509  
prednisolone-induced intestinal lesions, 235,4:E703
- Cytosine arabinoside,** myoblast differentiation, hormonal stimulation effects, 243,12:C278
- Cytoskeleton**  
oxyntic cell tubulin, gastric, 240,3:G317  
prostaglandin H<sub>2</sub> analogue U-44069 and, aorta, 241,10:C243  
Purkinje fibers, heart, 241,10:H291
- Cytosol**  
17 $\beta$ - and 20 $\alpha$ -hydroxysteroid dehydrogenases, term placenta, 242,5:E178  
colonic mucosa, 240,3:G417  
diabetes, 239,2:E215
- Cytosolic adenine nucleotide,** phosphorylation state, 234,3:C73, C82
- Cytosolic metabolism,** and mitochondrial respiration, energy relations, 234,3:C73
- Cytotoxic enzyme,** cell isolation, bone, 240,9:C234

## D

- D 600:** *see also* Methoxyverapamil  
atrial action potential plateau, 233,2:H203  
cardiac response, species differences, 235,4:H276  
contractile events and, smooth muscle, 243,12:C133  
prostaglandin H<sub>2</sub> analogue U-44069 and, aorta, 241,10:C243  
smooth muscle relaxation, 232,1:C59
- Dacron conduit,** left ventricular volume overload, 237,6:H575
- Damping ratio,** catheters, fluid-filled, 236,5:H376
- Dantrium,** sarcolemmal calcium binding, contractility and, cardiac, 240,9:H576
- Dantrolene**  
fast- and slow-twitch muscles, energetics, 238,7:C56  
inhibition, glucose-stimulated insulin release, 243,6:E59  
potassium-stimulated respiration and, skeletal muscle (frog), 243,12:C87
- Dantrolene sodium,** calcium ion release, skeletal muscle (frog), 234,3:C110
- Data acquisition:** *see* Computer studies
- D-cells,** function, intestinal phase of meal, 237,6:E555
- DDA,** excretion (marine fish), 233,2:F126
- DDE,** plasma osmoregulation and, 231:370
- DDT**  
excretion (marine fish), 233,2:F126  
iron absorption and, 236,5:E763
- Deacylation-reacylation cycle,** aortic phospholipid, spontaneous hypertension, 240,9:H33

- Deamination**, adenosine monophosphate, contracting fast and slow muscle, 237,6:C111
- Death, sudden**, ventricular defibrillation threshold, temporal stability, 235,4:H553
- Decamethonium**, tachycardia, carotid chemoreceptors and vagi, 240,9:H874
- Decarboxylation**, oxidative, keto acids, diabetes, 239,2:E215
- Decerebrates**, osmotic stimuli response, ingestive compensation to dehydration, 240,9:R81
- Decerebration**  
anesthesia, microvascular effects of, 243,12:H837  
microvascular sensitivity, prostaglandins, skeletal muscle, 243,12:H844  
prostaglandin synthesis, microvascular response to, skeletal muscle, 243,12:H51
- Decidua**, prolactin transport, fetal membrane, 243,12:R552
- Decompression stress**, hematologic response (fish), 239,7:R161
- Deconvolution**  
circulatory system, multiple regression analysis, 240,9:H133  
zinc metabolism, kinetics, 237,6:R340
- Deconvolution analysis**, insulin delivery rate, glucose-induced, 233,2:E500
- Decoupling**, temporal, renal arterial pressure changes and, 233,2:F396
- Defibrillation**  
electric countershock, myocardial cells, embryo (chick), 235,4:H214  
energy, ventricular (pony, dog), 238,7:H231  
thresholds,  
body hypothermia, 238,7:H675  
ventricular, temporal stability, 235,4:H553  
transthoracic, sequentially applied pulses (calf), 243,12:H982  
trapezoidal waves, ventricular (pony, dog), 238,7:H231
- Defibrillator**, waveforms, safety factor for, heart cells, 242,11:H662
- Defibrination**, therapeutic, hemorheology, 236,5:H447
- Deformability index**, erythrocytes (camel, llama, goat, seal), 236,5:H725
- Deformation rat**, microvibration effects, smooth muscle, uterine and portal, 236,5:C192
- Degradation**: see specific type and site
- Dehydration**  
angiotensin loop gain, 232,1:H110  
antidiuretic hormone stimulation and, renin, 231:G55  
body fluid distribution, 235,4:R237  
cardiac output during, awake state, 243,12:H663  
cellular, 230:188  
physiological mechanisms for thirst (monkey), 242,11:R423  
cellular and extracellular, 239,8:R476  
ingestive compensation, osmotic stimuli, decerebrates, 240,9:R81  
intra- and extracellular, 230:1049  
macromolecular changes, subfornical organ area, 237,6:R26  
regulatory drinking (pigeon), 239,8:R219  
renal and endocrine responses, 242,11:R296  
renin, plasma activity, 232,1:H110  
salt gland secretion, osmotic threshold (duck), 237,6:R355  
thermoregulation (eland, hartebeest), 237,6:R192  
urinary concentrating ability, 237,6:F100  
vasopressin, 239,8:H81, 240,3:E108  
secretion after drinking, 240,3:E394  
water balance and (newt), 238,7:R113
- Dehydroepiandrosterone sulfate**  
clearance and production, female (baboon), 235,4:E74  
estradiol, pregnancy (baboon), 235,4:E78
- Dehydrocholate**, hemodynamic effects, bile secretion, liver, 234,3:E584
- Dehydroepiandrosterone**  
adrenal development (rabbit, dog), 240,3:E694  
androgen secretion, cortical, 236,5:E616  
clearance, females (baboon), 235,4:E74  
estradiol and, pregnancy (baboon), 235,4:E78  
pubertal endocrinology (baboon), 241,4:E305
- Dehydroepiandrosterone sulfate**, pubertal endocrinology (baboon), 241,4:E305
- Dehydrogenases**, muscle (tuna), 234,3:R136
- Demeclocycline**, prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
- Demethylation**, erythrocytes, hemoglobin and, 235,4:E150
- Denaturation**, air-water interface, in vitro experiments (rat, dog, pig), 236,5:F501
- Dendrites**, compartmental models, 235,4:R93
- Denervation**: see also specific nerve and site  
adrenergic, hypoxia, hindlimb resistance in, 243,12:H1010  
baroreceptor,  
brain stem neuron activity, 240,9:R348  
in dehydration, 232,1:H110  
capillary control, rest and exercise, red muscle, 243,12:H196  
cardiac: see Heart  
cardiac muscle cell sensitivity, autonomic agents (chick embryo), 233,2:C172  
carotid, fetal (lamb), 242,11:H916  
carotid sinus, hepatic baroreceptor reflexes, 238,7:R390  
gastric antrum, polypeptide release, pancreatic, 240,3:G287  
intestinal, mesenteric conductance, 232,1:H260  
ionic conductance, skeletal muscle, 232,1:C109  
liver, feeding pattern and, 239,8:R66  
microvascular rarefaction, spontaneous hypertension, 243,12:H243  
motor nerve, skeletal muscle, 242,11:C272  
muscle properties and, 241,10:C150  
renal: see also Kidney, Renal nerves  
catecholamine production and, 242,11:F261  
diuresis, 232,1:F16  
erythropoietin, 230:508  
reactive hyperemia, indomethacin effects, 233,2:F89  
renin response, 232,1:H500  
spontaneous hypertension and, 243,12:H284  
tubular sodium reabsorption, 232,1:F16  
volume expansion, 232,1:F26  
renorenal reflexes, 239,8:F265  
sinoaortic  
atrial receptors (monkey), 242,11:F592  
cardiovascular defense, 240,9:H421  
digoxin effects, cardiopulmonary baroreflexes, 243,12:H815  
hypertension and, sympathetic activity, 238,7:H521  
sinus node, differential sensitivity to neurotransmitters, 233,2:H211  
Starling forces, transcappillary, 233,2:H136  
thyroid hormone action, muscle properties, 242,11:R401
- uterus, 233,2:C25
- Densitogram**, ear, 238,7:H355
- Denucleation**, membrane surface, oxygenator priming technique (sheep), 234,3:H646
- Deoxycholic acid**, motility, colon, 238,1:G321
- Deoxycorticosterone**  
adrenalectomy, mineralocorticoid activity, 242,5:E305  
aldosterone biosynthesis  
angiotensin II effects, 243,6:E450  
edema, 240,3:E12  
collateral circulation and, renal ischemia, 243,12:H869  
hypertension: see Hypertension  
in vitro effects, vascular smooth muscle, 237,6:H197  
secretion, 230:311  
sodium-potassium-ATPase and, nephron segments, 240,9:F536
- Deoxycorticosterone acetate**  
acidification, renal, 236,5:F48  
activity, aortic-caval fistula and, 231:56  
autoregulatory responses, renal, 236,5:F559  
calcium movement and, cortical collecting duct, 242,11:F285  
cation transport, cortical collecting tubules, 235,4:F576  
escape, nephron sites, 239,8:F149  
hypertension: see Hypertension  
increased fluid absorption and, proximal tubules, 241,10:F502  
loading, single nephron glomerular filtration rate, feedback-mediated autoregulation, 237,6:F63  
potassium excretion and, 233,2:F225  
potassium secretion and, cortical collecting tubule, 241,10:F395  
renin secretion, distal tubule sodium ions and, 235,4:F611  
sodium-potassium-ATPase activity, renal, 233,2:F593  
transport characteristics, renal collecting tubules, 233,2:F544
- Deoxycorticosterone acetate-sodium chloride**, hypertension, pre- and postcapillary resistance, hindlimb, 236,5:H586
- 11-Deoxycortisol**, secretion, mechanoreceptor control of, fetal (sheep), 243,6:E278
- Deoxycytidine**, rRNA synthesis, bladder (toad), 232,1:C174
- 2-Deoxy-D-galactose**  
absorption and secretion, intestinal (flounder), 240,3:G392  
feeding  
behavioral response, 234,3:E20  
glucoprivic, behavior, 234,3:E617  
transport, renal (flounder), 234,3:F424
- Deoxygenation**, rate, heart, 230:1751
- Deoxyglucose**  
cerebral, prostaglandin effects, 243,12:H416  
cerebral metabolic rate, noninvasive determination, 238,1:E69
- 2-Deoxyglucose**  
catecholamine responses, morphine effects, 242,5:E317  
cerebral metabolism and blood flow, metabolic acidosis, 241,10:H772  
fat mobilization, 232,1:E165  
gastrin release  
after fundic vagotomy, 236,5:E173  
gastric fistula, 235,4:E720  
high-fat diet effects, pancreatic acini, 243,6:G448  
hypothalamic knife-cuts, obesity, 43,12:R445  
metabolism  
fat cells, 237,6:E325  
free water clearance and, 242,11:F491  
mobilization, intraventricular, 236,5:E317

- somatostatin, central nervous system control of, 243,6:E213
- uptake
- adipocytes, in streptozotocin diabetes, 235,4:E175
  - hyperpolarized skeletal muscle, 239,2:E21
  - insulin action, neuraminidase inhibition, adipocytes, 239,2:E186
- 2-Deoxy-D-glucose**
- absorption, renal tubular, 233,2:F274
  - absorption and secretion, intestinal (flover), 240,3:G392
  - dorsomedial hypothalamic lesions and, feeding responses, 235,4:R168
  - feeding
    - hypothalamic norepinephrine and, 236,5:F312
    - increased, hyperglycemia and, 238,1:E141
    - lateral hypothalamic lesions, 241,10:R362
    - responses (Zucker fatty rat), 239,2:E379
  - glucagon responses, 239,2:E227
  - hypothalamic injection, hypothermia and, 239,8:R265, R270
  - ingestive response, amygdaloid lesion effects, 242,11:R129
  - insulin and, norepinephrine release, hypothalamus, 242,11:R596
  - intracerebral and intracerebroventricular infusion, ingestive behavioral response, 233,2:R127
  - nonshivering thermogenesis, fasting, infant, 233,2:R23
  - renal cell transport (flover), 232,1:F227
  - thermoregulatory response, 239,8:R219
  - transport, kidney, 242,11:F711
  - uptake, granular pneumocytes, lung, 243,12:C14
- Deoxyribonucleic acid**
- activity, implanted sponge connective tissue, zinc deficiency, 236,5:E272
  - bulk diet and, 230:911
  - caerulein-secreting interaction, trophic effects, pancreatic, 235,4:E714
  - carbon dioxide exposure and, postnatal, 243,12:H325
  - developmental changes, Zucker obesity rats, 236,5:E508
  - diet effects, brown adipose tissue, 241,4:E116
  - exercise-induced hypertrophy, cardiac, 236,5:H268
  - gastrointestinal content, small bowel resection and, 243,6:G16
  - heart function, 230:199
  - hydrocortisone and caerulein effects, pancreatic growth, 241,4:G37
  - hypertrophy, renal, parabiotic, 232,1:F405
  - isolated epithelial cells, bladder (toad), 238,7:F140
  - obesity, pancreatic exocrine response, 242,5:G612
  - pancreatic growth and, 239,2:G95, G400
  - protein synthesis and, liver and small intestine, 241,4:E238
  - repair, myocardial, 238,7:H66
  - ribonucleic acid and, hybridization, dose-response curves, 235,4:E97
  - starvation, age, obesity and, 239,2:E269
  - stretch-induced growth, wing muscles (chicken), 239,8:C39
  - stretch-induced hypertrophy, skeletal muscle, wing (chicken), 242,11:C333
  - synthesis
    - aspirin-induced gastric damage and, 243,6:G463
    - control of myoblast differentiation, 243,12:C278
    - coronary collaterals, awake state, 242,11:H1031
    - epidermal growth factor, oxyntic gland, 238,1:G45
    - gastric mucosa, after vagotomy and atropine, 235,4:E565
    - gastrin effects, mucosal, 235,4:E32, E565
    - gastrin receptor development, newborn, 240,3:G163
    - growth hormone stimulation, myocardial, 236,5:H73
    - pentagastrin effects, gastric mucosal cell proliferation, 242,5:G135
- Deoxyribonucleic acid polymerases**
- myocardial, 238,7:H66
  - thymidine kinase activity, myocardial, 236,5:H73
- Deoxythymidine kinase**, activity, implanted sponge connective tissue, zinc deficiency, 236,5:E272
- Depancreatization**: see Pancreatectomy
- Dephosphorylation**
- enzyme, pyruvate-perfused heart, 237,6:R167
  - pyridoxine hydrochloride, absorbed, jejunal, 235,4:E272
- Depolarization**, 230:1031
- brown fat, catecholamine-induced, 232,1:R101
  - contractile activity, smooth muscle, calcium-free solution, 242,11:C36
  - diastolic, 230:116
  - cardiac automaticity and, 233,2:H625
  - cardiac Purkinje fibers, 243,12:H767
  - $\alpha$ -dihydrograyanotoxin-II-induced (crayfish, salamander, frog), 235,4:C204
  - grayanotoxin I, sinoatrial node and right atrial myocardia, 235,4:C136
  - potassium
    - membrane permeability and, Purkinje fibers (sheep), 237,6:C156
    - norepinephrine metabolism, 234,3:H235
    - series elasticity, 234,3:H542
  - potassium-free media, skeletal muscle fibers, 242,11:C12
  - slow diastolic, sinus node pacemaker cells, 235,4:H379
  - slow membrane, 230:233
  - uterine contractions, 236,5:C171
- Depression**
- aorta, actomyosin pharmacology, neonatal, 237,6:C81
  - fatty acid esterification, small intestine, 237,6:E399
  - intestinal myoelectric activity, perinatal (dog, sheep), 237,6:E61
  - metabolic: see Metabolic depression
  - muscle, carbon dioxide and (chicken), 237,6:C166
  - ontogenesis, perinatal (dog, sheep), 237,6:E61
  - ontogeny, physiological integration, 237,6:R255
  - renal, 237,6:F392
  - reticuloendothelial, hemorrhagic shock, 232,1:H283
  - transmitter, diaphragm neuromuscular junction, 237,6:C31
- Depressor nerve**
- aortic, baroreceptor resetting, 236,5:H174
  - blood flow and pressure changes, aortic, 242,11:H520
- Depressor responses**, stimulation of sympathetic afferents (monkey, dog), 240,9:R23
- Deprivation**: see Starvation
- Derivative control**, parathyroid gland, epinephrine effects (calf), 242,11:R151
- Dermal permeability**: see Permeability
- 1-Desamino-8-D-arginine vasopressin**
- antidiuretic therapy, diabetes insipidus, 243,12:R491
  - sodium and water balance, awake state, 243,12:R512
- Desaturation**, lipids, hepatocytes (rainbow trout), 243,12:R223
- Desensitization**: see also specific subject and site
- cardiac muscle cells, embryo (chick), 233,2:C172
  - specific, ileal, to angiotensin II, 232,1:H223
  - vagal stimulation, sinoatrial and atrioventricular nodes, 241,10:H684
- Desipramine**
- cardiovascular actions,  $\beta$ -phenylethylamine, 236,5:H592
  - presynaptic  $\alpha$ -receptor function, renal vascular bed, 239,8:H422
- Desmethylimipramine**, norepinephrine uptake, colonic mucosa, 241,4:G137
- 17,20-Desmolase**, adrenal development (rabbit, dog), 240,3:E694
- Desmopressin**, water retention, systemic hemodynamics and, 243,12:H934
- Desmopressin acetate**, administration, kidney heterogeneity, 240,9:F372
- Desoxycorticosterone**
- hypertension
    - baroreflexes and vasopressin in, 242,11:H44
    - vasopressin and neurogenic mechanism interaction during, 242,11:H37
- Detergent**, activation, salt gland (duck), 234,3:C59
- Determinism**, physical causality, brain theories and, 238,7:R277
- Detoxification**, glutathione S-transferases, 239,2:G439
- Detraining**: see Exercise
- Deuterated water**: see Water
- Deuterium oxide**, skeletal muscle contraction (frog), 239,8:C105
- Development**: see also Growth; Maturation
- adiposity, hypothalamic-lesioned obesity, 242,11:R311
  - adrenal function, changes (rabbit, dog), 240,3:E694
  - angiotensin I metabolism, lung, 238,7:R395
  - arginine vasopressin, fetal response to, renal (ewe), 238,7:F407
  - autonomic heart rate control, neonatal during sleep, 238,7:H829
  - biphasic, pentagastrin sensitivity, stomach, 242,5:G111
  - calcium transport, small intestine, 239,2:G463
  - carbon dioxide tension, cerebral blood flow and, fetal, newborn and adult (sheep), 242,11:H862
  - catecholamine infusion, cardiovascular and renal changes during (swine), 240,9:F276
  - changes
    - cold-induced, fat cells, 240,3:E379
    - impulse conduction, heart, 240,9:H546
    - Zucker obese rats, 236,5:E508
  - collateral, cardiac function and blood flow, 240,9:H811
  - corticosteroid-binding globulin, hormonal control, postnatal, 240,3:E402
  - corticosterone, mucosal gastrin receptor, newborn, 240,3:G442
  - early, reduced renal mass effects, 242,11:F190
  - endocrine responses, arterial hypotension (sheep), 242,5:E215
  - femoral circulatory response, lumbar nerve stimulation (swine), 240,9:H505
  - food intake and body weight, hormone effects, 240,3:E499
  - gastric acid secretion, fetal, 240,3:G206
  - gastric mucosal cell proliferation, pentagastrin effects, 242,5:G135
  - glucose transport and, ileum, fetus, 242,5:G642
  - growth, phosphate depletion, normophosphatemic, 236,5:E283

**Development (continued)**

- 5-hydroxytryptamine, disposition, lung, 239,8:R401
- hypophysectomy (calf, heifer), 232,1:E497
- insulin secretion, pancreas, 239,2:E57
- isometric contractile properties during, skeletal muscle (chick), 243,12:C177
- left ventricular hypertrophy, diastolic stiffness in, myocardial, 242,11:H633
- lipogenesis, genetic obesity, 239,2:E265
- lung
- $\beta$ -adrenergic receptors in, 240,3:E351
  - thyroid hormones and, 242,5:E378
- mammary gland, zinc deficiency effects, 238,1:E26
- maturation
- gastric motility, neonatal, 236,5:E562
  - glomerular ultrafiltration, 236,5:F465
  - myocardial responses, inotropic agents, 242,11:H13
- oxytocin natriuresis, saline-expanded neonates, 239,8:F589
- perinatal, gastrin concentration and (sheep), 241,4:G235
- postnatal
- corticosterone ontogeny, thyroxine effects, 242,5:E33
  - feeding, digestion and metabolism, 241,4:G199
  - glucocorticoid responsiveness of intestinal enzymes, 242,5:G89
  - intestinal brush border proteins, 239,2:G524
  - secretin, intestines, 243,6:G511
- renal function, saralasin and indomethacin effects (piglet), 238,7:R438
- renin-angiotensin system, postnatal, 238,7:R432
- sodium reabsorption, kidney tubules, 240,9:F487
- thirst, 230:188
- ultrastructural and enzymatic, heart, fetal, 243,12:H87
- Dexamethasone**
- acid-base metabolism, renal and systemic, 239,8:F30
  - aldosterone receptors, distribution, cortical tubules, 237,6:F360
  - aldosterone response, potassium adrenal transplant (sheep), 237,6:E500
  - angiotensin-induced relaxation, renal and cerebral arteries, 240,9:H247
  - angiotensinogen, plasma concentration, 232,1:E234
  - angiotensinogen production, 238,1:E145
  - bile acid production, diurnal rhythm, 236,5:R175
  - binding
    - kidney glomeruli, 243,12:F235
    - kidney tubules, 241,10:F605
  - studies, colonic mucosa, 240,3:G417
  - blood flow and, ischemic myocardium, 242,11:H55
  - cation transport, cortical collecting tubules, 235,4:F576
  - circadian zeitgeber, 243,12:R373
  - concentration dependency, kidney tubules, 242,11:F69
  - corticosteroid-binding globulin, regulation, liver, 237,6:E493
  - glucocorticoid receptor, leukemia and, 243,6:E103
  - glucose transport, adipocytes, 234,3:E112
  - glutamine metabolism (sheep), 234,3:E197
  - hypertension, renin-angiotensin system in, 243,6:E48
  - natriuresis, 233,2:F8
  - nycthemeral rhythm, adrenocorticotropin and, 235,4:R210
  - phosphoenolpyruvate carboxykinase activity
    - brown adipose tissue, 235,4:E197
    - kidney and adipose tissue, 233,2:E147

- potassium adaptation mechanism, 243,12:F103
- prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
- proteinuria, angiotensin- and norepinephrine-induced, 237,6:F133
- sodium-potassium-ATPase regulation, renal, 241,10:F186
- stimulation, distal tubule segments, 243,12:F463
- Dextran**
- acute pericardial tamponade, 240,9:H49
  - blood viscosity and, skeletal muscle, 241,10:H513
  - fluorescent, leakage sites, bradykinin-induced macromolecular efflux, cheek pouch, 236,5:H600
  - fractional clearance profile, renal failure, 237,6:F319
  - glomerular filtration, charged solutes, 238,7:F126
  - microfluorometric monitoring, NAD redox state, kidney tubules, 240,9:F337
  - neutral, glomerular permselectivity, 234,3:F455
  - permeability, renal peritubular capillaries, 231:283
  - plasma-lymph transport, 239,8:H525
  - radioactive microsphere suspending agent, hypotensive effect, 235,4:H587
- Diabetes**
- acidosis, ventricular function, insulin effects (lamb), 241,10:H401
  - adrenocortical function, maternal and fetal, 240,3:E217
  - alanine aminotransferase, muscle, 233,2:E109
  - alloxan
    - adenosine monophosphate, cyclic-protein kinase, myocardial, 240,9:H375
    - anoxia and increased work, myocardial performance, 239,8:H614
    - aortic contractile response, 236,5:H301
    - coronary dynamics, neonatal (lamb), 237,6:H118
    - epinephrine-induced hyperglycemia, glucagon effects, 241,4:E328
    - glucose regulation, 234,3:E13
    - glycogenesis, exercise-induced, insulin effects, 233,2:E509
    - glycogen synthase phosphatase activity, 240,3:E539
    - high-energy phosphate levels, heart, 230:1744
    - metabolic acidosis and, coronary blood flow (lamb), 238,7:H263
    - protein synthesis, skeletal muscle, 239,2:E88
    - protein turnover and, liver, 241,4:E151
    - sympathetic and vascular dysfunction in, 243,12:H139
  - amino acid oxidation, carnitine effects, liver and skeletal muscle, 234,3:E494
  - calcium-45 efflux, pancreatic islets (ob/ob mouse), 235,4:E191
  - carbon transfer, 239,2:E39
  - cardiac performance, 236,5:H806
  - carnitine transport, myocardium, 243,12:H154
  - carotid sinus reflex function, 236,5:H417
  - cholecystokinin effects, pancreas, 241,4:G116
  - chondrosarcoma growth and, insulin effects, 241,4:E129
  - coenzyme A synthesis regulation, heart, 240,9:H606
  - coronary dilator actions in (lamb), 243,12:H252
  - 2-deoxyglucose, glucose, insulin, and free fatty acid mobilization, intraventricular, 236,5:E317
  - diglycine absorption, 235,4:E457

- endotoxin effects, metabolic and hormonal changes, 243,12:R77
- experimental, coronary dilator actions of adenosine and carbon dioxide (lamb), 243,12:H252
- extrapancreatic glucagon and glucose turnover, 234,3:E213
- fasting and, pantothenic acid metabolism, 240,3:E597
- genetic, glucose transport, intestinal membrane vesicles, 238,1:G419
- glomerular basement membrane and, 242,11:F385
- glucoregulation in, epinephrine-glucagon interaction effects, 242,5:E428
- glucose
  - metabolism, adipocytes, 235,4:E175
  - secretion and, intestinal, 242,5:G455
  - uptake, shivering thermogenesis and, muscle, 242,11:R109
- glutamate and lactate, muscle, 233,2:E109
- glycolytic enzyme activities, endotoxic shock, liver, 240,9:R10
- inhibition of contractility, insulin effects, heart, 242,11:H490
- insulin-dependent
  - circadian profiles of insulin receptors, 242,5:E127
  - glucagon and insulin, adrenergic regulation, 240,3:E373
- insulin
  - effects, fat and protein deposition, 242,5:E19
  - metabolism, kidney, 240,9:F288
  - release, islets, 239,8:E132
- insulinotropic factor secretion, intestinal, 236,5:E710
- insulin receptors, membrane lipids and, fetal, 243,6:E246
- insulin-treated, adipose lipoprotein lipase and, 242,5:E445
- intestinal brush border membrane enzymes, 238,1:G114
- intestinal magnesium absorption and, 231:1039
- ketoacidosis, reversible hyperinsulinuria in, 241,4:E396
- keto acids, branched-chain, oxidative decarboxylase, 239,2:E215
- ketone body turnover, hepatic, 235,4:E238
- ketosis, acetylcarnitine excretion, urinary, 243,6:E168
- lipoprotein lipase activity, muscle, oscillatory changes, 233,2:E316
- maturity-onset, hyperglycemia, 240,3:E407
- metabolic response, postprandial exercise, 242,5:E309
- myocardial and coronary vascular responses, neonate (lamb), 237,6:H514
- noninsulin-dependent, obesity, exercise and, 240,3:E458
- phosphoribosylpyrophosphate bioavailability, renal cortex, 238,1:E341
- potassium homeostasis and, 241,10:F151
- protein
  - deprivation and, protein synthesis, liver and small intestine, 241,4:E238
  - intake regulation, weanling, 236,5:R307
  - turnover, cardiac muscle, 239,2:E178
- proteolytic enzyme activities, muscle, 241,4:E378
- renal growth, uridine triphosphate and RNA synthesis, 238,1:E349
- spontaneous
  - carbohydrate metabolism, liver, 240,3:E83
  - glucagon and insulin, adrenergic regulation, 240,3:E373
- starvation and protein synthesis, lung, 236,5:E421
- streptozotocin



- calcium transport, cecal and colonic, 235,4:E699  
cartilage and bone differentiation, 238,1:E200  
gastrin and intestinal growth, 242,5:G460  
insulin action, pancreatic acini, 240,3:G56  
osmolar effects on vasopressin secretion, 242,5:E411  
triacylglycerol metabolism, heart, 242,11:H1084
- Diabetes insipidus**  
angiotensin II, dipsogenic levels, 238,7:R372  
antidiuretic therapy, oral, 243,12:R491  
hereditary hypothalamic, drinking inhibition, 234,3:F41  
hypertension and, vasopressin effects, 242,11:F727  
hypothalamic, kidney heterogeneity, 240,9:F372  
prostaglandin  
  excretion, renal, 235,4:E624  
  synthesis, renal, 235,4:F180  
urinary concentrating ability, 237,6:F100  
urine concentration, 239,8:F84  
vasopressin  
  effects, fluid and electrolyte balance, altitude, 240,9:R182  
  treatment, prolonged, 234,3:F106  
water  
  diuresis, indomethacin effects, 241,10:F231  
  intake, altitude, 240,9:R187
- Diabetes mellitus**  
adult-onset, insulin resistance, obesity, 243,6:E15  
alloxan, serum biochemical parameters, 239,2:E412  
aortic contractile response, 236,5:H301  
coronary dynamics, neonate (lamb), 237,6:H118  
glucose turnover, 236,5:E255  
insulin dynamics, circulation and organs, model, 237,6:E331  
jejunal function, 233,2:E181  
juvenile, sympathetic and vascular dysfunction in, 243,12:H139  
myocardial and coronary vascular responses, neonate (lamb), 237,6:H514  
reevaluation, model (sand rat), 239,2:E340  
renin, plasma, tolbutamide effects, 236,5:E1  
spontaneous, carbohydrate metabolism, liver, 240,3:E83  
streptozotocin-induced  
  calcium homeostasis in, 242,5:E451  
  reticuloendothelial hyperphagocytosis, 240,3:G225
- Diabetic hyperphagia:** *see* Hyperphagia
- Diacrine**, food effects, gastrin regulation, 243,6:G429
- Dialyzer circuit**, perfused kidney, albumin effects, 240,9:F569
- Diamide**, neuromuscular transmission and (lobster), 242,11:C59
- Diaphragm**  
amino acid transport, insulin resistance, newborn, 235,4:E304  
Cori cycle activation, epinephrine, 232,1:E145  
esophageal manometry (opossum), 233,2:E152  
intercostal EMG, 230:675  
lipogenesis and insulin sensitivity, tissues (*ob/ob* mouse), 240,3:E101  
neuromuscular junction, transmitters, characteristics, 237,6:C31  
pantothenic acid metabolism, diabetes and fasting effects, 240,3:E597  
pH transients, intracellular measurement, 235,4:C49  
substrate effects, protein synthesis, muscle, 242,5:E184
- Diarrhea**  
carbohydrate metabolism and, colonic, 241,4:G397  
cholera motility, prostaglandin  $F_{2\alpha}$  and, 232,1:E529  
heat-stable toxin effects, small intestine, 242,5:G360
- Diastole**  
left ventricular isovolumic pressure, 239,8:H1  
left ventricular pressure, ischemic arrest, 240,9:H300  
mechanisms of motion, mitral valve, 241,10:H389  
stress-strain relations, papillary muscle, 234,3:H416  
ventricular, adenosine and glycogen phosphorylase activity, 238,7:H389  
vibration, closed aortic valve, second heart sound, 234,3:H696
- Diastolic compliance:** *see* Compliance
- Diastolic depolarization**, tetraethylammonium chloride effects, action potential, cardiac Purkinje fibers, 241,10:H139
- Diastolic dimensions**, ventricular, inotropic intervention effects, 241,10:H376
- Diastolic mechanics**  
ischemia effects, left ventricular, 240,9:H413  
left ventricle: *see* Heart ventricles
- Diastolic pressure gradients:** *see* Pressure gradients
- Diastolic pressure:** *see* Pressure
- Diastolic relaxation:** *see* Muscle, heart
- Diastolic stiffness:** *see* Muscle, heart
- 20,25-Diazacholesterol**, membrane potentials in myotonia (goat, rat), 240,9:C56
- Diazepam**, stress-induced eating and, 243,12:R159
- Diazoxide**, amylase release, parotid gland, 236,5:C233
- Dibenamine**, eccrine sweat gland response (monkey), 240,9:R44
- Dibromosulphthalein**  
biliary transport, 232,1:E445  
transport, hepatic, bile salts and, 237,6:E524
- Dibucaine**, 230:876
- Dibutyl cAMP:** *see* Adenosine monophosphate, cyclic
- Dibutyl cGMP:** *see* Guanosine monophosphate, cyclic
- Dicarboxylic acid**, pathway, C-4, chloride cell function (crustacean), 238,7:R269
- cis-Dichlorodiamine platinum**, water metabolism after, 243,12:F36
- Dicrotic notch**, digital arterial pressure, compliance measurements and, 233,2:H168
- N,N'-Dicyclohexylcarbodiimide**, urinary acidification (toad, turtle), 240,9:C201
- DIDS:** *see* 4,4'-Diisothiocyanostilbene-2,2'-disulfonate
- Diencephalic stimulation**, cerebral blood flow and behavior (goat), 232,1:H495
- Diencephalon:** *see* Brain
- Dietary composition**, glucose metabolism and, adipose cells, 240,3:E175
- Dietary obesity:** *see* Obesity
- Diethylenetriaminepentaacetic acid**,  $^{109}\text{Yb}$ -labeled, physiological parameters of indicator-dilution studies, 233,2:H350
- Diethylstilbestrol**, growth hormone secretory patterns (sheep), 233,2:E519
- Diet:** *see* Feeding; Nutrition, and the specific dietary constituent
- Differential nerve block:** *see* Block
- Diffusion**  
accelerative exchange, isolated brain capillaries, 236,5:C96  
cellular restraints, cortical collecting tubules, 238,7:F470  
convection and, capillary-tissue fluid, 234,3:H52  
descending limb, Henle's loop, 239,8:F57, F72  
electrolytes, placental (sheep), 236,5:C58  
exchange  
  lactate transport, kidney tubule (snake), 240,9:F388  
  sodium and chloride fluxes, transbranchial (sculpin), 240,9:R364  
facilitated  
  2-deoxy-D-glucose, lung cells, 243,12:C14  
  myoglobin function, heart, 234,3:H567  
facilitated and simple, erythrocytes, 231:332  
gas: *see* Gas, and the specific gas indicator, capillary permeability, gastric, 241,4:G478  
intercapillary, cardiac, 235,4:H321  
interstitial fluid, brain, 238,7:F42  
lateral, lipophilic solutes (frog), 240,9:H597  
limitations, embryonic heart cells (avian), 236,5:C163  
lipophilic molecules, erythrocytes, 238,7:C107  
nonelectrolytes, cerebrovascular, 235,4:H299  
nonionic  
  fluoride, 232,1:F10  
  fluoride tissue distribution, 236,5:F141  
  osmosis and, 235,4:R3  
  osmotic: *see* Osmosis  
  oxygen: *see* Oxygen  
  resistance, isotonic fluid absorption and, proximal tubule, 236,5:F89  
single-file, sodium chloride transport, kidney, 241,10:F412, 241,10:F432  
skin (snake), 242,11:F681  
smooth muscle cells, limitations (frog), 232,1:C144  
temperature effects  
  erythrocyte permeability to lipophilic solutes, 242,11:C74  
  lung cells, 243,12:C285  
thermodynamics, 234,3:R85  
two-dimensional, modeling methodology forum, 243,12:R480
- Diffusion barriers**  
fatty acid uptake, jejunal, 239,2:G363  
sodium effects, passive intestinal uptake, 243,6:G148
- Diffusion coefficient**  
intracellular oxygen supply, hypoxia, 243,12:C247  
spinal subarachnoid perfusion, 230:614
- Diffusive conductance:** *see* Conductance
- Diffusive flux**, ion selectivity, proximal tubule, 235,4:F234
- Diffusive transport**, neutral solute, porous membranes, 241,10:F469
- Digestion**  
blood flow, regional, 238,7:H220  
circadian rhythm, 230:731  
fat, lingual lipase effects, 237,6:E541  
functional hyperemia, 238,7:H836  
mesenteric hyperemia during, 230:583  
oxygen uptake, gut, awake state, newborn (lamb), 241,4:G289  
postnatal development and, 241,4:G199  
regulation  
  duodenal extracts and feeding effects, 243,6:G304  
  secretory proteins, pancreas, 241,4:G67
- Digestive activity**, migrating myoelectric complex, 238,1:G509
- Digestive enzymes**  
duodenal extracts and, pancreas, 243,6:G304  
flow dependence, exocrine pancreas, 242,5:G32  
parallel secretion, pancreas, 231:1860

**Digestive enzymes** (*continued*)

- protein transport, membranes, 238,1:G391
- secretion, pancreas, 230,1:499, 238,1:G289, 241,4:G170
- secretory protein mobilization, pancreas, 241,4:G67
- synthesis and discharge, pancreatic ethionine effects, 239,2:G418
- Digestive motor states**, jejunal absorption and transit, 239,2:G167
- Digestive states**, liquids and solids, transit, jejunum, 239,2:G497
- Digitalis**
  - arrhythmogenic properties, 238,7:H202
  - cardiac receptors, 239,8:H628
  - contracture, 230:965
    - myocardial, 232,1:H526
  - insulin effects, cardiac, 240,9:H636
  - myosin ATPase and mechanics, pressure overload, cardiac, 234,3:H253
  - oscillations, inotropy and heart, 241,10:H646
  - papillary muscles and, normal and hypoxic states, 231:66
  - toxicity
    - cardiac Purkinje fibers, 243,12:H767
    - C-1 spinal cord transection, protective effect, 235,4:H531
    - ventricular tachyarrhythmias, anoxia effects, 240,9:H730
- Digitalis glycosides**, vascular resistance, gracilis muscle, in hypotension, 238,7:H729
- Digitalis-magnesium**, interaction, myocardial, 237,6:H413
- Digitalization**, prophylactic, myocardial hypertrophy and, 233,2:H600
- Digitonin**
  - cytosolic free calcium levels and, proximal tubules, 242,11:C124
  - proton uptake, secretory granules, pancreatic  $\beta$ -cells, 242,11:C382
- Digitoxin**, prophylactic, myocardial hypertrophy and, 233,2:H600
- Digits**
  - arterial pressure and compliance, noninvasive measurement, 233,2:H168
  - occlusion cuff, 232,1:H338
- Diglycine**
  - absorption, in streptozotocin diabetes, 235,4:E457
  - metabolism, plasma and tissue concentration, 243,6:E413
- Digoxin**
  - age-related effects, cation transport (sheep), 243,12:H519
  - sensitization, cardiopulmonary baroreflexes, 243,12:H815
  - stiffness, cardiac muscle, 232,1:H275
  - vascular resistance, gracilis muscle, hypotension, 238,7:H729
  - ventricular arrhythmias, phenytoin effects, 241,10:H67
- Digoxin-norepinephrine**, vascular smooth muscle responses, 236,5:H613
- Dihomo- $\gamma$ -linolenic acid**, pulmonary vascular bed, 234,3:H133
- Dihydroalprenolol**,  $^3\text{H}$ -labeled,  $\beta$ -adrenergic receptors, developing lung, 240,3:E351
- $\alpha$ -Dihydrograyanotoxin II**, membrane sensitivity (crayfish, frog, salamander), 235,4:C204
- 2,3-Dihydro-3-oxobenzisulfonazole**: see Saccharin
- Dihydrotestosterone**
  - luteolysis induction, pregnancy, 241,4:E444
  - secretion, adrenal, 239,2:E109
- 1,25-Dihydroxycholecalciferol**
  - calcium-binding protein and calcium absorption, intestinal (chick), 236,5:E556

- prostaglandin-dependent polyuria, hypercalcemia, 241,10:F224
- vitamin D dependence, 243,6:E483
- 1 $\alpha$ ,25-Dihydroxycholecalciferol**, parathyroid hormone release (bovine), 238,1:E384
- Dihydroxymandelic acid**, estradiol effects, saphenous vein, 239,8:H450
- 5,6-Dihydroxy-2-methylaminotriazin**, blood flow, myocardial ischemia, 235,4:H118
- Dihydroxyphenylglycol**, estradiol effects, saphenous vein, 239,8:H450
- Dihydroxytryptamine**, circadian rhythms, adrenocorticotropin and corticosterone, 239,2:E482
- 5,7-Dihydroxytryptamine**
  - $\beta$ -endorphin and, experimental obesity, 241,10:R173
  - serotonin, brain content, cold-induced metabolism and, 235,4:R41
- 1,25-Dihydroxyvitamin D**: see Vitamin D
- 1,25-Dihydroxyvitamin D<sub>3</sub>**: see Vitamin D<sub>3</sub>
- 1 $\alpha$ ,25-Dihydroxyvitamin D<sub>3</sub>**: see Vitamin D<sub>3</sub>
- 24,25-Dihydroxyvitamin D**: see Vitamin D
- 24,25-Dihydroxyvitamin D<sub>3</sub>**: see Vitamin D<sub>3</sub>
- 4,4'-Diisothiocyanostilbene-2,2'-disulfonate**, *p*-aminohippurate transport, renal tubular, 238,7:F99
- Dilantin**: see Diphenylhydantoin
- Diltiazem**
  - ischemic myocardium, 239,8:H658
  - smooth muscles and neuromuscular junction, mesenteric artery, 242,11:H325
- Diluting capacity**, maturation, Henle's loop, 233,2:F519
- Dimaprit**
  - histamine receptors, gastric mucosa (bullfrog), 241,4:G93
  - myoelectric activity, small bowel, 238,1:G50
- Dimethadione**, intracellular pH, liver, alkalosis and acidosis, 236,5:F240
- Dimethylamine**, importance, meal-induced gastrin release, 243,6:G341
- Dimethylnitrosamine**, cirrhosis, 233,2:F572, F586
- 5,5-Dimethyl-2,4-oxazolidinedione**
  - $^{14}\text{C}$ -labeled, distribution, as indicator of pH gradient in developing teeth, 232,1:F364
  - intracellular pH and, hypothermia effects, anoxia, 243,12:C62
  - measurement, intracellular pH, 231:799
  - membrane permeability, muscle (barnacle), 240,9:C73
  - pH regulation and, muscle fibers (barnacle), 241,10:C193
  - pH transients, intracellular diaphragm, 235,4:C49
- 1,1-Dimethyl-4-phenylpiperazinium iodide**, sympathetic function, embryonic heart (chick), 232,1:R116
- 16,16-Dimethyl prostaglandin E<sub>2</sub>**
  - bicarbonate secretion, gastric, 239,2:G44
  - gastric mucosa and, alkaline response to, 241,4:G509
  - inhibition of gastric secretion, 230:351
  - interaction with adenylate cyclase-adenosine monophosphate, cyclic system, gastric mucosa, 235,4:E546
  - prednisolone-induced intestinal lesions, prevention, 235,4:E703
  - receptors, down-regulation, liver, 239,2:E75
  - topical, gastric blood flow, 238,1:G514
- Dinitrophenol**
  - alkalinization, active, gastric fundic mucosa (Amphibia), 233,2:E1

- phosphate transport, bladder (turtle), 238,7:F31
- potassium transport and, descending colon, 242,11:C81
- 2,4-Dinitrophenol**
  - biliary secretion, liver (skate), 242,5:G319
  - cation transport, gastric mucosal cells, 235,4:E16
  - cell volume, renal tubule, 239,8:F571
  - energy metabolism, renal, 233,2:F207
  - insulin binding, soleus muscle, 235,4:E606
  - modification of lacrimal gland secretion, 230:380
  - oxygen uptake, blood flow relations, intestinal, 242,5:G202
  - potassium conductance, pancreatic  $\beta$ -cells, 237,6:C137
  - stimulation, lung metabolism, 231:898
- Diols**
  - lung endothelial permeability to, 230:1708
  - terminal, placental (sheep, guinea pig), 236,5:C47
- Dioxin**, iron absorption, 236,5:E763
- Dipeptidases**
  - adaptation to diets, 239,2:G445
  - cytoplasmic tissue activity, 233,2:E450
- Diphenhydramine**, cardiopulmonary response, histamine, 232,1:H73
- Diphenylhexatriene fluorescence polarization**, myocardial ischemia (pig), 242,11:H254
- Diphenylhydantoin**
  - amylase release, parotid gland, 236,5:C233
  - hypothalamic-pituitary-thyroid function, 239,2:E468
  - potassium, atrial, 230:965
- Diphosphoglycerate**, oxygen delivery, postnatal, 238,7:H73
- 2,3-Diphosphoglycerate**
  - blood oxygen delivery, isolated heart, 237,6:H348
  - blood oxygen transport, organ weights (shrew), 236,5:R221
  - chronic altitude hypoxia effects, 242,11:R447
  - erythrocyte levels, postnatal regulation of, 242,11:H500
  - hemodynamic response to acute hypoxemia, spontaneous hypertension, 234,3:H275
  - oxygen-hemoglobin equilibrium, 230:471
  - red cell oxygen affinity, hypoxia (baboon), 232,1:H79
  - spectrin binding, oxygen-hemoglobin affinity, 234,3:C36
- Diphosphoinositide**, metabolism, spontaneous hypertension, erythrocytes, 243,12:H590
- Diphosphonate**
  - bone
    - extraction, 232,1:H341
    - mineralization, 232,1:E298
  - phosphate, renal brush border vesicles, 239,8:F13
  - renal handling, 234,3:F497
- Dipole moment**, resultant, cardiac, hypertension, 241,10:H541
- Dipole theory**, electrograms, ventricular, 240,9:C148
- Dipsogenic action**: see Drinking
- Dipyridamole**
  - adenosine and, cerebral blood flow, 240,9:H775
  - adrenergic stimulation, catecholamine uptake and secretion, heart, 243,6:E52
  - blood flow
    - myocardial ischemia, 239,8:H163
  - transmural distribution, myocardial, 239,8:H7
  - coronary artery diameter, measurement, 240,9:H73

- exercise vasodilation, adenosine role, gracilis muscle, 238,7:H703  
myocardial blood flow measurement, 232,1:H173
- Disaccharidases**  
circadian rhythm  
intestinal, adriamycin feeding effects, 238,1:G97  
postnatal development, small intestine, 234,3:E500  
diet adaptation, 239,2:G445  
ethanol effects, jejunal brush border membrane, 237,6:E68  
inflammation, intestinal mucosa, 234,3:R72  
intestinal brush border, 239,2:G524  
intestinal brush-border membrane, diabetes, 238,1:G114  
metabolism, germfree, 242,5:G650
- Disaccharides**, digestion, brush border hydrolase relations, 231:87
- Discharge**, spontaneous, strophanthidin-induced, cardiac Purkinje fibers, 243,12:H767
- Disequilibrium**, pH, renal tissue, 239,8:F307
- Disodium dichloromethane diphosphonate**, renal handling, 234,3:F497
- Disodium edetate**, gastric emptying, slowing of (monkey), 243,6:G200
- Disodium ethane-1-hydroxy-1,1-diphosphonate**  
calcium handling, renal, 236,5:F349  
phosphate transport, renal brush border vesicles, 239,8:F13  
renal handling, 234,3:F497
- Dissipative structures**  
physical causality, brain theories and, 238,7:R277  
reviewing the reviewers, 241,10:R107
- Dissociation constants**, smooth muscle cells (frogs), 232,1:C144
- Dissociation rate**, gastrin binding, 237,6:E295
- Distensibility**  
left ventricular, 232,1:H545  
venous, hindlimb, 232,1:H584
- Dithiothreitol**, vasopressin action and (toad), 243,12:C52
- Diuresis**  
angiotensin effects, Goldblatt hypertension, nephron, 243,12:F553  
angiotensin II (goosefish), 236,5:R297  
blood flow, renal cortical, 232,1:F111  
catecholamine plasma levels, 235,4:F119  
denervation, kidney, awake state, 242,11:F140  
denervation and, 232,1:F16  
dopamine-induced, mechanism, 232,1:F524  
exaggerated, spontaneous hypertension, 235,4:F409  
furosemide, ascites mobilization, 235,4:F12  
hypoxic, awake state, 243,12:F440  
mannitol, urea secretion, medullary collecting duct, 240,9:F165  
mannitol-induced, kidney function, 240,9:F411  
osmotic  
renal papillary function, 236,5:F423  
urea secretion, medullary collecting duct, 240,9:F165  
postobstructive, weanling, 236,5:F260  
potassium excretion (sheep), 234,3:F371  
pressure, angiotensin II hypertension, 239,8:H391  
pyeloureteral dynamics, multicystic kidney (minipig), 241,10:R398  
renal response (catfish), 232,1:F278  
saline  
denervated and intact kidney, 237,6:F262  
lithium reabsorption, proximal tubules, 241,10:F348  
thirst inhibition, pulmoatrial, 242,11:R452  
volume expansion and, renal (monkey), 242,11:F649
- water**  
antidiuretic-parathyroid hormone interactions, 239,8:F244  
blood flow, renal, 236,5:F494  
erythrocyte velocity, vasa recta, 237,6:F326  
glomerular actions, 233,2:F102  
Henle's loop, 239,8:F72  
indomethacin effects, diabetes insipidus, 241,10:F231  
kallikrein excretion, renal, vasopressin effects, 239,8:F388  
renal papillary epithelium, 235,4:F69  
tubular phosphate influx, 232,1:F159  
vasopressin-prostaglandin interaction, 232,1:F416
- Diuretics**  
acute renal failure, norepinephrine-induced, 235,4:F131  
blood flow changes, renal, 236,5:F494  
calcium and sodium clearance, 230:67  
chloride transport inhibition, cornea (bullfrog), 240,9:F25  
indanone and, comparison, bladder (toad), 238,7:R70  
lymph flow, thoracic duct, 238,7:F363  
plasma anion gap changes, chronic metabolic acid-base disturbances, 235,4:F291  
potassium chloride excretion, 238,7:F509  
proximal sodium bicarbonate uncoupling, sodium phosphate transport, 235,4:F403  
renal responses (catfish), 232,1:F278  
renin release, denervated kidney, 232,1:H500  
short-circuit current and, bladder (toad), 236,5:C221  
sodium and bicarbonate excretion, 230:1225  
sodium transport and, tissues and cells, 242,11:C131  
volume expansion and, interaction, 235,4:F528
- Diuretic states**, prostaglandin E excretion, 238,7:F107
- Diurnal acrophase**, plasma prolactin variations, 241,4:E355
- Diurnal changes**: see also Rhythms  
biphasic secretory response, postprandial, pancreas, 238,1:G332  
inorganic phosphate levels, renal, 241,10:F509  
plasma glucose response, oral glucose load, 238,1:E463
- Diurnal rhythm**: see Rhythm
- Divalent cation**: see Cations
- Diving**  
arterial baroreceptor reflexes (seal), 234,3:H730  
autonomic cardiovascular control, submergence and emergence (bullfrog), 237,6:R210  
blood flow and metabolism, myocardial (seal), 242,11:R97  
bradycardia: see Bradycardia  
cardiorespiratory control, carotid chemoreceptors (seal), 232,1:H508  
cardiovascular adjustments to (beaver, nutria), 242,11:R434  
carotid bodies (seal), 232,1:H508  
chemoreceptor reflexes, interactions (seal), 232,1:H517  
energy metabolism, cerebral (duck), 239,8:R352  
enforced, plasma catecholamine effects (harbor seal), 242,11:R528  
heart muscle response (muskrat, rabbit, guinea pig), 243,12:R245  
integrative autonomic mechanisms (seal), 232,1:H508  
respiratory chemosensitivity, 230:861  
responses  
chemoreceptor effects (duck), 243,12:R537  
control of, carotid bodies and baroreceptors (duck), 242,11:R105  
simulated, glucoregulation and (harbor seal), 241,10:R293  
thermoregulatory response (harbor seal), 232,1:R18
- DMO**: see 5,5-Dimethyl-2,4-oxazolidine-dione
- DNA**: see Deoxyribonucleic acid
- Dobutamine**  
aerobic limit, perfused heart, 238,7:H118  
cardiac function, coronary flow, and oxygen extraction, interdependence, 235,4:H784  
oxygen consumption, myocardial, 235,4:H237
- DOCA-salt hypertension**: see Hypertension
- DOC**: see Deoxycorticosterone
- DOCA**: see Deoxycorticosterone acetate
- Dopa**  
demethylation, erythrocytes, 235,4:E150  
<sup>18</sup>F-labeled, blood-brain barrier transport (monkey), 238,7:R318  
uptake and excretion, kidney, 242,11:F56
- Dopamine**  
afferent and efferent nerve activity, kidney function and, 243,12:F425  
agonists, prolactin secretion, 240,3:E700  
angiotensin interaction, drinking and pressor response, 240,9:R106  
carotid body chemoreceptors, 230:1494  
corticosteroid secretion, modulation of (monkey), 243,6:E375  
differential effects, prolactin secretion, 240,3:E700  
diuresis, mechanism, 232,1:F524  
energy balance (fowl), 232,1:R137  
esophageal motor function (opossum), 232,1:E19  
excretion, renal nerves, urinary, 240,9:F75  
fluid reabsorption and, proximal tubule, 242,11:F634  
growth hormone release, inhibition by thyrotropin-releasing hormone (ba-boon), 233,2:E430  
infusion, cardiovascular and renal changes during (swine), 240,9:F276  
occlusion shock, splanchnic artery, 234,3:H1  
oxygen consumption, myocardial, 235,4:H237  
parathyroid hormone response (cattle), 239,2:E255  
pituitary cell culture system, pregnancy, 236,5:E239  
plasma levels, isotonic volume expansion and, 235,4:F119  
production, neural and extraneural, kidney, 242,11:F261  
prolactin secretion and, pituitary, 242,5:E226  
receptors: see Receptors  
renal energy metabolism, 230:1126  
renin release, enhancement of, 242,11:F267  
salivary excretion (tick), 235,4:R76  
sodium and, relations, volume expansion, 232,1:F123  
somatostatin secretion stimulation, perfused stomach, 240,3:E274  
stress-induced eating and, 243,12:R159  
surgical stress, 235,4:F542  
tyrosine and, 239,8:H206  
uptake and excretion, kidney, 242,11:F56
- Dopamine analogues**, blood flow, myocardial ischemia, 235,4:H118
- Dopamine- $\beta$ -hydroxylase**  
activity, plasma and tissue, sinoaortic denervation and hypertension, 238,7:H521

**Dopamine- $\beta$ -hydroxylase** (continued)

- angiotensin II effects, cardiac, 235,4:H281
- plasma and lymph, during carotid occlusion, 236,5:H96
- secretion, adrenal (bovine), 234,3:E600
- sympathetic nerve changes, hypertrophied right ventricle (guinea pig), 243,12:H175
- synthesis, perfused adrenal glands (bovine), 235,4:E475
- water retention and, systemic hemodynamics, 243,12:H934

**Dopaminergic innervation**, neurohypophysis, 241,4:E186**Dopaminergic mechanisms**, corticosteroid secretion, modulation of (monkey), 243,6:E375**Dopaminergic nerves**, blood flow and, foot (chicken), 242,11:R582**Dopaminergic system**, temperature maintenance (chicken), 239,8:R296**Doppler effect**, blood flow, tissue, 232,1:H441**Doppler flowmeter**: see Flowmeter**Doppler frequency**, urine flow, signal-processing system, 232,1:F471**Doppler system**, blood flow velocity, coronary, 241,10:H816**Doppler technique**, indirect blood pressure determinations, in renal hypertension, 237,6:H720**Doppler ultrasound**, noninvasive measurement, systolic and diastolic blood pressure (swine), 242,11:H127**Dorsal motor nucleus**

- vagal, cardioinhibitory units, 238,7:R57
- vagal cardiac preganglionic neurons, 243,12:R92

- vagus, cardioinhibitory units, 238,7:R57

**Dorsal root section**, coronary arrhythmias and, 231:923**Dorsolateral funiculus**, descending presor pathway, 234,3:H152**Dorsolateral tegmentum lesions**,  $\beta$ -endorphin and, experimental obesity, 241,10:R173**Dose dependency**

- ethanol, brush-border peptidases, jejunal (hamster), 242,5:G442
- glucose, effect on insulin secretion, 240,3:E24
- insulin, plasma disappearance, 235,4:E577

**Dose-response relations**

- arterial sensitivity, vascular smooth muscle, 241,10:H557

**Bioassay**, 235,4:E97

- cardiac muscle cell sensitivity, autonomic agents, embryo (chick), 233,2:C172

- insulin effects, glucose metabolism, 240,3:E630

- mesenteric resistance vessels, to vasopressin, 236,5:H200

- saphenous vein, 233,2:H361

**Dosimeters**, thermoluminescent implantable, storage telemetry of radionuclide tracers, 233,2:E479**Drinking**

- ad libitum, determinants, 231:1
- adult, prenatal and postnatal sodium deprivation, 234,3:F59

**Angiotensin II**

- awake state, 243,12:R82
- central, 242,11:R498

- subfornical organ, 239,8:R382

- thirst and, 238,7:R372

- angiotensin II-induced (monkey), 237,6:R20

- angiotensin II-induced thirst, vasopressin, fluid and electrolyte response, 240,9:R130

- angiotensin II injection effects, preoptic area, 240,9:R70

- angiotensin-induced, 233,2:R44, 242,11:R136

- baroreceptor deafferentation, aortic, body fluid changes after, 240,9:H685

**Behavior**

- after intracerebral and intracerebroventricular infusions of glucose and 2-deoxy-D-glucose, 233,2:R127

- angiotensin II, intraventricular, 235,4:H392

- plasma angiotensin II effects, 240,9:R229

- captopril-induced, mechanism of, 242,11:R136

- caval ligation, angiotensin, 240,9:R75, 243,12:R558

- central angiotensin and monoamine interaction, 240,9:R106

- central osmoreceptors, 232,1:R88

- circadian rhythm of, suprachiasmatic lesions (monkey), 241,10:R385

- circadian rhythm synchronization (squirrel monkey), 234,3:R130

- conflicting circadian synchronizers (monkey), 235,4:R175

- dipsogenic levels, angiotensin-generating capacity of renin, 238,7:R372

- hyperosmotic-induced, 233,2:R44

- hypertension, spontaneous, 232,1:H426

- hypertonic solution infusions, third ventricle, 238,7:R340

- hypertonic solutions, intracarotid infusion, 232,1:R88

- hypovolemia, 237,6:R45

- thirst, angiotensin effects, 243,12:R558

- impairment, zona incerta lesions, 233,2:R53

- ingestive responses, amygdaloid lesion effects, 242,11:R129

**Inhibition**

- central angiotensin II blockade, 234,3:F41

- pulmoatrial, 242,11:R452

- intracellular thirst, dorsomedial hypothalamic lesion and, 242,11:R285

- isoproterenol-induced thirst, fluid balance and, 241,10:R152

- jejunoileal bypass, 239,2:G387

- physiological mechanism for (monkey), 242,11:R423

**Rates**

- angiotensin and (killifish), 239,8:R31

- embryo (*Fundulus*), 238,7:R36

- teleost, 235,4:R48

- reduced venous return and, 243,12:R354

- regulation of intake, clearances, 240,9:R356

- regulatory (pigeon), 239,8:R219

- rhythms, renal electrolytes (squirrel monkey), 232,1:F128

**Thirst**

- angiotensin II infusion, 230:1063

- angiotensin receptors, brain, 241,10:R124

- antidiuretic hormone and, feedback mechanism, sodium control, 232,1:R145

- brain lesions, 234,3:R122

- central blockade, 234,3:F41

- control mechanism, altitude, 240,9:R187

- critical periods, 234,3:F59

- deficits, preoptic-hypothalamic lesions, 233,2:R44

- ontogeny, infant, 230:188

- osmosensitivity and angiotensin, third ventricle, 236,5:R75

- osmotic, inhibition by basal forebrain stimulation, 236,5:R117

- plasma angiotensin II effects, 240,9:R229

- renal hypertension, 230:849

- vasopressin effects, altitude, 240,9:R182

- vasopressin effects, central, 242,11:R372

- vasopressin secretion after, 240,3:E394

- vasopressin and melatonin circadian

- properties, cerebrospinal fluid, 243,6:E489

- vasopressin release and, osmoreceptor or sodium receptor mechanisms, 238,7:R333

**Water**

- central nervous system lesions and, 237,6:R126

- jejunoileal bypass effects, 237,6:R217

- water deprivation, 232,1:R93

- angiotensin, 240,9:R75

**Water intake**

- angiotensin II effects, 240,9:R229

- control mechanism, altitude, 240,9:R187

- intestinal bypass surgery, 234,3:E389

- reduced, altitude, 240,9:R187

- vasopressin effects, altitude, 240,9:R182

- drinking inhibition, 234,3:F41

**Dromotropic response**, acetylcholine and vagal stimulation, cardiac, 234,3:H460**Drugs**: see also specific drug absorption

- bioavailability, determination, 236,5:R137

- electrolytes, alimentary epithelia, 240,3:G191

- pulmonary, neonate, 234,3:C191

- autonomic, duodenal smooth muscle responses (opossum), 236,5:E33

- dissolution, model and data requirements, 236,5:R137

- entry and distribution, brain and cerebrospinal fluid, 242,11:R339

- metabolism, glutathione S-transferase, 239,2:G439

- transport and binding, pulmonary edema, 232,1:C132

**Dual system theory**, circadian rhythms (insect), 241,10:R322**Ductus arteriosus**

- antenatal glucocorticoid effects, preterm (lamb), 241,10:H415

- contractile response, oxygen and drugs, 231:240

- endothelinoxides, action (lamb), 234,3:H117

- flow, fetal (lamb), 241,10:H60

- glucocorticoid effects, preterm (infant and lamb), 240,9:H430

**Ductus venosus**

- blood flow: see Blood flow

- blood, streaming to brain and heart, fetal, 237,6:H724

- duodenal acid, fluxes, hydrogen ions and, 235,4:E692

- duodenal bulb, migrating myoelectric complex (sheep), 233,2:E483

**Duodenal mucosa**

- acidity regulation, bicarbonate transport and, 242,5:G183

- extracts, enzyme secretion and, 243,6:G304

- duodenogastric reflux, 242,5:G603

- liquid meal effects, 243,6:G42

- pylorus and motility, fasting, 241,4:G159

**Duodenum**

- adaptation, calcium restriction, 231:865

- alkaline secretion, adenosine monophosphate, cyclic, theophylline and prostaglandin effects (bullfrog), 241,4:G528

- alkaline secretion (amphibian), 240,3:G401, 240,3:G472

- antiperistalsis (chicken), 235,4:E670

- bicarbonate transport

- hormone and local transmitter effects (bullfrog), 242,5:G100

- mucosal protection (bullfrog), 239,2:G198

- surface epithelial, 243,6:G348

- brush-border membrane, inorganic phosphate transport, 242,5:G533

- calcium absorption, spontaneous hypertension, 241,4:G344



- calcium absorption and calcium-binding protein, relations (chick), 236,5:E556
- calcium-binding proteins, vitamin D dependence, 243,6:E483
- calcium transport, 230:1255
- after hypophysectomy, 232,1:E229
- saturable and nonsaturable components, 240,3:G32
- chylomicron composition during triglyceride and lecithin infusion, 235,4:E183
- extracts, enzyme secretion and, pancreas, 243,6:G304
- gastrointestinal hormones, muscular layer responses (opossum, cat), 234,3:E60
- gastric acid secretion, long-chain fatty acid effects (ewe), 243,6:G127
- gonadal hormones, calcium-binding protein and (chick), 237,6:E409
- hormones, pancreatic enzyme secretion, 240,3:G109
- hydrogen ion removal, different mechanisms, 235,4:E692
- infusion
- insulin dependence of paradoxical overeating, 236,5:E205
  - mesenteric lymph proteins, zinc deficiency, 236,5:E180
- interdigestive gallbladder contractions, 240,3:G183
- intraduodenal stimulants, pancreatic enzyme response, 238,1:G23
- intrinsic nerve supplies, two muscular layers, 233,2:E28
- migrating myoelectric complexes, blood sugar oscillations and (pig), 242,5:G15
- motility: *see* Motility
- mucosal extracts, pancreatic enzyme secretion stimulation, 240,3:G109
- mucosal gastrin receptors, 237,6:E284
- mucosal growth
- epidermal growth factor, 238,1:G45
  - lactation, 237,6:E98
- myoelectric activity: *see* Myoelectric activity
- pH**
- diurnal changes, 238,1:G91
  - interdigestive gastric contractions, 238,1:G85
  - secretin concentration, 236,5:E539
  - plasma secretin, gastrin and, 230:784
  - postprandial duodenogastric reflux, pylorotomy, 242,5:G9
  - postpyloric regulation, gastric emptying (monkey), 243,12:R408
  - receptors: *see* Receptors
  - satiety controls, preabsorptive (pig), 236,5:R328
  - saturable and nonsaturable components, 240,3:G32
  - smooth muscle, autonomic drug effects (opossum), 236,5:E33
  - solute transport, osmotic gradients, 237,6:E389
  - transport
    - alkaline (amphibian), 240,3:G401
    - sodium and chloride fluxes (amphibian), 240,3:G472
- vascular resistance, gastrointestinal hormonal effects, 232,1:H103
- weight, gonadal hormones and (chick), 237,6:E409
- Dye-dilution technique: *see also* Indicator-dilution technique**
- cardiac output
    - blood withdrawal and, 235,4:H258
    - fetal (lamb), 239,8:H125  - mean transit time and, phase plane analysis, 236,5:H796
  - fluorescein, retinal circulation, 234,3:H315
- Dyes: *see also* specific dye**
- hepatic uptake, facilitation by taurocholate, 232,1:E560
  - vascular resistance
    - biliary transport, two pathways, 232,1:E445
- Dysrhythmicogenic**, 230:306
- Dyssynchrony**, regional, left ventricular, 237,6:H542
- Dyssynergy**, ischemic, evaluation, 238,7:H43
- Dystrophy**, muscle contraction (chicken), 242,11:C19
- E**
- Eadie-Hofstee plot**
- angiotensin-converting enzyme, developing lung and kidney, 234,3:R141
  - angiotensin-converting enzyme development, lung, fetal, 236,5:R57
- Ear**
- densitogram, 238,7:H355
  - neural control of vasomotion, desynchronized sleep, 243,12:R142
- Ear artery**
- asymmetric contractile response, exogenous amines, 238,7:H618
  - mannitol-induced contractile response, 232,1:H59
- Ear oximetry**, heart rate response, isocapnic hypoxia, 234,3:H129
- Ear-pulse derivative**, atrial fibrillation, left ventricular function and, 238,7:H355
- Eating: *see* Feeding**
- Eccrine sweat gland: *see* Sweat glands**
- Echocardiography**
- cross-sectional
    - cardiac kinetics, 238,7:H98
    - closed-chest model, 233,2:H417  - ear-pulse derivative, 238,7:H355
  - ventricular fibrillation, left and right dimensions, 235,4:H231
- Echogram**, mitral, mechanisms of motion during diastole, 241,10:H389
- Ectotherm**
- acid-base balance (turtle), 239,8:R254
  - ventilation, central chemical control (turtle), 235,4:R257
- Edema**
- acute cardiogenic, protein composition of lung fluids, 231:1466
  - alloxan, protein composition of lung fluids, 230:376
  - blood-brain transport, histamine effects, 243,12:H307
  - cerebral
    - hypoxia, anoxia, or ischemia, 239,2:E501
    - osmotic barrier opening, 238,7:R421  - converting enzyme inhibitor, 236,5:F541
  - experimental
    - aldosterone biosynthesis, role of kidney, 240,3:E12
    - angiotensin II effects, 243,6:E450
    - formation, norepinephrine effects, forelimb, 243,12:H575  - glucose and bicarbonate reabsorption and, 231:749
  - histamine-catecholamine interaction, microvascular, 234,3:H180
  - myocardial, 230:41
  - pulmonary
    - alveolar epithelial permeability, 233,2:H80
    - cardiovascular response to positive end-expiratory pressure, 233,2:H635
    - drug transport and binding in lung, 232,1:C132
    - filtration coefficient, intact lung, 238,7:H430
    - filtration coefficient, pulmonary exchange vessels, 234,3:H266
    - fluid and lymph protein composition, 230:1650
    - hemodynamic and lymphatic ligation, 231:1777
    - histamine and alloxan effects, 239,8:H96
- histamine effects, 242,11:H565
- ibuprofen therapy, 243,12:H903
- interstitial compliance and filtration coefficient, 239,8:H189
- isogravimetric capillary pressures, 241,10:H732
- $\alpha$ -naphthylthiourea (sheep), 243,12:H507
- prostacyclin effects, lung lobes, 242,11:H745
- ventricular function, 236,5:H534
- pulmonary hemorrhagic, regional sympathetic outflows, 240,9:H109
- sodium retention, efferent mechanisms, 233,2:F586
- sympathetic response, 233,2:H264
- transcapillary pressures, fetal, newborn, pregnant adult (Starling), 240,9:H843
- uterine, theophylline-estrogen interaction and, 242,5:E121
- venous pressure and, muscle, 242,11:H1044
- Edrophonium**, pressure, lower esophageal sphincter (opossum), 234,3:E301
- EEG: *see* Electroencephalography**
- Effector mechanism**
- glomerular filtration, feedback control, 236,5:F40
  - tubuloglomerular feedback, 243,12:F447
- Efferent arterioles: *see* Arterioles**
- Efferent fibers**
- renal excretion, volume overload, 235,4:H670
  - vagal, discharge, gastric antrum, 235,4:E366
- Efferent mechanisms**
- cardiac, reinnervation, 233,2:H431
  - renal, thoracic sympathetic afferent stimulation, effects, 233,2:H580
  - sodium retention, liver disease, 233,2:F586
- Efferent nerves**
- cardiac sympathetic, tachycardia induced by nonhypotensive arteriovenous shunt, 236,5:H35
  - cardiopulmonary sympathetic, activity, 242,11:R247
  - carotid sinus: *see* Carotid sinus
  - renal, kidney function and, 243,12:F425
  - sympathetic: *see also* Sympathetic nerves
    - electromechanical dissociation, 241,10:R213
    - renal afferent effects, 241,10:R286
    - tachycardia, 232,1:H464
    - ventral root mapping, 232,1:H590  - sympathetic stimulation, tonic circulatory restraint, cardiac, 237,6:H528
  - vagal: *see* Vagal efferents
- Efferent vessels**
- glomerular filtration, feedback control, 236,5:F40
  - plasma composition, renal, tubular reabsorbate effects, 236,5:F119
- Egestion**, mechanism studies with electric monitoring, 231:1824
- Egg**
- fertile, temperature dynamics (chicken), 234,3:R183
  - oxygen consumption and growth, embryonic (albatross), 242,11:R121
  - transport, oviduct, 239,8:R332
- EGTA**
- calcium-45 efflux, pancreatic islets (ob/ob mouse), 235,4:E191
  - secretion, ileal, 239,2:G18
  - smooth muscle, resting, mechanical properties, 236,5:C211
- Eicosatetraenoic acid**
- contractile activity, oviduct ampulla, 238,1:E157
  - pancreatic adrenergic transmission, 232,1:E201
  - reactive hyperemia, arteriolar, 232,1:H571
  - renin release, prostaglandins and, kidney cortex, 240,3:E609

- Ejaculation**, penile pressure, muscle activity and, 231:1343
- Ejection pressure**: see Pressure
- Ektactometry**, erythrocyte deformability (camel, llama, goat, seal), 236:5:H725
- Elasmobranchs**  
biliary secretion, 230:970, 974  
iodide, brain barriers (teleosts), 234:3:R71  
nonelectrolytes, brain barriers (salamander), 234:3:R52  
osmotic regulation, 230:925
- Elastance**  
isovolumic, contractions and, right atrium, 236:5:H672  
time-varying, cardiac, 236:5:H498
- Elastase**  
immunoreactive pancreatic, molecular forms, 238:1:G238  
series elastic component, 232:1:H122
- Elastase 2**, immunoreactive, pancreatic, 238:1:G177
- Elastic behavior**, brain, 230:1058
- Elasticity**  
erythrocyte membranes, pH effects, 235:4:C269  
femoral vein, 233:2:H15  
fibrin, 232:1:H629  
mesenteric lymphatics (bovine), 239:8:H88  
series  
arterial, determination, 233:2:H248  
arterial wall, atherosclerosis (racing greyhound), 236:5:H790  
smooth muscle: see Muscle, smooth  
systolic, ventricular, flow-pulse response, 237:6:H282  
terrestrial locomotion, 233:2:R243  
vascular inelasticity, barostasis and, 232:1:H197
- Elastic loading**: see Loading
- Elastic modulus**  
arterial wall, atherosclerosis (racing greyhound), 236:5:H790  
carotid artery, aging effects, 233:2:H256  
in sartorii, 230:205
- Elastic properties**, blood vessels, in vivo studies, 237:6:H265
- Elastic response**, brain tissue, measurement, 232:1:R27
- Elastic stiffness**, aortic pressure-dimension techniques, 235:4:H610
- Elastic tubes**, Henle's loop, 237:6:F196
- Elastin**  
arterial wall  
atherosclerosis (racing greyhound), 236:5:H790  
changes, renal hypertension, 242:11:H477  
carotid artery, aging effects, 233:2:H256  
content, arterial, 234:3:H533  
hypertensive, carotid artery, 237:6:H597  
pulmonary arteries, mechanics and composition, 242:11:H245  
sex hormone effects, 232:1:H617
- Elastomers**, silicone, potassium ion loss, renal tissue, 235:4:F228
- Electrical activity**  
Auerbach's plexus, calcium depletion, 236:5:C78  
carnitine and atractyloside effects, 241:10:H505  
charge carriers, pancreatic  $\beta$ -cells, 241:10:C59  
epithelium (larval frog), 237:6:R74  
gastric, hormonal control, 237:6:E192  
gastric antrum, 239:2:G59  
gastroduodenal junction (sheep), 233:2:E483  
glucose-induced, pancreatic  $\beta$ -cell, 240:9:C127, 241:10:C264  
insulin effects, cardiac, 240:9:H636  
intrinsic responses, esophageal sphincter, 243:6:G415  
ionic basis, cardiac tissue, 234:3:H101  
mesotubarium superius, estrogen withdrawal theory, 233:2:C180  
migrating myoelectric complexes, intrinsic nervous control, 241:4:G16  
multiprobe monitoring, brain, awake state, 243:12:R462  
neurotensin effects, stomach, 243:6:G404  
plateau potentials, pancreatic islet cells, 240:3:E290  
renal collecting tubules, 233:2:F559  
smooth muscle, esophageal (opossum), 240:3:G305  
sodium channels, islet cells, 237:6:E130  
sodium effects, pancreatic  $\beta$ -cells, 242:11:C296  
somatostatin inhibition, islet cells, 233:2:C164  
vagal influence, small intestine (opossum), 239:2:G406
- Electrical admittance plethysmography**: see Plethysmography
- Electrical characteristics**, gastric mucosa (monkey), 239:2:G77
- Electrical control**  
gastric activity, 237:6:E279  
propulsion, jejunal, 240:3:G355
- Electrical countershock**, defibrillation thresholds, 238:7:H675
- Electrical current**: see Current
- Electrical effects**, acidification, proximal convoluted tubule, 240:9:F459
- Electrical environment**, sensitivity to change, 239:8:R424
- Electrical excitability**, dystrophic muscle (chicken), 237:6:C131
- Electrical field**, 60-Hz, bioelectric effect, 239:8:R424
- Electrical field stimulation**, veratrine and potassium effects, ileal secretion, 240:3:G211
- Electrical impedance**: see Impedance
- Electrical pacing**: see Pacing
- Electrical parameters**  
heart cell aggregates, viral effects, embryo (chick), 234:3:C170  
skin, fuorsemide effects (frog), 243:12:F581
- Electrical pathways**, gallbladder and hyperosmolality (*Necturus*), 232:1:C99
- Electrical potentials**: see Potentials
- Electrical properties**  
distal tubule, luminal sodium concentration and (snake), 239:8:F412  
medullary collecting duct, 239:8:F258  
middle cerebral and mesenteric arteries, comparison, 239:8:C23  
myocardial, hypertrophied myocardium, 243:12:H917  
urinary bladder, 232:1:F187  
uterus, laying and nonlaying birds, 232:1:E437
- Electrical resistance**: see Resistance
- Electrical responses**, adrenal cortex, aldosterone secretion, 237:6:E158
- Electrical spike activity**, cerebral and mesenteric arteries, comparison, 239:8:C23
- Electrical stability**, ventricular, vagal tone and stellectomy effects, 234:3:H503
- Electrical stimulation**: see also Stimulation  
liver cell, 240:3:E226  
transmural, gastrin and somatostatin secretion regulation, 243:6:G442
- Electrocardiogram**, hematocrit effects (pig), 232:1:H406
- Electrocardiography**  
body surface, ventricular repolarization, 236:5:H391  
carotid sinus denervation, changes, 237:6:H475  
copper deficiency, 240:9:H185  
esophageal, electrical impedance measurements, 236:5:R168  
heavy metal feeding, 239:8:H22  
high-frequency, QRS duration measurement, 242:11:H507  
nonspatial determinants, ventricular, 240:9:C148  
P-wave morphology, atrial activation and (fowl), 239:8:R483  
QRS power spectrum, exercise effects, 243:12:H964  
resultant dipole moment, hypertension, heart, 241:10:H541  
R-R interval, high-resolution determination, 236:5:H894  
T-wave form, ventricular repolarization, 236:5:H391  
ventricular activation, detection of delay, 241:10:H363
- Electrocardioversion**, myocardial cells, embryo (chick), 235:4:H214
- Electrochemical equilibrium**, chloride secretion, rectal gland (shark), 233:2:F298
- Electrochemical forces**, potassium ion secretion, eccrine sweat glands, paw, 239:8:C90
- Electrochemical gradients**  
hydrogen ion transport  
bladder (turtle), 233:2:F502  
urinary epithelia, 235:4:F77  
myo-inositol transport, renal brush border vesicles, 239:8:F113  
sodium ions  
colon, 234:3:F48  
plasma membrane, 234:3:F89  
sodium transport, active, bladder (toad), 236:5:F405
- Electrochemical potentials**: see Potentials
- Electrocortical synchronization**, serotonin and, area postrema and solitary tract nucleus, 241:10:R158
- Electrode-catheter technique**, closed-chest, His bundle ablation, 241:10:H283
- Electrodes**  
bipolar, electromyography of limb muscles of small animals (axolotl, salamander), 234:3:C198  
calcium solutions, 242:11:C404  
flexible valinomycin, potassium ion-selective, 235:4:H455  
glass and antimony, nanoliter samples, coulometric acid-base titration, 242:11:F95  
implantable  
multichannel telemetry system, cardiovascular, 236:5:H513  
stimulating for baroreceptor afferent nerves, 239:8:H706  
ion-selective, chloride activity, ventricular muscle (mammal), 241:10:C121  
multipolar needle, activation study of heart, 233:2:H312  
oxygen: see Oxygen electrodes  
pH, miniature, diurnal pH changes, duodenum, 238:1:G91  
solid membrane ion-selective, in vivo measurements, 233:2:C56
- Electroencephalogram**, hibernation (ground squirrel), 233:2:R213
- Electroencephalography**  
cerebral circulatory response, metabolic depression (baboon), 234:3:H74  
epilepsy (baboon), 239:8:R35  
frequency, cerebral oxygen uptake relations, 231:1840
- Electrogenesis**  
contraction, vascular smooth muscle, 238:7:H761  
potassium effects, vascular smooth muscle, 241:10:H217  
sialic acid, cultured heart cells, embryo (chick), 239:8:C197
- Electrogenic active transport**, heart, 234:3:H101
- Electrogenic extrusion**, sodium, ventricular muscle, 240:9:C28

- Electrogenicity**, gastric mucosa (frog), 232,1:E251
- Electrogenic pump**: see Pump
- Electrogenic theory**, hydrochloric acid, stomach (frog), 233,2:E298
- Electrogenic transport**, monovalent ions, proximal tubules (salamander), 241,10:F540
- Electrogram**  
cardiac, carnitine and atractyloside effects, 241,10:H505  
ischemic heart, 239,8:H380  
magnesium fluxes, myocardial contraction, 234,3:C115  
regional, coronary occlusion, 234,3:H653  
ventricular activation, detection of delay, 241,10:H363  
ventricular recovery properties, 239,8:H227
- Electroimmunoassay**, protein, opsonic, during reticuloendothelial blockade, 232,1:R80
- Electrolytes**  
absorption, small intestinal brush-border membrane, 242,5:G272  
absorption and secretion, chloroquine effects, ileal, 243,6:G117  
acid excretion, kidney (toad), 243,12:F60  
*p*-aminohippurate uptake, renal, 232,1:F239  
arterial wall changes, renal hypertension, 242,11:H477  
balance, 230:1063  
pH effects, distal tubule, 242,11:F544  
basal, calcium dependence and, ileum, 243,6:G28  
cardiac, anoxia, 232,1:H85  
cell  
  ischemic arrest, 240,9:H116  
  tubular, 232,1:F42  
composition, arterial smooth muscle, 231:77  
content, pulmonary arteries, 242,11:H245  
depletion, furosemide effects, 232,1:F397  
diffusional exchange, placental (sheep), 236,5:C58  
epilepsy and (baboon), 239,8:R35  
exchange, inner ear and cerebrospinal fluid, 243,12:F173  
excretion  
  adaptive changes in, renal, 243,12:F211  
  angiotensin II effects, 242,11:F149  
  aortic-caval fistula effects, 231:56  
  arginine vasopressin effects, 236,5:F66  
  calcitonin effects, 239,8:F524  
  catecholamine effects, renal, 240,9:F192  
  choline effects, kidney tubules (chicken), 240,9:F211  
  drug-induced necrosis, kidney papilla, 241,10:F14  
  glucose effects, renal, 240,9:F17  
  hypothalamic stimulation, 239,8:F206  
  intrarenal, angiotensin II control, 232,1:F538  
  nephrectomy effects on kidney function, 242,11:F181  
  potassium excretion and (sheep), 234,3:F371  
  prostaglandin  $E_2$  and, 237,6:F344  
  prostaglandin effects, kidney medulla, 240,9:F471  
  splanchnic control of, cirrhosis, 242,11:F390  
  fluid balance and, arginine vasopressin effects, altitude, 240,9:R182  
  flux, intestinal, glucagon effect, 238,1:G491  
  hepatic intracellular, membrane potentials and, shock, 240,9:R211  
  homeostasis, forebrain control, 239,8:R372  
  intracellular, hypertrophied myocardium, 236,5:H79  
  lacrimal, 230:380  
  lungfish, 232,1:R10  
  microvolume samples, kidney tubules, 242,11:F202  
  mineralocorticoid-induced hypertension, skeletal muscle, 236,5:E366  
  myocardial, volume regulation, hydrostatic force effects, 241,10:H740  
  oocytes (amphibian), 238,7:C113  
  perfusion, lacrimal flow and potentials, 235,4:C8  
  physiological evaluation, isolated perfused kidney, 238,7:F71  
  placental (sheep), 233,2:H466, H475  
  plasma, 230:1416  
    arterial carbon dioxide pressure and, 236,5:F30  
    chronic metabolic acid-base disturbances, 235,4:F291  
    circannual renal function and (marmot), 241,10:R87  
    hemorrhage effects (chicken), 240,9:H9  
    hibernation (marmot), 234,3:R178  
    Nernst potentials, placenta, 235,4:H200  
    water deprivation and, 242,11:R296  
  prostaglandin endoperoxides and, renal, 236,5:H427  
  renal handling, shock, 230:831  
  renal tubular cells, 236,5:F226  
  response, angiotensin II infusion, 240,9:R130  
  secretion  
    angiotensin II hypertension, 235,4:F174  
    berberine effects, ileum, 241,4:G253  
    dissociated cells, salt gland (duck), 238,7:C184  
    methacholine effects, salt gland cells (duck), 241,10:R77  
    parathyroid hormone effects, kidney, 243,12:F514  
    uterine, laying and nonlaying birds, 232,1:E437  
  serum, alloxan diabetes mellitus, 239,2:E412  
  shifts, plasma, with heavy exercise in sitting and supine positions, 236,5:R206  
  slow waves and, adenosine monophosphate, cyclic and calcium effects, 242,5:G124  
  swelling, myocardial cells, 239,8:H31  
  transport  
    acetazolamide effects, kidney, 243,12:F74  
    biliary, 235,4:E158  
    calcitonin effects, kidney, 240,9:F12  
    calcitonin effects, renal, 238,1:E573  
    cholinergic regulation, colon, 242,5:G116  
    colonic mucosa, 240,3:G417  
    esophageal epithelium (rabbit, opossum), 239,2:G5  
    furosemide effects on, remnant kidney, 230:1231  
    gastric mucosal barrier, 241,4:G275  
    glucocorticoid and aldosterone effects, colon, 238,7:F181  
    intestinal, cholinergic-adrenergic interactions, 235,4:E402  
    intestinal, metabolic alkalosis and acidosis, 239,2:G427  
    intraluminal pressure effects, small intestine, 242,5:G58, 242,5:G65  
    luminal berberine and, ileum, 241,4:G248  
    medullary collecting duct, 239,8:F258  
    methylprednisolone effects, ileal, 240,3:G365  
    nephron function in isolated perfused kidney, 231:1699  
    parathyroid hormone effects, nephron, 236,5:F342  
    phenolphthalein effects (monkey), 243,6:G268  
  renal, angiotensin II effects, 232,1:F298  
  rheogenic sodium transport and, gallbladder (*Necturus*), 238,1:G358  
  serotonin effects, colon, 239,2:G463  
  submandibular excretory ducts, adrenergic agonists, 235,4:F548  
  vanadium and, renal, 236,5:F530  
  vasopressin effects, acute and chronic, 237,6:F232  
  vasopressin secretion, drinking, dehydration, 240,3:E394  
  weak, permeation, alimentary epithelia, 240,3:G191
- Electrolytic lesions**, mesencephalic, abolition of hypoxic vagal bradycardia, 237,6:R15
- Electromagnetic flowmeter**, cardiac output control, atrioventricular block and, awake state, 242,11:H1118
- Electromagnetic flow probes**, blood flow, uterine, prostaglandin effects (sheep), 234,3:H557
- Electromagnetic flow techniques**, blood flow and filtration rate, autoregulation, 237,6:F473
- Electromagnetic flow transducers**: see Transducers
- Electromagnetic induction**, deformation measurement, epicardium, 239,8:H432
- Electromagnetic lever system**, isotonic relaxation, papillary muscle, 237,6:H83
- Electromagnetic radiation**, thyroid, 233,2:E363
- Electromechanical coupling**: see Coupling
- Electromechanical delay**, smooth muscle, esophageal (opossum), 240,3:G305
- Electromechanical dissociation**, autonomic and, heart, 241,10:R213
- Electromechanical uncoupling**  
myocardial, 235,4:H46  
slow inward current, myocardial, embryo (chick), 233,2:C99
- Electromotive force**, sodium pump, bladder (toad), 236,5:F405
- Electromyographic activity**, gastric, insulin-induced, hepatic modulation, 238,7:R346
- Electromyography**  
ankle oscillations, involuntary, 233,2:R8  
bipolar electrode for limb muscles, small animals (axolotl, salamander), 234,3:C198  
colon, intrinsic nerves, 234,3:E641  
dystrophic muscle, myotonia (chicken), 237,6:C131  
efferent vagal fibers, discharge, gastric antrum, 235,4:E366  
metabolic dependence, colon, 239,2:G173  
smooth muscle, colon, intrinsic nerves, 234,3:E641  
spike bursts, jejunum, 239,2:G311  
stretch-induced growth, wing muscle (chicken), 238,7:C62
- Electronic coupling**: see Coupling
- Electronic sizing**, contraction, smooth muscle cells in suspension (frog), 232,1:C138
- Electron microscopy**: see Microscopy
- Electron probe**  
membrane properties, hypertension and, salt-induced hypertension, 241,10:H224  
microanalysis, 232,1:F391  
cation changes during maturation, red blood cells, 235,4:C251  
urinary concentrating mechanism (desert rodent), 236,5:F448
- Electron spin resonance**, membrane fluidity, kidney, 242,11:F246
- Electrooculography**, eye movement detection, REM sleep, 241,10:R217

**Electrophoresis**

- free-flow, urate uptake, kidney cortex, 242,11:F158
- gel, two-dimensional, exportable proteins, pancreas, 238,1:G467
- glomerular filtration
  - charged solutes, 238,7:F126
  - protein, 241,10:F162
- polyacrylamide gel, metallothionein induction, small bowel, 243,6:G396
- secretory response of pancreas, cholecystokinin, 239,2:G247
- sodium dodecyl sulfate-polyacrylamide gel, protein composition, saliva, 242,5:G231

**Electrophysiological markers, cellular, ischemic myocardial injury, 235,4:H559****Electrophysiological studies**

- cellular, electrograms, ventricular, 240,9:C148
- electrical equivalent circuits, epithelial tissues, 243,12:F519
- glucose effects, pancreatic  $\beta$ -cells, 240,9:C127
- intracellular, on-line analysis with microcomputer system, 237,6:H400
- ionic conductive properties, cortical collecting tubules, 243,12:F81
- smooth muscle, myometrium, 238,7:C34
- steroid modulation, luteinizing hormone release, 242,5:E164
- stimulator, computer-controlled, cardiac, 239,8:H278
- thoracic sympathetic afferent influence, renal nerves, 233,2:H592
- transepithelial, mammary, prolactin sensitivity, 241,4:E410

**Electrophysiological technique, sodium-to-chloride permeability, proximal convoluted tubule, 235,4:F592****Electrophysiology**

- action potential, cardiac, maximum upstroke velocity, measurement with sample/hold peak detector, 234,3:H312
- cardiac, 233,2:H329
- muscle cells, isolated, embryo (chick), 233,2:C172
- colon, intrinsic nerves, 234,3:E641
- epithelium, gallbladder (*Necturus*), 232,1:C99
- heart, 234,3:H101
- heart (lungfish), 232,1:H24
- renal distal tubule (reptile), 234,3:F238
- spike bursts, oviduct, 234,3:E430, E439
- stomach, inhibitor and weak bases (frog), 234,3:E120

**Electrotonic effects, sinus node pacemaker cells, 235,4:H379****Electrotonic interaction, pacemaker, sinoatrial node, 238,7:H307****Electrotonus, neurons, compartmental models, 235,4:R93****Eledoisin**

- amylase release, pancreatic acini, 236,5:E571
- pancreatic acinar cells (amphibian), 235,4:E112

**Ellipsoidal shells, pressure-volume relations, effect of shape, 238,7:H917****Embolization**

- coronary, selective, 232,1:H335
- 5-hydroxytryptamine, prostaglandin control of, lung, 241,10:H766

**Embryo**

- adrenergic receptors (chick), 232,1:H250
- aerobic glycolysis, bone (chick), 234,3:C41, C51
- cholera toxin inotropic effect, muscarinic inhibition of, ventricular muscle (chick), 243,12:H434
- choline acetyltransferase activity, cardiac (chick), 233,2:H642
- contractile property development, fast-twitch muscle (chick), 242,11:C52

**development, pharmacological analysis**

- (chick), 232,1:R116
- graded hypoxia, ventricular cell contraction (chick), 239,8:H651
- heart cells, electrical parameters, viral effects (chick), 234,3:C170
- hormonal activation, ornithine decarboxylase, pelvic cartilage (chick), 241,4:E545
- myocardial cells, cultured, electric countershock (chick), 235,4:H214
- oxygen consumption, growth and (alb-tross), 242,11:R121
- oxygen dependence, development (salamander), 236,5:R282
- potassium permeability, cultured heart cells (avian), 236,5:C163
- safety factor, defibrillator waveform, 242,11:H662
- salt balance, seawater (*Fundulus*), 238,7:R42
- slow inward current, myocardial blockade at low pH (chick), 233,2:C99
- water balance, seawater (*Fundulus*), 238,7:R36

**Embryology, colon, 235,4:E207****Emetic mechanism: see Vomiting****Emiocytosis, food effects, gastrin regulation, 243,6:G429****Emotion, acute, vascular control, renal and hindlimb (baboon), 236,5:R198****Encephalopathy, hepatic, portal-systemic shunting, 241,4:G503****End-diastolic volume: see Volume****Endocardial-epicardial flow: see Blood flow****Endocardium**

- collateral flow, 230:279
- glycogenolysis, ischemia, 232,1:H349
- hypertrophy effects, coronary circulation, 241,10:H358
- infarct growth, time course, 236,5:H356
- marker implantation, 241,10:H104
- thoracic root stimulation, 233,2:H655

**Endochondral bone: see Bone****Endocrine disease, receptors, 243,6:E3****Endocrine function, hypoxia effects, 243,12:R265****Endocrine hormones, hemorrhagic shock (monkey), 233,2:E439****Endocrine pancreas: see Pancreas****Endocrine regulation, thymic biosynthetic polyamine decarboxylase, 237,6:E6****Endocrine response**

- electrical stimulation, hypothalamic, 242,11:R220
- hypotension, fetal (lamb), 240,3:E656
- water deprivation, 242,11:R296

**Endocrine secretion**

- $\alpha$ -amylase, pancreas, 241,4:G170
- porcine secretin, perfused pancreas and, 241,4:G43

**Endocrine status**

- insulin and growth hormone, lean and obese (pig), 233,2:E104
- smooth muscle, mesotubarium superius, 233,2:C180

**Endocrine therapy, steroid hormone receptors, breast cancer, 243,6:E99****Endocrinology, hormone secretion, episodic, 243,6:E310****Endocytosis**

- horseradish peroxidase transport, jejunum, 242,5:G558
- low-density lipoprotein receptors, mutation effects, 243,6:E5

**Endogenous secretions, glucose uptake and, 238,1:G219****Endoperoxide analogues**

- adrenocorticotrophic hormone-stimulated water flow (toad), 242,11:F119
- contractile effects, intrapulmonary vessels (canine, bovine), 234,3:H139
- saphenous vein, 233,2:H361
- vascular effects, renal, 233,2:H573

**Endoperoxides**

- coronary responses, 235,4:H400
- derivatives, antidiuretic hormones and, 242,11:F313
- ductus arteriosus (lamb), 234,3:H117
- prostaglandin: see Prostaglandin endoperoxides

**Endoplasmic reticulum, calcium ions,**

- intracellular, myometrial, 232,1:C50

 **$\beta$ -Endorphin**

- pituitary, experimental obesity, 241,10:R173
- preoptic injections, temperature regulation and, 243,12:R104

**Endorphins, pituitary, central nervous system effects, shock, 241,10:H479****Endothelial cells**

- damage, monocrotaline and, 242,11:H573
- hexose transport and phosphorylation, isolated brain capillaries, 236,5:C96
- hyperplasia, brown adipose tissue, 242,5:E353
- permeability, lipophilic solutes (frog), 240,9:H597
- substrate uptake, lung, 243,12:C20

**Endothelial vesicles, pulmonary, macromolecular transport, 242,11:H882****Endothelium**

- amine uptake and metabolism (pig), 232,1:C88
- arterial, prostaglandin-forming cyclooxygenase, renal cortex, 235,4:F451
- converting enzyme activity (pig), 232,1:C95
- glomerular, permselectivity, 234,3:F455
- injury, aortic, 233,2:H66
- nonelectrolytes, lung cells, 233,2:C104
- permeability: see Permeability

**Endothermy**

- evolution, species differences (mammal, reptile), 241,10:R350
- warm-bodied (fish), 240,9:R151

**Endotoxemia, pulmonary injury, prostaglandin production and, awake state, 240,9:H348****Endotoxemia, hyperinsulinemia, 239,2:E156****Endotoxic shock: see Shock****Endotoxin**

- ALS, shock and, 230:178
- bacterial, fever development, newborn (lamb), 236,5:R184
- cardiac output and (rooster), 241,10:R67
- clearance, bioassay, 231:258
- Escherichia coli*
  - cardiorespiratory effects, 232,1:H682
  - fatty acid utilization, skeletal muscle, 239,2:E351
  - glucose uptake, muscle, 239,2:E311
  - pressor effect, cerebellum, 240,9:H368
- fever, 242,11:R116
- fibrinogen response, 235,4:H223
- glucose kinetics, 232,1:E180
- glycolytic enzyme activities, normal and diabetic liver, 240,9:R10
- gram-negative effects, glucose uptake, skeletal muscle, 240,9:H342
- growth hormone and thyrotropin, altered release of, 243,6:E332
- hyperinsulinemia, 239,2:E156
- insulin and glucagon, experimental liver injury, 241,4:E428
- insulin-like effect, skeletal muscle, 240,9:H342
- liver glycogen cycle enzymes and, 231:1285
- metabolic and hormonal changes after, diabetes, 243,12:R77
- myocardial failure, role of myofibril and venous return, 235,4:H150
- prostaglandin production, lung (sheep), 240,9:H348
- removal by RES, hypoglycemia effects, 231:265



- ribonucleic acid response, hepatic, 238,1:G303  
 suppressive effects, erythropoietin-responsive cells, 231:73
- End-plate potentials:** see Potentials
- End polar, bipolar electrode, small animals, 234,3:C198**
- End systole, oxygen consumption, ventricular pressure-volume area, 240,9:H320**
- Endurance:** see Exercise
- Energetics**  
 cardiac, species differences, 237,6:H90  
 cell, calcium fluxes and, linkage, in blood-bone disequilibrium, 236,5:C244  
 chemical, single isometric tetani, smooth muscle, 235,4:C1  
 contraction, 230:1008  
 epitrochlearis muscle, 239,2:E454  
 heart, 236,5:H494, H498  
   pressure load vs. volume load, 242,11:H942  
 kidney cells, oxygen tension effects, 233,2:C135  
 locomotory, thermal dependence (lizard), 241,10:R342  
 muscle, skeletal and cardiac, Fenn effect, 242,11:H1  
 oxygen consumption, myocardial, 233,2:H421  
 skeletal muscle (frog), 235,4:C20  
 sodium ion-dependent sugar transport, intestinal cells, 233,2:E357  
 transport, kidney tubules (snake), 240,9:F388
- Energetic state, anoxic myocardium, 235,4:H537**
- Energy**  
 activation  
   cortical collecting tubules, 238,7:F470  
   lipophilic solute permeability (frog), 240,9:H597  
 balance  
   biogenic amines, impact (fowl), 232,1:R137  
   central transmitters (avian), 239,8:R57  
   estrogen replacement, 238,7:R400  
   hypothalamic lesions, 230:818  
   hypothalamic lesions, lateral, 242,5:E273  
   regulation by intravenous vs. oral nutrients, 231:661  
   spaceflight, 233,2:R208  
 calcium ion antagonism, 238,7:H909  
 cellular, conversion in brown adipose tissue, 235,4:R121  
 cerebral, hemorrhagic hypotension, 238,7:H249  
 charge  
   adenylate, fetal heart, 233,2:H282  
   contracture and, heart, 242,11:H1022  
   consumption, cerebral, 230:1269  
   coupling, to sodium transport, skeletal muscle (frog), 235,4:C25  
   cytosol-mitochondrion relations, heart, 234,3:C73  
 debt, reactive hyperemia, 234,3:H625  
 defibrillation, ventricular (pony, dog), 238,7:H231  
 density, gastric emptying and, 239,2:G1  
 dispersive spectrometry: see Spectrometry  
 double-labeled water errors, 238,7:R466  
 expenditure  
   for locomotion, 231:903  
   long-term fasting (geese), 241,4:E342  
   monosodium glutamate-induced obesity, neonatal, measurement, 234,3:E532  
   terrestrial locomotion, basic mechanism for minimizing, 233,2:R243  
   free, intestinal changes, 241,4:G83  
   intramyocardial pressure, 238,7:H625  
   mechanical, ventricular model, cardiac oxygen consumption, 236,5:H498
- metabolic  
 absence of *p*-aminohippurate transport, kidney, 235,4:F278  
 hydrogen ion secretion determinant, bladder (turtle), 233,2:F145
- metabolism**  
 acidotic cardiac ischemia, model, 242,11:R533  
 adenine nucleotide transport, ischemia, cardiac, 241,10:H663  
 adrenergic amines, 230:158  
 aspirin and taurocholate effects, 239,2:G457  
 atrial muscle, 238,1:E480  
 brain, hypoxia, anoxia, or ischemia, 239,2:E501  
 cellular, homeostatic regulation, 234,3:C82  
 cerebral, apneic asphyxia (duck), 239,8:R352  
 coulometric microrespirometry, 243,12:R185  
 exercise effects, 242,5:E407  
 heart, adenine nucleotides, 232,1:R158  
 heart, anoxic, 232,1:R164  
 heart, Krebs cycle unspanning, 232,1:R175  
 heart function and, 235,4:H784  
 impaired, phosphate depletion and, myocardium, 242,11:F699  
 oxidation-reduction changes, hypercapnia, brain, 243,12:H619  
 pyridine nucleotide redox state, kidney, 232,1:E401  
 renal, 2,4-dinitrophenol effects, 233,2:F207  
 thyroxine effects, 243,12:H722  
 white muscle, 230:579  
 output, force generation during muscle contraction (frog), 235,4:C20  
 potential: see Potentials  
 production  
   poikilotherms and homeotherms, 240,9:R1  
   reptile and mammal comparison, 240,9:R3  
 production and consumption, relations, gastric mucosa (frog), 236,5:E301  
 standard free, isometric twitch and, 238,7:R413  
 stores, epitrochlearis muscle, 239,2:E454  
 supply-demand factors, myocardial, 237,6:H696  
 transduction, biological systems, 235,4:R99  
 turnover, skeletal muscle (frog), 235,4:C25  
 use, comparison, species differences (mammal, reptile), 241,10:R350  
 utilization  
   muscle (horseshoe crab), 242,11:R394  
   single isometric tetani, smooth muscle, 235,4:C1  
   weight loss, 241,10:R392  
   vascular smooth muscle contraction, 238,7:H716  
   hypoxia and, 238,7:H761
- Energy state**  
 inorganic phosphate effects, heart, 242,11:H79  
 potential, pressure and volume load, heart, 242,11:H942
- Enkephalin**  
 myoelectric activity, small bowel, 238,1:G384  
 stress-induced eating and, 243,12:R159
- P-Enolpyruvate carboxykinase, distribution, nephron, acidosis and starvation, 235,4:F246**
- Enteral fluid:** see Fluid
- Enteral nutrition:** see Feeding
- Enteric nervous system**  
 adrenergic-cholinergic axoaxonic synapse, reciprocal, 236,5:E738  
 5-hydroxytryptamine effects, 237,6:E198
- Enteric plexus**  
 migrating myoelectric complexes, intrinsic nervous control, 241,4:G16
- migratory myoelectric complex, small bowel, control, 238,1:G102
- Enterobombesin, gastric and intestinal meals, 233,2:E537**
- Enterocytes, lymphatic lipid transport, 239,2:G348**
- Enterogastrone, secretin, 240,3:G239**
- Enterogastric reflex, migrating myoelectric complex and (sheep), 233,2:E483**
- Enteroinular axis, insulin release and (foxhound), 242,5:E53**
- Enteropancreatic circulation, amylase, pancreas, 241,4:G54**
- Enteropancreatic hormone, distribution in extrapancreatic tissue, 238,1:E258**
- Enteropancreatic reflex:** see Reflexes
- Enterotoxin**  
 heat-stable, ion transport and, ileal, 243,6:G36  
 intestinal secretion, organic acid proton donors and, 241,4:G227  
 motility effects, small intestine, 242,5:G360  
 mucin secretion, intestinal, 240,3:G10  
*Shigella dysenteriae* I, shigellosis, 239,2:G382
- Entrainment**  
 circadian (*Ostrinia*), 239,8:R259  
 circadian rhythm synchronization (squirrel), 234,3:R130  
 conflicting circadian synchronizers (monkey), 235,4:R175  
 gonadotropin release, circadian, 238,7:R23  
 mutual, adrenocortical activity, 234,3:E515  
 pacemaker activity, sinoatrial node, 238,7:H307  
 red light, 239,8:R450  
 rhythms, circadian adrenocortical, infant, 243,6:E443  
 slow waves, small intestine, 237,6:C237
- Entropy, production, isometric twitch, 238,7:R413**
- Enucleation, adrenal:** see Adrenal enucleation
- Environment:** see also Temperature  
 conflicting temporal information, circadian rhythm dissociation (monkey), 235,4:R175  
 nonuniform, thermoregulation, 237,6:R266  
 seasonal changes, membrane lipid transitions (hedgehog), 236,5:E589
- Enzymatic radiochemical assay, choline, bidirectional renal tubular transport, 236,5:F112**
- Enzymes:** see also specific type  
 acidotic cardiac ischemia and, computer model, 242,11:R533  
 activity  
   hyperlipidemia and, 240,3:E60  
   ischemic heart, 243,12:H788  
   kidney, 241,10:F364, 242,11:F246  
   small intestinal brush border, 236,5:E70  
 adenylate and guanylate nucleotide metabolism, nephron, 243,12:F349  
 aerobic heat production, seasonal changes, 240,9:R289  
 cardiac, thyroid deficiency and sympathectomy, newborn, 236,5:C30  
 cardiac cell isolation, 234,3:H123  
 cell isolation, bone, 240,9:C234  
 circadian rhythmicity, small intestine, 238,1:G203  
 distribution, tissue, heart, kidney, liver, 239,8:H721  
 enteropancreatic circulation, 241,4:G54  
 gluconeogenic, distribution, nephron, in acidosis and starvation, 235,4:F246  
 intestinal, high-fat diet and carbohydrate-induced satiety, adaptation to, 237,6:R139

**Enzymes (continued)**

- iron-dependent, 237,6:R297  
 ischemic heart, 236,5:R21, R31  
 computer model, 237,6:R318, R327  
 kinetics  
   angiotensinogen, partial purification, 236,5:E655  
   computer modeling, 239,8:R1  
   levels, muscle fibers, 239,8:C58  
   liver glycogen cycle, response to endotoxin, 231:1285  
 location, proximal tubules, 241,10:F403  
 membrane-associated, seasonal changes (hedgehog), 236,5:E589  
 membrane-bound  
   intestinal mucosa, 239,8:C266  
   renal brush border regeneration, ischemia, 241,10:F28  
 metabolism, ketone body effects, kidney and mitochondria, 243,12:F181  
 muscle, diet, flight and (bat), 242,11:R189  
 myocardial  
   activities during development, 233,2:H707  
   effects of chronic hypoxia and dietary restriction on activities, 231:1308  
 nephron, 235,4:F387  
 protein binding, ischemic heart, 236,5:R31  
 proteolytic, modification of slow sodium inactivation, axons (crayfish), 235,4:C238  
 radiolabeled, hepatobiliary and pancreatic clearance, 243,6:G21  
 release, osmotic changes and, muscle (frog), 242,11:C398  
 renin and, brain, 242,5:E292  
 secretion  
   bombesin-induced desensitization, pancreatic acini, 238,1:G213  
   cholecystokinin action on, pancreatic acini, 242,5:G416  
   cholecystokinin-induced, pancreatic acini, 240,3:G459  
   cyclic nucleotide agonists of cholecystokinin, 242,5:G161  
   ionophore A23187 effects, pancreas, 243,12:C196  
   PHI effects, pancreatic acini (guinea pig), 241,4:G498  
   skeletal muscle, neonate, 235,4:C97  
   spermatzoal, 237,6:E40  
   tissue distribution, obesity, 241,4:E108  
   urea cycle, zinc deficiency, 235,4:E203
- Enzyme units**, sodium-potassium-ATPase, lean and obese thyroxine-injected mice, 237,6:E265
- Enzymic dissociation**, myocytes, cardiac, 237,6:C147
- Eosinophils**, theophylline-estrogen interaction effects, uterus, 242,5:E121
- Ephaptic transmission**, giant axons (squid), 234,3:C162
- Epicardial segment**, rotation, myocardium, 243,12:H1
- Epicardium**  
 activation sequence, 236,5:H391  
 collateral flow, 230:279  
 collaterals, circumflex occlusion, 238,7:F504  
 deformation  
   ejection and, 243,12:H379  
   measurement, 239,8:H432  
   glycogenolysis, ischemia and propranolol inhibition, 232,1:H349  
   hypertrophy effects, coronary circulation, 241,10:H358  
   mapping, 234,3:H471  
   marker implantation, heart, 241,10:H104  
   pressure wave velocity and reflection, coronary artery, 237,6:H469  
   receptors: see Receptors  
   regional perfusion and heat generation, thermal quantification, 236,5:H345
- strain, high frequency and low impedance gauge, 236,5:H657
- Epidermal growth factor**: see Growth factor
- Epidermis**, permeability, channel structure and (snake), 242,11:F681
- Epididymal fat**, lipolysis, exercise training, 239,2:E422
- Epididymal fat pad**: see Fat pad
- Epididymis**, sperm, motility-inhibiting factor, 242,11:R199
- Epidural fluid**: see Fluid
- Epidural pressure**: see Pressure
- Epidural space**, compliance, 232,1:H255
- Epidural volume loading**, cerebrospinal fluid pressure transients, 234,3:R167
- Epilepsy**, brain activity, circadian (baboon), 239,8:R35
- Epileptic seizures**, blood flow and volume, brain cortex, microreflectometry, 236,5:H759
- Epinephrine**  
 acetylcholine and, interaction on heart, adenosine monophosphate, cyclic-dependent protein kinase, 234,3:H432  
 active capacitance and, hepatic, 242,11:H1000  
 adenosine monophosphate responses, choroid plexus, 232,1:E353  
 adrenal, hyperuricemia induced by hypothalamic stimulation, 236,5:E212  
 adrenergic effects, pacemakers, ventricular, 242,11:H677  
 $\alpha$ -adrenergic phenomena, liver and other tissues, 238,1:E3  
 anesthesia, response to hemorrhage and, 243,12:H713  
 angiotensin II effects, species differences, 243,12:R65  
 atrial action potential plateau, 233,2:H203  
 barium-induced contracture, cardiac muscle (mammal), 240,9:H216  
 brown adipocyte respiration, 238,1:E552  
 calcium ion uptake, blood platelets, 239,8:H483  
 calcium uptake, lacrimal cells, 239,2:G99  
 cardiovascular response, hemorrhage, 240,9:R166  
 chloride transport, corneal (frog), 233,2:F94  
 circadian sleep and feeding patterns, 238,1:E223  
 contractile force regulation, heart, 233,2:H269  
 contractility, vascular smooth muscle, 240,9:H971  
 contraction  
   depressed, vascular smooth muscle, 238,7:H761  
   vascular smooth muscle, oxygen and, 238,7:H716  
 Cori cycle activation, 232,1:E145  
 deoxycorticosterone effects, vascular smooth muscle, 237,6:H197  
 dilator effects, skeletal muscle, 243,12:H819  
 effect on glycogenolysis, 231:191  
 electrolyte and water excretion, renal, 240,9:F192  
 electrolyte transport, esophageal (rabbit, opossum), 239,2:G5  
 extrarenal potassium homeostasis and, 242,11:F641  
 fasting and cold exposure effects, sympathoadrenal medullary response, 241,4:E316  
 gastric circulation, 230:346  
 glucagon and, sequential infusion, effect on glucose turnover, 235,4:E287  
 glucagon interaction  
   alloxan-diabetes, 241,4:E328  
   glucoregulation and, diabetes, 242,5:E428  
   glucagon response, 2-deoxy-D-glucose and hypoglycemia, 239,2:E227
- gluconeogenesis, hepatic, 235,4:E354  
 glucose-induced electrical activity, islet cells, 233,2:C164  
 glucose kinetics and, 240,3:E465  
 glucose output stimulation, hepatic somatostatin effects, 236,5:E113  
 glucose production and disposal, hepatic, differential effects, 237,6:E356  
 glycogenolysis control, exercise, muscle, 242,5:E25  
 glycogen resynthesis, muscle, 238,7:R238  
 hyperresponsivity, spontaneous hypertension, 234,3:H690  
 hypoglycemia, 236,5:E147  
 hypoxemia and, fetal (lamb), 243,12:R520  
 insulin antagonism, 237,6:E487  
 insulin release and, 231:1246  
 intestinal phospholipase A, triglyceride and, 242,5:G168  
 ion transport and, ileal, 243,6:G36  
 isoproterenol effects, adrenoreceptor desensitization, 240,9:H691  
 lipolysis, adipose tissue, exercise, 239,2:E422  
 mediation of plasma glycerol elevation, hypothalamic stimulation, 233,2:E369  
 metabolic effects, glucagon mediation (baboon), 232,1:E464  
 muscular glycogenolysis, pancreatic hormone secretion and, running, 240,3:E526  
 neurotransmitter role, adrenal medulla, 242,11:H593  
 nucleotide cyclases, intestinal epithelium, subcellular distribution, 235,4:E539  
 oxygenation regulation, intestinal, 242,5:G435  
 oxygen consumption, myocardial, 235,4:H237  
 oxygen exchange and vascular resistance, totally perfused (trout), 234,3:R201  
 oxygen extraction, gut, 230:298  
 parathyroid gland and, rate-sensitivity mechanism (calf), 242,11:R151  
 parathyroid hormone-stimulated adenylate cyclase, renal cortex, 242,11:F721
- plasma**  
 exercise, 241,10:H243  
 sinoaortic denervation and hypertension, 238,7:H521  
 sympathetic stimulation in pithed rats, 237,6:H305  
 thyroid treatment, 243,12:R170
- plasma renin activity**  
 control, 236,5:H463  
 possible extrarenal mechanisms, 236,5:H854  
 platelet aggregation, verapamil effects, 242,11:H19  
 platelet function, 238,7:H54  
 potassium concentration and, vascular smooth muscle reactivity, 241,10:H217  
 potassium homeostasis, 241,10:F151  
 extrarenal, 240,9:F257  
 preservative, 230:306  
 production, neural and extraneural, kidney, 242,11:F261  
 protein kinase activity, cardiac, 234,3:H638  
 pulmonary circulation effects, hypoxia, neonatal (lamb), 240,9:H697  
 Purkinje strand, automaticity, ventricular, 239,8:H247  
 pyloric pressure response, insulin-induced hypoglycemia, 241,4:G321  
 reflex bradycardia, 236,5:R302  
 renin release, kidney slices (pig), 235,4:F22  
 renin secretion inhibitors, renal (dog, pig), 240,9:F70  
 responses, morphine effects, 242,5:E317

- rest-twitch potentiation and, ventricular muscle, 241,10:H583
- rubidium ion transport and, skin (teleost), 241,10:F482
- secretion, adrenal (bovine), 234,3:E600
- smooth muscle, resting, mechanical properties, 236,5:C211
- sodium uptake, lacrimal gland, 239,2:G99
- spontaneously hypertensive pithed rats, 238,7:H365
- transfer capacity, gills (trout), 240,9:R235
- treatment, adaptive responses, 241,10:C55
- tyrosine and, in normotension and hypertension, 239,8:H206
- uptake and excretion, kidney, 242,11:F56
- uptake and secretion, cardiac, adrenergic stimulation, 243,6:E52
- urea flux (trout), 232,1:R110
- vascular control, renal and hindlimb, during acute emotion (baboon), 236,5:R198
- vascular resistance, gut (dogfish), 234,3:R196
- vascular space (trout), 230:1555
- vomiting, myoelectric activity, 232,2:E131
- water retention and, systemic hemodynamics, 243,12:H934
- Epinine**, parathyroid hormone response (cattle), 239,2:E255
- Epithelial cells**
- adipocytes and, metabolic cooperativity, 241,10:C204
- alveolar, dome formation in, 243,12:C96
- bladder: *see* Bladder
- cultured, thick ascending limbs, kidney, 242,11:C229
- extrusion during fluid transport, small intestine, 232,1:E408
- gallbladder, sodium-chloride entry into (salamander), 243,12:C140
- intestinal
- cholera toxin effects (chicken), 243,12:C107
- folate transport (chicken), 240,3:G170
- membrane potentials and chloride activities (*Aplysia*), 239,8:R450
- 3-O-methylglucose transport, phloretin and theophylline effects (chicken), 234,3:C64
- sugar transport, sodium-dependent, 233,2:E357
- isolated, small intestine, 242,5:G147
- kidney: *see* Kidney cells
- mammary, lactose kinetics, 236,5:C286
- ouabain binding, dog kidney (MDCK), 238,7:C43
- plasma membrane potentials, bladder (toad), 232,1:F196
- sodium ion channel, calcium-regulated, intestines (chicken), 243,12:C116
- sodium transport pool (toad), 234,3:F1
- substrate uptake, lung, 243,12:C20
- surface, ouabain-binding site, gastric mucosa (frog), 243,6:G297
- tracheal, ion content, 241,10:C184
- vesicles from, sodium-dependent hexose transport, kidney, 243,12:C293
- Epithelial membranes**
- ouabain binding, dog kidney epithelial (MDCK) cells, 238,7:C43
- voltage clamp, automatic, 235,4:C69
- Epithelial monolayers**, cultured, occluding junctions, 240,9:C96
- Epithelial tissues**
- chloride transport, sodium-coupled, 236,5:F1
- oxidative metabolism of, active transport (frog), 240,9:F357
- renal, electrical equivalent circuits, 243,12:F519
- sodium transport, amiloride effects, 242,11:C131
- water permeability of, bath osmolality effects (frog), 242,11:C184
- Epithelial transport**, analysis, with isolated membrane vesicles, 233,2:E445
- Epithelium**: *see also* specific subject and site
- absorptive, bladder to kidney (toad), 242,11:F103
- active solute transport, 240,9:F1
- alveolar, pulmonary edema, 233,2:H80
- bladder, tight, 232,1:F187
- corneal, transport, mathematical model, 234,3:F215
- electrophysiology, gallbladder (*Necturus*), 232,1:C99
- function, immunological regulation of, intestines, 243,6:G321
- intestinal, phosphate transport, vitamin D-dependent (chick), 234,3:E379
- ion transport, rubidium, skin (teleost), 241,10:F482
- nonelectrolytes, efflux, skin (frog), 232,1:C67
- nonelectrolyte transport, sodium-coupled, 241,4:G451
- organization, urinary bladder cells (toad), 241,10:F129
- osmotic flow, ileal (scorpion), 233,2:R198
- permeability: *see* Permeability
- potassium transport, transepithelial, 234,3:F261
- secretory, electrochemical driving forces, potassium ions, 239,8:C90
- sodium entry and transport pool, skin (frog), 232,1:C37
- sodium entry kinetics (frog), 235,4:C35
- sodium transport across, 231:1866
- sodium transport, homocellular regulatory mechanisms in, 241,10:F579
- surface, bicarbonate transport, duodenum, 243,6:G348
- transport
- p-aminohippuric acid, urinary bladder (crab), 243,12:R147
- bile duct, 242,5:G52
- force, direct measurement, 239,8:F466
- hormone effects, high electrical resistance (*Amphibia*), 240,9:C103
- prostaglandin effects, tracheal mucosa, 240,9:F101
- transport processes, differential interference contrast, 237,6:F167
- vasopressin, theophylline, prostaglandin  $E_2$  and, skin (frog), 241,10:F279
- voltage-clamped, for measurement of oxygen consumption (frog, toad), 236,5:F206
- Epirochlearis muscle**
- catecholamines, metabolic effects, 239,2:E461
- differential ATPase stain, 239,2:E454
- fiber composition
- mechanical performance, 239,2:E454
- Equations**: *see* Models, mathematical
- Equilibrium**, filtration pressure, statistical analysis, 241,10:F196
- Equilibrium association constant**, gastrin, 237,6:E284, E295
- Equilibrium constant**, fundic mucosa (hog), 241,4:G313
- Equilibrium dissociation constant**, gastrin, 237,6:E284, E295
- Equilibrium hypothesis**
- endocrine secretion, pancreas, 241,4:G170
- flow dependence of protein secretion, exocrine pancreas, 242,5:G32
- protein secretion, exocrine pancreas, 238,1:G289
- secretory protein mobilization, pancreas, 241,4:G67
- Erection**, penile pressure, muscle activity and, 231:1343
- Ergostatic factor**, circulating, parabiosis, 239,8:R344
- Erucic acid**, ingested, metabolism, 235,4:E509
- Erythritol**, 230:974
- biliary, insulin effects, 231:40
- $^{14}\text{C}$ -labeled, clearance (baboon), 242,5:G475
- clearance
- biliary, bile acid effects, 242,5:G40
- biliary, induced cholesteres, 234,3:E146
- Erythroblastic leukemic cells**, serine requirements, 241,10:C167
- Erythrocytes**
- aggregation, plasma viscosity and, blood viscosity, skeletal muscle, 241,10:H513
- amino acid transport, brain, 233,2:E320, E326
- amphiphile effects, 240,9:H229
- bicarbonate-chloride exchange, kinetics (dogfish), 237,6:R132
- calcium movements, active and passive, 237,6:C10
- calcium transport, hypertonic conditions, 237,6:C96
- capillary, striated muscle, resting and contracting, 237,6:H481
- capillary distribution, velocity effects, 235,4:H251
- circulation, spleen, compartmental analysis, 239,8:H272
- components, hemoglobin function, postnatal, 238,7:H73
- countercurrent exchanger, vasa recta, 237,6:F326
- deformability (camel, llama, goat, seal), 236,5:H725
- demethylation, hemoglobin and, 235,4:E150
- diffusion, 231:332
- distribution
- capillary network geometry and, muscle (hamster), 242,11:H211
- spontaneously hypertensive cremaster muscle, 242,11:H381
- electron probe microanalysis (human, sheep), 235,4:C245, C251
- fibrinogen, response to hemorrhage, 237,6:H564
- flow
- hematocrit and, striated muscle, 237,6:H481
- microsphere measurement, intrarenal, 241,10:H342
- flux, measurement of, 243,12:H1018
- glycolysis (cow), 236,5:C255, C262
- insulin action, sex differences, 243,6:E158
- kidney function and, 241,10:F139
- leucine transport activity, breeding for (chicken), 241,10:C233
- lipid peroxidation, 240,9:H800
- lipophilic molecules, series-parallel pathway, 238,7:C107
- lithium fluxes, 237,6:C102
- maturational changes, striated muscle (hamster), 241,10:H317
- membrane
- elasticity, pH effects, 235,4:C269
- permeability, 231:1879
- permeability, temperature effects, 242,11:C74
- spectrin binding of 2,3-diphosphoglycerate, 234,3:C36
- metabolism, postnatal regulation of, 242,11:H500
- metabolism (cow), 236,5:C255, C262
- organ weights (shrew), 236,5:R221
- ornithine production, 242,11:C393
- osmoregulation, 230:925
- osmotic behavior in nonelectrolytes, ammonium chloride effects, 236,5:C238
- oxygen affinity, hypoxia (baboon), 232,1:H79
- permeability: *see* Permeability
- polyamines, pregnancy and lactation, 234,3:E451

**Erythrocytes (continued)**

- pressure distribution, microvascular (bat wing), 232,1:H400
- saline loading effects, vasa recta, 237,6:F326
- sensitivity to change, electrical environment, 239,8:R424
- sequestration, radioiodinated serum albumin escape rate, 234,3:F386
- sodium-potassium pump and sodium-potassium-ATPase, disparity of temperature sensitivity (guinea pig, squirrel), 235,4:C159
- space, hypocalcemic femoral bone, 234,3:E6
- splenic, concentration mechanism, inhibition by isoproterenol, 236,5:H238
- spontaneously hypertensive, phospholipids in, 243,12:H590
- sugar transport, sulphydryl group effects (goose), 241,10:C33
- survival, urine osmolality, 239,8:C27
- unloading time, oxygen exchange, muscle, 240,9:H199
- vascular reactivity, lung, 234,3:H186
- velocity
  - antidiuretic hormone effects, vasa recta, 237,6:F326
  - capillary, 233,2:H122
  - capillary, exercise and, 238,7:H31
  - capillary transit times, muscle, 240,9:H199
  - oxygen effects, sartorius muscle, 241,10:H807
  - reactive hyperemia, 233,2:H289
- volume: see Volume
- Erythrogenin**, extrarenal, nephrectomy-hypoxia time increase, 234,3:F510
- Erythroid progenitor cells**, activation, albuterol effects, 236,5:H422
- Erythropoiesis**
  - albuterol effects, 236,5:H422
  - endotoxin effects, 231:73
  - food or water restriction, relevance to anemia of space flight, 238,7:R301
  - hemorrhage effects, 238,7:H360
  - maturation, membrane transport, 235,4:C251
  - oxygen delivery, postnatal, 237,6:H71
  - prostaglandins and, 233,2:F169
  - splenectomy effects, 231:1254
  - urine osmolality, 239,8:C27
- Erythropoietic factor**, production, hepatic, sexual variation, 238,1:E245
- Erythropoietin**
  - adrenergic nervous system, 230:508
  - nephrectomy-hypoxia time increase, 234,3:F510
  - production
    - albuterol effects, 236,5:H422
    - hepatic, sexual variation, 238,1:E245
    - kidney and liver role in, 230:845
- Erythropoietin-responsive cells**, suppressive effects of endotoxin, 231:73
- Escherichia coli**
  - endotoxin, cardiorespiratory effects, 232,1:H682
  - heat-stable enterotoxin, intestinal secretion, 241,4:G227
  - heat-stable toxin, berberine effects, ileum, 241,4:G253
  - myoelectric activity, small intestine, 238,1:G57
  - toxicogenic, myoelectric response, small intestine, 235,4:E311
- Eserine**
  - insulin release, pancreatic islets, 235,4:E493
  - presynaptic receptors, neuromuscular transmission and, 242,11:C366
- Esophageal contractions**
  - off-response (opossum), 235,4:E392
  - swallow intervals and, 238,1:G485
  - tonic and phasic (opossum), 238,1:G40
  - vagal stimulation, 235,4:E63, E392
- Esophageal impedance probe**
  - intrathoracic, electrical, 236,5:R168

- scanning, bolus dimensions, 236,5:E545
- Esophageal manometry**: see Manometry
- Esophageal sphincter**
  - dopamine effects (opossum), 232,1:E19
  - inhibition, female sex hormones and (opossum), 234,3:E243
  - lower
    - age-related changes in force, stress, and pressure, 233,2:E407
    - angiotensin receptor (opossum), 235,4:E738
    - atropine effects, 240,3:G290
    - calcium antagonists (opossum), 238,1:G40
    - cholecystokinin-octapeptide effects (opossum), 239,2:G230
    - contraction, tonic and phasic (opossum), 238,1:G40
    - electrically coupled intrinsic responses, 243,6:G415
    - function, somatostatin effect (baboon), 237,6:E77
    - gastric antrum regulation, 234,3:E157
    - histaminergic pharmacology (baboon), 235,4:E42
    - interstitial cells, relaxation and (opossum), 236,5:E153
    - modulation of relaxation (opossum), 237,6:E481
    - oxygen uptake (opossum, cat), 242,5:G258
    - temperature dependence of responses to electrical field stimulation (opossum), 232,1:E432
    - manometry (opossum), 233,2:E152
    - migrating motor complex, vagal control of, 243,6:G276
    - noncholinergic, nonadrenergic inhibitory neuron (opossum), 234,3:E273
  - pressure
    - after cholinergic stimulation, 231:1250
    - cholinergic augmentation and inhibition (opossum), 234,3:E301
    - relaxation, modulation (opossum), 237,6:E481
    - tone and contractions, calcium ions and (opossum), 237,6:E163
    - upper, interluminal pressure, 239,2:G49
    - vagal inhibitory pathway, 5-hydroxytryptamine participation (opossum), 234,3:E273
    - vagal stimulation (opossum), 234,3:E359
- Esophagostomy**
  - gastric emptying (monkey), 232,1:E186
  - Komarov-type, esophageal sphincter regulation, 234,3:E157
- Esophagus**
  - angiotensin receptor (opossum), 235,4:E738
  - atropine effects, 240,3:G290
  - calcium dependence of neuromuscular events, smooth muscle (opossum), 232,1:E547
  - electrolyte transport, stratified squamous epithelium, neurohumoral control (rabbit, opossum), 239,2:G5
  - extracellular space, smooth muscle (opossum), 232,1:E270
  - force-length curves, 232,1:E580
  - function
    - thoracic vagotomy (opossum), 234,3:E359
    - vagal cooling (opossum), 232,1:E159
  - longitudinal force and stress, age-related changes, 232,1:E580
  - luminal cross section measurement, scanning esophageal impedance probe, 236,5:E545
  - manometry, rapid-pull-through, 234,3:E157
  - manometry (opossum), 233,2:E152, E389
  - motility (opossum), 233,2:E152
  - motor function, dopamine effects (opossum), 232,1:E19
  - muscle mechanics, age-related changes, 232,1:E580
  - off-response, smooth muscle, 232,1:E432

- oxygen uptake, smooth muscle (opossum, cat), 242,5:G258
- pepsinogen secretion (frog), 238,1:G79
- peristalsis
  - pressure amplitude, 238,1:G485
- peristalsis: see Peristalsis
- potassium content, smooth muscle, regional differences (opossum), 235,4:E709
- potassium gradient, smooth muscle (opossum), 232,1:E270
- pressure: see Pressure
- smooth muscle: see Muscle, smooth
- swallowing response, 241,4:G129
- vagal stimulation (opossum), 235,4:E63, E392
- Esterase**, aliphatic, gastric mucosa, 234,3:E606
- Esterification**
  - fatty acids: see Fatty acids
  - lipid metabolism and, muscle and adipose tissue, 243,12:E258
  - mechanisms, intestinal, 240,3:G1
  - sulfates: see Sulfates
- Estradiol**
  - adenohypophyseal cell sensitivity, long-term culture, 240,3:E602
  - adenosine monophosphate, cyclic production and binding, pituitary, 243,6:E109
  - adiposity and, female, 240,3:E474
  - aldosterone receptors, distribution, cortical tubules, 237,6:F360
  - angiotensinogen production, 238,1:E145
  - blood flow and, uterine (guinea pig), 241,4:E142
  - blood pressure response, 232,1:H617
  - cell nuclear binding, adipose tissues, 240,3:E43
  - circannual body weight rhythms and (squirrel), 243,12:R546
  - control, corticosteroid-binding globulin development, postnatal, 240,3:E402
  - dehydroepiandrosterone and its sulfate, pregnancy (baboon), 235,4:E78
  - 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub>, kidney cell cultures (chick), 240,3:E119
  - food intake, body weight and, weanling, 240,3:E499
  - heat loss and, ovariectomy, 243,12:R70
  - lipoprotein lipase binding sites, adipose tissues, 239,2:E237
  - lipoprotein lipase changes, feeding, body weight and, 240,3:E533
  - lutinizing hormone response, lutinizing hormone-releasing hormone, pituitary, 242,5:E392
  - lutinizing hormone secretion and, male, 241,4:E246
  - neutrophil chemotactic activity, vaginal, 233,2:R59
  - norepinephrine release and disposition, nerve endings, 239,8:H450
  - occlusive arterial thrombosis, 234,3:H454
  - platelet aggregation, 232,1:H381
  - progesterone and, circadian locomotor rhythm, 239,8:R497
  - secretion, adrenal, 239,2:E109
  - sex differences
    - cardiovascular responses, 235,4:H242
    - circadian system, 238,7:R97
  - theophylline-estrogen interaction effects, uterus, 242,5:E121
  - transport, human serum and, brain, 239,2:E103
  - treatment, obesity, 243,12:R347
  - vascular connective tissue responses, 232,1:H617
- 17 $\beta$ -Estradiol**
  - adenosine monophosphate, cyclic, binding and responses to N<sup>6</sup>-O'-2'-dibutyryl cAMP, pituitary, 240,3:E297
  - $\alpha$ -adrenoceptor affinity, cutaneous vein, 234,3:H330
  - estrogen receptors, vitellogenin gene expression and (frog), 243,12:C1



- luteinizing hormone release and synthesis, 238,1:E458  
tissue responses, puerperal (ovine), 239,2:E333
- $\beta$ -Estradiol**, luteinizing hormone responses, sex differences, 236,5:E216
- Estradiol benzoate**, exogenous, conceptus development (pig), 236,5:E335
- 17 $\beta$ -Estradiol dehydrogenase**, cytosol, term placenta, 242,5:E178
- Estron**  
acid hydrolase responses, myometrial lysosomes, 232,1:E423  
calcium-binding protein and, duodenum (chick), 237,6:E409  
cerebrovascular response, 5-hydroxytryptamine (baboon), 234,3:H300  
circadian function and, 241,10:R62  
conjugates, sulfobromophthalein and, 236,5:E347  
copper absorption, tumors, 236,5:E309  
cytoplasmic, binding sites, adipose tissues, 239,2:E237  
1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> serum (chick), 235,4:E338  
1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub>, kidney cell cultures (chick), 240,3:E119  
energy balance and, 238,7:R400  
exogenous, very low-density lipoprotein catabolism, cholesterol feeding, 241,4:E372  
female reproductive behavior and, 237,6:R278, R285  
fetal development effects (pig), 234,3:E190  
gap junction formation, myometrial, 238,7:C81  
gastrin binding and, sex differences, 243,6:G469  
hydrolysis, sulfobromophthalein and, 236,5:E347  
hypertension development, spontaneous hypertension and, 233,2:H369  
iron-59 uptake, hemopoietic tissue (quail), 236,5:E342  
lipoprotein lipase changes, feeding, body weight and, 240,3:E533  
lipoprotein lipase modulation, food intake and, 239,2:E162  
lower esophageal sphincter muscle inhibition (opossum), 234,3:E243  
metabolism, feeding and, 243,6:E407  
modulation, pituitary luteinizing hormone-releasing hormone receptor, 237,6:E136  
norepinephrine release and metabolism, saphenous vein, 239,8:H450  
osteoporosis, postmenopausal, 235,4:E338  
ovarian tissue, 243,6:E188  
positive feedback, luteinizing hormone surge (rhesus monkey), 236,5:R102  
production, against circulatory stress reactions, 231:842  
pulmonary vascular reactivity, pregnancy, 239,8:H297  
receptors: see Receptors  
regulation, corticosteroid-binding globulin production, liver, 237,6:E493  
reticuloendothelial development, 233,2:C141  
secretion, adrenal, 239,2:E109  
sensitizing effect on thyroid-stimulating hormonal responses, thyrotropin-releasing hormone, 233,2:E235  
sodium-potassium-ATPase induction, proximal tubular cells, 241,10:F356  
spike bursts, oviduct, 234,3:E439  
splanchic extraction, 236,5:E347  
steroid hormone receptor, breast cancer and, 243,6:E99  
synthesis, vitamin K<sub>1</sub> absorption and, 232,1:H12  
theophylline interaction and, ovary role in, uterus, 242,5:E121  
tissue impedance, myometrial, 238,7:C34  
tissue responses, puerperal (ovine), 239,2:E333  
vitamin D metabolism and, aging (quail), 241,4:E275  
vitamin D metabolism (quail), 234,3:E622
- Estrogen glucosiduronates**, sulfobromophthalein and, 236,5:E347
- Estrogen precursors**, pregnancy (baboon), 235,4:E78
- Estrogen-progesterone**, priming, luteinizing hormone release, 242,5:E164
- Estrogen sulfates**, sulfobromophthalein and, 236,5:E347
- Estrone**  
conversion to 17 $\beta$ -estradiol, term placenta, 242,5:E178  
secretion, adrenal, 239,2:E109
- Estrous cycle**  
circadian locomotor rhythm, 239,8:R497  
photoperiod-sensitive pacemaker and, 241,4:E261
- Estrus**, behavioral, circadian control of lordosis behavior, 243,12:R112
- Estrus cycle**, neutrophil chemotactic activity, vaginal, 233,2:R59
- ETA**: see Eicosatetraynoic acid
- Ethacrynic acid**  
blood flow, renal, 236,5:F494  
calcium and magnesium transport, nephron, 241,10:F340  
chloride concentration gradient, newborn, 239,8:F328  
coupling of sodium bicarbonate and sodium chloride reabsorption, renal, 236,5:F232  
energy metabolism, renal, 233,2:F207  
epithelial cell activity, bladder (toad), 232,1:F196  
inhibitory effect, chloride permeability, 231:1485  
lactate and sodium, kidney, 240,9:F343  
oxygen requirement, proximal tubular sodium reabsorption, 238,7:F175  
potassium flux, 230:743  
prostaglandin E excretion, 236,5:F494  
secondary hypercapnia in metabolic alkalosis, renal response, 238,7:F283  
sodium reabsorption and, kidney tubules, 242,11:F254  
transepithelial potentials, distal tubule (reptile), 234,3:F238
- Ethanol**  
amino acid absorption and, intestinal, 241,4:G176  
<sup>11</sup>C-labeled, 230:543  
disaccharidases and, jejunal brush border membrane, 237,6:E68  
elimination kinetics, liver (human and pig), 237,6:E316  
gastric mucosal damage, alkaline secretion response, 241,4:G509  
hyperemia and, intestinal, 242,5:G27  
ion transport, gastric mucosa, parallel pathways, 235,4:E7  
lower esophageal sphincter tone and contractions (opossum), 237,6:E163  
miniature end-plate potentials, timing (frog), 237,6:C264  
peptidases and, jejunal brush-border membrane (hamster), 242,5:G442  
plasma vasopressin, water balance and, 242,11:R522  
substrate turnover, splanchnic and skeletal muscle, during prolonged exercise, 233,2:E195
- Ether**  
hemodynamics, spontaneously hypertensive and Wistar-Kyoto rats, 238,7:H539  
stress, prostaglandin synthesis inhibition, indomethacin, 240,3:E131
- Ethinylestradiol**, bile acid efflux and, hepatocytes, 243,6:G253
- Ethionine**  
digestive enzyme synthesis and discharge, pancreas, 239,2:G418  
pancreas treatment, insulin and glucagon secretion and, 243,6:E505  
pancreatic effects of, 242,5:G297
- N-Ethoxycarboxyl-2-ethoxy-1,2-ethoxy-1,2-dihydroquinoline**, urinary acidification (load, turtle), 240,9:C201
- Ethoxzolamide**, physiological studies, 232,1:F291
- Ethyl adenosine**, myocardial flow and, coronary artery occlusion, 231:1495
- Ethyl alcohol**, excitation-contraction mechanisms and, antral muscle, 242,5:G222
- Ethylamine**, importance, meal-induced gastrin release, 243,6:G341
- Ethylenediaminetetraacetic acid**  
atrial action potential plateau, 233,2:H203  
converting enzyme inhibition, endothelial (pig), 232,1:C95  
<sup>51</sup>Cr-labeled, filtration fraction, kidney, 243,12:F96  
spinal subarachnoid perfusion, 230:614
- Ethylene glycol-bis-( $\beta$ -aminoethyl-ether)-N,N'-tetraacetic acid**, thyrotropin secretion, calcium and, 242,5:E109
- N-Ethylmaleimide**  
action, sugar transport, erythrocytes (goose), 241,10:C33  
circulation, oxygen transport and activity (crayfish), 240,9:R99
- Ethinylestradiol**, vitamin K<sub>1</sub> absorption, 232,1:H12
- Euglycemia**, hypoglycemia-induced compensation, glucagon lack, 236,5:E263
- Euglycemic insulin clamp technique**: see Clamp technique
- Euthermia**, temperature regulation, central nervous system (marmot), 232,1:R203
- Euthyroidism**, oxidative phosphorylation, heart, 235,4:C213
- Euvolemia**  
glomerular ultrafiltration dynamics, 239,8:F171  
reduced renal mass effects, early development, F190
- Evans blue dye**  
absorption coefficient, 232,1:H204  
albumin and, simultaneous accumulation, aortic wall, 233,2:H66  
aortic albumin and, serum effects, 243,12:H708  
arterial stretch effects, 240,9:H645
- Evaporative heat loss**: see Heat
- Evoked potentials**: see Potentials
- Evolution**, biological control systems, 242,11:R173
- Exchange diffusion**: see Diffusion
- Excitability**  
electrical, dystrophic muscle (chicken), 237,6:C131  
ischemic heart, antiarrhythmic drug effects, 235,4:H574  
myocardial, computer-controlled stimulator, 239,8:H278
- Excitation**  
reentrant, cardiac arrhythmias, 235,4:H1  
ventricular (lungfish), 232,1:H24
- Excitation conduction**: see Conduction
- Excitation-contraction coupling**: see Coupling
- Excitatory junction potential**: see Potentials
- Excitement**, mesenteric and renal dynamics (baboon), 234,3:H210
- Exclusion phenomenon**, liver interstitium, 243,6:G410
- Excretion**: see also specific subject and site  
phosphate, lithium administration effects, 231:1140  
phosphate and calcium, parathyroid hormone effects, 231:1152

**Excretion (continued)**

renal, of urate at various plasma concentrations, 231:387

**Excretion-retention diagram**, gas exchange, vertebrate respiratory systems, 243,12:R329**Exercise**

acetate, splanchnic and skeletal muscle, 233,2:E195

adenosine content, skeletal muscle, 237,6:H1

adenosine monophosphate, cyclic insulin effects, 233,2:E509

liver, 237,6:R147

adenosine release, skeletal muscle, 238,7:H156

aerobic limit, heart, perfused at constant pressure, 238,7:H118

amino acid oxidation, 240,3:E155

arterial baroreceptors, 230:85

arterial pressure-dimension relations, measurement (dog, sheep), 235,4:H610

arterial pressure regulation, carotid baroreflex and, 241,10:H838

baroreceptor reflex, behavioral influence (baboon), 241,10:R277

bicycling, intracellular water spaces and, muscle, 243,12:R271

blood flow

bones and marrow, 237,6:H440

muscle, 231:1515

brain and body temperature, independence (flying kestrel), 237,6:R58

capillary control, red muscle, 243,12:H196

capillary recruitment, 238,7:H31

catecholamine release, blood pressure changes and (dogfish), 242,11:R306

cerebrospinal fluid, rectal temperature and, 230:1416

circulatory control, renal, receptor interaction, 237,6:H560

coagulation activation, fibrin formation and, 236,5:H577

collateral development and, cardiac, 240,9:H811

contractile potential, papillary muscle, 234,3:H421

coronary occlusion, myocardial performance and collateral flow, 237,6:H520

coronary resistance, adenosine and, 242,11:H24

coronary stenosis, myocardial blood flow and, 243,12:H698

cycle, noninsulin-dependent diabetes, obesity, 240,3:E458

descending pressor pathway, 234,3:H152

detraining, cytochrome c and myoglobin turnover, skeletal muscle, 241,10:C140

dynamic leg, renal blood flow (baboon), 236,5:H141

endogenous ultradian rhythms, prolonged continuous light, 235,4:R250

endurance

coronary collateral blood flow (miniature swine), 234,3:H614

isometric, fast and slow muscles, 236,5:C185

locomotory energetics, thermal dependence (lizard), 241,10:R342

endurance training

liver response to submaximal exercise, 240,9:R330

sparing effects, muscle atrophy, 241,4:E226

stress hormone response and, fasting, 243,12:R179

energy metabolism, 230:579

enhanced receptor-cyclase coupling, catecholamine-stimulated lipolysis and, 243,6:E345

excitation-contraction coupling, myocardium, 240,9:H472

exertion

amino acid oxidation, 240,3:E155

dietary iron effects, muscle, 242,5:E418

epinephrine effects, muscular glycogenolysis, 240,3:E526

exhaustive

glycogen synthase activation after, 240,3:E197

insulin effects on glycogenesis, muscle, 233,2:E509

thermal dependence (lizard), 241,10:R342

external mechanical work, oxygen consumption, cardiac, 240,9:H39

fasting and, in obesity, metabolic response, 238,1:E312

fatigue: see Fatigue

fat mobilization, 232,1:E165

free-running rhythm, 235,4:R243, R250

galloping, mechanisms for minimizing energy expenditure, 233,2:R243

gastroenteropancreatic hormonal changes, 239,2:G136

glucagon regulation, glucose production, 238,1:E13

glucose, alanine, and leucine oxidation, 240,3:E155

glucose metabolism, splanchnic, 235,4:E255

glucose uptake, skeletal muscle, 241,10:C200

glycogen metabolism, muscle, 233,2:E422, 235,4:E255

glycogenolysis

glucose infusion effects, 240,3:E451

muscle, 242,5:E25

glycogen resynthesis, muscle, 235,4:R145, 238,7:R328

glycogen synthase activation after, 240,3:E197

glycogen synthesis activation, skeletal muscle, 236,5:E660

graded activity, ventilation and acid-base balance (lizard), 240,9:R29

growth, obesity, 232,1:R38

growth hormone, 234,3:E611

heart

performance, ischemia, 234,3:H215

response, pressure overload, 230:199

heat tolerance, 239,8:R226, R233

heavy, plasma volume and electrolyte shifts, sitting and supine positions, 236,5:R206

hemodynamic adjustments, 236,5:H225

hormone-sensitive lipase, 230:385

hyperemia: see Hyperemia

hypertrophy

cardiac, development and regression, 236,5:H268

fiber orientation, left ventricular, 236,5:H487

internal synchronization among circadian rhythms, constant light, 235,4:R243

intracellular water spaces, skeletal muscle, 243,12:R271

ion-osmotic hyperthermia, 230:74

isometric

capsaicin injection, skeletal muscle, 240,9:H315

cardiac output distribution, 236,5:H218

reflex effects on circulation and respiration, 233,2:H374

lactate metabolism, muscle, 233,2:E422

leucine metabolism and, 242,5:E407

lipolysis, adipose tissue, 239,2:E422

locomotion, ambulatory activity,  $\gamma$ -aminobutyric acid and, 238,7:R65

maximal, capillary transit times, oxygen exchange, muscle, 240,9:H199

mesenteric dynamics (baboon), 234,3:H210

metabolic adjustments, 236,5:H225

metabolism

ethanol effects, splanchnic and skeletal muscle, 233,2:E195

glucagon role, 238,1:E13

microsphere injection, left atrium, awake state, 243,12:H488

muscular dynamic, albumin, serum, 233,2:E115

myocardial effects, 234,3:H608

negative, oxygen uptake for, 230:1013

obesity, noninsulin-dependent diabetes, 240,3:E458

oxygen consumption, skeletal muscle,  $\alpha$ -stimulation, 238,7:H331

oxygen delivery, adrenergic control of, myocardium, awake state, 242,11:H805

oxygen exchange, simulated secondary lamella, gill (trout), 233,2:R145

pacemakers, ectopic atrial, 234,3:H465

physical conditioning, enhanced receptor-cyclase coupling, 243,6:E345

physical training

insulin secretion and liver glucokinase after, 243,6:E464

obesity, fat cell metabolism and, 243,6:E418

plasma catecholamines and, 241,10:H243

postprandial, metabolic response to, diabetes, 242,5:E309

posture effects, heart rate and, 243,12:H676

potassium ion efflux, skeletal muscle, 236,5:R83

pre- and postcapillary resistance, spontaneous hypertension, 234,3:H439

prolonged

muscle fatigue and, 242,11:C65

preceded by glucose ingestion, effects on substrate utilization, 233,2:H188

QRS power spectrum and, 243,12:H964

racing

arterial baroreceptor reflexes (greyhound), 240,9:H383

atherosclerosis, arterial wall mechanics (greyhound), 236,5:H790

reflex

cardiovascular response, capsaicin injection, skeletal muscle, 240,9:H315

cardiovascular responses to hindlimb hypoxemia, 237,6:H359

sensory nerve block in muscle ischemia, 237,6:H433

restricted flow, prostaglandin E release, skeletal muscle, 236,5:H596

running

circadian rhythms, pineal, in blindness, 234,3:R110

coronary occlusion and, myocardial performance and collateral flow, 237,6:H520

mechanisms for minimizing energy expenditure, 233,2:R243

muscular blood flow, 243,12:H296

muscular glycogenolysis, epinephrine effects, 240,3:E526

plasma corticosterone levels and, 231:817

red light entrainment, 239,8:R450

ultradian lighting schedule, 232,1:E375

spontaneous hypertension, ventricular morphology and pumping ability, 235,4:H193

steady-state, hyperemia, potassium and osmolality effects, 242,11:H949

strenuous, right ventricular hypertrophy and, 243,12:H856

stress

coronary blood flow characteristics and transmural distribution (miniature pig), 235,4:H601

renal function and, 242,11:R482

- submaximal, adenosine monophosphate, cyclic, response to, liver, trained rats, 240,9:R330
- substrate turnover, splanchnic and skeletal muscle, ethanol effects, 233,2:E195
- swimming
- contractile potential, 234,3:H421
  - ventricular morphology and pumping ability, spontaneous hypertension, 235,4:H193
- swim training, genetic obesity, 242,11:R204
- terrestrial locomotion, efficiency and elasticity, 233,2:R243
- training
- angina pectoris and, skeletal muscle and heart, 243,12:H830
  - arterial hemodynamics, 230:211
  - cardiac actomyosin ATPase activity after, 230:1622
  - cardiac hypertrophy, 241,10:H263
  - catecholamine effects, cardiac, 234,3:H608
  - contractile properties, soleus muscle, 233,2:C86
  - excitation-contraction coupling, myocardium, 240,9:H472
  - insulin binding to adipocytes, 238,1:E108
  - insulin sensitivity, site, 239,2:E169
  - skeletal muscle fiber involvement, 230:946
- treadmill
- adenosine and coronary blood flow, awake state, 243,12:H628
  - blood volume and oxygen delivery, 240,9:H177
  - coronary resistance, adenosine and, 242,11:H24
  - myocardial adenosine formation, 236,5:H13
  - running,  $\delta$ -aminolevulinic acid synthetase induction, muscle, 236,5:R180
  - running, endurance training effects, liver, 240,9:R330
  - stress hormone response, fasting and exercise effects, 243,12:R179
  - stress test, coronary collateral blood flow (miniature swine), 234,3:H614
  - thermal dependence (lizard), 241,10:R342
  - ventilation and acid-base balance (lizard), 240,9:R29
  - triglyceride reduction, 234,3:E221
  - uptake and release of hormones and metabolites, 231:967
  - vasodilation, 233,2:H27
  - adenosine role, gracilis muscle, 238,7:H703
  - capillary, 238,7:H31
  - contributions of nerves and metabolites, 236,5:H705
  - work, caffeine and, muscle fibers (frog), 241,10:C160
- Exertion:** *see* Exercise
- Exocrine glands**
- kallikrein, plasma, radioimmunoassay for, 242,11:H602
  - submandibular mucin secretion, calcium and adenosine monophosphate, cyclic effects, 241,10:C76
- Exocrine pancreas:** *see* Pancreas
- Exocrine secretion**
- dispersed submandibular cells, 238,7:C90, C99
  - gastrins and (porcine), 238,1:E186
  - pancreatic, 233,2:E530
  - porcine secretin, perfused pancreas and, 241,4:G43
  - variation, interdigestive state, 241,4:G98
  - vasoactive intestinal polypeptide effects (pig), 235,4:E387
- Exocytosis**, 230:1499
- blockade of, ethionine and, pancreas, 242,5:G297
- digestive enzymes, pancreatic secretion of, 231:1847
- proton uptake, secretory granules, pancreatic  $\beta$ -cells, 242,11:C382
- sodium-potassium-ATPase, HeLa cells, 241,10:C173
- Expiration:** *see* Respiration
- Extensor digitorum longus muscle**
- insulin hyperpolarization, ouabain-inhibitable process, 241,10:C145
  - insulin sensitivity, starvation and aging effects, 236,5:E519
  - transplanted, contractile properties, 238,7:C120
- Extracellular fluid:** *see* Fluid
- Extracellular ions:** *see* Ions
- Extracellular markers:** *see* Markers
- Extracellular resistance:** *see* Resistance
- Extracellular single-unit recording**, subthalamic-mediated bradycardia, 236,5:H471
- Extracellular space**
- brain, drug entry and distribution, 242,11:R339
  - epithelial tissue, bath osmolality effects, water permeability (frog), 242,11:C184
  - esophageal smooth muscle (opossum), 232,1:E270
  - hypertrophied myocardium, 236,5:H79
  - ion concentration gradients, cold, aortic (rat, squirrel), 237,6:C17
  - lung, glucose transport, 241,4:E191
  - measurements
    - esophagus (opossum), 235,4:E709
    - isolated thoracic aorta, 231:1806
    - spinal subarachnoid perfusion, 230:614
    - submucosal and mucosal, gastric (frog), 237,6:E51
    - volumetric measurement, isolated cardiac muscle, 236,5:H519
- Extracellular volume:** *see* Volume; Volume expansion
- Extracorporeal circuits**, kidney perfusion, autoregulation, 242,11:F86
- Extracorporeal circulation:** *see* Circulation
- Extracorporeal oxygenation:** *see* Oxygenation
- Extracorporeal perfusion:** *see* Perfusion
- Extradural fluid:** *see* Fluid
- Extraglomerular mesangium**, anatomy, 237,6:F333
- Extraneuronal metabolism**, norepinephrine, saphenous vein, 243,12:H424
- Extraneuronal uptake**
- noradrenaline effects (baboon), 233,2:H458
  - norepinephrine, estradiol effects, saphenous vein, 239,8:H450
- Extrastimulus techniques**, ventricular repolarization, 236,5:H391
- Extrasystole**
- electrical stability, ventricular, 234,3:H503
  - multiple repetitive, threshold, pentobarbital effects, 239,8:H427
  - repetitive, ventricular fibrillation, 230:1461
  - return, reentry and, 235,4:H1
  - threshold, ventricular fibrillation, 234,3:H592
- Extravascular coronary resistance:** *see* Resistance
- Eye**
- circadian rhythm, serotonin and (mollusk), 242,11:R326
  - phase shifting, rhythm, serotonin and (mollusk), 242,11:R333
  - temperature, corneal convection and (pigeon), 242,11:R577
- F**
- Facilitation**, transmitter, diaphragm neuromuscular junction, 237,6:C31
- Factorial experimental designs:** *see* also Models, and the specific subject and site
- atrioventricular junctional rhythm, 235,4:H308
- Factor S**, brain, relation to sleep-promoting material from urine, 238,1:E116
- Factor VIII**
- dissociation, gel filtration, 230:434
  - synthesis, von Willebrand's disease, 230:1342
- Fåhræus-Lindqvist effect**, blood viscosity, skeletal muscle, 241,10:H513
- Fanconi syndrome**
- maleic acid-induced, renal tubular leakage, 239,8:F507
  - 25(OH)vitamin D<sub>3</sub>, antiphosphatemic action, 236,5:E90
  - proximal tubular dysfunction and, 243,12:F604
- Fasciculate cells**, sensitivity to angiotensin II, adrenocorticotropin, and potassium, comparative study, 233,2:E402
- Fast-channel blockers**, Purkinje fiber action potential overshoot, 237,6:H204
- Fastigial nucleus**
- orthostatic reflex and (cat and monkey), 232,1:H676
  - stimulation, spinal sympathetic activity and, 243,12:R25
- Fastigial pressor response**, renal vascular tone, 239,8:H232
- Fasting**
- adipocytes and, 238,1:E108
  - age-related changes, 239,2:E269, E277
  - serum lipids, 237,6:E253
  - vascular smooth muscle function, 238,7:H652
  - alanine aminotransferase, muscle, 233,2:E109
  - amino acid, plasma, turnover and pools, 237,6:E418
  - amino acid influx, liver, 232,1:E492
  - amino acid metabolism (sheep), 239,2:E248
  - amino acid oxidation, carnitine effects, liver and skeletal muscle, 234,3:E494
  - bicarbonate incorporation into blood glucose, insulin effects, 235,4:E22
  - bile acid production, diurnal rhythm, 236,5:R175
  - blood chemistry, homeostasis and (seal), 242,11:R591
  - carnitine metabolism, normal weight and obesity, 238,1:E409
  - cholecystokinin and, 239,2:E232
  - cholephilic dye transport, 232,1:E445
  - coenzyme A synthesis regulation, heart, 240,9:H606
  - cold exposure and, sympathoadrenal activity, 240,3:E314
  - 2-deoxyglucose, glucose, insulin, and free fatty acid mobilization, intraventricular, 236,5:E317
  - diabetes and
    - panthothenic acid metabolism, 240,3:E597
    - protein synthesis, lung, 236,5:E421  - duodenogastric reflux, 241,4:G159
  - exercise and
    - obesity, metabolic response, 238,1:E312
    - stress hormone response, 243,12:R179  - fat mobilization, 232,1:E165
  - fatty acids, plasma, 232,1:E25
  - feeding controls, ontogeny, sucklings and weanlings, 237,6:R187
  - food deprivation, plasma insulin levels and (monkey), 242,11:R255
  - food restriction, anemia of space flight and, 238,7:R301
  - gastric emptying
    - glucose vs. fat, 234,3:E660
    - monkey, 232,1:E186

**Fasting (continued)**

gastrin receptors, mucosal, 237,6:E284  
 glucogenesis and glucose turnover (fish), 240,9:R246  
 gluconeogenesis  
   from glycerol, 230:362  
   liver, suckling, 233,2:E175  
   liver (chicken and carnivorous bird), 234,3:R115  
 gluconeogenic enzymes, distribution, nephron, 235,4:F246  
 glucose, 230:138  
 glucose absorption and, 240,3:G432  
 glucose and glycogen metabolism, postexercise, 235,4:E255  
 glucose homeostasis, 239,8:R437  
   newborn, 234,3:E129  
 glucose turnover (kelp bass), 232,1:R66  
 glucose uptake, in vitro, 238,1:G219  
 glutamate metabolism, glucogenicity and (sheep), 241,4:E465  
 glutamate, muscle, 233,2:E109  
 glutamine influx, liver, 232,1:E492  
 glutamine metabolism (sheep), 234,3:E197  
 glycerol release, adipose tissue lipoprotein lipase and, 241,4:E76  
 glycogen content and, skeletal muscle, 231:614  
 glycogen levels and, 231:1655  
 glycogen metabolism, skeletal muscle, 239,2:E69  
 glycogen resynthesis, muscle, 238,7:R328  
 hepatic ligandin and, Z protein, and organic anion transfer from plasma, 231:1371  
 hindlimb muscles and, 238,1:E124  
 hyperglucagonemia, liver regeneration, 240,3:E112  
 hyperinsulinemia, liver regeneration, 240,3:E112  
 hypocitricemia, citrate handling, renal, 237,6:F307  
 hypoinsulinemia, perfused liver-pancreas preparation, 237,6:E349  
 inanition, during pregnancy (pig), 237,6:E273  
 inorganic phosphate and, renal, 241,10:F509  
 insulin binding and, hepatocytes, 243,6:E240  
 insulin kinetics, 238,1:E108  
 insulin removal, hepatic, perfused liver-pancreas preparation, 237,6:E349  
 insulin sensitivity, skeletal muscle, 236,5:E519  
 intestinal phospholipase A, triglyceride lipase and, 242,5:G168  
 ketogenesis, hydrogen ions and, acid-base balance effects, 242,11:F238  
 ketone body turnover, hepatic, 235,4:E238  
 ketone utilization, fetal, 235,4:E330  
 ketosis, acetylcarnitine excretion, urinary, 243,6:E168  
 lactate metabolism, lung, 235,4:E619  
 leucine and  $\alpha$ -ketoisocaproate, 241,4:E72  
 lipolysis, adipose tissue, 239,2:E422  
 lipoprotein lipase and, muscle, during suckling, 238,1:E511  
 lipoproteins, very low density, secretion, 234,3:E277  
 long-term effects (geese), 241,4:E342  
 lung metabolism, 230:291  
 maternal  
   fetal growth (pig), 237,6:E723  
   fetal metabolic response, 232,1:E456  
   liver metabolism, fetal and neonatal, 240,3:E88  
   starvation, ketone bodies, brain, fetal, 243,6:E234  
 metabolism and, atrial muscle, 238,1:E487  
 modulation of insulin effects, hindlimb muscle, 242,5:E323  
 mucosal gastrin receptors, up- and downregulation, 242,5:G243

norepinephrine turnover, pancreas and liver, 236,5:E524  
 obesity effects, 239,2:E269, E277  
 oscillatory changes, muscle lipoprotein lipase activity, 233,2:E316  
 oxidation rate, fetal, carbon fuels and, 233,2:E457  
 phosphaturia, 237,6:F241  
 physiological and behavioral responses, 236,5:E105  
 plasma glucagon and, 231:1377  
 plasma motilin, 238,1:G280  
 pregnancy, fetal and newborn insulin secretory response (sheep), 235,4:E467  
 progesterone secretion, fetal development (pig), 236,5:E335  
 prolonged, acidosis and protein wasting, 243,6:E251  
 protein effects, leucine and lysine metabolism, 240,3:E712  
 protein synthesis, skeletal muscle and heart, 235,4:E126  
 protein synthesis and degradation, skeletal muscle, 231:441  
 protein turnover, skeletal muscle, 236,5:E222  
 pyruvate, muscle, 233,2:E109  
 pyruvate incorporation, blood glucose, insulin effects, 235,4:E22  
 refeeding and  
   metabolic rate, 243,12:R339  
   pancreatic enzymes and secretagogue responsiveness, 242,5:G215  
 secretin concentration, plasma, 236,5:E539  
 semistarvation, membrane vesicle transport, analysis, 233,2:E445  
 starvation  
   amino acid transport, 230:245  
   immunoreactive cathepsin D, heart, 240,9:H222  
   insulin binding and sensitivity, skeletal muscle, 240,3:E184  
   insulin removal by liver, 230:171  
   liver regeneration, 240,3:E112  
   plasma somatostatin and (monkey), 243,12:R289  
   prolonged, skeletal muscle protein turnover, 241,4:E321  
   pyrogen and, newborn, 241,10:R167  
   sympathoadrenal medullary response, cold stress, 241,4:E316  
   substrate turnover, neonatal, 239,2:E287  
   suckling pig, 232,1:E510  
   superior mesenteric flow, autoregulation, 237,6:H174  
   thermogenesis, infant, 233,2:R23  
   thermoregulation and, 231:913  
   tritium and  $^{14}\text{C}$ -labeled alanine metabolism, 241,4:E121  
   tritium incorporation, from titrated water into pulmonary lipids, 239,2:E407  
   urea recycling and (ground squirrel), 239,8:R168

**Fat**

absorption  
   capillary permeability and, intestinal, 242,5:G194  
   mechanisms, intestinal, 240,3:G1  
   portal venous transport and, 239,2:G141  
 alkaline phosphatase and, intestinal, 241,4:G461  
 body  
   determination, by underwater weighing and volume displacement, 234,3:E94  
   growth, 232,1:R38  
   metabolic alterations, experimental obesity, 233,2:R162  
 brown: see Brown fat  
 cellularity, developmental changes, obesity, 236,5:E508  
 chemical maturation, 242,11:R390  
 deposition, insulin effects, diabetes, 242,5:E19

**dietary**

circulating ergostatic factor, 239,8:R344  
 emulsification, 237,6:E541  
 gastric emptying, 239,2:G1  
 gastrocolonic response, 238,1:G228  
 high, adaptation to, 237,6:R139  
 lingual lipase activity and, 235,4:E416  
 saturation, low-density lipoprotein and, 241,4:E57  
 severe obesity, 242,11:R212  
 exogenous, glucose homeostasis, newborn, 234,3:E129  
 gastric emptying, after nonliquid meals, 234,3:E660  
 glucose metabolism and, pancreatic acini, 243,6:G448  
 hepatic-portal infusion, 232,1:E119  
 hyperemia and, intestinal, 242,5:G27  
 lipolysis, epididymal, exercise training, 239,2:E422  
 metabolism, parenteral nutrition effects, liver, 239,2:G280  
 organ cellularity, dietary obesity, 240,3:E47  
 pancreatic secretion stimulation, 236,5:E678  
 parametrial and perirenal, apoprotein C effects, 243,6:E175  
**Fat cells:** see Adipocytes  
**Fat-free mass,** aging, 238,7:R82  
**Fatigability,** transplanted extensor digitorum longus muscle, 238,7:C120  
**Fatigue**  
   capillarity and blood flow, transplanted skeletal muscles, 241,10:H630  
   lactic acid and adenosine triphosphate effects, muscle contraction, 240,9:C121  
   muscle: see Muscle  
**Fat pad**  
 epididymal, developmental changes, 236,5:E508  
 mammary, metabolic cooperativity, 241,10:C204  
 perimetrial, metabolic alterations, experimental obesity, 233,2:R162  
**Fattening,** seasonal (sparrow), 232,1:E193  
**Fatty acid carbons,** reutilization, lipid synthesis, lung, 240,3:E435  
**Fatty acids**  
   amino acid incorporation, lung, 232,1:E364  
   ammoniogenesis, inhibition, fluoroacetate and, 237,6:F7  
   biosynthesis, liver, portacaval shunt, 239,2:G83  
   calcium-ATPase kinetics, sarcoplasmic reticulum, in hyperthyroidism, 235,4:H745  
    $\beta$ -carotene absorption, intestinal, 235,4:E686  
   chain length, vitamin A<sub>1</sub> absorption, 232,1:E471  
   competitors, liver, 234,3:E542  
   composition, erucic acid and, 235,4:E509  
   deficiency  
   plasma triglyceride turnover, hepatic, 238,1:E499  
   renal vasoconstriction and, 243,12:H61  
   esterification  
   development, small intestine, 237,6:E399  
   intestinal, insulin effects, 238,1:E364  
   jejunal, luminal control, 238,1:G414  
   monoglyceride effects, 234,3:E236  
   sugar effects, 234,3:E236  
   fibrinogen response, 235,4:H223  
   free  
   adipose tissue, hypothalamic stimulation effects, 237,6:H386  
   adrenergic blockade effects, awake state, 241,4:E385  
   amino acid solution and, oxyntic mucosa, 243,6:G335



- central nervous system regulation, 232,1:E165  
 concentration, starvation, 236,5:E105  
 diabetic control, epinephrine interaction, 242,5:E428  
 epinephrine effects, muscle, 242,5:E25  
 exercise preceded by glucose ingestion, 233,2:E188  
 fat cells, bilirubin and, 237,6:E504  
 glucagon and, in exercise, 238,1:E13  
 glucagon and, in hypoglycemia, 238,1:E131  
 glucose loading (squirrel monkey), 234,3:R20  
 insulin or glucagon deficiency, 236,5:E255  
 $\alpha$ -ketoisocaproate binding to albumin, 242,5:E67  
 ketone body turnover and net ketone production, hepatic, 235,4:E238  
 levels, mixed meal effects, 240,3:E54  
 metabolism, chronic exercise, 234,3:E221  
 metabolism, muscle (bovine), 237,6:E309  
 metabolism, regulation by glucagon and insulin, liver, 237,6:E23  
 metabolism, vascularly isolated pancreas, 236,5:E626  
 mobilization, central neural stimulation, 236,5:E317  
 mobilization, intracerebroventricular norepinephrine and, 242,5:E248  
 mobilization (pigeon), 232,1:E451  
 norepinephrine effects, hypoxemia, 241,4:E28  
 obesity, 230:1336  
 oxidation, hepatic, glucagon effects, 237,6:E121  
 oxidation, muscle, cold exposure and feeding (bovine), 237,6:E309  
 pancreatectomy, mixed meal response, 242,5:E335  
 plasma, seasonal acclimatization (goldfinch), 242,11:R563  
 plasma concentrations, fasted and resting, 232,1:E25  
 serum, age-related changes with food restriction, 238,1:E253  
 starvation, 239,2:E277  
 thrombin-stimulated fibrinogen synthesis, 230:996  
 tracer technique, 240,3:E253  
 turnover, cerebrospinal fluid, during hypotension, 236,5:H802  
 turnover, uptake, oxidation and release after endotoxin, skeletal muscle, 239,2:E391  
 gastric emptying and (monkey), 243,6:G200  
 hepatocytes, fetal, 235,4:E330  
 $\beta$ -hydroxy-, production, ischemic heart, 239,8:H257  
 25-hydroxyvitamin D<sub>3</sub> absorption, intestinal, 236,5:E441  
 intermediates, sodium-potassium-ATPase activity and, cardiac sarcolemma, 242,11:H456  
 intestinal hyperemia and, 235,4:H677  
 long-chain  
   fibrinogen response, 235,4:H223  
   gastric acid secretion and, intraduodenal (ewe), 243,6:G127  
   oxidation, ischemic heart, 239,8:H257  
   permeation, intestine, 236,5:E721  
   portal venous transport from intestines, 239,2:G141  
 lung, synthesis, 232,1:E358, E364  
 medium chain, transport and metabolism, perfused kidney, 237,6:F210  
 membrane, 230:1211  
 metabolism, 231:14  
   carnitine effects, heart (swine), 243,12:H691  
 myocardial, assessment with <sup>14</sup>C-labeled palmitate, 237,6:H51  
 myocardial, during development, 233,2:H707  
 placental vasculature, fetal, 240,3:E65  
 odd carbon, and glucagon, insulin, and gluconeogenesis, 231:366  
 oxidation  
   acidotic cardiac ischemia, 242,11:R533  
   aged secret, 232,1:E258  
   gastric secretagogue action and (toad), 238,1:G255  
   hepatic, glucagon effects, 237,6:E121  
   insulin effects on hepatic metabolites, 233,2:E13  
   lipid synthesis, lung, 240,3:E435  
   peroxisomal brown fat, cold adaptation, 239,8:C208  
   pyruvate metabolism and, liver mitochondria, 236,5:E501  
 pancreatic islets (ovine), 234,3:E162  
 placental transport, 230:357  
 plasma nonesterified, postinsulin hypophagia, 243,12:R304  
 polyunsaturated  
   incorporation into lipids, hepatocytes (rainbow trout), 243,12:R223  
   lipid transport and, 234,3:E54  
   retinal transport, lymphatic and portal, 239,2:G210  
 positional distribution, liver, thermal acclimation effects (rainbow trout), 236,5:R91  
 protein binding, liver, 234,3:E542  
 release, brown fat cells, cold acclimation and, 242,11:C250  
 renal ammoniogenesis and, 231:880  
 renin inhibition, 234,3:E593  
 saturation, exocrine pancreas, 243,6:G10  
 seasonal changes (hedgehog), 236,5:E589  
 serum-free, obesity and, 243,12:R347  
 short-chain, 230:1538  
 sodium effects, passive intestinal uptake, 243,6:G148  
 specific activity, aorta, 243,12:H128  
 spontaneous hypertension, aortic, 240,9:H33  
 subcellular heart membrane, response to cold and thyroxine, 231:650  
 suppression of feeding, 241,10:R330  
 synthesis  
   insulin-resistant adipocytes, 234,3:E182  
   lung, 232,1:E358, E364  
   pulmonary, 239,2:E407  
   tissues (*ob/ob* mouse), 240,3:E101  
 unsaturated, pial arteriole effects, 242,11:H629  
 uptake  
   jejunal, aging effects, 239,2:G363  
   myocardial, insulin effects, neonatal diabetes (lamb), 237,6:H514  
   utilization, cations and, 232,1:F254  
   vitamin K<sub>1</sub> absorption, 232,1:E69  
   vitamin K<sub>2</sub> absorption, colonic and ileal, 233,2:E124  
 volatile  
   absorption, forestomach (llama), 235,4:E1  
   carbohydrate metabolism and, colonic, 241,4:G397  
   transport, large intestine (equine), 233,2:E469  
**F cells**, ratio, endotoxin shock, 236,5:H291  
**Febrile mechanism**, 231:198  
**Feces**  
   carbohydrate content, colonic, 241,4:G397  
   excretion, 24,25-dihydroxyvitamin D<sub>3</sub>, 243,6:E370  
**Feedback**  
   adrenocorticotropin control, 232,1:R5  
   antidiuretic hormone thirst, sodium control, 232,1:R145  
   antiregulatory effect, insulin dependence of paradoxical overeating, 236,5:E205  
   bile acids (primate), 235,4:R55  
 biological control systems, evolution of, 242,11:R173  
 delayed, adrenocorticotropin, 234,3:R46  
 distal tubuloglomerular, comparative studies, significance, 238,7:F437  
 estrogen, in luteinizing hormone surge (monkey), 236,5:R102  
 glomerular filtration rate  
   regulation, 233,2:F1, F217  
   site of effector mechanism, 236,5:F40  
 glomerulotubular, distal, 238,7:F437  
 heart, plasma protein concentration and coronary vascular resistance, 238,7:H471  
 inhibition  
   fast, 234,3:R39, R46  
   insulin release, 243,6:E476  
 juxtaglomerular apparatus  
   capillary oncotic pressure, 236,5:F97  
   chloride, distal, 240,9:F111  
 long-loop system, follicle-stimulating hormone-inhibin, female, 240,3:E544  
 luteinizing hormone secretion, male, 241,4:E246  
 macula densa, 234,3:F154  
 chloride, distal, 240,9:F111  
 perfusate osmolality, 235,4:F352  
 plasma expansion, 235,4:F156  
 renal vascular resistance and, 237,6:F204  
 negative, 230:907  
 antidiuretic hormone effects, kidney, 241,10:F443  
 arterial pressure after hemorrhage, 235,4:R279  
 arterial pressure control system, 234,3:R104  
 corticosteroid, fast, rate-sensitive, during stress, 234,3:R39  
 corticosteroids, 234,3:R46  
 endocrine responses, fetal (lamb), 240,3:E656  
 inhibition, developing lung and kidney, 234,3:R141  
 sodium transport, bladder (toad), 236,5:F505  
 nonsteroidal adrenal, corticolibin and corticotropin release, 240,3:E136  
 plasma protein concentrations and coronary vascular resistance, heart, 238,7:H471  
 positive, control theory, 235,4:R205  
 regulation  
   glomerular filtration, tubular fluid osmolality and, 239,8:F427  
   gonadotropins by progesterone (monkey), 240,3:E489  
   thyrotropin by thyroxine, 240,3:E308  
 stop-flow pressure responses, perfusate osmolality and, 235,4:F352  
 system, coronary flow, 243,12:H796  
 tubuloglomerular, 231:1744, 233,2:F217, F315  
   angiotensin II, antagonism, 242,11:F149  
   capillary oncotic pressure, 236,5:F97  
   chronic tubular obstructive (*Necturus*), 234,3:F112  
   dissociation from distal tubular chloride concentration, 240,9:F111  
   effector mechanism for, 243,12:F447  
   filtration rate responses to nephron perfusion, 234,3:F154  
   perfusate osmolality and, 235,4:F352  
   plasma volume expansion, 235,4:F156  
   renal autoregulation, 234,3:F357  
   renal vascular resistance, 237,6:F214  
   single nephron glomerular filtration rate, autoregulation, 237,6:F379  
   tubular obstruction, 237,6:F379  
**Feeding: see also** Nutrition, and the specific dietary constituent  
 adenosine, coronary blood flow during, awake state, 243,12:H628  
 adipose tissue morphology, plasma insulin levels and, 240,3:E358

**Feeding (continued)**

- adurnal periodicity, disaccharidase rhythm, intestinal, 238,1:G97
- amino acid, plasma, turnover and pools, 237,6:E418
- appetite
  - body size and, 238,1:E318
  - intestinal bypass surgery, 234,3:E389
  - sodium adrenocorticotropin-elicited (sheep), 239,2:E45
  - stress effects, 241,10:R72
  - weight gain and, 243,12:R531
- appetite regulation, peptides and, 243,12:R159
- appetite suppressant activity, plasma, intestinal bypass surgery and, 243,12:R60
- arginine-free meals, ureagenesis and, 241,4:E310
- artificial sweeteners, insulin secretion and, pancreatic islet transport, 238,1:E336
- atherogenic diet
  - mechanical alternans, atherosclerotic papillary muscle, 239,8:H674
  - mechanical alternans, papillary muscle, 239,8:H674
- baroreceptor reflex, behavioral influence (baboon), 241,10:R277
- behavior
  - after intracerebral and intracerebroventricular infusions, glucose and 2-deoxy-D-glucose, 233,2:R127
  - 2-deoxy-D-glucose, 234,3:E20
  - estradiol effects, 240,3:E533
  - glucoprivic, 234,3:E617
  - lipoprotein lipase modulation, hormonal, 239,2:E162
  - sensory functions, liver, 236,5:R5
  - sucrose, jejunal, circadian rhythm 235,4:E437
  - sugar effects (monkey), 241,10:R25
  - 5-thio-D-glucose and, 238,1:E141
- blood metabolites and, postinsulin hypophagia, 243,12:R304
- body weight and, hormone effects, weanling, 240,3:E499
- body weight regulation, hypothalamic damage and, 242,11:R265
- bulk diets, antral and serum gastrin levels, 238,1:G376
- cafeteria, adipocyte hyperplasia and, 242,11:R349
- cafeteria diet, brown adipose tissue and, 241,4:E116
- caloric regulation, gastric emptying (monkey), 236,5:R254
- cephalic phase, insulin secretion, pancreatic islet transplant, 238,1:E336
- cholesterol-fed, estrogen effects, 241,4:E372
- circadian rhythm
  - postnatal development, 234,3:E500
  - synchronization (squirrel monkey), 234,3:R130
- circannual body weight rhythms, gonadal hormone effects (squirrel), 243,12:R546
- controls, ontogeny, sucklings and weanlings, 237,6:R187
- Cori cycle activity, 232,1:E136
- diet
  - acidification, distal, 243,12:F364
  - amino acid content, plasma amino acid concentration from, 243,12:R99
  - bulk, mitosis and DNA of parotid, 230:911
  - chemically defined, synthetic, antral and serum gastrin levels, 238,1:G376
  - colonic cell production, 233,2:E208
  - glycogen synthase activation and, skeletal muscle, 236,5:E660
  - high fat, growth and, 232,1:R38
  - high fat, obesity, metabolic alterations, 233,2:R162
  - lateral hypothalamic lesion and obesity, 241,10:R362, 242,5:E437
  - muscle enzymes and (bat), 242,11:R189
  - norepinephrine turnover, pancreas and liver, 236,5:E524
  - nucleic acids, 230:911
  - rachitogenic, 230:1255
  - regulation of liver and muscle transport of amino acid, 230:245
  - transport characteristics, renal collecting tubules, 233,2:F544
  - dietary carbohydrate-to-fat ratio, glucose metabolism, adipose cells, 240,3:E175
  - dietary chloride, renin release and, 241,10:F361
  - dietary components, gastrocolonic response, 238,1:G228
  - dietary composition, starvation and, 236,5:E105
  - dietary effects of L-asparagine synthetase activity, pancreatic, 236,5:E746
  - dietary inorganic phosphate adaptation, fasting effects, renal, 241,10:F509
  - thyroparathyroidectomy, kidney tubules, 241,10:F123
  - dietary intake, transport adaptation, colon, 238,1:G75
  - dietary iron effects, mitochondrial energetics, muscle, 242,5:E418
  - dietary magnesium, calcium and phosphorus homeostasis, 241,4:E35
  - dietary manipulation of age-related decline, vascular smooth muscle function, 238,7:H652
  - dietary modulation, pancreatic  $\alpha$ -cells, 242,5:G354
  - dietary obesity susceptibility, adipocyte size and number, 240,3:E47
  - dietary restriction, fetal development (pig), 234,3:E190
  - dietary restrictions, effects on myocardial enzyme activities, 231:1308
  - dietary sodium effects, prostaglandin production, kidney, 241,10:F517
  - dietary sodium hypertension, renin responsiveness and, kidney, 240,9:F501
  - diet-induced thermogenesis, ventromedial hypothalamic lesions and, 243,6:E338
  - digested food, blood flow and, jejunal, 242,5:G140
  - diurnal changes, plasma glucose and insulin response to oral glucose load, 238,1:E463
  - duodenal extracts, enzyme secretion and, pancreas, 243,6:G304
  - eating rate, monitor, 238,7:R14
  - energy balance, hypothalamic lesions and, 242,5:E273
  - enteral nutrition, fatty acid esterification, jejunal, 238,1:G414
  - experimental obesity,  $\beta$ -endorphin and, 241,10:R173
  - fasting and refeeding effects, pancreatic enzymes and secretagogue responsiveness, 242,5:G215
  - fat effects, alkaline phosphatase, intestinal, 241,4:G461
  - fatty acid-deficient diet, renal vasoconstriction and, 243,12:H61
  - fixed interval, circadian pacemaker in blindness, 236,5:R249
  - food allergy, intestines, 242,5:G1
  - food intake
    - adipocyte size and, 238,1:E318
    - $\alpha$ -aminoisobutyrate distribution and, 238,1:E358
    - central nervous system lesions, 237,6:R126
    - cholecystokinin, 230:15
    - cholecystokinin and (pig), 240,9:R310
    - control, 236,5:R142
    - control, insulin-growth hormone ratio, 238,1:E231
    - controls, suckling (pig), 232,1:E510
    - environmental temperature effects, 231:1220
    - gastric acid output, 239,2:G221
    - gastric emptying and, relations, 239,2:G1
    - gastrin regulation, 243,6:G429
    - glucose turnover (kelp bass), 232,1:R66
    - inhibition, by basal forebrain stimulation, 236,5:R117
    - insulin and glucagon release, hypothalamic influence, 233,2:E380
    - jejunoileal bypass, 237,6:R217, 239,2:G387
    - lactation and, 237,6:E98
    - obesity, 230:1474
    - obesity and (*afa* rat), 238,1:E284
    - protein degradation, growing muscle, 233,2:E119
    - pyloroplasty effects, 236,5:R61
    - regulation, ammonia via prepyriform cortex effects, 231:1263
    - regulation, ileum, 242,11:R429
    - food particle size, gastric emptying, 239,2:G133
    - foodstuff absorption, blood flow autoregulation, intestinal, 239,8:H156
    - food utilization, weight loss, 241,10:R392
    - forced, circulating ergostatic factor, 239,8:R344
    - free fatty acid oxidation, muscle (bovine), 237,6:E309
    - gastric and intestinal phase of meal, glucagon release, gastric, 238,1:G109
    - gastric meals
      - pH effects, 233,2:E537
      - vagal influence on gastrin and gastric acid response, 232,1:E542
    - gastric nutritional supplementation, nutrient uptake, umbilical, fetal (sheep), 241,4:E178
    - gastrin binding and, sex differences, 243,6:G469
    - gastrin release, meal-induced, dietary amines and, 243,6:G341
    - glucagon-induced suppression, 241,10:R330
      - after vagotomy, 234,3:E314
    - glucocorticosteroids and, circadian zeitgeber, 243,12:R373
    - glucoprivation, lateral hypothalamic lesions, 241,10:R362
    - glucose, preceding prolonged exercise, substrate utilization, 233,2:E188
    - glucoprivic, fourth ventricular alloxan injection, 243,12:R312
    - gustatory response: see Gustatory response
    - hepatic-portal nutrient infusion, 232,1:E119
    - high fat diet, adipocyte size and number, 240,3:E47
    - high-fat diet, glucose metabolism and, pancreatic acini, 243,6:G448
    - high-protein diet, pancreatic  $\alpha$ -cell modulation, 242,5:G354
    - histamine effects, postprandial intestinal hyperemia, 243,6:G248
    - hunger
      - caloric regulation in gastric emptying (monkey), 236,5:R254
      - suckling and weanlings, ontogeny, 237,6:R187
    - hyperphagia: see also Hyperphagia
      - absence of obesity development (*afa* rat), 238,1:E284
      - lactation and, 237,6:E98
      - starvation and, 236,5:E105
    - hypothalamic lesions, 230:818
    - increased, after glucose infusions, recovered lateral rats, 230:1084
    - ingestive responses, amygdaloid lesion effects, 242,11:R129

- intestinal blood flow, dietary component effects, 242,5:G27
- intestinal phase of meal, D-cell function, 237,6:E555
- intragastric hyperinsulinemia and, 240,3:E566
- ventromedial hypothalamic obesity and, 240,3:E566
- intravenous, intestinal circadian rhythms, 238,1:G203
- kilocalories, gastric emptying and, 239,2:G1
- lipoprotein lipase changes and, estradiol effects, 240,3:E533
- liquid meals
- duodenogastric reflux and, 243,6:G42
  - gastric emptying, 241,4:G403
- liquid-protein diet, copper deficiency, 240,9:H185
- low-calcium diet
- cecum, 240,3:G424
  - metabolic acidosis effects on 1,25-dihydroxyvitamin D<sub>3</sub>, 243,12:F570
  - uremia, ileum, 242,5:G128
- low-energy diet, whole-body protein turnover in obesity, 238,1:E235
- low-phosphate diet, calcium absorption and, intestinal, 241,4:G49
- low-sodium diet, vagal afferent effects, carotid sinus reflexes, 241,10:H255
- luminal nutrition, glucose absorption and, 240,3:G432
- meal effects, duodenal motility, 238,1:G280
- meal patterns, jejunoileal bypass, 237,6:R217
- meals, liver glycogen content and, 243,12:R450
- meat diet, acid-base metabolism and, renal and systemic, 239,8:F30
- meat meal, plasma motilin and duodenal motility, 238,1:G280
- mechanism, hypothalamic, 236,5:R312
- metabolism, atrial muscle, 238,1:E487
- metabolism and, ovarian hormone effects, 243,6:E407
- mixed meals
- diurnal metabolic and hormonal responses, 240,3:E54
  - pancreatectomy, insulin deprivation, 242,5:E335
- muscle structure and metabolism and, 242,11:R89
- nonliquid meals, gastric emptying, glucose vs. fat, 234,3:E660
- norepinephrine release, hypothalamus, 242,11:R596
- normal diet, intestinal enzyme adaptations, 239,2:G445
- nutrients
- glucose uptake, in vitro, 238,1:G219
  - intravenous infusions, sleep and, 238,1:E307
- nutrition: *see also* Nutrient
- brown adipose tissue hyperplasia and, 242,5:E353
  - cellular response, cardiac, neonatal, 233,2:H356
  - freshwater prawn, 239,8:C11
  - growth hormone and, 234,3:E611
  - importance after trauma-induced protein synthesis, 233,2:E348
  - intrauterine, 230:357
  - intravenous versus oral, energy balance and, 231:661
  - lipoprotein lipase distribution, adipose tissue, 232,1:E316
  - mammary gland function and development, 238,1:E26
  - plasma somatostatin and (monkey), 243,12:R289
  - spaceflight, 233,2:R208
- nutritional and nonnutritional circuits, neural control, hindpaw, 234,3:H384
- nutritional recovery, protein breakdown and, kidney, 243,6:E360
- nutritional regulation, pyruvate metabolism, liver mitochondria, 236,5:E501
- nutritional state
- lipoprotein lipase activity and, fat cells, 243,6:E175
  - plasma insulin levels and (monkey), 242,11:R255
- oral, intestinal circadian rhythm, 238,1:G203
- oral stimulation, insulin secretion, pancreatic islet transplant, 238,1:E336
- oscillatory changes, muscle lipoprotein lipase activity, 233,2:E316
- overeating, paradoxical, insulin dependence, 236,5:E205
- pair, hypothalamic ventromedial obesity and, 240,3:E573
- pair-feeding, experimental obesity, 233,2:R162
- parenteral
- gastric secretion, 232,1:E39
  - long-term, pancreatic secretory response, 233,2:E524
- parenteral nutrition
- fat metabolism and protein synthesis, liver, 239,2:G280
  - fatty acid esterification, jejunal, 238,1:G414
  - glucose absorption, 240,3:G432
  - total, glucose uptake, in vitro, 238,1:G219
- pattern
- liver denervation, 239,8:R66
  - transplanted  $\beta$ -cells, 235,4:E119
- periodic phenomena, growth hormone, 239,2:E1
- peripheral modulation, 239,2:E162
- pH variations, pancreatic bicarbonate, serum gastrin and secretin responses, 233,2:E41
- postnatal development and, 241,4:G199
- postprandial blood flow, regional, 238,7:H220
- postprandial intestinal hyperemia, 238,1:G284
- postprandial mesenteric and renal responses, exercise and excitement (baboon), 234,3:H210
- postprandial secretion
- biphasic, pancreas, 238,1:G332
  - concentration, plasma, 236,5:E539
- postprandial states, plasma motilin, 238,1:G280
- progesterins and antiestrogens, adiposity and, female, 240,3:E474
- protein degradation, growing muscle, 233,2:E119
- protein effects, leucine and lysine metabolism, 240,3:E712
- protein meal, duodenogastric reflux and, 242,5:G603
- push-pull perfusion, hypothalamic norepinephrine, 236,5:R312
- radioactive test meal, gastric emptying pattern, 242,5:G333
- refeeding, metabolic rate and, 243,12:R339
- regulation of intake, clearances, 240,9:R356
- regulation (Zucker fatty rat), 239,2:E379
- response, large colon (equine), 237,6:E457
- response to deficits, clearances, 240,9:R356
- restricted, oxygen consumption and activity, 241,10:R392
- rhythms, renal electrolytes and (squirrel monkey), 232,1:F128
- salt hunger, sodium concentration in cerebrospinal fluid and (sheep), 242,11:R51
- salt preference, zinc nutrition and, 241,10:R233
- satiety
- carbohydrate-induced adaptation, 237,6:R139
  - cholecystokinin and (pig), 240,9:R310
  - gastric emptying and, sugar effects (monkey), 241,10:R25
  - ileal transposition, 242,11:R429
  - intestinal, with and without upper intestinal factors, 236,5:R142
  - intestinal bypass surgery and, 243,12:R60
  - liver glycogen content and, 243,12:R450
  - postpyloric regulation (monkey), 243,12:R408
  - preabsorptive, caloric regulation in gastric emptying (monkey), 236,5:R254
  - satiety controls, intestinal, preabsorptive (pig), 236,5:R328
  - self-selection, protein intake, diabetes and tryptophan effects, weanling, 236,5:R307
  - semipurified diet, spontaneous obesity, maturation (squirrel monkey), 241,10:R316
  - severe obesity, dietary-induced, 242,11:R212
  - sodium excretion, 238,7:F112
  - solid foods, gastric emptying, 239,2:G133
  - solids and liquids, gastric emptying, 233,2:E335
  - specific hunger, adrenocorticotropin-elicited, 239,2:E45
  - specific kinetics, weight gain and, 243,12:R531
  - starvation, 236,5:E105
  - islet cell function and, perfused organ system, 241,4:E215
  - maternal, fuel metabolism, fetal brain, 241,4:E200
  - stress-induced eating, 241,10:R72
  - peptidergic regulation of, 243,12:R159
  - substance P effects, gastric and pancreatic secretion, 241,4:G74
  - suckling: *see* Suckling
  - sulfuric acid, kidney response to, 243,12:F494
  - superior mesenteric flow, autoregulation, 237,6:H174
  - supermarket diet, brown adipose tissue and, 241,4:E116
  - suppression, glucose-induced, peripheral mechanisms of, 231:1655
  - suppression of food intake, cholecystokinin effects (monkey), 242,11:R491
  - taste: *see also* Gustatory response
  - abnormalities in hypothyroidism, 232,1:E80
  - aversion, cholecystokinin and caerulein effects, 235,4:R23
  - aversion, satiety controls, intestinal (pig), 236,5:R328
  - titrium incorporation, titrated water into pulmonary lipids, 239,2:E407
  - universal eating monitor, continuous recording of solid or liquid consumption, 238,7:R14
  - vagotomy, ventromedial hypothalamic obesity, 240,3:E573
  - weanling: *see* Weanling
  - zinc diet, metallothionein induction, hepatic, 240,3:E414
- Feeding, sham**
- adipocyte increase, diet-induced, 235,4:E279
  - bicarbonate incorporation, blood glucose, insulin effects, 235,4:E22
  - biliary secretion, 234,3:E417
  - blood glucose level, prandial, 235,4:E103
  - caloric ingestion, regulation (rhesus monkey), 235,4:R29
  - conflicting circadian synthesizers (monkey), 235,4:R175
  - deoxyribonucleic synthesis and, fundic mucosa, 235,4:E32
  - dorsomedial hypothalamic lesions and, 235,4:R168

**Feeding sham (continued)**

- food intake, appetite and, newborn, 235,4:R141
- gastric acid output, 239,2:G221
- insulin release
  - cephalic phase, 242,5:E280
  - prandial, two stages, 235,4:E103
- metabolic correlates, 235,4:E119
- migrating complex, postprandial disruption, 235,4:E666
- pancreatic polypeptide response to meal, 235,4:E443
- pyruvate incorporation into blood glucose, insulin effects, 235,4:E22
- satiety, cholecystokinin and caerulein effects, 235,4:R23
- test meals, disruption of interdigestive motor complex, 235,4:E661

**Feeding tube**

- appetite, vagotomy and pyloroplasty, 236,5:R61
- velocity and hematocrit distribution, capillaries, 235,4:H251

**Female reproductive system: see Reproductive system****Femoral artery**

- contraction, oxygen and, 238,7:H716
- norepinephrine release, potassium-free solution, 232,1:H140
- oxygen consumption rate, 243,12:H948
- smooth muscle contraction, magnesium ion induced, 242,11:C25
- viscoelastic properties, low-frequency, 236,5:H720

**Femoral circulation: see Circulation****Femoral-to-femoral fistula: see Fistula****Femoral vein**

- $\alpha$ -adrenoceptor affinity, cooling and, 234,3:H330
- biaxial deformation, compliance and elasticity, 233,2:H15
- circular and longitudinal muscle responses, 232,1:H131

**Femur**

- bone red cell space, hypocalcemia, 233,2:E6
- chondroosseous circulation, regional, 242,11:H365

**Fenn effect, muscle energetics and, 242,11:H1****Ferrocyanide-sucrose, biliary clearance rates, 235,4:E570****Ferrocyanide technique, filtration rate, nephron, after anesthesia, 232,1:F329****Ferrokinetics, transferrin saturation, 235,4:R18****Fertility, optoelectronic transducer, oviductal, 239,8:R326****Fertilization, acrosin, spermatozoal, 237,6:E40****Fetal-placental interaction: see Placenta** **$\alpha$ -Fetoprotein**

- fetal-maternal distribution (ovine), 235,4:E27
- ovine <sup>125</sup>I-labeled, transfer and catabolism, fetal and maternal (sheep), 240,3:E191

**Fetus: see also Placenta; Pregnancy**

- acetate as metabolic substrate, 230:357
- acid secretion, gastric, 240,3:G206
- adenine nucleotide metabolism, heart, 233,2:H282
- adrenocortical function, diabetes, 240,3:E217
- amino acid uptake, placenta, 241,10:C106
- angiotensin-converting enzyme, lung, 236,5:R57
- anoxia, brain metabolism and, 230:1269
- arginine vasopressin after hemorrhage (lamb), 238,1:E214
- renal response (ewe), 238,7:F407
- atrophy, cardiac, leupeptin effects, 237,6:E35

- bile acids, sulfation, development, liver, 238,1:G429
- bile salt metabolism, placental transfer (sheep), 243,6:G172
- bile salt metabolism (sheep), 239,2:G354
- blood flow
  - cerebral, regulation (ovine), 235,4:H162
  - organs (lamb), 237,6:H724
  - oxygen delivery and, myocardial (sheep), 243,12:H729
- blood flow distribution, placenta (sheep), 241,10:H486
- calcium homeostasis, 240,3:E367
- carbohydrate consumption, myocardial (sheep), 238,7:H399
- carbon dioxide tension, cerebral blood flow and (sheep), 242,11:H862
- carbon fuels, contributions to oxidative metabolism, 233,2:E457
- cardiac output
  - atrial pacing and, 231:204
  - blood volume changes (sheep), 238,7:H80
- Frank-Starling relations and, 231:495
- thermodilution measurement (lamb), 239,8:H125
- cardiovascular system, mathematical model, 239,8:R317
- central shunt (lamb), 241,10:H60
- chemical sympathectomy, circulatory effects of (sheep), 243,12:H113
- chronic preparation, 233,2:C111
- copper metabolism, 232,1:E172
- development
  - dietary restriction and ovarian steroid effects (pig), 234,3:E190
  - maternal fasting (pig), 236,5:E335
- ductus venosus
  - blood, streaming to brain and heart (lamb), 237,6:H724
  - blood flow, hypoxemia and umbilical flow effects (lamb), 238,7:H656
- enzymatic conjugation, development, liver, 238,1:G429
- $\alpha$ -fetoprotein, fetal-maternal distribution (ovine), 235,4:E27
- flow rates, 232,1:H666
- free amino acids, blood (seal), 242,11:R85
- fuels
  - brain, 243,6:E234
  - ketone utilization, hepatocytes, 235,4:E330
  - metabolism, brain, 241,4:E200
- galactosyltransferase, colonic, 235,4:E213
- gastrin concentration, tissue and serum (sheep), 241,4:G235
- gluconeogenesis from alanine (ovine), 233,2:E462, 235,4:E448
- glucose absorption, ileum, 242,5:G642
- glucose metabolism (sheep), 239,2:E208
- glucose production, hepatic, midterm, 234,3:E560
- glucose turnover, maternal hypoglycemia (sheep), 238,1:E524
- glucose utilization, turnover rates and (sheep), 240,3:E662
- glycoprotein synthesis, colon, 235,4:E207
- growth, nitrogen retention, maternal, 239,2:E113
- heart function, mechanical and glycolytic, in hypoxia, 237,6:H411
- heart rate, hemorrhage stress, 239,8:H789
- hemorrhage
  - cardiovascular effects (lamb), 240,9:H45
  - surgical stress (lamb), 238,1:E214
- hepatic organ cultures, bile acid conjugation, 231:1124
- hyperthyroidism, cardiac output, 239,8:H302
- hypotension, endocrine responses and (lamb), 240,3:E656

- hypoxemia, plasma catecholamines during (lamb), 243,12:R520
- indomethacin effects, pulmonary vascular response to ventilation (goat), 234,3:H346
- insulin development, pancreatic and plasma, 242,5:E220
- insulin receptor
  - development, lung, 242,5:E384
  - membrane lipids and, 243,6:E246
- insulin secretion
  - pancreas, 239,2:E57
  - sheep, 235,4:E467
- intestinal myoelectric activity, development (dog, sheep), 237,6:E61
- ketone utilization, hepatocytes, 235,4:E330
- lactate metabolism (sheep), 239,2:E208
- liver metabolism
  - maternal starvation effects, 240,3:E88
  - vitamin A and retinol-binding protein, 233,2:E263
- maternal starvation effects (pig), 237,6:E273
- maturation patterns, developing kidney (guinea pig), 241,10:F618
- membrane
  - decidual prolactin transport, 243,12:R552
  - osmoregulation and permeability, prolactin effects, 232,1:R124
- metabolic response to maternal fasting, 232,1:E456
- metabolism, maternal hypoglycemia (sheep), 238,1:E524
- minerals, placenta and intestine, 242,5:E47
- monitoring, R-R interval, high-resolution determination, 236,5:H894
- myocardial enzyme activities, 233,2:H707
- near-term, circulatory response to prostaglandin E<sub>2</sub>, 231:760
- norepinephrine elevation (lamb), 239,8:R115
- nutrient uptake, umbilical, nutritional supplementation effects (sheep), 241,4:E178
- ovine <sup>125</sup>I-labeled  $\alpha$ -fetoprotein, transfer and catabolism, maternal (sheep), 240,3:E191
- oxygen and carbohydrate metabolism, myocardial, hypoxemia in utero, 243,12:H959
- oxygen consumption
  - intestinal (lamb), 242,11:H50
  - myocardial (sheep), 238,7:H399
- oxygen delivery and venous return, hemorrhage effects, umbilical (lamb), 242,11:H543
- perfusion, retrograde, 232,1:H666
- phosphorylase regulation, hepatic, 232,1:E370
- placental compliance, 234,3:H289
- placental transfer, uterine blood flow and (ewe), 242,11:H429
- placental vasculature, fatty acid metabolism in, 240,3:E65
- placental waterfall, 230:886
- progesterone secretion, maternal fasting, 236,5:E335
- prostaglandin D<sub>2</sub> effects, circulation (goat, lamb), 240,9:H755
- prostaglandin-like material, ventilation-induced release from lung (goat, sheep), 238,7:H275
- prostaglandin production, pulmonary (lamb), 241,10:H756
- protein balance, heart, regulation, 234,3:E306
- protein degradation, leupeptin effects, heart, 237,6:E35
- proteins, serum (ovine), 235,4:E27
- protein synthesis and turnover (ewe), 240,3:E320
- pulmonary vascular resistance, intra-



- cranial pressure effects (goat), 232,1:H671
- renal clearance, effect of salt loading, 232,1:F178
- renin-angiotensin system role, hemorrhage response (sheep), 240,9:H848
- response to glucagon, 230:1590
- retinoic acid, 233,2:E263
- retinol-binding protein metabolism, 233,2:E263
- secretory mechanisms, development, pancreas, 236,5:E446
- sinoaortic denervation, in utero (lamb), 242,11:H916
- size, placental blood flow effects (guinea pig), 243,12:H404
- sodium and water metabolism, 234,3:F59
- sodium deprivation, subsequent adult thirst and salt preference, 234,3:F59
- sodium fluxes, bidirectional (sheep), 235,4:E536
- stress**
- cardiovascular, mathematical model, 239,8:R317
- cardiovascular effects (lamb), 240,9:H45
- taurocholate, placental transfer (sheep), 239,2:G354
- taurocholate synthesis, hepatic, effects of cortisol in vitro, 237,6:E177
- transcapillary pressure (Starling), 240,9:H843
- ultrastructural and enzymatic development, heart, 243,12:H87
- umbilical compliance (sheep), 233,2:H660
- vascular responses, pulmonary and systemic, to prostaglandin E<sub>1</sub> and E<sub>2</sub> (goat), 236,5:H828
- venal caval obstruction, hormonal responses to (sheep), 243,6:E278
- ventricular output, combined distribution (lamb), 237,6:H724
- vitamin A, deficiency and metabolism, 233,2:E263
- water exchange, mathematical model, 235,4:R181
- Fever**
- afebrile response, newborn (lamb), 236,5:R184
- endogenous cryogen and, urine, 243,12:R241
- endogenous cryogen excretion, kidney, 241,10:R271
- growth hormone and thyrotropin, endotoxin effects, 243,6:E332
- mechanism, endotoxin and prostaglandin E<sub>2</sub>, 242,11:R116
- monamine depletion, brain, 238,7:R364
- propionolol, 230:1284
- prostaglandins and pyrogens, 230:1284
- pyrogen and, neonatal, 241,10:R167
- trace metals, bacteria injection effects (lizard), 240,9:R272
- F<sub>0</sub>-F<sub>1</sub> proton-translocating ATPase:** see Adenosine triphosphatase
- Fiber-optic photometric probe,** myocardial pH measurement, regional ischemia, 243,12:H1027
- Fibers:** see also Cardiac fibers; Muscle fiber; Neural fibers; Purkinje fibers; Vagal fibers
- A $\delta$ , depressor responses to stimulation (monkey, dog), 240,9:R23
- light-conducting, photoreception, encephalic (quail), 240,9:R220
- Purkinje: see Purkinje fibers
- vagal afferent, antidiuretic hormone, baroreflex control, 241,10:H431
- vagal C, depressor responses to stimulation (monkey, dog), 240,9:R23
- Fibrillation**
- atrial
- atrioventricular nodal conduction during, 243,12:H754
- ear-pulse derivative, 238,7:H355
- parasympathetic influence (puppy), 235,4:H683
- reentrant excitation, 235,4:H1
- cardiac**
- cardiopulmonary resuscitation, 241,10:H442
- intramyocardial compression, quantitative study, 237,6:H191
- thresholds**
- norepinephrine release, 238,7:H406
- ventricular, time dependency determination, 239,8:H457
- ventricular**
- body hypothermia, 238,7:H675
- dimensions, left and right, 235,4:H231
- during myocardial ischemia, 233,2:H329
- electrical stability, 234,3:H503
- frontocortical-brain stem blockade, ischemic heart, 240,9:H156
- intracellular recording, 240,9:H465
- myocardium at risk and, 243,12:H340
- pentobarbital effects, 239,8:H422
- repetitive extrasystole, 230:1461
- vulnerability, protective zone, 234,3:H592
- Fibrin**
- and actin, cross-linking by fibrin-stabilizing factor, 233,2:H346
- elasticity, 232,1:H629
- formation, exercise-induced coagulation, 236,5:H577
- Fibrinogen**
- catabolism, 233,2:H562
- concentration, blood rheology, 236,5:H477
- conversion, Ancrod and, 232,1:H629
- degradation D, inhibition of fibrin-platelet interaction, 233,2:H305
- exercise, 236,5:H577
- <sup>131</sup>I-labeled, hemorrhage and, 237,6:H504
- <sup>131</sup>I-labeled, metabolism, 233,2:H1, 235,4:H223
- interstitial, hind paw, 239,8:H532
- levels, fatty acid effects, 235,4:H223
- plasma, half-life, measurement, 234,3:E504
- plasma-lymph transport, 239,8:H525
- prostaglandin E<sub>1</sub>, 233,2:H1
- protein synthesis, gastrointestinal, 234,3:E648
- synthesis**
- ancrod-induced afibrinogenemia, 233,2:H562
- circulating fibrinogen levels and, 232,1:H478
- thrombin-stimulated synthesis, 230:996
- Fibrinogen-fibrin, degradation products,** 232,1:H478, 233,2:H562
- Fibrinopeptide, release, Ancrod and,** 232,1:H629
- Fibrinopeptide A, exercise, 236,5:H577**
- Fibrin-platelet interaction, inhibition,** fibrinogen degradation fragment D, 233,2:H305
- Fibrin-stabilizing factor, cross-linking** of actin and fibrin, 233,2:H346
- Fibroblastic cells, suspension cultures,** growth regulation, 234,3:C131
- Fibroblasts**
- cultured
- diploid, glucose utilization, alloxan action and, 240,3:E640, E645
- human, insulin receptors in, 241,4:E251
- insulin-like peptide effects, 239,2:E125
- polyamine content regulation, 243,12:C262
- Fibronectin, deficiency, fluid balance** and, intestinal, sepsis, 242,11:H557
- Fibrosarcoma, folate kinetics and,** 241,4:G516
- Fibular nerve, deep and superficial, nutritional and nonnutritional circuits,** 234,3:H384
- Fick equation, oxygen uptake, myocardial reactive hyperemia, 235,4:H87**
- Fick method**
- and microsphere methods, combined, for regional blood flow measurement, 235,4:H357
- direct, hemodynamic responses to acute hypoxemia in hypertension, 234,3:H275
- Fick's law, hydrogen ion diffusion, mucus glycoprotein, gastrointestinal, 240,3:G176**
- Fiction, getting the homonucleus out of the head, 239,8:R365**
- Field stimulation**
- oviduct, 238,1:E157
- ventricular, autonomic neuromediators, release, 238,7:H794
- Field technique**
- doubly labeled water errors, 238,7:R466
- isotopic water errors, 238,7:R454
- Filaments**
- gill: see Gill filaments
- intermediate, Purkinje fibers, heart, 241,10:H291
- muscle: see Myofilaments
- thin, actin complex, cardiac (bovine), 236,5:C41
- Filament systems, Purkinje fibers, heart, 241,10:H291**
- Filling pressure: see Pressure**
- Filter**
- arterial pressure, open-loop gain estimation, 240,9:H832
- digital, ventricular activation, detection of delay, 241,10:H363
- Filtrate, glomerular, transtubular leakage, renal failure, 237,6:F319**
- Filtration: see also Ultrafiltration**
- autoregulation, 237,6:F479
- capillary
- autoregulation of, intestinal, 243,6:G475
- intestinal, 238,7:H457, 242,5:G570
- strain gauge measurement, 232,1:H354, H361
- control, renin-angiotensin system, 233,2:F366
- dibutyl adenosine monophosphate, cyclic, actions, 233,2:F102
- distal tubular delivery and reabsorptive rate, relations, 233,2:F315
- feedback regulation, 233,2:F1, F217
- flow-dependent transport processes, renal, 243,12:F1
- glomerular
- albumin effects, perfused kidney, 240,9:F569
- aldosterone effects, pregnancy, 240,9:R175
- allantoin and, 233,2:F373
- amino acid effects, 243,12:F284
- angiotensin, 239,8:F271
- angiotensin effects, Goldblatt hypertension, 243,12:F553
- angiotensin II, 232,1:F538
- angiotensin II, exogenous and endogenous, 235,4:F605
- angiotensin II blockade, 233,2:F366
- angiotensin II effects, 233,2:F388, 241,10:R190, 242,11:F149, 243,12:F260
- angiotensin II formation, chronic blockade, 237,6:F424
- angiotensin II hypertension, 235,4:F174
- angiotensins II and III, 236,5:F252
- antidiuretic hormone actions, 233,2:F102
- autoregulation, 233,2:F1, F61, F366, 234,3:F357
- autoregulation, after renin depletion, 232,1:F215
- autoregulation, renin and, 236,5:F559
- blood flow, renal, transient response to arterial pressure changes, 233,2:F396

**Filtration (continued)**

comparison (reptiles, birds, mammals), 239,8:R197  
 effector mechanism, 243,12:F447  
 euvolesmia and plasma volume expansion, 239,8:F171  
 exercise effects, 242,11:R482  
 feedback control, site of effector mechanism, 236,5:F40  
 feedback regulation, tubular fluid osmolality and, 239,8:F427  
 feedback responses to nephron perfusion, 234,3:F154  
 flow-dependent transport processes, 243,12:F1  
 glucocorticoid-induced increase, 234,3:F166  
 hemorrhage, 235,4:F46  
 hypercalcemia, 232,1:F490  
 imidazole effects, ureteral obstruction, kidney, 240,9:F508  
 kidney rate and, 242,11:R303  
 magnesium, 239,8:F393  
 maintained volume load, 235,4:H670  
 maturational development, 236,5:F465  
 mesotocin effects (bullfrog), 235,4:F151  
 methodologic considerations, 242,11:F1  
 nephron obstruction, 242,11:F580  
 parathyroid hormone effects, 234,3:F393  
 perfusate osmolality, 235,4:F352  
 permeability coefficient, kidney, 240,9:F245  
 plasma carbon dioxide tension, 236,5:F232  
 plasma potassium concentration and, renal, 242,11:F599  
 plasma protein concentration, 232,1:F58  
 plasma volume expansion, 235,4:F156  
 potassium, nephron segments, 235,4:F515  
 potassium excretion (sheep), 234,3:F371  
 potassium ion loss, renal tissue, 235,4:F228  
 prostaglandin  $E_2$  hypertension, 237,6:H449  
 proteins, 241,10:F162  
 proximal intratubular pressure effects, 241,10:F238  
 pseudopregnancy, 243,12:F300  
 rate, 230:1126  
 rate, adenosine role in, 242,11:F423  
 rate, angiotensin II, 230:1187  
 rate, determinants, 231:235  
 reduced renal mass effects, 242,11:F190  
 renal ablation and, 241,10:F85  
 renal perfusion pressure (sheep), 236,5:F546  
 renin release and, 242,11:R552  
 saline loading, developing kidney, 235,4:F417  
 sodium balance, 239,8:F271  
 sodium bicarbonate and sodium chloride reabsorption coupling, renal, 236,5:F232  
 sodium reabsorption, 232,1:F152  
 spontaneous hypertension, 236,5:F246, 237,6:F38  
 stop-flow pressure feedback, 235,4:F352  
 sympathetic nerve activity, 235,4:F557  
 urinary concentrating ability, 237,6:F100  
 urine concentration and, 239,8:F84  
 vasopressin effects, acute and chronic, 237,6:F232  
 glomerular rate  
 autoregulation, kidney tubules, 240,9:F446  
 catecholamine infusion (swine), 240,9:F276

glucagon effects, 233,2:F61  
 growth hormone, 233,2:F185  
 hepatic, active capacitance and, 242,11:H1000  
 lead, 233,2:F532  
 macromolecular, prostaglandin effects, 232,1:H690  
 Millipore, sarcolemmal membranes, 238,7:H373  
 nephron  
 autoregulation, 233,2:F282  
 determinants, 232,1:F477  
 juxtamedullary, after anesthesia, 232,1:F329  
 pressure equilibrium, reduced renal artery pressure, 236,5:F25  
 pressure: see Pressure  
 protein, angiotensin II effects, 233,2:F13  
 secretory, luminal hydrostatic pressure and, 233,2:E416  
 single-nephron  
 after anesthesia, 232,1:F329  
 autoregulation, 233,2:F282  
 autoregulation, feedback mediation, 237,6:F63  
 autoregulation and, 232,1:F325  
 feedback control, 233,2:F217  
 feedback responses to perfusion, 234,3:F154  
 glucocorticoid-induced increase, 234,3:F166  
 micropuncture (avian), 243,12:F561  
 salt load, intravenous (starling), 234,3:F270  
 secretin effects, 232,1:F147  
 single nephron rate, ADH-dependent, 240,9:F372  
 superficial nephron  
 anesthesia effects, 232,1:F329  
 factors determining, mature growth, 232,1:F97  
 temperature-dependent potentials, proximal tubules, 236,5:F302  
 transcapillary, capacitance response, hepatic, 240,9:H18  
 triiodothyronine, time course, 236,5:F9  
 uninephrectomy, 233,2:F428  
 water, gastric mucosa (frog), 235,4:E361  
**Filtration coefficient**  
 capillary  
 colloid osmotic pressure, hindlimb, 242,11:H512  
 colon, 238,7:G478  
 exercise, spontaneous hypertension, 234,3:H439  
 hindlimb, deoxycorticosterone acetate-sodium chloride hypertension, 236,5:H586  
 intestinal, delayed vascular compliance, 234,3:H660  
 intraluminal pressure effects, 242,5:G65  
 maturational development, 236,5:F465  
 nutritional and nonnutritional circuits, hindpaw, 234,3:H384  
 pancreas, 242,5:G596  
 pulmonary exchange vessels, 234,3:H266  
 saline effects, intravascular, 240,9:R282  
 fluid exchange, intestinal muscle, 242,11:H268  
 glomerular  
 charged solutes, theoretical model, 238,7:F126  
 cirrhosis and, 238,7:F353  
 comparative studies, significance, 238,7:F437  
 dietary salt restriction of excess, 238,7:F428  
 fluid secretion (teleost), 238,7:F92  
 renal vein constriction, 238,7:F279  
 sodium reabsorption, bicarbonate-dependent, oxygen requirement, 238,7:F175

intestinal, luminal pressure and, 233,2:E416  
 lung, intact, estimation, 238,7:H430  
 network thermodynamic model, proximal tubule, 235,4:F638  
 osmotic gradients and, duodenum and ileum, 237,6:E389  
 placenta (sheep), 233,2:H466, H475  
 pulmonary interstitial compliance, 239,8:H189  
**Filtration equilibrium**, glomerular, methodologic considerations, 242,11:F1  
**Filtration fraction**, 230:1148  
 acid clearance, renal (chicken), 240,9:F46  
 colloid osmotic pressure and, 233,2:H295  
 continuously recorded, saline effects, kidney, 243,12:F96  
 feedback control, 236,5:F40  
 proteinuria, angiotensin II-induced, 233,2:F13  
**Fingers**: see Digits  
**Firing frequency**, repetitive, mechanism for minimizing temperature effects (mollusc), 234,3:C155  
**Fistula**  
 aortocaval, 230:537  
 converting enzyme inhibitor SQ14225, 236,5:F541  
 heart failure, arteriovenous shunt model, 236,5:H698  
 high output failure, 236,5:F541  
 volume-overload hypertrophy and, cardiac function, 241,10:H564  
 arterial-venous, femoral to femoral, in endotoxin-induced myocardial failure, 235,4:H150  
 arteriovenous  
 arterial baroreflex control, heart rate, heart failure, 241,10:H778  
 atrial distension, renal effects, 236,5:H554  
 hemorrhage, heart rate with volume overload, 235,4:H422  
 atrioventricular, receptor sensitivity after heart failure reversal, 237,6:H555  
 gastric  
 cephalic phase insulin release, 242,5:E280  
 cholinergic receptors after vagotomy, 230:105  
 gastrin release, cholinergic stimulation and suppression, 235,4:E720  
 infused gastrin, gastric response, 242,5:G660  
 pepsin secretion, histamine  $H_2$  receptor, 233,2:H225  
 pancreatic, secretin concentration, fasting and postprandial, 236,5:E539  
**Flavin**, covalently bound, newborn, 233,2:E397  
**Flavin adenine dinucleotide**, riboflavin incorporation, newborn, 233,2:E397  
**Flavin mononucleotide**, riboflavin incorporation, newborn, 233,2:E397  
**Flavones**, sugar transport, intestinal, 233,2:E357  
**Flavonones**, sugar transport, intestinal, 233,2:E357  
**Flavoprotein**, oxidized, normoxic and hypoxic states, 235,4:H809  
**Flight**, brain and body temperature, independence (flying kestrel), 237,6:R58  
**Flow**: see also Blood flow  
 ammonia, myocardial, 242,11:H536  
 aortic  
 ascending, atrioventricular block and, awake state, 242,11:H1118  
 maximal negative dP/dt, end of systole, 240,9:H676  
 retrograde, hibernation and (hamster), 241,10:R50  
 arteriolar, gracilis muscle, 242,11:H713  
 bile: see Bile

- capacitance response to, hepatic, 242,11:H1000
- coronary  
 adrenergic stimulation effects, 243,12:H13  
 perfusion territory relations, 243,12:H738
- ductular, bile (baboon), 242,5:G475
- isometric, proximal tubule, network thermodynamic model, 235,4:F638
- lacrimal, electrolyte solutions and, 235,4:C8
- mesenteric  
 hemorrhagic shock, 241,10:H883  
 wall tension and, arterioles, autoregulation, 241,10:H829
- microvascular velocities, ink perfusion, 241,10:H174
- mitral, diastole, 241,10:H389
- myocardial, cardiac function and, collateral development, 240,9:H811
- osmotic  
 ileum (scorpion), 233,2:R198  
 water, isolated gastric mucosa (frog), 236,5:E63  
 water, vasopressin action (toad), 243,12:C52
- osmotic transcapillary  
 heart, 240,9:H448  
 secondary driving forces, heart, 240,9:H457
- osmotic volume, cortical collecting tubules, 238,7:F470
- peristaltic, urine, thermistor monitoring, 234,3:F452
- plasma  
 effective renal, vasopressin effects, 237,6:F232  
 glomerular, protein concentration and, 232,1:F58  
 hepatic artery, insulin and glucagon extraction, 235,4:E88  
 inner medullary, kidney with ureteral obstruction, 231:1315  
 nephron, determinants, 232,1:F477  
 papillary, chronic caval, 242,11:F370  
 papillary, potassium deficiency effects, 237,6:F226  
 papillary, spontaneous hypertension, 236,5:F36  
 pseudopregnancy, 243,12:F300  
 renal, 243,12:F1  
 renal, angiotensin II effects, 233,2:F388  
 renal, autoregulation, renin and, 236,5:F559  
 renal, cirrhosis and, 238,7:F353  
 renal, glomerular ultrafiltration, 239,8:F171  
 renal, glucocorticoid-induced glomerular filtration, 234,3:F166  
 renal, maturational development, 236,5:F465  
 renal, uninephrectomy, 233,2:F428  
 renal cortex, peritubular heterogeneity, 233,2:F333
- Poiseuille, osmosis, 235,4:R3
- red cells, hematocrit and, striated muscle, 237,6:H481
- resistance: see Resistance
- techniques, electromagnetic, blood flow and filtration rate autoregulation, 237,6:F479
- urine  
 atrial stretch effects, 242,11:H1056  
 atrial vs. pulmonary stretch, 242,11:H1065  
 renal sympathetic nerve activity, 235,4:F557  
 venous, gracilis muscle, 242,11:H713  
 visualization, branched elastic transparent vessels, model, 242,11:H122
- Flow dependence**  
 glomerular filtration rate, 242,11:F1  
 glucose, proximal nephron, 241,10:F322  
 nonelectrolyte absorption, nephron, 236,5:F163
- norepinephrine extraction, lung, 242,11:H844
- protein secretion, exocrine pancreas, 242,5:G32
- sodium chloride cotransport, kidney, 241,10:F432
- transport processes, renal, 243,12:F1
- Flow distribution**, titrated water, gills (trout), 240,9:R235
- Flow fields**, osmosis, 235,4:R3
- Flow load**, wall shear stress, carotid artery, 239,8:H14
- Flowmeter**  
 coronary, extracorporeal, 233,2:H155  
 Doppler, regional blood flow measurement, awake state, 241,10:H273  
 Doppler ultrasonic, implantable pulsed, direct calibration, 232,1:H534
- electromagnetic  
 automatic zeroing circuit for aortic flow signals, 232,1:H542  
 coronary flow and transmural myocardial perfusion, 232,1:H645  
 kidney perfusion, 242,11:F86  
 zero offset, 233,2:H157
- thermistor, urine, 234,3:F452
- ultrasonic, sources of error, 232,1:H534
- Flowmetry**  
 noninvasive, admittance plethysmography, limb (human), 235,4:H821
- ultrasonic  
 plethysmography and, comparison, 236,5:H899  
 venous congestion, local, hand, 240,9:H980
- Flow probes**, miniature, regional blood flow measurement, awake state, 241,10:H273
- Flow-pulse response**, ventricular mechanics, 237,6:H282
- Flow rate**  
 cortical collecting tubules, 242,11:F379  
 perfusate,  $\beta$ -carotene intestinal absorption, 235,4:E686  
 potassium secretion and, distal tubule, 236,5:F192  
 tubular, reabsorption and, 236,5:F488
- Flow response**, passive, hyperemia, myocardial, 240,9:H709
- Flow-through chambers**, calcium-45 desaturation, kidney slices, 234,3:R34
- Flow transducers**: see Transducers
- Fluctuations**, physical causality, brain theories and, 238,7:R277
- Fluid**  
 absorption  
 across membranes, 235,4:F626  
 deoxycorticosterone acetate administration, proximal tubules, 241,10:F502  
 heterogeneity, renal, 237,6:F312  
 isotonic, luminal hypotonicity, pars recta, 234,3:F349  
 lymph capillary pressure of intestinal villi, 237,6:E301  
 lymph flow during, jejunum, 240,3:G312  
 lysine effects, proximal tubules, 242,11:F604  
 metabolic inhibitor effects, proximal tubule (rabbit), 243,12:F133  
 nephron, parathyroid hormone effects, 233,2:F29  
 potential difference, tubular, 234,3:F381  
 proximal convoluted kidney tubules, 240,9:F558  
 proximal tubule, 234,3:F279, 238,7:F256  
 renal proximal convoluted tubules, organic solutes and, 231:627  
 small intestine, 232,1:E408  
 sodium effects, proximal tubules (snake), 234,3:F68  
 superficial pars recta, 233,2:F154  
 administration, hyperdynamic severe in-
- travascular sepsis and (monkey), 243,12:R131
- allantoic, potentials (sheep), 236,5:C58
- amniotic: see Amniotic fluid
- balance  
 collecting tubule, 237,6:F247  
 epithelial, measurement, 239,8:F466  
 malignant hypertension, 236,5:H665  
 transvascular, sepsis, 242,11:H557
- body  
 angiotensin II hypertension, 235,4:F174  
 balance, sensory functions of liver, 236,5:R5  
 baroreceptor deafferentation, aortic, 240,9:H685  
 central regulation, 236,5:R75  
 control, blood volume expansion, 234,3:H21  
 control during maintained volume load, 235,4:H670  
 distribution after acclimation to water restriction, 235,4:R237  
 homeostasis, neural substrates, 234,3:R122  
 homeostasis, preoptic-hypothalamic periventricular lesions, 233,2:R44  
 properties, salt gland secretion (duck), 239,8:R489  
 spontaneous hypertension, 234,3:F29  
 volume, long-term fasting effects (geese), 241,4:E342
- capillary exchange  
 ileal, 235,4:E429  
 intestinal, adenosine effects, 235,4:H707  
 intestinal, prostaglandin  $E_1$  and, 236,5:E788  
 proximal tubule, 236,5:F478  
 capillary uptake, peritubular, 235,4:F142  
 cerebral interstitial, drainage, cervical lymph, 240,9:F329
- cerebrospinal: see Cerebrospinal fluid
- chloride concentration, distal tubular single nephron glomerular filtration, 237,6:F63
- chorioallantoic, starvation (pig), 236,5:E335
- collecting ducts, delivery, 235,4:F515
- compartmentation, acclimation to water restriction, 235,4:R237
- distal tubular  
 collection, hydrodynamic alterations, 232,1:F497  
 osmolarity, feedback regulation of glomerular filtration, 239,8:F427
- distribution, transcapillary, fetal, newborn, pregnant adult (Starling), 240,9:H843
- distribution between blood and interstitium, during overhydration, 238,7:H645
- dynamics, mitral valve, 242,11:H1095
- electrolyte balance and, arginine vasopressin effects, altitude, 240,9:R182
- enteral, restoration of hemorrhaged plasma volume, 234,3:H80
- epidural, dynamics, 232,1:H255
- exchange  
 capillary, liver interstitium, 243,6:G410  
 capillary-tissue, extravascular protein, 234,3:H52  
 intestinal, delayed vascular compliance, 234,3:H660  
 intestinal muscle, 242,11:H268
- extracellular  
 $\alpha$ -adrenergic blockade, 232,1:F409  
 indicator-dilution curves, 233,2:H350  
 solute mixing, impaired after hemorrhagic hypotension, 236,5:H440  
 transport, pharmacokinetic model, 232,1:R73  
 ventral medulla, hypoxia, 242,11:R195  
 volume expansion, papillary collecting duct, 239,8:F92

**Fluid (continued)**

- extradural, hydrophilic materials, uptake (dogfish), 232,1:R45
- extravascular movement, sodium chloride effects, 243,12:F549
- filtration, histamine effects, lung and forelimb, 242,11:H565
- fluxes, histamine-induced, 233,2:H148
- follicular, porcine, follicle-stimulating hormone suppression, male, 240,3:E209
- gastric emptying, resistances controlling, 241,4:G403
- gastrointestinal, restoration of hemorrhaged plasma volume, 234,3:H80
- gut, osmoregulation (teleost), 235,4:R48
- homeostasis, forebrain control, 239,8:R372
- ingestion, impairment with zona incerta lesions, 233,2:R53
- inner ear, potassium, chloride and, water entry into, 243,12:F173
- intake, metering, 231:1
- interstitial
  - brain, normal and hyperosmolar conditions, 238,7:F42
  - compartments, medullary collecting duct, 239,8:F258
  - efflux, brain, 240,9:F319
  - flow, time-dependent (bat wing), 232,1:H297
  - isogravimetric capillary pressure, 233,2:H130
  - methylprednisolone effects on myocardial ischemia, 232,1:H602
  - motion, extravascular protein in, mathematical model, 234,3:H52
  - oncotic pressures in subcutaneous tissues, 231:R88
  - plasma proteins, hind paw, 239,8:F532
  - pressure, analysis (bat wing), 232,1:H297
  - pressure, strain gauge measurement, 232,1:H354
  - pressure during loading, subcutaneous, 240,9:R327
  - pressure dynamics, epidural, 232,1:H255
  - renal concentrating and diluting processes, 235,4:F1
  - renal hypertension, awake state, 242,11:H376
  - space, extracellular marker, heart, 242,11:H671
  - space, skeletal muscle (frog), 234,3:C181
  - subcutaneous capsule, long-term study, 241,10:F687
  - tilting effects (fish), 242,11:R70
- intestinal
  - osmoregulation (teleost), 235,4:R48
  - restoration of hemorrhaged plasma, 234,3:H80
  - secretion, histamine effects, 231:793
  - transport, luminal hydrostatic pressure and, 233,2:E416
- intestinal secretion
  - enterotoxin-induced, organic acid proton donor effects, 241,4:G227
  - histamine effects, 231:793
- isosmotic, absorption, nephron (reptile, bird, mammal), 239,8:R197
- isotonic
  - absorption, chloride flux and, proximal straight tubules, 237,6:F455
  - proximal tubular absorption, luminal hypotonicity, 236,5:F89
- load, body volume regulation (tick), 238,7:R102
- loading, capillary filtration measurement, 232,1:H361
- luminal, acidification of, cortical collecting tubule, 242,11:F521
- lung
  - balance, platelet aggregation and (sheep), 242,11:H645
  - lymph protein and, edema, 230:1650
- protein composition, acute cardiogenic anemia, 231:1466
- mechanics
  - intestinal, model, 243,6:G541
  - osmosis, 235,4:R3
- metabolism, renal proximal convoluted tubules, organic solute effects, 231:627
- microdrop analysis technique, with energy-dispersive X-ray spectrometer on a scanning electron microscope, 234,3:F255
- movement, intestinal wall, 243,6:G177
- papillary interstitial, diuresis, medullary collecting duct, 240,9:F165
- partition, volume-depleted Goldblatt hypertension, 237,6:H18
- peritoneal, lymph contamination (sheep), 241,10:H354
- physiological evaluation, isolated perfused kidney, 238,7:F71
- plasma/cerebrospinal, barrier, permeability, 234,3:E327
- porcine follicular, follicle-stimulating hormone and inhibin feedback, 240,3:E544
- production, migrating action-potential complex activity, cholera toxin and, 242,5:G47
- propulsion, hydrostatic work, intestines, 240,3:G147
- reabsorption
  - dopamine effects, proximal tubule, 242,11:F634
  - papillary collecting duct, 239,8:F92
  - proximal, catecholamines and, 238,7:F347
  - renal collecting tubules, 233,2:R544
  - renal pelvis, urea concentration, renal concentrating ability and, 239,8:F609
  - repeated blood sampling, 239,8:H805
  - response, angiotensin II infusion, 240,9:R130
- salivary: see Salivary secretion
- secretion
  - and magnesium secretion, renal, relations (teleost), 238,7:R92
  - pancreatic, vagally mediated (pig), 237,6:F535
- secretory, eccrine sweat gland, paw, 239,8:C90
- solute-coupled transport, ileal, 235,4:E429
- tissue volume, capillary pressure and, 233,2:H130
- transcapillary
  - movement, 230:569
  - protein movement and, 242,11:H227
- transcapillary exchange
  - in ascites, 233,2:H185
- intestinal, glucagon-induced, 239,2:G30
- luminal distension, intestinal, 239,2:G516
- muscle (chicken), 243,12:H491
- transport
  - capillary, strain gauge measurement, 232,1:H354
  - carbon dioxide and acetazolamide effects, proximal tubules, 240,9:F54
  - epithelial, optical techniques for evaluation, 237,6:F167
  - gallbladder mucosa, cholelithiasis, 234,3:E575
  - intestinal, lymph capillary pressure and, 237,6:E301
  - lymph flow during, jejunum, 240,3:G312
  - nephron, volume expansion effects, 233,2:F118
  - renal tubular, 235,4:F626
  - transepithelial, measurement, 239,8:F466
  - transepithelial, model, 235,4:F626
  - transmucosal, microcirculation and, 240,3:G343
- transvascular, systemic histamine effects, 233,2:H148
- tubular
  - acid-base titration, 242,11:F95
  - calcium loss from, 242,11:F202
  - volume: see Volume
- Fluid-electrolyte shifts**, exercise, heavy, sitting and supine, 236,5:R206
- Fluid membrane**, biological, triggering cycle and homeostasis, 243,12:R229
- Fluorescence**
  - background, NAD redox state, kidney tubules, 240,9:F337
  - chlortetracycline, calcium ion mobilization, platelets, 241,10:H613
  - corneal (frog), 238,7:C21
  - intensity, retinal circulation, 234,3:H315
- NADH**
  - coronary artery occlusion, 242,11:H980
  - myocardial performance, normoxia and hypoxia, 235,4:H144
- optical**, epithelial transport processes, 237,6:F167
- pyridine nucleotide**, intracellular, 236,5:C144
- surface**, 230:1198
- cerebral cortex (gerbil)**, 242,11:C265
- Fluorescent dextran leakage sites**, bradykinin-induced macromolecular efflux, cheek pouch, 236,5:H600
- Fluoride**
  - absorption, bladder, pH dependence, 232,1:F10
  - balance
    - magnesium effects, 234,3:E343
    - magnesium metabolism and, 233,2:E165
  - distribution, tissue, short-term kinetics, 236,5:F141
  - renal clearance, 230:527
  - toxicity, tissue, 236,5:F141
- Fluoroacetate**
  - fatty acid inhibitory action, ammoniogenesis, 237,6:F57
  - ketone body inhibitory action, ammoniogenesis, 237,6:F7
- Fluorocarbons**
  - cerebral microcirculation 234,3:H582
  - macromolecular transport, pulmonary endothelium, 242,11:H882
  - myoglobin function, isolated heart, 234,3:H567
  - perfusion, isolated working heart, 242,11:H485
- Fluorodeoxyglucose**, glucose metabolic rate, myocardial, 243,12:H884
- Fluorometry**
  - flying-spot, oxygen delivery, normoxic and hypoxic states, 235,4:H809
  - norepinephrine overflow, from saphenous veins, 236,5:H263
  - surface, pyridine nucleotide redox state, kidney, 232,1:E401
- Fluorophotography**, coronary ligation, ischemia after (rabbit, dog, pig, monkey), 241,10:H202
- Fluorophotometry**, retinal circulation, 234,3:H315
- Fluoroscopy**
  - cardiac kinetics, analysis, 238,7:H98
  - valve dynamics, aortic, 241,10:H795
- Fluosol-43**, perfusion, isolated working heart, 242,11:H485
- Flutamide**, platelet aggregation, 232,1:H381
- Flutter**, atrial, reentrant excitation, 235,4:H1
- Flux**: see also specific type
  - chloride, bidirectional, skin (frog), 232,1:F550
  - excretion, amiloride-induced reduction, skin (frog), 234,3:F437
  - reduction, cerebroarterial response, 234,3:H404
  - transport, butamide effects, cornea (bull-frog), 234,3:F297



- Flying-spot fluorometer:** *see* Fluorometry
- Folate**  
kinetics, models, 241,4:G516  
transport, intestinal epithelial cells (chicken), 240,3:G170
- Folic acid**  
influx, small intestine, 235,4:H670  
transport  
intestinal epithelial cells (chicken), 240,3:G170  
kidney tubules (monkey), 242,11:F484
- Follicles**, dominance, luteectomy effects (monkey), 243,6:E325
- Follicle-stimulating hormone**  
adenohypophyseal cell sensitivity, long-term culture, 240,3:E602  
gonadotropin release, 235,4:E586  
human chorionic gonadotropin responsiveness, granulosa cell culture (pig), 240,3:E622  
hypersecretion, progesterone effects on folliculogenesis (monkey), 243,6:E387  
inhibin and, feedback system, female, 240,3:E544  
levels  
after castration, sex differences, 241,4:E460  
seminiferous tubules, hypophysectomy, 241,4:E233  
ovarian follicle development, 233,2:E229  
release, circadian pacemaker, 238,7:R23  
suppression, porcine follicular fluid, male, 240,3:E209  
zinc-deficiency, 230:1730
- Follicle wall**, meiosis reinitiation, insulin, oocytes (frog), 241,4:E51
- Follicular fluid**, porcine, follicle-stimulating hormone suppression, male, 240,3:E209
- Folliculogenesis**, progesterone effects, follicle-stimulating hormone hypersecretion (monkey), 243,6:E387
- Food**, stimulation of ornithine decarboxylase, small intestine, 231:1557
- Food deprivation:** *see* Fasting
- Food dilution**, regulation of intake, clearances, 240,9:R356
- Food intake:** *see* Feeding
- Foot**, noncholinergic vasodilator innervation (duck, chicken), 237,6:H112
- Foramen ovale**, flow, fetal (lamb), 241,10:H60
- Force**  
electromotive, sodium pump, bladder (toad), 236,5:F405  
myocardial: *see* Muscle, heart  
passive, arterial and venous smooth muscle, 232,1:H131  
physical, reabsorption, proximal tubule, model, 236,5:F478  
systolic, developed, oxygen consumption and, 233,2:H421  
transient, load changes, papillary muscle, 235,4:H267  
wall: *see* Wall
- Force development**  
arterial wall, genetic hypertension, 237,6:H159  
pulmonary arteries, mechanics and composition, 242,11:H245  
stimulus rate and, soleus muscle, 243,12:C242
- Force-frequency relations**  
cardiac, Purkinje strands (sheep), 243,12:H128  
muscle: *see* Muscle  
postextrasystolic potentiation, ventricular, 243,12:H990
- Force-length relations**  
age-related changes  
esophageal sphincter, 233,2:E407  
esophagus, 232,1:E580  
cardiac muscle: *see* Muscle, heart  
end-systolic, nonexcised papillary muscle, 233,2:H711  
isovolumic and ejecting contractions, left ventricle, 231:337  
papillary muscle, 233,2:H613  
ureteral, obstruction effects (rabbit), 243,12:F204
- Force potential**, maximum, tetanized smooth muscle, 242,11:C283
- Force-velocity-length relations:** *see* Muscle, heart
- Force-velocity relations**  
hypertrophy, ventricular, 232,1:H418  
muscle: *see* Muscle  
myocardial, iron-deficiency anemia, 232,1:H470  
myosin, heart atria and ventricles, 243,12:H391  
smooth muscle, 230:462  
arterial (swine), 242,11:C102
- Forcing**, parametric, arterial pressure control system, 234,3:R104
- Forearm**  
blood flow  
admittance plethysmography, 235,4:H821  
baroreceptors, in renin control, 235,4:H29  
venous congestion, local, 240,9:H980
- Forebrain:** *see* Brain
- Forelimb**  
bradykinin-induced macromolecular efflux, 236,5:H600  
capillary Starling forces, 233,2:H136  
histamine, systemic infusion, effects, 233,2:H148  
histamine-catecholamine microvascular interaction, 234,3:H180  
lymph flow, norepinephrine effects, 243,12:H575  
permeability: *see* Permeability  
vascular resistance, gastrointestinal hormonal effects, 232,1:H103  
weight: *see* Weight
- Forestomach**, capillary blood flow (sheep), 232,1:E53
- Formaldehyde solution fixation**, pressure-sarcomere relations, 239,8:H101
- Formal systems**, physical causality, brain theories and, 238,7:R277
- Formyl-methionyl-leucyl-phenylalanine:** *see* Phenylalanine
- Fourier analysis**  
esophageal peristaltic pressure, 236,5:E296  
high-frequency harmonics, cardiac relaxation, 240,9:H669  
QRS power spectrum, exercise effects, 243,12:H959
- Fourier transform analysis**, mucociliary frequency, palate epithelium (frog), 242,11:C31
- FR 7534**, blood flow, myocardial ischemia, 239,8:H163
- Fractionation**, sodium-potassium-ATPase, HeLa cells, 241,10:C173
- Frank-Starling mechanism**  
aortic occlusion and, 238,7:H423  
diastolic pressure-volume relations, left ventricular, 232,1:H545  
relations, determinant of fetal cardiac output, 231:495  
systolic pressure-diameter relations, awake state, 240,9:H354  
utilization in conscious dogs, 234,3:H338  
volume loading, 237,6:R197
- Free-fluid channels**, interstitial space, molecule transport, 239,8:H525
- Free oxygen radicals**, acute hypertension, cerebral arterioles, 240,9:H511
- Free water clearance**, age effects, 240,9:F147
- Freeze-blown technique**, brain removal, 234,3:E365
- Freeze-fracture**  
antidiuretic hormone-induced intramembranous alterations, collecting ducts, 235,4:F440  
electron microscopy: *see* Microscopy  
gill epithelium (fish), 238,7:R207  
isolated membrane, cardiac, 241,10:H891  
pancreatic  $\beta$ -cell gap junctions, distribution, 238,7:C114  
tetraethylammonium effects, pancreatic  $\beta$ -cell gap junctions, 240,9:C116
- Freezing**, brain, adenosine concentration, hypoxia, 241,10:H228
- Freon 12**, cardiac contraction, 230:1701
- Frequency**, instantaneous, measurement, 238,7:H929
- Frequency analysis**, capillary transit time, 233,2:H122
- Frequency determination**, from step response, fluid-filled catheters, 236,5:H376
- Frequency distribution**, intercapillary distances, myocardial, 242,11:H133
- Frequency response**  
blood flow, coronary, 243,12:H796  
esophageal manometry system, 233,2:H389  
low-frequency acceleration, cardiovascular regulation during, 243,12:H998
- Fructose**  
adrenalectomy, 230:163  
gastric emptying, satiety and (monkey), 241,10:R25  
gastric function, hepatic modulation, 238,7:R346  
insulin action, neuraminidase inhibition, adipocytes, 239,2:E186  
metabolism, fat cells, 237,6:E325  
transport, dually perfused placenta, 237,6:C205  
ulceration inhibition, glycoprotein receptor system and, 242,5:G429
- Fructose-1,6-bisphosphatase**, distribution, nephron, in acidosis and starvation, 235,4:F246
- Fructose-bisphosphatase**, muscle fibers, 239,8:C58
- Fructose diphosphatase**  
gluconeogenesis  
hormonal regulation, 235,4:E295  
regulation, 236,5:E410
- Fructose 1,6-diphosphate**, metabolic effects, ischemic myocardium, 241,10:H576
- Fructose-6-phosphate**, futile cycles, 236,5:E410
- Fructose-6-phosphate substrate**, cycling, hormonal regulation of gluconeogenesis, 235,4:E295
- Fuels**  
amino acid oxidation, rest and exercise, 240,3:E155  
carbon, fetal, 233,2:E457  
concentration, circulating, substrate utilization and, fasting, neonatal, 239,2:E287  
fetal, ketone utilization, hepatocytes, 235,4:E330  
homeostasis, exercise during fasting in obesity, 238,1:E322  
metabolism  
brain, fetal, 241,4:E200  
starvation, age, and obesity effects, 239,2:E277  
renal, 235,4:F137
- Fumarase**, pyruvate-perfused heart, 237,6:R159
- Fumarate**, glucagon release, pancreas, 236,5:E98
- Fundic glands**, prostaglandin-histamine interactions in, 242,5:G21
- Fundic mucosa**  
cell proliferation, 235,4:E32  
luminal alkalization of (bullfrog), 243,6:G377  
nutrient bicarbonate (bullfrog), 239,2:G536  
prostaglandin binding sites, adenosine

**Fundic mucosa** (continued)

monophosphate, cyclic (hog),  
241,4:G313

**Fundic mucosal cells**, isolated, adenosine  
monophosphate, cyclic production,  
237,6:E437

**Fundic vagotomy**

gastrin release, 235,4:E720  
antral, 236,5:E173

**Funiculus**, dorsolateral, descending pres-  
sor pathway, 234,3:H152

**Furosemide**

acute renal failure, norepinephrine-in-  
duced, 235,4:F131

antidiuretic hormone-stimulated sodium  
chloride cotransport, nephron heter-  
ogeneity, 241,10:F412

bile acid uptake and, hepatocytes,  
243,6:G48

blood flow, renal, 236,5:F494

calcium and magnesium transport, neph-  
ron, 241,10:F340

calcium transport, distal nephron,  
235,4:F367

chloride excretion, 232,1:F397

chloride reabsorption, segmental, neph-  
ron, 234,3:F97

chloride translocation, small intestinal  
brush-border membrane, 242,5:G272

chloride transport  
kidney tubules (salamander),  
242,11:F331

papillary collecting duct, 235,4:F219  
chronic administration, potassium chlo-  
ride loading and, 238,7:F509

congestive heart failure, 230:537

contralateral kidney clamping, 230:1225  
cytochrome and, kidney, 243,12:F356

diluting segment, distal tubule (amphib-  
ian), 233,2:F438

diuresis, ascites mobilization, 235,4:F12  
dopamine, 230:1126

effect on remnant kidney, 230:1231

electrical parameters and, skin (frog),  
243,12:F581

epithelial cell culture, thick ascending  
limbs, kidney, 242,11:C229

gastric acid secretion, gastric mucosa,  
239,2:G532

glucose effects, Ehrlich cells,  
242,11:C326

glucose handling, renal, 232,1:F438  
ileal sodium chloride absorption,  
230:1517

infusion, ischemic acute renal failure,  
241,10:F556

ion movement, tracheal epithelium,  
239,8:F215

ion transport and, ileal, 243,6:G36  
lactate and sodium, kidney, 240,9:F343

lead, renal handling, 233,2:F532  
lymph flow, thoracic duct, 238,7:F363

papillary collecting duct function (desert  
rodent), 239,8:F539

phosphaturic effects, 232,1:F105  
plasma renin activity, potassium-me-  
diated, 242,11:F463

potentials, Henle's loop, 232,1:F348  
renal blood flow and renin release,  
responses to hypertonic saline,  
237,6:F441

**renin**

release and, kidney, 243,12:F598  
release, renal denervation effects,  
232,1:H500

secretion, distal tubule and sodium  
ions, 235,4:F611

sodium pump activity, salt gland cells  
(duck), 241,10:R77

thermodynamic parameters and, skin  
(frog), 243,12:F588

volume expansion, compensatory adap-  
tation, 235,4:F528

**G**

**GABA:** see  $\gamma$ -Aminobutyric acid

**Gaertner capsule**, digital arterial pres-  
sure and compliance measurement,  
233,2:H168

**Gain**

closed-loop, flow control system,  
237,6:H174

loop, baroreflex, during volume expan-  
sion, 237,6:H153

**open loop**

arterial, dietary sodium effects in hy-  
potension, 233,2:H191

arterial pressure, after hemorrhage,  
235,4:R279

arterial pressure after hemorrhage,  
235,4:R279

arterial pressure control system,  
240,9:H832

arterial pressure control system,  
234,3:R104

carotid sinus baroreflex, vagotomy  
and, 242,11:H580

heat loss, 242,11:R275

pentobarbital effects on hypotension  
after hemorrhage, 236,5:H607

sinovagal interaction after hemor-  
rhage, 237,6:R203

terminology, critique, 235,4:H117

**Galactokinase**, activities, liver perfusion,  
suckling, 240,3:E333

**D-Galactosamine**, experimental liver in-  
jury, insulin and glucagon after,  
241,4:E428

**Galactose**

hepatic elimination of, 230:1302  
metabolism, liver, suckling, 236,5:E633

transport, dually perfused placenta,  
237,6:C205

transport system, 231:608

**D-Galactose**, absorption and secretion,  
intestinal (flounder), 240,3:G392

**Galactose-metabolizing enzyme**, activi-  
ties, perfusion, suckling liver,  
240,3:E333

**Galactose-1-phosphate uridylyltransfer-  
ase**, activities, liver perfusion, suck-  
ling, 240,3:E333

**$\beta$ -Galactosidase**, glucocorticoid respon-  
siveness and, postnatal develop-  
ment, 242,5:G89

**Galactosyltransferase**, fetal, neonatal,  
and adult colon, differentiation,  
235,4:E213

**Gallbladder**

bile concentration and contractile activ-  
ity, postprandial changes,  
243,6:G365

cell volume regulation (salamander),  
243,12:C146

cholecystokinin (salmon), 232,1:E485

contractions, interdigestive state,  
240,3:G183

cytoplasmic regulation, tight-junction  
permeability (*Necturus*), 239,8:C75

elasmobranchs, 230:970

electrical pathways (*Necturus*),  
232,1:C99

electrolyte transport  
rheogenic sodium transport and (*Nec-  
turus*), 238,1:G358

serotonin effects, 239,2:G463

epithelial cells, sodium-chloride entry  
into (salamander), 243,12:C140

fluid transport, mucosal, cholelithiasis,  
234,3:E575

function, pancreatic polypeptide effects  
(pig), 243,6:G204

hormonal control of contraction, 230:553

mechanical properties (baboon),  
241,4:G376

motility: see Motility

pressure-volume responses, gastrointes-  
tinal hormones, 230:1461

vasoactive intestinal polypeptide,  
smooth muscle response, 234,3:E44

**Galloping:** see Exercise

**Gallstones**, dissolution, tauroursodeoxy-

cholic acid and (hamster),  
243,6:G424

**Gamma camera**, liquid meal effects, duo-  
denogastric reflux, 243,6:G42

**Ganglia**

autonomic, celiac plexus, 237,6:E90

blockade: see Blockade

cervical transmission, carotid sinus dis-  
tension, 240,9:H716

inferior mesenteric, substance P effects,  
243,6:G259

**paracervical**

distribution, uterine, 233,2:C25

uterine, distribution, 233,2:C25

parasympathetic, atrioventricular junc-  
tional rhythm, 239,8:H181

reflex: see Reflexes

stellate, stimulation, regional coronary  
vasoconstriction, 243,12:H410

**superior cervical**

sinus afferents in, 242,11:H168

tyrosine hydroxylase activity, carotid  
body (rabbit, cat), 240,9:R38

sympathetic, spontaneous hypertension,  
spinal transection, 243,12:R506

sympathetic activity, splanchnic nerves,  
241,10:R55

**Ganglionectomy**

celiac, interdigestive myoelectric com-  
plex, 237,6:E432

pineal multiunit activity and, 231:136

**Ganglionic blockade:** see Blockade

**Gap junctions:** see Junctions

**Garden hose effect**, 230:1

**Gas:** see also specific gas

**blood**

endotoxin effects, 232,1:H682

plasma bicarbonate and, 236,5:F30

red cell oxygen affinity in hypoxia  
(baboon), 232,1:H79

**exchange**

embryonic (albatross), 242,11:R121

intralamellar blood flow, gill (fish),  
239,8:R428

system, Grodins respiratory model,  
233,2:R66

temperature transients, 230:1389

vertebrate respiratory systems,  
243,12:R329

inert, flow, measurement, regional and  
myocardial perfusion and ischemia,  
236,5:H385

passive absorption and, small bowel,  
239,2:G23

pressure: see Pressure

**respiratory**

blood flow, control, lung (duck),  
234,3:R146

pregnancy uterus (swine), 234,3:R25

**tension**

myocardial, atrial pacing, 232,1:H49

myocardial ischemic injury,  
237,6:H253

**Gas-chromatography mass  
spectrometer:** see

Chromatography; see also  
Spectrometry

**Gas chromatography:** see  
Chromatography

**Gas exchanger**, organ perfusion, small  
animal, 237,6:H269

**Gas nuclei**, platelet adhesion, synthetic  
material (swine), 233,2:H100

**Gasometric determination**, bicarbonate  
secretion, gastric, 239,2:G44

**Gastric A-cells**, function, 231:1057

**Gastric acid:** see also Gastric secretion

fluxes, hydrogen ions and, 235,4:E692

inhibition

ouabain (frog), 241,4:G104

secretin, 240,3:G239

output, basal and cephalic phase, ventro-  
medial hypothalamic lesions,  
239,2:G221

peptide fragments, structure and func-  
tion, 233,2:E286

- phosphate metabolism, gastric mucosa (frog), 239,2:G411
- release**
- antral, fundic vagotomy, 236,5:E173
  - gastric phase, 232,1:E542
  - responses to gastric and intestinal meals, pH effects, 233,2:E537
- secretion**
- acetylcholine-induced (frog), 239,2:G255
  - adenosine monophosphate, cyclic mediated (frog), 239,2:G255
  - aspirin and taurocholate effects, 239,2:G457
  - calcium ion-dependent secretagogue stimulation, gastric glands, 239,2:G90
  - carbon monoxide insensitivity (frog), 238,1:G197
  - cation effects, gastric glands, 241,4:G431
  - cholinergic stimulation and suppression, 235,4:E720
  - electrogenic pump theory (frog), 232,1:E251
  - extracellular calcium and (frog), 241,4:G365
  - fetal, 240,3:G206
  - furosemide suppression, isolated gastric mucosa, 239,2:G532
  - gastric fistula, 235,4:E720
  - gastrin stimulation of, 242,5:G504
  - insulin-induced, hepatic modulation, 238,7:R346
  - intracellular pH and (bullfrog), 237,6:E82
  - intra duodenal long-chain fatty acid effects (ewe), 243,6:G127
  - liver extract and free amino acids, 239,2:G493
  - oxyntic mucosa, 243,6:G336
  - pancreatic polypeptides and, 236,5:E488
  - parietal cell, cholinergic receptors, 239,2:G204
  - parietal cells, histamine and adenosine monophosphate, cyclic action, 237,6:E444
  - peptide stimulation of, 242,5:G85
  - rate, potassium uptake (frog), 232,1:E294
  - sensory functions of liver, 236,5:R5
  - sex differences, 243,6:G469
  - vagal influence, 232,1:E542
  - secretory rate, potassium ions and, gastric mucosa (frog), 237,6:E51
- Gastric acidity, osmotic water flow (frog), 236,5:E63**
- Gastric antrum: see Antrum**
- Gastric balloon, pressure, intestinal motility monitoring, 235,4:E522**
- Gastric cells, calcium ion-dependent secretagogue stimulation, 239,2:G90**
- Gastric damage, aspirin-induced, cell proliferation and loss effects, 243,6:G463**
- Gastric digestion, fat, lingual lipase effects, 237,6:E541**
- Gastric distension**
- cholecystokinin effects, gastric emptying (monkey), 242,11:R491
  - electrical activity and, esophageal sphincter, 243,6:G415
  - reflexes, cardiovascular, 240,9:H539
  - sympathoadrenal mechanism response to, 243,12:H748
- Gastric emptying**
- calories and (monkey), 236,5:R254
  - cholecystokinin effects (monkey), 242,11:R491
  - cholecystokinin inhibition, 234,3:E375
  - control by osmolyte and tryptophan receptors, 231:R48
  - dispersion, food particles, 239,2:G133
  - duodenogastric reflux and, 242,5:G603
  - ethyl alcohol effects, antral muscle, 242,5:G222
  - food intake and, relations, 239,2:G1
  - food particle size, antrum effects, 239,2:G133
  - fractional rates, 234,3:E660
  - glucose and fat, relative rates, 234,3:E660
  - high-fat diet and carbohydrate-induced satiety, 237,6:R139
  - intra gastric pressure effects, 235,4:E552
  - isotopic, methods for analyzing, 243,6:G237
  - liquid, resistance controlling, 241,4:G403
  - liquid meals, 243,6:G42
  - liquids, 233,2:E335
  - proximal and distal, 239,2:G71
  - migrating myoelectric complex and (sheep), 233,2:E483
  - nuclide labels, food particles, 239,2:G133
  - pattern for, 242,5:G333
  - postinsulin hypophagia, 243,12:R304
  - postprandial duodenogastric reflux and, pylorotomy, 242,5:G9
  - postpyloric regulation (monkey), 243,12:R408
  - satiety and, sugar effects (monkey), 241,10:R25
  - scintigraphic measurement, 239,2:G39
  - secretion and (monkey), 232,1:E186
  - slowing of, calcium mediation (monkey), 243,6:G200
  - solids, proximal and distal, 239,2:G71
  - vagotomy, obesity, 240,3:E573
- Gastric epithelium, barrier function, 241,4:G275**
- Gastric fistula: see Fistula**
- Gastric function**
- acid secretion, fetal, 240,3:G206
  - biphasic development, pentagastrin sensitivity, 242,5:G111
  - fat inhibition of (ewe), 243,6:G127
  - somatostatin clearance and potency, 243,6:G97
- Gastric fundus, relaxation, pentagastrin-induced, 232,1:E504**
- Gastric glands**
- acid secretion
  - cation effects, 241,4:G431
  - inhibition, substituted benzimidazoles, 243,6:G505
  - aminopyrine accumulation, 243,6:G313
  - calcium ion-dependent secretagogue stimulation, 239,2:G90
  - gastrin stimulation of, 242,5:G504
  - isolated, responses to histamine, 238,1:G312
  - parietal cell function, 238,1:G165
  - pepsinogen release, 243,6:G218
  - thiocyanate action, 240,3:G232
- Gastric inhibition, gastric and intestinal meals, pH effects, 233,2:E537**
- Gastric inhibitory peptides: see Peptides**
- Gastric inhibitory polypeptides: see Polypeptides**
- Gastric juice, sham feeding, 234,3:E417**
- Gastric meals: see Feeding**
- Gastric metabolism: see Stomach**
- Gastric monitoring, arrhythmias, 239,2:G59**
- Gastric motility: see Motility**
- Gastric motor pattern, diurnal pH changes, duodenum, 238,1:G91**
- Gastric mucosa: see also Fundic mucosa**
- acetylsalicylic acid hydrolase, 234,3:E606
  - acidity regulation, bicarbonate transport and, 242,5:G183
  - acid secretion
  - frog, 236,5:E301
  - ionic requirements for, oxyntic cells (frog), 242,5:G388
  - monkey, 236,5:E733
  - motility and, simultaneous monitoring (kitten, ferret), 234,3:E319
  - oxygen and carbon dioxide effects, 231:1240
  - active transport (monkey), 239,2:G77
  - adenosine monophosphate, cyclic forma-
  - tion, hydrochloric acid secretion and, dissociation (bullfrog), 235,4:E140
  - adenylate cyclase, histamine effects, 232,1:E35
  - aminopyrine accumulation, 243,6:G313
  - secretagogue stimulation, parietal cell, 238,1:G366
  - applied pressure, net water flux and (frog), 235,4:E361
  - aspirin, 230:762
  - aspirin- and taurocholate-induced metabolic damage, 239,2:G457
- barrier**
- aspirin-induced damage and, 243,6:G463
  - epithelia, 241,4:G275
  - hydrogen ion removal, 235,4:E692
  - bicarbonate transport, hormone and transmitter effects (bullfrog), 242,5:G100
- blood flow: see Blood flow**
- calcium ion-dependent secretagogue stimulation, 239,2:G90
  - carbonic anhydrase, sites (quail), 241,4:G382
  - cellular cation transport, acetylsalicylic acid effects, 235,4:E16
  - chloride flux, 232,1:E251
  - chloride ion secretion, barium ion-inhibited (frog, piglet), 239,2:G151
  - chloride ion transport, sodium ion-dependent (frog), 238,1:G403
  - chloride transport, bicarbonate and pH effects (frog), 243,6:G60
  - conductance, total tissue, 235,4:E7
  - corticosterone, newborn, 240,3:G442
  - damage, sodium taurocholate effects (amphibian), 240,3:G245
  - damaging agents, alkaline response to, 241,4:G509
  - deoxyribonucleic acid synthesis, gastrin and, 235,4:E565
  - 16,16-dimethyl prostaglandin  $E_2$ , topical effects, 238,1:G514
  - effects of oxalacetate and lipoate, 231:209
  - electric characteristics (monkey), 239,2:G77
  - electrophysiology and secretion, inhibitors and weak bases (frog), 234,3:E120
  - energy production and consumption, relations (frog), 236,5:E301
  - enzymes (frog), 232,1:E48
  - extracellular spaces (frog), 237,6:E51
  - fundic, active alkalization (amphibia), 233,2:E1
  - furosemide, gastric acid secretion, 239,2:G532
  - gastrin: see Gastrin
  - growth, 232,1:E223
  - pentagastrin effects, 242,5:G135
  - stimulation by epidermal growth factor, 238,1:G45
  - histamine, 230:219
  - adenosine monophosphate, cyclic and (piglet), 242,5:G79
  - histamine and adenosine monophosphate, cyclic, isolated parietal cells, 237,6:E444
  - histamine receptors (bullfrog), 241,4:G93
  - histamine regulation, adenylyl cyclase, parietal cells, 240,3:G76
  - hydrochloric acid secretion, substrate dependency (piglet), 238,1:G353
  - hydrogen ion secretion, 230:1688, 231:522
  - effects of peptide hormone structure, 231:573
  - inhibition by somatostatin (frog), 236,5:E784
  - hydrogen ion secretion (bullfrog), 239,2:G485
  - hydrogen ion transport, sodium ion-dependent (frog), 238,1:G403

**Gastric mucosa (continued)**

- integrity, prostaglandins and, 242.5:G337
- ion transport  
effects of salicylate and bile salt, 230:319  
inhibition by bile salts, 231:1433
- luminal alkalization of (bullfrog), 243.6:G377
- microsphere redistribution, 243.12:H123
- nucleic acid synthesis, 232.1:E223
- nutrient bicarbonate (bullfrog), 239.2:G536
- osmotic response, asymmetry (frog), 238.1:G298
- osmotic water flow (frog), 236.5:E63
- ouabain binding (frog), 241.4:G104
- ouabain-binding sites, localization of (frog), 243.6:G297
- pH, intracellular measurement (bullfrog), 237.6:E82
- phosphatase activity (frog), 232.1:E48
- phosphate uptake and incorporation (frog), 239.2:G411
- potassium ions  
compartmentalized and free (frog), 237.6:E51  
inhibition, chloride ion transport (frog, piglet), 239.2:G151  
secretion (bullfrog), 239.2:G485  
uptake (frog), 232.1:E294
- potassium selectivity, hydrochloric acid secretion and (frog), 240.3:G331
- potential difference  
chloride-free solutions (frog), 240.3:G267  
monkey, 239.2:G77
- protection, bicarbonate transport and, duodenum, 243.6:G348
- receptors: see Receptors
- recycling and secretagogue (bullfrog), 239.2:G485
- resting, colchicine and vinblastine effects (frog), 236.5:E550
- sodium ion transport (mammalian), 234.3:E228
- sudden potential drop, 230:61
- transport of hydrogen ions and chloride ions, 231:1649
- ulceration, nutrient bicarbonate (bullfrog), 239.2:G536
- weight, jejunoileal bypass and, intestinal, 241.4:G259
- Gastric mucosal barrier**  
damaging agents, alkaline response to, 241.4:G509  
disruption mechanism, bile salt and bile acid, 242.5:G95
- Gastric mucosal cells**  
isolated, adenosine monophosphate, cyclic production, 237.6:E437  
proliferation, development, pentagastrin effects, 242.5:G135
- Gastric muscle:** see Muscle, intestinal
- Gastric pH, motility, neonatal,** 236.5:E562
- Gastric phase**  
gastrin and gastric acid response, vagal influence, 232.1:E542  
pH effects, 233.2:E537
- Gastric preloads, food intake control,** suckling (pig), 232.1:E510
- Gastric release**  
glucagon, during gastric and intestinal phase of meal, 238.1:G109  
somatostatin-like immunoreactivity, during intestinal phase of a meal, 237.6:E555
- Gastric response, kinetics of, infused gastrin,** 242.5:G660
- Gastric secretagogues, action, fatty acid oxidation and (toad),** 238.1:G255
- Gastric secretion:** see also Gastric acid after pylorotomy, 242.5:G9  
alkaline, prostaglandin effects, 239.2:G44

- amino acid stimulation, pyloric gland area, 233.2:E170
- aminopyrine, gastric glands, 243.6:G313
- applied pressure, net water flux and (frog), 235.4:E361
- bicarbonate, 234.3:E535
- chloride ions (frog, piglet), 239.2:G151
- colchicine effects (frog), 236.5:E550
- emptying and (monkey), 232.1:E186
- fatty acid oxidation and (toad), 238.1:G255
- histamine receptors (bullfrog), 241.4:G93
- inhibition, oxygen consumption, 234.3:E445
- inhibitors and weak bases (frog), 234.3:E120
- intestinal phase, 230:335
- stimuli, 234.3:E64
- intestinal phase of, nutrient and bowel segment effects, 243.6:G372
- intragastric pressure effects, 235.4:E552
- kinetics, histamine H<sub>2</sub> receptor, 233.2:E225
- Krebs cycle intermediates and inhibitors (toad), 236.5:E692
- luminal somatostatin and, 241.4:G109
- osmotic response, asymmetry (frog), 238.1:G298
- oxyntic cell tubulin, 240.3:G317
- pancreatic peptide effects (bovine), 232.1:E311
- parenteral feeding effects, 232.1:E39
- pepsinogen, gastric glands, 243.6:G218
- phosphatase activity (frog), 232.1:E48
- potassium selectivity and (frog), 240.3:G331
- sodium taurocholate effects, gastric mucosa (amphibian), 240.3:G245
- somatostatin, catecholamine effects, perfused stomach, 240.3:E274
- substance P effects, 241.4:G74
- substrate utilization, mucosal (piglet), 238.1:G353
- vinblastine effects (frog), 236.5:E550
- Gastric smooth muscle cells, cholecystokinin and acetylcholine, interaction (toad),** 237.6:E172
- Gastric stimulants, primate, 236.5:E733**
- Gastric stimulation, calcium, extracellular (frog),** 241.4:G365
- Gastric submucosa, blood flow, microsphere size effects, 241.10:H408**
- Gastric tissue, hormonal influences,** 235.4:E422
- Gastric tone, proximal, fluid emptying,** 241.4:G403
- Gastric transport, bicarbonate, hormone and local transmitter effects (bullfrog),** 242.5:G100
- Gastric vesicle, potassium ions and acid secretion, relations (frog),** 237.6:E51
- Gastrin:** see also Pentagastrin
- antral  
bile flow, 236.5:E584  
corticosterone induction, newborn, 240.3:G442  
smooth muscle, 236.5:E39  
aspirin-induced gastric damage and, 243.6:G463
- binding  
cooperativity, 237.6:E295  
mucosal, 237.6:E284  
mucosal gastrin receptor and, 238.1:G135  
receptors, development, newborn, 240.3:G163  
sex differences, 243.6:G469  
calcium ion-dependent secretagogue stimulation, gastric glands, 239.2:G90  
component I, secretory effects, pancreas (porcine), 238.1:E186  
components, 233.2:E170  
concentrations, tissue and serum, fetal and neonatal (sheep), 241.4:G235  
contraction, gallbladder (salmon), 232.1:E485

- D-cell function, pancreatic and gastric, 237.6:E555
- deoxyribonucleic acid synthesis after vagotomy and atropine, 235.4:E565
- fundic mucosa, 235.4:E32
- duodenal acidification, 230:784
- electrolyte transport, esophageal (rabbit, opossum), 239.2:G5
- epidermal growth factor and, 238.1:G45
- esophageal sphincter regulation, 234.3:E157
- gallbladder response, 230:1461
- gastric glucagon release, during gastric and intestinal phase of meal, 238.1:G109
- gastric motility, neonatal, 236.5:E562
- gastric secretion stimulation, intestinal phase, 234.3:E64
- gastrointestinal adaptation and, small bowel resection, 243.6:G16
- growth, mucosal, 232.1:E223
- gut growth and, streptozotocin diabetes, 242.5:G460
- <sup>3</sup>H-Quinuclidinyl benzilate binding, cholinergic receptors, 239.2:G204
- infused, gastric response kinetics, 242.5:G660
- inhibition, secretin, 240.3:G239
- insulinotropic factor secretion, intestinal, 236.5:E710
- interdigestive contractions, cycles, stomach, 238.1:G85
- intestinal phase, 230:335
- intragastric pressure and, 235.4:E552
- levels  
antral and serum, chemically defined diets, 238.1:G376  
lactation and, 237.6:E98
- lower esophageal sphincter function (baboon), 237.6:E77
- migrating complex, postprandial disruption, 235.4:E666
- mucosal  
corticosterone induction, newborn, 240.3:G442  
up- and downregulation, 242.5:G243
- mucosal receptors, development, newborn, 240.3:G163
- myoelectrical activity, small bowel, 235.4:E249
- pancreatic peptide activity (bovine), 232.1:E311
- pancreatic polypeptide release, vagotomy, 240.3:G114
- parenteral feeding effects, 232.1:E39
- peptide fragments, structure-function relations, 233.2:E286
- pyloropancreatic reflex, 234.3:E468
- receptors: see Receptors
- regulation, food effects, 243.6:G429
- relaxation, modulation, lower esophageal sphincter (opossum), 237.6:E481
- release  
amino acid stimulation, pyloric gland area, 233.2:E170
- antral, by 2-deoxyglucose after fundic vagotomy, 236.5:E173
- antral inhibitor, 235.4:E410
- gastric fistula, cholinergic stimulation and suppression, 235.4:E720
- gastric phase, 232.1:E542
- xenopsin effects, 243.6:G195
- responses to gastric and intestinal meals, pH effects, 233.2:E537
- secretion  
bombesin-induced, stomach, 241.4:G242
- neural regulation, 243.6:G442
- perfused stomach, antral peptides and, 238.1:G495
- secretory effects, isolated perfused pancreas (porcine), 238.1:E186
- serum  
bile flow, 236.5:E584  
responses to meals varying in pH, 233.2:E41



- somatostatin release and, antral mucosae, 241,4:G59  
stimulation, gastric glands, 242,5:G504
- Gastrin I**  
choleretic potency, 236,5:E584  
gallbladder smooth muscle, 230:553  
meal and hormone effects, duodenal, 238,1:G280  
myoelectric activity, colon, 236,5:E458
- Gastrin II**, choleretic potency, 236,5:E584
- Gastrin 14**, secretory effects, pancreas (porcine), 238,1:E186
- Gastrin 17**, secretory effects, pancreas (porcine), 238,1:E186
- Gastrin 34**, secretory effects, pancreas (porcine), 238,1:E186
- Gastrin analogues**, oxyntic gland mucosa, binding specificity, 239,2:G395
- Gastrin-cholecystokinin system**, characteristics, 240,3:G255
- Gastrocnemius muscle**  
glycogenesis, insulin and exercise effects, 233,2:E509  
lipoprotein lipase activity, obesity, 241,4:E108  
pantothenic acid metabolism, diabetes and fasting effects, 240,3:E597  
protein synthesis, 239,2:E88
- Gastrocnemius-plantaris muscle**, steady-state exercise hyperemia, potassium and osmolality effects, 242,11:H949
- Gastrocolonic response**, dietary components, 238,1:G228
- Gastroduodenal junction**: see Junction
- Gastroduodenal transport**, bicarbonate, acidity regulation and mucosal protection, 242,5:G183
- Gastroenteropancreatic hormones**, exercise effects, 239,2:G136
- Gastrointestinal hormones**, 230:56, 553  
acidity regulation, bicarbonate transport and, 242,5:G183  
adrenergic, colonic muscle response, 237,6:E383  
bicarbonate transport and, gastroduodenal (bullfrog), 242,5:G100  
capillary permeability and, intestinal, 242,5:G194  
contraction, gallbladder (salmon), 232,1:E485  
duodenal muscle layers (opossum, cat), 234,3:E60  
electron-microscope autoradiographs, pancreatic acini, 243,6:G291  
gallbladder pressure-volume response to, 230:1461  
gastric motility, 240,3:G217, 240,3:G221  
ileoceleal sphincter and, 241,4:G222  
interdigestive motor cycles and, proximal stomach, 237,6:E192  
interdigestive myoelectric complex ectopic focus, 239,2:G215  
ectopic foci, 239,2:G215  
lower bowel removal, 239,2:E346  
ovarian, interaction, circadian locomotor rhythm, 239,8:R497  
perinatal, 239,2:E385  
relaxation, gastric fundus, 232,1:E504  
release, during enteric parasitism, 237,6:R232  
renin secretion and, 243,12:F306  
smooth muscle activity, 232,1:E306  
somatostatin release and, antral mucosa, 241,4:G59  
uptake, liver, 243,6:G103  
vascular effects, various organs, 232,1:H103
- Gastrointestinal malignancies**, protein synthesis, 234,3:E648
- Gastrointestinal metabolism**, cadmium, experimental iron deficiency, 231:462
- Gastrointestinal motility**, patterns of egestion, 231:1824
- Gastrointestinal physiology**, electromyography, 234,3:E641
- Gastrointestinal secretion**, substance P effects, 241,4:G74
- Gastrointestinal system**, control, sodium excretion, lack of evidence, 238,7:F112
- Gastrointestinal tissue**, blood flow, io-dantipyrine clearance for measuring, 243,6:G155
- Gastrointestinal tract**  
adaptation, gastrin effects, small bowel resection, 243,6:G16  
amino acid disposition, protein and glucose ingestion, 241,4:E90  
blood flow: see Blood flow  
development, postnatal, 241,4:G199  
electrical arrhythmias, 239,2:G59  
electrophysiology, 237,6:E90  
gastrin release, antral organ culture, 235,4:E410  
growth, during lactation, 237,6:E98  
liquids and solids, transit, 239,2:G71  
maturation, lead retention, suckling, 239,2:G114  
methylhistidine release, 243,6:E293  
motility: see Motility  
oscillating prostaglandin, release, 239,2:G53  
oxygen consumption, newborn (lamb), 240,3:G297  
oxygen uptake, blood flow and, digestion, awake state, newborn (lamb), 241,4:G289  
parasitism, hormone-regulated pancreatic secretion, 237,6:R232  
peptide secretory pathways, regulatory physiology, gut, 239,2:G237  
potentials, prolonged, calcium chelation-induced, 233,2:C19  
sodium excretion, absence of control, 240,9:F94
- Gastrointestinal wall**, blood flow, 235,4:H34
- Gating mechanism**, tetrodotoxin, 236,5:H561
- Gauge**  
inductive displacement, 239,2:G128  
ultrasonic dimension, regional myocardial dysfunction, 239,8:H399
- G cells**, gastrin release, meal-induced, dietary amines and, 243,6:G341
- Gel matrix**, interstitial, hind paw, 239,8:H532
- General systems**, field and circuit thermodynamics, 233,2:R171
- Genetic hypertension**: see Hypertension
- Genetic obesity**: see Obesity
- Gene transcription**, vitellogenin, estrogen receptors in (frog), 243,12:C1
- Genital tract**, female, vasoactive intestinal polypeptides (cat, goat, pig, rabbit, rat, guinea pig), 240,3:E32
- Genome/ribosome pair**, pharmacokinetics, 237,6:R251
- Gentamicin**  
nephrotoxicity, ion composition and, renal cortex, 242,11:F477  
renal transport, 241,10:F645
- Geometric space**, mapping, thermodynamics, 234,3:R85
- Geometry**, valve, aortic, 241,10:H795
- Gerontology**: see Aging
- Gestation**: see also Fetus; Placenta; Pregnancy  
hypoxemia, plasma catecholamines during (lamb), 243,12:R520
- GH<sub>3</sub> neoplastic cells**: see Neoplastic cells
- GH<sub>3</sub> pituitary cultures**, vitamin A and, 238,1:E174
- Ghost cells**, resealed, calcium movements, active and passive, 237,6:C10
- Giant axon**: see Axon
- Giant cell tumors**, protein kinase, parathyroid hormone modulation, 239,2:E144
- Gilbert's syndrome**, bilirubin kinetics, fasting effects, 240,9:R266
- Gill**  
acid-base balance (rainbow trout), 238,7:R251  
blood flow, adrenergic receptors (trout), 232,1:H18  
boundary layers, transfer capacity, treated water (trout), 240,9:R235  
carbonic anhydrase, epithelial (fish), 238,7:R240  
chloride cell: see Chloride cell  
cholinergic vasoconstriction, sites (trout), 233,2:R222  
culture (eel), 238,7:R165  
freeze fracture, epithelial (fish), 238,7:R207  
function, sodium-potassium-ATPase and (eel), 238,7:R246  
intralamellar blood flow (fish), 239,8:R428  
ion exchangers, lamellar epithelium (teleost), 238,7:R260  
ion-secreting epithelia, chloride cells (teleost), 238,7:R185  
ion transport, epithelia (fish), 238,7:R224  
junctions, epithelial (fish), 238,7:R207  
metabolism, totally perfused (trout), 234,3:R201  
morphology, epithelial (fish), 238,7:R147  
reconstruction from single-cell suspensions (eel), 238,7:R165  
simulated secondary lamella, oxygen change (trout), 233,2:R145  
skin and, sodium and water exchange (amphibian), 242,11:R94  
urea flux, epinephrine effects, 232,1:R110  
ventilation, 230:590
- Gill arch**, rate of response, salinity change (mullet), 238,7:R160
- Gill filaments**, rate of response, salinity change (mullet), 238,7:R160
- Glabrous epidermis**, skin battery (cavy), 242,11:R358
- Glands**, isoproterenol-induced changes, skin (frog), 241,10:C250
- Glandular activity**, autonomically mediated, 230:911
- Glaphenine**, acute renal failure, experimental model, 243,12:F311, 243,12:F416
- Global ischemia**: see Ischemia
- Globulin**  
corticosteroid-binding  
ontogeny, thyroxine effects, postnatal development, 242,5:E33  
plasma concentration during development, 235,4:E451  
postnatal development, hormonal control, 240,3:E402  
pregnancy (monkey), 234,3:E489  
production, glucocorticoid and estrogen regulation, liver, 237,6:E493  
kidney function and, 241,10:F139  
myasthenic, acetylcholine receptor turnover, 243,6:E31  
sex hormone-binding  
aldosterone release, adrenal, 237,6:E363  
testosterone-estradiol transport, brain, 239,2:E103  
 $\alpha_2$ -Globulin, lymph, mesenteric, in zinc deficiency, 236,5:E180  
 $\gamma$ -Globulin, prenatal transfer, 233,2:C111
- Globus pallidus**  
lesions, oral motor deficits, 237,6:R126  
nucleus accumbens and,  $\gamma$ -aminobutyric acid release, 238,7:R65
- Glomerular action**, antidiuretic hormone, 233,2:F102
- Glomerular basement membrane** biosynthesis and turnover, diabetes, 242,11:F385  
proteinuria, norepinephrine- and angiotensin-induced, 237,6:F133
- Glomerular blood flow**: see Blood flow
- Glomerular capillaries**, protein permea-

- Glomerular capillaries** (*continued*)  
bility, angiotensin II effects, 233,2:F13
- Glomerular count**  
proximal intratubular pressure effects, 241,10:F238  
renin release, regional renal, 237,6:F188
- Glomerular dynamics**  
filtration pressure equilibrium, 241,10:F196  
maturation development, 236,5:F465  
renal artery pressure, reduced, 236,5:F25
- Glomerular feedback:** *see* Feedback
- Glomerular filtration:** *see* Filtration
- Glomerular hemodynamics, altered,**  
nephron obstruction, 242,11:F580
- Glomerular markers:** *see* Markers
- Glomerular permeability:** *see* Permeability
- Glomerular permselectivity, barrier**  
function, based on molecular size and charge, 234,3:F455
- Glomerular pores, size, flexible polymer**  
probes, 236,5:F103
- Glomerular pressure:** *see* Pressure
- Glomerular sieving coefficient**  
growth hormone, 233,2:F185  
parathyroid hormone, 233,2:F445
- Glomerular volume:** *see* Volume
- Glomeruli, prostaglandin synthesis by,**  
ureteral ligation, 241,10:F289
- Glomerulosa cells, adrenocorticotropin,**  
and potassium, comparative study, 233,2:E402
- Glomerulotubular balance**  
acute cardiac tamponade, 234,3:F117  
carbonic anhydrase inhibition, proximal reabsorption and, 242,11:F274  
glucose efflux, proximal tubule, 238,7:F499  
mechanisms, proximal tubular reabsorption determinants, 235,4:F142  
nonelectrolyte absorption, 236,5:F163  
plasma carbon dioxide tension, 236,5:F232  
reabsorption, proximal tubular, during volume expansion, 236,5:F488  
saline loading, developing kidney, 235,4:F417  
sodium reabsorption, oxygen requirement, 238,7:F175
- Glomerulotubular relations, developing**  
kidney (guinea pig), 241,10:F618
- Glomerulus cells, membrane characteristics,**  
temperature effects, 233,2:C35
- Glossopharyngeal nerve**  
gustatory response (frog), 238,1:G445  
reflex swallowing, 239,8:R407
- Glucagon**  
adenosine monophosphate, cyclic and, liver, 237,6:R147  
 $\alpha$ -adrenergic receptor, in hypoxia, 237,6:E404  
adrenergic regulation, stress, spontaneous diabetes, 240,3:E373  
age-dependent responses to, 230:1590  
amino acid transport, 230:245  
 $\alpha$ -aminobutyrate distribution, 238,1:E358  
bicarbonate transport, gastroduodenal (bullfrog), 242,5:G100  
bile adenosine monophosphate, cyclic secretion, 238,1:G119  
biosynthesis, extrapancreatic, 238,1:E258  
blood flow, gastrointestinal, in hypovolemic shock, 238,1:G434  
blood levels, weight regulation, parabolic, 232,1:R150  
cardiac chronotropic response and, vagal stimulation, 242,11:H7  
cholesterol synthesis, intestinal, 240,3:G274  
contraction inhibition, smooth muscle cells (guinea pig), 243,6:G497  
counterregulatory hormones and, 240,3:E465  
D-cell function, pancreatic and gastric, 237,6:E555  
deficiency  
glucoregulation, catecholamine effects (baboon), 243,6:E225  
glucose turnover, 236,5:E255  
hypoglycemia-induced glucose production, 236,5:E263  
2-deoxy-D-glucose effects, endocrine pancreas, 239,2:E227  
dietary modulation, pancreatic  $\alpha$ -cells, 242,5:G354  
distribution, extrapancreatic tissue, 238,1:E258  
early phase, 236,5:E85  
effects, zinc excretion, urinary, 240,9:F299  
electrical stimulation, hypothalamic, 242,11:E220  
endotoxin effects, diabetes, 243,12:R77  
endurance training and, fasting, 243,12:R179  
epinephrine and, sequential infusion, effect on glucose turnover, 235,4:E287  
epinephrine effects, running, 240,3:E526  
epinephrine interaction  
alloxan-diabetes, 241,4:E328  
glucoregulation and, diabetes, 242,5:E428  
exercise and, glycogenolysis, 240,3:E451  
exercise preceded by glucose ingestion, 233,2:E188  
experimental injury, liver, 241,4:E428  
extraction  
hepatic, augmented secretion, 235,4:E88  
renal, 233,2:F67  
extrapancreatic, glucose turnover, 234,3:E213  
fatty acid oxidation, hepatic, 237,6:E121  
fetal, maternal fasting, 232,1:E456  
food intake effects, liver, 243,12:R450  
free fatty acid metabolism, regulation, liver, 237,6:E23  
gastric A-cells and, 231:1057  
gastrin and, secretory effects, pancreas (porcine), 238,1:E186  
glomerular filtration rates, 233,2:F61  
glucose kinetics and, adrenergic blockade effects, sepsis and burns, 241,10:R222  
glucose output stimulation, hepatic somatostatin effects, 236,5:E113  
glucose production  
regulation, in exercise, 238,1:E13  
transient effects, 236,5:E358  
glucose production and disposal, hepatic, 237,6:E356  
glycogen resynthesis  
muscle, 238,7:R328  
muscle, after exercise, 235,4:R145  
hepatic response to, insulin and hyperglycemia effects, 242,5:E73  
hormonal content, exocrine pancreas, 238,1:G526  
hormonal regulation, 235,4:E295  
hormone-induced changes, hepatocytes, 242,11:C172  
hyperphagocytosis, diabetes, reticuloendothelial system, 240,3:G225  
hypoglycemia, 236,5:E147, 238,7:E131  
inhibition of hepatic arterial responses, hepatic nerve stimulation, 233,2:H647  
insulin and, arginine, glucose, and tolbutamide, 236,5:E85  
insulin antagonism, 237,6:E487  
insulin dependence, paradoxical overeating, 236,5:E205  
insulinotropic factor secretion, 236,5:E710  
insulin secretion and, calcitonin modulation of, 242,5:E206  
intestinal phospholipase A, triglyceride and, 242,5:G168  
intestinal secretion and, 239,2:G30  
ion transport, intestinal, 238,1:G491  
ketogenesis, hepatic, 237,6:E121  
length-tension curves, in volume overload heart failure, 235,4:H690  
levels, mixed meal effects, 240,3:E54  
lipoprotein lipase activity, muscle, oscillatory changes, 232,1:E316  
liver, suckling, 233,2:E175  
liver regeneration, fasting, 240,3:E112  
lower bowel removal, 239,2:E346  
mediation of epinephrine metabolic effects (baboon), 232,1:E464  
metabolic alterations, experimental obesity, 233,2:R162  
metabolic disposal, hepatic, 240,3:E233  
metabolic hyperemia, gut, 232,2:G12  
metabolic rate, renal, 233,2:F61  
metabolism  
postexercise, 235,4:E255  
vasoactive intestinal polypeptide effects, hepatocytes, 242,5:E262  
nonsteady state ketone body turnover, tracer technique, 240,3:E253  
nutritional state effects (monkey), 242,11:E255  
odd carbon fatty acids and, 231:366  
25(OH)vitamin D<sub>3</sub> and, renal interactions, 240,9:F269  
output, pancreatic cells, somatostatin analogues, 236,5:E123  
oxygen exchange, mesenteric microcirculation, 236,5:H846  
pancreatectomy, mixed meal response, 242,5:E335  
pancreatic, feeding suppression after vagotomy, 234,3:E314  
pancreatic cell response, gastric inhibitory polypeptide, 237,6:E185  
pancreatic islets, dorsal and ventral, 240,3:E422  
phosphorylase responses, liver, 232,1:E370  
plasma  
central nervous system control, 243,6:E213  
cephalic phase insulin release, 242,5:E280  
effects of fasting, somatostatin and hypoglycemia, 231:1377  
plasma catecholamine fluctuation and (monkey), 242,5:E40  
plasma somatostatin and (monkey), 243,12:R289  
portal shunt, liver, 239,2:G83  
processing, kidney tubules, 242,11:F112  
protein kinase stimulation, insulin inhibition, renal cortex, 236,5:E649  
pyloric pressure response, insulin-induced hypoglycemia, 241,4:G321  
pylorus and, 243,6:G330  
pyruvate kinase regulation, hepatocytes, 240,3:E279  
pyruvate metabolism, liver mitochondria, 236,5:E501  
regulation, hyperlipemic obesity, 230:1336  
release  
calcium dependency, perfused pancreas, 236,5:E98  
extrapancreatic tissue, 238,1:E258  
gastric and intestinal phase of meal, 238,1:G109  
gastric inhibitory polypeptides and arginine effects, 242,5:E343  
growth hormone effects, pancreas, 237,6:E107  
hypothalamic influence, 233,2:E380  
xenopsin effects, 243,6:G195  
renin release, enhancement of, 242,11:F267  
response, submaximal exercise, liver, trained rats, 240,9:R330  
secretion  
effects of secretin (pig), 235,4:E381  
ethionine-treated pancreas, 243,6:E505  
hyperglycemia, 240,3:E407  
pancreas, obesity, 241,4:E146

- pancreas-duodenum (rat, chicken), 238,1:E150  
 perfused pancreas and, 241,4:G43  
 plasma amino acid and protein feeding, 236,5:E20  
 vasoactive intestinal peptide-stimulated, 232,1:E197  
 vasoactive intestinal polypeptide and (pig), 235,4:E387  
 ventromedial hypothalamic lesions and, 238,1:E32  
 secretory responses, leukocytic endogenous mediators, 233,2:E240  
 spinal anesthesia effects, pancreatic islets, 239,2:E150  
 starvation and obesity effects, perfused organ system, 241,4:E215  
 stress-induced feeding and, 241,10:R72  
 substrate cycling, 235,4:E295  
 suppression of feeding, 241,10:R330  
 thermogenesis, 232,1:E451  
 transit, intestine, 230:132  
 vagally mediated pancreatic secretion (pig), 237,6:E535
- Glucagonemia**, portacaval diversion, adipose tissue, 234,3:E579
- Glucagon-like activity**, growth hormone effects, 237,6:E107
- Glucagon-like immunoreactivity**, distribution, extrapancreatic tissue, 238,1:E258  
 exercise, 238,1:E13
- Glucocorticoids**  
 adenosine monophosphate, cyclic and, liver, 237,6:R147  
 adrenal, angiotensin II effects, 233,2:E273  
 aldosterone binding, kidney, 240,9:C20  
 angiotensinogen, plasma concentration, 232,1:E234  
 antenatal  
   ductus arteriosus and, preterm (lamb), 240,9:H430, 241,10:H415  
   atrophy, muscle, 243,6:E512  
   cardiac lymph effects, ischemia, 232,1:H602  
   cation transport, colon, 238,7:F181  
   colonic function and, cycloheximide effects, 243,6:G112  
   deficiency, adrenal insufficiency and, 233,2:F509  
   differential effects, jejunum, 241,4:G306  
   endurance training and, fasting, 243,12:R179  
   glomerular filtration rate, increased mechanism, 234,3:F166  
   hemorrhage response, awake state, 243,12:R416  
   hypertension: see Hypertension  
   insulin receptor development and, lung, fetal, 242,5:E384  
   maternal and fetal, diabetes, 240,3:E217  
   metabolic acidosis, 232,1:F136  
   muscle atrophy, prevention by endurance training, 241,4:E226  
   natriuresis after adrenal enucleation, 233,2:F8  
   peptide-chain initiation, skeletal muscle and heart, 235,4:E134  
   phosphate transport and, renal, 243,12:C227  
   phosphoenolpyruvate carboxykinase activity  
     regulation, brown fat, 235,4:E197  
     regulation, kidney and adipose tissue, 233,2:E147  
   postnatal development and, 241,4:G199  
   prostaglandin E synthesis and water flow, bladder (toad), 234,3:F532  
   protein turnover, heterocorpus, 238,1:E564  
   receptors: see Receptors  
   regulation, corticosteroid-binding globulin production, liver, 237,6:E493  
   responsiveness, intestinal enzymes and, postnatal development, 242,5:G89
- reticuloendothelial development, 233,2:C141  
 sodium-potassium-ATPase stimulation and, distal tubule segments, 243,12:F463  
 sodium-potassium-ATPase activity, renal, 238,7:F315  
 kidney, 242,11:F207  
 regulation, renal, 241,10:F186  
 stimulation and, distal tubule segments, 243,12:F463  
 sodium reabsorption-gluconeogenesis competition, renal, 238,7:F290  
 spironolactone, renal acid-base effects, 240,9:F381  
 submaximal exercise, liver, trained rats, 240,9:R330  
 treatment, hindlimb muscles, 238,1:E124  
 tryptophan-oxygenase induction, liver, 235,4:E374  
 tyrosine aminotransferase induction, liver, 235,4:E374
- Glucocorticoid steroids**, acid-base metabolism, renal and systemic, 239,8:F30
- Glucocorticosteroids**, injection, circadian zeitgeber, 243,12:R373
- Glucogenicity**  
 glutamate metabolism and (sheep), 241,4:E465  
 glutamine (sheep), 234,3:E197
- Glucokinase**  
 activity, physical training effects, liver, 243,6:E464  
 endotoxin shock, normal and diabetic liver, 240,9:R301
- Gluconeogenesis**  
 adenosine monophosphate, cyclic and, liver, 237,6:R147  
 adrenalectomy, 230:163  
 alanine, 230:1385  
   fetal (ovine and lamb), 233,2:E462, 235,4:E448  
   metabolism and, 231:619  
 ammonia metabolism, 235,4:F265  
 burn trauma, 233,2:E80  
 carbon kinetics, plasma, 239,2:E30, E39  
<sup>14</sup>C-labeled aspartate, insulin effects, 235,4:E22  
 Cori cycle activity, 232,1:E136  
 endotoxin effects, diabetes, 243,12:R77  
 endurance training and, fasting, 243,12:R179  
 epinephrine activation, 232,1:E145  
 epinephrine-induced (baboon), 232,1:E464  
 epithelium, kidney (pig), 242,11:C41  
 exercise, preceded by glucose ingestion, 233,2:E188  
 fetal, maternal fasting, 232,1:E456  
 fetal (sheep), 239,2:E208  
 fluoroacetate and, renal, 237,6:F7  
 from glycerol, effects of age and fasting, 230:362  
 fructose-6-phosphate substrate cycling, 235,4:E295, 236,5:E410  
 glucose homeostasis, newborn, 234,3:E129  
 glucose-lactate interrelations (sheep), 235,4:E487  
 glucose metabolism, free water clearance and, 242,11:F491  
 glutamine carbon metabolism, renal, 234,3:F123  
 hepatic  
   carbohydrates, 230:163  
   glucose load and, 235,4:E354  
   homeostasis, high-protein diet, 239,8:R437  
   hormonal regulation, 235,4:E22, E295  
   hypoglycemia-induced compensation, glucagon lack, 236,5:E263  
 kidney nephron, 240,9:F492  
 lactate, striated muscle (frog), 237,6:C231  
 lactate interrelations (penguin), 242,11:R458
- liver, 232,1:E492  
 insulin effects, 233,2:E13  
 suckling, 233,2:E170  
 maternal and fetal, maternal hypoglycemia (sheep), 238,1:E524  
 maternal starvation effects, fetal and neonatal, 240,3:E88  
 measurement, [2,3-<sup>14</sup>C]alanine and, neonatal, 240,3:E615  
 odd carbon fatty acids and, 231:366  
 oxygen consumption and, sodium transport relations, kidney, 242,11:F508  
 phosphate transport, glucocorticoid effects, kidney, 243,12:C227  
 pyruvate stimulation, hydrogen ion transport, urinary bladder (turtle), 239,8:F366  
 renal, 230:1163, 234,3:F415  
 adrenal steroids and, 241,10:F186  
 high protein diet and, 235,4:E261  
 shock, 231:872  
 sodium ion reabsorption, renal, 238,7:F415  
 sodium reabsorption and, competition, steroid effects, 238,7:F290  
 splanchnic and skeletal muscle, during exercise, 233,2:E195  
 spontaneous diabetes, liver, 240,3:E83  
 submaximal exercise, liver, trained rats, 240,9:R330  
 time-dependent insulin effects, liver, 236,5:E246
- Gluconeogenic enzymes**, distribution, nephron, in acidosis and starvation, 235,4:F246
- Glucopenia**, glucagon response to 2-deoxy-D-glucose, hypoglycemia and, 239,2:E227
- Glucoprivation**  
 central nervous system, ingestive behavioral response, 233,2:R127  
 dorsomedial hypothalamic lesions, feeding responses, 235,4:R168  
 feeding behavioral response, 234,3:E20, E617  
 food intake following, lateral hypothalamic lesions, 241,10:R362  
 responses (Zucker fatty rat), 239,2:E379  
 suckling (pig), 232,1:E510  
 thermogenesis and lipolysis,  $\beta$ -adrenergic blockade effects, 243,12:R379  
 thermoregulatory responses, 239,8:R291
- Glucoprivic control**, 5-thio-D-glucose and, 238,1:E141
- Glucoreceptors**: see Receptors
- Glucoregulation**  
 diabetes, epinephrine-glucagon interaction effects, 242,5:E428  
 insulin and glucagon deficiency, catecholamine effects (baboon), 243,6:E225  
 simulated diving and (harbor seal), 241,10:R293  
 stress, spontaneous diabetes, 240,3:E373
- Glucoregulatory hormones**, sepsis, 230:1296
- Glucoregulatory response**, exercise, obesity, diabetes, 240,3:E458
- Glucosamine**, output, prostaglandin E<sub>2</sub> and, 239,2:G44
- Glucose**  
 absorption  
   control in vitro, 238,1:G219  
   everted intestinal sacs, 236,5:E52, E57  
   heterogeneity, renal, 242,6:F312  
   ileum, fetus, 242,5:G642  
   intestinal, 234,3:E629  
   jejunum, 236,5:E685  
   luminal nutrition and metabolic status, 240,3:G432  
   metabolic inhibitor effects, proximal tubule (rabbit), 243,12:F133  
 absorption and disposition, awake state, 242,5:E398  
 adrenal medullary (swine), 234,3:E137  
 adrenergic blockade effects, awake state, 241,4:E385

**Glucose (continued)**

- $\alpha$ -adrenergic events, pancreatic islets, 239,2:E490
- age and hypertension, aortic metabolism, 230:30
- alanine synthesis, 230:1379
- amino acid effects, pancreatic  $\beta$ -cells, 240,3:E245
- analogues, transport, lung, 241,4:E191
- anoxia, vascular depletion of and, 230:1261
- arterial plasma concentration (sheep), 235,4:E487
- atrial tension, 236,5:H629
- bicarbonate incorporation, insulin effects, 235,4:E22
- blood
  - circadian sleep and feeding patterns, 238,1:E223
  - epinephrine effects, 241,10:C55
  - exercise and fasting effects, endurance training and, 243,12:R170
  - feeding and, 241,10:R330
  - food intake effects, 243,12:R450
  - hibernation (marmot), 234,3:R178
  - insulin and exercise effects, 233,2:E509
  - intracerebroventricular norepinephrine effects, 242,5:E248
  - postinsulin hypophagia, 243,12:R304
  - submaximal exercise, trained rats, 240,9:R330
  - thermogenesis, infant, 233,2:R23
- blood levels, 230:56, 1411
- prandial, 235,4:E103
- weight regulation, parabolic, 232,1:R150
- brain, removal technique, 234,3:E365
- calcium fluxes and, pancreatic islets, 238,1:E87
- calcium ion-tolerant myocytes, cardiac, 240,9:H659
- carbon monoxide, lung metabolism and, 230:658
- carriers, placenta, maternal and fetal sides of trophoblast, 237,6:C205
- $\beta$ -cell response, 237,6:E214
- cerebral metabolic rate, compartmental model, 238,1:E69
- cerebral metabolism, newborn, 240,9:R192
- cerebrospinal fluid, salt appetite and (sheep), 242,11:R51
- chloride and sodium transport, cornea (bullfrog), 236,5:C268
- circadian rhythms, intestinal transport, 230:731
- clamp technique, insulin effects, 240,3:E630
- clearance
  - extrapancreatic glucagon effects, 234,3:E213
  - hepatic, epinephrine and, 237,6:E356
  - hypergravity adaptation, skeletal muscle, 240,3:E482
  - insulin sensitivity, 239,2:E169
  - metabolic, in exercise, glucagon and, 238,1:E13
  - nonsteady state, tracer method, 234,3:E84
- concentration
  - adipose cells, 238,1:E180
  - fasting and resting, 232,1:E25
  - perfused, lung glycolysis, 236,5:E229
  - starvation, 236,5:E105
- Cori cycle activity, 232,1:E136
- counterregulation, hormonal mechanisms, 236,5:E380
- countertransport, adipocytes, 234,3:E112
- delivery modulation of glucose uptake, contractile skeletal muscle, 233,2:E514
- differential, hepatic vein cannulation, transjugular, 237,6:H730
- diurnal changes, 238,1:E463
- dorsomedial hypothalamic lesions and, feeding responses, 235,4:R168
- efflux, proximal tubule, as function of delivered load, 238,7:F499
- Ehrlich cells, 242,11:C326
- electrical activity
  - islet cells, somatostatin inhibition, 233,2:C164
  - pancreatic  $\beta$ -cell, 240,9:C127, 241,10:C264
- electrolyte excretion, renal, 240,9:F17
- endotoxin effects, liver and muscle, 243,12:R77
- enzyme regulation, diabetes, 234,3:E13
- exogenous, glycogenolysis, exercise and, 240,3:E451
- exposure, blood flow, intestinal, 238,7:H164
- fat mobilization, 232,1:E165
- feeding, hypothalamic norepinephrine and, 236,5:R312
- furosemide effects, renal handling, 232,1:F438
- futile cycle, 236,5:E255
- gastric emptying
  - after nonliquid meals, 234,3:E660
  - satiety and (monkey), 241,10:R25
- gastric function and, hepatic modulation, 238,7:R346
- glomerular filtration rate, 233,2:F61
- glucagon release, pancreas, 236,5:E98
- glucoprivation,  $\beta$ -adrenergic blockade effects, 243,12:R379
- glutamate metabolism, glucogenicity and (sheep), 241,4:E465
- glycerol, 230:362
- hemorrhage response, awake state, 243,12:R416
- hepatic balance, 235,4:H262
- hepatic glycogen synthesis and, 231:1608
- hepatic venous plasma, insulin injection, hypothalamic, 240,3:E95
- hexose monophosphate shunt, cardiac myocytes, 232,1:E570
- $3\text{-}^3\text{H}$ -labeled, glucagon and, in exercise, 238,1:E13
- homeostasis
  - exogenous fat and gluconeogenic substrate effects, newborn, 234,3:E129
  - high-protein diet, 239,8:R437
  - insulin secretion, 240,3:E24
  - insulin sensitivity estimation, 236,5:E667
- hyperosmotic, vascular resistance and lymph flow, ileum, 234,3:H14
- hypoglycemia, kinetics, 236,5:E147
- hypothalamic control, endocrine thermogenesis (goat), 241,4:E420
- hypothermia and, 231:1729
- increased feeding, recovered lateral rats, 230:1084
- induced biphasic insulin release, islet of Langerhans, modulation by bicarbonate, 231:713
- influence on water and ion content, aorta, 231:1800
- influx, cellular, hepatic blood flow rate, 238,7:H553
- infusion
  - burn trauma, 233,2:E80
  - dose-dependent, insulin uptake, hepatic, 237,6:E509
  - glycogenolysis, exercise, 240,3:E451
  - high-fat diet and satiety, 237,6:R139
  - ingestion, amino acid metabolism, 241,4:E90
  - inhibition, calcium-45 efflux, pancreatic islets (*ob/ob* mouse), 235,4:E191
  - injection, preceding prolonged exercise, effects on substrate utilization, 233,2:E188
  - insulin, norepinephrine and, hypothalamus, 242,11:R596
  - insulin and glucagon response to, calcitonin modulation of, 242,5:E206
  - insulin delivery rate and, measurement by deconvolution analysis, 233,2:E500
- insulinogenic response, fetal pancreas, 239,2:E57
- insulin regulation, skeletal muscle, 239,2:E69
- insulin release
  - during hypoxia, 237,6:E45
  - pancreatic islets, 236,5:E139
  - stimulation, dantrolene inhibition of, 243,6:E59
- insulin secretion, acid-base alterations and, 234,3:E426
- intestinal hyperemia and, 235,4:H677
- postprandial, 238,1:G284
- intolerance, metabolic acidosis, 236,5:E328
- intracellular potentials, perfused proximal tubules, 240,9:F200
- intracerebral and intracerebroventricular infusion, ingestive behavioral response, 233,2:R127
- intraluminal, ammonia production and, small intestine, 242,5:G552
- intraportal, vasovagal reflex, feeding pattern, 239,8:R66
- intravenous infusion, sleep and, 238,1:E307
- islet cell calcium pool, 232,1:E114
- isotopically labeled, nonsteady state measurements, 234,3:E84
- jejunal function, 233,2:E181
- kinetics
  - adrenergic blockade and, sepsis and burns, 241,10:R222
  - burn shock, 232,1:E415
  - counterregulatory hormones and, 240,3:E465
  - endotoxin effects, 232,1:E180
  - insulin antagonism and, 237,6:E487
- labeled
  - activity, perfused lung, 236,5:E276
  - insulin or glucagon deficiency, 236,5:E255
- lactate interrelations
  - penguin, 242,11:R458
  - sheep, 235,4:E487
- levels, mixed meal effects, 240,3:E54
- liver, suckling, 233,2:E175
- load
  - hepatic gluconeogenesis, 235,4:E354
  - insulin dependence of paradoxical overeating, 236,5:E205
  - subthreshold, normal and uremic kidney, 236,5:F567
  - unrestrained conditions (squirrel monkey), 234,3:R20
- mass, gluconeogenesis and (fish), 240,9:R246
- maternal infusion, insulin secretory responses, fetal and newborn (sheep), 235,4:E467
- maximal tubular reabsorption, developing kidney, 235,4:F417
- metabolic alterations, experimental obesity, 233,2:R162
- metabolic and functional effects, perfused kidney, 235,4:F52
- metabolic hyperemia, gut, 239,2:G12
- metabolic hyperemia and, 237,6:E548
- metabolic rate, myocardial, 243,12:H884
- metabolism, 230:602
  - adipocytes, 236,5:E621, 238,1:E180
  - adipocytes, streptozotocin diabetes, 235,4:E175
  - adult hepatocytes, 234,3:C122
  - alloxan action and, fibroblasts, 240,3:E640, 240,3:E645
  - blood, portacaval diversion, 234,3:E579
  - burn trauma, 233,2:E80
  - clofibrate acid effects, skeletal muscle, 240,3:E203
  - dietary composition effects, adipose cells, 240,3:E175
  - epitrochlearis muscle, 239,2:E461
  - fat cells, 237,6:E325
  - fetal brain, 241,4:E200
  - fetal (sheep), 239,2:E208



- glutamine deprivation, tissue culture, 236,5:E234  
 high-fat effects, pancreatic acini, 243,6:G448  
 insulin binding, soleus muscle, 234,3:E348  
 insulin dose-response curves, 240,3:E630  
 insulin effects, kidney cells, 242,11:C121  
 insulin resistance for, soleus muscle, 242,5:E12  
 insulin secretion, 240,3:E24  
 isolated pancreatic islets, 236,5:E4  
 kidney nephron, 240,9:F492  
 muscle hemorrhagic shock (monkey), 233,2:E439  
 myocardial, during development, 233,2:H707  
 paraquat perfusion, lung, 234,3:E653  
 pentose pathway, 234,3:E97  
 phlorizin effects, renal, 234,3:F485  
 physical training and obesity effects, 243,6:E418  
 red cells (cow), 236,5:C255  
 renal, regional, 234,3:F415  
 septic shock, 235,4:R219  
 skeletal muscle, genetic obesity, 239,2:E363  
 splanchnic, postexercise, 235,4:E255  
 mobilization, intraventricular, 236,5:E317  
 muscle protein synthesis, 242,5:E184  
 neural influences on (monkey), 240,3:E5  
 nonoxidative, dilute urine formation and, 242,11:F491  
 nutritional state effects (monkey), 242,11:R255  
 oscillations, glucose infusion, 238,1:E395  
 output  
   epinephrine-stimulated, hepatic, 236,5:E113  
   hepatic, 235,4:E88, 236,5:E358  
   hepatic, obesity, diabetes mellitus, 243,6:E15  
    $\alpha$ -sympathetic control, perfused liver, 236,5:E323  
 oxidation  
   adipocytes, streptozotocin diabetes, 235,4:E175  
   atrial muscle, 238,1:E480  
   burn trauma, 233,2:E80  
   cardiac myocytes, amino acid stimulation, 235,4:E461  
   fat cells, bilirubin effects, 237,6:E504  
   fetal, 233,2:E457  
   heart myocytes, 238,7:H740  
   insulin action, neuraminidase inhibition, adipocytes, 239,2:E186  
   perfused lung, 236,5:E276  
   renal, 235,4:F52  
 pancreatotomy, mixed meal responses, 242,5:E335  
 pancreatic islets (ovine), 234,3:E162  
 permeability: see Permeability  
 phlorizin and, interactions, proximal tubule, 234,3:F270  
 phosphate reabsorption, inhibition, kidney, 235,4:F430  
 phosphate transport, microvillus membrane vesicles, kidney, 242,11:F126  
 plasma  
   carbon kinetics, 239,2:E30, E39  
   catecholamine fluctuation and (monkey), 242,5:E40  
   central nervous system control, 243,6:E213  
   cephalic phase insulin release, 242,5:E280  
   hemorrhage effects (chicken), 240,9:H9  
   hyperglycemia, 240,3:E407  
   hypothalamic insulin injection, 240,3:E95  
   hypothalamic obesity, 239,2:E437  
   isoproterenol effects, hypertension, 241,10:H497  
   lipogenesis, genetic obesity, 239,2:E265  
   transplacental gradients, 235,4:H200  
   plasma concentration (penguin), 242,11:R458  
   plasma levels, insulin secretion, 232,1:E237  
   plasma somatostatin and (monkey), 243,12:R289  
   plasma turnover, seasonal acclimatization (goldfinch), 242,11:R563  
   postpyloric regulation, gastric emptying (monkey), 243,12:R408  
   priming effect on insulin secretion, 240,3:E24  
   production  
    $\beta$ -adrenergic mediation (baboon), 243,6:E225  
   epinephrine-induced hyperglycemia, diabetes, 241,4:E328  
   extrapancreatic glucagon effects, 234,3:E213  
   fasting, neonatal, 239,2:E287  
   glucagon deficiency, 236,5:E255  
   glycogen and, 238,1:E131  
   hepatic, inhibition by indomethacin, 236,5:E358  
   hepatic, insulin and hyperglycemia effects, 242,5:E73  
   hypoglycemia-induced, during glucagon deficiency, 236,5:E263  
   insulin deficiency, 236,5:E255  
   midterm fetal liver, 234,3:E560  
   nonsteady state tracer methods, 234,3:E84  
   regulation by glucagon in exercise, 238,1:E13  
   time-dependent insulin effects, liver, 236,5:E246  
   production and disposal, hepatic differential epinephrine effects, 237,6:E356  
   prostaglandin inhibitors, pancreatic islets, 239,2:E490  
   proton uptake and, secretory granules, pancreatic  $\beta$ -cells, 242,11:C382  
   pulses, early insulin and glucagon response, 236,5:E85  
   push-pull perfusion, hypothalamic nor-epinephrine and, 236,5:R312  
   pyruvate incorporation, insulin effects, 235,4:E22  
 reabsorption  
   edema, 231:749  
   kidney tubules, 242,11:F406  
   maleate-induced tubular dysfunction, 239,8:F50  
   renal, albumin effects, 232,1:F286  
   regulatory mechanisms, 233,2:E61  
   release, gastric inhibitory polypeptides and arginine effects, 242,5:E343  
   renal transport, 231:468  
   replacement rate, high-protein diet, 239,8:R437  
   responses, electrical stimulation, hypothalamic, 242,11:R220  
   reversal of valinomycin blockade, myocardial slow channels, 235,4:H46  
   secretion, diabetes effects, intestinal, 242,5:G455  
   sequential infusions, insulin effects, 240,3:E630  
   sodium ions and, reabsorption, dissociation by amphotericin B, proximal tubules (*Necturus*), 236,5:F392  
   sodium transport  
   bladder (toad), 232,1:F307  
   renal, 233,2:F235  
   splay, developing kidney, 235,4:F417  
   stimulation with, perfused organ system, 241,4:E215  
   synthesis, alanine and, starvation, 241,4:E121  
   temperature-dependent potentials, proximal tubules, 236,5:F302  
   thyroid treatment and, 243,12:R170  
   titrated, hormonal regulation of gluconeogenesis, 235,4:E295  
 tolerance  
   cholinergic innervation and, pancreas, 241,4:E337  
   lean and obese (pig), 233,2:E104  
   liver regeneration, 240,3:E112  
 tolerance tests  
   hypergravity adaptation, skeletal muscle, 240,3:E482  
   unrestrained conditions (squirrel monkey), 234,3:R20  
 tracer kinetic analysis, 232,1:E145  
 transepithelial transport, cell (pig), 240,9:C92  
 transport  
   acidotic cardiac ischemia, 242,11:R533  
   adipocytes, 242,5:E368  
   adipocytes, insulin-stimulated, 236,5:E621  
   adipocytes, measurement with L-arabinose uptake, 234,3:E112  
   adipocytes in hyperinsulinemia, 235,4:E53  
   brain, hypoxia, anoxia, or ischemia, 239,2:E501  
   cholecystokinin receptors and, pancreatic acini, 242,5:G250  
   chronically altered nephron, 243,12:F393  
   deactivation of, insulin receptors and, 242,5:E234  
   diphosphonate treatment, renal brush border vesicles, 239,8:F13  
   effect of maleic acid, 231:1024  
   epithelia, 240,9:F1  
   erythrocytes (chicken), 241,10:C233  
   fat cells, insulin and insulin mimickers, 234,3:E484  
   fat cells, sex differences, 243,6:E158  
   insulin effects, fat cells, 240,3:E556  
   insulin effects, hindlimb muscle, 242,5:E323  
   intestinal membrane vesicles, diabetes, 238,1:G419  
   isolated brain capillaries, 236,5:C96  
   isolated perfused proximal kidney tubules, 231:1716  
   membrane vesicles, analysis, 233,2:E445  
   microvillus membrane, placenta, 238,7:C160  
   pars recta, 234,3:F332  
   proximal nephron, 241,10:F322  
   proximal straight tubules, 241,10:F597  
   proximal tubules, 234,3:F279  
   renal, two systems (flounder), 232,1:F227  
   renal cells, 238,7:F1  
   skeletal muscle, genetic obesity, 239,2:E363  
   sodium-dependent, harmaline and, renal, 238,7:F210  
   stereospecificity, isolated brain capillaries, 236,5:C96  
   tubular, leaked load, 234,3:F480  
   volume expansion effects, renal, normal and uremia, 236,5:F567  
 tritiated, fructose-6-phosphate substrate cycling, 236,5:E410  
 turnover  
    $\alpha$ -adrenergic stimulation and blockade, 238,1:E467  
   amino acid glucogenesis and (fish), 240,9:R246  
   diabetes, obese noninsulin-dependent, exercise, 240,3:E458  
   exercise during fasting, obesity, 238,1:E322  
   extrapancreatic glucagon control, 234,3:E213  
   fed and fasted (kelp bass), 232,1:R66  
   glucagon and epinephrine infusion, 235,4:E287  
   glucagon deficiency, 236,5:E255  
   glucagon regulation, exercise, 238,1:E13

**Glucose (continued)**

- in vivo, fetus (ovine and lamb), 233,2:E462
- maternal and fetal, maternal hypoglycemia (sheep), 238,1:E524
- turnover and recycling, 230:1159
- turnover rate, fetal (sheep), 240,3:E662
- $U^{14}C$ -labeled
  - glucogenesis and (fish), 240,9:R246
  - oxidation, rest and exercise, 240,3:E155
- ulceration inhibition, glycoprotein receptor system and, 242,5:G429
- umbilical uptake, fetal (sheep), 240,3:E662
- uptake
  - adipocytes, hypergravitational force effects, 238,1:E330
  - autoregulation, midterm fetal, liver, 234,3:E560
  - cerebral, 231:1840
  - cerebral, hypotension, 236,5:H802
  - diabetic heart, 236,5:H806
  - effects of nutrients, endogenous secretions and fasting, 238,1:G219
  - endotoxin shock, 233,2:E71
  - endotoxin effects, muscle, 239,2:E311
  - exercise, skeletal muscle, 241,10:C200
  - gram-negative endotoxin effects, skeletal muscle, 240,9:H342
  - heart, newborn (pig), 241,4:E364
  - hyperpolarization, muscle, 239,2:E21
  - hypoxic, anoxic, or ischemic brain, 239,2:E501
  - insulin effects, awake state, liver, 242,5:E97
  - insulin effects, starvation and aging, skeletal muscle, 236,5:E519
  - insulin sensitivity, liver, 239,2:E169
  - kinetic parameters, intestinal, 239,2:G372
  - myocardial, insulin effects, neonatal diabetes (lamb), 237,6:H514
  - periodic variation, 238,1:E395
  - shivering thermogenesis and, diabetes, muscles, 242,11:R109
  - skeletal muscle, contracting, glucose delivery modulations, 233,2:E514
  - starvation effects, skeletal muscle, 240,3:E184
- urate uptake and, kidney cortex, 242,11:F158
- utilization
  - alloxan effects, fibroblasts, 240,3:E640
  - bovine hypothalamic extract, effects, 234,3:E554
  - cerebral, metabolic acidosis, 241,10:H772
  - diabetic heart, 239,8:H614
  - endotoxin shock, 233,2:E71
  - exercise and, 238,1:E13
  - extrapancreatic glucagon effects, 234,3:E213
  - glucagon and, 238,1:E13, E131
  - hepatic, 236,5:E358
  - liver, 234,3:C122
  - lung, 236,5:E229
  - lung cells, 232,1:E394
  - newborn, 234,3:E129
  - physical training effects, islet cells, 243,6:E464
  - renal, 235,4:F52
  - shock, 231:872
  - utilization and recycling, 230:138
  - utilization and turnover, fetal (sheep), 240,3:E662
  - vascular reactivity, lung, red blood cells and platelets in, 234,3:H186
- D-Glucose**
  - absorption, renal tubular, 233,2:F274
  - chloride uptake, pancreatic islets, 235,4:E501
  - inhibition, myo-inositol transport, 239,8:F113
  - 3-O-methyl-, brush-border membrane, jejunum (chick), 240,3:G102

- sodium-dependent transport, heterogeneity of, proximal tubules, 242,11:F406
- sodium-independent transport, brush border membrane vesicles, kidney, 242,11:F340
- transport
  - aging, jejunal, 236,5:E685
  - brush-border membrane, jejunum (chick), 240,3:G102
  - kidney (flounder), 242,11:F415
  - plasma membrane, 234,3:F89
  - reconstitution, human placenta, 242,11:C166
  - transporter, reconstitution, human placenta, 242,11:C166
  - uptake, electrically induced, muscle, 239,2:E21
  - urate absorption, proximal tubule, 236,5:F526
- L-Glucose**, transport, adipocytes, 234,3:E112
- Glucose-alanine cycle**, activation, 232,1:E145
- Glucose analogues**, fetomaternal transfer, placental (sheep), 234,3:E32
- Glucose carrier**, artificial, renal cortex, model, 234,3:E1
- Glucose-free medium**, tracheal smooth muscle, during metabolic depletion, 233,2:C8
- D-Glucose-inhibitable cytochalasin B**, binding, dietary composition effects, adipose cells, 240,3:E175
- Glucosensitivity**, peripheral, subdiaphragmatic vagotomy and, 231:1790
- Glucose-6-phosphatase**
  - distribution, nephron, in acidosis and starvation, 235,4:F246
  - gluconeogenesis (chicken and carnivorous bird), 234,3:R115
- D-Glucose-6-phosphatase**, sodium restriction on renin, renal, 237,6:F367
- Glucose-6-phosphate**
  - diabetic heart, 236,5:H806
  - muscle fiber fatigue, caffeine and (frog), 241,10:C160
  - phosphorylase reversal, contracting muscle, 237,6:R291
- Glucose-6-phosphate dehydrogenase**
  - hydrogen ion transport, bladder (turtle), 240,9:F400
  - sensitivity, tissues (ob/ob mouse), 240,3:E101
- Glucose-sodium**, cotransport, renal, 233,2:F235
- Glucostatic control**, thermogenesis, infant, 233,2:R23
- Glucostatic regulation**, ingestive responses, amygdaloid lesion effects, 242,11:R129
- Glucosuria**, maleic acid-induced, kidney, 231:1024
- $\beta$ -Glucuronidase**
  - ovarian hormone effects, myometrial lysosomes, 232,1:E423
  - prostaglandins and coronary ligation, 234,3:H718
- Glutamate**
  - ammoniogenesis and, renal, 237,6:F7
  - conversion to succinate, anoxic, heart, 237,6:H535
  - glucagon release, pancreas, 236,5:E98
  - metabolism
    - glucogenicity and (sheep), 241,4:E465
    - regulation, renal cortical mitochondria, 237,6:F55
  - muscle, diabetes and fasting, 233,2:E109
  - transport, whole blood and plasma (sheep), 239,2:E242
  - $U^{14}C$ -labeled, glucogenesis and glucose turnover (fish), 240,9:R246
- L-Glutamate**, metabolism, LLC-PK<sub>1</sub>, renal epithelia (pig), 242,11:C41
- Glutamate oxaloacetate transaminase**, renal cortical mitochondria, 237,6:F55

- Glutamic acid**, kidney function and, 243,12:F284
- Glutaminase**
  - ammoniogenesis
    - by renal mitochondria, 231:44
    - renal, 234,3:F235
  - glutamine metabolism, renal, 235,4:E261
  - increased ammoniogenesis and, 231:1631
  - phosphate-dependent, glutamine extraction, renal, 238,7:F199
- Glutamine**
  - acute uremia, hindquarter, 241,4:E415
  - ammoniogenesis and, renal, 237,6:F7
  - ammonia production from, glucose effects, small intestine, 242,5:G552
  - deprivation, amino acid metabolism, tissue culture, 236,5:E234
  - extraction
    - hypercapnia, kidney, 243,12:F227
    - renal, acidosis and renal arteriovenous differences, 238,7:F199
  - glucogenicity (sheep), 234,3:E197
  - glutamate metabolism, glucogenicity and (sheep), 241,4:E465
  - influx, unidirectional, liver, 232,1:E492
  - metabolism
    - aldosterone effects, renal, 233,2:E56
    - arsenite effects, renal slices, 237,6:F93
    - interorgan relations, 240,3:E519
    - ketone bodies and, 239,8:F420
    - ketone body effects, kidney and mitochondria, 243,12:F181
    - renal, high protein diet, 235,4:E261
    - mitochondrial, metabolism and, renal, rapid-mixing, rapid-filtration technique, 234,3:F514
    - mitochondrial permeability, renal, 239,2:E51
    - palmitate metabolism and, kidney cortex, 231:14
    - pH effects, renal cortical mitochondria, 240,9:F120
    - L-phenyllactate perfusion and, kidney, liver, and muscle, 238,1:E450
    - plasma ammoniogenic factor, metabolic acidosis, renal, 241,10:F112
    - production, atrial muscle, feeding and fasting effects, 238,1:E487
    - proximal tubules, 241,10:F403
    - release, skeletal muscle, 232,1:E243
    - transport
      - serum effect, lung macrophages, 236,5:C111
      - whole blood and plasma (sheep), 239,2:E242
  - Glutamine carbon**, isotope distribution, theoretical treatment of data, 234,3:F123
  - Glutamine synthetase**, kidney, 231:1068
  - Glutamyltransferase**, kidney, 231:1068
  - $\gamma$ -Glutamyl transpeptidase**, ammoniogenesis, renal, 234,3:F235
  - Glutaraldehyde**
    - Evans blue dye-albumin accumulation, aorta, 233,2:H66
    - fixed membrane, urea transport and (toad), 243,12:C27
  - Glutathione**
    - kidney function and, 243,12:F284
    - level in nephron, methionine sulfoximine effects, 231:1536
    - physiological significance, 239,2:G439
  - Glutathione conjugate**, bromosulphthalein, biliary excretion effects, 231:399
  - Glutathione peroxidase**, platelets, 240,9:H800
  - Glutathione S-transferase**, physiological significance, 239,2:G439
  - Glycemia**, oscillations, intestinal motility and (pig), 242,5:G15
  - Glyceraldehyde**, intracellular calcium movement and, pancreatic  $\beta$ -cells, 243,6:E196
  - D-Glyceraldehyde**, pancreatic islets, dorsal and ventral, 240,3:E422

- Glyceride-glycerol**, synthesis, insulin action, neuraminidase inhibition, adipocytes, 239,2:E186
- Glycerol**
- acute renal failure, two-kidney Goldblatt rat, 233,2:F247
  - adipose tissue, hypothalamic stimulation effects, 237,6:H386
  - adrenergic blockade effects, awake state, 241,4:E385
  - blood, circadian sleep and feeding patterns, 238,1:E223
  - concentration, fasting and resting, 232,1:E25
  - effects of age and fasting on gluconeogenesis, 230:362
  - exercise, preceded by glucose ingestion, 233,2:E188
  - fat mobilization, 232,1:E165
  - nonelectrolyte permeability, cerebrovascular, 235,4:H299
  - norepinephrine effects, chronic hypoxemia, 241,4:E28
  - perfusion, tissue potassium and, kidney, 242,11:F360
  - plasma
    - elevation, epinephrine mediation, 233,2:E369
    - intracerebroventricular norepinephrine effects, 242,5:E248
    - postinsulin hypophagia, 243,12:R304
  - release, lactate and palmitate effects, soleus muscle, 238,7:C149
  - renal failure, sodium and renin effects, 241,10:F34
  - sensitivity, tissues (*ob/ob* mouse), 240,3:E101
  - thyroid treatment and, 243,12:R170
  - treatment, osmotic changes, muscle (frog), 242,11:C398
- Glycerol kinase**, sensitivity, tissues (*ob/ob* mouse), 240,3:E101
- $\alpha$ -Glycerophosphate**, substrate oxidation specificity, muscle, 236,5:C66
- $\alpha$ -Glycerophosphate dehydrogenase**
- nuclear binding of triiodothyronine, liver and kidney, 240,3:E146
  - sensitivity, tissues (*ob/ob* mouse), 240,3:E101
- Glycine**
- absorption, proximal tubules, 236,5:F149
  - infusions, urinary zinc excretion, 235,4:F40
  - kidney function and, 243,12:F284
  - kinetics, renal tubules, 233,2:F241
  - metabolic rate, renal, 233,2:F61
  - <sup>15</sup>N-labeled
    - measurement of protein synthesis, 239,2:E294
    - plasma turnover rates and pools, 237,6:E418
    - protein synthesis, visceral, 234,3:E648
    - protein turnover, low-energy diet and obesity, 238,1:E235
    - protein turnover, measurement, 235,4:E165
  - parental, protein synthesis and fat metabolism, liver, 239,2:G280
  - perfusion, tissue potassium and, kidney, 242,11:F360
  - stimulation, gastric acid secretion, 242,5:G85
  - tauroursodeoxycholic acid, cholesterol saturation and (hamster), 243,6:G424
  - transport, transepithelial, isolated proximal tubules, 238,7:F324
- Glycine pool**, enrichment, glycine oligopeptides, 243,6:E413
- Glycyl-L-leucine**, cytoplasmic dipeptidase activities and, 233,2:E450
- Glycocalyx**, barium effects, calcium paradox, 242,11:H203
- Glycogen**
- accumulation, lactate and palmitate effects, soleus muscle, 238,7:C149
  - activation, electrical stimulation, liver, 240,3:E226
  - adipocytes, epithelial cells and, metabolic cooperativity, 241,10:C204
  - adrenalectomy, 230:163
  - breakdown, skeletal muscle, 232,1:E243
  - cardiac, newborn (pig), 241,4:E364
  - content
    - pineal cell, neural control, 232,1:E584
    - skeletal muscle, diurnal variation and effects of fasting, 231:614
  - depletion, prolonged exercise, muscle fatigue and, 242,11:C65
  - diabetic heart, 236,5:H806
  - endotoxin effects, liver and muscle, 243,12:R77
  - epinephrine effects
    - muscle, exercise, 242,5:E25
    - running, 240,3:E526
  - feeding suppression, 234,3:E314
  - formation
    - awake state, glucose load and, 242,5:E398
    - liver, 235,4:E354
  - glucose autoregulation, midterm fetal liver, 234,3:E560
  - heart, 230:1751
  - liver
    - epinephrine treatment effects, 241,10:C55
    - meal effects, 243,12:R450
    - metabolism, sepsis, 230:296
    - postinsulin hypophagia, 243,12:R304
    - synthesis, glucose and insulin control, 231:1608
  - metabolic gradients, atrial pacing effects, 233,2:H217
  - metabolism
    - after exercise, 233,2:E422
    - circadian rhythm, liver, hypothalamic lesions and, 238,1:E21
    - control by glucose and insulin, 231:1608
    - growth hormone effects, adipose tissue, after hypophysectomy, 238,1:E389
    - hepatic, diabetes, 234,3:E13
    - hypoxia effects, anesthesia, liver, 243,6:E182
    - insulin effects, kidney cells, 242,11:C121
    - insulin regulation, skeletal muscle, 239,2:E69
    - muscle, postexercise, 235,4:E255
    - muscle contraction and (roundworm), 242,11:R514
    - spontaneous diabetes, liver, 240,3:E83
    - time-dependent insulin effects, liver, 236,5:E246
    - vasoactive intestinal polypeptide effects, hepatocytes, 242,5:E262
  - muscle
    - epinephrine treatment effects, 241,10:C55
    - insulin and exercise effects, 233,2:E509
    - muscle and liver, homeostasis, high-protein diet, 239,8:R437
    - myocardial, ischemic heart, 243,12:H911
    - propranolol inhibition, ischemic heart, 232,1:H349
  - resynthesis
    - muscle, fasting and, 238,7:R328
    - muscular, after exercise, 235,4:R145
  - sensitivity, tissues (*ob/ob* mouse), 240,3:E101
  - storage, glucose oscillation and, 238,1:E395
  - subcellular function, hypothermic ischemic myocardium, 240,9:H336
  - substrate metabolism, seasonal acclimatization (goldfinch), 242,11:R563
  - supercompensation, diet and exercise effects, skeletal muscle, 236,5:E660
  - suppression of feeding, 241,10:R330
  - synthesis
    - adrenalectomy, 230:163
    - exercise, skeletal muscle, 241,10:C200
    - growth hormone and, adipose tissue, 238,1:E389
    - hepatocytes, 243,6:E132
    - obesity and fasting effects, hepatocytes, 243,6:E240
    - starvation effects, skeletal muscle, 240,3:E184
    - striated muscle (frog), 237,6:C231
    - utilization, aorta, 243,12:H128
- Glycogenesis**
- diet and exercise effects, skeletal muscle, 236,5:E660
  - exercise-induced, insulin effects, 233,2:E509
  - postexercise, 240,3:E197
- Glycogenolysis**
- activation, liver cell, 240,3:E226
  - adipose tissue, 237,6:E11
  - anoxic heart, 232,1:R164
  - enzymes, muscle fibers, 239,8:C58
  - epinephrine effects, muscle, exercise, 242,5:E25
  - epinephrine-induced
    - glucagon mediation, 232,1:E464
    - muscle, 232,1:E145
  - epitrochlearis muscle, 239,2:E461
  - food intake effects, liver, 243,12:R450
  - glucagon-stimulated, liver, 236,5:E246
  - glucose infusion effects, exercise, 240,3:E451
  - growth hormone and, adipose tissue, 238,1:E389
  - hepatic, 230:1163
  - hormone-stimulated, 231:191
  - hypoglycemia-induced, compensation for glucagon lack, 236,5:E263
  - ischemic heart, 232,1:H349
  - liver, during exercise, 237,6:R147
  - maternal starvation effects, fetal and neonatal, 240,3:E88
  - metabolites of, changes during stimulation, muscle fibers, 242,11:C218
  - muscle enzymes, diet, flight and (bat), 242,11:R189
  - muscular, epinephrine effects, running, 240,3:E526
  - phosphorylase reversal, contracting muscle, 237,6:R291
  - pyruvate-perfused heart, computer simulation, 237,6:R153
  - somatostatin effects, hepatic, 236,5:E113
  - submaximal exercise, liver, trained rats, 240,9:R330
  - work-jump, glucose-perfused heart, 243,12:R389
- Glycogen phosphorylase**
- activity, cardiac cycle changes, 238,7:H389
  - hepatic, diabetes, 234,3:E13
  - isoproterenol-induced contraction, potassium-depolarized heart, 241,10:H187
- Glycogen phosphorylase phosphatase**, insulin deficiency effects, hepatic, 240,3:E539
- Glycogen synthase**
- activation, skeletal muscle, effects of diet and exercise, 236,5:E660
  - activity, skeletal muscle, after exercise, 235,4:R145
  - adrenalectomy, 230:163
  - electrical stimulation, liver, 240,3:E226
  - growth hormone, adipose tissue, 238,1:E389
  - hepatic, diabetes, 234,3:E13
  - hypoxia effects, anesthesia, liver, 243,6:E182
  - insulin effects, hindlimb muscle, 242,5:E323
  - insulin regulation, skeletal muscle, 239,2:E69
  - intermediate forms, activation, postexercise, 240,3:E197
  - metabolism, muscle contraction and (roundworm), 242,11:R514

- Glycogen synthase phosphatase**  
alteration of activity, insulin deficiency, hepatic, 240,3:E539  
hepatic, diabetes, 234,3:E13
- Glycogen synthetase**  
activity, circadian rhythm, liver, hypothalamic lesions and, 238,1:E21  
liver, 235,4:E354
- Glycohydrofusidate**, sulfobromophthal-  
ein transport maximum, 231:1875
- Glycolipid**, receptors: *see* Receptors
- Glycol metabolites**, norepinephrine  
metabolism, saphenous vein,  
234,3:H235
- Glycolysis**  
acidotic cardiac ischemia, computer  
model, 242,11:R533  
aerobic  
blood-bone disequilibrium, 236,5:C244  
bone, embryo and newborn (chick,  
rat), 234,3:C41, C51  
Amytal effects, perfused heart,  
237,6:C221  
anoxia and, brain (turtle, rat),  
243,12:R281  
anoxia and glucose depletion, 230:1261  
anoxic heart, 232,1:R164  
cardiac ischemia and reperfusion,  
235,4:H637  
cornea (bullfrog), 236,5:C268  
energy metabolism, 230:579  
heart, 232,1:R175  
heart, newborn (pig), 241,4:E364  
hypoxic, anoxic, or ischemic brain,  
239,2:E501  
insulin action on, intracellular pH  
effects, skeletal muscle (frog),  
242,11:C87  
ischemic heart, 236,5:R21, R31  
computer model, 237,6:R318, R327  
lactate and palmitate effects, soleus  
muscle, 238,7:C149  
lung, perfused, 235,4:E619  
maternal starvation effects, fetal and  
neonatal, 240,3:E88  
muscle enzymes, diet, flight and (bat),  
242,11:R189  
muscle fiber fatigue, caffeine and (frog),  
241,10:C16<sup>6</sup>  
oxidation-reduction changes, hypercap-  
nia, brain, 243,12:H619  
oxidative, urinary bladder (turtle),  
233,2:F145  
oxygen deprivation, 230:120  
perfusate glucose, lung, 236,5:E229  
perinatal heart, hypoxia, 237,6:H411  
pH, smooth muscle, 232,1:E330  
potassium depletion and, renal medulla,  
238,1:E377  
red blood cells (cow), 236,5:C255, C262  
renal papilla, 236,5:F423  
starvation effects, skeletal muscle,  
240,3:E184  
work-jump, glucose-perfused heart,  
243,12:R389
- Glycolytic acid**, development, heart,  
fetal, 243,12:H87
- Glycolytic enzymes**  
endotoxic shock, diabetic livers,  
240,9:R10  
lung cells, 232,1:E394  
stretch-altered proportions, wing muscle  
(chicken), 238,7:C62
- Glycolytic inhibitor**, lung redox state,  
230:1198
- Glycolytic parameters**, chronic altitude  
hypoxia effects, 242,11:R447
- Glycolytic pathway**, compartmentaliza-  
tion, 232,1:E145
- Glyconeogenesis**, muscle, after exercise,  
233,2:E422
- Glycoprotein**  
bone matrix calcification, 232,1:C115  
gastrointestinal mucus, hydrogen ion dif-  
fusion, 240,3:G176  
mucus  
goblet cell secretion, intestinal,  
242,5:G370  
secretion, cholera toxin stimulation,  
intestinal, 240,3:G10  
receptors: *see also* Receptors  
serum, turnover, fat feeding effects, in-  
testinal, 241,4:G461  
surface, thrombin-platelet interaction,  
237,6:H353  
synthesis  
developing colon, 235,4:E213  
mucin secretion, intestinal, 240,3:G10  
reserpine treatment and, intestines,  
241,4:G443
- Glycosides**  
binding, cardiac cells, cultured,  
236,5:C87  
cardiac  
atrial potassium, 230:965  
digoxin effects (sheep), 243,12:H519  
ouabain binding and, placenta,  
238,1:E38  
ouabain effects, 240,9:C183  
polar, arrhythmic properties,  
neural augmentation, 238,7:H202  
potassium accumulation and, is-  
chemia, 242,11:H619  
potassium transport and, perfused kid-  
ney (bullfrog), 236,5:F175  
strophanthidin toxicity, Purkinje fi-  
bers, 234,3:H477  
vascular smooth muscle responses,  
236,5:H613  
cardiac function and, newborn,  
241,10:H637  
thallium exchange, heart ventricle,  
240,9:H612
- Glycosuria**  
myo-inositol transport, renal brush bor-  
der vesicles, 239,8:F113  
renal, 231:468  
volume expansion, renal, 236,5:F567
- Glycosylation**, luteinizing hormone, go-  
nadotropin-releasing hormones and,  
241,4:E14
- Glycylglycine**, cytoplasmic dipeptidase  
activities and, 233,2:E450
- GMP**: *see* Guanosine 5'-phosphoric acid
- Goblet cells**  
intestinal, regulation of secretion,  
242,5:G370, 242,5:G380  
mucin, reserpine treatment and, in-  
testines, 241,4:G443  
mucus, secretion, cholera toxin stimula-  
tion, intestinal, 240,3:G10
- Goldblatt hypertension**: *see*  
Hypertension
- Gold thioglucose**, insulin binding, soleus  
muscle, 234,3:E348
- Gonadal hormones**  
calcium-binding protein and, duodenal  
(chick), 237,6:E409  
circadian function and, 241,10:R62  
circannual body weight rhythms and  
(squirrel), 243,12:R546  
occlusive arterial thrombosis,  
234,3:H454  
vitamin D metabolism (quail),  
234,3:E622
- Gonadal steroids**, growth hormone se-  
cretory patterns (sheep), 233,2:E519
- Gonadectomy**, hormone levels after, sex  
differences, 241,4:E460
- Gonadotroph**, clomiphene and tamoxifen  
effects, pituitary, 240,3:E125
- Gonadotropic hormones**  
action, pituitary perfusion, 240,3:E504  
progesterone regulation (monkey),  
240,3:E489
- Gonadotropin**  
binding, Leydig cells, 232,1:E274  
dynamics, release model, perfused pitui-  
tary culture, 240,3:E591  
exogenous, ovarian function (calf,  
heifer), 232,1:E497  
human chorionic  
action, Leydig and granulosa cells,  
235,4:E218  
ovarian follicle development,  
233,2:E229  
receptor-bound, internalization and  
degradation, 236,5:E129  
responsiveness, granulosa cell culture  
(pig), 240,3:E622  
level, after castration, sex differences,  
241,4:E460  
Leydig cells and, functional binding  
kinetics, 238,1:E293  
pituitary, release, stimulated by lutein-  
izing hormone-releasing hormone,  
235,4:E586  
pregnant mare serum, ovulation, post-  
ovulatory steroidogenesis after,  
241,4:E221  
progesterone regulation (monkey),  
240,3:E489  
release  
circadian, 238,7:R23  
clomiphene effects, pituitary,  
240,3:E125  
tamoxifen effects, pituitary,  
240,3:E125  
secretion, control (rhesus monkey),  
236,5:R102  
sexual maturation, male, in continuous  
light, 234,3:E262  
suppression, porcine follicular fluid,  
male, 240,3:E209
- Gonadotropin analogues**, Leydig cells  
and, functional binding kinetics,  
238,1:E293
- Gonadotropin-releasing hormone**  
cyclic nucleotides and, luteinizing hor-  
mone synthesis and release,  
241,4:E6  
<sup>125</sup>I-labeled, membrane binding, nonpi-  
tuitary tissues, 235,4:E227  
luteinizing hormone  
secretion, perfused pituitary culture,  
240,3:E591  
synthesis and release, 241,4:E14  
mechanism of action, pituitary,  
235,4:E37
- Gracilis artery**, adrenergic innervation,  
239,8:H252
- Gracilis muscle**  
adrenergic vascular control, prostaglan-  
din modulation, hemorrhagic shock,  
241,10:H85  
blood flow, resting, 239,8:H516  
cholinergic and histaminergic reflex va-  
sodilation, 234,3:H305  
digitalis glycosides, vascular resistance  
in hypotension, 238,7:H729  
exercise oxygen consumption,  $\alpha$ -stimula-  
tion, 238,7:H331  
exercise vasodilation, adenosine role,  
238,7:H703  
macro- and microvascular variables, con-  
current study, 242,11:H713  
vascular resistance, digitalis effects in  
hypotension, 238,7:H729  
vasoconstrictor cardiogenic chemoreflex,  
prostaglandin F<sub>2 $\alpha$</sub> -induced,  
240,9:H528
- Gradient-coupled transport**  
intestinal, 235,4:C73  
sugar, intestinal cells, 238,7:C73
- Grafts**  
arterial  
measurement, cantilever transducers,  
233,2:H578  
wall thickness, measurement,  
237,6:H265  
synthetic, arterial and venous, dynamic  
compliance, 233,2:H568
- Granules**  
platelet-dense constituents, comparative  
study, 243,12:R454  
secretory, proton uptake, pancreatic  $\beta$ -  
cells, 242,11:C382  
stimulus-induced vacuoles, tracheal sub-  
mucosal glands, 241,10:C18
- Granulocytes**, procoagulant activity, peri-  
toneal, 235,4:H333



**Granulosa cells**

- human chorionic gonadotropin action, 235,4:E218
- receptor-bound, internalization and degradation, 236,5:E129
- suspension culture, luteinization, chorionic gonadotropin response (pig), 240,3:E622

**Gravimetric technique**, 235,4:H569**Gravitation**: see Hypergravity**Gravity**, center, myocardial and ventricular shape, 241,10:H1**Grayanotoxin I**, depolarization, sinoatrial node and right atrial myocardia, 235,4:C136**Gray matter**: see Brain**Great cardiac vein**: see Cardiac vein**Group effect**, metabolic rates, carbon dioxide effects, 241,10:R264**Growth**: see also Development;

## Maturation

- active immunization, testosterone and luteinizing hormone-releasing hormone, 242,5:E201
- adipose tissue, low-temperature environment, 242,5:E93
- body composition, 232,1:R38
- cardiac, effects of hypoxia, 231:1445
- cardiac myocytes, 234,3:H123
- cardiac output, neonatal (sheep), 234,3:H520
- comparison, species differences (mammal, reptile), 241,10:R350
- compensatory, chronically altered nephron, 243,12:F393
- control, stimulator substance, hepatic, 242,5:G281, G289
- diabetes-induced, renal, uridine triphosphate and RNA synthesis, 238,1:E349
- duodenal mass, during lactation, 237,6:E98
- factor
  - gastrin-cholecystokinin system, 240,3:G255
  - nerves, heart, 241,10:C215
- fetal
  - maternal fasting, 232,1:E456
  - nitrogen retention, maternal, 239,2:E113
- food intake effects, weight gain, 243,12:R5321
- gastrointestinal, gastrin effects, small bowel resection, 243,6:G16
- glomerular filtration rate, superficial nephron, 232,1:F97
- hormone: see Hormone
- hypertension, 230:30
- hypophysectomy (calf, heifer), 232,1:E497
- inorganic phosphate, tubular handling of, 242,11:F705
- inositol incorporation, skeletal muscle, 232,1:E324
- intestinal
  - gastrin and, diabetes effects, 242,5:G460
  - streptozotocin diabetes, 235,4:E457
- kidney, phospholipid formation, 233,2:E212
- muscle protein degradation, feeding and fasting effects, 233,2:E119
- obesity, 232,1:R38
- oxygen consumption and, embryonic (albattross), 242,11:R121
- oxyntic gland mucosa, stimulation by epidermal growth factor, 238,1:G45
- pancreatic
  - hydrocortisone, 239,2:G95
  - regulation, 239,2:G400
- photoperiodic regulation, light-dark cycle (lamb), 241,4:E1
- placenta: see Placenta
- regulation
  - intestinal cells, villous cell-derived inhibitor, 241,4:G520
  - kidney epithelial cell line, 240,9:C106

## suspension cultures, mammalian cells, 234,3:C131

## renal

- messenger RNA metabolism, 237,6:R360
- sodium-potassium-ATPase, 239,8:F281
- urinary stimulators, 237,6:F299
- respiratory mechanics and, species differences, newborn, 241,10:R336
- sodium deficit and, sodium excess effects, 242,5:E241
- somatic exercise, 234,3:E611
- spontaneous obesity, semipurified diet (squirrel monkey), 241,10:R316
- stimuli, compensatory renal hypertrophy, 232,1:F405
- stretch-induced
  - wing muscle, biochemical and morphological characterization (chicken), 239,8:C39
  - wing muscle (chicken), 238,7:C62, 242,11:C178
  - wing muscles (chicken), 241,10:C93
- tissue, polyamine metabolism, 243,12:C212

**Growth factor**

- epidermal, oxyntic gland mucosal growth stimulation, 238,1:G45
- insulin-like, glucose transport and, adipocytes, 242,5:E368

**Growth hormone**

- absorption
  - amino acid effects, kidney tubules, 242,11:F745
  - kidney tubules, 243,12:F379
- renal, 233,2:F185
- activity, lean and obese (pig), 233,2:E104
- age-dependent stimulation, myocardial thymidine kinase, 236,5:H73
- altered release of, endotoxin effects, 243,6:E332
- amino acid transport, 235,4:E316
- dopamine-induced release, inhibition by thyrotropin-releasing hormone (baboon), 233,2:E430
- endocrine pancreas, 237,6:E107
- feeding times, 239,2:E1
- glucose transport and, adipocytes, 242,5:E368
- glycogen metabolism, adipose tissue, after hypophysectomy, 238,1:E389
- guanylate cyclase activity enhancement (human, rat), 240,3:E79
- human
  - C-terminal fragments, synthetic, 234,3:E527
  - hyperglycemic action, 234,3:E521
  - synthetic fragments, effect on glucose oxidation by isolated islets, 236,5:E4
- hypoglycemia, 236,5:E147
- hypothalamic regulation, aminergic and thermoregulatory mechanisms, 233,2:E61
- hypothyroidism effects, adipose tissue, 240,3:E669
- insulin-induced hypoglycemia, recovery, 236,5:E380
- protein turnover, skeletal muscle, 234,3:E38, 235,4:E231
- release, lack of (monkey), 243,12:R213
- secretion, episodic patterns, gonadal steroids and (sheep), 233,2:E519
- serum exercise, 234,3:E611
- spontaneous, catecholamines and (baboon), 241,4:E196
- tonin activity, submaxillary gland, 232,1:E522
- tubular handling of inorganic phosphate, growth, 242,11:F705

**Growth hormone-insulin ratio**, body composition and, 238,1:E231**Growth rate**, renal response, blood volume expansion, 231:832**GTP**: see Guanosine triphosphate**Guanethidine**

- baroreceptor resetting, 236,5:H174

## cardiac enzymes, neonatal, 236,5:C30

## hypertension, 230:664

## migrating motor complex, neural control, 237,6:E451

## morphine-induced mydriasis,

## 241,10:R130

## noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112

## salivary secretion (tick), 235,4:R76

## trophic response to cold and, brown fat, 242,11:C159

**Guanethidine sulfate**, sympathectomy, renal hypertension, 241,10:H449**Guanidine derivatives**, metabolism, isolated perfused kidney, 235,4:F376**Guanine nucleotides**, histamine regulation, gastric parietal cells, 240,3:G76**Guanosine diphosphate**

## binding, brown fat mitochondria, thyroxine effects, 241,10:C134

## brown adipose tissue binding, thyroxine effects, obesity, 241,4:E436

**Guanosine 5'-diphosphate**, brown adipose tissue, muscular dystrophy, 239,8:C18**Guanosine monophosphate**, dibutyl, pepsinogen secretion, esophagus (frog), 238,1:G79**Guanosine monophosphate, cyclic** acetylcholine-stimulated, pancreatic islets, 235,4:E493

## acid secretion, gastric (frog), 239,2:G255

 $\beta$ -adrenergic stimulation, ovarian, 239,2:E139

## angiotensin II stimulation, aorta, heart, kidney, 240,3:E391

## 8-bromo-, submandibular secretions, 235,4:C256

## calcium and, slow waves, colon, 242,5:G124

## cholinergic activation, sodium-potassium pump, salt gland (duck), 240,9:C207

## dibutyl

## bicarbonate transport and, gastroduodenal (bullfrog), 242,5:G100

## calcium ion fluxes, pancreatic acinar cells, 240,3:G281

## enzyme secretion, pancreatic acini, 239,2:G272

## pancreatic enzyme secretion, 240,3:G466

## receptors, smooth muscle cells and, 242,5:G400

## gonadotropin release, stimulated by luteinizing hormone-releasing hormone, 235,4:E586

## growth hormones (human, rat), 240,3:E79

## hormone-stimulated, insulin inhibition, renal cortex, 236,5:E649

## intestinal mucosa, regulation and relation to ion transport, 231:275

## ion transport, intestinal, 235,4:E402

## ion transport modulation, ileal, 243,6:G36

## muscarinic inhibition, ventricular muscle (chick), 243,12:H434

## neural sympathetic stimulation, 240,9:H630

## prostaglandin-histamine interactions, fundic glands, 242,5:G21

## sodium transport

## bladder (toad), 235,4:F564, F586

## salt gland (duck), 237,6:C200

**Guanosine 5'-phosphoric acid**

## cyclic alkalization, active, gastric fundic mucosa (amphibia), 233,2:E1

## cyclic cell suspension cultures, growth regulation, 234,3:C131

## cyclic peptide action, pancreatic acinar cells (amphibian), 235,4:E112

## fibrinogen synthesis, 233,2:H1

## phosphate uptake, cellular, 233,2:E203

**Guanosine triphosphate**

## adenylate cyclase and, kidney, 241,10:F364

## parathyroid hormone receptor-adenylate

**Guanosine triphosphate** (*continued*)

cyclase system regulation, kidney, 242,11:F457  
 prostaglandin-stimulated adenylate cyclase, glomeruli, 235,4:F458

**Guanylate cyclase**

activation, cardiac relaxation, 240,9:H441  
 activity, methylprednisolone effects, ileal, 240,3:G365  
 angiotensin II stimulation, aorta, heart, kidney, 240,3:E391  
 growth hormones (human, rat), 240,3:E79

**Gustatory response**

dynamic and steady components, theoretical model (frog), 238,1:G445  
 insulin secretion and, pancreatic islet transplant, 238,1:E336  
 phasic and tonic components, 231:1097  
 sensitivity to amino acids and bitter substances (frog), 243,12:R42  
 taste aversion, cholecystokinin and (pig), 240,9:R310

**Gut hormones:** see Intestinal hormones

**Gut sac:** see Intestinal sac

**Gut:** see Intestines

**Gymnodinium breve toxin**, axonal repetitive firing (squid), 232,1:C23

**H**

**H<sub>1</sub>, H<sub>2</sub>:** see also Histamine

agonists and antagonists, renal, 235,4:F570  
 blocking agents, contractile force, heart, 236,5:H84  
 receptor blockade, esophageal sphincter, lower (baboon), 235,4:E42  
 receptors: see Receptors

**Habenular lesion**, pineal multiunit response, flash stimulation (quail), 233,2:E293

**Hadacidin**, working skeletal muscle, 239,8:C32

**Hail and farewell**, 240,9:C161, 240,3:E447, 240,3:G339, 240,9:H681, 240,9:R253, 240,9:F353

**Half-life**

compartmental vs. noncompartmental analysis, 243,12:R1  
 fibrinogen, plasma, measurement, 234,3:E504

**Halide**, selectivity, tracheal epithelium, 239,8:C112

**Haloperidol**

catecholamine plasma levels, 235,4:F119  
 prolactin secretion and, pituitary, 242,5:E226

**Halothane**

amino acid supply and, brain, 242,5:E1  
 blood flow autoregulation, brain (monkey), 233,2:H670  
 carotid hypotension, 237,6:H424  
 carotid sinus  
   baroreflexes, 238,7:H294  
   pulsations, regional effects, 238,7:H182  
   reflex control, arterial hemodynamics, 239,8:H681  
 plasma insulin oscillation (monkey), 240,3:E1  
 reversal of hypoxic bradycardia, 231:179

**Hammel-Scholander's solvent tension theory:** see Osmosis

**Hand**

arterial blood flow, venous congestion, local, 240,9:H980  
 blood flow, plethysmography and Doppler flowmetry, comparison, 236,5:H899

**Hanssen's technique**

drug-induced papillary necrosis, 241,10:F14  
 glomerular and nutrient blood flow measurement, 235,4:H592

**Harmaline**, inhibition, sodium-dependent transport, renal microvillus membrane vesicles, 238,7:F210

**Harmonics**, high-frequency, relaxation indices, cardiac, 240,9:H669

**HCG:** see Gonadotropin, human chorionic

**Head-up tilt; Head-down tilt:** see Posture

**Heart**

acetylcholine, 231:781  
   release, 240,9:H431  
   vagal stimulation and, differential sensitivity, 234,3:H460  
 acidotic ischemia, computer model, 242,11:R533  
 actin complex, phosphorylation (bovine), 236,5:C41

action potentials: see Potentials

adenine nucleotides

  distribution, 232,1:R158

  metabolism, fetal, 233,2:H282

  mitochondrial function and, 241,10:H672

  transport, ischemia, 241,10:H663

adenosine formation sites, 240,9:H963

adenosine monophosphate, cyclic, muscular inhibition (chick), 233,2:H642

adult, anoxia and acidosis effects, 243,12:H448

afferent nerves, contrasting reflexes, coronary occlusion, 240,9:H620

afferent sympathetic fibers: see Nerve fibers

aftercontractions, spontaneous hypertension, 240,9:H927

aging

$\beta$ -adrenergic stimulation, 239,8:H501

  function and morphology, in spontaneous hypertension, 237,6:H461

  amino acid perfusion, mechanical recovery, 236,5:H873

$\alpha$ -aminoisobutyrate distribution, 238,1:E358

  anatomy (lungfish), 232,1:H24

  anoxia: see Anoxia

  aortic occlusion, cardiac output following, 243,12:R152

arrest

  cardiopulmonary resuscitation, 241,10:H442

  myocardial and ventricular shape, 241,10:H1

  myocardial contracture, 235,4:H619

arrhythmias: see Arrhythmias

atrioventricular nodal activation, cycle-length-dependent properties, 231:1129

atrophy

  leupeptin effects, fetal, 237,6:E35

  starvation-induced, cathepsin D content, 240,9:H222

atropine, central and peripheral effects, 232,1:H146

auscultation, second sound-diastolic vibration, relations, 234,3:H696

automaticity, control and, 233,2:H625

autonomic control, 232,1:H485

  submergence and emergence (bullfrog), 237,6:R210

autonomic maturation, 234,3:H412

beating, intracellular recording, micropipette holder for, 237,6:H392

behavioral stress effects, 236,5:H750

biopsy, rapid-freezing transmural drill, 240,9:H126

block

  complete, by indirect cauterization without atriotomy, 233,2:H723

  coronary pressure-flow relations, 239,8:H57

  epinephrine effects, ventricular pacemaker, 242,11:H677

  blood flow: see Blood flow; Circulation; Microcirculation

  blood volume: see Blood volume

bundle branches, proximal, conduction, supernormal, 238,7:H300

bypass: see Shunt

calcium ion-tolerant myocytes, exogenous substrate utilization, 240,9:H659

calcium paradox, 237,6:H713

calorimetry, arterially perfused, 243,12:H289

capillaries: see Capillaries

carbohydrate metabolism, newborn (pig), 241,4:E364

carnitine effects, metabolic and mechanical (swine), 243,12:H691

carnitine transport, 242,11:H585

catecholamine uptake and secretion, adrenergic stimulation, 243,6:E52

catheterization: see Catheterization

cellular response, altered nutrition, neonate, 233,2:H356

changes, training effects, angina pectoris, 243,12:H830

choline acetyltransferase activity after transplantation, 235,4:H367

following vagotomy, 236,5:H620

neuronal origin, embryo (chick), 233,2:H642

chronic block, closed-chest, 241,10:H279

chronic hypoxia and dietary restriction effects, myocardial enzyme activities, 231:1308

circumference, volume and area, surface representation, 241,10:H1

citric acid cycle activity, regulation, 234,3:H40

coenzyme A synthesis regulation, diabetes and fasting effects, 240,9:H606

collateral distribution, 238,7:H504

conducting system, tetrodotoxin effects, 236,5:H561

conduction cell filaments, 241,10:H291

conduction system, heavy metals, 239,8:H22

conduction system (fowl), 239,8:H483

contraction: see Muscle, heart

control, nerve excitation, myocardial, 238,7:H794

coronary artery occlusion, myocardial function during, 242,11:H980

coupling, intercellular, active sodium transport, 236,5:H189

critical closing and opening phenomena, coronary vasculature, 238,7:H533

cycle, adenosine and glycogen phosphorylase activity, 238,7:H389

cyclic nucleotides and norepinephrine, stimulation, 240,9:H630

cytochrome c, exercise-induced hypertrophy, 236,5:H268

cytoplasmic Mg<sup>2+</sup>, determination, 232,1:R158

cytosol-mitochondrion energy relations, 234,3:C73

denervation

  atrial stretch effects, 242,11:H1056

  catecholamine stores after, 240,9:H889

  coronary vascular resistance, 238,7:H196

  growth factor binding, 241,10:C215

  myocardial ischemia and, 243,12:H566

  nerve growth factor-enhanced reinnervation, 236,5:H624

  norepinephrine release, fibrillation thresholds, 238,7:H406

  response to stress, 230:988

  sympathetic, autonomic nervous system and, 240,9:H738

  deoxyribonucleic acid, exercise-induced hypertrophy, 236,5:H268

  development, fetal, 243,12:H87

  diabetes: see Diabetes

  diastole: see Diastole

  dimensions

    changes, chronic, 232,1:H553

    diastolic ventricular wall stress and, 235,4:H247

- improved transducer, sonomicrometry, 240,9:H664  
 ultrasonic dimension gauge, 233,2:H322  
 diving, responses (seal), 234,3:H730  
 dP/dt function  
   relaxation indices, 240,9:H669  
   vanadate effects, 239,8:H47  
 ductus venosus blood, streaming, fetal (lamb), 237,6:H724  
 dynamic radiography: *see* Radiography dynamics  
 fluorocarbon perfusion, 234,3:H567  
 radioactive microsphere suspensions, effects, 232,1:H331  
 efficiency, ventricular systolic pressure-volume area, 240,9:H39  
 electrical activity, carnitine and atracyloside effects, 241,10:H505  
 electrocardiogram: *see* Electrocardiography  
 electrode, multipolar needle, 233,2:H312  
 electrogenic active transport, 234,3:H101  
 electrolytes, in anoxia, 232,1:H85  
 electrophysiology, 235,4:H1, H391, 236,5:H189  
   alterations, during myocardial ischemia, 233,2:H329  
   coronary occlusion, contrasting reflex effects, 240,9:H620  
   developmental changes, 240,9:H546  
   short time constant for rate-dependent changes, 241,10:H26  
   studies (lungfish), 232,1:H24  
   sympathetic neural effects, 240,9:H590  
   thyroid hormone effects, cardiac Purkinje fibers, 240,9:H934  
 embryonic, adrenergic receptors (chick), 232,1:H250  
 energetics, 236,5:H494, H498  
   oxygen consumption, myocardial, 233,2:H421  
   species differences, 237,6:H90  
   ventricular pressure-volume area, 240,9:H320  
 energy metabolism, 232,1:H158  
 energy potential, relaxing ventricle, 236,5:H494  
 enzymes, sympathectomy, newborn, 236,5:C30  
 erucic acid metabolism, 235,4:E509  
 exercised, catecholamine effects, 234,3:H608  
 exercise-trained, contractile potential, papillary muscle, 234,3:H421  
 external work, ventricular pressure-volume area, 240,9:H320  
 extracellular marker, cobaltic EDTA, 242,11:H671  
 extrasystole: *see* Extrasystole failure  
   baroreflex control, heart rate, 240,9:H793, 241,10:H778  
   calcium transport and, 231:1159  
   congestive, atrial distension, renal effects, 236,5:H554  
   congestive, renal blood flow, 230:537  
   congestive, sodium-potassium pump, 240,9:H168  
   congestive, vascular resistance, 239,8:H477  
   conscious model, nitroglycerin effects, 243,12:H974  
   coronary occlusion, exercise, 237,6:H520  
   high output, arteriovenous shunt, model, 236,5:H698  
   irreversible, taurine effects, 240,9:H238  
   left atrial receptors, sensitivity, 237,6:H555  
   length-tension curves, response to  $\beta$ -agonists, calcium ions and glucagon, 235,4:H690  
   load dependence during, 242,11:H855  
   mechanical recovery, taurine effects, 240,9:H238  
   pressure-overload, myosin ATPase recovery, 234,3:H711  
   sympathetic nerve changes in (guinea pig), 243,12:H175  
   ventricular chronic volume overload, 237,6:H575  
 fatty acid oxidation, 232,1:E258  
 feedback: *see* Feedback  
 fibrillating, intramyocardial compression, quantitative study, 237,6:H191  
 frequency  
   activity (crayfish), 240,9:R99  
   limitation, stimulus train composition effects, 237,6:H366  
 function  
   acetylcholinergic effects, 241,10:H637  
   angiotensin, vasopressin; and methoxamine effects, 231:1579  
   calcium ion antagonism, after ischemia, 238,7:H909  
   cardiac output, during blood volume changes, fetal (sheep), 238,7:H80  
   cardiomyopathic injuries, 242,11:H191  
   cholinergic stimulation, newborn (lamb), 233,2:H451  
   coronary occlusion shock, hydrogen peroxide effects, 234,3:H28  
   coronary washout (swine), 239,8:H371  
   diabetic newborn (lamb), 237,6:H118  
   energy metabolism, after ischemia, 238,7:H909  
   energy metabolism and, 235,4:H784  
   experimental diabetes (lamb), 243,12:H252  
   hemodynamics: *see* Hemodynamics  
   increased, myocardial adenosine formation and, 236,5:H13  
   innervation, contractile strength, right atrial, 236,5:H860  
   inorganic phosphate effects, 242,11:H79  
   ischemia and, newborn, 242,11:H1077  
   isolated, blood-oxygen delivery, model, 237,6:H348  
   isolated, flow-pulse response, ventricular, 237,6:H282  
   isolated, preparation, variable load impedance, 237,6:H125  
   lymph flow, awake state, 237,6:H311  
   mechanical and glycolytic, perinatal, hypoxia, 237,6:H411  
   metabolism, Amytal effects, 237,6:C221  
   metabolism, isolated preparation for external assessment, 236,5:H644  
   metabolism, resting, 237,6:H90  
   myocardial flow and, volume-overload hypertrophy, 241,10:H564  
   myocardial flow and, collateral development, 240,9:H811  
   nitroglycerine effects, 234,3:H244  
   oxygen: *see* Oxygen  
   pacemaker: *see* Pacemaker  
   performance, alloxan diabetes, 236,5:H806  
   performance, inotropy and preload at high heart rate, 236,5:H568  
   perfused, potassium-free medium, subcellular changes, 237,6:C1  
   perfused, protein kinase in regulation of contractile force, 236,5:H84  
   perfused, right bundle branch-septal model, 236,5:H379  
   pressure-volume: *see* Pressure-volume relations  
   protein degradation, leupeptin effects, fetal, 237,6:E35  
   regulation, rapid volume loading, 237,6:R197  
   relaxing, external mechanical work, 236,5:H494  
   rhythm, atrioventricular block, 237,6:H10  
   rhythm, atrioventricular junction, vagal: repetitive bursts, 237,6:H275  
   R-R intervals, high-resolution determination, 236,5:H894  
   sarcolemma: *see* Sarcolemma  
   stroke work: *see* Stroke work  
   subcellular fractions, potassium-free perfusion, 237,6:C1  
   superperfusion, right bundle branch-septal model, 236,5:H379  
   sympathetic activity: *see* Sympathetic nerves; Sympathetic activity  
   synchronization, atrioventricular, vagal effects, 237,6:H275  
   thyrotoxicosis, left ventricular performance in (calf), 242,11:H113  
   trabecula, ventricular volume measurement, 236,5:H506  
   weight: *see* Weight  
   work, aortic wavelength (mammal), 237,6:R3, R7  
   work, circadian patterns, radiotelemetry, 236,5:R231  
   work, isolated alloxan diabetes, 236,5:H806  
   work, oxygen consumption, model, 236,5:H498  
   working, perfused with Fluosol-43, 242,11:H485  
 functional responses, pressure overload in exercised and sedentary rats, 230:199  
 graded activity effects (lizard), 239,8:R174  
 growth, 234,3:H123  
   altered nutrition, 233,2:H356  
 growth factor binding, nerves, 241,10:C215  
 guanylate cyclase activity, angiotensin II effects, 240,3:E391  
 heavy metal feeding, physiologic-metabolic changes, 239,8:H22  
 hemodilution, 235,4:H767  
 hemodynamic responses, stellate ganglion stimulation, 231:1062  
 hemorrhagic shock, verapamil effects, 241,10:H12  
 hexose monophosphate shunt, myocytes, 232,1:E570  
 hyperplasia: *see* Hyperplasia  
 hyperthyroid,  $\beta$ -adrenergic stimulation effects, 243,6:E114  
 hypertrophy: *see also* Hypertrophy  
   catecholamine effects on, 243,6:E305  
   collagen synthesis in, 241,10:H708  
   physiological, protein and, 241,10:H263  
   tibial length and, 243,12:H941  
 hypoxia: *see* Hypoxia  
 immunoreactive cathepsin D, starvation-induced atrophy, 240,9:H222  
 impulse conduction, developmental changes, 240,9:H546  
 inhibitory effect of catecholamines, Purkinje fibers, 231:1415  
 innervation, pharmacological analysis, embryo (chick), 232,1:R116  
 inotropy: *see* Inotropy; Muscle, heart interval, baroreflex control, renal hypertension, 241,10:H332  
 intracellular sodium activity and tension, catecholamine effects, 243,12:H670  
 iron-deficiency anemia, mechanics and energetics, 232,1:H470  
 ischemic: *see also* Ischemia  
   autonomic indices, 243,12:H788  
   copper deficiency, electrocardiography, 240,9:H185  
   creatine analogue effects, 243,12:H911  
   magnesium effects, species differences (rat, rabbit), 242,11:H89  
   sarcolemmal integrity, taurine effects, 240,9:H238  
   sudden death, 240,9:H156  
   ventricular fibrillation prevention, 240,9:H156  
 isolated  
   isovolumetric properties, spontaneous hypertension, 240,9:H927

**Heart (continued)**

- plasma protein concentration and control of coronary vascular resistance, 238,7:H471
- isolated membrane, freeze fracturing technique, 241,10:H891
- isolated perfused, mitochondrial oxidative phosphorylation effects, blood flow, 243,12:H159
- isovolumic, catecholamine stores, 240,9:H889
- junctional rhythm
  - atrioventricular, atrial ectopic foci and, 238,7:H788
  - atrioventricular nodal potentials, recording, 235,4:H110
- kinetics, analysis, photo-optic technique, 238,7:H98
- Langendorff, plasma protein concentration and control of coronary vascular resistance, 238,7:H471
- lipoprotein lipase activity, endotoxic shock, 238,7:H325
- lysosomal enzymes, starvation, 240,9:H222
- magnesium ions
  - coherent or coordinated control, 237,6:R159, R174
  - metabolism, computer simulation, 237,6:R153, R159, R167, R174, R181
- marker implantation, 241,10:H104
- mechanical function, hypoxia, neonatal, 235,4:H469
- mechanical performance, leucine utilization, 239,2:E428
- mechanics
  - pressure overload with digitalis, 234,3:H253
  - ventricular pressure-volume area, 240,9:H320
- membrane physiology, quantitative ultrastructural analysis, 235,4:C147
- metabolic gradients, during atrial pacing, 233,2:H217
- metabolic regulation, 234,3:H40
- metabolism, 238,1:E480, E487
  - cholinergic stimulation, newborn (lamb), 233,2:H451
  - coronary blood flow and (pig), 234,3:H597
  - myocytes, 238,7:H740
- microsphere loss from, 242,11:H392
- microvascular adaptive mechanisms, 233,2:H276
- mitochondria: see Mitochondria
- muscle cells: see Heart cells; Cardiac cells; Muscle cells
- muscle: see Muscle, heart
- myocardial ischemia, extracellular potassium accumulation during, 242,11:H619
- myocytes: see Myocytes
- myoglobin function, fluorocarbon perfusion, 234,3:H567
- myosin ATPase: see Adenosine triphosphatase
- NAD glycohydrolase activity, myocardial infarction, 231:1173
- neural control: see Neural control
- nexal junction, viral effects, embryo (chick), 234,3:C170
- noradrenaline release, computer model, 232,1:H386, H394
- norepinephrine and insulin, reciprocal inhibition (piglet), 233,2:H665
- norepinephrine release, muscarinic control, 239,8:H713
- norepinephrine turnover, 230:564
- brown fat, 242,5:E253
- on-line mapping, video and multiplex techniques, 242,11:H526
- organ culture, 234,3:E306
- output: see Cardiac output
- oxygen consumption
  - methoxamine effects, 241,10:H370
  - ventricular systolic pressure-volume area, 240,9:H39
- pacemakers: see Pacemaker
- pantothenic acid metabolism, diabetes and fasting effects, 240,3:E597
- parasympathetic control, 232,1:H146
- performance
  - adenosine, 239,8:H509
  - adrenergic inotropic and chronotropic effects, 234,3:H525
  - ischemia and physical training, 234,3:H215
  - therapy effects, spontaneous hypertension, 242,11:H776
- perfused
  - amphiphile effects, 240,9:H229
  - at constant pressure, aerobic limit, 238,7:H118
  - capillary permeability, 239,8:H464
  - cycle, adenosine and glycogen phosphorylase activity, changes, 238,7:H389
  - myosin phosphorylation, 239,8:H756
  - perfusion, hyperosmolarity effects on tension, 232,1:C155
  - pericardium-ventricular interaction, distensibility and function, 238,7:H494
  - phosphatase, potassium ion-dependent, thyroidal control, 232,1:C196
  - phosphorylase activity, protein kinase regulation, 234,3:H638
  - phosphorylase kinase regulation
    - adenosine monophosphate, cyclic, 240,3:E340
    - calcium, 240,3:E340
    - protein kinase, 240,3:E340
  - physiological control systems, 238,7:H471
  - platelet-perfused, prostacyclin-thromboxane interactions (guinea pig), 241,10:H18
  - potassium activity, stimulation frequency effects, 240,9:C39
  - potentials: see Potentials
  - pressure and volume loaded, oxygen consumption rate and, 242,11:H942
  - pressure-volume area, oxygen consumption regression, 240,9:H320
  - prostaglandin synthesis, angiotensin II-induced, 238,7:H895
  - proteinase pretreatment effects, sarcolemmal vesicles, 243,12:C191
  - protein balance, hydrocortisone and insulin effects, fetal, 234,3:E306
  - protein kinase, 234,3:H638
  - protein synthesis, 230:1321
  - protein turnover
    - aromatic amino acid monitors, 240,3:E677
    - glucocorticoid effects, 238,1:E564
  - pump: see Pump
  - puncture, blood flow measurement, microsphere method (gerbil), 242,11:H990
  - purine nucleoside phosphorylase, localization, 239,8:H721
  - Purkinje cells: see Purkinje cells
  - Purkinje fibers: see Purkinje fibers
  - pyruvate-perfused
    - computer model, behavior, 237,6:R174
    - computer model, construction, 237,6:R153
    - computer model, physiological implications, 237,6:R181
    - enzyme cascade, 237,6:R167
    - flux distribution, 237,6:R153
    - Krebs cycle, simulation, 237,6:R159
    - lactate export and reimportation, 237,6:R174
  - reduced high-energy phosphate levels in, 230:1744, 1751
  - reflex: see also Reflexes
    - depressor responses to stimulation (monkey, dog), 240,9:R23
    - renal afferents, 241,10:R286
    - refractory period, supernormal conduction, bundle of His, 238,7:H300
    - reinnervation, chronology and mode, 233,2:H431
  - relaxation
    - adenosine monophosphate, cyclic and, 240,9:H441
    - high-frequency harmonics, 240,9:H669
    - respiratory acidosis, reversibility, 234,3:H40
    - responses, tonic vagal stimulation, 243,12:H219
    - responses to glucagon, 230:1590
    - responses to stimulation, thoracic afferents, 231:1279
    - restitution of contraction (sheep), 243,12:H68
    - resultant dipole moment, spontaneous hypertension, 241,10:H541
    - rotation, radiopaque markers, 239,8:H573
    - sinoatrial node, primary pacemaking cell, model, 243,12:H207
  - size
    - aging and, 243,12:H941
    - ventricular hypertrophy, 232,1:H418
  - slow channels, low-calcium solutions (frog), 242,11:H827
  - slow response, lysophosphatide effects, 243,12:H187
  - sodium-potassium-ATPase, thyroidal control, 232,1:C196, C202
  - spontaneous beating, hibernation effects, circulation (hamster), 241,10:R50
  - stimulator, computer-controlled, 239,8:H278
  - stroke volume: see Volume
  - stroke work, segment, coronary blood flow and (pig), 234,3:H597
  - subcellular membrane fatty acids, response to cold and thyroxine, 231:650
  - subendocardial/subepicardial flow ratios, measurement technique, 232,1:H173
  - sympathectomy: see Sympathectomy
  - sympathetic afferents, epicardial bradykinin effects, 242,11:H148
  - sympathetic efferents, tachycardia, 232,1:H464
  - sympathetic function, pharmacological analysis, embryo (chick), 232,1:R116
  - sympathetic innervation, reduced, newborn, 243,12:H20
  - takeoff potentials, intracellular recordings, 242,11:H1115
  - tamponade, autonomic blockade effects on hemodynamics, 232,1:H5
  - thyroid hormone effect, 232,1:C196
  - time-dependent period, vagal stimuli, 239,8:H494
  - tissues, insulin effects, 240,9:H636
  - transcapillary osmotic flow, 240,9:H448, 240,9:H457
  - triacylglycerol metabolism, diabetes, 242,11:H1084
  - ultrastructure, 232,1:H288
    - developmental changes, 240,9:H546
    - thyrotoxicosis (calf), 242,11:H113
  - underperfusion, intracellular calcium and electrogram, 239,8:H380
  - vagal efferent activity, atropine effects, 232,1:H146
  - valve: see Heart valves
  - vectorcardiogram: see Vectorcardiography
  - ventral root stimulation, endocardial responses, 233,2:H655
  - ventricles: see Heart ventricles
  - volume: see Volume
  - working
    - diabetes and anoxia, 239,8:H614
    - diabetes effects, 240,9:H375
    - leucine metabolism, 239,8:E428
    - optimal control evaluation, left ventricular, 240,9:R370
    - perfusion with Fluosol-43, 242,11:H485
    - protein degradation and synthesis, myocardial ischemia, 240,3:E268



- protein synthesis and degradation, regulation, 238,1:E431  
protein turnover, leucine regulation, 239,2:E510  
pyruvate oxidation during adrenergic stimulation (guinea pig), 242,11:H30  
substrate effects, 240,9:H391
- Heart atria**  
action potential plateau, calcium ion and catecholamine effects, 233,2:H203  
activation, P-wave morphology (fowl), 239,8:R483  
activation sequence, anatomic landmarks and, 242,11:H421  
adenosine monophosphate, cyclic concentrations, angiotensin II effects, 235,4:H281  
baroreflex: *see* Reflexes  
calcium fluxes, contractility and, effect of A23187, 235,4:C13  
chronotropic effects, hyperosmotic media, 233,2:H228  
contraction: *see* Muscle, heart, contractility  
contracture, hyperosmolar media, 236,5:H629  
distension, renal effects in congestive heart failure, 236,5:H554  
ectopic automaticity, 234,3:H471  
ectopic foci, pacemaker automaticity, hierarchy, 238,7:H788  
fibrillation, atrioventricular nodal conduction during, 243,12:H754  
fibrillation: *see* Fibrillation  
flutter, reentrant excitation, 235,4:H1  
force-velocity relations, myosin, 243,12:H391  
frequency-force interactions, vagal stimuli, 239,8:H333  
grayanotoxin I effects, 235,4:C136  
hypotension, renin release and, 235,4:H175
- left**  
annular displacement, 232,1:H167  
catheterization, microspheres, 242,11:H94  
distension, supraoptic neurosecretory cells and, 236,5:R261  
increased pressure, renal function and, awake state (monkey), 243,12:R119  
microsphere injection, awake state, 243,12:H488  
stretch, and carotid occlusion, effect on supraoptic neurosecretory cells, 237,6:R63  
metabolism, alanine and glutamine, 238,1:E480, E487  
pacemaker: *see* Pacemaker  
pacing: *see also* Pacing  
atrioventricular conduction and, 243,12:H525  
cardiac output and, 243,12:H501  
cardiac output and, fetal, 231:204  
coronary vasodilation, adenosine effects, 243,12:H538  
critical stenosis and, myocardial gas tensions in, 232,1:H49  
passive tension, hyperosmolar media, 236,5:H629  
premature stimulus (puppy), 235,4:H683  
pressure elevation reflex effects, intravascular volume, 241,10:H760  
pressure: *see* Pressure  
receptors: *see* Receptors  
recovery properties, sympathetic neural effects, rhythm, 240,9:H590  
reflexes, left ventricular effects, 232,1:H634  
rhythm (lungfish), 232,1:H24
- right**  
contractile strength, autonomic control, 236,5:H860  
elastance, isovolumic contraction and, 236,5:H672  
pacing, metabolism during, 233,2:H217  
stretch, vasopressin and, 241,10:R44  
vasomotor reflex mediation, 241,10:R163
- stretch effects**  
cardiac denervation, awake state, 242,11:H1056  
medullary neuron response, 233,2:R116  
vulnerability, parasympathetic influence (puppy), 235,4:H683
- Heart beats**, premature, ventricular strength-interval curve, 233,2:H555
- Heartburn**, lower esophageal sphincter muscle inhibition (opossum), 234,3:E24
- Heart cells**: *see also* Cardiac cells, Muscle cells, Myocytes  
adult, enzymatic isolation, 234,3:H123  
aggregates, electrical parameters, viral effects, embryo (chick), 234,3:C170  
contracture, anaerobic to aerobic transition, 242,11:H1022  
defibrillator-induced damage, safety factor for, 242,11:H662  
dimension and body weight, allometric relations, 234,3:H123  
muscle, cultured, high sensitivity to autonomic agents, embryo (chick), 233,2:C172  
surface, viral effects, embryo (chick), 234,3:C170  
swelling, dexamethasone effects, 242,11:H55  
tissue-cultured, sodium flux (chick), 243,12:C169  
ventricular  
graded hypoxia effects, contraction, 239,8:H651  
intracellular recording, fibrillation, 240,9:H465  
volume, stimulation frequency effects, 240,9:C39
- Heart disease**  
coronary: *see* Coronary disease  
biopsy drill, 240,9:H126  
hypertensive, 232,1:H639  
long-term monitoring 240,9:R384
- Heart fibers**: *see* Cardiac fibers; Muscle fibers; Purkinje fibers
- Heart-muscle reflex**: *see* Reflexes
- Heart rate**  
adrenergic effects, 234,3:H525  
angiotensin effects (squirrel monkey), 233,2:H10  
antidiuretic hormone, intraventricular and plasma concentrations, 243,6:E365  
antidiuretic hormone release, inhibition, 237,6:H299  
aortic nerve stimulation, 230:1374, 242,11:H790  
aortic nerve transection, 240,9:H481  
arterial baroreceptors, 230:85  
arterial baroreflex control, 238,7:H515  
blood volume shift effects, (monkey), 241,10:H571  
central venous pressure, 236,5:H42  
arterial catheter, 239,8:H137  
atrial stretch effects, denervated heart, 242,11:H1056  
atropine effects, 232,1:H146  
autonomic afferents, 232,1:H464  
autonomic control, 235,4:H308  
development, neonatal, during sleep, 238,7:H829  
submergence and emergence (bullfrog), 237,6:R210  
Bainbridge reflex, 242,11:R244  
baboon, 240,9:H164  
baroreceptor control  
awake state (toad), 241,10:R307  
behavioral influence (baboon), 241,10:R277  
baroreflex bradycardia inhibition, aortic nerve excitatory afferents and, 243,12:H607  
baroreflex control  
abnormalities, heart failure, 240,9:H793  
nitroprusside-induced hypotension, 243,12:R18  
behavioral stress, 236,5:H750  
body size and, relations, aortic wavelength as determinant (mammals), 237,6:R3, R7  
Bowditch phenomenon, 230:893  
breathing pattern and, respiratory sinus arrhythmia effects, 241,10:H620  
cardiac output, 243,12:H501  
cardiogenic shock, 235,4:H657  
cardiovascular activity, covariations, 236,5:H434  
carotid-airway reflex interactions (monkey), 234,3:H293  
carotid pressure and (toad), 237,6:H639  
carotid sinus, aortic arch reflexes and, 236,5:H127  
reflex, 230:1026, 238,7:H815  
carotid sympathectomy, vagotomy and  $\beta$ -blockade, 241,10:H600  
changes, autonomic activity and, atrioventricular conduction, 243,12:H525  
chemical sympathectomy effects, fetal, neonatal, and adult, 243,12:H113  
cholinergic stimulation, newborn (lamb), 233,2:H451  
circadian behavior, radiotelemetry, 236,5:R231  
circuit for measurement of instantaneous frequency, 238,7:H929  
cold exposure (monkey), 232,1:H451, H459  
conditional response to shock, before and after coronary occlusion (monkey), 236,5:H273
- control**  
arterial baroreflexes and, heart failure, 241,10:H778  
atrioventricular block and, awake state, 242,11:H1118  
sensory nerve block, 237,6:H433  
temperature, 231:1457  
vagal stimulation and, 243,12:H219  
coronary flow and, 235,4:H784  
dead time, after hemorrhage, 235,4:R279  
denervation, 230:988  
depressed carotid sinus reflex, newborn, 237,6:H40  
dextran, radioactive microsphere suspending agent, 235,4:H587  
diabetes, alloxan, 236,5:H417  
during volume loading, 230:25  
during volume loading, regulatory pathways, 231:854  
electromechanical dissociation and, 241,10:R213  
embryonic (chick), 232,1:H250  
end-diastolic volume, ventricular (pig), 235,4:H182  
epinephrine effects, running, 240,3:E526  
excitement, exercise effects and (baboon), 234,3:H210  
exercise, shock avoidance and, 236,5:H225  
exercise effects, 242,11:R482  
fastigial sympathetic activity and, 243,12:R25  
fetal and maternal (sheep), 243,12:R433  
Frank-Starling mechanism, 234,3:H338  
glucagon, 230:1590  
vagal stimulation, 242,11:H7  
growth, neonate (lamb), 234,3:H520  
hemorrhage, in volume overload, 235,4:H422  
hemorrhage stress, fetal and adult (sheep), 239,8:H789  
high, inotropy and preload, independent effect on cardiac performance, 236,5:H568  
histamine effects, 232,1:H73  
hyperthyroidism, fetal, 239,8:H302  
hypoxia  
carbon dioxide effects, 239,8:H545

**Heart rate (continued)**

- carbon monoxide hypoxia and, 236,5:H22
- impaired heat tolerance, 239,8:R226, R233
- initial response, posture, 243,12:H676
- intracranial pressure, 230:1695
- intrinsic, development, neonatal, 238,7:H829
- isocapnic hypoxia, 234,3:H129
- isoproterenol effects, hypertension, 241,10:H497
- laryngeal reflex apnea, newborn (pig), 237,6:R10
- long-term monitoring, 240,9:R384
- lung inflation effects, (seal), 240,9:H190
- measurement, tethering system (caged baboon), 236,5:H775
- micturition, spontaneous, 237,6:H213
- muscular blood flow, running speed and, 243,12:H296
- myocardial blood flow, left ventricular hypertrophy, 239,8:H621
- myocardial contractility and, 237,6:R225
- nervous control, 236,5:H35
- tachycardia, 240,9:H874
- norepinephrine elevation, fetal (lamb), 239,8:R115
- nucleus tractus solitarius destruction, 236,5:H736
- organ weights (shrew), 236,5:R221
- osmotic pressure effects, 233,2:H228
- oxygen consumption, myocardial, 233,2:H34
- oxygen dependence, embryo (salamander), 236,5:R282
- paradoxical response, vagal activity, 237,6:H275
- pentobarbital, effects after hemorrhage and hypotension, 236,5:H607
- physiological integration, 237,6:R255
- postnatal response, atropine and propranolol, 234,3:H412
- prostaglandin and catecholamine effects, hemorrhage, 240,9:R166
- prostaglandin  $F_{2\alpha}$  effects, central nervous system, 242,11:R545
- reflexes, atrial vs. pulmonary stretch, 242,11:H1065
- reflex responsiveness, 238,7:H515
- splenic afferents, 242,11:R247
- response to hypothalamic stimulation, 231:1708
- resting, atrial pacemaker, 242,11:H98
- sinoatrial denervation, 236,5:H736
- sinoatrial reflexes, defense behaviors, 240,9:H421
- stimulus train composition, effects, 237,6:H366
- stretching effects, superior vena cava, 241,10:H248
- sympathetic nerve function, pharmacological analysis, embryo (chick), 232,1:R116
- sympathetic stimulation and, 241,10:H850
- systemic hypoxia effects, muscle microcirculation, 240,9:H746
- temperature regulation (squirrel monkey), 233,2:H10
- training effects, angina pectoris, 243,12:H830
- tyrosine effects, 239,8:H206
- vagal stimuli, 239,8:H494
- vascular resistance, coronary, 233,2:H34
- volume loading, 237,6:R197

**Heart septum**

- histology, right bundle branch-septal model, 236,5:H379
- interventricular hemodynamic alterations, 236,5:H254
- micro-light guide tissue photometry, 236,5:C144
- potassium exchange, anoxia shortening, left ventricular performance and, 238,7:H858
- stimulation, bradycardia, 236,5:R225

**Heart sounds**

- accentuation, in anemia, blood viscosity and, 235,4:H664
- phonocardiogram, impedance-matched, 238,7:H604
- second, diastolic vibration, closed aortic valve, 234,3:H696

**Heart valves**

- closure, during diastole, 241,10:H389
- prosthetic, fluid dynamics in, mathematical model, 242,11:H1095

**Heart ventricles**

- acetylcholine inhibition, cholera toxin inotropic effect (chick), 243,12:H434
- activation
  - hematocrit effects (pig), 232,1:H406
  - multipolar needle electrode, 233,2:H312
- activation sequence, 236,5:H391
- myocardial oxygen consumption, 234,3:H260
- adenosine and glycogen phosphorylase activity, systole and diastole, 238,7:H389
- afterload and preload interaction, 232,1:H697
- architecture, aging, 237,6:H461
- arrhythmias: see Arrhythmias
- asynchrony, 238,7:H858
- biopsy drill, 240,9:H126
- cell contraction, graded hypoxia, embryo (chick), 239,8:H651
- chloride activity, papillary muscle (mammal), 241,10:C121
- cholinergic innervation, cardiac rhythms, 237,6:H10
- combined output, distribution, fetal (lamb), 237,6:H724
- compliance: see Compliance
- continuous positive-pressure ventilation effects, pressure-volume relations, 240,9:H821
- contractility,  $\alpha$ -adrenoceptor stimulation and (lamb), 242,11:H405
- contraction: see Muscle, heart
- defibrillation: see Defibrillation
- delayed activation detection, body surface, 241,10:H363
- diastolic dimensions, inotropic intervention effects, 241,10:H376
- dimensional analysis, positive-pressure ventilation, 242,11:H549
- dimensions, left and right, during fibrillation, 235,4:H231
- electrical stability, vagal tone and stelectomy effects, 234,3:H503
- electrical stimulation, autonomic neuro-mediators, release, 238,7:H794
- electrograms, nonspatial determinants, 240,9:C148
- electrophysiology, muscular, infarct growth, 236,5:H356
- end-diastolic diameter, volume loading, 237,6:R197
- energetics, oxygen consumption, 240,9:H39
- enzyme activities, during development, 233,2:H707
- excitation (lungfish), 232,1:H24
- extrasystole: see Extrasystole
- fibers, electrophysiological alterations during myocardial ischemia, 233,2:H329
- fibrillation: see Fibrillation
- force isopleth, 236,5:H787
- force-velocity relations, myosin, 243,12:H391
- function
  - coronary autoregulation and, 234,3:H361
  - diastolic pressure-diameter relations, effects, 237,6:H644
  - fetal, mathematical model, 239,8:R317
  - global ischemia, 235,4:H720
  - hemodilution, 235,4:H767

- insulin effects, diabetic acidosis (lamb), 241,10:H401
- myocardial dysfunction, 239,8:H477
- norepinephrine-induced injury, 242,11:H191
- positive end-expiratory pressure, 236,5:H534
- progressive hypothermia during global ischemia, 236,5:H839
- prophylactic digitalization for hypertrophy, 233,2:H600
- stenosis, 240,9:H80
- sympathetic innervation and, newborn, 243,12:H20
- hyperexcitable periods, spontaneous hypertension, 240,9:H927
- hypertrophy: see Hypertrophy
- impedance servo pump, 243,12:H346
- interaction, 240,9:H87
- interdependence, pressure overload and, 242,11:H611
- intrinsic rate, spontaneous hypertension, 240,9:H927
- ion-selective microelectrodes, chloride, 241,10:C258
- ischemic, renal nerve activity and, 243,12:H170
- isovolumetric properties, spontaneous hypertension, 240,9:H927
- mechanical energy, cardiac oxygen consumption and, model, 236,5:H498
- mechanics
  - aortic insufficiency, 242,11:H973
  - flow-pulse response, 237,6:H282
  - myocardial stress, 242,11:H875
  - oxygen consumption, 240,9:H39
- morphology, normotensive and exercised spontaneously hypertensive rats, 235,4:H193
- norepinephrine release, fibrillation threshold, 238,7:H406
- pacemaker, epinephrine effects, 242,11:H677
- pacing: see also Pacing
  - atrioventricular block and, awake state, 242,11:H1118
  - raphe sympathetic neurons and, 243,12:R49
- pedicle preparation, thermal quantification of regional myocardial perfusion and heat generation, 236,5:H345
- performance
  - acute regional ischemia, 242,11:H240
  - subendocardium and subepicardium, 240,9:H920
- pericardium and, interaction, 238,7:H494
- phenytoin effects, digoxin-induced arrhythmias, 241,10:H67
- postextrasystolic potentiation, loss after coronary occlusion, 233,2:H392
- potassium ion accumulation, myocardial ischemia (rabbit), 243,12:H318
- pressure and volume loaded, oxygen consumption rate and, 242,11:H942
- pressure: see Pressure
- pressure-volume area, oxygen consumption regression, 240,9:H320
- pump function, flow-pulse response method, 237,6:H282
- Purkinje strands, automaticity, 239,8:H247
- receptors: see Receptors
- recovery property, QRST deflection area, 239,8:H227
- refractoriness, autonomic control, 241,10:H878
- refractory periods, 236,5:H391
- relaxation
  - diastolic dimensions and, 241,10:H376
  - ischemic arrest, 240,9:H300
- relaxing, external mechanical work, 236,5:H494
- repetitive extrasystole, fibrillation and, 230:1461

- repolarization: *see* Repolarization; *see also* Potentials
- resting potential, electrogenic component, muscular, 240,9:C28
- segmental interaction, 238,7:H858
- slow inward current, blockade at low pH, embryo (chick), 233,2:C99
- source resistance, flow-pulse response method, 237,6:H282
- stiffness, barium ion effects, 239,8:H438
- sympathectomized, coronary ligation effects, 235,4:H429
- systolic pressure-volume area, oxygen consumption, 240,9:H39
- systolic time, maximal negative  $dP/dt$ , 240,9:H676
- tachyarrhythmias, 233,2:H535
- thallium exchange
- glycoside effects, 240,9:H612
- hyperkalemia effects, 240,9:H612
- three-dimensional shape, 241,10:H1
- vectorcardiographic potentials, end-diastolic volume and (pig), 235,4:H182
- volume clamber, end-diastolic and end-systolic, 233,2:H718
- volume: *see* Volume
- wall force
- estimation from pressure-volume diagram, 236,5:H787
- stress and, estimation from pressure-volume diagram, 236,5:H787
- Heart ventricles, left**
- afterload, microsphere shunting across coronary circulation, 236,5:H7
- asynrgy, intracoronary isoproterenol infusion, 239,8:H594
- Bezold-Jarisch reflex, 235,4:H188
- biomechanics, in myocardial deformation, 235,4:H523
- cannulation for microsphere estimation, renal blood flow, 238,7:H736
- cardiopulmonary baroreflexes, effects, 232,1:H634
- chloride distribution and exchange, 238,7:C169
- collateral flow, 230:279
- compliance, 240,9:H87
- free wall and septal diastolic comparison, 234,3:H392
- ischemic arrest and reperfusion, 235,4:H619
- contractile state, force-length relations, 231:337
- contractility, smoke stimulation, 240,9:H584
- diameter
- nitroglycerin effects, 234,3:H244
- subendocardium and subepicardium, 240,9:H920
- diastolic mechanics, 236,5:H323
- coronary occlusion effects, 237,6:H542
- diastolic pressure-volume relations, ejection pressure effects, 232,1:H545
- diastolic properties, in ischemia, 235,4:H720
- diastolic wall stress, apex, 235,4:H247
- dilated, regression, 232,1:H553
- $dP/dt$
- cardiac contractility, 239,8:H65
- cardiopulmonary reflexes and, 238,7:H93
- cyclic nucleotides and norepinephrine, 240,9:H630
- maximal negative, end of systole, 240,9:H676
- dynamic geometry, radiopaque markers, 239,8:H573
- early diastolic events, effects of coronary occlusion, 237,6:H542
- end-diastolic pressure, 230:199
- ischemic arrest and perfusion, 240,9:H300
- end-diastolic pressure and aortic pressure interaction, 232,1:H697
- end-diastolic strain, 234,3:H392
- fibers, anatomy, 239,8:H101
- filling
- adrenergic effects, 234,3:H525
- diastolic, 236,5:H323
- high heart rate, 236,5:H568
- strength-interval curve and, 233,2:H555
- force-length relations, isovolumic and ejecting contractions, 231:337
- force-velocity-length relations, instantaneous, 232,1:H241
- frequency-force relations, 230:631
- function
- after coronary occlusion, 233,2:H392
- after myocardial infarction (baboon), 235,4:H413
- amphiphile effects, 240,9:H229
- anesthetics, 232,1:H44
- during acute elevation of aortic blood pressure, 231:1476
- ear-pulse derivative and, 238,7:H355
- hemodynamic determinants, 239,8:H1
- hypertrophy, 232,1:H418
- in ischemic arrest and reperfusion, 235,4:H619
- insulin effects, neonatal diabetes (lamb), 237,6:H514
- ischemia effects, awake state, 240,9:H413
- preservation by insulin in catecholamine cardiomyopathy, 238,7:H257
- strength-curve interval, 233,2:H555
- geometry, transducer, sonomicrometry, 240,9:H664
- graded coronary artery occlusion effects, 243,12:H852
- hemodynamic alterations, 236,5:H254
- hypertrophy: *see* Hypertrophy
- inhibitory receptors, distribution, 235,4:H188
- inotropy, reflex sympathetic control, awake state, 241,10:H857
- isovolumic function, 234,3:H361
- isovolumic pressure, hemodynamic determinants, 239,8:H1
- isovolumic pressure fall, time constant, 235,4:H701
- lumen volume measurement, intraventricular balloon method, 236,5:H506
- mass, during hemodilution, 235,4:H767
- mechanics
- subendocardium role, 240,9:H920
- subepicardium role, 240,9:H920
- metabolic gradients, transmural, effect of right atrial pacing, 233,2:H217
- microsphere loss, acute and chronic, 242,11:H392
- myofibrillar ATPase activity, propranolol effects, 237,6:C195
- negative  $dP/dt$ , 237,6:H542
- origin of great cardiac vein and coronary sinus drainage, 230:486
- oxygen metabolism in, open chest, 243,12:H761
- papillary muscle dynamics, measurement, 233,2:H384
- performance
- endotoxic shock, 242,11:H172
- right ventricular pressure overload, 242,11:H611
- subendocardium and subepicardium, 240,9:H920
- thyrotoxicosis, awake state (calf), 242,11:H113
- perfusion heterogeneity, 232,1:H173
- pressure-diameter relations, Frank-Starling mechanism, 234,3:H338
- pressure fall, 242,11:H131
- pressure-sarcomere relations, free wall and intraventricular, 239,8:H101
- pressure-volume relations, ellipsoid shell shape and, mathematical model, 238,7:H917
- regional dyssynchrony, 237,6:H542
- regional wall thickness, coronary occlusion, 240,9:H293
- shortening, 230:419
- stress-strain relations, 239,8:H101
- subendocardium, blood flow and high-energy phosphates, 240,9:H804
- systolic and diastolic pressure gradients, 238,7:H625
- systolic dynamics, 240,9:R370
- systolic pressure-volume area, correlation with oxygen consumption, 237,6:H566
- tachycardia effects, blood flow, 230:1072
- three-dimensional shape, 241,10:H1
- transmural myocardial deformation, 235,4:H523
- volume, subendocardium and subepicardium, 240,9:H920
- volume measurement, radiopaque markers, 240,9:H896
- volume-overload, aortic valve damage, 241,10:H95
- wall
- apex, diastolic, 235,4:H247
- systolic and diastolic pressure gradients, 238,7:H625
- transmural deformation, 235,4:H523
- wall compliance, septal diastolic compliance and, 234,3:H392
- wall force and shortening, oxygen consumption and, 233,2:H421
- wall mechanics, ejection, 243,12:H379
- wall thickness, subendocardium and subepicardium, 240,9:H920
- Heart ventricles, right**
- aortic occlusion and, 243,12:R152
- distension, 240,9:H87
- extravascular compression, 238,7:H481
- failure, cocaine and contractile response to catecholamines, 233,2:H399
- flow and power output, variable load impedances, 237,6:H125
- flow and pressure calculation, 238,7:H932
- free-wall shortening and relaxation, during ejection, 239,8:H601
- helical fibers, myocardial contraction and, 243,12:H1
- hypertrophy: *see* Hypertrophy
- ischemia, anatomic and hemodynamic analysis, 233,2:H505
- optimum load, pulmonary impedance and, 242,11:H154
- outflow prediction, internal capacitance and resistance, 243,12:H99
- oxygen metabolism in, open chest, 243,12:H761
- pressure overload, left ventricular performance during, 242,11:H611
- pulmonary artery catheterization, 235,4:H452
- regional shortening patterns, 231:1395
- systole, coronary pressure-flow relations and, 238,7:H481
- systolic hypertension, myocardial perfusion and function (pony), 235,4:H628
- three-dimensional shape, 241,10:H1
- volume measurement, radiopaque markers, 240,9:H896
- wall motion, hemodynamic alterations, 236,5:H254
- Heat**
- acclimatization
- enzyme changes, seasonal, 240,9:R289
- impaired, 239,8:R226, R233
- activation
- deuterium oxide, skeletal muscle (frog), 239,8:C105
- fast- and slow-twitch muscles, dantrolene effects, 238,7:C56
- aerobic, enzyme changes, seasonal, 240,9:R289
- blood flow
- bone, 236,5:H1
- cutaneous (alligator), 235,4:R160
- body, blood flow and, foot (chicken), 242,11:R582
- calorimetry, interventricular septum (rabbit), 243,12:H289

**Heat (continued)**

- clearance, myocardial, quantification, 235,4:H345
- exchange
  - blood viscosity (frog, turtle), 239,8:R248
  - turtle, 238,7:R443
  - fluxes, fertile egg (chicken), 234,3:R183
  - hemocyanin oxygen binding (crayfish), 240,9:R93
- initial metal-film thermopiles, 233,2:C146
- intolerance, miliaria rubra, body surface involved, 239,8:R233
- loss
  - biogenic amines, arousal and (ground squirrel), 236,5:R162
  - 2-deoxy-D-glucose, 239,8:R1291
  - dry, estrogen and, 238,7:R400
  - estradiol effects, 243,12:R70
  - evaporative, chicken, 239,8:R57
  - evaporative, corneal convection and (pigeon), 242,11:R577
  - evaporative,  $\beta$ -endorphin effects, 243,12:R104
  - evaporative, energy balance (fowl), 232,1:R137
  - evaporative, metabolic, estrogen and, 238,7:R400
  - evaporative, nocturnal simian, 240,9:R156
  - evaporative, respiratory (duck), 235,4:R130
  - evaporative, Telazol anesthesia (monkey), 239,8:R241
  - open-loop gain, 242,11:R275
- mean stress relations, soleus muscle, 243,12:C242
- muscle contraction and (frog), 235,4:C20
- production
  - biogenic amines and arousal (ground squirrel), 236,5:R162
  - brown adipose tissue, 235,4:R121
  - 2-deoxy-D-glucose, 239,8:R291
  - deuterium oxide, skeletal muscle contraction (frog), 239,8:C105
  - dopamine receptor activation and, brain, 242,11:R471
  - in cold, brain serotonin and, 235,4:R41
  - lean and obese thyroxine-injected mice, 237,6:E265
  - liver, 237,6:R334
  - metabolic, energy balance, biogenic amines impact (fowl), 232,1:R137
  - metabolic, euthermia (newborn), 232,1:R203
  - metabolic, temperature effects (kangaroo rat), 237,6:R80
  - metabolic (chicken), 239,8:R57
  - muscle contraction, dystrophy (chicken), 242,11:C19
  - 2-n-butyl-methylenedioxynedene effects, muscle (frog), 242,11:C347
  - renal, energy metabolism, 233,2:F207
- production rate, filament overlap in latissimus dorsi muscle (chick), 233,2:C1
- regulation of intake, clearances, 240,9:R356
- stress
  - arteriolar vasoconstriction, cremaster muscle, 242,11:H996
  - blood flow distribution, regional (bat), 240,9:R705
  - capillary blood flow (sheep), 232,1:E53
  - metabolic (duck), 235,4:R130
  - metabolic (seal), 232,1:R18
  - myocardial, species differences, 237,6:H90
  - nonshivering, brown fat responses, 232,1:R101
  - recovery, smooth muscle, 238,7:C49
  - rectococcygeus muscle, 238,7:C49
  - serotonin, cold-induced metabolism and, 235,4:R141

- sodium-potassium-ATPase enzyme units, lean and obese mice, 237,6:E265
- sodium-potassium-ATPase units, lead and obese mice, 238,1:E193
- Telazol anesthesia (monkey), 239,8:R241
- transfer, tissue, regional blood flow measurements, 238,7:H682
- transfer, two-dimensional transient mathematical model, 237,6:R266
- thyroid function and, 233,2:E363
- Heat rash**, impaired heat tolerance, 239,8:R226, R233
- Heatstroke**, 231:1119
- threshold, 235,4:R228
- Heavy metals**: see Metals
- Heavy water**: see Water
- Heidenhain pouch**
  - hydrogen ion removal, mechanisms, 235,4:E692
  - interdigestive motor activity, 234,3:E333
- HeLa cells**, sodium-potassium-ATPase turnover, 241,10:C173
- Helical fibers**, myocardial, contraction effects, 243,12:H1
- Hematocrit**
  - blood viscosity, skeletal muscle, 241,10:H513
  - calibrated impedance, plethysmography, 239,8:H283
  - capacitance responses, densitometry, hepatic, 240,9:H18
  - capillary, cremaster muscle (hamster), 242,11:H211
  - carbon monoxide-induced cardiomegaly, 235,4:H516
  - <sup>51</sup>Cr-labeled, erythrocyte, in volume expansion, 234,3:F386
  - electrocardiographic potentials (pig), 232,1:H406
  - histamine effects, lung and forelimb permeability, 242,11:H565
  - hypothermia, 233,2:H605
  - microvascular, red cell flow, striated muscle, 237,6:H481
  - microvessel, measurement, 243,12:H1018
  - organ weights (shrew), 236,5:R221
  - sinoaortic denervation hypertension, 236,5:H92
  - variations
    - coronary, hemorrhage, 239,8:H326
    - coronary hemodynamics, 233,2:H106
    - oxygen transport, 238,7:H545
  - velocity and, distribution in capillaries, 235,4:H251
- Hematologic parameters**, chronic altitude hypoxia effects, 242,11:R447
- Hematologic response**, pressure, gas or hydrostatic (fish), 239,8:R161
- Hematology**
  - development, oxygen delivery (lamb), 237,6:H668
  - oxygen delivery, postnatal, 237,6:H71
- Hematopoiesis**, methylcellulose injection, 233,2:H234
- Hematopoietic cells**
  - ketone utilization, fetal, 235,4:E330
  - stem, reduction, rickets, 243,12:C303
- Heme protein**: see Protein
- Hemicorpus**
  - perfused
    - protein synthesis, diabetes and, 239,2:E88
    - protein turnover, fasting, 236,5:E222
    - protein turnover, glucocorticoid effects, 238,1:E564
    - protein turnover, skeletal muscle, 234,3:E38
- Hemidiaphragm**, amino acid transport, 235,4:E316
- Hemoconcentration**, electrocardiographic potentials and (pig), 232,1:H406
- Hemocyanin**
  - activity (crayfish), 240,9:R99

- oxygen binding, temperature acclimation effects (crayfish), 240,9:R93
- Hemodialysis**
  - endogenous anticoagulation, heparinlike inhibitor, 239,8:H742
  - plasma pancreatic trypsinogens and, 242,5:G177
- Hemodilution**
  - electrocardiographic potentials and (pig), 232,1:H406
  - oxygen delivery, exercise, 240,9:H177
  - tissue, microelectrometry, brain cortex, 236,5:H759
  - ventricular performance, myocardial water content and, 235,4:H767
- Hemodilution curves**, cerebral tissue, photoelectric method for measurement (cat, monkey), 235,4:H56
- Hemodynamics**: see also specific subject and site
  - acute renal failure, techniques, 234,3:F171
  - adenosine effects, intestinal, 235,4:H707
  - alterations, right ventricular wall motion, 236,5:H254
  - anesthetic effects, spontaneously hypertensive and Wistar-Kyoto rats, 238,7:H539
  - angiotensin, sodium excretion and, 230:1042
  - angiotensin II, central infusion, sodium depletion and, 237,6:H139
  - arterial
    - carotid sinus reflex control, anesthesia effects, 239,8:H681
    - regional, cardiac sinus control, 238,7:H182
  - training, 230:211
  - atrial pacing effects, 233,2:H217
  - autonomic blockade effects, heart tamponade, 232,1:H5
  - biventricular hypertrophy, normotensive, 236,5:H640
  - blood viscosity changes, in hypothermia, 235,4:H136
  - cerebral, adenosine and, 241,10:H134
  - changes, endotoxin administration, 239,2:E391
  - circadian pattern, radiotelemetry, 236,5:R231
  - coronary
    - hematocrit variations, 233,2:H106
    - hematocrit variations, hemorrhage, 239,8:H326
    - vasodilation, 240,9:H767
  - electrical stimulation, forebrain angiotensin and osmosensitive sites, 235,4:H445
  - exercise, shock avoidance and, 236,5:H225
  - heart failure, arterioventricular model, 236,5:H698
  - hepatic, bile secretion and, 234,3:E584
  - hindlimb, perfusion, 241,10:H789
  - histamine effects, cardiopulmonary, 232,1:H73
  - hypercapnia, 232,1:H236
  - hypertension, 230:691, 232,1:H639
  - hyperthermic cancer therapy, 237,6:H570
  - hypertonic sodium chloride infusion, cardiac, 235,4:H18
  - hypoxemia and spontaneous hypertension, 234,3:H275
  - hypoxia, hypoxic and carbon monoxide, 236,5:H22
  - inotropic state, cardiac, 234,3:H562
  - isovolumic pressure fall, ventricular, 235,4:H701
  - left ventricular isovolumic pressure, 239,8:H1
  - microcirculatory (bat wing), 232,1:H400
  - mitral valve function, papillary muscle, 238,7:H348
  - myocardial dysfunction, vascular resistance, 239,8:H477



- nephron, spontaneous hypertension, 236,5:F246  
occlusion, descending thoracic aorta, 238,7:H423  
ovarian, pseudopregnancy, 237,6:E30  
oxygen consumption, myocardial, 235,4:H237  
pancreas, vascularly isolated, 236,5:E626  
photoelectric measurement method, cerebral (cat, monkey), 235,4:H56  
plasma protein concentration, control of coronary vascular resistance and, 238,7:H471  
pulmonary  
  hypoxia, 236,5:H818  
  platelet aggregation and (sheep), 242,11:H645  
  pulmonary artery catheterization, 235,4:H452  
  pulsatile, carotid sinus control, 238,7:H182, H294  
  pulsatile arterial, 230:868  
  reduced venous return, 243,12:R354  
regional  
  carotid sinus baroreflex control, anesthesia effects, 239,8:H681  
  hematocrit variations, effects, 238,7:H545  
renal  
  angiotensin II, exogenous and endogenous, 235,4:F605  
  angiotensin II effects, 233,2:F388  
  angiotensin II hypertension, 235,4:F174  
  angiotensin II inhibition, 233,2:F290  
  bradykinin-induced alterations, 237,6:F433  
  caval constriction, 232,1:H507  
  cyclooxygenase inhibition, 239,8:F360  
  effects of anesthetics on autoregulation, 230:652  
  erythrocyte and globulin effects, 241,10:F139  
  hemorrhage, 235,4:F46  
  hemorrhagic shock, 232,1:F409  
  hypercalcemia, 232,1:F490  
  laser-Doppler spectroscopy, 236,5:F80  
  nonpressor central nervous system natriuresis, 237,6:F157  
  proteinuria, angiotensin II-induced, 233,2:F13  
  renovascular hypertension, 235,4:F310  
  spontaneous and renal hypertension, comparison, 236,5:H403  
  spontaneous hypertension, 236,5:F246, 241,10:F244  
  sympathetic nerve activity, 235,4:F557  
  transient, 233,2:F396  
  transport, protein, 241,10:F162  
  ureteral obstruction, 236,5:F131  
  volume expansion, neonatal, 237,6:F392  
  repeated blood sampling, 239,8:H805  
  right ventricular, ischemia, 233,2:H505  
  saline expansion effects, renal, 240,9:F106  
  shear stress, aortic, 234,3:H701  
  shock, 230:831  
  steady-state, hepatic, systems analysis, 233,2:R188  
systemic  
  desmopressin-induced water retention and, 243,12:H934  
  iron-deficiency anemia, 232,1:H470  
  microsphere effects, 233,2:H617  
  reference sample microsphere method, 239,8:H443  
  trigeminal and aortic vasodepressor responses, 234,3:H67  
  vasopressin, regional blood flow and awake state, 243,12:H663  
  ventricular, anesthesia, 232,1:H44  
  ventricular fibrillation, 235,4:H231  
  volume measurement, radiopaque markers, ventricular, 240,9:H896  
  whole kidney, single nephron and, 234,3:F357
- Hemoglobin**  
absorption, retinal circulation, 234,3:H315  
carbon monoxide effect, equilibrium between oxygen and, 230:471  
cardiomegaly, 235,4:H516  
demethylation, erythrocytes, 235,4:E150  
function  
  erythrocyte components and, postnatal, 238,7:H73  
  postnatal regulation of erythrocyte metabolism, 242,11:H500  
  organ weights (shrew), 236,5:R221  
  oxygen-binding proteins, 234,3:C36  
  oxygen metabolism, cerebral cortex (gerbil), 242,11:C265  
**Hemoglobin-oxygen affinity**  
development (lamb), 237,6:H668  
isolated heart model, 237,6:H348  
**Hemoglobin-oxygen dissociation**, acute hypoxemia, spontaneous hypertension, 234,3:H275  
**Hemolymph**  
nauplius (shrimp), 234,3:R216  
oxygen tensions, activity (crayfish), 240,9:R99  
sampling, circulation, oxygen transport and activity (crayfish), 240,9:R99  
volume, regulation (tick), 238,7:R102  
**Hemolysis**  
hypotonic, red cells, 236,5:C238  
urine osmolality and, 239,8:C27  
**Hemolytic anemia**: see Anemia  
**Hemopoietic tissue**, iron-59 uptake, estrogen effects (quail), 236,5:E342  
**Hemorheology**: see Rheology  
**Hemorrhage**  
acute, cardiovascular effects, fetal (lamb), 240,9:H45  
adenosine triphosphate effects, 240,9:R52  
adrenocortical responses, 232,1:R5  
ALS, shock and, 230:178  
antidiuretic hormone action, glomerular, 233,2:F102  
arginine vasopressin  
  fetal (lamb), 238,1:E214  
  release, osmolality effect, 238,1:E62  
arterial blood pressure, ACTH, cortisol, vasopressin and newborn (lamb), 240,3:E585  
arterial pressure control system, 234,3:R104  
arterial pressure stability, 235,4:R279  
blood flow  
  neurohumoral regulation, bones and marrow, 237,6:H440  
  to marrow and osseous tissue, 238,7:H360  
blood pressure, systemic, vagal restraint, 234,3:H192  
blood reservoir function, splanchnic organs, 232,1:H67  
blood volume restitution after, 230:1683  
carotid occlusion reflex, 233,2:H240  
cerebral, 230:1354  
dibutyl adenosine monophosphate action, glomerular, 233,2:F102  
early responses to, corticosterone effects, awake state, 243,12:R416  
effects on renin response, angiotensin control and, 231:1300  
end-diastolic volume, ventricular (pig), 235,4:H182  
facilitatory interaction, arterial pressure, 237,6:R203  
fibrinogen response, 237,6:H504  
free fatty acid turnover, cerebrospinal fluid, 236,5:H802  
heart rate response, 235,4:R279  
  with volume overload, 235,4:H422  
hematocrit variations, coronary, 239,8:H326  
hematologic effects (chicken), 240,9:H9  
hemodynamics, renal, control, 235,4:F46  
medullary, adrenocorticotropin response, 233,2:R116
- mesenteric, oxygen exchange, 236,5:H846  
peripheral circulation, whole-body response, 236,5:H206  
plasma renin activity, control, 236,5:H463  
plasma volume restoration, gastrointestinal fluid, 234,3:H80  
prolactin and, fetal (lamb), 238,1:E214  
prostaglandin inhibitors, renovascular responses to, 230:940  
prostaglandins and catecholamines, cardiovascular responses, 240,9:R166  
protein redistribution, hypoproteinemia (sheep), 243,12:H803  
quick, sinovagal interaction, 237,6:R203  
quick mild  
  carotid sinus baroreflex, vagotomy and, 242,11:H580  
  open-loop gain, 240,9:H832  
renin-angiotensin role, fetal (sheep), 240,9:H846  
renin release  
  osmolality effect, 238,7:E62  
  ventricular reflex suppression, 233,2:H181  
renin response (aglomerular toadfish), 237,6:H105  
repeated blood sampling, 239,8:H805  
response, anesthesia effects, 243,12:H713  
stress, heart rate, fetal and adult (sheep), 239,8:H789  
survival and microvascular responses, anesthetics and, 235,4:H753  
systemic arterial input impedance, 238,7:H902  
vascular effects (chicken), 240,9:H9  
vascular smooth muscle tone, venous membrane potentials and, 238,7:H144  
vasopressin, 239,8:H81  
venous return and oxygen delivery, umbilical, fetus (lamb), 242,11:H543  
vessel constriction during, 230:569  
**Hemorrhagic hypotension**: see Hypotension  
**Hemorrhagic shock**: see Shock  
**Henle's loop**  
amino acids, kidney function and, 243,12:F284  
ascending limb  
  phosphate reabsorption, 234,3:F287  
  phosphate transport, 233,2:F150  
  sodium excretion, control, 235,4:F163  
basement membrane, isolated perfused, physical properties, 234,3:F54  
calcium and magnesium transport, furosemide effects, 241,10:F340  
calcium transport, cortical thick ascending limb, parathyroid hormone effects, 239,8:F121  
comparative and functional aspects, renal medulla, species differences, 241,10:R3  
concentrating process, integrative hypothesis, 239,8:F578  
descending limb permeability, hypertonic urine formation and, 239,8:F57, F72  
diluting capacity, maturation, 233,2:F519  
feedback responses, chloride, 240,9:F111  
glomerular filtration, feedback regulation, 233,2:F1  
hydrogen excretion, furosemide effects, 232,1:F397  
juxtamedullary descending limb, urinary concentrating mechanism (desert rodent), 236,5:F448  
magnesium transport, 239,8:F393  
micropuncture study, superficial nephron (desert rodent), 241,10:F612  
peanut lectin binding, kidney epithelial cells, 242,11:C117  
permeability, 232,1:F348

**Henle's loop (continued)**

- phosphate reabsorption, parathyroid hormone effects, 235,4:F321
- phosphate transfer, 233,2:F150, F261
- potassium transport, 235,4:F515
- kidney, 242,11:F297
- pars recta, 242,11:F226
- protein kinase activity, 238,7:F269
- retrograde microperfusion, feedback regulation of glomerular filtration, 239,8:F427
- sodium chloride and water transport in, renal nerve stimulation effects, 243,12:F576
- sodium chloride transport, 232,1:F201
- sodium reabsorption, renal vein constriction, 243,12:F19
- thick ascending limb
  - calcium transport, voltage dependence, 236,5:F357
  - sodium-chloride entry mechanism, 242,11:F561
- thin ascending limb
  - arginine vasopressin effects (hamster), 243,12:F167
  - chloride, transepithelial gradient and fractional delivery, 235,4:F192
  - function, 232,1:F201
  - potential differences, origin, 232,1:F348
  - urinary concentrating and diluting processes, 235,4:F1

**Henry-Gauer reflex: see Reflexes****Heparin**

- endogenous, extracorporeal perfusion, 239,8:H742
- intestinal phospholipase A, triglyceride and, 242,5:G168

**Heparinlike inhibitor, endogenous anticoagulation, extracorporeal perfusion, 239,8:H742****Hepatopeptides, renal and adrenal responses, 234,3:F130****Hepatotomy**

- erythropoiesis, 230:845
- erythropoietic factor, production, sexual variation, 238,1:E245
- experimental, insulin and glucagon after, 241,4:E428
- insulin and glucagon, liver regeneration, 240,3:E112
- lactic acidosis, 239,8:F135
- partial, amino acid transport, 236,5:E594
- tracer studies, urea kinetics, 240,3:E428

**Hepatic artery**

- blood flow: *see* Blood flow
- conductance, blood flow and, 239,8:H559
- plasma flow, insulin and glucagon extraction, 235,4:E88
- pressure, afferent discharges from venous pressoreceptors, 232,1:C76
- resistance: *see* Resistance
- responses to hepatic nerve stimulation, glucagon inhibition, 233,2:H647
- vasoconstriction: *see* Vasoconstriction
- vasopressin, 239,2:G378

**Hepatic intermediates, maternal starvation effects, fetal and neonatal, 240,3:E88****Hepatic nerves**

- afferent discharges, from venous pressoreceptors, 232,1:C76
- anterior, capsaicin injection and, 242,11:H955
- baroreceptor reflexes and, 238,7:F390
- electrical stimulation, glucose output, 236,5:E323
- stimulation
  - blood flow, 232,1:H652
  - glucagon inhibition of hepatic arterial responses, 233,2:H647
- vagus, gastric function, 238,7:F346

**Hepatic vein**

- blood sampling, intracaval cannulation, 235,4:H262
- cannulation, transjugular, nonisotopic in vivo verification, 237,6:H730

pressure, ascites formation and reabsorption, 233,2:H185

**Hepatobiliary pathways, cholephilic dyes, 232,1:E447****Hepatocytes**

- bile acid
  - efflux from, cholestasis, 243,6:G253
  - transport in, 243,6:G484
  - uptake, sodium ion transport inhibitor effects, 243,6:G48
- bile acid derivative, hepatic lobular concentration gradient, 238,1:G233
- calcium deprivation effects, 241,10:C3
- centrilobular, cytochrome P-450, 234,3:C102
- chloride transport by, 242,5:G628
- culture, differentiated function, 234,3:C122
- electrical stimulation, 240,3:E226
- fluorescence and oxygen consumption, hormone-induced changes, 242,11:C172
- function, lumen volume, 237,6:F196
- gluconeogenesis, suckling, 233,2:E175
- glucose metabolism, 234,3:C122
- glycogen metabolism in, vasoactive intestinal polypeptide effects, 242,5:E262
- hormone-stimulated glycogenolysis, 231:191
- insulin
  - binding, obesity and fasting effects, 243,6:E240
  - bioactivity, 243,6:E132
  - cellular processing, 243,6:E140
  - insulin action and degradation, modulation, 240,3:C325
- isolated
  - amino acid transport, 236,5:E594
  - bilirubin, unconjugated uptake, 236,5:C9
  - glucose utilization, 232,1:E394
  - ketone utilization, fetal, 235,4:E330
  - Kupffer cell phagocytosis, hyperinsulinemia and, 238,1:E276
  - polyunsaturated fatty acid incorporation, lipids (rainbow trout), 243,12:R223
  - pyruvate kinase regulation, 6-phosphogluconate, 240,3:E279
  - reabsorption, spontaneous hypertension, 237,6:F38
  - sulfobromophthalein-gluthathione, uptake, 239,8:C118
  - transmembrane potential, monolayer culture, 241,10:C209
  - ultrastructure, prostacyclin and, 238,7:H176
- Hepatopoietin, production, sexual variation, 238,1:E245**
- Hepatotropic factors, stimulator substance, hepatic, 242,5:G281**
- Heptanoic acid, 7-(1-imidazolyl)-, stimulation of water flow (toad), 239,8:F160**
- Hering-Breuer reflex: see Reflexes**
- Herpes virus, heart cell electrical parameters, embryo (chick), 234,3:C170**
- Heterogeneity: see also specific subject and site**
  - acinar, taurocholate transport, 243,6:G455
  - anatomic and metabolic, hepatic transport kinetics, 243,6:G532
  - anion permeability, proximal convoluted tubules, 241,10:F386
  - arteriole, sympathetic influences, vascular tonicity, 241,10:H691
  - fluid, phosphate, and glucose absorption, renal, 237,6:F312
  - glucose, proximal nephron, 241,10:F322
  - D-glucose transport, kidney tubules, 242,11:F406
  - intrarenal, 235,4:F387
  - microvascular
    - capillary transit times, muscle, 240,9:H199

cremaster muscle (hamster), 242,11:H211

nephron, 233,2:F491, 237,6:F34

mammalian, 241,10:F203

phosphate reabsorption, 239,8:F336

potassium and, 235,4:F104

sodium and potassium excretion, renal, 239,8:F187

parathyroid hormone, 230:286

peritubular plasma flow, 233,2:F333

phosphate reabsorption, nephron, 234,3:F287

plasma membrane, 234,3:F89

potassium ions, intracellular, 234,3:F261

sodium and potassium transport, kidney tubules, 242,11:F514

spatial and temporal perfusion, myocardium, 235,4:H64

subunit, temperature acclimation effects, 240,9:R93

urate transport, proximal tubules, 241,10:F565

vascular, sodium-potassium exchange, smooth muscle, 243,12:H553

**Heteroporosity, neutral solute transport, porous membranes, 241,10:F469****Heterothermy, peripheral, resistance, 239,8:R126****Hexamethonium**

migrating motor complex, neural control, 237,6:E451

pressure-volume relations, vascular, 238,7:H823

**Hexamethonium chloride, peripheral neural input, stellate ganglion, 242,11:R237****Hexapeptide, C-terminal, substance P and, gastric and pancreatic secretion, 241,4:G74****Hexokinase**

acidotic cardiac ischemia and, computer model, 242,11:R533

activity, perfused lung, 236,5:E276

distribution, nephron, 240,9:F492

endotoxic shock, normal and diabetic liver, 240,9:R10

high-fat diet effects, pancreatic acini, 243,6:G448

proximal tubules, 241,10:F403

red cell metabolism (cow), 236,5:C255

**Hexose**

metabolism, insulin action, neurominidase inhibition, adipocytes, 239,2:E186

sodium-dependent transport, vesicles, renal epithelial cell line, 243,12:C293

**transport**

alloxan effects, fibroblasts, 240,3:E640

brush-border membrane, jejunum (chick), 240,3:G102

cell culture, transepithelial (pig), 240,9:C92

cultured crypt cells, intestinal, 239,8:C190

fat cells, bilirubin effects, 237,6:E504

phosphorylation and, brain capillaries, 236,5:C96

sodium-dependent, kidney cells, 242,11:C94

wheat germ agglutinin and, fat cells, 238,1:E267

uptake, liposome-adipocyte interaction effects, 241,4:E281

**Hexose monophosphate, shunt, cardiac myocytes, 232,1:E570****Hibernation**

arousal from, 230:368

coronary circulation and (hamster), 241,10:R50

effect on central nervous system responsiveness, 231:810

electrophysiology (ground squirrel), 233,2:R213

ion concentration gradients, aorta (rat, squirrel), 237,6:C17

- ionic transport, aorta (rat, squirrel), 237,6:C23
- lipid transitions, membrane, 236,5:E589
- pituitary-thyroid axis (bear), 237,6:E227
- renin-angiotensin-aldosterone system (marmot), 233,2:R37, 234,3:R178
- spinal cord-hypothalamic-temperature interaction (marmot), 236,5:R107
- temperature effects, transmembrane potentials, 230:403
- temperature regulation, central nervous system (marmot), 232,1:R203
- thermal responses during, 230:1018
- thyroid function, 230:1211
- hedgehog, 236,5:E589
- Hierarchies**
- biological, 234,3:R3
- limits of models, 242,11:R167
- pacemaker, 234,3:H471
- physics, 233,2:R75
- High-pressure liquid chromatography:** see Chromatography
- Hill's coefficient**, 230:471
- alanine synthesis, 230:1379
- Hindbrain pathways**, adrenocorticotropin release, 233,2:R116
- Hindlimb**
- arterial smooth muscle mechanics, 235,4:H649
- capillary filtration measurement, strain gauge, 232,1:H354, H361
- capillary pressure, tissue fluid volume and, 233,2:H130
- deoxycorticosterone acetate, chloride hypertension, capillary resistance, 236,5:H586
- exercise reflex, cardiovascular responses, in hypoxemia, 237,6:H359
- free fatty acid metabolism (bovine), 237,6:E309
- muscle, insulin effects, adrenalectomy and fasting, 242,5:E2323
- perfusion
- carotid sinus baroreceptor-aortic nerve pressor reflex, interaction, 237,6:H662
- $\gamma$ -carrageenan-induced wound, 242,11:R570
- glucose delivery and uptake, contracting skeletal muscle, 237,2:E514
- glucose uptake, exercise, 241,10:C200
- insulin sensitivity, 239,2:E169, 240,3:E482
- resistance: see Resistance
- vascular control, during acute emotion (baboon), 236,5:R198
- veins, aortic arch chemoreceptor stimulation effects, 242,11:H1050
- venous occlusion, anatomic response of vasculature, 232,1:H584
- Hindpaw**
- nutritional and nonnutritional circuits, neural control, 234,3:H384
- plasma protein exclusion, tissue interstitium, 239,8:H532
- Hindquarters**
- amino acid release, acute uremia, 241,4:E415
- glutamate metabolism, glucogenicity and (sheep), 241,4:E465
- perfused, insulin sensitivity, skeletal muscle, 236,5:E519
- vascular resistance, salt-induced hypertension (Dahl strain), 236,5:H48
- Hippuric acid**, equilibration, 230:1326
- Hirschsprung's disease**, jejunal transport and, 239,2:G123
- His bundle**
- ablation, closed-chest electrode-catheter technique, 241,10:H283
- chronic heart block, closed chest, 241,10:H279
- complete heart block, 233,2:H723
- heavy metal feeding, 239,8:H22
- recordings during junctional rhythms, utilizing signal averaging, 235,4:H110
- Histamine**
- acid secretion and motility, gastric mucosa (kitten, ferret), 234,3:E319
- active capacitance and, hepatic, 242,11:H1000
- adenosine monophosphate, cyclic and gastric mucosa (piglet), 242,5:G79
- isolated parietal cells, 237,6:E444
- production, mucosal cells, 237,6:E437
- adenyl cyclase regulation, gastric parietal cells, 240,3:G76
- alkaline secretion, gastric, 239,2:G255
- blood flow, gastric, prostaglandin  $E_2$  and, 238,1:G514
- calcium ion-dependent secretagogue stimulation, gastric glands, 239,2:G90
- capillary permeability, intestinal, 240,3:G381, 242,5:G194
- cardiopulmonary circulation responses, 232,1:H73
- cholinergic vasodilation, 234,3:H305
- colonic muscle response, 237,6:E383
- content, lung, newborn, 237,6:H76
- contractile events and, smooth muscle, 243,12:C133
- contractile force, heart, 236,5:H84
- contractility, vascular smooth muscle, 240,9:H971
- contraction, vascular smooth muscle, 238,7:H716, H761
- deoxyribonucleic acid synthesis, fundic mucosa, 235,4:E32
- edema formation, antagonism by catecholamines, 234,3:H180
- epithelial cell extrusion, during fluid transport, small intestine, 232,1:E408
- fibrinogen synthesis, 233,2:H1
- fluid secretion and, intestinal, 231:793
- gastric acid secretion and, gastric glands, 241,4:G431
- gastric gland responses, 238,1:G312
- gastric secretion, 230:351
- oxygen consumption and, 234,3:E445
- gastrin stimulation, gastric glands, 242,5:G504
- $H_1$  and  $H_2$  receptors, in vasodilation, 231:1002
- histidine decarboxylase-mediated synthesis of, 230:1349
- $H_2$ -receptor antagonists, active alkalization, gastric fundic mucosa (amphibia), 233,2:E1
- hydrogen ion secretion, gastric mucosa (frog), 236,5:E784
- indomethacin-induced pulmonary vasoconstriction (lamb), 238,7:H639
- intra-arterial, blood-brain transport and, 243,12:H307
- intracellular pH and, gastric mucosa (bullfrog), 237,6:E82
- lymph flow, forelimb, 243,12:H575
- metabolism, stomach, 230:219
- motor function and, sphincter of Oddi (opossum), 241,4:G122
- muscle layers, portal vein, 242,5:G498
- noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112
- oxyntic cell adenosine monophosphate, cyclic and hydrochloric acid, gastric mucosa (bullfrog), 235,4:E140
- pharmacology, esophageal sphincter, lower (baboon), 235,4:E42
- plasma, hyperosmolar-induced vasodilation, 242,11:H450
- prostaglandin  $E_2$  interactions, fundic glands, 242,5:G21
- protein permeability and, lung and forelimb, 242,11:H565
- pulmonary arterial response, neonatal, 237,6:H76
- pulmonary vascular permeability, 239,8:H96
- quinuclidinyl benzilate binding, cholinergic receptor, 239,2:G204
- receptors: see Receptors
- reflex limb dilatation, 230:557
- relaxation, modulation, lower esophageal sphincter (opossum), 237,6:E481
- renal vascular responses, prostaglandin inhibitors, 234,3:H496
- smooth muscle contractions, Tris effects, 241,10:H337
- stimulated bile flow, metiamide effects, 231:516
- synthesis, aortic, shear stress and, 234,3:H701
- systemic infusion, protein transfer, 233,2:H148
- tracheal smooth muscle, during metabolic depletion, 233,2:C8
- trauma resistance, 230:1577
- vasodilation, prolonged, 233,2:H27
- Histamine antagonists**, capillary permeability, intestinal, 240,3:G381
- Histaminergic vasodilation:** see Vasodilation
- Histidine**
- acid secretion, gastric mucosa (monkey), 236,5:E733
- infusions, urinary zinc excretion, 235,4:F40
- kidney as endogenous source, 237,6:E1
- Histidine decarboxylase**
- histamine synthesis, 230:1349
- shear stress, aortic, 234,3:H701
- trauma resistance, 230:1577
- Histochemistry**, thyrotoxic soleus muscle, 238,7:C15
- Histofluorescent nerves**, catecholamine stores, cardiac, 240,9:H889
- Histogram**
- arterial pressure, heart rate and, fetal and maternal (sheep), 243,12:R433
- coronary autoregulation and, 234,3:H361
- Histology**
- catecholamine cardiomyopathy, 238,7:H257
- fundic, 234,3:E286
- heart, potassium-free perfusion, 237,6:C1
- hepatocytes, prostacyclin during hypoxia, 238,7:H176
- kidney, 234,3:F207
- bullfrog, 233,2:F481
- muscle fibers (frog), 237,6:C50
- myocardial cell surface, 235,4:H461
- myocardium, deprived, 232,1:H288
- nephron ultrastructure, 235,4:F387
- pacemaker cells, sinoatrial node, 235,4:H407
- pancreas, 234,3:E286
- phenol red, tubular localization, 238,7:F159
- renal papillary epithelium, antidiuresis and water diuresis, 235,4:F69
- septum, heart, 236,5:H379
- smooth muscle, myometrium, 238,7:C34
- urinary bladder, 232,1:F187
- Histomorphometry**, bone, 238,1:E507
- Histones**, postnatal, myocardial, 235,4:H338
- Histotoxicity**, cerebral circulatory response and (lamb), 243,12:H27
- Homeokinesis**
- field and circuit thermodynamics, 233,2:R171
- thermodynamics, 234,3:R3, R85
- Homeokinetics**, physical causality, brain theories and, 238,7:R277
- Homeometric autoregulation**, afterload-induced, in isolated cardiac muscle, 231:545
- Homeostasis:** see also specific subject and site
- L-asparagine, role of pancreatic L-asparagine synthetase, 236,5:E746
- bicarbonate, cerebrospinal fluid, effect of potassium depletion, 231:579
- biological control systems, 242,11:R173
- blood: see Blood
- body fluid: see Fluid

**Homeostasis (continued)**

- brush-border membrane, duodenal, 242,5:G533
- calcium
  - circadian rhythm, 237,6:R311
  - intestinal, 232,1:E298
- caloric, gastric emptying, sugar effects (monkey), 241,10:R25
- central nervous system, 232,1:R73
- fluid and electrolyte, forebrain control, 239,8:R372
- fuel, exercise during fasting, in obesity, 238,1:E322
- glucose
  - high-protein diet, 239,8:R437
  - insulin sensitivity estimation, 236,5:E667
  - insulin, perfused liver, fasting effect, 237,6:E349
  - mineral, estrogen effects (chick), 235,4:E338
  - regulation, energy metabolism, cellular, 234,3:C82
  - sodium, 230:1187

**Homeotherms**

- energy production, poikilotherms comparison, 240,9:R1
- peripheral, time course, 239,8:R126
- sodium ion transport (toad), 236,5:C117

**Homocellular regulatory mechanism**, sodium transport, epithelia, 241,10:F579**Homogeneity analysis**, cortisol periodicity, normal and in Cushing's syndrome, 236,5:R268**Homo- $\gamma$ -linoleic acid**, fibrinogen response, 235,4:H223**Homozygotes**, vasopressin and collecting duct intramembranous particle clusters, dose-response relations, 239,8:F560**Homunculus**, scientific law and, 239,8:R363**Hopping**: see Exercise**Hormonal activation**, ornithine decarboxylase, pelvic cartilage, embryo (chick), 241,4:E545**Hormonal changes**

- endotoxin and, diabetes, 243,12:R77
- enforced diving and, plasma catecholamine effects (harbor seal), 242,11:R528
- hypertension, neoplasia-induced hypercalcemia, 242,5:E330

**Hormonal function**, norepinephrine, 234,3:E252**Hormonal induction**, sodium-potassium-ATPase, proximal tubular cells, 241,10:F356**Hormonal influences**

- gastric tissue, 235,4:E422
- pylorus, 243,6:G330

**Hormonal inhibition**, gastric motility, interdigestive, 240,3:G221**Hormonal interactions**, glucose kinetics and, 240,3:E465**Hormonal mechanisms**, hypoglycemia, insulin-induced, recovery, 236,5:E380**Hormonal regulation**

- calcium transport, kidney tubules, 241,10:F171
- chloride, active transport, rectal gland (dogfish), 237,6:F138
- cholesterol synthesis, intestinal, 240,3:G274
- corticosteroid-binding globulin, postnatal development, 240,3:E402
- fructose-6-phosphate substrate cycling, 236,5:E410
- gluconeogenesis, 235,4:E22, E295
- hypophysectomy, seminiferous tubules, 241,4:E233
- interdigestive motor cycles, proximal stomach, 237,6:E192

- lipoprotein lipase, adipose tissue, food intake and, 239,2:E162
- neutrophil chemotactic activity, vaginal, 233,2:R59
- pancreatectomy, mixed meal responses, 242,5:E335
- phosphoenolpyruvate carboxykinase activity, brown fat, 235,5:E197
- postnatal development and, 241,4:G199
- potassium metabolism, extrarenal, 240,9:F257
- pyruvate metabolism, liver mitochondria, 236,5:E501
- reticuloendothelial development, 233,2:C141

**Hormonal responses**

- meals varying in pH, 233,2:E41
- mixed meal effects, 240,3:E54
- reduced venous return, 243,12:R354
- vena caval obstruction, fetal (sheep), 243,6:E278

**Hormonal stimulation**

- gastrointestinal junction, 236,5:E45
- myoblast differentiation, control of, 243,12:C278
- protein kinase system, insulin inhibition, renal cortex, 236,5:E649

**Hormones**: see also specific hormone action

- glycolysis, intracellular pH effects, skeletal muscle (frog), 242,11:C87
- kidney, 241,10:F333
- mammalian nephron, 240,9:F159
- adenosine monophosphate responses, choroid plexus, 232,1:E353
- adrenergic blockade effects, awake state, 241,10:F385
- bicarbonate transport, gastric and duodenal (bullfrog), 242,5:G100
- binding
  - cyclic nucleotide agonists of cholecystokinin, 242,5:G161
  - methodology, 232,1:E274
- blood levels, 24-hr temporal variations, 237,6:E255
- calcium and phosphorus deficiency, 236,5:E118
- cholesterol synthesis, intestinal, 240,3:G274
- circulating ergostatic factor, 239,8:R344
- counterregulatory, glucose kinetics and, 240,3:E465
- degradation, kidney, 240,9:F437
- desensitization, granulosa cell cultures, 236,5:E129
- diurnal rhythms, adrenocortical system, 239,8:R309
- dosage, induction of liver enzymes, 235,4:E374
- effects, high resistance, epithelia in culture (amphibia), 240,9:C103
- electrolyte transport, esophageal (rabbit, opossum), 239,2:G5
- endocrine pancreatic content, gastrointestinal polypeptides and, 238,1:G526
- enteropancreatic, distribution in extra-pancreatic tissue, 238,1:E253
- episodic discharges, luteinizing hormone and, age effects, 243,6:E257
- episodic secretion, algorithms for, 243,6:E310
- evolution, gallbladder contraction and (salmon), 232,1:E485
- gap junction control, myometrial, 238,7:C81
- gastrin-cholecystokinin system, 240,3:G255
- gastrin release, antral, 235,4:E410
- gastroenteropancreatic, exercise effects, 239,2:G136
- glucose sensitivity, fat cells, 237,6:E504
- gut
  - bicarbonate transport and, duodenum, 243,6:G348
  - glycogen metabolism and, hepatocytes, 242,5:E262

**immunoreactive**

- protein synthesis, liver, 240,3:E18
  - removal and excretion, kidney, 240,9:F282
  - interactions, antral smooth muscle, 236,5:E39
  - localization, autoradiography, pancreas, 240,3:G69
  - membrane action, urinary bladder (toad), 232,1:F77
  - natriuretic, 231:28
  - pancreatic islets, 240,3:E422
  - pancreatic polypeptide release, stimulation, vagotomy, 240,3:G114
  - peptide, structure, effect on hydrogen ion secretion by gastric mucosa, 231:573
  - pharmacokinetics, 237,6:R251
  - receptors: see Receptors
  - receptor systems, leukoagglutinin-lymphocyte binding, 237,6:E207
  - release, blood flow and, xenopsin effects, 243,6:G195
  - resistance: see Resistance
  - responses, 17 $\beta$ -estradiol effects, pituitary, 240,3:E297
  - secretion
    - calcium and, neoplastic GH<sub>3</sub> cells, 240,3:E705
    - mechanoreceptor control of, fetal (sheep), 243,6:E278
  - sensitivity, urinary bladder cells (toad), 241,10:F129
  - stimulation by glycogenolysis, 231:191
  - synergism, insulin hypoglycemia, counterregulation, 237,6:E487
  - treatment, protein synthesis following, liver, 240,3:E18
  - uptake and release, by exercising leg tissue, 231:967
  - vascular, mesenteric, interactions, 232,1:H305
- Hormone therapy**, bioavailability, gut absorption and, 236,5:R137
- Horseradish peroxidase**
- cerebrovascular permeability, during mefloquine-induced convulsions, 233,2:C74
  - intracellular distribution, muscle fibers (frog), 237,6:C50
  - molecular change, 242,11:F750
  - transport, jejunum, 242,5:G558
- Horse serum**, perfusion, right bundle branch-septal model, 236,5:H379
- Hot flashes**, ambulatory monitoring, 237,6:R306
- Hulett's solvent tension theory**: see Osmosis
- Human chorionic gonadotropin**: see Gonadotropin
- Human growth hormone**: see Growth hormones
- Humoral factors**
- and mechanical factors, modulating neural input to renal vasculature, 235,4:R64
  - depletion, hemorrhagic shock, 232,1:H283
- Humoral mechanism**, carbon dioxide, 235,4:R265
- Humoral regulation**, vascular resistance, after pulmonary artery constriction, 236,5:H866
- Humoral systems**, 230:476
- Hunger**: see Feeding
- Hyaluronate**, osmotic pressure, in measurement of interstitial pressure, 232,1:H608
- Hyaluronic acid**, subcutaneous capsule, long-term study, 241,10:F687
- Hyaluronidase**, series elastic component and, 232,1:H122
- Hybridization**, DNA-RNA, dose-response curves, analysis, 235,4:E97
- Hydralazine**
- acute pericardial tamponade, 240,9:H49
  - baroreceptor resetting, 243,5:H174



- blood flow, tissue, laser-Doppler spectroscopy, 232,1:H441  
hypertension, 230:664  
pressure-volume relations, vascular, 238,7:H823
- Hydration:** *see also* Overhydration  
tissue, hyperosmolality, ileal, 234,3:H14
- Hydraulic analysis,** coronary stenosis, unsedated dogs, 235,4:H350
- Hydraulic arterial model:** *see* Models
- Hydraulic conductance,** nephron, mammalian, 241,10:F203
- Hydraulic conductivity:** *see* Conductivity
- Hydraulic power,** carotid sinus-controlled pulsatile hemodynamics, halothane and, 238,7:H294
- Hydraulic servo control,** arterial blood pressure measurement, 237,6:H632
- Hydrazine,** transport and, urinary bladder (toad), 239,8:F319
- Hydrocarbons,** polychlorinated aromatic, iron absorption, stimulation, 236,5:E763
- Hydrocephalus,** cerebrospinal fluid formation, 239,8:R277
- Hydrochloric acid**  
adenosine monophosphate, cyclic and, oxyntic cell, gastric mucosa (bullfrog), 235,4:E140  
buffering, endogenous parathyroid hormone independence, 243,12:F141  
electrogenic theory, stomach (frog), 233,2:E298  
intra duodenal, pancreatic growth stimulation, 239,2:G400  
pancreatic response, atropine effects, 240,3:G376  
renin inhibition, 239,8:F44  
secretion, 231:522  
gastric mucosa (monkey), 236,5:E733  
potassium selectivity and, gastric (frog), 240,3:G331  
protein digests of, pancreas, 242,5:G634  
substrate dependency, isolated gastric mucosa (piglet), 238,1:G353
- Hydrochlorothiazide,** contralateral kidney clamping, 230:1225
- Hydrocortisone**  
antenatal, ductus arteriosus and, preterm (lamb), 241,10:H415  
blood vessels and, bone, 241,10:H91  
caerulein and, pancreatic growth, 241,4:G37  
ductus arteriosus, preterm (infant and lamb), 240,9:H430  
enzyme induction, liver, 235,4:E374  
growth, pancreatic, 239,2:G95  
protein balance, regulation, fetal heart, 234,3:E306
- Hydrodynamic alterations,** fluid collection, distal tubular, 232,1:F497
- Hydrogen**  
bonding  
energy transduction process, 235,4:R99  
vasopressin-stimulated urea transport and (toad), 243,12:C27  
exchange, intracellular pH effects, skeletal muscle (frog), 242,11:C87  
exchangeable, total body water, 232,1:R54, R60  
excretion, active, skin (frog), 233,2:F46  
sodium and, antipori, renal tubular acidification, 236,5:F434  
transport, proximal tubule, 238,7:F445
- Hydrogen chloride**  
efflux, sodium dependent, proximal tubular, 241,10:F380  
gastric acid secretion and, gastric glands, 241,4:G431  
secretion, oxyntic cells, gastric, 241,4:G349  
transport, oxyntic cells, gastric, 241,4:G349
- Hydrogen dioxide,** glucose transport, fat cells, 234,3:E484
- Hydrogen fluoride,** absorption, bladder, 232,1:F10
- Hydrogen ions**  
absorption, forestomach (llama), 235,4:E1  
backdiffusion, aspirin and taurocholate effects, 239,2:G457  
calcium and, relations, heart muscle, 237,6:H497  
concentration: *see also* pH  
muscle contraction, 240,9:C121  
regional ischemia, 243,12:H1027  
current response to carbon dioxide and carbonic anhydrase inhibition, bladder, 231:565  
divalent secretion, kidney tubule (teleost), 243,12:F150  
excretion, furosemide effects, 232,1:F397  
gastric, secretion in presence of substrates, absolute dependence on secretagogues, 231:522  
homeostasis, kidney, 243,12:F494  
infusion, gastrointestinal mucus glycoprotein, 240,3:G176  
insulin action and, glycolysis, skeletal muscle (frog), 242,11:C87  
ketogenesis, fasting, 242,11:F238  
metabolism, unilateral ureteral obstruction, 231:1233  
potentials, gastric mucosa (frog), 240,3:G267  
removal from stomach and duodenum, different mechanisms, 235,4:E692  
secretion  
alkalinization, active, gastric fundic mucosa (amphibia), 233,2:E1  
colchicine and vinblastine effects, gastric (frog), 236,5:E550  
distal, in respiratory alkalosis, 235,4:F203  
gastric, 234,3:E535  
gastric glands, 243,6:G313  
gastric mucosa, peptide hormone structure and, 231:573  
gastric mucosa (bullfrog), 239,2:G485  
ileum, 232,1:E574  
inhibitors and weak bases, stomach (frog), 234,3:E120  
ionic requirements for, oxyntic cells (frog), 242,5:G388  
jejunum, 232,1:E62  
kidney tubules, 243,12:F335  
metabolic energy and carbon dioxide pressure, urinary bladder (turtle), 233,2:F145  
mineralocorticoid deficiency, acidosis, 236,5:F283  
pH disequilibrium, kidney, 240,9:F138  
renal, after unilateral ureteral obstruction, 231:1233  
renal, in mineralocorticoid deficiency and glucocorticoid-repletion, 232,1:F136  
somatostatin inhibition, gastric mucosa (frog), 236,5:E784  
water and air breathers (trout, turtle), 234,3:R155  
secretion by gastric mucosa, effects of peptide hormone structure, 231:573  
sodium ions and, exchanger, renal microvillus membrane vesicles, 238,7:F461  
transport  
against electrochemical gradients, bladder (turtle), 233,2:F502  
bladder (toad), 236,5:C125  
carbonic anhydrase inhibitor effects, bladder (turtle), 240,9:F400  
cell pH and, renal cortical tissue, 239,8:F440  
electrical effects, proximal convoluted tubule, 240,9:F459  
gill epithelium (fish), 238,7:R224  
gluconeogenesis and, bladder (turtle), 239,8:F366  
proximal convoluted tubule, 240,9:F222
- renal tubular acidification, 236,5:F434  
sodium ion-dependent, gastric mucosa (frog), 238,1:G403  
urinary acidification, 235,4:F77  
urinary bladder (toad), 233,2:F421  
urinary bladder (turtle), 242,11:F627
- Hydrogen peroxide,** acute coronary occlusion, 234,3:H28
- Hydrogen-potassium-ATPase**  
gastric acid secretion and, gastric glands, 241,4:G431  
parietal cells, 238,1:G165
- Hydrogen-sodium exchange**  
freshwater mussel, 235,4:R35  
ileum, 232,1:E574
- Hydrolases**  
brush-border  
alkaline phosphatase activity, intestinal, 241,4:G461  
intestinal, adaptation to diets, 239,2:G445
- Hydrolysis**  
angiotensins I and II, renal tubular, 236,5:F365  
estrogen, lung, sulfobromophthalein and, 236,5:E347  
ileal, 233,2:E47  
intestinal brush-border membrane, diabetes, 238,1:G114  
membrane, kidney tubules, 242,11:F112  
peptide  
tissue, 233,2:E450  
within lumen of small intestine, 231:1322  
proximal tubular, inhibition by peptide, 231:743  
sarcolemma, lysosomal lipases, 242,11:H652  
small peptides, proximal tubule, 238,7:F151  
tripeptide and disaccharide digestion relations, 231:87
- Hydronephrosis**  
compensatory renal hypertrophy, 232,1:F405  
pyeloureteral dynamics, multicystic kidney (minipig), 241,10:R398
- Hydroosmotic response,** antidiuretic hormone, verapamil effects, bladder (toad), 239,8:F250
- Hydropenia**  
allantoin excretion, renal, 233,2:E373  
bicarbonate reabsorption and, tubular, 241,10:F219  
comparison of lithium reabsorption, proximal tubules, 241,10:F348  
reduced renal mass effects, early development, 242,11:F190  
renal vein constriction, 238,7:F279  
single nephron glomerular filtration rate, feedback-mediated autoregulation, 237,6:F63  
sodium and chloride transport, inner medullary collecting duct, 238,7:F504  
sodium chloride and water transport, 243,12:F576  
sodium reabsorption, kidney tubules, distal, 240,9:F487  
vasopressin-prostaglandin interaction, 232,1:F416
- 15-Hydroperoxy arachidonic acid:** *see* Arachidonic acid
- Hydrophilic materials,** uptake (dogfish), 232,1:R45
- Hydrophilic molecules,** transfer, placental, 233,2:C111
- Hydrophilic solutes,** permeability, capillaries (frog), 240,9:H597
- Hydrostatic forces,** volume regulation and, myocardial, 241,10:H740
- Hydrostatic pressure:** *see* Pressure
- Hydrostatic work,** fluid propulsion, intestinal segments, 240,3:G147
- $\beta$ -Hydroxyacyl-CoA dehydrogenase,** changes, aerobic heat production effects, 240,9:R289

- Hydroxyapatite**, developing teeth, 232,1:F364
- Hydroxybutyrate**, ketone bodies, kinetics of, 243,12:R7
- 3-Hydroxybutyrate**  
diabetes, obese noninsulin-dependent, exercise, 240,3:E458  
levels, mixed meal effects, 240,3:E54  
plasma, postinsulin hypophagia, 243,12:R304  
pyruvate oxidation, adrenergic stimulation, myocardial (guinea pig), 242,11:H30
- $\beta$ -Hydroxybutyrate**  
antiammoniagenic effects, ketone bodies, 239,8:F420  
blood, alanine, 230:1385  
brain transport, 230:619  
concentrations, starvation, 236,5:E105  
fetal, 233,2:E457  
ketone body turnover, net ketone production and, hepatic, 235,4:E238  
metabolism, brain, fetal, 241,4:E200  
nonsteady state ketone body turnover, tracer technique, 240,3:E253  
oxidation, fetal, 235,4:E330  
pyrimidine biosynthesis, brain, fetal, 243,6:E234
- 25-Hydroxycholecalciferol**, parathyroid hormone release (bovine), 238,1:E384
- Hydroxycitrate**  
fatty acid metabolism, lung, 232,1:E358  
lipid metabolism, pulmonary, 239,2:E407  
obesity development effects, 240,3:E72
- 11-Hydroxycorticosteroid**, secretion, angiotensin II infusion, 234,3:R66
- Hydroxycorticosterone**, aldosterone biosynthesis, angiotensin II effects, 243,6:E450
- 15-Hydroxycorticosterone**, responses to adrenocorticotropin, 238,1:E543
- 18-Hydroxycorticosterone**  
aldosterone biosynthesis in edema, 240,3:E12  
secretion, modulation of, dopaminergic mechanisms (monkey), 243,6:E375
- 18-Hydroxy-11-deoxycorticosterone**, responses to adrenocorticotropin, 238,1:E543
- 19-Hydroxydeoxycorticosterone**, activity, bladder (toad), 241,4:E406
- Hydroxydopamine**, thermal homeostasis, 230:932
- 6-Hydroxydopamine**  
adrenocorticotropin feedback inhibition, 234,3:R46  
angiotensin II, intraventricular, 235,4:H392  
catecholamine stores after, cardiac, 240,9:H889  
circulatory effects, fetal, neonatal, and adult, 243,12:H113  
nonshivering thermogenesis, during fasting, infant, 233,2:R23  
norepinephrine release, arterial, by potassium-free solution, 232,1:H140  
oral motor deficits, following central nervous system lesions, 237,6:R126  
potassium homeostasis and, 241,10:F151  
salt-induced hypertension, prevention (Dahl strain), 236,5:H48  
sympathectomy, long-term, evaluation, 238,7:H527  
temperature maintenance (chicken), 239,8:R296
- $\beta$ -Hydroxy fatty acid**, production, ischemic heart, 239,8:H257
- 5-Hydroxyindoleacetic acid**, disposition, hypertension, lung, 239,8:H736
- 17-Hydroxylase**, adrenal development (rabbit, dog), 240,3:E694
- $\beta$ -Hydroxylase-CoA dehydrogenase**, metabolism, seasonal acclimatization (goldfinch), 242,11:R563
- 3-Hydroxy-3-methylglutaryl-coenzyme A reductase**, hormonal regulation, intestinal, 240,3:G274
- 17-Hydroxyprogesterone**, adrenal development (rabbit, dog), 240,3:E694
- Hydroxyproline**  
bone resorption, 230:90  
carbon dioxide exposure and, postnatal, 243,12:H328  
cardiac cellular response, altered nutritional, neonatal, 233,2:H356  
cardiac hypertrophy, exercise-induced, 236,5:H268  
excretion, urinary, hypocalcemia, 242,5:E287  
glomerular basement membrane, diabetes, 242,11:F385  
prophylactic digitalization effects, myocardial, 233,2:H600
- 20 $\alpha$ -Hydroxysteroid dehydrogenase**, cytosol, term placenta, 242,5:E178
- Hydroxytryptamine**  
asymmetric contraction, ear artery, 238,7:H618  
cardiogenic hypertensive chemoreflex, 238,7:H61
- 5-Hydroxytryptamine**  
alterations, brain, in reflex bradycardia, 236,5:R302  
arachidonic acid release, phosphatidylinositol, salivary glands (blowfly), 243,12:C222  
biogenic amines, during arousal (ground squirrel), 236,5:R162  
calcium sources, basilar artery, 241,10:H129  
cerebrovascular response, potentiation (baboon), 234,3:H300  
disposition  
developing lungs, 239,8:R401  
hypertension, lung, 239,8:H736  
energy budget (chicken), 239,8:R57  
plasma and platelet, prostaglandin control of, lung, 241,10:H766  
purinergic inhibitory neuronal response, intestine, 237,6:E198  
serotonin, brain content, cold-induced metabolism and, 235,4:R41  
uptake and metabolism, arterial endothelium (pig), 232,1:C88  
vagal inhibitory pathway, lower esophageal sphincter (opossum), 234,3:E273
- 5-Hydroxytryptophan**, serotonin, brain content, cold-induced metabolism and, 235,4:R41
- 25-Hydroxyvitamin D<sub>2</sub>-1-hydroxylase**, see Vitamin D<sub>2</sub>-1-hydroxylase
- 25-Hydroxyvitamin D**: see Vitamin D
- 25-Hydroxyvitamin D<sub>3</sub>**: see Vitamin D<sub>3</sub>
- Hydoxycholeic acid**, lipid secretion, bilary, 234,3:E637
- Hyoscine**, noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112
- Hyperaldosteronism**, potassium adaptation mechanism, 243,12:F103
- Hyperammonemia**, arginine-free meals and, 241,4:E310
- Hyperbaric oxygen**: see Oxygen
- Hyperbaric pressure**: see Pressure
- Hypercalcemia**  
antidiuretic hormone action and, cortical collecting tubules, 243,12:F481  
autoregulation and hemodynamics, renal, 232,1:F490  
bone and soft tissue mineral changes, 237,6:E152  
calcium reabsorption, tubular, 233,2:F201  
Fanconi syndrome, antiphosphaturic action of 25(OH)vitamin D<sub>3</sub>, 236,5:E90  
neoplasia-induced, hypertension, hormonal changes, 242,5:E330  
normophosphatemic, during growth, 236,5:E283
- polyuria, prostaglandin-dependent, 241,10:F224
- Hypercalciuria**  
absorptive, 234,3:E294  
physiological basis, 237,6:F415  
mineral changes, bone and soft tissue, 237,6:E152  
normophosphatemic, during growth, 236,5:E283
- Hypercapnia**  
acidosis and, cardiovascular responses, hindlimb, 237,6:H359  
adaptation to, kidney, 243,12:F227  
bicarbonate and fluid transport, proximal tubules, 240,9:F54  
bicarbonate ion modulation, cerebral blood flow, 243,12:H33  
blood flow  
cerebral (duck), 232,1:H596  
neurohumoral regulation, bones and marrow, 237,6:H440  
blood flow and volume, brain cortex, microreflectometry, 236,5:H759  
blood flow regulation, cerebral (monkey), 239,8:H539  
cerebral blood flow measurement, anesthesia (cat, dog), 241,10:H228  
cerebral circulation (baboon), 233,2:H222  
cerebral vasodilation, atropine effects, 242,11:H683  
cerebrovascular reactivity during, reduction of (goat), 242,11:R441  
cochlear potentials, 235,4:F317  
coronary dilator actions, experimental diabetes (lamb), 243,12:H252  
hemodynamic response, 232,1:H236  
ion transport and, intestinal, 242,5:G486  
lymph flow, 232,1:H236  
myocardial carbon dioxide, buffering, 230:1037  
norepinephrine-induced injury, ventricular function after, 242,11:H191  
oxidation-reduction changes, brain cortex, 243,12:H619  
oxygen tension, tissue, 230:839  
pial arteriolar response, vessel size in, 238,7:H697  
reabsorption, proximal tubules, 242,11:F499  
renal, secondary, in metabolic alkalosis, 238,7:F283  
renin secretion, 234,3:H573  
respiratory chemosensitivity, 230:861  
secondary, renal response in metabolic alkalosis, 238,7:F283  
small subcutaneous vessels, 231:244  
sodium bicarbonate and sodium chloride reabsorption coupling, renal, 236,5:F232  
sodium reabsorption, bicarbonate-dependent, proximal tubule, 238,7:F175  
vascular changes, skeletal muscle, 235,4:H72  
vascular response to, 230:595  
ventilatory response to, 230:590  
water retention, antidiuretic hormone-induced, 234,3:F291
- Hypercapnic acidosis**: see Acidosis
- Hypercarbia**, blood flow, determinations, microsphere shunting, 237,6:H25
- Hyperchloremic acidosis**: see Acidosis
- Hypercholesterolemia**, atherosclerosis, arterial wall (racing greyhound), 236,5:H790
- Hyperemia**  
absorptive  
glucose exposure, intestinal tissue, 238,7:H164  
intestinal interstitial hyperosmolality, 242,11:H785  
intestinal mucosal oxygenation, 239,8:H489  
active, skeletal muscle, 239,8:H516  
adenosine, skeletal muscle, 230:1531

- adenosine content, skeletal muscle, 237,6:H1
- exercise**
- adenosine and, striated muscle (hamster), 242,11:H688
  - adenosine infusion and, 243,12:H181
  - adenosine release, skeletal muscle, 238,7:H156
  - potassium depletion, 236,5:H480
  - prostaglandins and, skeletal muscle, 238,7:H191
  - vasodilation, 233,2:H27
- free-flow functional, adenosine and, striated muscle (hamster), 242,11:H688
- functional**
- adenosine and, 238,7:H703
  - aminophylline effects, 243,12:H480
  - blood flow autoregulation, intestinal, 239,8:H156
  - contracting striated muscle and pre-capillary microvessels, interrelations, 235,4:H494
  - digestion and, 238,7:H836
  - exercise vasodilation, adenosine role, gracilis muscle, 238,7:H703
  - oxygen and, 235,4:H505
- hypoxic, cerebral, adenosine and, 241,10:H134
- intestinal**
- dietary component effects, 242,5:G27
  - postprandial, bile contribution, 238,1:G284
  - production by chyme constituents, 235,4:H677
  - sympathetic stimulation and partial arterial occlusion, 236,5:H731
- mesenteric, during digestion, 230:583
- metabolic**
- gut, 238,2:G12
  - intestinal capillary blood flow, 237,6:E548
  - intestines, 239,2:G12
- momentary, arterial barostasis, 232,1:H197
- myocardial, coronary artery pressure dependency, 240,9:H709
- postprandial, intestinal, 241,4:G469
- histamine receptors in, 243,6:G248
  - prostaglandins and, 242,5:G140
- reactive**
- adenosine effects, intestinal, 235,4:H707
  - arterioles, cheek pouch (hamster), 241,10:H748
  - awake pigs, 235,4:H435
  - blood flow, colonic, 238,1:G478
  - capillary velocity (chicken), 233,2:H379
  - cerebral blood flow and, 241,10:H78
  - convulsion, myocardial, 235,4:H87
  - coronary artery vasodilation, 240,9:H767
  - coronary perfusion with nonoxygenated solution, 234,3:H625
  - coronary pressure-flow relations, 239,8:H57
  - denervated kidney, 233,2:F89
  - exercise and, adenosine infusion and, 243,12:H181
  - exercise vasodilation, adenosine role, gracilis muscle, 238,7:H703
  - gracilis muscle, 242,11:H713
  - nonsteady-state mass balance, myocardial, 235,4:H87
  - oxygenation, colonic, 238,1:G478
  - oxygen tension and, 233,2:H289
  - pancreas, 242,5:G596
  - postpartum, 233,2:H500
  - prostaglandin inhibitors, 232,1:H571
  - red blood cell velocity, 233,2:H289
  - skeletal muscle, 232,1:H571
  - skeletal muscle capillaries (chicken), 232,1:H411
  - skeletal muscle capillaries, arterial pressure effects, 234,3:H532
  - ventricular systole and, 238,7:H481
- rubidium-86 reflow and uptake, 234,3:H724
- sartorius muscle capillaries, 230:715
- steady-state exercise, potassium and osmolality effects, 242,11:H949
- Hyperfiltration**, adverse responses, remnant nephrons, 241,10:F85
- Hyperglucagonemia**
- $\alpha$ -adrenergic receptor, 237,6:E404
  - endotoxin-induced, liver injury, 241,4:E428
  - liver regeneration, fasting, 240,3:E112
  - lower bowel removal, 239,2:E346
- Hyperglycemia**
- burn shock, 232,1:E415
  - calcium ion uptake, pancreatic islets, 240,9:C35
  - electrical stimulation, hypothalamic, 242,11:R220
  - endogenous, insulin release, somatostatin analogue-impaired, 240,3:E407
  - epinephrine-induced, glucagon effects, alloxan-diabetes, 241,4:E328
  - food intake, 230:1474
  - glucagon, hepatic response to, 242,5:E73
  - jejunal function, 233,2:E181
  - obesity and, 235,4:E191, E501
  - pancreatic cell responses, gastric inhibitory polypeptide, 237,6:E185
  - substrate-selective maintenance, tissue potassium, renal, 242,11:F360
  - 5-thio-D-glucose and, 238,1:E141
  - vasoactive intestinal peptide, 232,1:E197
  - ventricular function, insulin effects (lamb), 241,10:H401
- Hyperglycemic action**, human growth hormone synthetic C-terminal fragments, 234,3:E521
- Hyperglycinuria**, ontogeny, 233,2:F241
- Hypergravity**
- adaptation, insulin sensitivity, skeletal muscle, 240,3:E482
  - glucose uptake, adipocytes, 238,1:E330
- Hyperinflation**, carotid baroreflexes, positive end-expiratory pressure and, 242,11:H470
- Hyperinsulinemia**
- endotoxemia, 239,2:E156
  - endotoxin-induced, liver injury, 241,4:E428
  - food intake, 230:1474
  - genetic obesity, development, 234,3:E568
  - glucose transport, adipocytes, 235,4:E53
  - hepatic glucose uptake, awake state, 242,5:E97
  - human growth synthetic C-terminal fragments, 234,3:E521
  - hypothalamic lesions, ventromedial, 232,1:E286
  - insulin stimulation, adipose tissue, 230:602
  - intragastric feeding and, 240,3:E566
  - Kupffer cell phagocytosis, 238,1:E276
  - liver regeneration, fasting, 240,3:E112
  - phagocytosis, reticuloendothelial system, 242,5:E115
  - plasma and pancreatic, fetus and suckling, 242,5:E220
  - potassium homeostasis and, 242,5:E373
  - vagally mediated hypothalamic obesity, 239,2:E437
- Hyperinsulinuria**, ketoacidosis, diabetes, 241,4:E396
- Hyperkalemia**
- ion concentrations, choroid epithelium, 236,7:F399
  - mineralocorticoid deficiency, 232,1:F136
  - plasma potassium and insulin oscillations, potassium infusion and, 243,12:F44
  - prelethal cardiotoxicity, 231:1660
  - renal acidosis, 236,5:F283
  - thallium exchange, heart ventricle, 240,9:H612
- Hyperlipemia**
- eucric acid metabolism, 235,4:E509
- plasma and lymph lipoproteins, lecithin ingestion and, 241,4:G422
- Hyperlipidemia**, enzymatic activity and, 240,3:E60
- Hypermagnesemia**
- calcium transfer, nephron, 238,7:F187
  - jejunal sodium, water transport and, 231:1771
- Hypernatremia**, 230:1183
- natriuresis, aldosterone effects, 242,11:F30
  - periventricular preoptic hypothalamus, 234,3:R122
  - preoptic-hypothalamic lesions, 233,2:R44
  - renal tubular reabsorptive response, 231:642
  - water deprivation and, 242,11:R296
- Hyperoncotic albumin**: see Albumin
- Hyperosmolality**
- cardiac response, species differences, 235,4:H276
  - cell volume, 239,8:F195
  - chronotropic response, atrial, 233,2:H228
  - intestinal interstitial, sodium-induced, absorptive hyperemia, 242,11:H785
  - luminal, gallbladder electrical pathways (*Necturus*), 232,1:C99
  - lymph flow, ileum, 234,3:H14
  - serum, brain interstitial fluid, bulk flow, 238,7:F42
  - tension, atrial, 236,5:H629
  - vasoconstriction and vasodilation, coronary artery, 235,4:H728
- Hyperosmolarity**
- effects on nerves and smooth muscle, cutaneous veins, 231:141
  - heart muscle, resting and developed tension, 232,1:C155
  - mannitol-induced vascular contractile response, 232,1:H59
  - strophanthidin toxicity, Purkinje fibers, 234,3:H477
  - sugar transport, muscle, 240,3:E263
- Hyperosmolar media**
- cardiac lymph, nonischemic myocardium, 236,5:H112
  - tension, atrial, 236,5:H629
- Hyperosmotic effects**, resting tension, atrial, 236,5:H629
- Hyperosmotic function**, vascular resistance and lymph flow, ileum, 234,3:H14
- Hyperosmotic solutions**: see Solutions
- Hyperosmotic stimuli**, drinking behavior, 233,2:R44
- Hyperoxia**
- blood flow, regional, after coronary occlusion, 238,7:H244
  - microsphere shunting, across coronary circulation, 236,5:H7
  - muscle  $\text{Vo}_2$ , 230:327
  - thyroid gland, 235,4:E628
- Hyperparathyroidism**
- bicarbonate absorption, proximal tubules, 236,5:F387
  - glomerular ultrafiltration, 234,3:F393
  - phosphate-induced, calcium and, kidney, 241,4:E136
- Hyperphagia**: see also Feeding
- adrenalectomy and corticosterone effects, hypothalamic obesity, 243,6:E152
  - cold adaptation and, brown fat hyperplasia, 242,5:E353
  - diabetic (Zucker fatty rat), 239,2:E379
  - hypothalamic, obesity and, jejunoileal bypass, 239,2:G387
  - hypothalamic knife cuts, obesity and, 243,12:R445
  - protein synthesis and, liver and small intestine, 241,4:E238
- Hyperphagocytosis**, streptozotocin-induced diabetes mellitus, reticuloendothelial system, 240,3:G225

**Hyperphosphatemia**

- acid-base effects, hypoparathyroidism, 241,10:F495
- ureteral obstruction, release, 237,6:F14

**Hyperplasia**

- adipocytes, cafeteria feeding effects, 242,11:R349
- adipose tissue, exercise training, 239,2:E422
- brown fat, cold adaptation and hyperphagia, 242,5:E353
- cardiac, nutrition effects, neonatal, 233,2:H356
- diet-induced adipocyte increase, 235,4:E279
- pancreatic
  - caerulein-secretin interaction, 235,4:E714
  - hydrocortisone, 239,2:G95
  - hydrocortisone and caerulein effects, 241,4:G37
- thyroid: see Thyroid glands
- trophic response to, brown fat, 242,11:C159

**Hyperpnea**

- carbon dioxide-induced, mathematical simulation, 235,4:R265
- isocapnic, neurohumoral ventilatory control, 238,7:R28

**Hyperpolarization**

- anodal, vagal C-fiber afferents, 239,8:R454
- desensitization of cholinergic receptor, sinoatrial cell, 238,7:H439
- esophagus, 230:233
- glucose uptake, muscle, 239,2:E21
- insulin action, skeletal muscle (frog), 236,5:C249
- insulin-induced, muscle, 241,10:C145
- parathyroid cells, by low calcium, 236,5:C15
- penetration-induced, smooth muscle cells, stomach (toad), 239,8:C182
- postdrive, cultured myocardial cells (chick), 238,7:H24
- potassium-free media, skeletal muscle fibers, 242,11:C12
- potassium membrane permeability, Purkinje fibers (sheep), 237,6:C156
- tetanic, single medullated nerve fibers, sodium and lithium, 231:1033

**Hyperprolactinemia**, hormone degradation, kidney, 240,9:F437**Hyperreninemia**

- adrenal insufficiency, 233,2:F509
- renal perfusion pressure and, in spontaneous hypertension, 238,7:H317

**Hyperresponsiveness**, vascular, renal artery stenosis, 243,12:H779**Hypertension**

- acute
  - cerebral arterial and arteriolar response, 234,3:H371
  - cerebral arteriolar abnormalities, 240,9:H511
  - cerebral vascular response to sympathetic nerves (dog, cat, monkey), 235,4:H544
- adrenal enucleation, 238,1:E220
- adrenal regeneration, prostaglandin inhibitors, 232,1:E95
- age-related changes, sodium ion excretion, 231:1364
- aldosterone-induced, altered arterial ion transport, 243,12:H927
- angiotensin-dependent phase, converting enzyme blockade, 236,5:F21
- angiotensin II, 239,8:H391
  - dipsogenic levels, 238,7:R372
- angiotensin-II-induced, renal hemodynamics, 235,4:F174
- antidiuretic hormone infusion, 236,5:H314
- aortic nerve transection, 240,9:H481
- arterial pressure-urinary output relations, 234,3:R98
- arterial stretch effects, transmural albu-

- min and Evan's blue dye transport, 240,9:H645
- arteriolar closure, norepinephrine mediation, 236,5:H157
- autoregulation, 232,1:H639
- baroreceptor resetting, 230:664
- baroreflex control, heart rate, 241,10:H778
- blood pressure regulation, 232,1:C165
- cadmium and, 238,1:E53
- cadmium-induced
  - genetic influence, 235,4:H385
  - systolic pressure, 232,1:H114
- calcium concentrations, plasma, 243,12:H365
- calcium ions, 232,1:C165
- cardiac output, 232,1:H639
- cardiogenic chemoreflex
  - neural pathways, 235,4:H345
  - sympathetic discharges, 238,7:H61
- central and peripheral angiotensin blockade, 234,3:H629
- cerebral blood flow autoregulation, 234,3:H35
- chronic, myocardial infarction and, 239,8:H731
- compliance, large arteries, 237,6:H550
- corticosterone, pathogenesis, 233,2:F403
- Dahl rat, cadmium-induced, 235,4:H385
- Dahl salt-induced, membrane properties, arterial muscle, 241,10:H224
- deoxycorticosterone
  - aftercontractions, papillary muscle, in cardiac hypertrophy, 237,6:H649
  - carotid artery mechanics, 237,6:H597
  - central and peripheral angiotensin blockade, 234,3:H629
- deoxycorticosterone acetate, cardiac muscle mechanics, 235,4:H82
- deoxycorticosterone acetate-sodium chloride, pre- and postcapillary resistance, hindlimb, 236,5:H586
- deoxycorticosterone-salt
  - baroreflexes and vasopressin in, 242,11:H44
  - vasopressin and eurogenic mechanism during, 242,11:H37
- DOCA
  - antidiuretic hormone vasopressor role, 232,1:F260
  - pathogenesis, 233,2:F403
  - sympathetic nerve function, 239,8:R303
  - tyrosine infusion, 239,8:H206
- essential, 230:211
- cardiac output-blood volume relations, 243,12:R318
- estradiol, saphenous vein, 239,8:H450
- fastigial sympathetic activity and, 243,12:R25
- fluid distribution, between blood and interstitium, overhydration and, 238,7:H645
- genetic
  - actomyosin content, aortic, 237,6:H34
  - arterial mechanics, 237,6:H159
  - hypotensive effects of angiotensin antagonists, 234,3:H447
  - renal and nephron hemodynamics, 236,5:F246
  - renal tubular reabsorption, 237,6:F38
- genetic and renal, hemodynamics, comparison, 236,5:H403
- genetic disposition to stroke, 230:1354
- glucocorticoid
  - converting enzyme inhibition, 238,7:H844
  - renin-angiotensin system in, 243,6:E48
- glucose metabolism, aortic, 230:30
- Goldblatt
  - angiotensin effects, nephron, 243,12:F553
  - blood flow, renal, 241,10:H145
  - pressure-urinary output relations, 234,3:R98

- sodium and, renin release, kidney slices, 240,9:F501
- two-kidney, sodium restriction, 238,7:H889
- veins and arteries in, 241,10:H525
- volume-depleted, cardiac output, 237,6:H18
- heavy metal feeding, 239,8:H22
- hemodynamics, 234,3:H275
- hormonal changes associated with, neoplasia-induced hypercalcemia, 242,5:E330
- hypertonic saline-induced, vasopressin, catecholamines and plasma volume, 240,9:H827
- hypertrophy, myocardial contractile behavior after, 242,11:H882
- hypothermia, 233,2:H605
- hypotonic saline infusion, 236,5:H314
- interstitial fluid dynamics and, renal hypertension, awake state, 242,11:H376
- intestinal, vascular, using mean transit time of indicator, 234,3:H7
- intracranial, cerebral blood flow and, 241,10:H78
- ischemic, expansion, 231:104
- liver, effect of hepatic venous pressure, 231:292
- long-term, myocardial mechanical alterations, 241,10:H435
- lymph flow, intestinal, 232,1:E13
- malignant
  - renal perfusion pressure, 238,7:H317
  - renin-angiotensin system, 236,5:H409, H665
- measurement, with radioiodinated human serum albumin and <sup>51</sup>Cr-labeled erythrocytes, 234,3:F386
- microregional, hemodilation, reflectometry, 236,5:H759
- mineralocorticoid, progesterone antihypertensive effect, 236,5:E366
- myocardial cell hypertrophy, catecholamines and, 242,11:H1015
- neurogenic
  - baroreceptor deafferentation, aortic, 240,9:H685
  - blood pressure measurement, 241,10:H268
  - nucleus tractus solitarius destruction and sinoaortic denervation, comparison, 236,5:H736
  - plasma volumes and hematocrits, 236,5:H92
  - sinoaortic denervation, 238,7:H521
  - vascular resistance and reactivity, renal, 239,8:F474
- nickel and, 238,1:E53
- norepinephrine, 230:1545
- one-kidney
  - angiotensin II and, in pregnancy (ewe), 238,7:H209
  - area postrema, pressor function, 239,8:H108
  - converting enzyme blockade, 236,5:F21
- one-kidney, one-clip Goldblatt groups, venous capacity, 240,9:H487
- ouabain, 230:1168
- oxygen delivery, postnatal, 237,6:H71
- perinephretic, development, without volume expansion, 233,2:F278
- portal
  - oxygen consumption, intestinal, 238,1:G502
  - portal-systemic shunt and, 243,6:G320
  - splanchnic hemodynamics in, radiolabeled microspheres, 242,5:G156
- pressor response
  - hypoxic lungs, 235,4:H104
  - vasopressin, 240,9:H862
- prostaglandin E<sub>2</sub>-induced, 237,6:H449
- pulmonary
  - chronic hypoxia, age and sex influences, 240,9:H62



- Crotalaria spectabilis* seeds, 239,8:H692  
hypoxia, 236,5:H818  
impedance and, 242,11:H197  
membrane properties, smooth muscle cells, 242,11:H907  
monocrotaline, 239,8:H692  
monocrotaline effects, 242,11:H573  
recovery, age and sex influences, 240,9:H62  
thromboxane effects, extracorporeal perfusion (sheep), 243,12:H471  
regional blood flow, 230:691  
renal, 231:954  
adrenal glands and, 234,3:E267  
angiotensin II antagonism, 233,2:H514  
arterial wall changes, 242,11:H477  
baroreflex control, heart interval, 241,10:H332  
cardiac hypertrophy, therapy, 240,9:H408  
carotid artery mechanics, 237,6:H597  
Doppler technique, indirect blood pressure determination, 237,6:H720  
Goldblatt, 241,10:H145  
hemodynamics, 236,5:H403  
hypothalamic stimulation and, 231:1708  
interstitial fluid dynamics, awake state, 242,11:H376  
kallikrein-kinin system, 238,7:F247  
neurogenic control, impaired, renal vasculature, 238,7:H770  
one-kidney, volume depletion, 237,6:H18  
ouabain and potassium relaxation, aorta, 243,12:H896  
pressor responses, vasopressin, 240,9:H862  
prostaglandins, 233,2:F169  
role of renin-angiotensin system, 231:1794  
saline drinking, 230:849  
saralasin reversal of intrarenal angiotensin II effects, 237,6:F386  
sodium and angiotensin effects, 240,9:H788  
sodium restriction, 238,7:H889  
sympathectomy effects, 241,10:H449  
vasopressin, 239,8:H81, 242,11:F727  
veins and arteries in, 241,10:H525  
renin, angiotensin-generating capacity, dipsogenic levels, 238,7:H372  
renin-angiotensin, 234,3:E25, E267  
renin-angiotensin-aldosterone system, 230:311  
renin-angiotensin system, 231:1295  
renovascular  
carotid sinus reflex, 236,5:H101  
converting enzyme blockade, 236,5:F21  
Doppler technique for indirect blood pressure determination, 237,6:H720  
hemodynamics, 236,5:H403  
indomethacin effects, 240,9:H533  
kidney function, 235,4:F310  
microvascular responses to norepinephrine, 236,5:H545  
myocardial mechanical alterations, 241,10:H435  
sodium and angiotensin effects, 240,9:H788  
tyrosine infusion, 239,8:H206  
water restriction effects, hypotensive, 241,10:F525  
resultant dipole moment, cardiac, 241,10:H541  
salt, carotid artery mechanics, 237,6:H597  
salt-induced  
circulatory filling pressure, 236,5:H40  
prevention by 6-hydroxydopamine (Dahl strain), 236,5:H48  
salt loading, regional blood flow, 240,9:H361  
sensitizing factors, 234,3:E25  
short-duration, baroreceptor resetting, 236,5:H174  
sinoaortic denervation  
plasma volume and hematocrits, 236,5:H92  
sympathetic activity, 238,7:H521  
sodium-chloride, Dahl salt sensitivity, anteroventral third ventricle lesions and, 243,12:H614  
spontaneous  
aftercontractions, papillary muscle, cardiac hypertrophy, 237,6:H649  
aging heart, function and morphology, 237,6:H461  
anesthesia effects, 241,10:H821  
angiotensin II-induced responses, central, 232,1:H426  
aortic phospholipid deacylation-reacylation cycle, 240,9:H33  
arterial, pressure-urinary output relations, 234,3:R98  
arterial wall mechanics, 237,6:H159  
arteriolar adenosine monophosphate production, 243,12:H398  
arteriovenous shunts and, 242,11:H722  
baroreceptor gain reflexes and, 243,12:H500  
baroreceptor resetting, 236,5:H174  
biogenic amine and angiotensin II disposition, lung, 239,8:H736  
blood pressure, plasma catecholamines, sympathetic outflow and (pithed rat), 238,7:H365  
blunted, norepinephrine natriuresis, 235,4:F425  
calcium transport and, duodenum, 241,4:G344  
cardiac hypertrophy, therapy, 240,9:H408  
cardiac muscle mechanics, 235,4:H82  
cell sodium components, vascular smooth muscle, 242,11:H751  
central and peripheral angiotensin blockade, 234,3:H629  
circulatory pressure, 237,6:H584  
development during  $\beta$ -blockade, 232,1:H639  
diuresis, exaggerated, 235,4:F409  
erythrocyte and plasma distribution, cremaster muscle, 242,11:H381  
estrogen attenuation, 233,2:H369  
exercise effects on pre- and postcapillary resistance, 234,3:H43  
fluid volumes, 235,4:H52  
hemodynamic effects, systemic, of microspheres, 233,2:H617  
hemodynamics, anesthetic effects, 238,7:H539  
hemodynamics, nephron, 236,5:F246  
hemodynamics in acute hypoxemia, 234,3:H275  
hyperresponsivity to indirect measurement of blood pressure, 234,3:H690  
hypothalamic stimulation and, 231:1708  
isoproterenol and, 241,10:H497  
isovolumetric properties, heart ventricles, 240,9:H927  
mestranol effects on blood pressure, 233,2:H369  
microcirculation, 241,10:H306  
microvascular rarefaction in, 243,12:H243  
microvascular responses to norepinephrine, 236,5:H545  
natriuresis, exaggerated, aldosterone in, 234,3:F29  
norepinephrine and tetrodotoxin, 240,9:H837  
norepinephrine release in, 241,10:H379  
parabiosis, veins and, 241,10:H421  
phosphoinositide metabolism, erythrocytes, 243,12:H590  
progression, renal papillary blood flow, 236,5:F36  
prostaglandin metabolism, 233,2:H87  
prostaglandin synthesis, renomedullary, 236,5:H65  
prostaglandin synthesis, vascular, 233,2:H493  
regional blood flow measurements, 235,4:H357  
renal and, hemodynamics, comparison, 236,5:H403  
renal hemodynamics and sodium excretion, 241,10:F244  
renal nerves and, 243,12:H284  
renal tubular reabsorption, 237,6:F38  
renal vascular resistance in, 242,11:H961  
salbutamol stimulation of arteriolar number, 236,5:H134  
sodium, renal handling, 235,4:F394  
sodium depletion, hypotensive effects of angiotensin II, 234,3:H447  
stroke, renal perfusion pressure and, 238,7:H317  
stroke-prone, renal vascular resistance and reactivity, 238,7:H287  
stroke-prone, renin-angiotensin system, 236,5:H409  
stroke-prone, salt loading and prostaglandins, 243,12:H360  
sympathetic activity, spinal transection, 243,12:H506  
sympathetic silent period, 236,5:R147  
sympathoadrenal response to immobilization stress, 236,5:H457  
therapy effects, cardiac performance, 242,11:H776  
vascular resistance and reactivity, renal, 237,6:F128  
vascular structural changes, 238,7:H287  
vasodepressor effects of prostaglandin  $E_2$ , vagal afferents and, 236,5:H635  
vasopressin, 235,4:H361  
vasopressin and, brain, 242,11:H496  
venous membrane potential, sympathetic control of, 243,12:C101  
ventricular morphology and pumping, exercise effects, 235,4:H193  
stenosis, renal artery, 240,9:H2  
steroid, converting enzyme inhibition, 238,7:H844  
sympathetic hyperresponsiveness to hypothalamic stimulation, 237,6:R39  
systemic, hemodynamics, acute hypoxia, 234,3:H275  
systemic arterial, myocardial ischemia and, 240,9:H855  
systolic, right ventricular, myocardial perfusion and function (pony), 235,4:H628  
two-kidney  
incidence and pathophysiological changes, 231:954  
renal function, 235,4:F310  
sodium restriction, 238,7:H889  
umbilical compliance and (sheep), 233,2:H660  
vascular reactivity, to angiotensin II, pregnancy (ewe), 238,7:H209  
vasopressin, fluid and electrolyte response, 240,9:R130  
vasopressin effects, 242,11:F727  
venous, exclusion phenomenon, liver interstitium, 243,6:G410  
venous capacity, 240,9:H487  
water retention and, desmopressin-induced, 243,12:H934  
**Hyperthermia**  
critical thermal maximum and, 235,4:R228  
dopamine receptor activation and, brain, 242,11:R471  
ion-osmotic exercise, 230:74  
malignant, respiration and, skeletal muscle (frog), 243,12:C87  
5-thio-D-glucose, 239,8:R214  
**Hyperthermic cancer therapy**, hemodynamic and plasma catecholamine responses, 237,6:H570

**Hyperthermic syndrome, human,**  
231:1119**Hyperthyroidism**

- calcium transport ATPase, cardiac sarcoplasmic reticulum, 235:4:H745
- cardiac output, fetal, 239:8:H302
- contractility, myocardial, adrenergic control, 237:6:H590
- corticosteroid ontogeny and, thyroxine effects, postnatal development, 242:5:E33
- creatine kinase, plasma clearance, 235:4:E614
- heart muscle,  $\beta$ -adrenergic stimulation effects, 243:6:E114
- hypoxia and, papillary muscle mechanics, 237:6:H293
- insulin secretion, adrenergic modulation, 234:3:E106
- lactate oxidation, cardiac, 243:12:H722
- oxidative phosphorylation, heart, 235:4:C213
- phosphorylation, myocardial sarcoplasmic reticulum, 234:3:H426
- ribonucleic acid polymerases, myocardial, 236:5:H451
- transmembrane potential, cardiac Purkinje fibers, 240:9:H934

**Hypertonicity**

- calcium transport, erythrocytes, 237:6:C96
- drug uptake, everted intestinal sacs, 236:5:E52, E57
- effect on potassium influx and adenosine monophosphate, cyclic, 231:306
- proximal convoluted tubules, 243:12:F408
- serosal, bladder (frog), 237:6:F483
- urinary acidification and metabolism, bladder (toad), 239:8:F565
- volume regulation, gallbladder (salamander), 243:12:C146

**Hypertonic mediums, prostaglandin output stimulation, renal papilla,**  
234:3:F64**Hypertonic solutions: see also Saline drinking, following intracarotid infusion,**  
232:1:R88

- infusion, third ventricular, drinking and vasopressin release, 238:7:R340
- osmotic changes, muscle (frog), 242:11:C398
- post-tetanic effects, muscle fiber (frog), 232:1:C185
- saline-induced hypertension, vasopressin, catecholamines and plasma volume, 240:9:H827
- saline, infusion, vasopressin and, 243:12:H560
- skeletal muscle response (frog), 234:3:C181

**Hypertrophy**

- adipocytes, cafeteria feeding effects, 242:11:R349
- aortic, 230:664
- baroreceptor resetting, 236:5:H174
- biventricular, normotensive, 236:5:H640
- cardiac
  - arteriovenous shunt, 242:11:H722
  - arteriovenous shunt, model, 236:5:H698
  - development during  $\beta$ -blockade, 232:1:H639
  - epinephrine treatment effects, 241:10:C55
  - exercise-induced, development and regression, 236:5:H268
  - load dependence during, 242:11:H855
  - myocardial mechanical alterations, 241:10:H435
  - polyamine metabolism, 239:1:E372
  - pressure overload, 238:7:H134
  - renovascular hypertension, therapy, 240:9:H408
  - therapy effects, 242:11:H776
  - tibial length and, 243:12:H941

- cellular, during compensatory renal growth, 231:1191
- compensatory renal, functional adaptation in early development, 242:11:F190
- contractile potential, papillary muscle, 234:3:H421
- contractile state, left ventricular, in volume overload, 234:3:H88
- coronary blood flow, right ventricular myocardium (pony), 240:9:H881
- fat cell, glycerol release, fasting, 241:4:E76
- glucose transport, chronically altered nephron, 243:12:F393
- growth, cardiac, 234:3:H123
- heart
  - aging and spontaneous hypertension, 237:6:H461
  - augmented aftercontractions, papillary muscle, 237:6:H649
  - pressure overload, 238:7:H134
- heart ventricles
  - heart rate and myocardial blood flow, 239:8:H621
  - myocardial infarction and, 239:8:H731
- hypertensive, myocardial contractile behavior after, 242:11:H882
- left ventricular
  - concentric, reproducible model, 234:3:H515
  - contractile function, 240:9:H80
  - coronary circulation and, 240:9:H881, 241:10:H358
  - diastolic stiffness, myocardial, 242:11:H633
  - medial, 230:30
  - pulmonary circulation, 236:5:H818
- muscle contractile properties, surgical overload, hindlimb, 242:11:C259
- myocardial
  - extracellular space, water, and ion concentration, 236:5:H79
  - isovolumetric properties, heart ventricles, 240:9:H927
  - pressure-overload, passive stiffness and, 237:6:H676
  - prophylactic digitalization and, 233:2:H600
  - RNA polymerase activity, muscle and nonmuscle cells, 240:9:H901
- myocardial cell, catecholamines and, 242:11:H1015
- myosin ATPase and mechanics in pressure overload, digitalis treatment, cardiac, 234:3:H253
- overload, left ventricular performance during, 242:11:H611
- pancreatic
  - caerulein-secreting interaction, 235:4:E714
  - hydrocortisone, 239:1:G95
  - hydrocortisone and caerulein effects, 241:4:G37
- papillary muscle, hypoxia effects, 237:6:H293
- passive electrical properties, myocardium, 243:12:H917
- phosphorylation, myocardial sarcoplasmic reticulum, 234:3:H426
- physiological, proteins and sarcoplasmic reticulum, cardiac, 241:10:H263
- pressure-overload, myosin ATPase recovery, 234:3:H711
- renal
  - compensatory, 232:1:F405
  - compensatory, nonconcordant regulation of cytoplasmic RNA, 237:6:R360
  - compensatory, protein synthesis, 237:6:F299
- renal ablation and, 241:10:F85
- right ventricular
  - collagen synthesis in, 241:10:H708
  - coronary blood flow and, 240:9:H881
  - monocrotaline effects, 240:9:H149, 242:11:H573

- strenuous exercise and, 243:12:H856
- sympathetic nerve changes and (guinea pig), 243:12:H175
- skeletal muscle, inositol incorporation, 232:1:E324
- smooth muscle, pulmonary hypertension, 242:11:H907
- sodium-potassium pump, heart muscle, 240:9:H168
- stretch, new model, wing muscle (chicken), 238:7:C62
- stretch-induced, skeletal muscle regression (chicken), 242:11:C333
- thyroxine effects, exogenous myocardial lactate oxidation, 243:12:H722
- vascular wall, sympathectomy effects, renal hypertension, 241:10:H449
- venous, circulating factors and, spontaneous hypertension, 241:10:H421
- ventricular
  - aortic valve stenosis, subcoronary, 236:5:H780
  - body weight/left ventricle weight ratio, 236:5:H487
  - heart rate and myocardial blood flow, 239:8:H621
  - hyperfunction with normal inotropic state, 232:1:H418
  - hypoxia, 236:5:H818
  - morphology and pumping ability, exercise effects, 235:4:H193
  - myocardial infarction and, 239:8:H731
  - renovascular hypertension, 240:9:H408
  - volume-overload, myocardial blood flow and cardiac function, 241:10:H564
- Hyperuricemia**, hypothalamic stimulation-induced, adrenal epinephrine, 236:5:E212
- Hyperventilation**, venous efflux of prostaglandins and, 242:11:F38
- Hypervitaminosis A**, triglycerides, fatty liver, synthesis and release, 234:3:E511
- Hyperzincuria**
  - cysteine infusion effects, renal, 241:10:F487
  - zinc clearance and, kidney tubules, 241:10:F532
- Hypoalbuminemia**, mechanism of, chronic renal failure, 243:12:F372
- Hypoadosteronism**
  - mineralocorticoid deficiency, 232:1:F136
  - acidosis, renal, 236:5:F283
- Hypobaria**, renal and endocrine function and, 243:12:R265
- Hypocalcemia**
  - acid-base effects, hypoparathyroidism, 241:10:F495
  - constant, parathyroid hormone secretion and, 240:3:E649
  - 1,25-dihydroxyvitamin, parathyroid hormone (cow), 235:4:E634
  - hyperpolarization, parathyroid cells, 235:4:C15
  - hypothyroidism, 230:456
  - parathyroid hormone secretion and, 241:4:E171
  - red cell space, bone, femur, 234:3:E6
- Hypocalciuria**, parathyroid extract, renal, 237:6:E428
- Hypocapnia**
  - bicarbonate and fluid transport, proximal tubules, 240:9:F54
  - blood flow, cerebral duck, 232:1:H596
  - measurement, anesthesia (cat, dog), 241:10:H228
  - ion transport and, intestinal, 242:5:G486
  - phosphate excretion and, kidney, 243:12:F471
  - sodium bicarbonate and sodium chloride reabsorption coupling, renal, 236:5:F232
  - sodium reabsorption, bicarbonate-dependent, proximal tubule, 238:7:F175

- water retention, antidiuretic hormone-induced, 234,3:F291
- Hypocapnic hypoxia:** *see* Hypoxia
- Hypocitricemia**  
citrate, renal handling, 237,6:F307  
renal handling of citrate, 231:84
- Hypodipsia:** *see* Drinking
- Hypodynamic states**, hepatic cell integrity, 231:1408
- Hypofibrinogenemia**, hemorheology, 236,5:H447
- Hypogastric nerves**, distribution, uterine, 233,2:C25
- Hypoglycemia**  
adrenergic blockade, 236,5:E147  
cerebral metabolism, newborn, 240,9:R192  
depression of RES function, 231:265  
emergency responses, glucagon and, 238,1:E131  
gastric function, hepatic modulation, 238,7:R346  
glucagon and, in exercise, 238,1:E13  
glucagon responses, 239,2:E227  
glucoprivic feeding behavior, 234,3:E617  
glucoregulation, catecholamine effects (baboon), 243,6:E225  
glucose infusion effects, exercise, 240,3:E451  
glucose production, glucagon deficiency, 236,5:E263  
insulin, counterregulation, synergistic hormonal interactions, 237,6:F487  
insulin-induced  
  pyloric pressure response  
  intestinal, 238,1:E364  
  recovery, hormonal mechanisms, 236,5:E380  
insulin release, preabsorptive, 230:56  
insulin secretion, 232,1:E237  
maternal, glucose turnover, maternal and fetal (sheep), 238,1:E524  
neural inhibition, insulin secretion, 230:1090  
plasma glucagon and, 231:1377  
regulatory responses, glucagon effects, 238,1:E131  
reversal and, effected by glucose during hypothermia, 231:1729  
traumatic, feeding patterns, 239,8:R66
- Hypoinsulinemia**, fasting, perfused liver-pancreas preparation, 237,6:E349
- Hypokalemia**  
acidification, renal, 236,5:F48  
aldosterone and, renal, 238,7:F79  
concentrating defect, renal, prostaglandin-independent, 238,7:F37  
plasma epinephrine, control of plasma renin activity and, 236,5:H854  
potassium homeostasis and, 242,5:E373
- Hypometabolic behavior**, blood flow redistribution, 235,4:R89
- Hyponatremia**  
cell volume, renal, 238,7:F491  
cell volume regulation, renal tubules, 236,5:F226  
tubular electrolytes, 232,1:F42
- Hypoparathyroidism**, acid-base effects, renal and systemic, 241,10:F495
- Hypoperfusion**  
blood flow, liver and ductus venosus, fetal (lamb), 238,7:H656  
uterine, aortic denervation, fetal (lamb), 242,11:H916  
uterine blood flow, pregnancy (sheep), 242,11:H297
- Hypophagia**  
postinsulin, blood metabolites and feeding during, 243,12:R304  
urea recycling and (ground squirrel), 239,8:R168
- Hypophosphatemia**  
bone and soft tissue mineral changes, 237,6:E152  
phosphate restriction and, kidney tubules, 242,11:F353
- Hypophosphaturia**, bone and soft tissue mineral changes, 237,6:E152
- Hypophysectomy**  
body weight regulation, 230:982  
calcium transport, duodenal, 232,1:E229  
cardiorespiratory variables, shock, 241,10:H479  
development (calf, heifer), 232,1:E497  
follicle-stimulating hormone and testosterone effects, seminiferous tubules, 241,4:E233  
fructose transport and metabolism, fat cells, 237,6:E325  
glucose transport and, adipocytes, 242,5:E368  
growth hormone and, effects on glycogen metabolism, adipose tissue, 238,1:E389  
leucine metabolism and, adipose tissue, 240,3:E669  
mesenteric conductance, intestinal, 232,1:H260  
mesenteric vasoconstrictor response, vasopressin, 236,5:H200  
protein turnover, skeletal muscle, 234,3:E38, 235,4:E231  
tonin activity, submaxillary gland, 232,1:E522
- Hypophysial stalk**  
portal vascular route to adeno-hypophysis, 239,8:R463  
transection, development after (calf, heifer), 232,1:E497
- Hypophysis**, portal vascular route, adeno-hypophysis, 239,8:R463
- Hypoproteinemia**, protein redistribution and (sheep), 243,12:H803
- Hyposmolar states**, cell volume, 239,8:F195
- Hyposmotic solutions:** *see* Solutions
- Hypotension**  
acute, cerebral arterial and arteriolar response, 234,3:H371  
angiotensin II, 234,3:H447  
angiotensin II effects, 240,9:R229  
arterial, endocrine responses to (sheep), 242,5:E215  
atrial, renin release, 235,4:H175  
baroreceptor and Bezold-Jarisch reflexes, interaction, 237,6:H655  
baroreflex control, heart rate, 241,10:H778  
carotid, anesthesia, 237,6:H424  
endocrine responses, fetal (lamb), 240,3:E656  
free fatty acid turnover, cerebrospinal fluid, 236,5:H802  
gracilis vascular resistance, digitalis glycosides and, 238,7:H729  
hemodynamics, trigeminal and aortic vasodepressor responses, 234,3:H67  
hemorrhagic  
  baroreceptor resetting, time course, 234,3:H552  
  blood flow and, adrenal, 241,10:H872  
  cerebral blood flow (goat), 232,1:H368  
  energy metabolism, cerebral, 238,7:H249  
  filtration rate, nephron, after anesthesia, 232,1:F329  
  naloxone effects, 239,8:H416  
  pentobarbital effects, 236,5:H607  
  renin activity, juxtaglomerular apparatus, 238,7:F488  
  solute mixing, impaired, in extracellular fluid, 236,5:H440  
  isoproterenol-induced thirst, fluid balance and, 241,10:R152  
  nitroprusside-induced, baroreflex control of heart rate, 243,12:R18  
  prostaglandin release and, pump-perfused kidney, 240,9:F545  
  reflex, afferent pathways, coronary occlusion, 239,8:H172  
  reflex circulatory changes, due to pericoronary stimulation, 235,4:H759
- renal  
  arterial, pressor response, dietary sodium effects, 233,2:H191  
  reflex effects of thoracic sympathetic afferents, 233,2:H580  
  renin response (aglomerular toadfish), 237,6:H105  
  reserpine, baroreceptor resetting, time course, 234,3:H552  
  responses to hemorrhage, anesthetics and, 235,4:H753  
  short-term, baroreceptor resetting, time course, 234,3:H552  
  vascular smooth muscle activity, during hemorrhage, 238,7:H144  
  water restriction effects, hypertension, 241,10:F525
- Hypotensive effect**, dextran as radioactive microsphere suspending agent, 235,4:H587
- Hypothalamic diabetes insipidus:** *see* Diabetes insipidus
- Hypothalamic effects**, lipogenesis, 234,3:E554
- Hypothalamic extract**, glucose utilization, adipocytes, 234,3:E554
- Hypothalamic-insular axis**, glucose utilization, adipocytes, 234,3:E554
- Hypothalamic lesions**  
body weight regulation, 242,11:R265  
diurnal changes, hormone rhythms, 239,8:R309  
dorsomedial  
  feeding responses, 235,4:R168  
  water regulation, weanling, 242,11:R285  
lateral  
  adrenal medulla and, 232,1:R128  
  body weight and adiposity, 239,8:R337  
  body weight and composition, 237,6:R68  
  oral motor deficits, 237,6:R126  
  medial preoptic, circadian body temperature rhythms in, 242,11:R352  
  obesity, adipose cellularly development, 242,11:R311  
  oxygen consumption and locomotor activity, neonatal, measurement, 234,3:E532  
  parabrachial pons mediation, renal vasoconstriction, 234,3:R223  
  periventricular preoptic, thirst and normal water economy, 234,3:R122  
  preoptic, periventricular, thirst deficits and hypernatremia, 233,2:R44  
  suprachiasmatic nucleus, liver glycogen metabolism, circadian rhythm, 238,1:E21  
ventromedial  
  gastric acid output, 239,2:G221  
  glucagon secretion, 238,7:E32  
  hyperinsulinemia, 232,1:E286  
  metabolic alterations, 233,2:R162  
  obesity, 239,2:E437  
  obesity-induced, brown fat in, 243,6:E338  
  obesity, intestinal bypass surgery, 234,3:E389
- Hypothalamic obesity:** *see* Obesity
- Hypothalamic osmoreceptors:** *see* Receptors
- Hypothalamic-pituitary-thyroid axis**  
GH<sub>4</sub> pituitary cultures, 238,1:E174  
pineal gland and, interactions, 236,5:E416
- Hypothalamic-pituitary-thyroid system**  
function, diphenylhydantoin effects, 239,2:E468  
maturation, cold effects, 239,2:E223
- Hypothalamic thyrotropin-releasing hormone:** *see* Thyrotropin-releasing hormone
- Hypothalamo-pituitary-adrenal axis**, feedback inhibition, 234,3:R46

**Hypothalamus**

angiotensin, pressor action, 239,8:R358  
 anterior  
   fat mobilization, 232,1:E165  
   thermosensitivity, 242,11:R77  
 antidiuretic hormone release, angiotensin II-stimulated, 234,3:F135  
 arousal state (marmot), 236,5:R107  
 brain and body temperature, independence (flying kestrel), 237,6:R58  
 buffer nerves, projections, 239,8:R130  
 carotid occlusion, reflex integration, 233,2:H240  
 cooling, 230:1211  
 2-deoxy-D-glucose injections, hypothermia, 239,8:R265, R270  
 dopamine receptor activation, heat production and, 242,11:R471  
 electrical stimulation  
   adipose tissue responses, 237,6:H386  
   angiotensin and osmosensitive sites, 235,4:H445  
   glucose and endocrine responses, 242,11:R220  
 endocrine pancreas and, 233,2:E380  
 feeding behavior, 230:818  
 feeding mechanisms, norepinephrine, 236,5:R312  
 forelimb blood flow, 230:707, 1561  
 genetic obesity, adipose cellularity development, 242,11:R311  
 growth hormone, pulsatile secretion, 239,2:E1  
 growth hormone regulation, 233,2:E61  
 knife cuts, obesity and, 243,12:R445  
 lateral  
   damage, body weight regulation, 242,11:R265  
   weight regulation, parabiotic, 232,1:R150  
 lateral lesions  
   energy balance and, 242,5:E273  
   feeding after recovery from, 230:1084  
 lesions  
   lateral, glucoprivation effects, 241,10:R362  
   ventromedial,  $\beta$ -endorphin and, experimental obesity, 241,10:R173  
   ventromedial, obesity, 241,4:E146  
 medial nuclei, amino acid incorporation, 240,9:R16  
 nerve inputs, 233,2:R100  
 nonshivering thermogenesis, 230:522  
 nuclei: see Nuclei  
 obesity, 230:982  
 osmosensitivity and angiotensin, interaction, 236,5:R75  
 osmotic regulation, vasopressin, 240,3:E108  
 paraventricular lesion effects, stalk median, 240,3:E441  
 photoreception (quail), 240,9:R220  
 posterior, baroreceptor reflex gain, spontaneous hypertension effects, 243,12:R500  
 posteromedial, cardiovascular regulation, 232,1:H157  
 preoptic/anterior area  
    $\beta$ -endorphin effects, 243,12:R104  
   neuron responses, 231:1638  
 prolonged stimulation, pressor responses and, 231:1708  
 regulation, electrolyte excretion, 239,8:F206  
 steroid modulation, luteinizing hormone release, 242,5:E164  
 stimulation  
   arrhythmias, reflex mechanisms, 234,3:H199  
   electrolyte excretion, 239,8:F206  
   glycerol elevation, plasma, epinephrine mediation, 233,2:E369  
   sympathetic hyperresponsiveness, hypertension, 237,6:R39  
 ventromedial and lateral, insulin and glucagon release and, 233,2:E380

temperature, thermoregulation (pigeon), 243,12:R363  
 temperature regulation during wakefulness, hibernation and (marmot), 235,4:R82  
 thermal homeostasis, after hydroxydopamine, 230:932  
 thermogenesis control, endocrine (goat), 241,4:E420  
 thermosensitivity (duck), 235,4:R130  
 thermosensitivity (marmot), 232,1:R203  
 tissue slices, thermosensitive neurons in, synaptic blockade effects, 243,12:R480  
 vasopressin content, spontaneous hypertension, 242,11:H496  
 ventromedial  
   metabolic alterations, experimental obesity, 233,2:R162  
   norepinephrine, during feeding and push-pull perfusion, 236,5:R312  
   stimulation, hyperuricemia and adrenal epinephrine in, 236,5:E21  
 ventromedial nucleus  
   female reproductive behavior and, 237,6:R278, R285  
   plasma glucose after insulin injection, 240,3:E95  
 ventromedial obesity  
   adrenalectomy and corticosterone effects, 243,6:E152  
   intra gastric feeding and, 240,3:E566  
   vagus and, 240,3:E573  
**Hypothermia**  
 biological clock, temperature dependence and, 241,10:R17  
 blood flow distribution, 234,3:H706  
 blood viscosity, 235,4:H136  
 body, transventricular simple-capacitor-discharge defibrillation thresholds, 238,7:H675  
 calcium uptake, vascular smooth muscle, 242,11:H797  
 2-deoxy-D-glucose, 239,8:R291  
   hypothalamic injection, 239,8:R265, R270  
 dopamine receptor activation and, brain, 242,11:R471  
 estradiol effects, ovariectomy, 243,12:R70  
 excitation-contraction coupling, ischemic myocardium, 240,9:H336  
 intracellular pH and, anoxia, 243,12:C62  
 iron deficiency, triiodothyronine metabolism, 239,8:R377  
 ischemic arrest, myocardial volume regulation, 240,9:H116  
 isometric myocardium, segmental mechanical behavior and morphology, 235,4:H736  
 lymph flow, thoracic duct, 233,2:H605  
 maturation, hypothalamic-pituitary-thyroid, 239,2:E223  
 myocardium, deprived, 232,1:H288  
 progressive, global ischemia and, 236,5:H839  
 prolonged stimulation, glucose role and, 231:1729  
 serotonin, brain content, metabolic heat production and, 235,4:R41  
 5-thio-D-glucose, 239,8:R214  
 thyroid function, obesity, 233,2:R110  
 vascular responses to, skin and skeletal muscle, 240,9:H868  
**Hypothyroidism**  
 bicarbonate reabsorption, renal, impaired, 236,5:F536  
 calcium homeostasis, 230:456  
 corticosteroid ontogeny and, thyroxine effects, postnatal development, 242,5:E33  
 creatine kinase, plasma clearance, 235,4:E614  
 developing lung and, 242,5:E378  
 extensor muscle properties, 234,3:C90  
 feedback regulation of thyrotropin, thyroxine effects, 240,3:E308

hypothalamic, winter sleep (bear), 237,6:E227  
 impaired renal dilution, 230:699  
 insulin receptor development and, lung, fetal, 242,5:E384  
 insulin secretion, adrenergic modulation, 234,3:E106  
 leucine metabolism and, adipose tissue, 240,3:E669  
 ovariectomy, heat loss, estradiol effects, 243,12:R70  
 oxidative phosphorylation, 235,4:C213  
 sodium-potassium-ATPase responses, 232,1:C202  
 taste preference abnormalities, 232,1:E80  
**Hypotonic hemolysis: see Hemolysis**  
**Hypotonicity**  
 effective luminal, driving force for isotonic proximal tubular fluid absorption, 236,5:F89  
 luminal, isotonic fluid absorption, pars recta, 234,3:F349  
 proximal convoluted tubules, 243,12:F408  
 urinary acidification and metabolism, bladder (toad), 239,8:F565  
 volume regulation, myocardial, 241,10:H740  
**Hypotonic medium**  
 potassium content, tubular, 232,1:F42  
 tubular cell volume regulation, 236,5:F226  
**Hypotonic medulla, renal cell volume, collagenase and ouabain effects, 238,7:F491**  
**Hypovolemia**  
 angiotensin II effects, 240,9:R229  
 cardiorespiratory changes, 241,10:H864  
 hemorrhage effects, newborn (lamb), 240,3:E585  
 newborn, 230:188  
 renin and aldosterone secretion, relation to sodium chloride intake, 237,6:R45  
**Hypovolemic shock: see Shock**  
**Hypoxanthine**  
 adenosine effects, intestinal, 235,4:H707  
 anoxia, carotid artery (hog), 233,2:H299  
 formation sites, heart, 240,9:H963  
 incorporation, brain nucleotides, 239,8:H212  
 salvage and secretion, jejunum, 238,1:G141  
 uric acid synthesis, renal, 238,7:F481  
**Hypoxemia**  
 arterial  
   platelet aggregation and, lung (sheep), 242,11:H645  
   red cell oxygen affinity (baboon), 232,1:H79  
 blood flow, ductus venosus, fetal (lamb), 238,7:H656  
 chronic, norepinephrine-stimulated lipolysis and, 241,4:E28  
 hemodynamics, spontaneous hypertension, 234,3:H275  
 hindlimb, cardiovascular responses, exercise reflex and, 237,6:H359  
 inflammatory response to aspiration, ibuprofen therapy for, 243,12:H903  
 in utero, myocardial oxygen and carbohydrate metabolism, fetal, 243,12:H959  
 metabolism, myocardial, fetus (sheep), 242,11:H657  
 plasma catecholamines during, fetal (lamb), 243,12:R520  
**Hypoxia**  
 acclimation, regression lines with unequal slopes, 242,11:R178  
 acute, cardiac responses, adrenal gland and (piglet), 239,8:H751  
 adenosine, skeletal muscle, 237,6:H1  
 adenosine and, striated muscle (hamster), 242,11:H688



- adenosine concentration, brain, 241,10:H228  
adenosine formation sites, heart, 240,9:H963  
alveolar, isogravimetric capillary pressures, 241,10:H732  
arginine vasopressin effects, fluid and electrolyte balance, 240,9:R182  
arterial, oxygen consumption, intestinal, 234,3:E248  
artery number, reduction, 236,5:H818  
bicarbonate ion modulation, cerebral blood flow, 243,12:H33  
blood flow  
  cerebral, 240,9:H209  
  cerebral (bird, duck), 234,3:H230  
  neurohumoral regulation, bones and marrow, 237,6:H440  
blood oxygen delivery, isolated heart model, 237,6:H348  
blunted vasoconstriction, pulmonary, 238,7:H849  
bradycardia, vagal, abolition by lateral mesencephalic lesion, 237,6:R15  
calcium exchange, neonatal myocardium, 237,6:H612  
carbon monoxide effects, blood flow, cerebral, 240,9:H209  
carbon monoxide-induced, hemodynamics, carotid reflexes, catecholamines and, 236,5:H22  
cardiac contraction, 230:1701  
cardiac growth and, 231:1445  
cardiac muscle, digitalis and calcium effects, 231:66  
cardiorespiratory changes, 241,10:H864  
cardiovascular responses, carbon dioxide, 239,8:H545  
cerebral hyperemia, adenosine and, 241,10:H134  
cerebrovascular regulation, 234,3:H582  
cerebrovascular response, baroreceptor and chemoreceptor denervation, 241,10:H724  
chemoreceptor effects, diving responses (duck), 243,12:R537  
chronic  
  effects on myocardial enzyme activities, 231:1308  
  pulmonary hypertension, age and sex influences, 240,9:H62  
chronic altitude, hematologic and glycolytic parameters and, 242,11:R447  
contraction, depressed, vascular smooth muscle, 238,7:H761  
contracture, myocardial, 232,1:H526  
coronary response to prostaglandins, 235,4:H400  
coronary washout, heart function (swine), 239,8:H371  
diuretic response to, awake state, 243,12:F440  
electrograms, ventricular, 240,9:C148  
electromyogram, colon, 239,2:G173  
energetics, kidney cells, 233,2:C135  
energy metabolism, renal, 233,2:F207  
erythropoietin, extrarenal, 234,3:F510  
erythropoietin, 230:508  
extracellular fluid pH and blood flow during, ventral medulla, 242,11:R195  
fatty acid oxidation, ischemic heart, 239,8:H257  
fetal, aortic denervation (lamb), 242,11:H916  
glycogen synthase and phosphorylase changes, anesthesia, liver, 243,6:E182  
glycolytic function, perinatal heart, 237,6:H411  
graded, ventricular cell contraction, embryo (chick), 239,8:H651  
heart muscle response to (muskrat, rabbit, guinea pig), 243,12:R245  
heart performance, ischemia and physical training, 234,3:H215  
hindlimb resistance, adrenergic blockade, 243,12:H1010  
hyperglucagonemia,  $\alpha$ -adrenergic receptor and, 237,6:E404  
hyperthyroid papillary muscle, mechanics, 237,6:H233  
hypocapnic, blood flow, cerebral, Bohr effect (duck), 236,5:H744  
hypoxic, cerebral circulatory response and (lamb), 243,12:H27  
indomethacin-induced pulmonary vasoconstriction (lamb), 238,7:H639  
insulin release, glucose-induced, 237,6:E45  
ischemic heart model, 237,6:R318, R327  
isocapnic, heart rate response, 234,3:H129  
lactate production, 231:251  
lung metabolism and, 241,4:E47  
mechanical function, neonatal heart, 235,4:H469  
membrane properties, smooth muscle cells, pulmonary hypertension, 242,11:H907  
metabolism, myocardial, fetus (sheep), 242,11:H657  
muscle  $\text{Vo}_2$ , 230:327  
myocardial  
  coronary blood flow and, 243,12:H159  
  increased adenosine and, 243,12:H514  
  oxygen and carbohydrate metabolism, fetal, 243,12:H959  
  relaxation and, 237,6:H185  
  renin release inhibition, 242,11:H107  
  myocardial high-energy phosphates, neonatal, 235,4:H475  
  myocardial performance, substrate effects, 235,4:H144  
  myogenic responses, gut, 235,4:H157  
  normoxia and, oxygen delivery heterogeneity, fluorometer study, 235,4:H809  
  oxygen affinity, red cell, physiological effects (baboon), 232,1:H79  
  oxygenation criteria, papillary muscle, 241,10:H348  
  oxygen consumption rate, arterial wall, 243,12:H948  
  oxygen dependence, embryo (salamander), 236,5:R282  
  oxygen supply during, intracellular, 243,12:C247  
  pH, smooth muscle, 232,1:E330  
  pial arteriolar response, prostaglandins and, 238,7:H226  
  potassium accumulation and, myocardial ischemia (rabbit), 243,12:H318  
  pressor response, airway, 235,4:H104  
  proteolysis, lung, 241,4:E101  
  pulmonary hemodynamics and structure, 236,5:H818  
  pulmonary vascular reactivity, pregnancy, 239,8:H297  
  pulmonary vascular responses, prostaglandins (lamb), 238,7:H631  
  reactive hyperemia, skeletal muscle (chicken), 233,2:H379  
   $\beta$ -receptor reactivity, pulmonary vascular, neonatal (lamb), 240,9:H697  
  renal and endocrine function and, 243,12:R265  
  respiratory chemosensitivity, 230:861  
  right ventricular systolic hypertension (pony), 235,4:H628  
  small subcutaneous vessels, 231:244  
  stiffness, heart muscle, 232,1:H275  
  sympathetic preganglionic neuron responses, spine, 241,10:H679  
  systemic  
    carotid chemoreceptors and vagi, 240,9:H874  
    microcirculation, muscle, 240,9:H746  
    respiratory activity and cytochrome oxidase, 231:1811  
  tachycardia, carotid chemoreceptors and vagi, 240,9:H874  
tissue calcium ion gain, reoxygenation and, myocardium, 242,11:H437  
tissue carbon dioxide pressure, 230:839  
tyrosine hydroxylase activity, carotid body (rabbit, cat), 240,9:R38  
vascular changes, skeletal muscle, 235,4:H72  
vascular reactivity, lung, 234,3:H186  
vascular responses to, 230:595  
vascular smooth muscle contraction, 238,7:H716  
vasoconstriction, lung (duck), 234,3:R146  
water intake, reduced, 240,9:R187  
weak and strong myocardium in series, 235,4:H776  
**Hypoxic perfusion:** see Perfusion  
**Hypozincemia,** bacterial infection, mellathioneins, hepatic, 234,3:E399  
**Hysterectomy,** iron absorption and distribution, 232,1:E57  
**Hysteresis,** action potential duration, tetraethylammonium chloride effects, cardiac Purkinje fibers, 241,10:H139  
**Hysteresis loop,** stiffness, heart muscle, 232,1:H275  
**Hysteretic response curves,** steep, triggering cycle and homeostasis, membranes, 243,12:R229
- I
- Ibuprofen**  
  inflammatory response modification, aspiration, 243,12:H903  
  lung lobes, 242,11:H745  
**Ice,** structure, 235,4:R99  
**Identifiability concepts,** ambiguities, observability and, parameter uniqueness, 239,8:R7  
**<sup>125</sup>I-Insulin:** see Insulin  
**Ileal acid,**  $\beta$ -galactosidase, glucocorticoid responsiveness and, postnatal development, 242,5:G89  
**Ileocecal sphincter**  
  myoelectric properties, 240,3:G450  
  properties, 241,4:G222  
  sympathetic nervous control, 231:296  
**Ileum**  
  adaptation, calcium restriction, 231:865  
  adenosine effects on hemodynamics, oxygen delivery, capillary fluid exchange and, 235,4:H707  
  anion exchange, 238,1:G208  
  anion gap, bicarbonate secretion, 232,1:E574  
  ascorbic acid, 233,2:E374  
  basal electrolyte transport, calcium dependence and, 243,6:G28  
  berberine effects, 241,4:G253  
  bile salt sulfate esters, transport, sulfation patterns, 238,1:G34  
  blood flow: see Blood flow  
  calcium ion transport, 239,2:G18  
  calcium secretion, anomalous, paracellular pathway and, 236,5:E473  
  calcium transport, 230:1255  
  cellular and paracellular, 235,4:E726  
  capillary fluid exchange, 235,4:E429  
  chloride secretion  
    mucosal, 232,1:E210  
    pancreatic enzyme stimulation, 239,2:G190  
  veratrine and potassium effects, 240,3:G211  
  cholera motility, prostaglandin  $\text{F}_{2\alpha}$ , 232,1:E529  
  cholera toxin-induced secretion, luminal berberine, 241,4:G248  
  contractile activity, prostaglandin E, 234,3:E209  
  contractile events, leukotriene  $\text{D}_4$ , and histamine-induced, smooth muscle, 243,12:C133

**Ileum (continued)**

- cytoplasmic dipeptidase activities, 233,2:E450
  - electrical potential profile, 232,1:E5
  - electrolyte transport
    - mechanisms, 238,1:G208
    - methylprednisolone effects, 240,3:G365
    - serotonin effects, 239,2:G463
  - fatty acid esterification, development, 237,6:E399
  - food intake regulation and, 242,11:R429
  - furosemide and sodium-chloride absorption, 230:1517
  - glucose absorption, fetus, 242,5:G642
  - intestinal transport, intraluminal pressure effects, 242,5:G65
  - ion transport
    - $\alpha_2$ -adrenergic receptors and, 242,5:G237
    - guanosine monophosphate, cyclic, effects, 243,6:G36
    - somatostatin and, 238,1:G67
  - lymph flow, 232,1:E13
  - hyperosmolality, 234,3:H14
  - mucosal entry kinetics, inhibitors, 233,2:E47
  - osmotic flow, epithelial (scorpion), 233,2:R198
  - perfused, water transport (scorpion), 233,2:R198
  - prostaglandin  $E_2$ -induced secretion, protein efflux, 236,5:E788
  - purine nucleotide and nucleoside transport, 233,2:E47
  - secretion, ouabain inhibition, 234,3:E629
  - smooth muscle contraction, acetyl glyceryl ether phosphorylcholine, 241,10:C130
  - sodium-dependent transport, 238,1:G326
  - sodium transport, rheogenic, 232,1:E5
  - solute-coupled volume absorption, oxygen consumption, 236,5:E198
  - solute transport, osmotic gradient and, 237,6:E389
  - tachyphylaxis, to angiotensin II, 232,1:H223
  - transport characteristics, newborn, 234,3:E257
  - uremic, calcium transport in, 242,5:G128
  - vitamin  $K_2$  absorption, factors affecting, 233,2:E124
  - water and electrolytes, chloroquine effects, 243,6:G117
- Iliac artery**  
 blood flow: see Blood flow  
 muscle mechanics, 230:462  
 series elasticity, muscle length effects, 234,3:C146
- Ilioibularis muscle**, motor units, properties (frog), 236,5:C35
- Imaging**: see also Scanning  
 cardiac kinetics, analysis, 238,7:H98  
 myocardial, regional blood flow, 232,1:H576  
 nuclear magnetic resonance, cardiac and skeletal muscle, 242,11:H729
- Imidazole**  
 bilateral urethral obstruction, recovery from, 243,12:F532  
 coronary response to prostaglandins, 235,4:H400  
 electrophysiology and secretion, stomach (frog), 234,3:E120  
 positive end-expiratory pressure effects, negative inotropism, 241,10:H783  
 potassium depletion, kidney, 240,9:F151  
 renal function and, ureteral-obstructed kidney, 240,9:F508  
 thromboxane  $B_2$ , obstructed kidney, 242,11:F220
- Imipramine**, thermoregulatory effects, 231:148
- Immobilization stress**, sympathoadrenal response, spontaneous hypertension, 236,5:H457
- Immune response**, sympathetic nervous

- system, high- and low-responses, 242,11:R30
- Immunity**  
 parasite, myoelectric activity, intestinal, 234,3:R188  
 urease, ammonia-incubated intestinal cells (chick, rat), 233,2:E341
- Immunization**, cholinergic-receptor protein, myasthenia (frog), 236,5:C53
- Immunoassay**, vasopressin release, osmotic and nonosmotic control, 236,5:F321
- Immunocytochemistry**, regulatory physiology, gut, 239,2:G237
- Immunodeficiency**, intestines, 242,5:G1
- Immunofluorescence**, calcium ion-dependent neutral protease, muscle (hamster), 240,3:E493
- Immunofluorescent antibody technique**, renin localization, submaxillary gland and kidney, 234,3:E480
- $\gamma$ -Immunoglobulin G**  
 excluded volume  
   increased venous pressure and, muscle, 242,11:H1044  
   increased venous pressure and, skin, 242,11:H1038
- Immunoglobulins**, transfer, 230:1594
- Immunohistochemistry**  
 gastrin concentration, fetal and neonatal (sheep), 241,4:G235  
 prostaglandin-forming cyclooxygenase, localization in renal cortex, 235,4:F451
- Immunology**, cholecystokinin, brain, 239,2:E232
- Immunomorphology**, intestines, 242,5:G1
- Immunoreactivity**: see specific type
- Immunoregulation**: see specific type
- Impedance**  
 arterial hemodynamics, systemic (diamond python), 243,12:R205  
 arterial wall, atherosclerosis (racing greyhound), 236,5:H790  
 cardiography: see Cardiography  
 characteristic  
   carotid artery, 233,2:H256, 234,3:H280  
   systemic arterial, 238,7:H902  
 electrical  
   calibrated plethysmography, 239,8:H283  
   intrathoracic, measurements from esophageal probe, 236,5:R168  
 electrical admittance and, plethysmography, 235,4:H821  
 input  
   aortic bulb, model, 240,9:R200  
   aortic (mammals), 237,6:R3, R7  
   microelectrode modifications, 232,1:C207  
 load, variable, right ventricular flow and power output, 237,6:H125  
 matching, phonocardiogram system, 238,7:H604  
 pulmonary, optimum load and, right ventricle, 242,11:H154  
 pulmonary artery, blood volume changes and, 242,11:H197  
 strain gauge, new, 236,5:H657  
 tissue, estrogen- and progesterone-treated myometrium, 238,7:C34  
 transventricular, body hypothermia and, 238,7:H675  
 vascular, 230:868  
   characteristic, carotid sinus-controlled  
   pulsatile hemodynamics, 238,7:H294  
   ventricle load interactions, 238,7:H932
- Implants**  
 flow transducers: see Transducers  
 metallic, chromium (III) metabolism, 232,1:E478  
 Silastic, luteinizing hormone surge (rhesus monkey), 236,5:R102  
 sponge connective tissue, deoxythymi-

- dine kinase activity, zinc deficiency, 236,5:E272
- Impromidine**, histamine receptors, gastric mucosa (bullfrog), 241,4:G93
- Impulse conduction**: see Conduction
- Inactin**, adrenergic effects of, 243,12:F253
- Inactivation potentials**: see Potentials
- Inanition**: see Fasting
- Incretin**  
 insulinotropic factor secretion, intestinal, 236,5:E710  
 insulin release and (foxhound), 242,5:E53
- Incubation**, prolonged, oxygen consumption and growth (albatross), 242,11:R121
- Incubation temperature**: see Temperature
- Indanone**, diuretics and, comparison, bladder (toad), 238,7:R70
- Indicator-diffusion technique**, sodium extraction, cerebral, 238,7:H868
- Indicator-dilution technique**: see also Dye-dilution  
 arterial pressure, heart rate and (sheep), 243,12:R433  
 blood flow, cerebral, thiourea compounds, as tracers, 238,7:H776  
 blood volume, active, in endotoxic shock, 236,5:H291  
 capillary-myocardial exchange, coronary flow reduction, 234,3:H679  
 capillary permeability, intestinal, 241,4:G24  
 compartmental analysis, 243,12:R424  
 curves  
   capillary transit times, skeletal muscle, 233,2:H122  
   physiological parameters, 233,2:H350  
 diphosphonate extraction and clearance, 232,1:H341  
 microreflectometric, blood flow and volume, brain cortex, 236,5:H759  
 nephron filtration rate, 233,2:F282  
 nutritional and nonnutritional circuits, hindpaw, 234,3:H384  
 potassium and strontium exchange, bone, 242,11:H705  
 solute mixing, impaired, after hemorrhagic hypotension, 236,5:H440  
 stimulation and analysis, hepatic, 243,6:G76  
 sulfhemoglobin-red blood cells, mean transit time and blood flow velocity, microvascular, 238,7:H745  
 transcapillary exchange, molecular weight markers, 242,11:F436  
 tryptophan and phenylalanine, blood-brain transport, 241,4:G163  
 vascular capacitance, intestinal, 234,3:H7  
 vascular volumes, placenta (guinea pig), 241,10:H73
- Indicator dye**, intracellular pH, gastric mucosa (bullfrog), 237,6:E82
- Indicator kinetics**, step function input, kidney, 233,2:H488
- Indocyanine green**  
 blood volume, active, in endotoxic shock, 236,5:H291  
 cardiac output, without blood withdrawal, 235,4:H258  
 hemorrhaged plasma volume restoration, by gastrointestinal fluid, 234,3:H80  
 vascular capacitance, intestinal, 234,3:H7  
 vascular compliance, delayed, and fluid exchange, intestinal, 234,3:H660  
 venous drainage, myocardial, 234,3:H163
- Indole**, brain, temperature stress, 230:110
- Indomethacin**  
 adrenal regeneration hypertension, 232,1:E95  
 adrenergic transmission, bradykinin and, kidney, 241,10:R146  
 angiotensin II-induced coronary vasoconstriction, 238,7:H895

- antenatal, ductus arteriosus and, preterm (lamb), 241,10:H415  
 bilateral ureteral obstruction and, 243,12:F532  
 blood flow and, jejunal, 242,5:G140  
 calcium effects, prostaglandin release, 241,10:F77  
 cation transport, gastric mucosal cells, 235,4:E16  
 cerebral circulation, metabolic effects and, 243,12:H416  
 concentrating defect, hypokalemic kidney, 238,7:F37  
 contractile activity, oviduct ampulla, 238,1:E157  
 contractility, vascular smooth muscle, 240,9:H971  
 contraction, vascular smooth muscle, 238,7:H761  
 coronary vascular response, myocardial oxygen consumption, 235,4:H372  
 ductus arteriosus, preterm (infant and lamb), 240,9:H430  
 fibrinogen response, 235,4:H223  
 gastric antral motility and, 241,4:G191  
 glucose output, inhibition, hepatic, 236,5:E358  
 hemorrhage, 230:940  
 hyperemia, reactive, in denervated kidney, 233,2:F89  
 hyperosmolar-induced vasodilation, 242,11:H450  
 hypertension, renovascular, 240,9:H533  
 intestinal volume absorption and, 238,1:G183  
 microvascular response, skeletal muscle, 243,12:H51  
 organic acid secretory pathway, prostaglandin E excretion and, 235,4:F473  
 pancreatic adrenergic transmission, 232,1:E201  
 pial arterioles and, 242,11:H629  
 carbon dioxide and hypoxia, 238,7:H226  
 plasma renin activity, awake state, 240,3:E286  
 platelet aggregation, mesenteric arterioles, 239,8:H220  
 positive end-expiratory pressure effects, negative inotropism, 241,10:H783  
 potassium depletion, kidney, 240,9:F151  
 pretreatment, renal response to captopril, awake state, 243,12:F543  
 prostaglandin-dependent polyuria, hypercalcemia, 241,10:F224  
 prostaglandin E<sub>2</sub> production, bladder, 239,8:F452  
 prostaglandin E receptor regulation, hepatic, 241,4:E291  
 prostaglandin E release, skeletal muscle exercise, 236,5:H596  
 prostaglandin E<sub>2</sub> secretion and excretion, renal, 236,5:F552  
 prostaglandin metabolism and transport, lung, 232,1:E382  
 prostaglandin release, hypotension and, pump-perfused kidney, 240,9:F545  
 prostaglandins and, in exercise hyperemia, 238,7:H191  
 prostaglandin synthesis inhibition, corticosterone secretion after, 240,3:E131  
 prostaglandin transport, renal tubular inhibition (chicken), 233,2:F133  
 pulmonary vascular response, ventilation, fetal (goat), 234,3:H346  
 reactive hyperemia, arteriolar, 232,1:H571  
 renal blood flow and renin release, responses to hypertonic saline, 237,6:F441  
 renal effects, 235,4:F111  
 renal function (piglet), 238,7:R438  
 renal vascular response  
   prostaglandin analogs, 233,2:H573  
   prostaglandin inhibition, 234,3:H496  
   renin release  
   prostaglandins and, kidney cortex, 240,3:E609  
   rat, dog, 240,9:F515  
   renal vasodilation and, dissociation, 237,6:F20  
   sodium deprivation, 243,12:F537  
   renin secretion, prostaglandins and, 236,5:F472  
   salt loading and, stroke-prone spontaneous hypertension, 243,12:H360  
   SAO shock, 230:684  
   shock, 230:831  
   sodium and chloride transport, tracheal mucosa, 240,9:F101  
   sodium excretion, 235,4:F338  
   sodium transport and, skin (frog), 241,10:F279  
   thromboxane B<sub>2</sub>, obstructed kidney, 242,11:F220  
   vascular action, mesenteric, 232,1:H305  
   vascular responses  
   placental (sheep), 236,5:H61  
   pulmonary and systemic, to prostaglandin E<sub>1</sub> and E<sub>2</sub>, perinatal (goat), 236,5:H828  
   vasoactive intestinal polypeptides and, cerebral arterioles, 239,8:H765  
   vasoconstriction, pulmonary, acute vs. chronic (lamb), 238,7:H639  
   vasopressin action, 232,1:F529  
   water diuresis and, diabetes insipidus, 241,10:F231  
   zinc absorption, 234,3:E99  
**Indwelling catheter:** see Catheter  
**Inelasticity:** see Elasticity  
**Inert gas:** see Gas  
**Infant:** see also Neonate; Newborn  
   blinded, circadian adrenocortical rhythms, 243,6:E443  
   brain stimulation, 238,7:R3  
   cerebrospinal fluid action, ontogeny of, 243,12:R400  
   hormonal control, corticosteroid-binding globulin development, 240,3:E402  
   preterm, glucocorticoid effects, ductus arteriosus (lamb), 241,10:H415  
   thermogenesis, fasting, 233,2:R23  
**Infarction:** see also Ischemia  
   anterolateral, 233,2:H505  
   coronary, diving (seal), 242,11:R97  
   experimental, autoradiography, 232,1:H576  
   myocardial  
   arrhythmias, 235,4:H1  
   blood flow, dopamine analogue effects, 235,4:H118  
   calcium ion sensitivity, actomyosin, 240,9:H704  
   cardiovascular response to shock (monkey), 236,5:H273  
   cellular electrophysiological marker, 235,4:H559  
   chronic hypertension and left ventricular hypertrophy, 239,8:H731  
   collateral flow, 230:279  
   coronary and transmural myocardial blood flow (pig), 235,4:H435  
   coronary embolization, selective, closed-chest, 232,1:H335  
   DNA synthesis and, awake state, 242,11:H1031  
   dynamic radiography, 238,7:H43  
   early changes, 237,6:H371  
   electrophysiologic alterations, 233,2:H329  
   experimental, autonomic nervous system and, 240,9:H738  
   infarct growth toward endocardium, time course after coronary occlusion, 236,5:H356  
   left ventricular wall thickness, regional, 240,9:H293  
   microsphere loss and, 242,11:H392  
   NAD glycohydrolase activity, 231:1173  
   necrotic wavefront movement, 243,12:H682  
   nifedipine and diltiazem, 239,8:H658  
   postextrasystolic potentiation, 241,10:H654  
   reentrant excitation, 235,4:H1  
   regional function and collateral circulation (baboon), 235,4:H413  
   rubidium-86 reflow and uptake, 234,3:H724  
   segmental mechanical behavior and morphology during hypothermia, 235,4:H736  
   serum myoglobin, radioimmunoassay, 239,8:H565  
   size, cellular electrophysiological marker, 235,4:H559  
   size, sympathectomized ventricle, 235,4:H429  
   size and risk area relations, 242,11:H867  
   size reduction, autonomic nervous system and, 240,9:H738  
   right ventricular responses, 233,2:H505  
   size, cardiac sympathetics and, 243,12:H566  
   subendocardial infarct, cell physiology and structure, 236,5:H356  
**Infection**  
   ribonucleic acid response, hepatic, 238,1:G303  
   viral: see Viral infection  
**Inflammation, peroxidase activity, intestinal mucosa, 234,3:R72**  
**Information theory, thermodynamics, 234,3:R3**  
**Infusion:** see specific subject and site  
**Ingestion, caloric:** see Feeding  
**Ingestive behavior, thirst and normal water economy, periventricular preoptic hypothalamus effects, 234,3:R122**  
**Ingestive responses, 2-deoxy-D-glucose and insulin, amygdaloid lesion effects, 242,11:R129**  
**Inhibin, follicle-stimulating hormone and feedback system, female, 240,3:E544**  
**Inhibitors:** see specific subject and site  
**Inhibitory nerves**  
   histamine effects, sphincter of Oddi (opossum), 241,4:G122  
   nonadrenergic, lower esophageal sphincter (opossum), 236,5:E153  
**Inhibitory neurons, purinergic, 5-hydroxytryptamine effects, intestine, 237,6:E198**  
**Inhibitory phasing, spinal, 230:263**  
**Initial slope analysis, cerebral blood flow, 238,7:H750**  
**Injection site, microspheres, blood flow determination, coronary, 242,11:H94**  
**Ink, microvascular filling, skeletal muscle, 241,10:H174**  
**Innervation:** see also specific subject and site  
   adrenergic, arterial distribution, 239,8:H252  
   autonomic, tracheal smooth muscle, 238,7:C27  
   cardiac: see Cardiac nerves  
   cardiac sympathetic, reduced, newborn, 243,12:H20  
   cholinergic, cardiac, embryo (chick), 233,2:H642  
   dopaminergic, neurohypophysis, 241,4:E186  
   dual, arteriovenous anastomoses, 242,11:R582  
   intestinal, norepinephrine effects, 241,4:G264  
   motor, of iris, 231:1272  
   nonadrenergic noncholinergic, cerebral arteries, 243,12:H145  
   noncholinergic vasodilator, feet (duck, chicken), 237,6:H112  
   pancreas, cephalic phase insulin secretion, 238,1:E336  
   regional, heart, 240,9:H590

**Innervation (continued)**

- renal, anatomy, 237,6:F333
- sympathetic
  - brown fat and, 242,11:C159
  - growth factor binding, heart, 241,10:C215
  - uterus and ovary, 230:1400
- vagal, electrical activity, small intestine (opossum), 239,2:G406
- vascular, hindlimb muscles, 235,4:H482
- vasoconstrictor, femoral circulation (swine), 240,9:H505
- vasodilator, femoral circulation (swine), 240,9:H505

**Innovar**, vasodilation, pressor response buffering, 236,5:H165

**Innovar sedation**, circulatory filling pressure, vascular capacitance measurements and, 234,3:H94

**Inorganic cations**, nephron function (reptile, bird, mammal), 239,8:R197

**Inorganic phosphate**: see Phosphate

**Inosine**

- adenosine effects, intestinal, 235,4:H707
- anoxia (hog), 233,2:H299
- blood flow, coronary, 233,2:H438
- carotid artery (hog), 233,2:H299
- distribution, myocardial, during coronary constriction, 236,5:H833
- formation sites, heart, 240,9:H963
- incorporation, brain nucleotides, 239,8:H212
- infusion, coronary vasodilation, nonmetabolically coupled, 238,7:H569
- uptake, liver and kidney, hemorrhagic shock, 233,2:R83

**Inosine monophosphate**, reamination, working skeletal muscle, 239,8:C32

**Inositol**

- incorporation into phosphatidylinositol, 232,1:E324
- perfusion, tissue potassium and, kidney, 242,11:F360

**myo-Inositol**, cotransport, renal brush border vesicles, 239,8:F113

**Inosituria**, myo-inositol transport, renal brush border vesicles, 239,8:F113

**Inotropic agents**

- comparative response, developing myocardium, 242,11:H13
- left ventricular response, pressure overload, 238,7:H134
- stiffness, cardiac muscle, 232,1:H275

**Inotropisms**, rate, myocardial, neonatal, 242,11:H834

**Intotropy**

- heart muscle: see Muscle, heart, contractility
- inosine effects, heart, 233,2:H438
- normal, with hyperfunction in hypertrophied left ventricle, 232,1:H418
- thyroidal effects, heart, 232,1:C196

**Input resistance**: see Resistance

**Inspiratory duration**: see Respiration

**Instrumentation**: see specific subject and site

**Insulin**

- absorption, amino acid effects, kidney tubules, 242,11:F745
- action
  - fat cells, sex differences, 243,6:E158
  - glucose transport, fat cells, 240,3:E556
  - glycolysis, intracellular pH effects, skeletal muscle (frog), 242,11:C87
  - <sup>125</sup>I-insulin autoradiographs, 240,3:G69
  - <sup>125</sup>I-insulin receptors, 240,3:G63
  - liposome-adipocyte interaction effects, 241,4:E281
  - modulation, insulin binding and, 240,3:E325
  - obesity, diabetes mellitus and, 243,6:E15
  - pancreatic acini, 240,3:G56, G63, G69
  - protein synthesis stimulation, 240,3:G56
  - streptozotocin treatment, 240,3:G56, G63, G69

**activity**

- exercise during fasting, obesity, 238,1:E322
- lean and obese (pig), 233,2:E97
- adenosine monophosphate, cyclic and liver, 237,6:R147
- muscle and, 233,2:E509
- adipocyte resistance, fatty acid synthesis, 234,3:E182
- adipose cellularity, diet and, 242,5:E437
- adrenalectomy and fasting, hindlimb muscle, 242,5:E323
- $\alpha$ -adrenergic inhibition, pancreatic islets, 239,2:E490
- adrenergic regulation, stress, spontaneous diabetes, 240,3:E373
- adrenocortical function, maternal and fetal, 240,3:E217
- affinity binding, pancreatic acini, 240,3:G63
- age-dependent resistance, skeletal muscle, genetic obesity, 239,2:E363
- alanine synthesis, 230:1379
- amino acid transport, 230:245
- diaphragm, newborn, 235,4:E304
- thioglucose obesity, soleus muscle, 243,6:E74
- antagonism
  - epinephrine and glucagon effects, 237,6:E487
  - hormonal mechanisms in hypoglycemia, 236,5:E380
- association, adipose cell size-function relations, 240,3:E166
- autoregulatory hypothesis, perfused liver-pancreas preparation, 237,6:E349
- binding
  - adipocytes, exercise and food restriction, 238,1:E108
  - adipocytes, hypergravitational force effects, 238,1:E330
  - adipocytes, in hyperinsulinemia, 235,4:E53
  - adipocytes, streptozotocin diabetes, 235,4:E175
  - anaerobiosis and adenosine triphosphate effects, soleus muscle, 235,4:E606
  - cultured human fibroblasts, 241,4:E251
  - degradation and, adipose cells, 240,3:E166
  - degradation and bioactivity, hepatocytes, 243,6:E132
  - glucose transport, fat cells, 240,3:E556
  - inhibition, phorbol ester, 243,6:E319
  - insulin action and degradation, 240,3:E325
  - negative cooperativity, 235,4:E606
  - neuraminidase inhibition, adipocytes, 239,2:E186
  - obesity and fasting effects, hepatocytes, 243,6:E240
  - serine effects, 241,10:C167
  - soleus muscle, lean and obese, 234,3:E348
  - starvation effects, skeletal muscle, 240,3:E184
  - wheat germ agglutinin and, fat cells, 238,1:E267
- blood flow, coronary, in diabetes with metabolic acidosis (lamb), 238,7:H263
- blood levels
  - hypothalamic knife effects, obesity, 243,12:R445
  - weight regulation, 232,1:R150
- calcium ions and, diabetes, 239,2:E132
- cannicular bile formation and, 231:40
- cardiac muscle contraction, responsiveness to norepinephrine and, 230:1360
- cardiac tissues, electrical activity, 240,9:H636
- carnitine transport and, myocardial, diabetes, 243,12:H154

cartilage and bone differentiation, 238,1:E200

catecholamine cardiomyopathy and, left ventricular, 238,7:H257

cellular processing, lectin, lysosomal-tropic and other agents, 243,6:E140

cholesterol synthesis, intestinal, 240,3:G274

chondrosarcoma growth and, 241,4:E129

circadian sleep and feeding patterns, 238,1:E223

<sup>14</sup>C-labeled pyruvates, incorporation into blood glucose, 235,4:E22

clearance
 

- adrenorenal rate, 240,9:F30
- exercise and, 239,2:G136

clearance rate, plasma, 235,4:E577

comparative effects on hepatic metabolites, gluconeogenesis and ketogenesis, 233,2:E13

concentration
 

- adipocytes, exercise and food restriction, 238,1:E108
- starvation, 236,5:E105

control of hepatic glycogen synthesis, 231:1608

Cori cycle activity, 232,1:E136

D-cell function, pancreatic and gastric, 237,6:E555

deficiency
 

- alloxan diabetes, protein turnover, liver, 241,4:E151
- calcium homeostasis and, diabetes, 242,5:E451

carbohydrate metabolism, spontaneous diabetes, liver, 240,3:E83

glucoregulation, catecholamine effects (baboon), 243,6:E225

glucose turnover, 236,5:E255

glycogen synthase phosphatase activity, 240,3:E539

ketogenesis, hepatic, 237,6:E121

degradation, 230:171

model, 237,6:E331

modulation, insulin binding, 240,3:E325

peritubular circulation, kidney, 243,12:F126

delivery rate, glucose-induced, measurement by deconvolution analysis, 233,2:E500

2-deoxy-D-glucose and, norepinephrine release, hypothalamus, 242,11:R596

dependence, paradoxical overeating, 236,5:E205

diabetes
 

- obesity, exercise, 240,3:E458
- postprandial exercise and, 242,5:E309

diabetes-induced inhibition of contractility and, heart, 242,11:H490

diabetes mellitus, reevaluation of sand rat as model, 239,2:E340

diabetic control, epinephrine-glucagon interaction effects, 242,5:E428

diabetic heart, 236,5:H806

dietary modulation, pancreatic  $\alpha$ -cells, 242,5:G354

dissociation, adipose cell size-function relations, 240,3:E166

distribution space, 239,2:E3

dose-response curves, glucose metabolism, 240,3:E630

early phase, 236,5:E85

electrical activity, jejunal, 230:1538

electrical stimulation, hypothalamic, 242,11:R220

electrolyte excretion, renal, 240,9:F17

endotoxic shock and, muscle, 239,2:E311

endotoxin effects, diabetes, 243,12:R77

epinephrine
 

- interaction, alloxan-diabetes, 241,4:E328
- running, 240,3:E526
- treatment effects, 241,10:C55

equilibrium binding
 

- adipose cell size-function relations, 240,3:E166



- dietary composition effects, adipose cells, 240,3:E175  
 exercise and, 234,3:E611  
 glycogenolysis, 240,3:E451  
   preceded by glucose ingestion, 233,2:E188  
 experimental injury, liver, 241,4:E428  
 extraction, hepatic, augmented secretion, 235,4:E88  
 extrapancreatic glucagon, glucose turnover and, 234,3:E213  
 fasting and refeeding effects, pancreas, 242,5:G215  
 fat and protein deposition, diabetes, 242,5:E19  
 fat cells, bilirubin and, 237,6:E504  
 fat mobilization, 232,1:E165  
 fatty acid effects, pancreatic islets (ovine), 234,3:E162  
 fatty acid esterification, intestinal, 238,1:E364  
 feeding behavior  
   glucoprivic, 234,3:E617  
   hypothalamic norepinephrine and, 236,5:R312  
   response, 234,3:E20, 239,2:E379  
 fetal, maternal fasting, 232,1:E456  
 food intake and, lateral hypothalamic lesions, 241,10:R362  
 free fatty acid metabolism, regulation, liver, 237,6:E23  
 gastric acid secretion, hepatic modulation, 238,7:R346  
 gastrin and secretory effects, pancreas (porcine), 238,1:E186  
 glucagon and  
   early response to arginine, glucose, and tolbutamide, 236,5:E85  
   exercise, 238,1:E13  
   hepatic response to, 242,5:E73  
   in hypoglycemia, 238,1:E131  
   secretion and, calcitonin modulation of, 242,5:E206  
 glucagon concentration, adipocytes, 238,1:E180  
 gluconeogenesis, 235,4:E295  
 glucoprivation, suckling, 232,1:E510  
 glucose  
   kinetics and, adrenergic blockade effects, sepsis and burns, 241,10:R222  
   tolerance and, pancreas, 241,4:E337  
 glucose autoregulation, midterm fetal liver, 234,3:E560  
 glucose loading (squirrel monkey), 234,3:R20  
 glucose metabolism, fat cells, 237,6:E325  
 glucose output, hepatic, somatostatin effects, 236,5:E113  
 glucose production  
   disposal and, hepatic, 237,6:E356  
   hepatic, 236,5:E358  
 glucose transport, fat cells, 234,3:E112, E484, 242,5:E368  
 glucose transport stimulation, adipocytes, 236,5:E621  
 glucose turnover  
   maternal and fetal, maternal hypoglycemia (sheep), 238,1:E524  
   nonsteady-state measurements, 234,3:E84  
 glucose uptake  
   awake state, liver, 242,5:E97  
   exercise, skeletal muscle, 241,10:C200  
   muscle, 239,2:E21  
   shivering thermogenesis, diabetes, muscle, 242,11:R109  
 glycogen metabolism, skeletal muscle, 239,2:E69  
 glycogenolysis, liver, during exercise, 237,6:R147  
 glycogen resynthesis, muscle, 238,7:R328  
 graded doses, potassium metabolism and, splanchnic and peripheral, 238,1:E421  
 growth hormone and, 234,3:E611  
   effect on glycogen metabolism, adipose tissue, 238,1:E389  
 hexose metabolism, neuraminidase inhibition, adipocytes, 239,2:E186  
 high-fat diet effects, pancreatic acini, 243,6:G448  
 homeostasis, perfused liver, fasting effects, 237,6:E349  
 hormonal content, endocrine pancreas, 238,1:G526  
 hormone-stimulated protein kinase systems, inhibition of, renal cortex, 236,5:E649  
 hyperphagocytosis, diabetes, reticuloendothelial system, 240,3:G225  
 hyperpolarization, muscle, 241,10:C145  
 hypoglycemia, 237,6:E487  
   pyloric pressure response, 241,4:G321  
   recovery, hormonal mechanisms, 236,5:E380  
 hypoglycemia-induced compensation for glucagon lack, 236,5:E263  
 hypothalamic obesity, 235,4:E266  
<sup>125</sup>I-labeled  
   autoradiographs, pancreatic acini, 240,3:G69  
   binding, hyperosmolarity, muscle, 240,3:E263  
   degradation rate, 239,2:E3  
   influence of oral cavity on release of, 230:1411  
   ingestive response, amygdaloid lesion effects, 242,11:R129  
 injections  
   blood metabolites and feeding, 243,12:R304  
   plasma glucose after, hypothalamic, 240,3:E95  
 insulinotropic factor secretion, 236,5:E710  
 internalization, glucose transport, fat cells, 240,3:E556  
 intestinal nucleotide cyclases, 235,4:E539  
 jejunal function, 233,2:E181  
 keto acid oxidation, diabetes, 239,2:E215  
 kinetics  
   after portal and peripheral injection, 230:1626, 1630  
   exercise and food restriction, 238,1:E108  
   hepatic, glucose oscillations and, 238,1:E395  
   model, 235,4:E577  
 Kupffer cell phagocytosis, hyperinsulinemia and, 238,1:E276  
 left ventricular function, preservation in catecholamine cardiomyopathy, 238,7:H257  
 leucine utilization, adipose tissue, site of action, 233,2:E97  
 levels  
   mixed meal effects, 240,3:E54  
   potassium homeostasis and, hyperinsulinemia, 242,5:E373  
 lipolysis, adipose tissue, exercise, 239,2:E422  
 liver, suckling, 233,2:E175  
 liver regeneration, fasting, 240,3:E112  
 meiosis reinitiation, oocytes (frog), 241,4:E51  
 metabolic alterations, experimental obesity, 233,2:R162  
 metabolic and functional effects, perfused kidney, 235,4:F52  
 metabolic disposal, liver, 240,3:E233  
 metabolism  
   isolated perfused kidney, 240,9:F288  
   postexercise, 235,4:E255  
 metabolism and proliferation, fibroblasts, 239,2:E125  
 migrating complex, postprandial disruption, 235,4:E666  
 mimickers, glucose transport, fat cells, 234,3:E484  
 monovalent cation transport (duck), 234,3:C39  
 myoblasts differentiation and, DNA synthesis, 243,12:C278  
 myocardial and coronary vascular responses, neonatal diabetes (lamb), 237,6:H514  
 myocardial slow channels and, 235,4:H46  
 myoelectric activity, small bowel, 235,4:E249  
 negative cooperativity, adipose cell size-function relations, 240,3:E166  
 neural inhibition, hypoglycemia, 230:1090  
 nonsteady-state ketone body turnover, tracer technique, 240,3:E253  
 norepinephrine and, reciprocal inhibition, cardiac (piglet), 233,2:H665  
 obesity, 230:1336  
 odd carbon fatty acids and, 231:366  
 output, pancreatic cells, somatostatin analogues, 236,5:E123  
 pancreatic cell response, gastric inhibitory polypeptide, 237,6:E185  
 pancreatic islets (toadfish), 233,2:E19  
 parathyroid hormone resistance, 237,6:F175  
 plasma  
   amino acid transport and, diaphragm, newborn, 235,4:E304  
   basal, neural influences on (monkey), 240,3:E5  
   catecholamine fluctuation and (monkey), 242,5:E40  
   central nervous system control, 243,6:E213  
   development of, fetus and suckling, 242,5:E220  
   disappearance, 235,4:E577  
   halothane effects on oscillation (monkey), 240,3:E1  
   hypothalamic obesity, 239,2:E437  
   levels, adipose tissue morphology and, 240,3:E358  
   levels, nucleus ambiguous stimulation, 241,4:E22  
   levels, nutritional state effects (monkey), 242,11:R255  
   lipogenesis, genetic obesity, 239,2:E265  
   morphine effects on oscillation (monkey), 240,3:E1  
   oscillations during potassium infusion, 243,12:F44  
   reserpine effects on oscillation (monkey), 240,3:E1  
 plasma-cerebrospinal fluid levels, relations, 233,2:E331  
 plasma clearance, hepatic, 237,6:E509  
 plasma somatostatin and (monkey), 243,12:R289  
 portacaval shunt, liver, 239,2:G83  
 postprandial, pancreatectomy and, mixed meal responses, 242,5:E335  
 postreceptor defect, obesity, diabetes mellitus, 243,6:E15  
 potassium homeostasis, 241,10:F151  
 extrarenal, 240,9:F257  
 prandial, two stages, 235,4:E103  
 preabsorptive release of, hypoglycemia and, 230:56  
 processing, kidney tubules, 242,11:F112  
 prostaglandin inhibitors, pancreatic islets, 239,2:E490  
 protein balance, regulation, fetal heart, 234,3:E306  
 protein synthesis  
   degradation and, normal and dystrophic muscle, 239,2:E401  
   liver and small intestine, 241,4:E238  
   lung, in starvation and diabetes, 236,5:E421  
   muscle cells (chicken), 243,12:C81  
   pancreas, 243,6:G69  
   skeletal muscle, 239,2:E88  
   skeletal muscle and heart, 235,4:E126  
 push-pull perfusion, hypothalamic norepinephrine and, 236,5:R312  
 pyruvate metabolism, liver, 236,5:E501  
 receptors: see Receptors

**Insulin (continued)**

regulation of secretion, pancreas, 231:1830

release

- acetylcholine-stimulated pancreatic islets, 235,4:E493
- amino acid effects, pancreatic  $\beta$ -cells, 240,3:E245
- amino acid-induced, pancreas, fetal, 239,2:E57
- amino acids and gastric inhibitory polypeptide effects (foxhound), 242,5:E53
- calcium dependency, perfused pancreas, 236,5:E98
- calcium effects, islet  $\beta$ -cells, 240,9:C64
- calcium fluxes and, pancreatic islets, 238,1:E87, E96
- calcium ion influx and, pancreatic  $\beta$ -cell, 242,5:E59
- cephalic phase, sham feeding-induced, 242,5:E280
- chloride fluxes and, interrelations, pancreatic islets, 235,4:E501
- C-terminal fragments of human growth hormone, 234,3:E527
- effects of calcium, epinephrine, and acetylcholine, 231:1246
- feedback inhibition of, 243,6:E476
- gastric inhibitory polypeptides and arginine effects, 242,5:E343
- glucagon-induced, during hypoxia, 237,6:E45
- glucose-induced, deconvolution analysis, 233,2:E500
- glucose-induced, pancreatic islets, 236,5:E139
- glucose-induced, cold acclimation and, pancreas, 242,5:E360
- glucose-stimulated, dantrolene inhibition of, 243,6:E59
- growth hormone effects, pancreas, 237,6:E107
- hypothalamic influences, 233,2:E380
- islets of Langerhans, modulation by bicarbonate, 231:713
- nutritional factors, perfused pancreas, 236,5:E98
- pancreatic  $\beta$ -cells, 243,6:E196
- rhythmic plateau potentials, pancreatic islet cells, 240,3:E290
- rubidium-86 efflux, regulation, pancreatic islets, 236,5:E139
- somatostatin analogue-impaired, hyperglycemia effects, 240,3:E407
- tetraethylammonium effects, pancreatic  $\beta$ -cells, 240,9:C116
- xenopsin effects, 243,6:G195

removal, hepatic, in fasting, perfused liver-pancreas preparation, 237,6:E349

removal by liver, 230:171

resistance: *see also* Resistance

- glucose clamp technique, 237,6:E214
- glucose metabolism, soleus muscle, 242,5:E12
- hemorrhagic shock, muscle (monkey), 233,2:E439
- human growth hormone synthetic C-terminal fragments, 234,3:E521
- metabolic acidosis, 236,5:E328
- soleus muscle, lean and obese, 234,3:E348

response

- dietary composition effects, adipose cells, 240,3:E175
- submaximal exercise, liver, trained rats, 240,9:R330

responsiveness, wheat germ agglutinin, fat cells, 238,1:E267

resting membrane potential, skeletal muscle (frog), 236,5:C249

secretagogues, pancreas, 236,5:E291

secretion

- acid-base alterations, 234,3:E426
- adrenergic modulation dependent on thyroid states, 234,3:E106

- $\beta$ -cell transplantation, 235,4:E119
- cephalic phase, transplanted pancreatic islets, 238,1:E336
- cold acclimation and, pancreas, 242,5:E360
- diurnal changes, glucose effects, 238,1:E463
- ethionine-treated pancreas, 243,6:E505
- exercise and, 239,2:G136
- fetal and newborn (sheep), 235,4:E467
- glucagon secretion and, 236,5:E20
- glucose-induced, deconvolution analysis, 233,2:E500
- hyperglycemia, 240,3:E407
- hypoglycemia, 232,1:E237
- in vitro, perfused pancreas, 238,7:R378
- isolated perfused pancreas, 236,5:E391
- kinetics, pancreatic, 238,7:R378
- leukocytic endogenous mediators, 233,2:E240
- obesity-hyperglycemia, 233,2:E86, 235,4:E501
- pancreas, obesity, 241,4:E146
- pancreas-duodenum (rat, chicken), 238,1:E150
- pancreatic islets, 235,4:E191
- perfused pancreas and, 241,4:G43
- physical training effects, 243,6:E464
- priming effect of glucose, 240,3:E24
- reticuloendothelial system phagocytosis, 242,5:E115
- secretin and (pig), 235,4:E381
- somatostatin inhibition, islet cells, 233,2:C164
- stimulators, 236,5:E85
- storage- and signal-limited, pancreatic, models, 238,7:R378
- vagotomy, truncular, 235,4:E119
- vasoactive intestinal peptide stimulation, 232,1:E197
- vasoactive intestinal polypeptide and (pig), 235,4:E387

secretory dynamics, developing pancreas, 239,2:E57

secretory granules, 230:441

islet cell calcium pool, 232,1:E114

sensitivity

- adipocytes, 236,5:E621
- adipocytes, hypergravity and, 238,1:E330
- adipocytes, hyperinsulinemia, 235,4:E53
- aging, skeletal muscle, 236,5:E519
- dietary composition effects, adipose cells, 240,3:E175
- hypergravity adaptation, skeletal muscle, 240,3:E482
- physical training and obesity effects, 243,6:E418
- quantitative estimation, 236,5:E667
- site, exercise, 239,2:E169
- starvation effects, skeletal muscle, 240,3:E184
- time-dependent, glucagon-stimulated glycogenolysis, liver, 236,5:E246
- tissues (*ob/ob* mouse), 240,3:E101
- wheat germ agglutinin and, fat cells, 238,1:E267

skeletal muscle, fasting, 236,5:E519

sodium-potassium-ATPase activity (duck), 234,3:C59

sodium-potassium-ATPase and, kidney, 242,11:F207

sodium pump and, bladder, 230:1603

sodium transport

- bladder (toad), 232,1:F270, F307
- glucose metabolism and, kidney cells, 242,11:C121

spinal anesthesia, pancreatic islets, 239,2:E150

starvation and, 239,2:E277

starvation and obesity effects, perfused organ system, 241,4:E215

stimulation, sodium and potassium ac-

- tivities during, soleus muscle, 242,5:E193
- stimulation of adipose tissue, 230:602
- stimulation of ornithine decarboxylase, small intestine, 231:1557
- substrate cycling, 235,4:E295
- sugar transport

  - adenosine triphosphate effects, soleus muscle, 234,3:E407
  - kinetics, heart muscle, 234,3:E70
  - stimulation, muscle, 240,3:E263

- swim training effects, genetic obesity, 242,11:R204
- thermogenesis, infant, 233,2:R23
- thyroid treatment and, 243,12:R170
- treatment

  - diabetes, lipoprotein lipase in, 242,5:E445
  - obesity and, 243,12:R347

- triglyceride secretion, exercise, 234,3:E221
- uptake, hepatic, 237,6:E509
- utilization, site of action, 233,2:E97
- vagally mediated pancreatic secretion, fluid and bicarbonate (pig), 237,6:E535
- ventricular function and, diabetic acidosis (lamb), 241,10:H401
- zinc excretion, urinary, 240,9:F299

**Insulinemia**, portacaval diversion, adipose tissue, 234,3:E579

**Insulin-glucagon ratio**, molar, hepatic, 235,4:E88

**Insulin-growth hormone ratio**, body composition and, 238,1:E231

**Insulin-like activity**

- extrapancreatic tissue, 238,1:E258
- metabolism and proliferation, fibroblasts, 239,2:E125

**Insulinotropic factor**, secretion, intestinal, 236,5:E710

**Integration**, physiological concept, 237,6:R255

**Integrative pharmacology**: *see* Pharmacology

**Integrative physiology**: *see* Physiology

**Intelligence**, artificial, physical causality and brain theories, 238,7:R277

**Intercapillary distance**, coronary, relation to  $P_{tO_2}$  and aerobic capacity, 231:1852

**Intercellular space**, lateral, sodium-to-chloride permeability, proximal convoluted tubule, 235,4:F592

**Interdigestive contractions**

- cycles

  - diurnal pH changes, duodenum, 238,1:G91
  - stomach, 238,1:G85

- gallbladder, 240,3:G183
- migrating, secretory activity, exocrine pancreas, 241,4:G98
- postprandial changes, gallbladder, 243,6:G365

**Interdigestive motor states**

- jejunal absorption and transit, 239,2:G167
- liquids and solids, transit, jejunum, 239,2:G497

**Interdigestive myoelectric complex**: *see* Myoelectric complex

**Interferometry**, epithelial transport processes, 237,6:F167

**Interminism**, physical causality, brain theories and, 238,7:R277

**Internalization**

- binding and, particles, macrophage phagocytosis, 242,11:C339
- insulin receptors and, cultured human fibroblasts, 241,4:E251
- sodium-potassium-ATPase, HeLa cells, 241,10:C173

**Internodal conduction**, role of sinoatrial ring bundle, 231:319

**Interorgan transport**, amino acids, hemorrhagic shock, 231:377

- Interspike voltage:** see Voltage  
**Interstitial collagen:** see Collagen  
**Interstitial compliance:** see Compliance  
**Interstitial fluid pressure:** see Pressure  
**Interstitial fluid:** see Fluid  
**Interstitial macromolecules,** osmotic interaction, plasma proteins, 231:638  
**Interstitial matrix**  
   intestinal volume absorption and, 238,1:G183  
   molecule transport, plasma and lymph, 239,8:H525  
**Interstitial oncotic pressure:** see Pressure  
**Interstitial pressure:** see Pressure  
**Interstitial protein osmotic pressure:** see Pressure  
**Interstitial space**  
   molecule transport, plasma and lymph, 239,8:H525  
   pressure measurement, with mucopolysaccharide osmotic pressure, 232,1:H608  
   water balance, 230:1121  
**Interstitium**  
   fluid transport, transmucosal, intestinal, 240,3:G343  
   movement, macromolecules, small intestine, 241,4:G31  
**Interval-force relations,** aortic pressure, stroke volume and, 230:893  
**Interventricular septa**  
   arterially perfused, on-line calorimetry in (rabbit), 243,12:H289  
   ischemia, 231:1225  
**Intervillus space,** unstirred water layer, intestine, 242,5:G364  
**Intestinal absorption**  
   adenosine triphosphate, 233,2:E47  
   alanine, inhibition by sodium ricinoleate, 236,5:E534  
   alcohols, 236,5:E721  
   amino acids, in streptozotocin diabetes, 235,4:E457  
   bile salts, neonatal, 239,2:G319  
   blood flow and, ileal, 236,5:E482  
   calcium  
     age effects, 236,5:E763  
     bone mineralization, 232,1:E298  
     calcium-binding protein and, relations (chick), 236,5:E556  
     metabolic acidosis, 239,2:G480  
     parathyroid hormone effects, 232,1:E535  
     phosphate and vitamin D, 241,4:G49  
     phosphorus depletion and, 236,5:E451  
    $\beta$ -carotene, 235,4:E686  
   cholinergic-adrenergic interactions, 235,4:E402  
   chylomicron composition and, 235,4:E183  
   diglycine, in streptozotocin diabetes, 235,4:E457  
   drugs, hypertonicity and, 236,5:E52, E57  
   fatty acids, long chain, 236,5:E721  
   fluid, lymph capillary pressure and, 237,6:E301  
   fluid transport, transmucosal, 240,3:G343  
   glucose, diabetes mellitus, 233,2:E181  
   glucose, sodium, and water, 234,3:E629  
   25-hydroxyvitamin D<sub>3</sub>, 236,5:E441  
   intrinsic factor-mediated, cobalamin, 241,4:G294  
   in vivo, 234,3:E54  
   iron, stimulation, 236,5:E763  
   7-ketolithocholic acid, 239,2:G161  
   lead, suckling, 239,2:G114  
   magnesium, 239,2:E515  
   metabolic hyperemia, 237,6:E548  
   metabolic hyperemia and, 239,2:G12  
   oral therapeutic agents, models, 236,5:R137  
   phosphorous, in phosphorous depletion, 236,5:E451  
   phosphorus adaptation, 239,2:G261  
   phosphorus, metabolic acidosis, 239,2:G480  
   pyridoxine hydrochloride, 235,4:E272  
   serotonin effects, 232,1:E85  
   solute-coupled transport and, 235,4:E429  
   vitamin A<sub>1</sub>, 232,1:E471  
   vitamin K, 232,1:E69  
   water, lymph capillary pressure and, 237,6:E301  
   water-soluble vitamins, 240,3:G97  
   zinc, prostaglandin E<sub>2</sub> role, 234,3:E99  
**Intestinal arteries,** properties of, Goldblatt hypertension, 241,10:H525  
**Intestinal bypass surgery**  
   appetite suppressant activity of plasma, 243,12:R60  
   obese and lean mice, 234,3:E389  
**Intestinal capillaries,** permeability, to endogenous macromolecules, 238,7:H457  
**Intestinal cells**  
   ammonia-incubated, macromolecule synthesis (chick, rat), 233,2:E341  
   ATP-dependent, sugar transport, 238,7:C73  
   epithelial  
     activities (*Aplysia*), 239,8:R445  
     folate transport (chicken), 240,3:G170  
     3-O-methylglucose transport, phloretin and theophylline effects (chicken), 234,3:C64  
     sugar transport, regulation by exogenous ATP, 238,7:C177  
     isolated, fasting effects, 242,5:G168  
     proliferation, villous cell-derived inhibitor of, 241,4:G520  
     shedding, ethanol effects, 241,4:G176  
**Intestinal enzymes**  
   activation, anion-stimulated, 238,1:G3  
   adaptation to diet, 239,2:G445  
   glucocorticoid responsiveness and, postnatal development, 242,5:G89  
   high-fat diet and carbohydrate-induced satiety, adaptation to, 237,6:R139  
**Intestinal epithelium,** sodium-dependent transport system,  $\alpha$ -methylglucoside and (chicken), 241,10:C227  
**Intestinal fluid:** see Fluid  
**Intestinal hormones,** 236,5:E710  
   duodenal motility and, 238,1:G280  
   food intake suppression, gastric emptying and (monkey), 242,11:R491  
   stimulation, vasoactive intestinal peptides, 232,1:E197  
**Intestinal lumen,** water and solute transport, osmotic gradients, 237,6:E389  
**Intestinal motility:** see Motility  
**Intestinal mucosa**  
   albumin clearance, ischemia and oxygen radical effects, 242,5:G448  
   copper absorption, binding components, 236,5:E309  
   function, immunological regulation of, 243,6:G321  
   glucocorticoid effects, structure and function, 241,4:G306  
   subcellular distribution of 5-phosphoribosyl 1-pyrophosphate synthetase, 239,2:G266  
   sugar absorption and secretion (flounder), 240,3:G392  
**Intestinal peptides:** see Peptides; Polypeptides  
**Intestinal phase**  
   gastric acid response, vagal influence, 232,1:E542  
   gastric secretion, stimuli, 234,3:E64  
   pH, effects, 233,2:E537  
**Intestinal resistance:** see Resistance  
**Intestinal rings,** everted, fatty acid esterification, 234,3:E236, 238,1:E364  
**Intestinal sacs**  
   calcium and phosphorus absorption, metabolic acidosis, 239,2:G480  
   everted  
     calcium absorption and adaptation, age effects, 236,5:E763  
     charged drugs, uptake, 236,5:E52, E57  
**Intestinal satiety:** see Feeding  
**Intestinal stimulants,** pancreas, transplanted, 236,5:E186  
**Intestinal tissue,** glucose exposure, oxygen tension and, 238,7:H164  
**Intestinal villi**  
   lymph capillary pressure, during fluid absorption, 237,6:E301  
   passive absorption, prediction, small bowel, 239,2:G23  
   structure, 238,1:G203  
   water, unstirred layer, 242,5:G364  
**Intestinal volume absorption,** interstitial matrix and, 238,1:G183  
**Intestinal wall**  
   flow distribution, during digestion, 238,7:H220  
   motion, propulsion and fluid movement, 243,6:G177  
**Intestines**  
   adaptation  
     glucose absorption, 240,3:G432  
     glucose intake in vitro, 238,1:G219  
     streptozotocin diabetes, 235,4:E457, E699  
   adenosine effects on hemodynamics, oxygen delivery, capillary fluid exchange and, 235,4:H707  
   adenosine triphosphate, respiratory control and active transport, midgut (hornworm), 238,7:C10  
   adenylate cyclase, serotonin effects, 232,1:E85  
   adrenergic-cholinergic axoaxonic synapse, reciprocal, 236,5:E738  
   alcohols, permeation, 236,5:E721  
   alkaline phosphatase  
     fat feeding effects, 241,4:G461  
     phosphohydrolase activity, anion-stimulated, 238,1:G3  
   anion flux, brush border and basolateral membranes, 238,7:F452  
   autoregulation, pulsatile pressure and metabolic rate effects, 242,11:H769  
   bicarbonate secretion, 232,1:E574  
   bile salt, transport, postnatal (guinea pig), 243,6:G189  
   bioenergetics, midgut (hornworm), 238,7:C1  
   blood flow: see Blood flow; Circulation  
   blood reservoir function, 232,1:H67  
   brush border: see Brush border  
   bypass, food intake regulation, ileum, 242,11:R429  
   calcium absorption  
     duodenum, 241,4:G344  
     streptozotocin-induced diabetes mellitus, 242,5:E451  
   calcium-binding protein regulation, 242,5:E47  
   calcium transport, 230:1255  
   somatostatin effects, 241,4:G215  
   capillary permeability, 241,4:G24  
   fat absorption and gastrointestinal hormones, 242,5:G194  
   histamine effects, 240,3:G381  
   chloride transport, amino acid effects (sea hare), 240,9:R61  
   cholecystokinin effects, food intake and gastric emptying (monkey), 242,11:R491  
   cholesterol synthesis, hormonal regulation, 240,3:G274  
   chyme: see Chyme  
   circadian rhythms, sucrase and glucose transport, 230:731  
   closure, lead retention, suckling, 239,2:G114  
   cobalamin: absorption, 241,4:G294  
   conductance, mesenteric, control mechanism, 232,1:H260

**Intestines (continued)**

- control, gastric secretion, nutrient and bowel segment effects, 243,6:G372
- cotransport (freshwater prawn), 239,8:C1, C11
- metabolic hyperemia, 239,2:G12
- cyclic nucleotide phosphodiesterase, serotonin effects, 232,1:E85
- denervation, mesenteric, 232,1:H260
- development
- nutritional supplementation effects, fetal (sheep), 241,4:E178
  - postnatal, 235,4:E451
- diffusion potentials (freshwater prawn), 239,8:C1
- 1,25-dihydroxyvitamin D<sub>3</sub> effects, 240,3:G90
- electrophysiology, 232,1:E5
- enteropancreatic circulation, pancreatic amylase, 241,4:G54
- ethanol effects, amino acid absorption, 241,4:G176
- exchange vessels, myogenic responses, 233,2:H547
- fat absorption mechanisms, 240,3:G1
- filtration rate, autoregulation of, 243,6:G475
- filtration-secretion, intraluminal pressure effects, 242,5:G65
- flow autoregulation, fasting and feeding, 237,6:H174
- flow distribution, within wall, 230:583
- function
- insulin, glucose, and diabetes mellitus effects, 233,2:E181
  - potassium loading and, 231:987
- gastrin effects on adaptation, small bowel resection, 243,6:G16
- glucose
- secretion, diabetes, 242,5:G455
  - transport, fetus, 242,5:G642
- glucose uptake, kinetic parameters, 239,2:G372
- glutamine metabolism, interorgan relations, 240,3:E519
- goblet cells, regulation of secretion, 242,5:G370, G380
- growth
- gastrin and, streptozotocin diabetes, 242,5:G460
  - streptozotocin diabetes, 235,4:E457
- heme metabolism, epithelial cells, 242,5:G147
- hormones, bicarbonate transport and, duodenum, 243,6:G348
- horseradish peroxidase transport, jejunum, 242,5:G558
- hyperemia: see Hyperemia
- immunophysiology, 242,5:G1
- insulinotropic factor, secretion, 236,5:E710
- interstitial hyperosmolality, sodium-induced, absorptive hyperemia, 242,11:H785
- intrinsic control, fluid, hydrostatic work, 240,3:G147
- ion transport, 238,1:G3, G67, G491
- $\alpha_2$ -adrenergic receptors and, 242,5:G237
  - calcium-regulated, epithelial cells (chicken), 243,12:C116
  - cholera toxin effects, epithelial cells (chicken), 243,12:C107
  - cholinergic-adrenergic interaction, 235,4:E402
  - endogenous norepinephrine release and, intestinal, 241,4:G264
  - guanosine monophosphate, cyclic, effects, 243,6:G36
  - methylprednisolone effects, 240,3:G365
  - respiratory alkalosis and acidosis effects, 242,5:G486
  - transmural (freshwater prawn), 239,8:C1, C11
- $\alpha$ -ketoisocaproate disposal, 243,6:E123
- lecithin ingestion, plasma and lymph lipoproteins and, 241,4:G422
- lipid transport, pluronic L-81 effects, 241,4:G487
- lipoprotein production, Triton-induced hyperlipidemia and, 238,1:G453
- long-chain fatty acids, permeation, 236,5:E721
- lower, surgical removal, hyperglucagonemia and, 239,2:E346
- luminal distension, transcapillary fluid exchange, 239,2:G516
- lymph, furosemide and, 238,7:F363
- lymphatic obstruction, 237,6:E301
- lymph flow, 232,1:E13
- secretion and, interaction, 232,1:E5
- magnesium absorption, diabetes, 231:1039
- metabolic acidosis effects, low calcium diet and, 243,12:F570
- metabolism
- glucose absorption and, 240,3:G432
- metabolism, mesenteric circulation, model, 242,5:G541
- microcirculation, transmucosal fluid transport and, 240,3:G343
- microflora urea recycling (ground squirrel), 239,8:R168
- microspheres, redistribution of, 243,12:H123
- microvascular pressure, muscle and mucosal villi, 233,2:H685
- midgut, carbonic anhydrase (tobacco hornworm), 241,10:R92
- motility: see Motility
- motor events, large colon (equine), 237,6:E457
- mucin secretion
- reserpine treatment and, 241,4:G443
  - stimulation by cholera toxin, 240,3:G10
- mucosal blood flow measurement, laser-Doppler velocimetry, 242,5:G668
- mucosal oxygenation, absorptive hyperemia, 239,8:H489
- muscle: see Muscle, intestinal
- myoelectric activity
- after activation of emetic mechanisms, 233,2:E131
  - perinatal development (dog, sheep), 237,6:E61
- myogenic responses, arterial pulse pressure, 235,4:H157
- myogenic vasoconstriction, oxygen extraction and, 238,7:H836
- noncarrier-mediated transport, sodium effects, 243,6:G148
- norepinephrine vasoconstrictor escape, 230:1461
- nucleotide cyclases, subcellular distribution, epithelial, 235,4:E539
- osmotic vasodilation, ileal, 234,3:H14
- oxygenation, 243,6:G91
- exchange vessels in, 242,5:G570
  - regulation, capillary recruitment and, 242,5:G435
- oxygen consumption
- fetal (lamb), 242,11:H50
  - histamine receptors and, 233,2:E219
  - hypoxia, 234,3:E248
  - newborn (lamb), 240,3:G297
  - portal pressure reduction and, 238,1:G502
- oxygen uptake
- hepatic nerve stimulation, 232,1:H652
  - myogenic responses, 233,2:H547
  - partial arterial occlusion, 236,5:H731
- parasitism, immunological regulation of, 243,6:G321
- passive uptake, sodium effects on major diffusion barriers, 243,6:G148
- pentagastrin effects, smooth muscle, 239,2:G295
- perfusion
- magnesium absorption, jejunal, 238,1:G349
  - sham feeding effects, 234,3:E417
- peristalsis, smooth muscle, distal colon, 236,5:E464
- permeability: see Permeability
- phosphate transport
- alkaline phosphatase activity and (chick), 240,3:E379
  - 1,25-dihydroxyvitamin D<sub>3</sub> effects, 243,6:E470
- pinocytosis, lead retention, suckling, 239,2:G114
- postprandial hyperemia
- histamine receptors in, 243,6:G248
  - prostaglandins and, 242,5:G140
- potential difference: see Potential difference
- propulsion, fluid, hydrostatic work, 240,3:G147
- protein degradation, 242,5:G650
- protein synthesis, 234,3:E648
- purinergic inhibitory neurons, 5-hydroxytryptamine effects, 237,6:E198
- receptivity, fluid emptying, 241,4:G403
- regulatory physiology, peptide secretory pathways, 239,2:G237
- resistance vessels
- peptides, 232,1:H260
- vasopressin effects, 236,5:H200
- secretin development, postnatal, 243,6:G511
- secretion
- blood flow and, ileal, 236,5:E482
  - chloride, pancreatic enzyme stimulation, 239,2:G190
  - chloroquine effects, ileum, 243,6:G117
  - cholinergic-adrenergic interactions, 235,4:E402
  - enterotoxin-induced, organic acid proton donors and, 241,4:G227
  - glucagon-induced, 239,2:G30
  - lipoproteins, very low density, 234,3:E277
  - noradrenergic nervous system, colonic mucosa, 241,4:G137
  - ouabain inhibition, 234,3:E629
  - production, luminal pressure in, 233,2:E416
  - prostaglandin E<sub>1</sub>-induced, protein efflux, 236,5:E788
  - tryptophan effects, jejunum, newborn, 242,5:G308
- segments, fluid propulsion, hydrostatic work conditions, 240,3:G147
- short-circuit current: see Current slices, hexose transport, jejunum (chick), 240,3:G102
- slow waves, propagation, longitudinal muscle, 240,9:C135
- smooth muscle contractions, Tris effects, 241,10:H337
- sodium-potassium-ATPase, significance, 234,3:E629
- spiking activity, perinatal development (dog, sheep), 237,6:E61
- sterilization, insulin and glucagon, liver injury, 241,4:E428
- sugar absorption and secretion (flounder), 240,3:G392
- transport
- active, during metabolic hyperemia, 237,6:E548
  - active and passive, bile acids, 241,4:G83
  - angiotensin effects, jejunal, 240,3:G17
  - amino acids, 235,4:C73
  - amino acids, in vitamin B<sub>6</sub> deficiency, 235,4:E316
  - ascorbic acid, ileal, 233,2:E374
  - bile salt sulfate esters, sulfation patterns, 238,1:G34
  - calcium, aging, 239,2:E322
  - calcium, and calcium ATPase activity, uremia, 238,1:G424
  - carrier-mediated, Michaelis-Menten kinetics, 236,5:E701
  - cholera toxin effects, 232,1:E85
  - electrogenic (freshwater prawn), 239,8:C11



- electrolytes, metabolic alkalosis and acidosis, 239,2:G427  
 fluid, epithelial cell extrusion, 232,1:E408  
 fluid, hydrostatic work, 240,3:G147  
 fluid, lymph capillary pressure and, 237,6:E301  
 fluids, luminal pressure and, 233,2:E416  
 folic acid, 235,4:E678  
 genetic diabetes, 238,1:G419  
 gradient-coupled, 235,4:C73  
 gradient-coupled, isolated epithelial cells (chick), 237,6:C56  
 Hirschsprung's disease and, 239,2:G123  
 hypophysectomy, 232,1:E229  
 hypoxanthine and xanthine, 238,1:G141  
 lipids, 233,2:E124  
 maximal, triglyceride, 242,5:G408  
 models, 233,2:E247, E249, E357  
 3-O-methylglucose, epithelial cells (chicken), 234,3:C64  
 parathyroidectomy, 232,1:E336  
 phosphate, alkaline phosphatase activity (chick), 240,3:E379  
 phosphate, vitamin D effects (chick), 234,3:E379  
 phosphate, vitamin D<sub>3</sub> metabolites and, 233,2:E488  
 potassium, descending colon, 242,11:C81  
 sham feeding and, 234,3:E417  
 sodium, organic solutes (freshwater prawn), 239,8:C11  
 sodium and anion, colon (equine), 233,2:E469  
 sodium and water, hypermagnesemia effects, 231:1771  
 sodium-coupled solute, small intestine, 233,2:E249  
 sodium (parrot), 239,8:R285  
 solute-coupled volume absorption, ileal, 236,5:E198  
 sugar, membrane potentials in, 233,2:E357  
 vitamin D<sub>3</sub> metabolites and, 233,2:E488  
 water, ileal blood flow and, 236,5:E482  
 transport and metabolism, water-soluble vitamins, 240,3:G97  
 transport energetics,  $\alpha$ -methylglucoside and (chicken), 241,10:C227  
 transport preparation, kinetic parameters, 239,2:G372  
 transvascular fluid balance, sepsis, 242,11:H557  
 triglyceride-rich lipoproteins, binding and removal, liver, 243,6:G389  
 unidirectional flux rates, Michaelis-Menten kinetics, 236,5:E701  
 unstirred water layer, D-glucose transport, 236,5:E685  
 vascular capacitance, using mean transit time of indicator, 234,3:H7  
 vascular compliance, delayed, fluid exchange and, 234,3:H660  
 vascular resistance, angiotensin and epinephrine effects (dogfish), 234,3:R196  
 vasoconstriction effects, vascular resistance and oxygen extraction, 230:298  
 vasodilation: see Vasodilation  
 villus blood flow, 230:916  
 wall movement, absorption and, model, 243,6:G541
- Intestines, large**  
 calcium transport  
 cecum, 240,3:G424  
 diabetes, 235,4:E699  
 permeability, colonic capillaries, 239,2:G300  
 sodium bicarbonate, and volatile fatty acid transport, relations (equine), 233,2:E469
- Intestines, small**  
 absorption  
 interdigestive and digestive motor states, 239,2:G167  
 passive, mucosal, prediction, 239,2:G23  
 alkaline phosphate, low dietary phosphate intake and, 237,6:E465  
 amino acid and hexose transport, crypt cells, 239,8:C190  
 ammonia production, intraluminal glucose effects, 242,5:G552  
 anion-stimulated ATPase activity, brush border, 236,5:E70  
 aspirin effects, jejunal transport of sugar, amino acid, and sodium, 236,5:E495  
 Auerbach's plexus stimulation, polarity of effects on longitudinal muscle, 235,4:E345  
 bicarbonate absorption (amphibian), 241,4:G389  
 bicarbonate transport, theophylline effects (*Amphiuma*), 236,5:E775  
 brush-border membrane, chloride translocation mechanism, 242,5:G263, G272  
 brush-border membrane vesicle, cyclo-leucine transport (killifish), 237,6:E567  
 bypass, hepatic lipid accumulation, 239,2:G358  
 calcium secretion, paracellular pathway, 236,5:E473  
 calcium transport  
 early development, 239,2:G463  
 pregnancy and lactation, 239,2:E64  
 chloride activity, absorptive cell (*Amphiuma*), 232,1:E553  
 cholecystokinin, 232,1:E44  
 cholecystokinin octapeptide, 232,1:E306  
 cholera toxin, serosal, 232,1:E210  
 circadian rhythmicity, functions independent of use of intestine, 238,1:G203  
 circular muscle spike, calcium roles, 237,6:C247  
 circulating citrulline, 241,4:E473  
 circulation: see Blood flow; Circulation  
 contractions, transit in and, 230:132  
 disaccharidase rhythm, development, postnatal, 234,3:E500  
 disaccharidases, circadian rhythm, adurnal feeding effects, 238,1:G97  
 electrical activity, excitation (opossum), 239,2:G406  
 epithelial cells, receptors for vasoactive intestinal peptide and secretin, 238,1:G190  
 epithelium, calcium and phosphate transcellular transport, 240,3:G409  
*Escherichia coli*, toxigenic and nontoxigenic, myoelectric activity, 235,4:E311  
 excitation conduction, 232,1:E100, E109  
 fatty acid esterification, development, 237,6:E399  
 folic acid transport, 235,4:E678  
 gastrin effects on adaptation, small bowel resection, 243,6:G16  
 glucocorticoid effects, structure and function, 241,4:G306  
 guanosine monophosphate, cyclic, ion transport and, 231:275  
 hydrolysis of peptides, 231:1322  
 inflammation, mucosal, peroxidase activity, 234,3:R72  
 interstitium-to-blood movement, macromolecules, 241,4:G31  
 intracellular activities of potassium, 231:1214  
 isolated epithelial cells, 242,5:G147  
 law of the intestine, 235,4:E345  
 liquids and solids, transit, jejunum, 239,2:G497  
 lymphatic lipid transport, hydrophobic surfactant effects, 239,2:G348
- lymphatic transport, triglyceride, 242,5:G408  
 lymph flow during fluid absorption, jejunum, 240,3:G312  
 motility: see Motility  
 myenteric neurons, synaptic activation, 240,3:G437  
 myoelectric activity  
 parasitism, 234,3:R188  
 somatostatin and, 235,4:E249  
 plant sterols, uptake and esterification, 240,3:G50  
 polypeptide release, pancreatic, 240,3:G387  
 prednisolone-induced epithelial lesions, prevention by prostaglandin E<sub>2</sub>, 235,4:E703  
 secretion, luminal pressure and, 233,2:E416  
 slow waves  
 calcium levels and, 243,12:C7  
 propagation and entrainment, 237,6:C237  
 sodium-coupled solute transport, 233,2:E249  
 spike bursts, minute rhythm of, species differences, 242,5:G654  
 stimulation of ornithine decarboxylase, 231:1557  
 transport, intraluminal pressure effects, 242,5:G58  
 transport characteristics, ileal, newborn, 234,3:E257  
 tryptophan transport, jejunum, newborn, 239,2:G306  
 vascular pressure, mucosal, model, 237,6:E373  
 vitamin K<sub>2</sub> absorption, 231:415
- Intima, media**, 230:30  
**Intimal-medial arteries**, quantitative microautoradiography, 239,8:H289  
**Intracaval cannulation**, hepatic venous blood samples, 235,4:H262  
**Intracellular potentials**: see Potentials  
**Intracellular recording**  
 slow waves, intestinal, 240,9:C135  
 ventricular cells, fibrillation, 240,9:H465  
 intracellular substrate effects, placenta, 243,12:C46  
**Intracranial pressure**: see Pressure  
**Intracranial processes**: see Brain  
**Intragastric titration**  
 gastric acid secretion, 239,2:G493  
 peptide stimulation, gastric acid secretion, 242,5:G85  
**Intralipid**, triglyceride secretion, exercise, 234,3:E221  
**Intraluminal pressure**: see Pressure  
**Intramitochondrial amorphous densities**, substrate effects, ischemia, 240,9:H391  
**Intraneurons**, spinal, baroreceptor reflex arc, 232,1:H657  
**Intraperitoneal pressure**: see Pressure  
**Intrapulmonary chemoreceptors**: see Receptors  
**Intrarenal blood flow**: see Blood flow  
**Intrathoracic electrical impedance**: see Impedance  
**Intravenous infusion**, energy balance and, 231:661  
**Intraventricular infusion**, sodium, cerebrospinal fluid, salt appetite and (sheep), 242,11:R51  
**Intrinsic nerves**  
 control, myoelectric complexes, 241,4:G16  
 electromyography, colon, 234,3:E641  
 exercise vasodilation, 236,5:H705  
 veratrine and potassium effects, ileal secretion, 240,3:G211
- Inulin**  
 biliary clearance rates, 235,4:E570  
 biliary secretion, liver (skate), 242,5:G319  
 circannual renal function (marmot), 241,10:R87

**Inulin (continued)**

- <sup>14</sup>C-labeled, brain barrier system (salamander), 234,3:R52
- clearance
  - fractional, renal failure, 237,6:F319
  - renal, 233,2:F373
  - renal insufficiency, 233,2:F197
- distribution space, rest and exercise, muscle, 243,12:R271
- extraction, renal renin release and, 237,6:F188
- labeled
  - fluoride absorption studies, bladder, 232,1:F10
  - water distribution indicator, developing teeth, 232,1:F358
- nonelectrolyte permeability, cerebrovascular, 235,4:H299
- postglomerular plasma concentrations, 231:R22
- Inulin space**
  - hypertrophied myocardium, 236,5:H79
  - stratum corneum (frog), 232,1:C37
- Iodide**
  - active transport (teleosts), 234,3:R61
  - competition, thyroid, 232,1:E343
  - efflux, brain, after injection into caudate nucleus, 235,4:F331
  - thyroid, autoregulation of transport, 240,3:E37
  - transport, thyroidal, organic binding blocked (chicken), 234,3:E177
- Iodine**
  - dietary
    - accumulation, thyroid (chicken), 234,3:E168
    - transport, thyroidal, organic binding blocked (chicken), 234,3:E177
  - low, diet, nuclear binding of triiodothyronine, liver and kidney, 240,3:E146
  - radioactive, accumulation, in thiouracil-hyperplastic thyroids (chick), 237,6:E147
  - radioactive thyroid function, obesity, 233,2:R110
- Iodine-125**, blood volume, active, in endotoxic shock, 236,5:H291
- Iodine-125 labeling**, silver quantification, autoradiography, 238,7:H414
- Iodipamide**, prostaglandin metabolism and transport, lung, 232,1:E382
- Iodoacetate**
  - absorption, kidney tubules, 243,12:F379
  - cardiac ischemia and reperfusion, 235,4:H637
  - energy production, skeletal muscle (frog), 235,4:C25
- Iodoacetic acid**, electrograms, ventricular, 240,9:C148
- Iodoantipyrine**
  - blood flow tracer, cerebral, 238,7:H776
  - cerebral metabolism and blood flow, metabolic acidosis, 241,10:H772
  - <sup>14</sup>C-labeled, cerebral blood flow and, cerebellum, 243,12:H226
  - clearance, gastrointestinal tissue blood flow and, 243,6:G155
- Iodothyronines**, blood sampling, kinetic experiments, 240,9:R259
- Ion gradient hypothesis**, intestinal transport systems, 235,4:C73
- Ionic activity**, multiprobe monitoring, brain, awake state, 243,12:R462
- Ionic basis**, electrical activity, cardiac tissue, 234,3:H101
- Ionic conductive properties**, electrophysiologic studies, cortical collecting tubule, 243,12:F81
- Ionic conductivities**, electrograms, ventricular, 240,9:C148
- Ionic currents**: see **Currents**
- Ionic dependence**, ileal, 233,2:E47
- Ionic equilibrium**, placental (sheep), 236,5:C58
- Ionic exchange**, anoxic myocardium, 235,4:H537
- Ionic mechanisms**, rhythmic plateau po-

- tentials, pancreatic islet cells, 240,3:E290
- Ionic regulation**, components, transbranchial (sculpin), 240,9:R364
- Ionic requirements**, sodium transport, proximal tubule, 236,5:F268
- Ionic sulfate**, distribution, placental (sheep), 236,5:C58
- Ionomycin**, catecholamine secretion, adrenal gland and spleen, 242,5:E137
- Ionophore A23187**
  - amylase release
    - cholinergic-stimulated parotid gland, 236,5:C233
    - pancreatic acini, 238,1:G458
  - calcium and, effects on renal inner medullary prostaglandin E<sub>2</sub> synthesis, 238,7:E371
  - calcium fluxes and contractility, atrial, 235,4:C13
  - calcium ions trigger pool, exocrine pancreas, 238,1:G338
  - contraction and, smooth muscle cells (guinea pig), 243,6:G497
  - cytosolic calcium ions and enzyme secretion, pancreas, 243,12:C196
  - enzyme secretion, pancreatic acini, 238,1:G213, 239,2:G272
  - fluxes, ileal, 239,2:G13
  - hydrogen ion secretion, gastric mucosa (frog), 236,5:E784
  - pancreatic enzyme secretion, cholecystokinins effects, 242,5:G464
  - pathways, tracheal epithelium, 239,8:F215
  - platelet function, 238,7:H54
  - postreceptor modulation, peptide and secretin, 242,5:G423
  - prostaglandin E<sub>2</sub> synthesis, medullary, 235,4:F213
  - regulation, intestinal (freshwater prawn), 239,8:C1, C11
  - rubidium-86 efflux, pancreatic islets, 236,5:E139
  - secretory mechanisms, pancreatic development, 236,5:E446
  - sodium-calcium interactions, kidney tubules, proximal convoluted, 240,9:F558
  - sodium transport, bladder (toad), 235,4:F586
  - transport
    - gastric mucosa, 239,2:G485
    - urinary bladder (teleost), 239,8:F415
  - water transportation (toad), 239,8:F154
- Ionophores**
  - activity, myometrium, 232,1:C50
  - calcium
    - chloride transport, corneal (frog), 233,2:F94
    - inotropic effects, atrial, 235,4:C13
  - potassium, myocardial, 235,4:H46
  - RO 2-2985, calcium efflux, nephron, 235,4:F381
- Ions**
  - activities, intracellular, cardiac muscle cells, 241,10:H459
  - amylase release and, by dissociated pancreatic acinar cells, 231:1562
  - carotid body cell membrane response, temperature, 233,2:C35
  - cellular contents, peritubular membrane, cortical collecting tubule, 242,11:F664
  - choroid epithelium, 238,7:F399
  - composition, gentamicin nephrotoxicity, kidney cortex, 242,11:F477
  - concentration
    - aortic gradients, cold exposure (rat, squirrel), 237,6:C17
    - intracellular hypertrophied myocardium, 236,5:H79
  - saliva, changes induced by increased intraluminal pressure, 231:974
  - salt-excreting organs, vertebrate, comparison, 238,7:R219
  - transepithelial potential difference, distal tubule, 234,3:F182

- conductance, skeletal muscle, 232,1:C109
- conductance parameters, repetitive firing and (mollusc), 234,3:C155
- content
  - cells, tracheal epithelium, 241,10:C184
  - esophageal smooth muscle (opossum), 235,4:E709
  - methacholine effects, salt gland cells (duck), 241,10:R77
- currents, opercular epithelium (fish), 238,7:R231
- distal nephron, 235,4:F367
- electrodes, selective, flexible valinomycin, 235,4:H455
- epithelial transport, rubidium (teleost), 241,10:F482
- ethanol effects, gastric mucosa, 235,4:E7
- exchange
  - branchial (fish), 238,7:R143
  - excitation-contraction coupling, myocardial, 237,6:H413
  - gill, lamellar epithelium (teleost), 238,7:R260
  - inorganic phosphate effects, heart, 242,11:H79
  - respiratory and chloride cells, freshwater and seawater adaptation (teleost), 238,7:R260
  - volume regulation, gallbladder (salamander), 243,12:C146
- external, <sup>45</sup>Ca efflux, intestinal muscle, 238,1:G520
- extracellular activity, measurement, 233,2:C56
- extracellular concentrations, membrane potentials in myotonia (goat, rat), 240,9:C56
- flows, active and passive, pars recta, 233,2:F154
- flux
  - components, transbranchial (sculpin), 240,9:R364
  - gastric mucosa, 235,4:E7
  - ileal secretion effects, 240,3:G211
  - interactions of cell volume, membrane potential and membrane transport, 238,7:C196
- inorganic
  - p-aminohippurate transport, kidney, 235,4:F278
  - p-aminohippurate uptake, renal, 232,1:F239
- liquid exchanger, chloride ion-selective microelectrodes, 241,10:C258
- milieu, potassium permeability, parotid gland, 235,4:C180
- mussel, 235,4:R35
- myocardial activity, 235,4:H455
- organic
  - transport, renal tubular, DIDS effects, 238,7:F99
  - transport system, kidney tubules (pig), 241,10:F591
- parallel pathways, gastric mucosa, 235,4:E7
- pepsinogen secretion, esophagus (frog), 238,1:G79
- permeation
  - bladder, amphotericin B effects (toad), 235,4:F507
  - gallbladder epithelium (*Neorus*), 232,1:C99
  - proximal tubule (*Necturus*), 235,4:F89
  - plasma, arterial and mixed venous, 233,2:F412
- potentials and, opercular epithelium (fish), 238,7:R231
- pump: see **Pump**
- receptors: see **Receptors**
- regulation
  - bivalves, 235,4:R35
  - body fluids influencing salt gland secretion (duck), 239,8:R489
  - parathyroid gland effects, bone, 242,5:E146
  - physiology (fish), 238,7:R145
- selectivity
  - diffusive, 235,4:F234

- proximal tubule, 232,1:F20  
substitution  
gastric acid secretion, fetal, 240,3:G206  
opercular epithelium (fish), 238,7:R231  
transport  
across isolated antral mucosa, 231:1783  
 $\alpha_1$ -adrenergic receptors and, ileum, 242,5:G237  
alkalosis and acidosis effects, intestinal, 242,5:G486  
altered, aldosterone hypertension and, 243,12:H927  
amiloride-sensitive (blue crab), 241,10:R370  
aortic, in cold (rat, squirrel), 237,6:C17  
arterial smooth muscle, 231:77  
ATP-independent, plasma membrane, 234,3:F89  
bladder epithelium (toad), 235,4:F507  
bladder to kidney (toad), 242,11:F103  
bone, embryo and newborn (chick, rat), 234,3:C41  
bumetanide effects, cornea (bullfrog), 234,3:F297  
cholinergic-adrenergic interactions, intestinal, 235,4:E402  
cholinergic regulation, colon, 242,5:G116  
cornea (bullfrog), 240,9:F25  
cortical collecting tubules, 242,11:F379  
C-4 pathway, chloride cell (crustacean), 238,7:R269  
divalent, renal peritubular surface (teleost), 234,3:F522  
divalent, renal (teleost), 238,7:F92  
endogenous norepinephrine release and, intestinal, 241,4:G264  
flow-dependent, renal, 243,12:F1  
gluconeogenesis and, oxygen and sodium transport relations, 242,11:F508  
glucose effects, 242,11:C326  
guanosine monophosphate, cyclic, effects, ileal, 243,6:G36  
hemorrhagic shock, liver, 240,9:R211  
ileal, 232,1:E574  
ileal, serosal vs. mucosal cholera toxin, 232,1:E210  
ileum, 238,1:G208  
ileum, newborn, 234,3:E257  
inhibition by bile salts, gastric mucosa, 231:1433  
intestinal, 238,1:G3  
intestinal, effects of norepinephrine, pilocarpine, and atropine, 231:252  
intestinal, glucagon effects, 238,1:G491  
intestinal, somatostatin and, 238,1:G67  
kidney tubules, 242,11:F274  
kinetics, gill epithelium (fish), 238,7:R224  
methylprednisolone effects, intestinal, 240,3:G365  
multi-ionic solutions, structured tissues, model, 234,3:F215  
prolactin effects, mammary epithelium, 240,9:C110  
prostaglandin effects, tracheal mucosa, 240,9:F101  
relation to intestinal mucosal guanosine monophosphate, cyclic, 231:275  
resting potential changes, heart muscle, 240,9:H168  
secretory membrane and, gastric mucosa, 231:1649  
sodium-hydrogen exchanger, kidney, 241,10:C220  
structure of urinary bladder epithelium and, 231:501  
submaxillary duct epithelium, 242,11:F132  
uterus, laying and nonlaying birds, 232,1:E437  
**Ion-secreting epithelia**, chloride cells, head region (teleost), 238,7:R185  
**Iontophoresis**, adrenergic receptor localization, skin melanophores (frog), 241,4:E84  
**Iontophoretic application**, desensitization, cholinergic receptor at sinoatrial cell, 238,7:H439  
**Iproveratril**,  $\alpha$ -adrenoreceptor affinity, cutaneous veins, 234,3:H330  
**Iris**, motor innervation, 231:1272  
**Iron**  
absorption, stimulation by polychlorinated aromatic hydrocarbons, 236,5:E763  
deficiency  
catecholamine elevation, 237,6:R297  
experimental gastrointestinal metabolism of cadmium, 231:462  
hypothermia, triiodothyronine metabolism, 239,8:R377  
skeletal muscle, 241,10:C47  
deficiency and repletion, muscle mitochondrial bioenergetics, 242,5:E418  
delivery, transferrin saturation, 235,4:R18  
enzymes, dependency, 237,6:R297  
plasma  
bacteria injection effects (lizard), 240,9:R272  
endogenous leukocytic mediator and, 235,4:C118  
pregnancy and hysterectomy, absorption, distribution, fetal and hepatic uptake of, 232,1:E57  
transferrin-bound, hepatic metabolism, 238,1:G30  
uptake, across intestinal brush border, 231:1438  
**Iron-59**, uptake, estrogen effects, hemopoietic tissue (quail), 236,5:E342  
**Iron-binding capacity**, total, bacteria injection effects (lizard), 240,9:R272  
**Iron-deficiency anemia**: see *Anemia*  
**Ischemia**: see *also* Infarction  
acidotic cardiac, energy metabolism in, computer model, 242,11:R533  
acute regional, pressure effects, subepicardium and subendocardium, 242,11:H240  
acute renal failure  
mannitol protection, 238,7:F305  
nephron segments in, 241,10:F556  
adenosine content, skeletal muscle, 237,6:H1  
adenosine triphosphate-MgCl<sub>2</sub> treatment, 242,11:R604  
albumin clearance and, intestinal mucosa, 242,5:G448  
arrest  
myocardial protection from, 240,9:H326  
progressive hypothermia, 236,5:H839  
atrial pacing, 233,2:H217  
brain, awake state, 243,12:R462  
brain metabolism, 239,2:E501  
capillary velocity, skeletal muscle (chicken), 233,2:H379  
cardiac  
adenine nucleotide transport during, 241,10:H663  
antiarrhythmic drugs, 235,4:H574  
energy metabolism, calcium ion antagonism, 238,7:H909  
global, reperfusion, 235,4:H637  
cephalic, coronary regulation, newborn (lamb), 234,3:H173  
cerebral  
microsphere method of measurement (gerbil), 242,11:IH990  
ventrolateral medulla and, 239,8:H349  
cerebral microcirculation, regulation, 234,3:H582  
complete coronary ligation (rabbit, dog, pig, monkey), 241,10:H202  
coronary, resistance and transport increases, 240,9:H262  
excitation-contraction coupling, hypothermic myocardium, 240,9:H336  
global, progressive hypothermia, metabolic and functional effects, 236,5:H839  
heart  
adenine nucleotide distribution, 232,1:R158  
autonomic indices in, 243,12:H788  
computer simulation, 236,5:R21, R31  
copper deficiency, electrocardiography, 240,9:H185  
coronary washout (swine), 239,8:H371  
creatine analogue effects, 243,12:H911  
crossover theorem, 236,5:R31  
electrogram, 239,8:H380  
fatty acid oxidation, 239,8:H257  
glycogenolysis, propranolol inhibition, 232,1:H349  
metabolism, computer model, 237,6:R318, R327  
purine metabolism, computer model, 232,1:H386, H394  
structure, function and metabolism, substrate effects, 240,9:H391  
taurine effects, 240,9:H238  
ventricular fibrillation prevention, 240,9:H156  
heart muscle response (muskrat, rabbit, guinea pig), 243,12:R245  
hypothermic, myocardial volume regulation, 240,9:H116  
injury, autonomic nervous system and, 240,9:H738  
isolated interventricular septa, 231:1225  
kidney function after, 230:1173  
left ventricular pressure, elevated after, 240,9:H300  
lymph flow, cardiac, 237,6:H311  
metabolic gradients, left ventricle, 233,2:H217  
myocardial  
abnormal lanthanum accumulation, 241,10:H714  
adenosine salvage rates, 237,6:H247  
adenosine triphosphate synthesis, 234,3:H620  
amino acid perfusion, 236,5:H873  
antagonist, 239,8:H163  
arrest, prolonged, myocardial contraction, 235,4:H619  
atrial pacing, 232,1:H49  
biological components, 237,6:H224  
blood flow, autoradiographic measurement, 232,1:H576  
blood flow, coronary and transmural myocardial (pig), 235,4:H435  
blood flow, dexamethasone effects, 242,11:H55  
blood flow, dopamine analogue effects, 235,4:H118  
blood flow, quantitation with microspheres and diffusible indicator, 234,3:H487  
blood flow depression, regional, 234,3:H653  
blood oxygen delivery, isolated heart model, 237,6:H348  
body surface detection of, 241,10:H363  
calcium, mitochondrial, accumulation, 233,2:H677  
capillary-myocardial exchange, 234,3:H679  
carbon dioxide pressure, intramural, as index of severity, 237,6:H253  
cardiac function, coronary flow, and oxygen extraction, interdependence, 235,4:H784  
cardiac lymph, methylprednisolone effects, 232,1:H602  
cardiac sympathetics and, 243,12:H566  
cardiokymography, 233,2:H700

**Ischemia (continued)**

- carnitine and atractyloside effects, 241,10:H505  
 cellular electrophysiological marker, 235,4:H559  
 cellular environment, 233,2:H329  
 cholesterol content and membrane properties (pig), 242,11:H254  
 contractility, 233,2:H392  
 contracture, 233,2:H677  
 contrasting contraction patterns, 243,12:H852  
 coronary occlusion, hydrogen peroxide effects, 234,3:H28  
 coronary vasodilation with inosine, 238,7:H569  
 creatine phosphate, Tris effects, 235,4:H167  
 diltiazem, 239,8:H658  
 diving (seal), 242,11:H97  
 electron transfer complex I (pig), 240,9:H308  
 exercise and, 237,6:H520  
 force, transient, load changes, papillary, 235,4:H267  
 FR7534, 239,8:H163  
 Frank-Starling mechanisms, 234,3:H338  
 fructose 1,6-diphosphate effects, 241,10:H576  
 function during, 242,11:H980  
 gas tensions, 232,1:H49  
 global, diastolic relaxation, 235,4:H720  
 graded (pig), 234,3:H597  
 heart performance, after physical training, 234,3:H215  
 heart ventricles, 240,9:H87  
 inner membrane enzyme defects, mitochondrial (pig), 240,9:H308  
 isoproterenol, 239,8:H469  
 isosorbide dinitrate, 239,8:H399  
 left ventricular function, awake state, 240,9:H413  
 lysophosphatides and slow response, 243,12:H187  
 lysophosphoglycerides in, arrhythmogenic effects, 241,10:H700  
 magnesium effects, species differences (rat, rabbit), 242,11:H89  
 mannitol effects, 233,2:H444  
 mechanical function, 234,3:H620  
 mechanical function in, newborn, 242,11:H1077  
 mitochondrial alterations and <sup>99m</sup>Tc pyrophosphate uptake, 243,12:H268  
 necrotic wavefront movement, 243,12:H682  
 nucleotide depletion after, open chest, 242,11:H818  
 oxygen consumption, activation sequence, 234,3:H260  
 oxygen inhalation, 238,7:H244  
 pinan thromboxane A<sub>2</sub>, 238,7:H87  
 postextrasystolic potentiation, 241,10:H654  
 potassium accumulation during, heart, 242,11:H619  
 potassium exchange, 232,1:H564  
 potassium ion accumulation during (rabbit), 243,12:H318  
 preservation of ischemic myocardium, 235,4:H736  
 protein degradation and synthesis, 240,3:E268  
 pulmonary and coronary endothelial effects, 242,11:H337  
 regional, cardiac pump performance during exercise, 234,3:H157  
 regional function recovery after, 240,9:H399  
 relaxation and, 237,6:H185  
 reperfusion, abnormalities following, 241,10:H591  
 serum myoglobin radioimmunoassay, 239,8:H565  
 stellate stimulation, 239,8:H359  
 sympathectomized ventricle, 235,4:H429  
 systemic arterial hypertension effects, 240,9:H855  
 Tris effects, 235,4:H167  
 ventricular fibrillation, 235,4:H231  
 ventricular fibrillation prevention, 240,9:H156  
 wall thickening, 234,3:H653  
 nephron segments, renal failure, 239,8:F17  
 on-line calorimetry, interventricular septum (rabbit), 243,12:H289  
 on-line mapping, heart, 242,11:H526  
 oxygen pressure, tissue (chicken), 233,2:H379  
 papillary muscle, dynamics, measurements, 233,2:H384  
 perfusion and, evaluation from coronary venous blood, 236,5:H385  
 postextrasystolic potentiation, loss, 233,2:H392  
 pressor response blockade, muscle, 237,6:H433  
 regional  
   definition by creatine kinase content and colloidal carbon, 236,5:H340  
   myocardial pH during, 243,12:H1027  
 renal  
   active hyperemia, 233,2:F89  
   acute failure, 234,3:F171  
   brush border regeneration after, 241,10:F28  
   furosemide and acetylcholine effects, 235,4:F131  
   perfusion, pressure and, 238,7:H317  
   postocclusive blood flow, 235,4:F286  
   renin-angiotensin system and collateral circulation after, 243,12:H869  
 renal cortex, krypton-85 distribution, 232,1:H54  
 respiratory acidosis, 234,3:H40  
 right ventricular performance, 233,2:H505  
 sarcolemma, hydrolysis of, lysosomal lipases, 242,11:H652  
 sarcolemmal enzymes, sodium-calcium exchange and, 242,11:C288  
 skeletal muscle, reactive hyperemia (chicken), 232,1:H411  
 vasodilation (coronary artery, 240,9:H767  
 ventricular tachyarrhythmias, reperfusion, 240,9:H730  
**Ischemic borderzone**, complete coronary ligation (rabbit, dog, pig, monkey), 241,10:H202  
**Ischemic dyssynergy**, evaluation, 238,7:H43  
**Isethionate**, anion permeability, proximal tubules, 242,11:F395  
**Islet cells**: see Pancreatic islet cells  
**Islets of Langerhans**: see Pancreatic islets  
**Isobutylamine**, importance, meal-induced gastrin release, 243,6:G341  
**Isobutyl methylxanthine**  
   adenosine monophosphate, cyclic and guanosine monophosphate, cyclic levels, fundic glands, 242,5:G21  
   sodium transport, bladder (toad), 235,4:F586  
**3-Isobutyl-1-methylxanthine**  
   adenosine monophosphate, cyclic levels, luteinizing hormone synthesis, 241,4:E14  
   chondrosarcoma, 239,2:E201  
   contractile force, heart, 236,5:H84  
   insulin release, diabetes, 239,2:E132  
**Isocapnic hypoxia**: see Hypoxia  
**Isochrome maps**, activation sequence, atrial, 242,11:H421  
**Isocitrate dehydrogenase**  
   pyruvate-perfused heart, 237,6:R159  
   respiratory acidosis, perfused heart, 234,3:H40

- Isoelectric focusing**, pancreatic secretory response, cholecystokinin, 239,2:G247  
**Isoforms**, myosin heavy chain, neurotrophic effects (chick), 241,10:C269  
**Isogabaculine**,  $\alpha$ -aminobutyric acid and, ornithine decarboxylase and putrescine metabolism, 243,12:C35  
**Isograft**, small intestinal, fatty acid esterification, 237,6:E399  
**Isoleucine**  
   angiotensin II, tubular handling, 234,3:F325  
   substrate regulation, muscle protein synthesis, 242,5:E184  
**Isometric contraction**: see Muscle  
**Isometric exercise**: see Exercise  
**Isometric responses**: see Muscle  
**Isometric tension**, skeletal muscle (frog), 243,12:C66  
**Isopleth force**, ventricular wall, 236,5:H787  
**Isopotential maps**: see Potentials  
**Isopropanol**, <sup>14</sup>C-labeled, 230:543  
**Isoprenaline**  
   lingual lipase activity and, 235,4:E416  
   noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112  
   regulatory drinking (pigeon), 239,8:R219  
**Isoproterenol**  
   action on venous return, 232,1:H152  
   action sites, mammalian nephron, 240,9:F159  
   actomyosin and, aortic, neonatal, 237,6:C81  
   adenosine and coronary resistance, relations, 239,8:H509  
   adenosine monophosphate, cyclic, calcium effects, uterus, 237,6:C257  
   adenosine monophosphate responses, choroid plexus, 232,1:E353  
   adrenergic constriction, vascular smooth muscle, 233,2:H22  
   adrenergic inotropic and chronotropic effects, cardiac, 234,3:H525  
   amino acid levels, skeletal muscle, 232,1:E243  
   angiotensin II levels after, 240,9:R229  
   arterial smooth muscle relaxation, coronary, 242,11:H177  
   blood flow, pancreatic islets, 242,5:E298  
   bradykinin-induced macromolecular efflux, 236,5:H600  
   brown adipocyte respiration, 238,1:E552  
   brown fat response, 232,1:R101  
   calcium uptake and, vascular smooth muscle, 242,11:H797  
   capillary permeability, intestinal, 241,4:G24  
   cardiac action potentials, low-calcium solution (frog), 242,11:H827  
   catechol effects, hypertrophied heart, 243,6:E305  
   comparative response, developing myocardium, 242,11:H13  
   complete heart block, 233,2:H723  
   contractile response, right ventricular failure, 233,2:H399  
   contraction and relaxation, maximal rates, 233,2:H404  
   coronary vascular response, increased myocardial consumption, 235,4:H372  
   cortical tubules, isolated, 237,6:F350  
   diabetic heart, 239,8:H614  
   diet and age effects, vascular smooth muscle, 238,7:H652  
   eccrine sweat secretion, calcium and (monkey), 241,10:C113  
   electrical responses, esophageal sphincter, 243,6:G415  
   electromechanical dissociation and, 241,10:R213  
   gastric circulation, 230:346  
   gland changes, skin (frog), 241,10:C250  
   hypertension, spontaneous, 241,10:H497  
   infarct size, 239,8:H469



infusion, myocardial energy supply-demand factors, 237,6:H696  
 injection, adrenoreceptor desensitization after, 240,9:H691  
 inotropy, preload at high heart rate and, independent cardiac effects, 236,5:H568  
 left ventricular asynergy, 239,8:H594  
 left ventricular isovolumic pressure, 239,8:H1  
 length-tension curves, volume overload heart failure, 235,4:H690  
 myocardial contractility, 236,5:H121  
 power density and, 237,6:R225  
 myocardial dysfunction, coronary stenosis and, 242,11:H260  
 myocardial injury, reticuloendothelial system functions, 236,5:H813  
 myoelectric properties, ileocecal sphincter, 240,3:G450  
 myosin phosphorylation, perfused heart, 239,8:H756  
 ouabain-inhibited, hyperpolarization, muscle, 241,10:C145  
 oxygen consumption, myocardial, 235,4:H237  
 oxygen uptake  
   blood flow relations, intestinal, 242,5:G202  
   stomach, 242,5:G565  
 phosphorylase activation, diabetes effects, myocardial, 240,9:H375  
 phosphorylase kinase regulation, heart, 240,3:E340  
 plasma renin activity, control, 236,5:H463  
 pressure overload, left ventricular, 238,7:H134  
 prostaglandin and renin-angiotensin systems, interaction, glomeruli, 239,8:F602  
 prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532  
 protein turnover, skeletal muscle, 232,1:E243  
 pulmonary circulation effects, hypoxia, neonatal (lamb), 240,9:H697  
 renin and, 238,1:E416  
 renin release, 230:410  
    $\beta$ -adrenoceptors, 238,7:F387  
   enhancement of, 242,11:F267  
   rat, dogs, 240,9:F515  
 renin secretion, prostaglandins and, 236,5:F472  
 renin stimulation, isolated perfused kidney, 232,1:F248  
 renin synthesis and, kidney, 243,12:F434  
 restoration, contraction, potassium-depolarized heart, 241,10:H187  
 sodium activity and, heart, 243,12:H670  
 sodium and hypertension effects, renin release, kidney slices, 240,9:F501  
 splenic erythrocyte concentration mechanisms, inhibition, 236,5:H238  
 sympathetic innervation and, cardiac, newborn, 243,12:H20  
 thirst, 230:188  
   fluid balance and, 241,10:R152  
   vascular capacitance, intestinal, 234,3:H7  
   vascular reactivity, isolated tibia, 236,5:H904  
   ventricular contraction and, theophylline effects, 242,11:H349  
   volume overload, myocardial failure and, 243,12:H876  
**Isoproterenol hydrochloride**, blood flow, myocardial (pony), 240,9:H881  
**Isohypnic centrifugation**: see Centrifugation  
**Isoresin**, central and peripheral angiotensin blockade, hypertension, 234,3:H629  
**Isoresin-angiotensin system**, brain, drinking inhibition, 234,3:F41  
**Isosmotic flow**: see Flow

**Isosmotic fluid**, absorption, nephron (reptile, bird, mammal), 239,8:R197  
**Isosorbide dinitrate**, myocardial dysfunction, regional, 239,8:H399  
**Isotonic contraction**: see Muscle  
**Isotonic fluid**: see Fluid  
**Isotonic secretion**, intraluminal pressure effects, small intestine, 242,5:G58  
**Isotonic transport**, proximal tubule, network thermodynamic model, 235,4:F638  
**Isotonic volume expansion**: see Volume expansion  
**Isotopes**  
   bone-seeking, potassium and strontium exchange, 242,11:H705  
   clearance, tilting effects, 242,11:H161  
   gastric emptying of, methods for analyzing, 243,6:G237  
   quantification, blood flow measurement variables, 243,12:H371  
   single-injection method, glucose lactate interrelations (penguin), 242,11:R458  
   stable  
     leucine and lysine metabolism, protein effects, 240,3:E712  
     metabolic response, adrenergic blockade, awake state, 241,4:E385  
     tracer studies, urea kinetics, 240,3:E428  
**Isovalerate**  
   hypothyroidism effects, adipose tissue, 240,3:E669  
   leucine utilization, adipose tissue, 233,2:E97  
**Isovaleryl-CoA**, amino acid transaminase, branched-chain, stimulation, kidney and muscle, 236,5:E514  
**Isovolumetric properties**, spontaneous hypertension, heart ventricles, 240,9:H927  
**Isovolumic function**, left ventricular, 234,3:H361  
**Isozymes**, myosin, muscle fibers, 242,11:C373

## J

**Jejunioileal bypass**  
   glucose uptake, 238,1:G219  
   hypothalamic hyperphagia and obesity, 239,2:G387  
   meal patterns, genetically obese and lean rats, 237,6:R217  
   obese and lean mice, 234,3:E389  
**Jejunum**  
   absorption  
     bicarbonate-stimulated, 232,1:E62  
     digestive motor states, 239,2:G167  
     amino acid metabolism, 232,1:E263  
     angiotensin II effects, 240,3:G17  
     aspirin effects, sugar, amino acid, and sodium transport, 236,5:E495  
     bicarbonate absorption (amphibian), 241,4:G389  
     biopsy lipid analyses, linolenate transport and absorption, 240,3:G157  
   brush-border membrane  
     disaccharidases, ethanol effects, 237,6:E68  
     peptidases of, ethanol effects (hamster), 242,5:G442  
   cholesterol uptake, 241,4:G270  
   cytoplasmic dipeptidase activity, 233,2:E450  
   drug uptake, 236,5:E52, E57  
   fatty acid esterification, 234,3:E236  
   development, 237,6:E399  
   luminal contents and, 238,1:G414  
   function, diabetes mellitus, 233,2:E181  
   glucocorticoid effects, structure and function, 241,4:G306  
   D-glucose transport, age-dependent changes, 236,5:E685

hexose transport system, brush-border membrane (chick), 240,3:G102  
 horseradish peroxidase transport across, 242,5:G558  
 hypoxanthine secretion, 238,1:G141  
 insulin, electrical activity and, 230:1538  
 intestinal transport, intraluminal pressure effects, 242,5:G65  
 lactase decrease, thyroxine-evoked, 243,6:G359  
 linolenate transport, 240,3:G157  
 liquids and solids, movement interdigestive and digestive states, 239,2:G497  
 lymph flow during fluid absorption, 240,3:G312  
 magnesium absorption, renal disease, 238,1:G349  
 maltase and lactase, postnatal development, 242,5:G89  
 motility: see Motility  
 phosphate transport, 1,25-dihydroxyvitamin D<sub>3</sub> effects, 243,6:E470  
 postprandial hyperemia, histamine receptors in, 243,6:G248  
 protein deprivation and diabetes, protein synthesis and, 241,4:E238  
 pyridoxine hydrochloride, absorbed, phosphorylation and dephosphorylation, 235,4:E272  
 spike bursts, longitudinal and circumferential, 239,2:G311  
 sucrose activity, circadian rhythm, development, 235,4:E437  
 transcapillary fluid, protein movement and, 242,11:H227  
 transit, electrical pacing, 240,3:G355  
 transport  
   Hirschsprung's disease and, 239,2:G123  
   sham feeding, 234,3:E417  
   transport properties, newborn, 242,5:G308  
   tryptophan transport, newborn, 239,2:G306  
   unstirred water layer, 242,5:G364  
   vascular resistance, gastrointestinal hormonal effects, 232,1:H103  
   xanthine secretion, 238,1:G141  
**Jugular blood**, sampling, for lactate entry rate measurements (sheep), 233,2:E138  
**Jugular vein**  
   biaxial deformation, compliance and elasticity, 233,2:H15  
   chronic access, unrestrained rat, 238,7:H599  
   perfusion, afferent discharges from venous pressoreceptors, 232,1:C76  
**Junctional complexes**, sodium-to-chloride permeability, proximal convoluted tubule, 235,4:F592  
**Junctions**  
   atrial, stretch receptors, thirst inhibition, 242,11:R452  
   atrioventricular  
     cholinergic intervention, autonomic nerves, 239,8:H2  
     pacemaker activity, autonomic control, 235,4:H308  
     rhythm, vagal repetitive bursts, 237,6:H275  
   tachyarrhythmias, 233,2:H535  
   cell, gastric mucosal barrier, 241,4:G275  
   gap  
     formation, myometrial, control by estrogens, progesterone, and prostaglandins, 238,7:C81  
     freeze fracturing technique, cardiac membrane, 241,10:H891  
   myometrial activation during parturition, 235,4:C168  
   myometrium, 239,8:C217  
   network, pharmacocolligistics, 237,6:R251  
   nonrandom distribution, pancreatic  $\beta$ -cells, 238,7:C114  
   smooth muscle, tracheal, 238,7:C27

**Junctions (continued)**

- structure and function of atrioventricular node, 243,12:H41
- tetraethylammonium effects, pancreatic  $\beta$ -cells, 240,9:C116
- gastroduodenal
  - myoelectric complex (sheep), 233,2:E483
  - neural and hormonal stimulation, 236,5:E45
  - smooth muscle response to bethanechol and progesterone, 235,4:E422
- gill epithelium (fish), 238,7:R207
- neuromuscular
  - acetylcholine and protein, correlated release, 236,5:C225
  - diltiazem effects, mesenteric artery, 242,11:H325
  - end-plate potentials, 233,2:C157
  - isometric endurance, fast and slow muscle, 236,5:C185
  - magnesium effects, muscle desensitization (frog), 242,11:C319
  - miniature end-plate potentials, calcium and ethanol effects (frog), 237,6:C264
  - transmitter release, hyperbaric oxygen and (lobster), 235,4:C233
  - transmitters, diaphragm, characteristics, 237,6:C31
- occluding, cultured epithelial monolayers, 240,9:C96
- tight
  - biliary secretion, liver (skate), 242,5:G319
  - cholestasis, hepatocytes, 243,6:G253
  - permeability, cytoplasmic regulation, plant cytokinins (*Necturus*), 239,8:C75
  - permeability, osmotic barrier opening, 238,7:R421
  - rectal gland (shark), 242,11:C388
  - renal cells, 238,7:1
  - triadic, skeletal muscle (frog), 234,3:C181
- Juxtaglomerular apparatus**
  - anatomy, 237,6:F333
  - autoregulation transients, renal, 240,9:F446
  - chronic tubular obstruction (*Necturus*), 234,3:F112
  - feedback: see Feedback
  - renin activity, volume status and perfusion pressure effects, 238,7:F488
- Juxtaglomerular cells**
  - renin release
    - inhibition, angiotensins, 235,4:F62
    - prostaglandin  $I_2$  and  $D_2$ -stimulated, 237,6:F285
  - renin secretion, vasoactive intestinal peptide effects, 243,12:F306
  - tumor, 237,6:F333
- Juxtaglomerular complex**, perfusate osmolality, feedback response and, 235,4:F352
- Juxtamedullary nephron**: see Nephron

**K****Kaliuresis**

- angiotensin II, central, 242,11:R498
- arginine vasopressin, 236,5:F66
- nephron mass, reduced cross-circulation study, 235,4:F465
- water restriction effects, 240,9:R319
- Kallidin**, prostaglandin synthesis, papillary collecting tubule cells, 241,10:F94
- Kallikrein**
  - activity, renal, 234,3:F35
  - immunoreactive glandular, plasma, 242,11:H602
  - norepinephrine and denervation effects, renal, 241,10:F477
  - secretion, 230:533
  - vasopressin effects, renal, 239,8:F388

- urinary, 238,7:F247
- Kallikrein inhibitors**, glandular, short-circuit current, bladder, 239,8:F459
- Kallikrein-kinin system**
  - blood flow, submandibular gland, 242,11:H1010
  - bradykinin, natriuretic action, 237,6:F182
  - nephron, 238,7:F247
  - vasopressin effects, renal, 239,8:F388
- Kallikrein-like activity**, perfusates and urine, 231:1383
- Ketamine**, anesthesia, thermal balance and (monkey), 241,10:R301
- Ketamine hydrochloride**
  - left ventricular function, 232,1:H44
  - right ventricular systolic hypertension (pony), 235,4:H628
- 3-Ketoacid CoA-transferase**, ketone utilization, fetal hepatocyte, 235,4:E330
- Ketoacid dehydrogenase**, branched-chain, diabetes, 239,2:E215
- Ketoacidosis**
  - diabetic, reversible hyperinsulinuria in, 241,4:E396
  - diabetic, glutamine metabolism and, 240,3:E519
  - protein wasting, prolonged fasting, 243,6:E251
  - regulation, acid-base balance, 242,11:F238
- Ketoacids**
  - amino acid oxidation, carnitine effects, liver and skeletal muscle, 234,3:E494
  - binding, plasma albumin, free fatty acid effects, 242,5:E67
  - branched-chain
    - jejunal, 232,1:E263
    - metabolism, brain, fetal, 241,4:E200
    - oxidative decarboxylation, diabetes, 239,2:E215
    - transamination, isolated perfused kidney, 235,4:E47
  - transport, blood-brain barrier, 243,6:E272
- Keto analogues**, absorption, jejunal, 232,1:E263
- Ketogenesis**
  - fasting, hydrogen ions, acid-base balance effects, 242,11:F238
  - fatty liver, in hypervitaminosis A, 234,3:E511
  - glucagon effects, hepatic, 237,6:E121
  - glucagon mediation, epinephrine effects (baboon), 232,1:E464
  - glucose homeostasis, newborn, 234,3:E129
  - hepatic, insulin effects, 233,2:E13
  - liver-pancreas preparation, 237,6:E340
  - regulation, liver, 237,6:E23
  - tracer technique, 240,3:E253
- $\alpha$ -Ketoglutarate**
  - arsenite effects, renal tissue slices, 237,6:F93
  - hypercapnia, kidney, 243,12:F227
  - metabolism
    - ketone bodies and, 239,8:F420
    - pH effects, renal cortical mitochondria, 240,9:F120
    - renal cortical mitochondria, 237,6:F55
- $\alpha$ -Ketoisocaproate**
  - amino acid transaminase, branched-chain, stimulation, kidney and muscle, 236,5:E514
  - binding, plasma albumin, free fatty acid effects, 242,5:E67
  - disposal, liver, gut and kidney, 243,6:E123
  - hypothyroidism effects, adipose tissue, 240,3:E669
  - leucine and, fasting effects, 241,4:E72
  - leucine utilization, adipose tissue, 233,2:E97
  - oxidation, diabetes, 239,2:E215
- 2-Ketoisocaproic acid**, intracellular calcium movement and, pancreatic  $\beta$ -cells, 243,6:E196
- $\alpha$ -Ketoisocaproic acid**, metabolism, brain, fetal, 241,4:E200
- $\alpha$ -Ketisovalerate**, amino acid transaminase, branched-chain, stimulation, kidney and muscle, 236,5:E514
- $\alpha$ -Ketisovaleric acid**, metabolism, brain, fetal, 241,4:E200
- 7-Ketolithocholic acid**, metabolism, 239,2:G161
- Ketolithocholyglycine**, metabolism, 239,2:G161
- Ketolithocholytaurine**, metabolism, 239,2:G161
- $\alpha$ -Keto- $\beta$ -methylvalerate**, amino acid transaminase, branched-chain, stimulation, kidney and muscle, 236,5:E514
- $\alpha$ -Keto- $\beta$ -methylvaleric acid**, metabolism, brain, fetal, 241,4:E200
- Ketone bodies**
  - alanine, 230:1385
  - ammoniaogenesis inhibition, fluoroacetate and, 237,6:F7
  - antiammoniaogenic effect, cellular mechanisms, 239,8:F420
  - fatty acid metabolism, lung, 232,1:E358
  - glucagon effects, hepatic, 237,6:E121
  - glutamine metabolism and, kidney and mitochondria, 243,12:F181
  - human, models, 243,12:R7
  - metabolism, brain, 231:1490
  - nonsteady-state turnover rates, tracer technique, 240,3:E253
  - pyrimidine biosynthesis inhibition, brain, fetal, 243,6:E234
  - shivering thermogenesis, diabetes, muscle, 242,11:R109
  - starvation and, 239,2:E277
  - turnover, hepatic, fasting and diabetes, 235,4:E238
- Ketones**
  - adrenergic blockade effects, awake state, 241,4:E385
  - production, hepatic, fasting and diabetes, 235,4:E238
  - suppression of feeding, 241,10:R330
  - utilization, fetal hepatocytes, 235,4:E330
- 9-Keto-prostaglandin  $E_2$  reductase**, production, sodium effects, renal, 241,10:F517
- 6-Keto-prostaglandin  $F_{1\alpha}$** : see Prostaglandin  $F_{1\alpha}$
- Ketosis**
  - carnitine metabolism, normal weight and obesity, 238,1:E409
  - diabetic and fasting, acetylcarnitine excretion, urinary, 243,6:E168
- Kidney**
  - ablation, adverse responses to, 241,10:F85
  - acid-base disturbance effects on potassium transport, 243,12:F188
  - acid-base effects, hypoparathyroidism, 241,10:F495
  - acid-base equilibrium, metabolic and respiratory acidosis, 233,2:F82
  - acid-base metabolism, glucocorticoid steroids and, 239,8:F30
  - acid excretion, parathyroid hormone effects, 232,1:F429
  - acid excretory effect of mineralocorticoids, potassium ion deprivation, 236,5:F48
  - acidification: see Acidification
  - acidosis: see Acidosis
  - adenosine monophosphate, cyclic system, parathyroid hormone-mediated refractoriness, 236,5:E401
  - adenylate cyclase
    - regulation by parathyroid hormone, 239,2:E396
    - vasopressin responsiveness, newborn, 234,3:F16

- adrenergic nerves, presynaptic inhibition by acetylcholine, 237,6:H326
- adrenergic receptors, renin release, 232,1:F248
- adrenergic stimuli, circulatory effects (piglet and swine), 237,6:H690
- adrenergic transmission in, bradykinin effects, 241,10:R146
- adrenoceptors: *see* Receptors
- aglomerular
- angiotensin II (goosefish), 236,5:R297
  - marine fish, 233,2:F126
  - teleost, 237,6:H105
- aldosterone binding
- autoradiographic study, 240,9:F172
  - cytoplasmic and nuclear receptors, 240,9:C20
- aldosterone biosynthesis in edema, 240,3:E12
- aldosterone metabolism, 234,3:E472
- allantoin excretion, 233,2:F373
- amino acid metabolism (sheep), 239,2:E248
- amino acid transaminase, branched-chain, stimulation, 236,5:E514
- p*-aminohippuric acid and uric acid clearance, venous portal contribution (chicken), 240,9:F46
- $\alpha$ -aminoisobutyric acid, net reabsorption, 237,6:F274
- ammonia excretion, 234,3:F514
- ammoniogenesis: *see* Ammoniogenesis
- ammonia production
- aldosterone effects, 233,2:E56
  - potassium effects, 231,11:78
- anatomical-functional factors, 234,3:F207
- anesthetic effects, autoregulation, 230:652
- angiotensin I, 234,3:F130
- angiotensin II, exogenous and endogenous, 235,4:F605
- angiotensin II antagonist, autoregulation and, 230:1078
- anion flux, brush-border and basolateral membranes, 238,7:F452
- antinatriuresis of low-level renal nerve stimulation, angiotensin II effects, 231:1105
- arachidonic acid, vascular effects, 233,2:H573
- arginine metabolism, 235,4:F376
- arginine vasopressin, fetal response (ewe), 238,7:F407
- arginine vasotocin, vascular response (bullfrog), 239,8:R156
- arterial constriction, renin release and, 242,11:F267
- arterioles: *see* Arterioles
- artery occlusion, pressure after, 230:1173
- autoregulation
- filtration rate, 232,1:F325
  - hypercalcemia, 232,1:F490
  - renin-angiotensin system and, 233,2:F366
  - whole kidney and single nephron studies, 234,3:F357
- azotemia effects, clearance of PAH and TEA, 230:901
- baroreceptors: *see* Receptors
- basolateral cortical membrane, adenylate cyclase regulation, 241,10:F364
- bicarbonate-free perfused, acid excretion, 240,9:F306
- bicarbonate reabsorption
- inhibition by maleate plus acetazolamide, 231:1258
  - potassium handling and (toad), 243,12:F67
  - renal insufficiency, 234,3:F472
- bicarbonate transport, 233,2:F307
- biological transport, prostaglandin effects, 240,9:F471
- blood flow: *see* Blood flow; Circulation
- blunted norepinephrine natriuresis, 235,4:F425
- bradykinin hydrolysis, 230:1420
- brush-border: *see* Brush-border; Kidney brush-border
- cadmium, 235,4:H385
- cadmium and nickel effects, 238,1:E53
- calcitonin, comparative physiology (starling), 238,7:R406
- calcium, high-phosphate diet and parathyroidectomy effects, 241,4:E136
- calcium-binding protein, vitamin D-dependent, 243,12:F243, 243,6:E483
- calcium-45 desaturation, 234,3:R29, R34
- capillaries, peritubular acute renal failure, 238,7:F305
- captopril effects, indomethacin pretreatment, awake state, 243,12:F543
- carbon dioxide equilibria, tissue, 239,8:F307
- carboxylic acid transport, pathways for, 243,12:F456
- catecholamines
- production, neural and extraneural, 242,11:F261
  - surgical stress, 235,4:F542
  - uptake and excretion, 242,11:F56
- cells: *see* Kidney cells
- cellular mechanisms, antiammoniogenic effect of ketone bodies, 239,8:F420
- central vascular expansion (monkey), 239,8:F343
- chloride conservation, collecting duct reabsorption and, 239,8:F552
- chloride excretion, volume expansion effects, 233,2:F118
- circannual function, plasma electrolytes and (marmot), 241,10:R87
- circulating citrulline effects, 241,4:E473
- citrate handling, 231:84
- hypocitricemia, 237,6:F307
- clearance
- fetal, 232,1:F178
  - glucose effects on electrolyte excretion, 240,9:F17
  - indicator-dilution curves, 233,2:H350
  - inulin, 233,2:F373
  - lead, 233,2:F532
  - phosphaturic effect of furosemide, 232,1:F105
  - secretin effects, 232,1:F147
  - uric acid, 233,2:F373
- clearance studies
- calcitonin effects, 239,8:F524
  - chronic caval, 242,11:F370
- comparative physiology, 230:256, 231:1716, 234,3:F60, F238, F270, 238,7:F437
- chloride substitute effects (snake), 241,10:F632
- electrolyte and acid excretion (toad), 243,12:F60
- micropuncture (avian), 243,12:F561
- compensatory adaptation, ureteral occlusion, renal nerves and, 238,7:F229
- compensatory growth, 230:1067
- cellular hypertrophy and renal function, 231:292
- sodium-potassium-ATPase, 239,8:F281
- compensatory responses, renorenal reflexes, 239,8:F265
- concentrating ability, uninephrectomized, 233,2:F428
- concentrating mechanisms
- arginine vasopressin and, fetal (ewe), 238,7:F407
  - comparative physiology, significance, 238,7:F437
  - hypokalemia, 238,7:F37
  - urinary, age effects, 240,9:F147
- concentration effect, *cis*-dichlorodiamine platinum effects, 243,12:F36
- concentration gradient, transepithelial, 235,4:F1
- contractility, multiple-coupled pacemaker system, 241,10:R412
- contralateral clamping, 230:1225
- copper, species differences (dog, human), 243,6:G226
- cortex: *see* Kidney cortex
- cortical collecting duct, calcium movement across, 242,11:F285
- countercurrent multiplication, sodium chloride transport, 241,10:F412, F443
- countercurrent system, 235,4:F387
- coupling
- metabolism and function, 236,5:F423
  - sodium bicarbonate and sodium chloride reabsorption, 236,5:F232
- cyclooxygenase inhibition, sodium-deprived, 239,8:F360
- cytoplasmic dipeptidase activities, 233,2:E450
- DDA handling (marine fish), 233,2:F126
- denervated
- compensatory renal response, 238,7:F26
  - diuresis and, 237,6:F262
  - dynamic leg exercise (baboon), 236,5:H141
  - extracellular volume expansion, 232,1:F26
  - hemorrhage, 235,4:F46
  - intact and, saline load effects, 237,6:F262
  - norepinephrine and, prostaglandin  $E_2$  and kallikrein, 241,10:F477
  - phosphate transport and excretion after, 240,9:F481
  - reactive hyperemia, 233,2:F89
  - renin release, response to tilting and furosemide, 232,1:H500
  - renorenal reflexes, 239,8:F265
  - tubular sodium reabsorption, 232,1:F16
- 2-deoxy-D-galactose secretion (flounder), 234,3:F424
- 2-deoxy-D-glucose transport, 242,11:F711
- developing
- functional and morphological maturation (guinea pig), 241,10:F618
  - glomerulotubular balance after saline loading, 235,4:F417
- development, 237,6:F392
- angiotensin-converting enzyme, 234,3:R141
- oxytocin natriuresis, saline-expanded neonates, 239,8:F589
- diabetes-induced growth, ribonucleic acid synthesis, 238,1:E349
- dibutyl adenosine monophosphate metabolism, 237,6:F75
- 1,25-dihydroxyvitamin  $D_3$  effects, phosphate transport (chick), 242,11:C312
- 1 $\alpha$ ,25-dihydroxyvitamin  $D_3$ , estradiol effects, cell cultures (chick), 240,3:E119
- diluting capacity, maturation, 233,2:F519
- 2,4-dinitrophenol effects, 233,2:F207
- dynamics, exercise and excitement (baboon), 234,3:H210
- efferents, thoracic sympathetic afferent stimulation, effects, 233,2:H580
- electrolytes
- excretion, adaptive changes in, 243,12:F211
  - excretion, glucose effects, 240,9:F17
  - excretion, prostaglandin  $E_2$  and, 237,6:F344
  - handling, acid excretion and (toad), 243,12:F60
  - physiological evaluation, 238,7:F71
  - secretion, parathyroid hormone effects, 243,12:F514
  - secretion (sheep), 234,3:F371
  - transport, calcitonin effects, 238,1:E573, 240,9:F12
  - water excretion and, circulating catecholamine control, 240,9:F192

**Kidney (continued)**

- endoperoxide analogues, vascular effects, 233,2:H573
- energy metabolism, 233,2:F207
- dopamine and, 230:1126
- enzyme units, sodium-potassium-ATPase activity and, 238,7:F315
- epithelium
- ionic transport, cortical collecting tubule, 243,12:F81
  - LLC-PK<sub>1</sub>, L-lactate metabolism (pig), 242,11:C41
  - transport properties (toad), 241,10:C154
- erythropoietic factor, nephrectomy-hypoxia time increase, 234,3:F510
- erythropoietin production, 230:845
- estrogen excretion, sulfobromophthalein and, 236,5:E347
- excretion
- afferent signal, 234,3:H21
  - endogenous cryogen, 241,10:R271
  - postprandial, aldosterone effects (sheep), 233,2:F213
  - volume expansion and, neonatal, 237,6:F392
- excretion rates, maintained volume load, 235,4:H670
- exposed, oxygen delivery to, 241,10:F257
- failure
- acid buffering, extrarenal, parathyroid hormone and, 239,8:F533
  - acute, acetylcholine effects, 235,4:F131
  - acute, cellular integrity, 234,3:F171
  - acute, ischemia and tubule obstruction, mannitol protection, 238,7:F305
  - acute, two-kidney Goldblatt, 233,2:F247
  - chronic, calcium transport, intestinal, 238,1:G424
  - chronic, parathyroid hormone, 239,8:F1
  - chronic, renin activity and, 240,3:E60
  - cis-dichlorodiammine platinum and, 243,12:F36
  - decreased phosphate transport, luminal membrane, 242,11:F17
  - dextran clearance, fractional, 237,6:F319
  - gentamicin nephrotoxicity, 242,11:F477
  - glaphepine-induced, model, 243,12:F311, F416
  - histidine and, 237,6:E1
  - hyperinflation and, 241,10:F85
  - hypoalbuminemia in, 243,12:F372
  - ischemic, nephron segments, 239,8:F17
  - myohemoglobinuric, sodium intake and, 241,10:F34
  - nephron segments in, 241,10:F556
  - nephrotoxic, common drugs and, 241,10:F1
  - plasma trypsinogens in, 242,5:G177
  - prostaglandins in, 233,2:F169
  - sodium-hydrogen exchange in, brush-border vesicles, 243,12:F293
- Fanconi syndrome, antiphasphaturic action of 25(OH)vitamin D<sub>3</sub>, 236,5:E90
- feedback effects, angiotensin II, 242,11:F149
- filtration fraction, saline effects, 243,12:F96
- fluid: see Fluid
- fluoride clearance, 230:527
- fuels, p-aminohippuric acid uptake, 235,4:F137
- function
- acute cardiac tamponade, 234,3:F117
  - acute renal failure, 233,2:F247
  - $\alpha$ -adrenergic blockade, 232,1:F409
  - aestivation (lungfish), 232,1:R10
  - afferent and efferent nerve activity and, 243,12:F425
  - albumin effects, 240,9:F569
  - amino acid effects, 243,12:F284
  - angiotensin II effects (goosefish), 236,5:R297
  - ascites, 233,2:F572, F586
  - atrial distension, 236,5:H554
  - cardiac sympathetic afferent nerves and, 241,10:R267
  - change, catecholamine infusion (swine), 240,9:F276
  - chronic unilateral denervation, awake state, 242,11:F140
  - circulating pancreatic proelastase, 239,2:G504
  - cirrhosis, 238,7:F353
  - clearance studies, 241,10:R87
  - cyclooxygenase inhibition, 239,8:F360
  - development, 233,2:F519
  - during catecholamine flow, adreno-renal rete, 240,9:F30
  - during compensatory renal growth, 231:1191
  - erythrocyte and globulin effects, 241,10:F139
  - exercise, 242,11:R482
  - glomerular filtration rate and, 242,11:R303
  - glucose stimulation, 233,2:F235
  - hemorrhagic shock, 230:724, 232,1:F409
  - histamine receptors, 235,4:F570
  - imidazole effects, ureteral obstruction, 240,9:F508
  - ischemic blood volume expansion effects, 231:104
  - lithium effects, 231:1754
  - mannitol infusion effects, 240,9:F411
  - maturation, 232,1:F178, 233,2:F55
  - neural control, 233,2:H592
  - osmoregulation (teleost), 235,4:R48
  - pancreatic trypsinogens, 239,8:G511
  - parathyroidectomy (starlings), 233,2:F138
  - perfused (bullfrog), 233,2:F481
  - physiology of (insect), 241,10:R241
  - reduced, glucose extraction, 233,2:F67
  - renovascular hypertension, 235,4:F310
  - sodium deficit effects, growth, 242,5:E241
  - sodium intake, angiotensin and, 239,8:F271
  - sodium-potassium-ATPase and, 242,11:F207
  - unilateral nephrectomy effects, 242,11:F181
  - ureteral obstruction, weanling, 236,5:F260
  - water balance (newt), 238,7:R113
- function curve, baroreceptor deafferentation, aortic, 240,9:H685
- gentamicin transport, 241,10:F645
- glomerular filtration effects, glomerular permeability coefficient, 240,9:F245
- glomerulus: see Kidney glomerulus
- glucagon extraction, 233,2:F67
- gluconeogenesis, 234,3:F415, 238,7:F415
- fluoroacetate and, 237,6:F7
- high protein diet, 235,4:E261
- sodium transport and oxygen consumption relations, 242,11:F508
- gluconeogenic enzymes, distribution, 235,4:F246
- glucose, metabolic and functional effects, 235,4:F52
- glucose and bicarbonate reabsorption, edema, 231:749
- glucose metabolism
- phlorizin and, 234,3:F270, F485
  - regional, 234,3:F415
- glucose transport, 231:468
- glucosuria, maleic acid-induced, 231:1024
- glutamate metabolism, glucogenicity and (sheep), 241,4:E465
- glutamine, acidosis and arteriovenous differences, 238,7:F199
- glutamine carbon metabolism, 234,3:F123
- glutamine metabolism
- high protein diet, 235,4:E261
  - interorgan relations, 240,3:E519
  - sheep, 234,3:E197
  - transport and, mitochondrial, rapid-mixing, rapid-filtration technique, 234,3:F514
- glutamine synthetase, glutamyltransferase and, 231:1068
- growth
- phospholipid formation in, 233,2:E212
  - urinary stimulators, 237,6:F299
- growth hormone: see Growth hormone
- guanylate cyclase activity, angiotensin II effects, 240,3:E391
- heat production, 233,2:F207
- obesity, 238,1:E193
- heavy metals, 236,5:F373
- hemodynamics
- adenosine role in, 242,11:F423
  - calcium effects, 241,10:F77
  - cyclooxygenase inhibition, 239,8:F360
  - increased plasma oncotic pressure effects, 231:1550
  - spontaneous hypertension, 241,10:F244
- hemorrhage, hemodynamics, control, 235,4:F46
- heterogeneity, 235,4:F104, F387
- ADH-dependent, hypothalamic diabetes insipidus, 240,9:F372
- chloride reabsorption, segmental, 240,9:F395
- fluid, phosphate, and glucose absorption, 237,6:F312
- histamine H<sub>1</sub> and H<sub>2</sub> receptors, characterization and function, 235,4:F570
- histamine synthesis, 230:1349
- histidine, endogenous source, 237,6:E1
- hormonal regulation, calcium transport, 241,10:F171
- hormone action, receptors and effectors in, 241,10:F333
- hormone degradation, prolactin, 240,9:F437
- hydrogen ion secretion, after unilateral ureteral obstruction, 231:1233
- hydropnea, renal vein constriction, 238,7:F279
- 25-hydroxyvitamin D metabolism, 239,2:E12
- hypercalcemia: see Hypercalcemia
- hyperemia: see Hyperemia
- hypertension: see Hypertension
- hypotension: see Hypotension
- hypoxia effects, 243,12:R265
- impaired dilution, hypothyroidism, 230:699
- infusion, renin release, 234,3:F10
- innervation, anatomy, 237,6:F333
- inorganic phosphate handling, fasting effects, 241,10:F509
- insufficiency, 234,3:F472
- calcium reabsorption, 233,2:F197
- potassium metabolism and, 240,9:F257
- insulin, metabolic and functional effects, 235,4:F52
- insulin dynamics, circulation and organ model, 237,6:E331
- interstitium: see Kidney interstitium
- ion permeation, electrophysiology (*Necturus*), 235,4:F89
- ischemia: see Ischemia
- isolated, nonfiltering, physiological evaluation, 238,7:F71
- isolated perfused
- nephron function in, 231:1699
  - sodium reabsorption-gluconeogenesis competition, steroid effects, 238,7:F290
- junctional complexes, sodium-chloride cotransport, 241,10:F412, F432
- juxtamedullary cortex, adenosine role in, 242,11:F423
- kallikrein, plasma, radioimmunoassay for, 242,11:H602
- kallikrein activity, 234,3:F36



- kallikrein excretion, vasopressin effects, 239,8:F388  
 kallikrein-kinin system, 238,7:F247  
 kallikreinlike activity, 231:1383  
 keto acids, branched-chain, transamination, 235,4:E47  
 kinetics, pH-temperature dependence, 233,2:F382  
 kininogenesis secretion, 230:533  
 lactate metabolism, 238,7:F415  
 lactate oxidation, sodium reabsorption and, 240,9:F343  
 lead excretion and accumulation, acid-base status, 237,6:F398  
 lead handling, stop-flow analysis, 237,6:F408  
 left atrial pressure effects, awake state (monkey), 243,12:R119  
 low sodium ions, PAH transport and, 230:256  
 magnesium and sodium reabsorption, 230:398  
 magnesium handling, parathyroid hormone and adenosine monophosphate, cyclic effects, 233,2:F514  
 magnesium reabsorption, calcitonin-stimulated, 239,8:F524  
 mass  
   reduction, response of deep nephrons and collecting duct, 236,5:F448  
   sodium-potassium-ATPase and, 239,8:F281  
 mechanoreceptors: see Receptors  
 meclofenamate effects, 230:711  
 medulla: see Kidney medulla  
 membrane fluidity, enzyme activities and, 242,11:F246  
 membrane vesicles, copper effects on urate uptake, 242,11:F158  
 mesotocin effects (bullfrog), 235,4:F151  
 metabolic acidosis, 230:127  
   parathyroid hormone, phosphorus deprivation, 241,10:F23  
 metabolic and respiratory acidosis, 233,2:F82  
 metabolic rates, glucagon effects, 233,2:F61  
 metabolism  
   effects of 4-pentenoic acid, 231:216  
   enzymes, proximal tubules, 241,10:F403  
   lactate oxidation and sodium reabsorption, 240,9:F343  
   organic cations, 241,10:F308  
   phlorizin effects, 234,3:F485  
   tissue potassium, 242,11:F360  
   tissue slices, arsenite effects, 237,6:F93  
 metabolite levels, acid-base alterations, 236,5:E289  
 metallothioneins, 234,3:E282  
   metabolism, age effects, 237,6:E18  
 methionine sulfoximine effects, glutathione and amino acids levels in nephron, 231:1536  
 microanatomy, 234,3:F207  
 microdissection  
   ADH-dependent heterogeneity, 240,9:F372  
   aldosterone effects, sodium-potassium-ATPase, 241,10:F273  
   high-affinity calcium-magnesium-ATPase, 242,11:F346  
 microperfusion, ischemic acute renal failure, 238,7:F305  
 micropipette methods, origin of, 242,11:F293  
 microvillus membrane  
   ammonium and lithium interaction, 241,10:C220  
   vesicles, amiloride effects, sodium-hydrogen exchange, 241,10:F374  
 microvillus membrane vesicles, phosphate transport, 242,11:F126  
 microvillus vesicles, phosphate effects (pig), 239,8:F352  
 mineralocorticoid alkalosis, potassium ion deprivation and, 235,4:F298  
 mineralocorticoid receptors, sodium and water retention, 234,3:F490  
 mineralocorticoids, sodium-potassium-ATPase and, relations, 233,2:F593  
 mitochondria, ammoniogenesis, potassium effects, 231:44  
 molecular transporters, 239,8:F97  
 multicellular, pyelouretal dynamics (minipig), 241,10:R398  
 NADH fluorescence and functional state, effect of oxygen, 231:1082  
 nephrectomy: see Nephrectomy  
 nephropathy, potassium depletion, phospholipid formation, 236,5:E429  
 nerves: see Renal nerves  
 nonfiltering, 230:410  
   renal nerve modulation, renin secretion, 242,11:R367  
   renin release, nerve stimulation effects, 241,10:F156  
   nuclear binding of L-3,5,3'-triiodothyronine, 240,3:E146  
   octanoate transport and metabolism, 237,6:F210  
   organic acid transport, 234,3:F80  
   pH-temperature dependence, 233,2:F382  
   organic base transport, proximal tubules, 242,11:F672  
   osmoregulation (teleost), 238,7:F92  
   oxidative metabolism, 235,4:F137  
   oxygen consumption  
     ammoniogenesis and, 237,6:F7  
     2,4-dinitrophenol effects, 233,2:F207  
   pacemaker system, 241,10:R412  
   vascular resistance: see Resistance  
   reflex effects, renal afferents, 241,10:R286  
 PAH transport, fluid absorption and, 230:1509  
   p-aminohippurate transport, anaerobic, 235,4:F278  
   p-aminohippurate uptake, 232,1:F239  
   p-aminohippuric acid secretion (flounder), 237,6:F291  
   p-aminohippuric acid transport, 234,3:F80  
   pantothenic acid metabolism, diabetes and fasting effects, 240,3:E597  
 papilla: see Kidney papilla  
 parathyroid hormone  
   adenylate cyclase regulation, 242,11:F457  
   excretion of phosphate and calcium, 231:1152  
   metabolism, 239,8:F1  
   parathyroid hormone-receptor-cyclase system, calcium, magnesium and guanine nucleotide effects, 241,10:F364  
 parathyroid hormone receptors, hyperparathyroid models (chick), 242,5:E154  
 pelvis: see Kidney pelvis  
 perfused  
   autoregulation, 242,11:F86  
   insulin metabolism, 240,9:F288  
   intratubular pressure and, 238,7:F205  
   NAP-taurine transport, 241,10:F9  
   potassium transport (bullfrog), 240,9:F127  
   potassium transport, ouabain effects (bullfrog), 236,5:F175  
   renin release, 234,3:F376  
   substrate-selective maintenance, tissue potassium, 242,11:F360  
   perfusion methods (bullfrog), 233,2:F481  
   perfusion pressure  
     blood flow and filtration rate, autoregulation, 237,6:F479  
     renin secretion, dynamic (sheep), 236,5:F546  
   peritubular capillaries, permeability to dextran and albumin, 231:283  
   permeability: see Permeability  
   pH, potassium transport and, 230:239  
 pH disequilibrium, hydrogen secretion, 240,9:F138  
 phenol red, handling, 238,7:F159  
 phenol red excretion (*Necturus*), 236,5:F442  
 L-phenylacetate perfusion, metabolic effects, 238,1:E450  
 phosphate excretion  
   parathyroidectomy (starlings), 233,2:F138  
   parathyroid hormone (starling), 239,8:F233  
   phosphate handling, parathyroid hormone and adenosine monophosphate, cyclic effects, 233,2:F514  
   phosphate reabsorption  
     glucose-mediated inhibition, 235,4:F430  
     juxtaglomerular and superficial nephron, 239,8:F336  
   phosphate secretion stimulation, parathyroid hormone and (fowl), 241,10:F263  
   phosphate transport  
     hypophosphatemia and, 242,11:F353  
     phosphate deprivation and, 234,3:F199  
   phosphoenolpyruvate carboxykinase activity, glucocorticoid regulation, 233,2:E147  
   phospholipid formation, during potassium depletion, 233,2:E212  
   phosphorus, adaptation, vitamin D or parathyroid gland and, 239,2:G261  
   physiology, parathyroid hormone effects (fowl), 241,10:F263  
   plasma ammoniogenic factor, metabolic acidosis, 241,10:F112  
   plasma expansion, 235,4:F156  
   plasma flow  
     glomerular ultrafiltration, 239,8:F171  
     intermedullary, ureteral obstruction, 231:1315  
   polyamine synthesis, response to methylmercury, 231:560  
   postglomerular plasma concentrations, chloride, sodium, and insulin, 231:822  
   postocclusive vasoconstriction, adenosine and, 237,6:F403  
   potassium adaptation, sodium-potassium-ATPase activity, 238,7:F380  
   potassium control, renin-angiotensin system and, 238,7:R359  
   potassium-depleted, thromboxane B<sub>2</sub> and prostaglandin E<sub>2</sub>, 240,9:F151  
   potassium excretion, electrolyte infusion studies (sheep), 234,3:F371  
   potassium-ion depleted, urinary concentrating ability, 231:1204  
   potassium ions, loss, lactate and albumin effects, 235,4:F228  
   potassium reabsorption and secretion (bullfrog), 235,4:F26  
   potassium transport, 242,11:F297  
   contribution of individual nephron segments and populations, 235,4:F515  
   sodium and chloride effects (bullfrog), 240,9:F127  
   pressure: see Pressure  
   progressive insufficiency, potassium transfer, distal tubular, 235,4:F186  
   prostaglandin endoperoxides, vascular and excretory response, 236,5:H427  
   prostaglandin E<sub>2</sub> secretion and excretion, 236,5:F552  
   prostaglandin synthesis, ureteral ligation and, 241,10:F289  
   prostaglandin synthetase effects, blood flow, 231:1541  
   prostaglandin synthetase inhibition, 235,4:F111  
   proteins, lymph, 233,2:F269  
   protein synthesis, 230:1321  
   urinary, stimulators, 237,6:F299  
   pump-perfused, prostaglandin release and hypotension, 240,9:F545

**Kidney (continued)**

- purine nucleoside phosphorylase, localization, 239,8:H721
- pyrazinamide, uric acid transport and, 230:1276
- red blood cell survival, urine osmolality, 239,8:C27
- reduced mass, early development, 242,11:F190
- reflex effects, thermal stimulation on sympathetic nerve activity, 230:271
- regeneration, renal, phospholipid metabolism, 232,1:E216
- reinnervation, development of supersensitivity to norepinephrine after denervation, 238,7:R353
- remnant
  - deep nephron and collecting duct function, 236,5:F454
  - furosemide effects, 230:1231
  - natriuretic factors with reduced nephron mass, 235,4:F465
  - water reabsorption, papillary collecting duct, 242,11:F657
- renin release, stretch receptor model, 231:936
- renin secretion,  $\alpha$ -adrenoceptor blockade and, 240,3:E682
- response
  - blood volume expansion, growth rate effects, 231:832
  - hypertonic saline infusion, cirrhosis, 242,11:F390
  - hypocalcemia, 242,5:E287
  - parathyroid hormone, 230:286
  - vasotocin, angiotensin II, and sodium chloride infusion, 231:593
  - volume expansion, awake state, 242,11:F649
  - water deprivation, 242,11:R296
- ribonucleic acid: see Ribonucleic acid
- saccharin excretion, 238,7:F10
- saline drinking effects, hypertension, 230:849
- salt load, intravenous (starling), 234,3:F270
- shock, prostaglandin release and, 230:831
- single-nephron function, oxygen consumption during rapid volume expansion and, 231:1166
- slices, sodium and hypertension effects, renin release, 240,9:F501
- sodium and potassium transport, 242,11:F514
- sodium-potassium-ATPase, obesity, 238,1:E193
- sodium-potassium-ATPase activity, respiratory rate and, 230:1432
- sodium-potassium-ATPase enzyme units, thyroxine injection, lean and obese, 237,6:E265
- sodium-potassium-ATPase regulation, adrenal steroids, 241,10:F186
- sodium retention, nonsteroid anti-inflammatory drug effects, 234,3:F490
- sodium transport, sodium-potassium-ATPase effects on, 242,11:F207
- somatostatin, parathyroid hormone, and arginine vasopressin interaction, 237,6:E428
- spironolactone administration, acid-base effects, 240,9:F381
- statistical models, micropuncture studies, 233,2:F349
- step function input, shifting between auto- and alloperfusion, 233,2:H488
- structure (bullfrog), 233,2:F481
- subcellular fractions, sodium-dependent transport, 238,7:F210
- substance P, 230:1662
- sugar reabsorption, 233,2:F274
- sugar transport, 231:603
  - flounder, 234,3:F424, 242,11:F415
  - sympathectomy, sodium handling, 236,5:F513

- sympathetic nerves: see Renal nerves
- synthesis of von Willebrand factor and factor VIII, 230:1342
- taurine excretion (fish), 242,11:R64
- thick ascending limbs, cultured epithelia, 242,11:C229
- thoracic sympathetic afferents, reflex effects, 233,2:H580
- three-compartmental model, 235,4:F1
- tissue, regeneration, diabetes, 238,1:E349
- transepithelial ion transport, urinary bladder (toad), 242,11:F103
- transport
  - galactose, 231:608
  - glucagon and insulin, 242,11:F112
  - glucose, 231:168
  - lutinizing hormone-releasing hormone, 241,10:F117
  - sugar, 231:603
  - tricarboxylic acid intermediates, 235,4:F137
  - triiodothyronine effects, time course, 236,5:F9
- tubules: see Kidney tubules
- tubuloglomerular feedback, 233,2:F217
- urate, muscular dystrophy, 234,3:E421
- urate excretion, 231:326
  - various plasma concentrations, 231:387
- ureteral obstruction, thromboxane B<sub>2</sub> and, 242,11:F220
- uric acid
  - excretion, 230:768, 1654
  - metabolism, 238,7:F481
  - synthesis (chicken), 234,3:F446
  - transport, hereditary variations, 231:1147
- urine collection device, 233,2:F615
- vascular bed, presynaptic  $\alpha$ -receptor function, 239,8:H422
- vascular changes
  - cadmium-induced hypertension, 235,4:H385
  - structural, spontaneous hypertension, 238,7:H287
- vascular control, acute emotion (ba-boon), 236,5:R198
- vascular effects, angiotensin I and II, 240,9:H914
- vascular reactivity, spontaneous hypertension, 237,6:F128
- vascular resistance: see Resistance
- vascular response
  - bradykinin, histamine, and nitroglycerin, 234,3:H496
  - hemorrhage, 230:940
  - renal nerve stimulation and intra-arterial drug administration, 234,3:H219
- vasculature
  - impaired neurogenic control, in hypertension, 238,7:H770
  - neural control, 239,8:F474
  - neural input, humoral and mechanical factors, 235,4:R64
- vasoconstriction: see Vasoconstriction
- vasoconstrictor-vasodilator interactions, ureteral obstruction, 236,5:F131
- vasodilator effects, microcirculation, 230:1148
- vasomotor interrelations, bradykinin and, 237,6:F433
- vasospasm, transient postocclusive (monkey), 233,2:H622
- vascular tone, fastigial and baroreceptor activation, 239,8:H232
- venous pressure, stop-flow pressure feedback response, 237,6:F204
- venous prostaglandin efflux, ventilatory rate effects, 242,11:F38
- vitamin B<sub>12</sub> uptake, extracellular marker, 237,6:F25
- vitamin D hydroxylases, estrogen effects (chick), 235,4:E338
- volume depletion, prostaglandin E<sub>2</sub> and, 237,6:F344
- water excretion, prostaglandins and, 233,2:F169

- water retention, nonsteroid anti-inflammatory drugs, effects, 234,3:F490
- weight
  - blood oxygen transport and (shrew), 236,5:R221
- glomerular filtration rate and, 242,11:R303
- zinc clearance, cysteine effects, 241,10:F487
- zinc redistribution, 234,3:E282
- Kidney brush border**
  - alkaline phosphatase, in phosphate depletion, 237,6:E465
  - isolated microvilli, angiotensin, 236,5:F365
  - membrane vesicles, uric acid transport, 236,5:F519
  - p-aminohippuric acid transport, vesicles (flounder), 237,6:F291
- Kidney cells**
  - calcium, high-phosphate diet and parathyroidectomy effects, 241,4:E136
  - calcium-45 desaturation, 234,3:R29, R34
  - cultured, thick ascending limbs, 242,11:C229
  - cultures, 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub>, estradiol effects (chick), 240,3:E119
  - culture techniques, 238,7:F1
  - energetics, oxygen tension effects, 233,2:C135
  - energy-depleted, p-aminohippurate transport, 235,4:F278
- epithelial
  - peanut lectin binding, 242,11:C117
  - prostaglandin synthesis, 241,10:F94
  - sodium-dependent hexose transport, 243,12:C293
- epithelial MDCK
  - growth and differentiation, 240,9:C106
  - ouabain binding during monolayer organization and cell cycle, 238,7:C43
- glucose transport, basal cell membrane (flounder), 232,1:F227
- hexose transport, sodium-dependent, 242,11:C94
- insulin effects, sodium transport and glucose metabolism, 242,11:C121
- line LLC-PK<sub>1</sub>, glucose transport, trans-epithelial (pig), 240,9:C92
- line MDCK, occluding junctions, 240,9:C96
- membrane permeability, amphotericin B effects (*Necturus*), 236,5:F392
- osmotic water permeability, proximal straight tubules, 242,11:F321
- papillary, composition and volume, sodium chloride effects, 232,1:F111
- papillary collecting tubule, prostaglandin synthesis, 241,10:F94
- phlorizin action, tubular membrane, 234,3:F485
- phosphate uptake, 1,25-dihydroxyvitamin D<sub>3</sub> effects (chick), 242,11:C312
- potassium transport, ouabain effects (bullfrog), 236,5:F175
- proximal
  - potassium ion activity (salamander), 243,12:F12
  - volume regulation, 233,2:F325
- proximal tubular
  - hormonal induction of sodium-potassium-ATPase, 241,10:F356
  - hydrogen transport, 238,7:F445
  - luminal sodium ion entry (*Necturus*), 236,5:F295
- sodium-potassium pump and sodium-potassium-ATPase, disparity of temperature sensitivity (guinea pig, ground squirrel), 235,4:C159
- sodium pump, ouabain-sensitive localization (pig), 236,5:C157
- sodium transport, corticosteroid binding effects, 242,11:F610
- transmembrane electrical potential difference, tubules, 241,10:F61

- tubular  
 permeability, common drugs, 241,10:F1  
 plasma membrane, calcium transport, 237,6:F1  
 volume regulation in hypotonic medium, 236,5:F226  
 volume  
 in hypotonic media, collagenase and ouabain effects, 238,7:F491  
 tubular, metabolic inhibitors, 239,8:F571
- Kidney cortex**  
 adenylate cyclase, manganese ion effects on, 242,11:F457  
 alkaline phosphatase, low dietary phosphate intake and, 237,6:E465  
 amiloride inhibition, sodium-hydrogen exchange, 241,10:F374  
 amino acid content, 236,5:F398  
 blood flow: see Blood flow  
 cell pH, acid transport, 239,8:F440  
 cell volume changes, saline and raffinose, 240,9:F180  
 copper effects, urate uptake, 242,11:F158  
 cytochrome, redox state, 243,12:F356  
 glucose and sodium ions, reabsorption, dissociation by amphotericin B (*Necturus*), 236,5:F392  
 glucose carrier, sodium ion-dependent, 234,3:E1  
 glutamate metabolism, regulation mitochondrial, 237,6:F55  
 ion composition, sodium-potassium-ATPase and, gentamicin nephrotoxicity, 242,11:F477  
 krypton-85 distribution, endotoxemia, 232,1:H54  
 laser-Doppler spectroscopy, 232,1:H441  
 lipid compartments, 232,1:F254  
 mannose uptake, 231:9  
 microvillus membrane, ammonium and lithium interaction, 241,10:C220  
 organic anion transport, 232,1:F513  
 SITS effects, 234,3:F302  
 palmitate metabolism, lactate and glutamine effects, 231:14  
 p-aminohippurate transport and sodium-potassium-ATPase activity, relations, 236,5:F126  
 parathyroid hormone-stimulated adenylate cyclase, epinephrine inhibition of, 242,11:F721  
 phosphate metabolism, 231:61  
 phosphate transport  
 glucocorticoid effects, 243,12:C227  
 glucose and alanine effects, 242,11:F126  
 phosphate uptake, cellular, role of guanosine monophosphate, cyclic, 233,2:E203  
 phosphoribosylpyrophosphate, diabetes, 238,1:E341  
 plasma flow, peritubular heterogeneity, 233,2:F333  
 prostaglandin-forming cyclooxygenase, histochemical localization, 235,4:F451  
 prostaglandin metabolism, spontaneous hypertension, 233,2:H87  
 protein kinase system, hormone-stimulated, insulin inhibition, 236,5:E649  
 renin release, prostaglandins and, 240,3:E609  
 ribonucleic acid synthesis, diabetes, 238,1:E349  
 smooth muscle active factor, 232,1:F85  
 sodium-dependent transport, harmaline inhibition, 238,7:F210  
 sodium ion-hydrogen ion exchanger, 238,7:F461  
 sodium permeability, myocardial cell swelling, 239,8:H31  
 sodium-potassium-ATPase activity, time response, 236,5:F9  
 superficial vasculature, 234,3:F207  
 uridine triphosphate synthesis, diabetes, 238,1:E349
- Kidney disease, magnesium absorption**  
 jejunal, 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> effects, 238,1:G349
- Kidney glomerulus**  
 adaptations, dietary salt restriction or excess, 238,7:F428  
 adenylate cyclase, prostaglandin-stimulated, 235,4:F458  
 aldosterone, dexamethasone binding and, 243,12:F235  
 angiotensin (trout), 239,8:R509  
 basement membrane, dermselectivity, 234,3:F455  
 capillary pressure, ultrafiltration dynamics, 239,8:F171  
 dynamics, anesthetics and, 243,12:F253  
 function  
 kidney-tubule obstruction, 237,6:F379  
 single nephron, angiotensin (trout), 239,8:R509  
 permeability coefficient, ultrafiltration dynamics, 239,8:F171  
 prostaglandin and renin-angiotensin systems, interaction, 239,8:F602  
 prostaglandin production, dietary sodium effects, 241,10:F517  
 prostaglandin synthesis, angiotensin II effect, 239,8:F478  
 renin release, prostaglandin I<sub>2</sub> effects, 243,12:F276  
 ultrafiltration, pseudopregnancy and, 243,12:F300  
 ureteral obstruction, 236,5:F131  
 vitamin B<sub>12</sub> uptake, postglomerular, 237,6:F25
- Kidney interstitium**  
 comparative and functional aspects, species differences, 241,10:R3  
 functional characteristics, 241,10:F105  
 protein, lymph, 233,2:F269
- Kidney medulla**  
 adenylate cyclase, vasopressin responsiveness, newborn, 234,3:F16  
 bone, vitamin D metabolism, aging (quail), 241,4:E275  
 calcium reabsorption, 233,2:F197  
 central core model, comparisons (rabbit, rat), 234,3:F402  
 collecting duct  
 calcium-binding protein, 243,12:F243  
 function, adrenal nucleation effects, 242,11:F453  
 pH and oxygen pressure in, 241,10:F659  
 collecting tubule, sodium and potassium transport, 242,11:F514  
 comparative and functional aspects, species differences, 241,10:R3  
 cytochrome, redox state, 243,12:F356  
 erythrocyte velocity, vasa recta, 237,6:F326  
 hypertonic urine formation, 239,8:F57, F72  
 inner  
 blood flow with ureteral obstruction, 231:1315  
 hemodynamics, chronic caval, 242,11:F370  
 meclofenamate and urine concentration, 240,9:F423  
 prostaglandin effects, urea reabsorption, 241,10:F53  
 prostaglandin E<sub>2</sub> synthesis, calcium and A23187 effects, 238,1:E371  
 transcapillary water, 231:313  
 interstitium, urinary concentrating and diluting processes, 235,4:F1  
 krypton-85 distribution, endotoxic shock, 232,1:H54  
 mineralocorticoid and sodium-potassium-ATPase, relations, 233,2:F593  
 outer and inner concentrating process, integrative hypothesis, 239,8:F578  
 plasma flow, heterogeneity, 233,2:F333  
 plasma membrane, distinct, purification, 234,3:F247  
 prostaglandin E<sub>2</sub> biosynthesis, 237,6:F344  
 prostaglandin E<sub>2</sub> synthesis, calcium effects, 235,4:F213  
 prostaglandin metabolism, spontaneous hypertension, 233,2:H87  
 prostaglandin production, 233,2:F539  
 prostaglandins, water excretion control, 240,9:F471  
 prostaglandin synthesis  
 phospholipase A<sub>2</sub> and, 236,5:H65  
 vasopressin effects, 241,10:F649  
 protein kinase regulation, vasopressin (bovine), 232,1:F50  
 pyruvate kinase activity, potassium depletion-induced cell proliferation, 238,1:E377  
 recycling, potassium, 242,11:F297  
 renal insufficiency, 233,2:F197  
 thick ascending limb  
 hormonal regulation, calcium transport, 241,10:F171  
 sodium chloride transport, 241,10:F412, F432, F443  
 thin ascending limb of Henle, 232,1:F201  
 tonicity, interstitial pressure control, 243,12:F325  
 volume-flow rate, 234,3:F402
- Kidney papilla**  
 adenosine monophosphate, cyclic content, vasopressin effects, 237,6:F218  
 antidiuresis and water diuresis, epithelial morphology, 235,4:F69  
 calcium reabsorption, 233,2:F197  
 collecting duct  
 bicarbonate reabsorption, acetazolamide effects, 243,12:F74  
 chloride transport, 235,4:F219  
 water reabsorption, remnant kidney, 242,11:F657  
 concentrating mechanism, epithelial, 235,4:F69  
 coupling of function and anaerobic pattern, metabolism, 236,5:F423  
 drug-induced necrosis, electrolyte excretion and, 241,10:F14  
 erythrocyte velocity, vasa recta, 237,6:F326  
 exposure, meclofenamate and urine concentration, 240,9:F423  
 hypertonicity, cisplatin nephrotoxicity and, 241,10:F175  
 necrosis, 239,8:F187  
 perfusion rate, spontaneous hypertension, 236,5:F36  
 plasma flow  
 anteroventral third ventricle lesion, 243,12:H614  
 potassium deficiency effects, 237,6:F226  
 tissue osmolality and, chronic caval, 242,11:F370  
 prostaglandin biosynthesis, stimulation by hypertonic mediums, 234,3:F64  
 prostaglandin production, dietary sodium effects, 241,10:F517  
 transmembrane electrical potential difference, 241,10:F61
- Kidney pelvis**  
 comparative and functional aspects, species differences, 241,10:R3  
 meclofenamate, urine concentration and, 240,9:F423  
 multicalyceal, pyeloureteral dynamics (minipig), 241,10:R398  
 unicalyceal, multiple-coupled pacemaker system, 241,10:R412  
 urea concentration, renal concentrating ability and, 239,8:F609
- Kidney tubules**  
 absorption, volume expansion and recovery, 240,9:F395

**Kidney tubules (continued)**

- acid-base disturbance effects, magnesium reabsorption, 243,12:F197
- acidification, sodium and, 236,5:F434
- acidosis: *see* Acidosis
- adaptation, phosphate restriction, hypophosphatemia, 242,11:F353
- aldosterone binding, 241,10:F605, 242,11:F63
- autoradiographic study, 240,9:F172
- p*-aminohippurate transport, chloride substitute effects (snake), 241,10:F632
- angiotensin handling, mechanism, 236,5:F365
- angiotensin II handling, 232,1:F319
  - amino acids and, 234,3:F325
- anions, transport (chicken), 233,2:F133
- apical membrane, ion pumps, 233,2:F359
- backleak, renal failure, 237,6:F319
- basement membrane, renal cell volume in hypotonic media, 238,7:F491
- calcium and electrolyte samples, disappearance of, 242,11:F202
- calcium-magnesium-ATPase, high-affinity, 242,11:F346
- calcium transport
  - parathyroid hormone, 239,8:F121
  - peritubular surface (teleost), 234,3:F522
  - sodium and adenosine triphosphate effects (teleost), 243,12:R34
  - voltage dependence, 236,5:F357
- catecholamines, effects, 233,2:F39
- cation transport, 235,4:F576
- cell volume, ouabain and colloid osmotic pressure effects, 235,4:F480
- chloride transport, competitor potency (chicken), 232,1:F443
- choline effects, electrolyte excretion (chicken), 240,9:F211
- choline transport, bidirectional, 236,5:F112
- collecting
  - acidification, metabolic acidosis effects, 241,10:F669
  - adenosine monophosphate, cyclic, antidiuretic hormone action, 232,1:F368
  - adenylate cyclase, vasopressin responsiveness, newborn, 234,3:F16
  - antidiuretic hormone effects, adenosine monophosphate, cyclic system, 240,9:F311
  - antidiuretic hormone-induced intramembranous alterations, 235,4:F440
  - antidiuretic hormone or adenosine monophosphate, cyclic effects, 243,12:F503
  - antidiuretic hormone response, temperature effects, 239,8:F595
  - bicarbonate reabsorption, 234,3:F141
  - calcium movement across, 242,11:F285
  - chloride reabsorption, 239,8:F552
  - chloride transport, papillary, 235,4:F219
  - cisplatin nephrotoxicity, 241,10:F175
  - deoxycorticoid acetate, effects, 233,2:F544
  - fluid balance and, 237,6:F247
  - fluid delivery, potassium transport and, 235,4:F515
  - function, ureteral obstruction, weanling, 236,5:F260
  - magnesium transport, 239,8:F393
  - mannitol-induced diuresis, 240,9:F411
  - medullary, calcium transport, 239,8:F24
  - medullary, comparative and functional aspects, species differences, 241,10:R3
  - medullary, electrical properties, 239,8:F258
  - medullary, phosphate transport, 237,6:F48
  - medullary, potassium secretion, 236,4:F278
  - medullary, urea secretion in diuresis, 240,9:F165
  - natriuresis after adrenal enucleation, 233,2:F8
  - papillary, antidiuretic hormone effects, 240,9:F311
  - papillary, function (desert rodent), 239,8:F539
  - papillary, micropuncture and microcatheterization, comparison, 239,8:F92
  - papillary, prostaglandin synthesis, 241,10:F94
  - papillary, transmembrane electrical potential difference, 241,10:F61
  - papillary, water, sodium, and potassium reabsorption (desert rodent), 239,8:F539
  - particle clusters, intramembranous, 239,8:F560
  - peanut lectin binding, 242,11:C117
  - phosphate transport, parathyroid hormone effects, 233,2:F29
  - potassium transport, transepithelial, model, 233,2:F559
  - prostaglandin effects on urea reabsorption, 241,10:F53
  - renal mass, reduction, 236,5:F454
  - sodium excretion, control, 235,4:F163
  - sodium transport, prostaglandin effects, 232,1:F383
  - transport characteristics, 233,2:F544
  - volume expansion natriuresis, 232,1:F566
- connecting, sodium-potassium-ATPase, mineralocorticoids and, 240,9:F536
- cortical
  - aldosterone receptors, distribution, 237,6:F360
  - antidiuretic hormone-prostaglandin  $E_2$  interaction, 241,10:F452, F461
  - collecting duct, sodium-potassium-ATPase, mineralocorticoids and, 240,9:F536
  - glucocorticoid receptors, 240,9:F38
  - isolation, enriched by proximal and distal segments, 237,6:F350
  - luminal fluid acidification, 242,11:F521
  - mass, diabetes, 242,11:F385
  - oxygen delivery, spectrophotometry, 238,7:F50
  - oxygen delivery, spectrophotometric monitoring of, 241,10:F257
  - phosphate transport, 242,11:F379
  - potassium secretion, 241,10:F395
  - pressure in microstructures, angiotensin II, 242,11:F149
  - renin concentration, renal failure and, 241,10:F34
  - sodium and potassium transport, 242,11:F514
- cortical collecting
  - calcium effects, antidiuretic hormone action, 243,12:F481
  - cation transport, mineralocorticoid effects, 235,4:F576
  - cell volume, ouabain and colloid osmotic pressure effects, 235,4:F480
  - inner medullary, chloride transport, saline expansion and, 238,7:F504
  - ionic conductive properties and electrophysiology, 243,12:F81
  - phosphate transport, 238,7:F358
  - potassium addition, 235,4:F104
  - potassium transfer, 235,4:F186
  - prostaglandin-forming cyclooxygenase, 235,4:F451
  - protein kinase activity, 238,7:F269
  - sodium-potassium-ATPase activity after potassium loading, 238,7:380
  - sodium transport properties, peritubular membrane, 242,11:F664
  - transport, temperature-antidiuretic hormone interactions, 238,7:F470
  - cultured cells, thick ascending limbs, 242,11:C229
  - 2-deoxy-D-galactose secretion (flounder), 234,3:F424
  - distal
    - acidification, 241,10:F219
    - acidification, diet and blood pH effects, 243,12:F364
    - acidification, hypoparathyroidism, 236,5:F536
    - acidosis, 239,8:F515
    - aldosterone binding, 242,11:F63
    - angiotensin II handling, amino acids and, 234,3:F325
    - bicarbonate reabsorption in, 243,12:F335
    - calcium and magnesium transport, furosemide effects, 241,10:F340
    - cell volume, ouabain and colloid osmotic pressure, 235,4:F480
    - chloride concentration, dissociation of tubuloglomerular feedback, 240,9:F111
    - chloride concentration, fluid, single nephron glomerular filtration and, 237,6:F63
    - chloride delivery, 235,4:F219
    - chloride transport (salamander), 242,11:F331
    - choline transport, bidirectional, 236,5:F112
    - convoluted, calcium-binding protein, 243,12:F243
    - convoluted, sodium chloride secretion, 243,12:F160
    - corticosteroid binding, 243,12:F235
    - current-voltage relations (snake), 239,8:F402
    - diluting segment (amphibian), 233,2:F342
    - early, mineralocorticoid escape, 239,8:F149
    - electrolyte excretion, 243,12:F211
    - electrolyte transport, parathyroid hormone effects, 236,5:F342
    - electrophysiology (reptile), 234,3:F238
    - fluid collection, hydrodynamic alterations, 232,1:F497
    - fluid osmolality, feedback regulation of glomerular filtration, 239,8:F427
    - function, volume expansion, 239,8:F228
    - glucocorticoid receptors, 240,9:F38
    - glucose transport, volume expansion effects, 236,4:F567
    - leakage, maleic acid-induced Fanconi syndrome, 239,8:F507
    - magnesium transport, 239,8:F393
    - perfused, urate and *p*-aminohippurate accumulation, 239,8:F222
    - pH disequilibrium, 240,9:F138
    - pH effects, potassium transport, 242,11:F544
    - phosphate reabsorption, parathyroid hormone effect, 235,4:F321
    - potassium excretion, sodium intake effects, 233,2:F225
    - potassium regulation, 234,3:F146
    - potassium secretion, comparison with colon, 234,3:F48
    - potassium secretion, luminal influence, 239,8:F289
    - potassium secretion, luminal influences, 236,5:F192
    - potassium secretion, luminal chloride effects, 242,11:F46
    - potassium transfer, normal and remnant kidneys, 235,4:F186
    - potassium transport, electrical potential difference, 238,7:F235
    - potassium transport, nephron segments, 235,4:F515
    - potassium transport by, 243,12:F487
    - pressure-flow relations, 232,1:F497
    - sodium concentration, luminal, electrical properties and (snake), 239,8:F412



- sodium delivery, metabolic and respiratory acidosis, 233,2:F82  
 sodium handling, 235,4:F394  
 sodium ions, renin secretion and, 235,4:F611  
 sodium-potassium-ATPase stimulation, 243,12:F463  
 sodium reabsorption, early and late development, 240,9:F481  
 sodium transport in, 243,12:F330  
 superficial, function, volume expansion, 239,8:F228  
 superficial, net potassium addition, 235,4:F104  
 superficial, volume expansion natriuresis, 232,1:F566  
 transepithelial potential difference, 234,3:F182  
 transepithelial potentials, generation (reptile), 234,3:F238  
 distal convoluted  
   calcium, sodium, and water reabsorption, 239,8:F478  
   calcium transport, 235,4:F492  
   calcium transport, parathyroid-hormone-sensitive, 235,4:F367  
   hormone action, 240,9:F159  
 distal early, phosphate transport, 233,2:F261  
 distal late  
   mineralocorticoid escape, 239,8:F149  
   nephron filtration, relations, 233,2:F315  
 electrolyte transport, hypothalamic stimulation, 239,8:F206  
 enzyme distribution, carbonic anhydrase, 243,12:F311  
 fluid  
   flow rate, 243,12:F1  
   micropuncture of superficial nephrons (avian), 243,12:F561  
   transport, transepithelial, model, 235,4:F626  
 function  
   aldosterone effects, pregnancy, 240,9:R175  
   vanadate effects, 240,9:F522  
 glucagon and insulin, processing differences, 242,11:F112  
 gluconeogenic enzymes, distribution, 235,4:F246  
 glucose absorption, 233,2:F274  
 glucose reabsorption, maximal, after saline loading, 235,4:F417  
 glucose transport in, 231:1716  
   furosemide effects, 232,1:F438  
 glutamine carbon metabolism, 234,3:F123  
 glycine transport, ontogeny, 233,2:F241  
 growth hormone, absorption, 233,2:F185  
 heterogeneity, nephron, 233,2:F491  
 inorganic phosphate  
   handling of, growth, 242,11:F705  
   handling of, thyroparathyroidectomy, 241,10:F123  
   reabsorptive capacity, fasting effects, 241,10:F509  
 insulin and growth hormone absorption, amino acid effects, 242,11:F745  
 insulin metabolism, 240,9:F288  
 interstitial pressure, saline expansion effects, 240,9:F106  
 intratubular pressure, lithium reabsorption, 241,10:F348  
 ion transport, kidney (toad), 242,11:F103  
 isolated  
   comparative studies, significance, 238,7:F437  
   hexokinase and phosphoenolpyruvate carboxykinase, 240,9:F492  
 isolated perfused, drug interactions, 241,10:F69  
 lead reabsorption, 233,2:F532  
 luminal membrane, sodium-chloride entry mechanism, 242,11:F561  
 maleate-induced dysfunction, prevention by acetoacetate, 239,8:F50  
 medullary  
   protein kinase activity, 238,7:F269  
   sodium-potassium-ATPase stimulation, 243,12:F463  
 metabolites, transport (chicken), 233,2:F133  
 microdissection, aldosterone binding, 240,9:F172  
 microenvironment, 234,3:F207  
 microfluorometric monitoring, NAD redox state, 240,9:F337  
 micropipette methods, origin of, 242,11:F293  
 morphology, 234,3:F146  
 obstruction  
   acute renal failure and, mannitol protection, 238,7:F305  
   chronic (*Necturus*), 234,3:F112  
   glomerular function and, 237,6:F379  
   organic cation transport, 240,9:F83  
   oxytocin handling, 232,1:F319  
 p-aminohippurate movement  
   between lumen and cells, 232,1:F424  
   transit time, 232,1:F424  
 p-aminohippurate transport  
   DIDS effect, 238,7:F99  
   luminal, inhibitors (garter snake), 236,5:F379  
   pig, 239,8:F107  
   SITS effects (garter snakes), 238,7:F16  
 parathyroid hormone, absorption, 233,2:F445  
 parathyroid hormone effects, permeability, 231:1401  
 parathyroid hormone-stimulated adenylate cyclase, epinephrine inhibition of, 242,11:F721  
 peritubule capillary pressure and reabsorption, saline expansion effects, 240,9:F106  
 permeability, parathyroid hormone effects, 231:1401  
 phenol red, localization in vivo, 238,7:F159  
 phenol red excretion (*Necturus*), 236,4:F442  
 phlorizin action, membranes of proximal, 234,3:F485  
 phosphate maximum reabsorption, denervation, 240,9:F481  
 phosphate transport  
   diphosphonate treatment, 239,8:F13  
   renal denervation, 240,9:F481  
 phosphorus reabsorption, fasting effects, 237,6:F241  
 physical properties, Henle's loop, 234,3:F54  
 potassium transport, sodium-potassium-ATPase effects, 242,11:F207  
 pressure: see Pressure  
 prostaglandin effects, urea reabsorption, 241,10:F53  
 prostaglandins, transport, 233,2:F169  
 prostaglandin synthetase inhibition, 235,4:F111  
 protein absorption, 243,12:F379  
 proximal  
   acidification, 241,10:F219  
   acidification, carbonic anhydrase role, 238,7:F372  
   acidification, luminal bicarbonate concentration effects, 243,12:F53  
   acidification, solute transport, epithelia, 240,9:F1  
   acridine orange uptake, 242,11:F733  
   aldosterone binding, 242,11:F63  
   allantoin excretion, 233,2:F373  
   amiloride inhibition, sodium-hydrogen exchange, 241,10:F374  
   amino acid transport, transepithelial, 238,7:F335  
   p-aminohippurate heterogeneity, 240,9:F430  
 ammonium and lithium interaction, 241,10:C220  
 angiotensin II handling, amino acids and, 234,3:F325  
 anion permeability, 242,11:F395  
 bicarbonate and fluid absorption, lysine effects, 242,11:F604  
 bicarbonate reabsorption, carbonic anhydrase-dependent, 236,5:F58  
 bicarbonate reabsorption, acetazolamide effects, 237,6:F447  
 bicarbonate transport, carbon dioxide and acetazolamide effects, 240,9:F54  
 bicarbonate transport, piretanide effects, 238,7:F60  
 bidirectional transport, 237,6:F85  
 calcium reabsorption, hypercalcemia, 233,2:F201  
 carbon dioxide tension, 242,11:F78  
 carbon dioxide transport, urinary acidification, 232,1:F20  
 carbonic anhydrase-independent reabsorption, 242,11:F274  
 cell shape and water reabsorption, relation, phenomenological model, 234,3:F308  
 cell volume, basement membrane effects, 233,2:F325  
 cell volume, ouabain and colloid osmotic pressure effects, 235,4:F480  
 cell volume, regulation, hypotonic medium, 236,5:F226  
 chloride, labeled, transcellular and paracellular fluxes (*Necturus*), 235,4:F617  
 chloride concentration gradient, newborn, 239,8:F328  
 chloride gradient, volume expansion-induced alterations, 237,6:F473  
 cimetidine and procainamide secretion, 242,11:F672  
 cimetidine secretion, 241,10:F69  
 comparison of reabsorption, 241,10:F348  
 configuration, 234,3:F207  
 convoluted, bicarbonate transport, 242,11:F532  
 convoluted, carbon dioxide permeability, 242,11:F470  
 cortical, acid transport, cell pH and, 239,8:F440  
 cytosolic free calcium levels, 242,11:C124  
 deoxycorticosterone acetate effects, 241,10:F502  
 2-deoxy-D-transport, 242,11:F711  
 dysfunction, acidosis, 243,12:F604  
 electrophysiology and transport (salamander), 241,10:F39, F540  
 epithelial transport, 236,5:F478  
 filtration rate regulation, 232,1:F325  
 fluid absorption, 234,3:F68, F279, F381, 238,7:F256  
 fluid reabsorption, dopamine effects, 242,11:F634  
 fluid-to-plasma chloride concentration gradient, 242,11:F575  
 fluid transport, carbon dioxide and acetazolamide effects, 240,9:F54  
 glomerular filtration rate and renal blood flow transients, 233,2:F396  
 glucocorticoid receptors, 240,9:F38  
 glucose efflux, function of delivered load, 238,7:F499  
 glucose transport, albumin infusion effects, 232,1:F286  
 hydrogen transport, 238,7:F445  
 hydrolysis and reabsorption of bradykinin inhibited by peptides, 231:743  
 hydrostatic pressure, renal perfusion and, 238,7:F205  
 induction of sodium-potassium-ATPase, cells, 241,10:F356  
 inhibition of hydrolysis and reabsorption of bradykinin by peptides, 231:743

**Kidney tubules (continued)**

- intracellular potentials, 240,9:F200  
ion permeation (*Necturus*), 235,4:F89  
isolated, glycine, peritubular uptake and transepithelial transport, 238,7:F324  
isolated incubated segments, urate and *p*-aminohippurate accumulation, 239,8:F222  
isolated microperfused, prostaglandin  $E_2$  secretion, 237,6:F268  
isotonic fluid absorption, effective luminal hypotonicity, 236,5:F89  
lactate absorption (garter snake), 238,7:F218  
lactate transport, sodium dependence (snake), 240,9:F388  
lactate uptake, peritubular (garter snake), 238,7:F296  
length, ADH-dependent, 240,9:F372  
luminal sodium ion entry into cells (*Necturus*), 236,5:F295  
luteinizing hormone-releasing hormone, 241,10:F117  
metabolic inhibitor effects (rabbit), 243,12:F133  
micropuncture study (desert rodent), 241,10:F612  
obstruction, acute renal failure, 238,7:F305  
organic base secretion, heterogeneity of, 243,12:F404  
organic cation transport, 240,9:F83  
organic ion transport system (pig), 241,10:F591  
osmotic water permeability, 242,11:F321  
oxalate secretion, 240,9:F295  
oxalate transport, 243,12:F271  
peptides, small, hydrolysis and transport, 238,7:F151  
perfusion, in vitro, 238,7:F166  
peritubular capillary fluid uptake, 235,4:F142  
permeability, adenosine monophosphate, cyclic and, 236,5:F71  
pH disequilibrium, 240,9:F138  
phosphate adaptation, localization, 233,2:F342  
phosphate flux, microinjection studies, 232,1:F159  
phosphate reabsorption, hypercalcemia, 233,2:F201  
phosphate reabsorption, parathyroid hormone effect, 235,4:F321  
phosphate secretion, absence of, 232,1:F235  
phosphate transport, 231:979, 242,11:F126  
phosphate transport, piretanide effects, 238,7:F60  
phosphate transport during phosphate deprivation, 234,3:F199  
potassium ion activity (salamander), 243,12:F12  
potassium transport, pars recta, 242,11:F226  
potassium transport pathways, 242,11:F297  
potentials, transepithelial, temperature dependence, 236,5:F302  
pressure, nephron filtration and, 241,10:F238  
pure suspension isolation, 241,10:F403  
reabsorption, aortic clamping effects, 232,1:F92  
reabsorption, delivery during volume expansion, 236,5:F488  
reabsorption, metabolic acidosis and, 242,11:F499  
reabsorption, saline expansion effects, 240,9:F106  
reabsorption, spontaneous hypertension, 237,6:F38  
salt and water flow, epithelial, model, 235,4:F638  
sodium concentrations, variations, 238,7:F256  
sodium-dependent D-glucose transport, 242,11:F406  
sodium-dependent transport, hormone inhibition, 238,7:F210  
sodium excretion, control, 235,4:F163  
sodium fluxes (*Necturus*), 232,1:F461  
sodium handling after sympathectomy, 236,5:F513  
sodium-hydrogen exchange, 238,7:F445, 241,10:F380  
sodium ion-hydrogen ion exchanger, 238,7:F461  
sodium reabsorption, bicarbonate-dependent, oxygen requirement, 238,7:F175  
sodium reabsorption, denervation effects, 232,1:F16  
sodium reabsorption, hyperoncotic albumin and, 237,6:F34  
sodium reabsorption, renal vein constriction, 243,12:F19  
sodium transport, albumin infusion effects, 232,1:F286  
solute gradients, efferent vessel plasma and, 236,5:F119  
solvent drag in, 243,12:F342  
 $S_2$  segment, urate transport, 240,9:F530  
sugar interaction with antiluminal surface, 232,1:F455  
uncoupling of sodium bicarbonate from sodium phosphate transport, 235,4:F403  
urate absorption, 236,5:F526  
urate absorption, transport constants, 240,9:F406  
urate transport, 240,9:F90, 241,10:F565  
volume absorption, 234,3:F349  
volume absorption, nonelectrolytes, 236,5:F163  
proximal convoluted  
amino acid absorption, 236,5:F149  
bicarbonate absorption, parathyroid hormone effects, 236,5:F387  
bicarbonate transport, 233,2:F307  
bicarbonate transport, parathyroid hormone-inhibited, 239,8:F127  
carbon dioxide permeability, 240,9:F231  
cell volume regulation in, 243,12:F408  
chloride and bicarbonate permeability, 241,10:F386  
electrical effects, acidification, 240,9:F459  
excretion of urate, 231:326  
fluid, phosphate, and glucose absorption, heterogeneity, 237,6:F312  
fluid metabolism, organic solute effects, 231:627  
fluid reabsorption, catecholamines and, 238,7:F347  
glucose transport, 241,10:F322  
ion selectivity, salt reabsorption and, 235,4:F234  
lithium reabsorption, 241,10:F348  
organic solute effects on fluid absorption, 231:627  
phosphate transport, parathyroid hormone effects, 233,2:F29  
prostaglandin  $E_2$  secretion, 237,6:F268  
sodium and bicarbonate transport relations, 240,9:F222  
sodium-calcium interactions, 240,9:F558  
sodium-to-chloride permeability, 235,4:F592  
solute transport, leaked load, 234,3:F480  
sulfate transport, 241,10:F300  
transmembrane electrical potential difference, 241,10:F61  
urate reabsorption, 231:509  
urate secretion, 239,8:F383  
urate transport, 237,6:F85  
volume absorption, 234,3:F349  
proximal late  
nephron filtration, relations, 233,2:F315  
phosphate transport, 233,2:F261  
proximal straight  
absorbate analysis, 241,10:F597  
amino acid absorption, 236,5:F149  
bicarbonate transport, dibutyl adenosine monophosphate, cyclic and, 238,7:F166  
cation content, 232,1:F42  
cell volume, metabolic inhibitors, 239,8:F571  
cell volume in hypotonic media, 238,7:F491  
cell volume regulation, 233,2:F325  
fluid absorption, 233,2:F154  
fluid reabsorption, catecholamines and, 238,7:F347  
heterogeneity, functional, 232,1:F20  
hydraulic conductivity coefficient, 234,3:F340  
intracellular potassium activity, 241,10:F677  
ion flows, passive and active, 233,2:F154  
prostaglandin  $E_2$  secretion, 237,6:F268  
superficial, chloride ions, flux, solvent drag component, 237,6:F455  
pulse wave propagation, 240,9:F446  
pump-leak systems, 234,3:F480  
reabsorption  
angiotensin effects, Goldblatt hypertension, 243,12:F553  
hypernatremia, 231:642  
saline expansion effects, 240,9:F106  
single-nephron glomerular filtration rate, 237,6:F63  
regeneration, epithelial cell line, 240,9:C106  
saccharin secretion, 238,7:F10  
secretion, organic cations, 241,10:F308  
segments, developed, 233,2:F55  
separated, *p*-aminohippuric acid uptake, renal fuels for, 235,4:F137  
single  
potassium adaptation, 238,7:F380  
sodium-potassium-ATPase activity, 237,6:F105, F114  
sodium reabsorption  
ethacrynic acid and ouabain effects, 242,11:F254  
lactate oxidation and, 240,9:F343  
sympathetic nerve activity, 235,4:F557  
sugar transport (flounder), 234,3:F424  
sulfate secretion, hydrogen ion-dependent (teleost), 243,12:F150  
sulfate transport, peritubular surface (teleost), 239,8:F143  
suspension, NAD, microfluorimetry, 240,9:F337  
taurine secretion (fish), 242,11:R64  
tetraethylammonium transport, competitor potency (chicken), 232,1:F443  
thick ascending limb, hormonal regulation of calcium transport, 241,10:F171  
transmembrane electrical potential difference, cells, 241,10:F61  
transport  
comparative studies, significance, 238,7:F437  
defects, acute renal failure, 241,10:F556  
defects, ischemic renal failure, 239,8:F17  
erythrocyte and globulin effects, 241,10:F139  
folic acid and methotrexate (monkey), 242,11:F484  
organic cations, 241,10:F308  
urate transport  
luminal, inhibitors (garter snake), 235,4:F379

- pig, 239,8:F107  
 vasopressin effects, 232,1:F341  
 volume regulation, 235,4:F480  
 water permeability, angiotensin II effects, 232,1:F298  
 zinc clearance, 241,10:F532
- Kinase**, myosin light chain, vascular smooth muscle (swine), 242,11:C109
- Kinase isozymes**, arterial smooth muscle relaxation, coronary, 242,11:H177
- Kinematics**, contractile function, right ventricle, 239,8:H794
- Kinetics**: see specific subject and site
- Kinin**  
 blood flow, uteroplacental, 239,8:H266  
 formation, nephron, 234,3:F36  
 prostaglandin synthesis, papillary collecting tubule cells, 241,10:F94  
 secretion, vasopressin effects, renal, 239,8:F388  
 urinary, 238,7:F247  
 uteroplacental blood flow regulation, pregnancy, 242,11:H142
- Kinin-adrenergic interaction**, prostatic glands and, kidney, 241,10:R146
- Kininase II**  
 blood flow and, submandibular gland, 242,11:H1010  
 bradykinin potentiation, 240,9:H255  
 converting enzyme inhibition, glucocorticoid hypertension, 238,7:H844
- Kininogenase**, secretion, nephron, 230:533
- Knowledge**, complexity and, 235,4:R201
- Korotkoff sounds**, digital arterial pressure
- Krebs cycle**  
 energy metabolism, heart, 232,1:R175  
 inhibition, ammoniogenesis, renal, 237,6:F7  
 intermediates and inhibitors, effects on gastric mucosa (toad), 236,5:E692  
 oxygen deprivation, 230:120  
 pyruvate-perfused heart, computer simulation, 237,6:R153
- Krebs-Ringer**, bicarbonate-buffered, contraction, vascular smooth muscle, 235,4:H208
- Krypton-85**  
 clearance, implantable semiconductor detector, 232,1:H95  
 distribution, intrarenal, endotoxin shock, 232,1:H54
- Kupffer cells**, phagocytosis, hyperinsulinemia, 238,1:E276
- L**
- Labeled compounds**, flux, biochemical oscillations, 237,6:R350
- Labyrinthine reactions**, postural regulation, 239,8:R93
- Lacrimal cells**, dispersed, calcium uptake, 239,2:G99
- Lacrimal gland**  
 calcium uptake, 239,2:G99  
 carbachol effects, calcium ion uptake and protein secretion in, 230:99  
 flow and potentials, 235,4:C8  
 modifications of secretion, DNP, 230:380  
 stimulus-permeability coupling, 239,2:G106  
 stimulus-secretion coupling, 235,4:C188  
 sympathetic nerve impulses and flow, 230:80
- $\alpha$ -Lactalbumin**, milk, human, 238,1:E83
- Lactase**  
 circadian rhythm, postnatal development, small intestine, 234,3:E500  
 ethanol effects, jejunal brush border membrane, 237,6:E68  
 jejunal, thyroxine-evoked decrease, 243,6:G359  
 jejunal activity, during development, 235,4:E451
- Lactate**  
 absorption, proximal tubule (garter snake), 238,7:F218  
 adenosine and coronary resistance, relations, 239,8:H509  
 adrenalectomy, 230:163  
 arterial plasma concentration (sheep), 235,4:E487  
 arteriovenous difference (sheep), 233,2:E138  
 blood sampling, jugular (sheep), 233,2:E138  
 brain, 230:804  
 burn trauma, 233,2:E80  
 calcium-ion tolerant myocytes, cardiac, 240,9:H659  
 carbon dioxide, lung metabolism and, 230:658  
 cardiac ischemia and reperfusion, 235,4:H637  
 Cori cycle activity, 232,1:E136, E145  
 coronary sinus, myocardial energy supply-demand factors, 237,6:H696  
 diabetes  
 muscle, 233,2:E109  
 obese noninsulin-dependent, exercise, 240,3:E458  
 diffusion, active skeletal muscle, 231:766  
 disappearance, after exercise, 233,2:E422  
 distribution, myocardial, during coronary constriction, 236,5:H833  
 during muscle fatigue and recovery, 231:430  
 endogenous, lung, 236,5:E229  
 energy metabolism, renal, 233,2:F207  
 exercise, preceded by glucose ingestion, 233,2:E188  
 export and reimportation, pyruvate-perfused heart, 237,6:R174  
 extraction, evaluation of regional myocardial perfusion and ischemia, 236,5:H385  
 fasting, muscle, 233,2:E109  
 fat mobilization, 232,1:E165  
 fatty acid oxidation, ischemic heart, 239,8:H257  
 flux, myocardial, ischemic arrest and reperfusion, 235,4:H619  
 glucagon and, exercise, 238,1:E13  
 gluconeogenesis, striated muscle (frog), 237,6:C231  
 glucose interrelations, penguin, 242,11:R458  
 sheep, 235,4:E487  
 glucose uptake and, exercise, skeletal muscle, 241,10:C200  
 gradients, calvaria, embryo and newborn (chick, rat), 234,3:C41, C51  
 heart, 230:1751  
 performance, ischemia and physical training, 234,3:H215  
 hypoxia and, lung model, 241,4:E47  
 inhibition of inotropic effect, hyperosmotic mannitol, 231:1209  
 kinetics  
 burn shock, 232,1:E415  
 endotoxin effects, 232,1:E180  
 labeled, activity, perfused lung, 236,5:E276  
 levels, mixed meal effects, 240,3:E54  
 metabolic gradients, atrial pacing effects, 233,2:H217  
 metabolism  
 fetal (sheep), 239,2:E208  
 free water clearance and, 242,11:F491  
 kidney, 240,9:F343  
 lung, perfused, 235,4:E619  
 muscle, after exercise, 233,2:E422  
 paraquat-perfused lung, 234,3:E653  
 postexercise, 235,4:E255  
 proximal tubule (garter snake), 238,7:F218, F296  
 septic shock, 235,4:E219  
 muscle fiber fatigue, caffeine and (frog), 241,10:C160  
 muscle protein synthesis, 242,5:E184
- myocardial, oxidation, thyroxine effects, 243,12:H722  
 myocardial mitochondria function, 237,6:H224
- oxidation**  
 cardiac myocytes, amino acid stimulation, 235,4:E461  
 fetal, 233,2:E457  
 heart myocytes, 238,7:H740  
 sodium reabsorption and, kidney, 240,9:F343
- palmitate metabolism** and, kidney cortex, 231:14
- pancreatectomy**, mixed meal response, 242,5:E335
- plasma**  
 carbon kinetics, 239,2:E30, E39  
 endotoxin effects, diabetes, 243,12:R77  
 transplacental gradients, 235,4:H200  
 plasma concentration (penguin), 242,11:R458  
 potassium ions, renal tissue, 235,4:F228  
 production, 231:351  
 myocardial ischemia, Tris effects, 235,4:H167  
 myometrium, 230:158  
 skeletal muscle, 232,1:E243  
 release, muscle, after endotoxin, 239,2:E311  
 smooth muscle, 232,1:E330  
 sodium and, cotransport, renal brush-border membranes, 239,8:F496  
 sodium reabsorption, renal, 233,2:F207  
 substrate utilization, soleus muscle, 238,7:C149  
 transport, kidney tubule (snake), 240,9:F388
- turnover**  
 fasting, neonatal, 239,2:E287  
 fetal (ovine and lamb), 233,2:E462  
 unidirectional fluxes, proximal tubule (garter snake), 238,7:F218  
 uptake, heart, newborn (pig), 241,4:E364  
 utilization, sodium ion reabsorption and, renal, 238,7:F415  
 work-jump, glucose-perfused heart, 243,12:R389
- D-Lactate**, transport, renal brush-border membranes, 239,8:F496
- L-Lactate**, metabolism, LLC-PK<sub>1</sub> renal epithelia (pig), 242,11:C41  
 transport, brush-border membrane vesicles, renal, 243,12:F456
- Lactate dehydrogenase**  
 activity, perfused lung, 236,5:E276  
 carbon dioxide exposure and, postnatal, 243,12:H328  
 carbon monoxide-induced cardiomegaly, 235,4:H516  
 enzyme release, skeletal muscle (frog), 241,10:C98  
 highest activity known, control (skipjack tuna), 234,3:R136  
 metabolism, renal papilla, 236,5:F423  
 prostacyclin and, hypoxic liver, 238,7:F176
- Lactatemia**, amyloid effects, perfused heart, 237,6:C221
- Lactate permease**, anoxic heart, 232,1:R164
- Lactate pyruvate**, aerobic limit, perfused heart, 238,7:H118
- Lactation**: see also Fetus; Maternity; Placenta; Pregnancy  
 calcium transport, small intestine, 239,2:E64  
 duodenal muscle growth, food intake and gastrin levels, 237,6:E98  
 epithelial cells, adipocytes, metabolic cooperativity, 241,10:C204  
 inhibition, mammary gland, 234,3:C177  
 mammary epithelial cells, 236,5:C286  
 plasma protein transfer, across mammary gland during, 230:1594  
 polyamine, blood levels, 234,3:E451

**Lactation (continued)**

- prolactin, lactose, protein, and  $\alpha$ -lactalbumin, human milk, 238,1:E83
- thermoregulatory ability and, 239,8:R470
- zinc deficiency, 238,1:E26

**Lactic acid**

- adenosine triphosphate decrease and, muscle contraction, 240,9:C121
- iron deficiency effects, skeletal muscle, 241,10:C47
- production, calvaria, 234,3:C41, C51
- tachypnea, 230:1003

**L-Lactic acid**, transport, renal brush-border membranes, 239,8:F496**Lactic acidemia**

- blood flow, coronary, diabetes and (lamb), 238,7:H263
- ventricular function, insulin effects (lamb), 241,10:H401

**Lactic acidosis**, pathophysiology, 239,8:F135**Lactogen**, placental, calcium effects, 240,3:E550**Lactose**

- calcium transport, saturable and unsaturable components, duodenal, 240,3:G32
- kinetics, epithelial cells, 236,5:C286
- milk, human, 238,1:E83
- secretion, mammary gland, inhibition by colchicine and vincristine, 234,3:C177

**Lactulose**, conservation, colonic, 241,4:G397**Lagrange strain**, left ventricular regression function, 240,9:H413**Lambert-Beer law**, Evans blue dye accumulation, measurement, 232,1:H204**Lamella**

- blood flow, gill (fish), 239,8:R428
- secondary, simulated, oxygen exchange (trout gill), 233,2:R145

**Lamina**, external, barium effects, calcium paradox, 242,11:H203**Lamina propria**, epithelial cell function and, intestines, 243,6:G321**Landis-Pappenheimer equation**, colloid osmotic pressure and, 233,2:H295**Landis technique**, lipophilic solutes, capillary permeability (frog), 240,9:H597**Langerhan cells; Langerhan islets**: see Pancreatic islets**Languages**, hierarchic, thermodynamics, 234,3:R3**Lanthanides**, cardiac sarcolemmal calcium ions and uncoupling cations, neonatal, 237,6:H322**Lanthanum**

- abnormal accumulation, ischemia, myocardial, 241,10:H714
  - calcium and, adrenal glomerulosa cell response, 241,4:E42
  - calcium-45 efflux, aortic, 234,3:C139
  - catecholamine secretion, ionophore effects, adrenal gland and spleen, 242,5:E137
  - extracellular calcium and, gastric stimulation (frog), 241,4:G365
  - hyperpolarization, parathyroid cells, 236,5:C15
  - ionic, biliary secretion, liver (skate), 242,5:G319
  - islet cell calcium pool, 232,1:E114
  - permeability, tight junction, rectal gland (shark), 242,11:C388
  - secretagogue-induced calcium ion fluxes, pancreatic acinar cells, 240,3:G281
  - smooth muscle relaxation, 232,1:C59
  - water transportation (toad), 239,8:F154
- Lanthanum chloride**
- digoxin-norepinephrine response, vascular smooth muscle, 236,5:H613
  - sodium transport, cholinergic inhibition, bladder (toad), 235,4:F564

**Lanthanum ions**

- calcium exchange, myocardial tissue culture, 237,6:H239
- lower esophageal sphincter tone, contractions and (opossum), 237,6:E163

**Laparotomy**

- catecholamine responses, morphine effects, 242,5:E317
- renal venous prostaglandin efflux, ventilatory rate effects, 242,11:F38

**Laplace relation**, ventricular wall force and stress, 236,5:H787**Laplace transforms**, numerical inversion, hepatic transport kinetics and plasma disappearance curves, 235,4:E648**Lap volume**: see Drinking**Lard**, saturation, low-density lipoprotein and, 241,4:E57**Laryngeal nerve**

- cardiovascular-respiratory reflex interactions (monkey), 234,3:H293
- superior
  - reflex inhibition of breathing (piglet), 239,8:R25
  - reflex swallowing, 239,8:R407

**Larynx**

- chemoreflex properties, neonatal (piglet), 233,2:R30
- reflex inhibition, breathing (piglet), 239,8:R25

**Laser-Doppler spectroscopy**: see Spectroscopy**Laser scanner**, measurement of central segment performance, isolated cardiac muscle preparation, 237,6:H260**Latissimus dorsi muscle**

- anterior, stretch-induced hypertrophy (chicken), 242,11:C333
- heat liberation, filament overlap relations, 233,2:C1
- posterior
  - contractile property development, embryo (chick), 242,11:C52
  - isometric contractile properties (chick), 243,12:C177

**Lead**

- absorption and retention, vitamin D effects, 238,1:G124, 239,2:G437
- accumulation, acid-base status and, renal, 237,6:F398
- adrenergic neuromuscular transmission, effects, 232,1:C128
- excretion
  - biliary, metallothionein effects, 234,3:E47
  - factors, 233,2:F532
- physiologic-metabolic changes, cardiac, 239,8:H22
- retention, intestinal pinocytes, suckling, 239,2:G114
- sensitization, insulin and glucagon, liver injury, 241,4:E428
- stop-flow analysis, renal, 237,6:F408
- transport, renal slices, inhibition by tin, 236,5:F373
- vascular reactivity and, 241,10:H211

**Leakage**, glomerular filtration, renal failure, 237,6:F319**Lechatelier principle**, triggering cycle and homeostasis, membrane, 243,12:R229**Lecithin**

- bile acid structure, bile formation and, 238,1:G10
- infusion, chylomicron composition, duodenal, 235,4:E183
- ingestion, plasma and lymph lipoproteins and, 241,4:G422
- secretion, bile acid structure and, 234,3:E637

**Lectin**

- effects, cellular processing of insulin, 243,6:E140
- peanut, binding, epithelial cells, kidney, 242,11:C117

- plant, insulin binding and insulin sensitivity, fat cells, 238,1:E267

**Lee index**, obesity, experimental, 233,2:R162**Leg**

- burn wound, peripheral circulation, 233,2:H520
- dynamic exercise, renal blood flow (baboon), 236,5:H141
- lymph vessel contractility, lymph flow, 239,8:H775

**Length-tension relations**

- $\beta$ -agonists, 235,4:H690
- arterial, vascular smooth muscle, 241,10:H557
- heart muscle: see Muscle, heart
- taenia coli, 233,2:C47

**Leptofibrils**, Purkinje fibers, heart, 241,10:H291**Lesions**

- anteroventral third ventricle, antidiuretic responses to angiotensin II, 236,5:E610
- central nervous system, oral motor deficits, 237,6:R126
- forebrain, 239,8:R372
- hypothalamic: see Hypothalamic lesion
- malignant vascular, hypertensive, sodium chloride effects, 236,5:H665

**Leucine**

- amino acid transaminase, branched-chain, stimulation, kidney and muscle, 236,5:E514
  - binding, plasma albumin, free fatty acid effects, 242,5:E67
  - cardiodepressant substances, isolation from shock plasma, 237,6:H168
  - $^{13}\text{C}$ -labeled, protein effects, 240,3:E712
  - $^{14}\text{C}$ -labeled, protein turnover, low-energy diet and obesity, 238,1:E235
  - flux, protein intake effects, 240,3:E712
  - fuel metabolism, fetal brain, 241,4:E200
  - incorporation, cholecystokinin effects, pancreas, 241,4:G116
  - $\alpha$ -ketoisocaproate and, fasting effects, 241,4:E72
  - $\alpha$ -ketoisocaproate disposal, liver, gut, and kidney, 243,6:E123
  - metabolism
    - adipose tissue, 233,2:E97
    - hypothyroidism and, adipose tissue, 240,3:E669
    - measurement, from infusion of L-labeled leucine, 238,1:E473
  - oxidation
    - carnitine effects, liver and skeletal muscle, 234,3:E494
    - protein intake effects, 240,3:E712
    - working heart, 239,2:E428
  - pancreatic islets, dorsal and ventral, 240,3:E422
  - protein turnover, regulation, working heart, 239,2:E510
  - release, renal, keto acids and, 235,4:E47
  - substrate regulation, muscle protein synthesis, 242,5:E184
  - transport
    - cold acclimation, liver (fish), 242,11:R280
    - erythrocytes (chicken), 241,10:C233
    - intestinal membrane vesicles, genetic diabetes, 238,1:G419
    - liver, 231:R187
    - $\text{U-}^{14}\text{C}$ -labeled, oxidation, rest and exercise, 240,3:E155
    - whole-body metabolism, dietary protein effects, 240,3:E712
- Leucogenol**, biosynthesis, 238,1:E540
- Leucynaphthylamidase**, intestinal brush-border membrane, diabetes, 238,1:G114
- Leukemia**
- L-asparagine synthetase activity, pancreatic, 236,5:E746
  - human, glucocorticoid receptors and, 243,6:E103



- Leukoagglutinin-lymphocyte binding**  
curvilinear Scatchard plots, 237,6:E207  
negative cooperativity, 237,6:E203, E207
- Leukocyte pyrogen**, body temperature and (lizard), 241,10:R198
- Leukocytes**  
adherence, microvascular (bat wing), 232,1:H400  
affinity absorbent, 232,1:C15  
endotoxic shock, 233,2:E71  
leucogenol, thymothyroid hormone, 238,1:E540  
mobility, 236,5:C22  
polyamines, pregnancy and lactation, 234,3:E451  
procoagulant activity, peritoneal, 235,4:H333
- Leukocytic endogenous mediator**  
endocrine pancreas, secretory responses, 233,2:E240  
endogenous pyrogen and, similarities, 235,4:C119
- Leukotriene D<sub>4</sub>**, contractile events and, smooth muscle, 243,12:C133
- Leupeptin**  
atrophy, fetal heart, 237,6:E35  
brush-border, intestinal, 239,2:G524  
cellular processing of insulin, 243,6:E140
- Levodopa**, acid clearance, renal (chicken), 240,9:F46
- Leydig cells**  
gonadotropin binding, 232,1:E274  
human chorionic gonadotropin, action, 235,4:E218  
functional binding kinetics, 238,1:E293
- Lidocaine**, cardiac ischemia, 235,4:H574
- Lidocaine hydrochloride**, coronary occlusion, renal nerve activity during, 243,12:H170
- Ligand**  
binding, Leydig cells, quantification, 232,1:E274  
receptor systems, leukoagglutinin-lymphocyte binding, 237,6:E207  
zinc-binding, 234,3:E99  
milk, 235,4:E556
- Ligandin**  
bilirubin transfer, plasma to liver, 236,5:E638  
hepatic, fasting effects, 231:1371  
hepatic binding, thyroid hormones, 230:1113  
lipase, exercise effects, hormone-sensitive activity, 230:385
- Ligation**  
coronary  
ischemia after (rabbit, dog, pig, monkey), 241,10:H202  
myocardial oxygen consumption, 234,3:H260  
prostaglandin F<sub>2α</sub> and, 234,3:H718  
coronary artery  
blood flow, myocardial, autoradiography, 232,1:H576  
blood flow, myocardial, measurements, 232,1:H173  
cellular electrophysiologic marker, ischemic myocardial injury, 235,4:H559  
chronically sympathectomized ventricle, 235,4:H429  
glycogenolysis, 232,1:H349
- Light**  
altered, effect on core temperature, 231:355  
circadian rhythm synchronization (squirrel monkey), 234,3:R130  
coherent, laser-Doppler spectroscopy, 232,1:H441  
constant  
circadian control of lordosis behavior, female, 243,12:R112  
circadian rhythm, adrenocortical, 234,3:E515  
circadian rhythm, dark pulse effects (hamster), 242,11:R44  
continuous, sexual maturation, male, 234,3:E262  
glycogen response, pineal cell, 232,1:E584  
pineal multiunit activity and, 231:136  
ultradian, enzyme responses, pineal, 232,1:E375
- Light-conducting fibers**: see *Fibers*
- Light-dark cycle**  
circadian (monkey), 232,1:R31  
photosensitive phase, photoperiodic regulation of growth (lamb), 241,4:E1
- Light microscopy**: see *Microscopy*
- Light pulses**, circadian rhythm, serotonin and, eye (mollusk), 242,11:R326
- Limb**  
blood flow, admittance plethysmography, human, 235,4:H821  
electromyography, bipolar electrode, small animals, 234,3:C198
- Limbic system**  
dipsogenic effects, vasopressin, 242,11:R372  
stimulation  
bradycardia, 236,5:R225  
osmotic thirst inhibition, 236,5:R117
- Linear nonequilibrium thermodynamics**: see *Thermodynamics*
- Linear systems theory**, catheters, fluid-filled, 236,5:H376
- Linear transformations**, Michaelis-Menten kinetics, unstirred layers and, 236,5:E701
- Lingual serous glands**, fat digestion, lipase effects, 237,6:E541
- Linoleate**  
fat metabolism, liver, parenteral nutrition and, 239,2:G280  
reduced intake, renal vasoconstriction and, 243,12:H61
- Linoleic acid**  
erucic acid metabolism and, 235,4:E509  
fibrinogen response, 235,4:H223
- Linolenate**, absorptive pathways, portal transport, jejunum, 240,3:G157
- Linolenic acid**, fibrinogen response, 235,4:H223
- Lipase**  
caerulein-secretin interaction, trophic effects, pancreas, 235,4:E714  
enzyme activity, tongue, 235,4:E416  
fasting and refeeding effects, pancreas, 242,5:G215  
fat absorption, intestinal, 240,3:G1  
hormone-sensitive, fat cells, bilirubin effects, 237,6:E504  
lingual, fat digestion and, 237,6:E541  
lipolysis, adipose tissue, exercise, 239,2:E422  
lysosomal, hydrolysis of sarcolemma by, 242,11:H652  
pancreatic, 232,1:E131  
dietary lipids and, 243,6:G10
- Lipase-colipase activity**, pancreatic, inhibition by bile salt-phospholipid micelles, 241,4:G328
- Lipectomy**, partial, noncompensation of adipose mass, 231:538
- Lipids**  
absorption  
lymphatic, 234,3:E54  
retinol transport and, 239,2:G210  
accumulation, hepatic, small intestinal bypass, 239,2:G358  
biliary, secretion, sulfobromophthalein excretion effects, 240,3:G85  
blood-brain-barrier penetrability and, neonates and adults, 243,12:C161  
cell, apoprotein C effects, fat cells, 243,6:E175  
cholesterol uptake and, jejunum, 241,4:G270  
chylomicrons, lymph, 235,4:E183  
composition, liver membrane, thermal acclimation (rainbow trout), 236,5:R91  
dietary, exocrine pancreas and, 243,6:G10  
endogenous, utilization by aorta, 243,12:H128  
endothelial uptake, lung, 243,12:C20  
epidermal, skin (snake), 242,11:F681  
excretion, vagotomy, obesity, 240,3:E573  
inositol, turnover, erythrocytes, 243,12:H590  
intestinal hyperemia and, 235,4:H677  
liver, hypervitaminosis A, 234,3:E511  
meal, duodenogastric reflux and, 242,5:G603  
membrane  
insulin action and, 241,4:E281  
insulin receptors and, fetal, 243,6:E246  
kidney, 242,11:F246  
membrane transitions, seasonal changes (hedgehog), 236,5:E589  
metabolism  
adipectomy effects, 231:1090  
adipose tissue, portacaval diversion, 234,3:E579  
fatty acid carbons, lung, 240,3:E435  
muscle and adipose tissue, 243,12:R258  
pancreas, 237,6:G247  
paraquat-perfused lung, 234,3:E653  
pregnancy, 239,2:E81  
pulmonary, 239,2:E407  
vascular, fetal, 240,3:E65  
neutral, spontaneous hypertension, aortic, 240,9:H33  
permeation, intestinal, 236,5:E721  
peroxidation, platelets, 240,9:H800  
polyunsaturated fatty acid incorporation into, hepatocytes (rainbow trout), 243,12:R223  
renal cortex compartments, 232,1:F254  
sarcolemmal, hydrolysis of, lysosomal lipases, 242,11:H652  
secretion  
biliary, bile acids and, 234,3:E637  
taurine-conjugated bile acid effects, biliary, 242,5:G40  
synthesis, hepatocytes, 243,6:E132  
transport  
biliary, micelles and sulfobromophthalein in, 236,5:E10  
inhibition, intestinal, 241,4:G487  
intestinal, 235,4:E686  
lymphatic, hydrophobic surfactant effects, 239,2:G348  
polyunsaturated fatty acids, 234,3:E54  
triacylglycerol metabolism and, diabetes, heart, 242,11:H1084
- Lipoate**, gastric mucosa and, role of oxalacetate, 231:209
- Lipogenesis**  
acetyl transfer, pulmonary, 232,1:E358  
adipocytes, epithelial cells and, metabolic cooperativity, 241,10:C204  
adipose tissue, portacaval diversion, 234,3:E579  
circadian sleep and feeding patterns, 238,1:E223  
daily rhythm (sparrow), 232,1:E193  
development, genetic obesity, 239,2:E265  
genetic obesity, development, 234,3:E568  
hepatic, ovarian hormones and, 243,6:E407  
hypothalamic, 234,3:E554  
insulin action, neuraminidase inhibition, adipocytes, 239,2:E186  
liver  
hypothalamic obesity, 238,1:E32  
ventromedial hypothalamic lesions, 232,1:E286  
sensitivity, tissues (*ob/ob* mouse), 240,3:E101
- Lipolysis**  
adipocytes, 230:1439  
adipose tissue, portacaval diversion, 234,3:E579  
 $\beta$ -adrenergic blockade effects, glucopri-  
vation, 243,12:R379

**Lipolysis (continued)**

- brown adipose, obesity, 243,6:E217
- catecholamine-stimulated, exercise and, 243,6:E315
- circadian sleep and feeding patterns, 238,1:E223
- exercise, 230:385
  - preceded by glucose ingestion, 233,2:E188
- exercise training, adipose tissue, 239,2:E422
- fat cell metabolism and, physical training and obesity effects, 243,6:E418
- glycerol release, fasting, 241,4:E76
- hypothalamic knife cuts and, obesity, 243,12:R445
- norepinephrine-stimulated, chronic hypoxemia and, 241,4:E28
- regulation, adipose tissue, 237,6:E11
- Lipomobilizing centers**, central nervous system, 236,5:E317
- Lipomodulin**, prostaglandin biosynthesis and, cultured cells, 243,12:C205
- Lipophilic molecules**, permeability, erythrocytes, 238,7:C107
- Lipophilic solutes**
  - erythrocyte permeability, temperature effects, 242,11:C74
  - permeability, capillaries (frog), 240,9:H597
- Lipoprotein**
  - diameters, absorption, jejunum, 240,3:G157
  - fat absorption mechanisms, intestinal, 240,3:G1
  - low-density
    - metabolism, dietary fat effects, 241,4:E57
    - mutation effects on receptor function, 243,6:E5
  - particles, transport, small intestine, 242,5:G408
  - plasma and lymph, lecithin ingestion and, 241,4:G422
  - portal venous transport and, 239,2:G141
  - transmural transport, aortic (dog, human, pig), 240,9:H54
  - triglyceride-rich, binding and removal, liver, 243,6:G389
  - very low-density
    - apoprotein B and triglyceride production, 239,2:E354
    - binding and removal, liver, 243,6:G389
    - catabolism, cholesterol feeding and, 241,4:E372
    - hepatic secretion, ventromedial hypothalamic lesions, 232,1:E286
    - secretion, intestinal, 234,3:E277
    - Triton-induced hyperlipidemia, intestinal model, 238,1:G453
- $\beta$ -Lipoprotein**, cerebrovascular response, 5-hydroxytryptamine (baboon), 234,3:H300
- Lipoprotein lipase**, 233,2:E316
  - activity
    - apoprotein C effects, fat cells, 243,6:E175
    - endotoxic shock, heart and adipose tissue, 238,7:H325
    - extrahepatic tissues, suckling, 238,1:E511
    - obesity, adipose tissue and muscle, 241,4:E108
    - thyroid status effects, skeletal muscle, 238,1:E518
  - adipose, insulin-treated diabetes, 242,5:E445
  - adipose tissue, glycerol release and, fasting, 241,4:E76
  - adipose tissue distribution, chylomicron uptake, 232,1:E316
  - estradiol and, binding sites, adipose tissues, 239,2:E237
  - feeding and body weight, estradiol-induced changes, 240,3:E533
  - food intake, metabolism and, 243,6:E407

- hormonal modulation, food intake and, adipose tissue, 239,2:E162
- hormone effects, food intake and body weight, 240,3:E499
- metabolism
  - erucic acid and, 235,4:E509
  - muscle and adipose tissue, 243,12:R258
- obesity, without hyperphagia, 238,1:E284
- progesterins and antiestrogens interactions, adiposity, female, 240,3:E474
- uptake of chylomicron triglyceride and, skeletal muscle, 231:860
- Liposomes**
  - adipocyte interaction effects, hexose uptake and insulin action, 241,4:E261
  - liver, thermal acclimation (rainbow trout), 236,5:R91
  - sonicated, reconstituted from glucose carrier, renal cortex, 234,3:E1
- Lipotropic factors**, hepatic, intestinal bypass, 239,2:G358
- Lipoxygenase**, glomerular, angiotensin II and, 239,8:F486
- Liquid chromatography**: see Chromatography
- Liquids**
  - gastric emptying, proximal and distal, 239,2:G71
  - movement, interdigestive and digestive states, jejunal, 239,2:G497
  - negative pressure, osmosis, 237,6:R110
- Lithium**
  - acidification and, urinary, 242,11:F23
  - ammonium and, sodium-hydrogen exchanger, renal microvillus membrane, 241,10:C220
  - calcium ion efflux, intestinal muscle, 238,1:G520
  - clearance, proximal tubular reabsorption, 241,10:F348
  - contractions,
    - depolarized uterus, 236,5:C171
    - vascular smooth muscle, 238,7:H761
  - distribution, placental (sheep), 236,5:C58
  - diuresis induction, antidiuretic hormone effects, 231:1754
  - fluxes, erythrocytes, 237,6:C102
  - hypercalciuria, 234,3:E294
  - inhibition of angiotensin, 230:1132
  - phosphate excretion and, 231:1140
  - prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
  - sodium ion-hydrogen ion exchanger, renal microvillus membrane vesicles, 238,7:F461
  - tetanic hyperpolarization, single-medulated nerve fibers, 231:1033
- Litorin**
  - amylase release, pancreatic acini, 236,5:E571
  - enzyme secretion and, pancreatic acini, 238,1:G213
  - pancreatic acinar cells (amphibian), 235,4:E112
- Litter size**, cellular response, heart, 233,2:H356
- Liver**
  - acid-base alterations, 236,5:E289
  - active capacitance responses, neural and humoral stimuli, 242,11:H1000
  - adenosine monophosphate, cyclic, during exercise, 237,6:R147
  - responses, exercise, trained rat, 240,9:R330
  - adenylate cyclase stimulation, 239,2:E75
  - $\alpha$ -adrenergic phenomena, mechanisms, 238,1:E3
  - afferent discharges, venous pressoreceptors, 232,1:C76
  - amino acid disposition, protein and glucose ingestion, 241,4:E90
  - amino acid influx, 231,1:E492
  - amino acid metabolism (sheep), 239,2:E248

- amino acid oxidation, carnitine effects, 234,3:E494
- amino acid transport, 230:245
- amino acid uptake
  - hypothalamic obesity, 238,1:E32
  - leukocytic endogenous mediator effects, 232,1:C15
- $\alpha$ -aminoisobutyrate distribution, 238,1:E358
- amylase secretion, bile, 243,6:G54
- angiotensinogen production, 239,2:E442
- antidiuretic hormone release, portal osmoreception, 236,5:E603
- baroreceptor reflex, cardiac sympathetic nerve activity, 238,7:R390
- bicarbonate, in bile salt-independent fraction of bile flow, 235,4:E158
- bile acid
  - conjugation, 232,1:E75
  - derivative, lobular concentration gradient, 238,1:G233
  - efflux, cholestasis, 243,6:G253
  - fetal, 231:1124
  - sulfation, development, 238,1:G429
  - uptake, 231:734
- bile salts, extraction, 236,5:E191
- bile secretion
  - hemodynamic effects, 234,3:E584
  - pancreatic polypeptide effects (pig), 243,6:G204
- biliary secretion determinants (skate), 242,5:G319
- bilirubin transfer, ligandin and, 236,5:E638
- bilirubin transport, 230:736
  - hepatocyte uptake, 236,5:C9
- biological transport, 232,1:E492
  - blood flow rate and, 238,7:H553
- blood flow: see Blood flow
- blood reservoir function, 232,1:H67
- blood volume, effect of hepatic venous pressure, 231:292
- branched-chain keto acids, oxidation, diabetes, 239,2:E215
- cadmium, 232,1:H114, 235,4:H385
- cadmium and nickel effects, 238,1:E53
- cadmium transport, zinc-cadmium competition, 236,5:C139
- canalicular transport of protoporphyrin, choleretics effects, 242,5:G347
- capacitance responses, blood flow and venous pressure, 240,9:H18
- capillary pressure, systems analysis, 233,2:R188
- carbohydrate metabolism, spontaneous diabetes, 240,3:E83
- carbohydrates and gluconeogenesis, 230:163
- carbon fuels, fetal, 233,2:E457
- cardiovascular depression, capsaicin injection and, 242,11:H955
- carotid occlusion effects, 236,5:H96
- catecholamine actions, calcium ions and, 238,1:E3
- catecholamine effects, circulation, 230:1394
- cells: see Hepatocytes
- cellular integrity, hypodynamic states, 231:1408
- chloride transport, 242,5:G628
- circulating citrulline effects, 241,4:E473
- cirrhosis, chronic experimental, salt and water retention, 232,1:F315
- clearance
  - blood flow and, 239,8:H559
  - circulating pancreatic amylase, 243,6:G21
- compliance, blood flow and venous pressure, 240,9:H18
- copper, species differences (dog, human), 243,6:G226
- copper metabolism, 232,1:E172
- corticosteroid-binding globulin production, glucocorticoid and estrogen regulation, 237,6:E493
- cytoplasmic dipeptidase activity, 233,2:E450

- denervation,  
antidiuretic hormone release,  
236,5:E603  
feeding patterns, 239,8:R66  
dibromosulphthalein transport, bile salts  
and, 237,6:E524  
elasmobranchs, 230-970, 974  
endotoxemia, hyperinsulinemia and,  
239,2:E156  
enzyme kinetics (human, pig),  
237,6:E316  
enzymes  
glucocorticoid induction, 235,4:E374  
glucose regulation, 234,3:E13  
erythropoietic factor production, sexual  
variation, 238,1:E245  
erythropoietin production, 230:845  
estrogen, sulfobromophthalein and,  
236,5:E347  
euryc acid metabolism, 235,4:E509  
extract and free amino acids, gastric acid  
secretion, 239,2:G493  
fat metabolism, parenteral nutrition  
effects, 239,2:G280  
fatty, hypervitaminosis A, 234,3:E511  
fatty acid oxidation, glucagon effects,  
237,6:E121  
filtration, blood flow and venous pres-  
sure, 240,9:H18  
free fatty acid metabolism, regulation by  
glucagon and insulin, 237,6:E23  
function, fasting effects, 240,9:R266  
galactose metabolism, suckling,  
236,5:E633  
genetic obesity, development, 234,3:E568  
glucagon and, insulin and hyperglycemia  
effects, 242,5:E73  
glucagon disposal, metabolic, 240,3:E233  
glucagon extraction, augmented secre-  
tion, 235,4:E88  
gluconeogenesis  
effects of glucose load, 235,4:E354  
fasting and adrenalectomy effects  
(chicken and carnivorous bird),  
234,3:R115  
suckling, 233,2:E175  
glucose receptors, 239,8:R66  
glucose metabolism, postexercise,  
235,4:E255  
glucose output  
glucagon- and epinephrine-stimulated,  
somatostatin effects, 236,5:E113  
 $\alpha$ -sympathetic control, 236,5:E323  
glucose production  
glucagon-induced, 236,5:E358  
midterm fetus, 234,3:E560  
glucose uptake, insulin effects, awake  
state, 242,5:E97  
glucose utilization, 234,3:C122  
glutamate metabolism, glucogenicity and  
(sheep), 241,4:E465  
glutamate metabolism, glucogenicity and  
(sheep), 241,4:E465  
glutamine metabolism  
interorgan relations, 240,3:E519  
sheep, 234,3:E197  
glycogen, homeostasis, high-protein diet,  
239,8:R437  
glycogen content, meal effects,  
243,12:R450  
glycogen cycle enzymes response, to  
endotoxin, 231:1285  
glycogen metabolism  
circadian rhythm, hypothalamic  
lesions and, 238,1:E21  
diabetes, 234,3:E13  
glucoregulatory enzymes and, sepsis,  
230:1296  
glycogenolysis  
during exercise, 237,6:R147  
glucagon-stimulated, time-dependent  
sensitivity to insulin, 236,5:E246  
glucose infusion effects, exercise,  
240,3:E451  
glycogen resynthesis  
after exercise, skeletal muscle,  
235,4:R145  
fasting and exercise, 238,7:R328  
glycogen synthase phosphatase activity,  
insulin deficiency effects,  
240,3:E539  
glycogen synthesis, control by glucose  
and insulin, 231:1608  
half-saturation and maximal velocity  
constants, 238,7:H553  
heat production, 237,6:R334  
obesity, 238,1:E193  
hematopoiesis, methylcellulose injection,  
233,2:H234  
hemodynamics, steady-state, systems  
analysis, 233,2:R188  
hemorrhagic shock, 232,1:H283  
hepatic-portal nutrient infusion, effect  
on feeding, 232,1:E119  
hepatic venous blood sampling, intra-  
caval cannulation for, 235,4:H262  
[<sup>3</sup>H]-25-hydroxyvitamin D<sub>3</sub>, vitamin D  
depletion and, 242,5:G522  
inactivation of pancreatic bicarbonate  
secretion, 232,1:E156  
indicator-dilution curves, stimulation of,  
243,6:G76  
injury, insulin and glucagon after,  
241,4:E428  
insulin: see also Insulin  
binding, obesity and fasting effects,  
hepatocytes, 243,6:E240  
effects on metabolites, gluconeogenesis  
and ketogenesis, 233,2:E13  
extraction, 239,2:E3, 243,6:E476  
kinetics, glucose oscillations and,  
238,1:E395  
removal, 230:171  
insulin sensitivity, 239,2:E169  
interstitium, exclusion phenomenon,  
243,6:G410  
intracellular oxygen supply, hypoxic,  
243,12:C247  
intracellular pH, hypothermia effects,  
anoxia, 243,12:C62  
iron, transferrin-bound metabolism,  
238,1:G30  
iron absorption, stimulation, 236,5:E763  
iron uptake, pregnancy, 232,1:E57  
isolated perfused, prostacyclin cytopro-  
tective action in hypoxia,  
238,7:H176  
ketogenesis, glucagon effects, 237,6:E121  
 $\alpha$ -ketoisocaproate disposal, 243,6:E123  
7-ketolithocholic acid, biotransforma-  
tion, 239,2:G161  
ketone production, fasting and diabetes,  
235,4:E238  
ketone utilization, fetal, 235,4:E330  
Kupffer cell phagocytosis, hyperinsulin-  
emia and, 238,1:E276  
leucine transport, 231:1817  
cold acclimation and (fish),  
242,11:R280  
ligandin, fasting effects, 231:1371  
lipid accumulation, small intestinal by-  
pass, 239,2:G358  
lipid composition, membrane, thermal  
acclimation (rainbow trout),  
236,5:R91  
lipogenesis  
hypothalamic obesity, 238,1:E32  
ventromedial hypothalamic lesions,  
232,1:E286  
lipogenesis and insulin sensitivity, tis-  
sues (*ob/ob* mouse), 240,3:E101  
lipoproteins, very low density, ventrome-  
dial hypothalamic lesions,  
232,1:E286  
lymph, furosemide and, 238,7:F363  
lysosomes  
cardiogenic shock, 235,4:H657  
occlusion shock, splanchnic artery,  
234,3:H1  
membrane potentials, hemorrhagic  
shock, 240,9:R211  
metabolic activity, arterial blood flow  
and, 239,8:H559  
metabolism  
feeding, glucagon effects, 241,10:R330  
glucagon disposal, 240,3:E233  
maternal starvation effects on fetus,  
240,3:E88  
metabolite profile, hypercapnia,  
243,12:F227  
metallothionein induction, cadmium and  
zinc effects, 243,6:G396  
metallothionein metabolism, age effects,  
237,6:E18  
metallothioneins, hypozincemia associ-  
ated with bacterial infusion,  
234,3:E399  
metals, excretion, metallothionein  
effects, 234,3:E47  
Michaelis-Menten kinetics, galactose  
elimination, 230:1302  
micro-light guide photometry,  
236,5:C144  
microvascular cholinergic receptors,  
stimulation and blockade,  
236,5:E728  
mitochondria, keto acid oxidation, diabe-  
tes, 239,2:E215  
modulation, insulin-induced gastric acid  
secretion, 238,7:R346  
neuroanatomy, 236,5:R5  
norepinephrine turnover, diet and cold  
exposure effects, 236,5:E524  
normal and diabetic, glycolytic enzyme  
during endotoxic shock, 240,9:R10  
nuclear binding of L-3,5,3'-triiodothyro-  
nine, 240,3:E146  
ornithine transcarbamoylase, in zinc  
deficiency, 235,4:E203  
osmolality, portal blood, antidiuretic  
hormone release, 236,5:E603  
osmoreception, 231:1043  
oxygen consumption  
bile flow and (skate), 242,5:G313  
newborn (lamb), 240,3:G297  
oxygen uptake, hepatic nerve stimula-  
tion, 232,1:H652  
palmitate, labeled uptake, role of intra-  
cellular binding sites, 234,3:E542  
pantothenic acid metabolism, diabetes  
and fasting effects, 240,3:E597  
parathyroid hormone metabolism,  
239,8:F1, 241,4:E208  
perfusion  
carbohydrate metabolism, spontaneous  
diabetes, 240,3:E83  
galactose-metabolizing enzyme activi-  
ties, suckling, 240,3:E333  
insulin deficiency effects, 240,3:E539  
insulin insensitivity, 240,3:E482  
protein synthesis following thyroidec-  
tomy and hormone treatment,  
240,3:E18  
permeability characteristics, bile duct,  
242,5:G52  
pH, intracellular, acute acidosis and  
alkalosis, 236,5:F240  
phagocytosis: see Phagocytosis  
phenol 3,6-dibromophthalein disulfonate  
transport, carrier mediated,  
232,1:E560  
L-phenyllactate perfusion, metabolic  
effects, 238,1:E450  
phosphate fluxes, plasma membrane,  
236,5:C202  
phosphorylase, gluconeogenesis and,  
235,4:E354  
phosphorylase regulation, 232,1:E370  
plasma and lymph lipoproteins, lecithin  
ingestion and, 241,4:G422  
platelets, removal, 235,4:H314  
polyamine synthesis, response to methyl-  
mercury, 231:560  
potassium balance, hyperinsulinemia,  
242,5:E373  
potassium uptake, insulin and,  
238,7:E421  
pressure-flow relations, systems analysis,  
233,2:R188

**Liver (continued)**

- prostaglandin degradation, 231:426  
 prostaglandin E receptors, up-regulation of, 241,4:E291  
 protein deprivation and diabetes, 241,4:E238  
 protein synthesis, 230:1321, 232,1:E492, 234,3:E648  
 protein turnover, alloxan diabetes, 241,4:E151  
 regeneration  
   amino acid transport, 236,5:E594  
   hyperglucagonemia, fasting, 240,3:E112  
   hyperinsulinemia, fasting, 240,3:E112  
   ornithine aminotransferase and, 238,1:E46  
 retinol-binding protein, metabolism, fetal, 233,2:E263  
 ribonucleic acid, endotoxin and, 238,1:G303  
 scan: *see* Scanning  
 sensory functions, 236,5:R5  
 sinusoids, blood flow and venous pressure, 240,9:H18  
 sodium-potassium-ATPase enzyme units  
   lean and obese thyroxine-injected mice, 237,6:E265  
   obesity, 238,1:E193  
 sodium uptake, bile formation and, 230:876  
 stimulator substance, 242,5:G281  
   cell growth and, 242,5:G289  
 synthesis of Von Willebrand factor and factor VIII, 230:1342  
 taurine, 232,1:E75  
 taurocholate synthesis, fetal, 237,6:E177  
 taurocholate transport, acinar heterogeneity of, 243,6:G455  
 temperature regulation, 237,6:R334  
 thyroid hormone binding, 230:1113  
 tissue sampling, glycogen metabolism, hypoxia effects, 243,6:E182  
 transcappillary fluid exchange, ascites, 233,2:H185  
 transfer coefficients, model, 243,6:G518  
 transport  
   bile acids, 243,6:G484  
   kinetics, autonomic and metabolic heterogeneity, 243,6:G532  
   kinetics, plasma disappearance curves and, modeling, 235,4:E648  
   ursodeoxycholate conjugation, 243,6:G208  
 traumatic shock, 230:7  
 triglyceride-rich lipoproteins, 243,6:G389  
 triglyceride secretion, essential fatty acid deficiency and, 238,1:E499  
 triple-isotope tissue analysis, blood flow rate effects, 238,7:H553  
 uptake processes, kinetic analysis, 236,5:E638  
 urate, muscular dystrophy, 234,3:E421  
 uridine regulation, artificial oxygen carrier, 242,11:R465  
 vasculature  
   prostacyclin effects, awake state, 243,12:H584  
   responses to hepatic nerve stimulation, glucagon inhibition, 233,2:H647  
 vasoactive intestinal peptide uptake, 243,6:G103  
 venous plasma glucose, insulin injection, hypothalamic, 240,3:E95  
 vitamin A metabolism, fetal, 233,2:E263  
 weight, blood oxygen transport and (shrew), 236,5:R221  
 zinc, cadmium effects, 232,1:H114  
 zinc diet metabolism, metallothionein role, 240,3:E414  
 zinc redistribution, 234,3:E282  
**Liver acinus**, cytochrome P-450, induction in hepatocytes, 234,3:C102  
**Liver disease**  
   ascites mobilization, following furosemide or mannitol diuresis, 235,4:F12

- chronic, portal-systemic shunting effects, 241,4:G503  
 sodium retention, 233,2:F572, F586  
**Liver-pancreas preparation**  
   insulin removal, hepatic, in fasting, 237,6:E349  
   metabolic function, 237,6:E340, E349  
**Liver sinusoids**, cholinergic receptors, stimulation and blockade, 236,5:E728  
**Load-enthalpy relations**, cardiac, species differences, 237,6:H90  
**Load; Loading**: *see also* Afterload; Preload; Overload; Volume loading; Volume overload  
   acid, pH transients, diaphragm muscle, 235,4:C49  
   arterial, interaction with right heart ventricle, quantitative solution, 238,7:H932  
   carbon dioxide: *see* Carbon dioxide  
   chloride reabsorption, nephron, 234,3:F97  
   compliance, right ventricular flow and power output, 237,6:H125  
   dependence  
   cardiac muscle relaxation (frog, cat, rat), 237,6:H455  
   relaxation during heart failure, 242,11:H855  
   DOCA: *see* Deoxycorticosterone acetate  
   elastic, respiratory output during, 230:675  
   external, interstitial fluid pressure, subcutaneous, 240,9:R327  
   fluid, capillary filtration measurement, 232,1:H361  
   force, transient, papillary, 235,4:H267  
   glucose, unrestrained conditions (squirrel monkey), 234,3:R20  
   glucose: *see* Glucose  
   impedance  
   servo pump, excised ventricle, 243,12:H346  
   variable, right ventricular flow and power output, 237,6:H125  
   isotonic, heart muscle, 232,1:H553  
   leaked, solute transport, tubular, 234,3:F480  
   optimum, right ventricle, 242,11:H154  
   potassium: *see* Potassium  
   pressure, myocardium, 243,12:H862  
   relaxation, papillary muscle, 242,11:H303  
   Ringer, aortic clamping during, 232,1:F92  
   saline: *see* Saline; Salt  
   shortening, myocardial oxygen consumption, 233,2:H421  
   sodium: *see* Sodium  
   step, taenia coli smooth muscle, 233,2:C47  
   volume pressure-flow changes, during Valsalva-like maneuvers, 233,2:H93  
   volume: *see* Volume loading  
**Locke's solution**, magnesium-free, smooth muscle contraction, arterial, 242,11:C25  
**Locomotion**: *see also* Exercise  
   circadian pacemaker, fixed interval feeding and, 236,5:R249  
   circadian rhythm, serotonergic system and, 239,2:E482  
   energy expenditure, 231:903  
   monosodium glutamate-induced obesity, neonatal, measurement, 234,3:E532  
   net cost, thermal dependence (lizard), 241,10:R342  
   oxygen consumption and, weight loss, 241,10:R392  
   terrestrial: *see* Exercise  
**Locomotor activity**, dark pulse effects, circadian rhythm (hamster), 242,11:R44  
**Locomotor rhythmicity**: *see* Rhythm  
**Locus ceruleus**, renal vasoconstriction,

- hypothalamically induced, 234,3:R223  
**Locus subceruleus**, adrenocorticotropin release, 233,2:R116  
**Logic**, neural, biological control systems, 242,11:R173  
**Longevity**, sodium chloride effects, 243,12:F543  
**Loop**  
   closed and open, postprandial exercise, diabetes and, 242,5:E309  
   closed experiment, arterial pressure control system, 240,9:H832  
   gain: *see* Gain  
   Henle's: *see* Henle's loop  
   open, gain, arterial pressure control system, 240,9:H832  
   Thiry-Vella, perfusion, interdigestive migrating complex disorganization, 238,1:G509  
**Lordosis**, reflex, mesencephalic mechanisms, 237,6:R278, R285  
**Lordosis behavior**, circadian control of, female, 243,12:R112  
**Low-energy diet**: *see* Feeding  
**Lumbar nerve**, stimulation, femoral circulatory response (swine), 240,9:H505  
**Luminal fluid**: *see* Fluid  
**Luminal hypotonicity**: *see* Hypotonicity  
**Luminal membrane**  
   p-aminohippuric acid transport, urinary bladder (rock crab), 242,11:R25  
   phosphate transport, kidney failure, 242,11:F17  
   sodium-chloride entry mechanism, kidney tubule, 242,11:F561  
**Luminal nutrition**, glucose absorption and, 240,3:G432  
**Luminal pressure**: *see* Pressure  
**Lumicolchicine**, lactose inhibition, mammary gland, 234,3:C177  
**Lung**  
   acetyl transfer, 232,1:E358  
   adrenergic mechanisms, intralobar arteries and veins, 240,9:H274  
   alveolar epithelial cells, dome formation in, 243,12:C96  
   amine uric acid (pig), 232,1:C88  
   anatomy (snake), 243,12:R251  
   angiotensin-converting enzyme, development, fetal, 236,5:R57  
   angiotensin I, disposition, hypertension, 239,8:H736  
   antioxidant defense mechanism, 230:1425  
   capillary membrane, filtration coefficient, 234,3:H266  
   cardiorespiratory interactions, (seal), 240,9:H190  
   compliance: *see* Compliance  
   critical capillary pressure: *see* Pressure developing  
    $\beta$ -adrenergic receptors in, 240,3:E351  
   angiotensin-converting enzyme, 234,3:R141  
   5-hydroxytryptamine disposition, 239,8:R401  
   thyroid hormones and, 242,5:E378  
   drug absorption, neonatal, 234,3:C191  
   drug binding, edema, 232,1:C132  
   estrogen hydrolysis, sulfobromophthalain and, 236,5:E347  
   fasting effects, oxygen consumption and respiratory quotient, 230:291  
   fatty acids: *see* Fatty acids  
   fluid: *see* Fluid  
   gas exchange, excretion-retention diagram, 243,12:R329  
   glucose utilization, 236,5:E229  
   glycolysis, perfusate glucose concentration, 236,5:E229  
   histamine content, newborn, 237,6:H76  
   5-hydroxytryptamine, prostaglandins and, 241,10:H766  
   hypoxic, pressor response, 235,4:H104



- inflation  
cardiovascular effects, 232,1:H35  
vagal afferent activity (seal),  
240,9:H190
- inflation reflex, hypoxia, carbon dioxide  
effects, 239,8:H545
- inhomogeneous (duck), 234,3:R146
- innervated, hyperosmotic sodium chlo-  
ride and hemorrhagic shock,  
241,10:H883
- intact  
filtration coefficient, estimation,  
238,7:H430  
pulmonary capillary pressure,  
235,4:H569
- isolated perfused, angiotensin I metabo-  
lism, age-related differences,  
238,7:R395
- lactate metabolism, 235,4:E619,  
236,5:E276
- lipids: *see* Lipids
- lobe  
permeability, histamine effects,  
242,11:H565  
prostacyclin effects, 242,11:H745
- lymph: *see also* Lymph  
endotoxemia, prostaglandin produc-  
tion (sheep), 240,9:H348  
myocardial ischemia and, 242,11:H337  
vascular injury,  $\alpha$ -naphthyl-  
thiourea (sheep), 243,12:H507
- macrophages: *see* Macrophages
- membrane transport, serum effects,  
236,5:C111
- metabolism  
carbon monoxide and, 230:658  
hypoxia and, 241,4:E47  
stimulation by 2,4-dinitrophenol and  
phenazine methosulfate, 231:898
- microvascular filtration coefficient, in-  
terstitial compliance and,  
239,8:H189
- mitochondria: *see* Mitochondria
- monocrotaline effects, pneumotoxicity  
and thrombocytopenia, 242,11:H573
- norepinephrine extraction, flow depen-  
dence of, 242,11:H844
- norepinephrine release, sympathetic  
nerve stimulation and, 235,4:H803
- paraquat perfusion, glucose metabolism,  
234,3:E653
- pentose cycle activity, 231:1527
- perfused  
distribution (duck), 234,3:R146  
glucose transport, 241,4:E191  
intracellular oxygen and carbon diox-  
ide tension, 241,4:E47
- permeability: *see* Permeability
- phenol red uptake, edema, 232,1:C132
- pressure: *see* Pressure
- prostaglandin-like material, ventilation-  
induced release, fetal (goat, sheep),  
238,7:H275
- prostaglandin metabolism, carrier-  
mediated transport, 232,1:E382
- prostaglandin production  
endotoxemia (sheep), 240,9:H348  
perinatal (lamb), 241,10:H756
- protein composition, fluids, alloxan  
edema, 230:376
- protein synthesis, 230:1321
- starvation and diabetes, 236,5:E421
- proteolysis, inhibitor of, hypoxia and,  
241,4:E101
- redox state, 230:1198
- respiratory mechanics, growth and, spe-  
cies differences, newborn,  
241,10:R336
- slice, 5-hydroxytryptamine, 239,8:R401
- stimulation of metabolism, 2,4-dinitro-  
phenol and phenazine methosulfate,  
231:898
- structure and function, monocrotaline  
intoxication effects, 240,9:H149
- surfactant secretion, cholinergic stimula-  
tion of, 243,12:C39
- thromboxane generation, regional blood  
flow, bypass (sheep), 242,11:H462
- thyroxine, 230:295
- vascular bed  
arachidonic acid effects, 239,8:H40  
dihomo- $\gamma$ -linolenic acid, 234,3:H133
- vascular contraction, prostaglandin ef-  
fects (canine, bovine), 234,3:H139
- vascular injury, dose-dependent,  
 $\alpha$ -naphthylthiourea (sheep),  
243,12:H507
- vascular permeability, alloxan effects,  
239,8:H96
- vascular reactivity  
platelets, 234,3:H186  
red blood cells, 234,3:H186
- vascular response  
prostaglandins E<sub>1</sub> and E<sub>2</sub>, perinatal  
(goat), 236,5:H828  
ventilation, indomethacin effects,  
fetus (goat), 234,3:H346
- vasoconstriction: *see* Vasoconstriction
- ventilation: *see* Ventilation
- water content, hypercapnia, 232,1:H236
- Lung cells**  
2-deoxy-D-glucose uptake, 243,12:C14  
membrane permeability, temperature  
effects, 243,12:C285  
permeability, nonelectrolytes,  
233,2:C104  
unidirectional uptake, substrates,  
243,12:C20
- Lung endothelium**  
permeability, 230:1708  
substrate uptake, 243,12:C20
- Luteal cells**, microtubules and steroido-  
genesis, antimicrotubule agent ef-  
fects, 243,6:E380
- Luteal function**: *see* Corpus luteum
- Luteectomy**, follicle dominance, ovarian  
asymmetry and (monkey),  
243,6:E325
- Luteinizing hormone**  
adenosine monophosphate, cyclic re-  
sponse, pituitary, aging, 240,3:E510  
binding, Leydig cell, 232,1:E274  
dibutylryl adenosine monophosphate,  
cyclic effects, sex differences,  
236,5:E216  
dynamic, release model, perfused pitui-  
tary culture, 240,3:E591  
17 $\beta$ -estradiol effects, sex differences,  
236,5:E216  
17 $\beta$ -estradiol response, pituitary, aging,  
240,3:E510  
gonadotropin release, 235,4:E586  
human chorionic gonadotropin respon-  
siveness, granulosa cell culture (pig),  
240,3:E622  
level, after castration, sex differences,  
241,4:E460  
pituitary perfusion, 240,3:E504  
receptor, granulosa cell cultures,  
236,5:E129
- release  
circadian pacemaker, 238,7:R23  
proestral, medial preoptic nucleus role,  
238,1:E533  
steroid modulation of, 242,5:E164  
release and synthesis, sex steroids and,  
238,1:E458
- responses  
17 $\beta$ -estradiol effects, pituitary,  
240,3:E297  
estradiol, luteinizing hormone-releas-  
ing hormone, pituitary, 242,5:E392  
granulosa cell culture (pig),  
240,3:E622  
luteinizing hormone-releasing hor-  
mone and adenosine monophos-  
phate, cyclic, sex differences,  
235,4:E291
- secretion  
brain aromatization and, male,  
241,4:E246  
LHTH regulation of, perfused pitui-  
tary cultures, 240,3:E591
- short-loop feedback control of, 230:907
- surge, estrogen feedback (rhesus mon-  
key), 236,5:R102
- synthesis, 17 $\beta$ -estradiol effects, pituitary,  
240,3:E297
- synthesis and release  
cyclic nucleotide and gonadotropin-re-  
leasing hormone effects, 241,4:E6  
gonadotropin-releasing hormones and,  
241,4:E14
- testosterone secretion and, age effects,  
243,6:E257
- zinc deficiency, 230:1730
- Luteinizing hormone-releasing  
hormone**  
active immunization against (lamb),  
242,5:E201  
activity, sex differences, 235,4:E291  
adenohypophyseal cell sensitivity, long-  
term culture, 240,3:E602  
gonadotropin release, 235,4:E586  
luteinizing hormone responses, sex dif-  
ferences, 236,5:E216  
pituitary luteinizing hormone response,  
sex steroids and, 238,1:E458  
proximal tubules, 241,10:F117  
receptor, estrogen modulation,  
237,6:E136  
regulation, luteinizing hormone secre-  
tion, perfused pituitary culture,  
240,3:E591
- Luteolysis**, induction, dihydrotestoster-  
one, pregnancy, 241,4:E444
- Luteotropic regulation**, ascorbate during  
pregnancy, 236,5:E386
- Lymph**  
cardiac, myocardial ischemia and,  
242,11:H337  
cervical, cerebral interstitial fluid drain-  
age, 240,9:F329  
chylomicrons, lipid composition,  
235,4:E183  
composition, nonischemic myocardium,  
236,5:H112  
copper contents, 236,5:E180  
dopamine- $\beta$ -hydroxylase, during carotid  
occlusion, 236,5:H96  
interstitial, hind paw, 239,8:H532  
intestinal, ischemia and oxygen radical  
effects, 242,5:G448  
ischemic heart, methylprednisolone  
effects, 232,1:H602
- lipid transport  
hydrophobic surfactant effects,  
239,2:G348, 241,4:G487
- lung  
contamination of (sheep),  
241,10:H354  
endotoxemia, prostaglandin produc-  
tion (sheep), 240,9:H348  
macromolecular transport, prostaglandin  
effects, 232,1:H690  
molecule transport kinetics, 239,8:H525  
oxygen tension, mesenteric, 236,5:H846  
pressure, epithelial cell extrusion, small  
intestine, 232,1:E408  
propulsion, lymph vessel contractility,  
leg, 239,8:H775
- protein: *see also* Proteins  
removal, 232,1:H236  
renal, 233,2:F269
- protein concentration  
fluid absorption, jejunum, 240,3:G312  
histamine-catecholamine interaction,  
234,3:H180  
histamine effects, 233,2:H148  
modification, lymph nodes,  
243,12:H351  
venous pressure and, lymph,  
242,11:H1044  
venous pressure and, skin,  
242,11:H1038
- pulmonary, histamine and alloxan  
effects, 239,8:H96
- renal, catecholamine production,  
242,11:F261
- triglycerides, 234,3:E277

**Lymph (continued)**

vitamin D absorption and, 242,5:G326  
zinc contents, 236,5:E180

**Lymphatic absorption**, vitamin K,  
234,3:E54

**Lymphatic obstruction**

fluid, hemodynamic pulmonary edema  
and, 231:1777  
intestinal, 237,6:E301

**Lymphatics**

hepatic, fluid absorption, jejunum,  
240,3:G312  
mesenteric  
mechanical characteristics (bovine),  
239,8:H88  
relaxation, transmural stimulation  
(bovine), 240,9:H498  
obstruction, intestinal, 237,6:E301  
retinol, absorption and transport,  
239,2:G210

**Lymphatic valves**, endurance limit  
(bovine), 239,8:H88

**Lymph capillaries**, pressure, intestinal  
villi during fluid absorption,  
237,6:E301

**Lymph flow**

age and, 232,1:H236  
autoregulation, intestinal, 243,6:G475  
capillary permeability and, intestinal,  
242,5:G194  
cardiac, 237,6:H311  
mannitol effects, 236,5:H112  
carotid occlusion, 236,5:H96  
colonic, permeability, 239,2:G300  
exclusion phenomenon, liver intersti-  
tium, 243,6:G410  
filtration coefficient and, intact lung,  
238,7:H430  
fluid absorption and, jejunum,  
240,3:G312  
fluid transport, transmucosal, intestinal,  
240,3:G343  
furosemide effects, thoracic duct,  
238,7:F363  
histamine-catecholamine interaction,  
234,3:H180  
histamine effects  
intestinal, 240,3:G381  
systemic, 233,2:H148  
hypercapnia, 232,1:H236  
ileal, prostaglandin  $E_1$  effects,  
236,5:E788  
intestinal  
adenosine effects, 235,4:H707  
glucagon-induced, 239,2:G30  
intestinal and secretion, interaction,  
232,1:E13  
luminal distension, intestinal,  
239,2:G516  
lymph vessel contractility, leg,  
239,8:H775  
macromolecules, small intestine,  
241,4:G31  
methylprednisolone effects, ischemic  
heart, 232,1:H602  
norepinephrine effects, forelimb,  
243,12:H575  
protein flux dynamics and, intravascular  
saline effects, thoracic duct,  
240,9:R282  
protein redistribution, hypoproteinemia  
(sheep), 243,12:H803  
pulmonary, platelet aggregation and  
(sheep), 242,11:H645  
solute-coupled transport, effects, ileal,  
235,4:E429  
thoracic duct, hypothermia, 233,2:H605  
vessel contraction, 233,2:H57  
volume absorption, intestinal,  
238,1:G183  
whole-body, saline effects, 240,9:R282

**Lymph node**  
caudal mediastinal, contamination of  
(sheep), 241,10:H354  
modification of lymph, 243,12:H351

**Lymphoblasts**

glucocorticoid receptors and, leukemia,  
243,6:E103  
purine metabolism, membrane and cyto-  
plasmic 5'-nucleotidases,  
243,12:C270

**Lymphoconstriction**, norepinephrine  
effects, forelimb, 243,12:H575

**Lymphocytes**

glucocorticoid receptors and, leukemia,  
243,6:E103  
insulin binding, phorbol ester effects,  
243,6:E319  
leukoagglutinin binding: see  
Leukoagglutinin-lymphocyte  
binding

**Lymph vessels**

contractile stimuli, 233,2:H57  
contractility, lymph flow and, leg,  
239,8:H775  
diaphragm, contamination (sheep),  
241,10:H354

**Lysine**

absorption, kidney tubules, 243,12:F379  
bicarbonate and fluid absorption, proxi-  
mal tubules, 242,11:F604  
deprivation, lysine flux and, 239,2:E192  
flux, protein intake effects, 240,3:E712  
metabolism, fetal (ewe), 240,3:E320  
transport  
erythrocytes (chicken), 241,10:C233  
inhibition, lung macrophages,  
236,5:C111  
whole-body metabolism, dietary protein  
effects, 240,3:E712

**Lysine acetylsalicylate**, calcitonin ef-  
fects, insulin secretion, 242,5:E206

**Lysine monohydrochloride**, bicarbonate  
excretion, calcium absorption and,  
238,7:F394

**Lysophosphatides**, slow response and,  
normal and ischemic heart,  
243,12:H187

**Lysophosphatidylcholine**

arrhythmogenic effects, ischemic myo-  
cardium, 241,10:H700  
erythrocytes, coronary arteries, perfused  
hearts and, 240,9:H229  
sodium-potassium-ATPase activity and,  
cardiac sarcolemma, 242,11:H456

**Lysophosphoglycerides**

ischemic zones, arrhythmogenic effects,  
241,10:H700  
slow response potentials and, normal  
and ischemic heart, 243,12:H187

**Lysosomal enzymes**

angiotensin II receptor blockade, hemor-  
rhagic shock, 236,5:H280  
naloxone effects, hemorrhagic shock,  
239,8:H416  
starvation, heart, 240,9:H222

**Lysosomes**

acid hydrolase activities, myometrial  
ovarian hormone effects, 232,1:E423  
brown fat peroxisomal  $\beta$ -oxidation,  
239,8:C208  
cardiac, lymph, mannitol effects,  
236,5:H112  
cathepsin D content, starvation, heart,  
240,9:H222  
cooling effects, adenosine triphosphate  
and, 242,11:C192  
enzymes, fetal heart, 234,3:E306  
ethionine effects, pancreas, 242,5:G297  
integrity, hypoxic liver, 238,7:H176  
ischemia, myocardial, 232,1:H602  
Kupffer cell phagocytosis, hyperinsuline-  
mia and, 238,1:E276  
liver, 230:684  
cardiogenic shock, 235,4:H657  
occlusion shock, splanchnic artery,  
234,3:H1  
protein turnover, thyroxine effects, skel-  
etal muscle, 235,4:E231  
proteolytic enzyme activities, diabetes,  
muscle, 241,4:E378

**Lysozyme**, absorption, kidney tubules,  
243,12:F379

**M****Macromolecules**

changes, subfornical organ area, dehy-  
dration and renin effects, 237,6:R26  
clearance, renal failure, 237,6:F319  
efflux, bradykinin-induced, morphologi-  
cal and physiological correlation,  
236,5:H600  
endogenous, permeability, intestinal cap-  
illaries, 238,7:H457  
exclusion, intestinal volume absorption,  
238,1:G183  
filtration, prostaglandin effects,  
232,1:H690  
glomerular filtration, protein,  
241,10:F162  
interstitium-to-blood movement, small  
intestine, 241,4:G31  
negatively and positively charged, glo-  
merular permselectivity, 234,3:F455  
proteinuria, angiotensin II-induced,  
233,2:F13  
synthesis, ammonia-incubated intestinal  
cells (chick, rat), 233,2:E341  
transport  
pulmonary endothelium, model,  
242,11:H882  
theoretical model, 238,7:F126  
transmural, arterial, 233,2:H66

**Macrophages**

alveolar  
chemiluminescence, oxygen, reactive  
forms, 235,4:C103  
2-deoxy-D-glucose uptake, 243,12:C14  
amino acid transport, regulation, lung,  
236,5:C111  
diabetic, hyperphagocytosis, reticuloen-  
dothelial, 240,3:G255  
hyperinsulinemia, 238,1:E276  
membrane permeability, temperature  
effects, lung cells, 243,12:C285  
postcoagulant activity, peritoneal,  
235,4:H333  
rectification, negative resistance region,  
241,10:C9

**Macrovascular variables**, research, gra-  
cilis muscle, 242,11:H713

**Macula densa**

anatomy, 237,6:F333  
autoregulation, renal, 234,3:F357  
chronic tubular obstruction (*Necturus*),  
234,3:F112  
effector mechanism, tubuloglomerular  
feedback, 243,12:F447  
feedback: see Feedback  
glomerular filtration, feedback regula-  
tion, 233,2:F1  
glomerular filtration rate, autoregula-  
tion, 240,9:F446  
plasma renin activity, potassium-  
mediated, 242,11:F463  
receptors, renin release, 232,1:F248  
renal nerve modulation, renin secretion  
and, 242,11:R367  
renin activity, calcium effects,  
232,1:E388  
renin inhibition, chloride and,  
235,4:F444  
renin release, prostaglandins in,  
243,12:F537  
renin secretion, 234,3:F10  
distal tubule sodium ions and,  
235,4:F611  
dynamic changes, renal perfusion  
pressure (sheep), 236,5:F546  
single nephron glomerular filtration rate,  
autoregulation, 237,6:F63  
sodium-potassium-ATPase effects, renin  
release, 243,12:F598

**Maetz symposium**, 238,7:R139-R276

**Magnesium**

- absorption
  - diabetes, 231:1039
  - jejunal, 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> and, 238,1:G349
- adenosine triphosphate protective action, lysosomes, 242,11:C192
- bone maturation arrest, after thyroparathyroidectomy, 232,1:F33
- catecholamine secretion, ionophore effects, adrenal gland and spleen, 242,5:E137
- cellular concentration, 230:514
- conservation, calcitonin effects, renal, 240,9:F12
- depletion, skeletal muscle injury after, 243,12:F113
- desensitization and, muscle (frog), 242,11:C319
- dietary
  - bone and soft tissue mineral changes, 237,6:E152
  - calcium and phosphorous homeostasis, 241,4:E35
- electrolyte excretion, renal, 240,9:F17
- excitation-contraction coupling, myocardial, 237,6:H413
- excretion
  - medullary collecting duct, 239,8:F24
  - parathyroid hormone effects, renal, 243,12:F514
- flux, irreversible contracture, myocardium, 234,3:C115
- gentamicin nephrotoxicity, kidney cortex, 242,11:F477
- hyperpolarization, parathyroid cells, 236,5:C15
- intestinal absorption, diabetes, 231:1039
- intraluminal and contraluminal, calcium transfer, nephron, 238,7:F187
- ionic, gastric secretion and, 231:1649
- ischemia and, heart, species differences (rat, rabbit), 242,11:H89
- lactogen release, placental, 240,3:E550
- metabolism
  - dietary magnesium effects, 239,2:E515
  - fluoride and, 234,3:E343
  - fluoride effects, 233,2:E165
  - potassium depletion, 234,3:F466
- micropuncture, superficial nephrons, 243,12:F561
- nephron sodium reabsorption, 230:398
- neuromuscular events, esophageal smooth muscle (opossum), 232,1:E547
- pancreatic  $\beta$ -cells, 239,8:C124
- papillary necrosis, drug-induced, 241,10:F14
- parathyroid hormone-receptor-cyclase system and kidney, 241,10:F364
- pressor response blockade, potassium (dogfish), 242,11:R185
- reabsorption
  - acid-base disturbance effects, kidney tubule, 243,12:F197
  - renal, calcitonin-stimulated, 239,8:F524
- renal handling, parathyroid hormone and adenosine monophosphate, cyclic effects, 233,2:F541
- renin release, 232,1:F377
- secretion, renal (teleost), 238,7:F92
- secretory response, dispersed submandibular cells, 238,7:C90, C99
- sodium transport, bladder (toad), 234,3:F192
- transfer, intraluminal and contraluminal magnesium effects, nephron, 238,7:F187
- transport
  - calcitonin and, nephron, 238,1:E573
  - furosemide effects, nephron, 241,10:F340
  - medullary collecting duct, 239,8:F24
  - nephron, 239,8:F393
  - parathyroid hormone effects, nephron, 236,5:F342
- urinary excretion, 239,2:E515

**Magnesium-adenosine triphosphate**

- calcium ion sensitivity, smooth muscle actomyosin ATPase, regulation (chicken), 237,6:C213
  - tension regulation, skinned muscle fibers (crayfish), 233,2:C127
- Magnesium-ATPase**, hemodynamic effects, liver, 234,3:E584
- Magnesium-calcium**, interaction, myocardial, 237,6:H413
- Magnesium-digitalis**, interaction, myocardial, 237,6:H413
- Magnesium ions**
- coherent control, pyruvate-perfused heart, 237,6:R159
  - contraction, smooth muscle, arterial, 242,11:C25
  - coordinated control, pyruvate-perfused heart, 237,6:R174
  - cytoplasmic heart, determination, 232,1:R158
  - plasma dense granule constituents, species differences, 243,12:R454
  - <sup>86</sup>Rb efflux, pancreatic islets, 236,5:E139
- Magnesium-potassium**, interaction, myocardial, 237,6:H413
- Malate**, pH effects, renal cortical mitochondria, 240,9:F120
- Malate dehydrogenase**, sensitivity, tissues (*ob/ob* mouse), 240,3:E101
- Maleate**
- carbohydrate metabolism, 230:1163
  - induced bicarbonaturia, carbonic anhydrase-independent effect, 231:1010
  - plus acetazolamide, inhibition of renal bicarbonate reabsorption, 231:1258
  - tubular dysfunction, prevention by acetate, 239,8:F50
- Maleate-aspartate cycle**, respiratory acidosis, perfused heart, 234,3:H40
- Maleate-aspartate shuttle**
- anoxic and ischemic myocardium, mechanics, 236,5:H873
  - cardiac myocytes, 235,4:E461
  - pyruvate-perfused heart, 237,6:R153, R174
- Maleic acid**
- Fanconi syndrome
    - antiphosphatase action of 25(OH)vitamin D<sub>3</sub>, 236,5:E90
  - renal tubule leakage, 239,8:F507
  - glycosuria, kidney, 231:1024
  - proximal tubule dysfunction, tubular acidosis and, 243,12:F604
- Maleyl-CoA**, maleate-induced tubular dysfunction, 239,8:F50
- Malignancies**, visceral, protein synthesis, 234,3:E648
- Malignant hypertension**: see Hypertension
- Malignant vascular lesions**, hypertensive, sodium chloride effects, 236,5:H665
- Malnutrition**
- pyrogen and, neonatal, 241,10:R167
  - thyroid hormones and, developing lung, 242,5:E378
- Malondialdehyde**
- lipid peroxidation, platelets, 240,9:H800
  - prostaglandin synthesis, renomedullary, 236,5:H65
- Malpighian tubules**, function, kidney (insect), 241,10:R241
- Maltase**
- circadian rhythm
    - intestinal, adurnal feeding and, 238,1:G97
  - postnatal development, small intestine, 234,3:E500
  - ethanol effects, jejunal brush-border membrane, 237,6:E68
- Mammary epithelial cells**, lactose kinetics, 236,5:C286
- Mammary epithelium**
- ion transport, prolactin effects, 240,9:C110

transepithelial electrophysiology, prolactin sensitivity, 241,4:E410

**Mammary gland**

- epithelial cells, adipocytes, metabolic cooperativity, 241,10:C204
  - function and development, zinc deficiency, 238,1:E26
  - lactose secretion, inhibition by colchicine and vincristine, 234,3:C177
  - plasma protein transfer across, 230:1594
  - rhythmic contractions, teat sphincter (cow), 242,11:R181
- Mammotrophs**, thyrotropin-releasing hormone action, pituitary cells, 241,4:E298

**Manganese**

- amylase release and, pancreatic acini (guinea pig), 241,4:G359
  - barium-induced contracture, cardiac muscle (mammal), 240,9:H216
  - excretion, biliary, metallothionein effects, 234,3:E47
  - guanylate cyclase activity (human, rat), 240,3:E79
  - hyperpolarization, parathyroid cells, 236,5:C15
  - membrane stabilization, vascular smooth muscle, 235,4:C227
  - norepinephrine release, arterial, by potassium-free solution, 232,1:H140
  - pancreatic  $\beta$ -cells, 239,8:C124
  - rest-twitch potentiation and, ventricular muscle, 241,10:H583
- Manganese ions**
- atrioventricular nodal, membrane selectivity, 236,5:C1
  - parathyroid hormone receptor-adenylate cyclase system regulation, kidney, 242,11:F457

**Mannitol**

- absorption, pulmonary, neonatal, 234,3:C191
- atrial tension, 236,5:H629
- bulk flow, brain interstitial fluid, 233,7:F42
- cardiac pump, ischemia and exercise, 234,3:H157
- cardiac response, species differences, 235,4:H276
- cell volume regulation, proximal convoluted tubules, 243,12:F408
- cerebrospinal fluid, salt appetite and (sheep), 242,11:R51
- chronotropic response, atrial, 233,2:H228
- clearance, biliary, induced cholesteres, 234,3:E146
- conservation, colonic, 241,4:G397
- contractile response, isolated perfused arteries, 232,1:H59
- diuresis
  - ascites mobilization, 235,4:F12
  - urea secretion, medullary collecting duct, 240,9:F165
- flux
  - prostaglandin effects, tracheal mucosa, 240,9:F101
  - transmural, gastric mucosa, 235,4:E7
- hyperosmotic
  - inhibition of inotropic effect by lactate, 231:1209
  - oxygen consumption, myocardial, 233,2:H444
- hypertonic
  - cardiac lymph in nonischemic myocardium, 236,5:H112
  - osmotic opening, blood-brain barrier, 238,7:R421
  - vasoconstrictor response, coronary, 235,4:H728
- infusion
  - ischemic acute renal failure, 241,10:F556
  - kidney function, 240,9:F411
  - ischemic acute renal failure, 238,7:F305
  - nonelectrolyte permeability, cerebrovascular, 235,4:H299

**Mannitol** (continued)

- peritubular osmolality and, kidney, 241,10:F443
- permeability, gastric mucosa (monkey), 239,2:G77
- phosphate reabsorption, renal, 235,4:F430
- shock, 230:41
- solute transport, duodenum and ileum, 237,6:E389
- somatostatin effects, intestinal, 241,4:G215
- space, stratum corneum (frog), 232,1:C37
- urine flow rate alterations, prostaglandin E excretion and, 238,7:F107

**Mannoheptulose**

- insulin dependence, paradoxical overeating, 236,5:E205
- rubidium-86 efflux, pancreatic islets, 236,5:E139

**Mannose**, <sup>14</sup>C-labeled, renal handling, 231:9**D-Mannose**

- reabsorption, kidney (flounder), 242,11:F415
- renal cell transport (flounder), 232,1:F227

**Manometry**

- esophageal
  - band width, 236,5:E296
  - characteristics, 233,2:E389
  - opossum, 233,2:E152
  - peristalsis, 238,1:G485
  - histamine effects, sphincter of Oddi (opossum), 241,4:G122
  - intraluminal, upper esophageal sphincter pressure, 239,2:G49
  - rapid pull-through, esophageal, 234,3:E157

**Maple syrup urine disease**, keto acid

- transport, blood-brain barrier, 243,6:E272

**Mapping**, on-line, cardiac, 242,11:H526**Markers**

- bilious, excretion, liquid meal effects, 243,6:G42
- cellular electrophysiological, irreversible ischemic myocardial injury, 235,4:H559
- extracellular
  - cobaltic EDTA, heart, 242,11:H671
  - vitamin B<sub>12</sub> uptake, kidney, 237,6:F25
- intracellular localization, muscle fibers (frog), 237,6:C50
- microsphere: see Microsphere markers

**Marrow**: see Bone marrow**Mass**

- body
  - fat-free, 3-methylhistidine excretion and, 240,3:E302
  - glucose homeostasis, 239,8:R437
  - lean, compartmental model, 239,2:E524
  - lean aging, 238,7:R82
  - protein wasting due to acidosis, fasting, 243,6:E251
- left ventricular
  - catecholamine cardiomyopathy, 238,7:H257
  - hemodilution and, 235,4:H767
- muscle, 3-methylhistidine excretion and, 240,3:E302
- renal, sodium-potassium-ATPase and, 239,8:F281
- skeletal, postmenopausal women, 235,4:E82

**Mass spectrometry**: see Spectrometry**Mass transport theory**, enzyme synthesis and, 231:1860**Mast cells**

- parathyroid hormone response, dopamine (cattle), 239,2:E255
- proteolytic enzyme activities, diabetes, muscle, 241,4:E378

**Maternal-fetal relations**: see Fetus; Placenta; Pregnancy**Maternity**: see also Fetus; Placenta; Pregnancy

- deprivation, feeding controls, ontogeny, suckling and weaning, 237,6:R187

**Mathematical models**: see Models; see also specific subject and site**Maturation**: see also Development; Growth

- acetylcholine, negative inotropic effect, cardiac muscle, 238,7:H1
- actomyosin content, aortic, 237,6:H34
- alterations in mechanical properties, papillary muscle, 242,11:H359
- angiotensin-converting enzyme, lung and kidney, 234,3:R141
- autonomic, sinus node, 234,3:H412
- chemical, 242,11:R390
- corticosteroid-induced, fetal liver, 237,6:E177
- functional
  - angiotensin I metabolism, lungs, 238,7:R395
  - 5-hydroxytryptamine disposition, lung, 239,8:R401
  - renal clearance studies, 232,1:F178
  - functional and morphological, developing kidney (guinea pig), 241,10:F618
  - gastrointestinal, lead retention, suckling, 239,2:G114
  - hypothalamic-pituitary-thyroid system, cold effects, 239,2:E223
  - loop of Henle, 233,2:F519
  - membrane transport, cation changes, 235,4:C251
  - microvascular adaptations, striated muscle (hamster), 241,10:H317
  - microvascular control, striated muscle (hamster), 241,10:H325
  - PMS-induced ovulation, postovulatory steroidogenesis after, 241,4:E221
  - renal function, 233,2:F55
- sexual
  - hormone levels after castration, sex differences, 241,4:E460
  - hypophysectomy (calf, heifer), 232,1:E497
  - male, continuous light, 234,3:E262
  - sodium-potassium-ATPase, nephron, 233,2:F55
  - spontaneous obesity, semipurified diet (squirrel monkey), 241,10:R316
  - superficial nephron filtration, 232,1:F97

**Maximum entropy formalism**, reviewing the reviews, 241,10:R107**Maxwell models**: see Models

- MDCK cells, ouabain binding, during monolayer organization and cell cycle, 238,7:C43

**Meals**: see Feeding**Measurement errors**, curve fitting, 237,6:R366**Meat**: see Feeding

- Mechanical activity**, smooth muscle, esophageal (opossum), 240,3:G305

**Mechanical analogs**: see Models

- Mechanical stress**, Purkinje fibers, heart, 241,10:H291

**Mechanics**: see specific subject and site**Mechanoreceptors**: see Receptors**Mecholyl**, 230:380**Meclofenamate**

- adrenergic transmission
  - bradykinin and, kidney, 241,10:R146
- pancreatic, 232,1:E201
- bradykinin, natriuretic action, 237,6:F182
- bradykinin-induced renal hemodynamic alterations, 237,6:F433
- calcium and phosphorus reabsorption, cortical collecting tubules, 241,10:F461
- coronary response, prostaglandins, 235,4:H400
- cyclooxygenase inhibition, 239,8:F360
- diuretic response and, hypoxia, awake state, 243,12:F440

- postocclusive renal vasoconstriction blockade, by angiotensin II antagonist, 237,6:F463
- prostaglandin and renin-angiotensin systems, interaction, glomeruli, 239,8:F602
- prostaglandin E<sub>2</sub> secretion and excretion, renal, 236,5:F552
- prostaglandins, renal, bradykinin and action, 237,6:F182
- renal effects, 230:711, 235,4:F111
- renal vascular response, prostaglandin inhibitors, 234,3:H496
- renin release, renal vasodilation and, dissociation, 237,6:F20
- sodium excretion, 235,4:F338
- sodium transport and, cortical collecting tubules, 241,10:F452
- urine concentration and, papillary exposure, kidney, 240,9:F423
- vascular reactivity, lung, red blood cells and platelets in, 234,3:H186
- water diuresis and, diabetes insipidus, 241,10:F231

**Medial preoptic nucleus**, proestrus, 238,1:E533**Medulla**, vagal cardioinhibitory neurons, distribution, 238,7:R57**Medulla oblongata**, integration, cardio-vagal mechanism, 231:454**Medullary bone**: see Bone**Medullary collecting ducts**: see Kidney tubules, collecting**Medullary components**, somatic and cardiovascular integration, 233,2:R100**Medullary neurons**, adrenocorticotropin control, rostral projections, 233,2:R116**Medullary ventrolateral areas**, central chemoreceptors in, 230:1288**Mefenamate**, prostaglandins and, microvascular sensitivity, decerebrate rat, 243,12:H844**Mefenamic acid**, blood flow and, jejunal, 242,5:G140**Megacolon**, transport, Hirschsprung's disease, 239,2:G123**Meiosis**, reinitiation, follicle wall, oocytes (frog), 241,4:E51**Meissner's plexus**, excitation conduction, 232,1:E109**Melanin cells**, gill (eel), 238,7:R165**Melanocyte-stimulating hormones**, permeability, plasma/cerebrospinal fluid barrier, 234,3:E327**Melanotropic peptides**: see Peptides**Melatonin**

- N-acetyltransferase activity, pineal, 233,2:E141
- bile acid production, diurnal rhythm, 236,5:R175
- circadian activity, 232,1:E375
- circadian rhythms of, cerebrospinal fluid, 243,6:E489
- sleep timing, sex differences, 243,12:R193

**Membrane**: see also specific type and site

- activity, neuron (snail), 239,8:C47
- alveolar-capillary, filtration coefficient, 234,3:H266

**amino acid absorption and secretion**, transepithelial, mechanisms, 238,7:F335**apical rupture**, compliance and permeability, bladder (toad), 242,11:F8**atrioventricular node**, calcium and sodium selectivity, 236,5:C1**basal-lateral**, sugar transport, kidney (flounder), 234,3:F424**basement****Henle's loop**, physical properties, 234,3:F54**renal tubule cell**, volume regulation, 235,4:F480**basolateral**: see Basolateral membrane



- biliary canalicular, permselectivity, 235,4:E570
- biogenesis, brush border, renal ischemia, 241,10:F28
- capacitance, smooth muscle cells, stomach (toad), 239,8:C153
- cardiac
- freeze fracturing technique, 241,10:H891
  - mitochondria, 235,4:C147
  - cell, permeability, ischemic arrest, 240,9:H116
- current: see Current
- $\alpha$ -dihydrograyanotoxin II sensitivity (crayfish, salamander, frog), 235,4:C204
- elaboration, ionic requirements for, oxyntic cells (frog), 242,5:G388
- epithelial
- absorptive intensity, measurement, 239,8:F466
  - voltage clamp, automatic, 235,4:C69
- fetal, decidua prolactin transport, 243,12:R552
- fluid absorption, transepithelial, 235,4:F626
- fluidity
- antidiuretic hormone effects, urinary bladder (toad), 240,9:F63
  - modeling methodology forum, 243,12:R475
- function, calcium deprivation effects, hepatocytes, 241,10:C3
- fusion, gastric, 241,4:G349
- glomerular basement, proteinuria, norepinephrine- and angiotensin-induced, 237,6:F133
- hydrolysis, small peptides, proximal tubule, 238,7:F151
- invaginated, capacitance (crayfish), 235,4:C221
- microvilli, monosaccharide transport, placenta, 238,7:C160
- myocardial cell, swelling, 239,8:H31
- nonpituitary, gonadotropin-releasing hormone, binding, 235,4:E227
- oxygenator: see Oxygenator
- oxyntic gland mucosa, gastrin receptor, 239,2:G395
- particle clusters, collecting duct, 235,4:F440
- permeability: see Permeability
- physiology, temperature effects, neuron (snail), 239,8:C47
- plasma
- antiluminal, enzyme activities, kidney, 242,11:F246
  - binding, myometrium, calcium transport and, 239,8:C66
  - calcium ions, intracellular myometrial, regulation, 232,1:C50
  - calcium uptake, myometrium, 242,11:C278
  - electrochemical sodium ion gradient, 234,3:F89
  - enriched membrane vesicles, sodium-calcium exchange, myometrium, 240,9:C175
  - permeability, common drugs, 241,10:F1
  - physiology, quantitative ultrastructural analysis, 235,4:C147
  - placental microvilli, 242,11:C166
  - potentials, epithelial cells, bladder, (toad), 232,1:F196
  - purine metabolism regulation, 243,12:C270
  - renal medulla, 234,3:F247
  - tubular cells, calcium transport, 237,6:F1
- porous, neutral solute transport across, 241,10:F469
- potentials: see Potentials
- preparation
- fundic mucosa (hog), 241,4:G313
  - gastric receptors, mucosal, 237,6:E284, E295
- properties
- salt-induced hypertension, arterial muscle, 241,10:H224
  - smooth muscle cells, stomach (toad), 239,8:C153, C175
  - smooth muscle cells, pulmonary artery, 242,11:H900, H907
- protein transport, 238,1:G391
- proton semiconductors and energy transduction, 235,4:R99
- proximal tubular transport, network thermodynamic model, 235,4:F638
- receptors: see Receptors
- recycling, ethionine and, pancreas, 242,5:G297
- red blood cells, cation changes during maturation, 235,4:C251
- resistance: see Resistance
- responsiveness, Purkinje fiber action potential overshoot, 237,6:H204
- stabilization, deoxycorticosterone effects, 237,6:H197
- structure and function, antidiuretic hormone relations, urinary bladder (toad), 240,9:F63
- structure and transport physiology, freeze-fractured electron microscopy, bladder (toad), 232,1:F77
- surface charges, screening by divalent cations, 235,4:C109
- transport
- calcium-free strontium medium (monkey), 242,11:C353
  - cell volume, and membrane potential, interactions, 238,7:C196
  - electrolytes, alimentary epithelia, 240,3:G191
  - energetics, gastric, 234,3:E445
  - enzymes, skeletal muscle (frog), 241,10:C98
  - exocrine pancreas, 238,1:G289
  - ion activities, cardiac muscle cells, 241,10:H459
  - lipid mediated, neonates and adults, 243,12:C161
  - protein, exocrine pancreas, 242,5:G32
  - sodium-calcium, myometrium membrane vesicles, 240,9:C175
  - strontium medium (monkey), 242,11:C360
  - sugar, sulphydryl group, erythrocytes (goose), 241,10:C33
  - thermodynamics, 234,3:R3
  - tubular system, chloride cells (teleost), 238,7:R171
- Membrane carrier**
- chloride secretion, rectal gland (shark), 233,2:F298
  - specificity, intestinal (killifish), 237,6:E567
- Membrane channels, permeability and, skin (snake), 242,11:F681**
- Membrane osmometry, transcapillary Starling forces, 238,7:H886**
- Membrane receptor assay, prostaglandin excretion, urine flow rate and, 238,7:F107**
- Membrane vesicles**
- brush border, uric acid transport, renal, 236,5:F519
  - freeze fracturing technique, heart, 241,10:H891
  - microvilli, amiloride effects, renal, 241,10:F374
- plasma
- calcium transport, peritubular (teleost), 243,12:R34
  - calcium uptake, myometrium, 242,11:C278
  - functional purification, 238,1:G151
- plasma membrane enriched, sodium-calcium exchange, myometrium, 240,9:C175
- sulfate transport, hydrogen ion-dependent, kidney tubules (teleost), 243,12:F150
- transcellular transport, calcium and phosphate, small intestinal epithelium, 240,3:G409
- transport, analysis, 233,2:E445
- Menadione, rubidium-86 efflux, pancreatic islets, 236,5:E139**
- Menopause**
- hot flashes, ambulatory monitoring, 237,6:R306
  - osteoporosis, postmenopausal, estrogen and, 235,4:E338
  - skeletal mass, postmenopausal, 235,4:E82
- Mepacrine, prostaglandin synthesis, renomedullary, 236,5:H65**
- Mepyramine, mesenteric circulation, 234,3:E370**
- MER-25, adiposity and, female, 240,3:E474**
- 3-Mercaptopicolinate**
- gluconeogenesis, hydrogen ion transport, bladder (turtle), 239,8:F366
  - gluconeogenesis, sodium and oxygen transport, kidney, 242,11:F508
  - glucose metabolism, free water clearance and, 242,11:F491
- Mercury, excretion, biliary, metallothionein effects, 234,3:E47**
- Mersalyl, lactate uptake, peritubular, by proximal tubule (garter snake), 238,7:F296**
- Mesangial cell, dysfunction, glomerular permselectivity, 234,3:F455**
- Mesangium**
- effector mechanism, tubuloglomerular feedback, 243,12:F447
  - extraglomerular, anatomy, 237,6:F333
- Mesencephalic central gray**
- reproductive behavior
  - female, facilitation, 237,6:R278
  - female integration, 237,6:R285
- Mesencephalic lesions**
- lateral, abolition of hypoxic vagal bradycardia, 237,6:R15
  - sexual impairment, 237,6:R285
- Mesencephalic stimulation, cerebral blood flow and behavior (goat), 232,1:H495**
- Mesencephalon, hypoxic vagal bradycardia, 237,6:R15**
- Mesenchymal cells, proliferation, diabetes and insulin effects, 238,1:E200**
- Mesencephalic mechanisms, female reproductive behavior, 237,6:R278, R285**
- Mesenteric arterioles, platelet aggregation, aspirin and indomethacin effects, 239,8:H220**
- Mesenteric artery**
- blood flow, angiotensin II receptor blockade, 236,5:H280
  - contractile response, mannitol-induced, 232,1:H59
  - cyclic nucleotide metabolism, 232,1:H191
  - diltiazem effects, smooth muscles and neuromuscular junction, 242,11:H325
  - electrical properties, 239,8:C23
  - norepinephrine release, potassium-free solution, 232,1:H140
  - occlusion, inferior cardiac nerve activity, 236,5:H286
  - vasodilation, cyclic nucleotides and, 232,1:H191
- Mesenteric blood vessels, hormone interactions, 232,1:H305**
- Mesenteric conductance, vasopressin-angiotensin reciprocal control mechanisms, 232,1:H260**
- Mesenteric ganglionectomy, interdigestive myoelectric complex, 237,6:E432**
- Mesenteric lymphatics: see Lymphatics**
- Mesenteric vasculature, angiotensin formation, 237,6:H218**

**Mesenteric vein**

- circular and longitudinal muscle responses, 232,1:H131
- renal and adrenal nerve activity, 230:1733

**Mesentery**

- blood flow: see Blood flow; Circulation
- contractile stimuli, collecting lymph vessels, 233,2:H57
- dynamics, excitation and excitement (baboon), 234,3:H210
- lymph proteins, zinc deficiency, 236,5:E180
- microcirculation, oxygen exchange, 236,5:H846
- oxygen consumption and rubidium-86 extraction, arterial hypoxia, 234,3:E248
- perfused, adrenergic transmission, angiotensins and, 236,5:H211
- sulfhemoglobin-red blood cells, mean transit time and blood flow velocity, microvascular, 238,7:H745
- vascular bed, prostaglandins, 235,4:H326
- vasoconstrictor response, vasopressin, hypophysectomy, and saralasin effects, 236,5:H200

**Mesotocin**

- renal and vascular responses (bullfrog), 235,4:F151
- water balance (newt), 238,7:C113

**Mesotubarium**, stiffness, dynamic, isometric twitch effects, length, 234,3:C14**Mesotubarium superius**, bioelectrical behavior, 233,2:C180**Messenger RNA**: see Ribonucleic acid**Mestranol**

- blood pressure response, spontaneous hypertension, 233,2:H369
- effects on tissue levels, minerals, 231:98

**Metabolic acidosis**: see Acidosis**Metabolic alkalosis**: see Alkalosis**Metabolic balance**, calcium and phosphorus absorption, intestinal, 239,2:G480**Metabolic blockade**: see Blockade**Metabolic changes**

- calcium removal and anoxia, cardiac myocytes, 243,12:C184
- endotoxin and, diabetes, 243,12:R77

**Metabolic clearance rate**

- arginine vasopressin, 235,4:E591, E598
- deconvolution analysis, 233,2:E500
- diurnal changes, hormone rhythms, 239,8:R309

**glucagon**, liver, 240,9:F233**infused gastrin**, gastric response to, 242,5:G660**insulin**, feedback inhibition of, 243,6:E476**prolactin**, kidney, 240,9:F437**Metabolic cooperativity**, epithelial cells, adipocytes and, 241,10:C204**Metabolic damage**, aspirin- and taurocholate-induced, gastric mucosa, 239,2:G457**Metabolic depletion**

- calcium ion sensitivity, smooth muscle actomyosin ATPase (chicken), 237,6:C213
- excitation-contraction coupling, tracheal smooth muscle, 233,2:C8

**Metabolic depression**, cerebral circulatory response (baboon), 234,3:H74**Metabolic disposal**, glucagon, liver, 240,3:E233**Metabolic energy**, hydrogen ion secretion, determinant, bladder (turtle), 233,2:F145**Metabolic enzymes**, membrane-associated purine, intestinal mucosa, 239,2:G266**Metabolic hyperemia**: see Hyperemia**Metabolic hypothesis**, reactive hyperemia, skeletal muscle (chicken), 232,1:H411, 233,2:H379**Metabolic inhibition**

- catecholamine secretion, ionophore effects, adrenal gland and spleen, 242,5:E137
- resting tensions and, tracheal muscle, 231:1470

**Metabolic inhibitors**

- blood-bone disequilibrium, 236,5:C244
- 2-deoxy-D-glucose uptake, lung cells, 243,12:C14

**metabolism and transport**, proximal tubule (rabbit), 243,12:F133**tubular cell volume**, 239,8:F571**Metabolic intermediates**, resting tensions and, active skeletal muscle, 231:766**Metabolic mechanism**

- autoregulation, arterioles, 241,10:H829
- reactive hyperemia, microvessels, cheek pouch (hamster), 241,10:H748

**Metabolic monitoring**, multiprobe monitoring, brain, awake state, 243,12:R462**Metabolic patterns**, transplanted  $\beta$ -cells, 235,4:H119**Metabolic rate**

- angiotensin effects, at 10°C (squirrel monkey), 233,2:H10
- basal

**nocturnal simian**, 240,9:R156**thyroxine**, effects, 241,10:C134**blood flow autoregulation**, intestinal, 239,8:H156**carbon dioxide effects**, group, 241,10:R264 **$\beta$ -endorphin** effects, 243,12:R104**ketamine anesthesia** and (monkey), 241,10:R301**long-term fasting effects** (geese), 241,4:E342**measurement**, doubly labeled water errors, 238,7:R466**myocardial glucose**, 243,12:H884**pulsatile pressure** and, intestinal autoregulation, 242,11:H769**sympathetic and thyroid influences**, fasting and refeeding, 243,12:R339**weight loss**, 241,10:R392**Metabolic regulation**

- blood flow, coronary, adenosine and, conscious exercise, 242,11:H24
- epinephrine-glucagon interaction, glucoregulation, diabetes, 242,5:E428

**insulin-dependent diabetes**, cardiac profiles of insulin receptors, 242,5:E127**mesenteric arterioles**, 231:1686**oxygenation** and, intestinal, 243,6:G91**skeletal muscle capillaries**, reactive hyperemia, 234,3:H352**Metabolic response****adrenergic blockade**, awake state, 241,4:E385**diabetes**, postprandial exercise, 242,5:E309**diurnal**, mixed meal effects, 240,3:E54**exercise**, obesity, diabetes, 240,3:E458**isoproterenol**, spontaneous hypertension, 241,10:H497**Metabolic status**, luminal nutrition and, glucose absorption, 240,3:G432**Metabolic substrates**, sodium transport, renal, 233,2:F235**Metabolic systems****identifiability concepts**, 239,8:R7**modeling and identification**, 240,9:R120**Metabolic vasodilators**: see Vasodilators**Metabolism**: see also specific subject and site**acid-base alteration**: 236,5:E289**adaptations**, brown adipose tissue, extreme ambient temperature, 231:153**ammonia**, myocardial, 242,11:H536**anaerobic**: see Anaerobic metabolism**cerebral**, influence of norepinephrine, 231:489**chondrosarcoma**, adenosine monophosphate, cyclic regulation, 239,2:E201**contracting striated muscle**, 235,4:H494**coronary blood flow** and (pig), 234,3:H597**1,25-dihydroxyvitamin D<sub>3</sub>** effects, 240,3:G90**dopamine**, brain, 242,11:R471**during burn shock**, 231:892**epinephrine effects**, running, 240,3:E526**exercise****ethanol effects**, 233,2:E195**glucagon role**, 238,1:E13**shock avoidance** and, 236,5:H225**fat cell**, spontaneously obese rat, 234,3:E182**feeding**, ovarian hormone effects, 243,6:E407**fetal response**, maternal fasting, 232,1:E456**growth hormone removal and excretion**, kidney, 240,9:F282**hypometabolic behavior**, blood flow distribution, 235,4:R89**in brown adipose tissue**, triiodothyronine effects, 231:161**lysine**, fetal (ewe), 240,3:E320**mixed meal effects**, 240,3:E54**myocardial ischemia**, 233,2:H329**nutrient uptake**, umbilical, nutritional supplementation effects, fetal (sheep), 241,4:E178**obesity**, high fat diet-induced, 233,2:R162**oxygen** and, striated muscle, 235,4:H505**postmortem**, brain removal technique, 234,3:E365**recovery**, adenosine triphosphate utilization (frog), 232,1:C30**red cells** (cow), 236,5:C255, C262**standard**, energy production, reptiles and mammals, 240,9:R3**substrate**, seasonal acclimatization (goldfinch), 242,11:R563**thermal acclimation**, temperature selection and (fish), 242,11:R157**thermal protection** (polar bear cubs), 236,5:R67**vascular lipid**, fetal, 240,3:E65**water-soluble vitamins**, intestine, 240,3:G97**Metabolites****accumulation**, myocardial, reactive hyperemia, 234,3:H625**blood**, feeding and, postinsulin hypophagia, 243,12:R304**changes**, stimulation and, muscle fibers, 242,11:C218**circadian profiles**, insulin receptors, 242,5:E127**compartmentation**, striated muscle, 242,11:C1**hepatic**, insulin effects, 233,2:E13**levels**, renal, acid-base alterations, 236,5:E289**O-methylated deaminated****estradiol effects**, saphenous vein, 239,8:H450**norepinephrine metabolism**, 234,3:H235**pharmacokinetics**, 237,6:R251**plasma**, long-term fasting (geese), 241,4:E342**transport**, renal tubular (chicken), 233,2:F133**uptake and release**, exercising leg tissue, 231:967**uremic**, 230:901**vasoactive****localization**, heart, kidney, liver, 239,8:H721**nonischemic myocardial hypoxia**, 243,12:H514**vasodilator****adenosine and**, gracilis muscle, 238,7:H703

- cerebral arterioles, 243,12:H442  
 cerebral hypoxic hyperemia, 241,10:H134  
 exercise vasodilation, 236,5:H705  
 hyperemia, myocardial, 240,9:H709  
 vitamin D, parathyroid hormone release (bovine), 238,1:E384  
 washout, reactive hyperemia, 234,3:H625
- Metallic implants**, chromium(III), metabolism, 232,1:E478
- Metallothionein**  
 biological function, 234,3:E282  
 hepatic  
   hypozincemia associated with bacterial infusion, 274,3:E399  
   zinc diet metabolism, 240,3:E414  
 induction, cadmium and zinc effects, small bowel, 243,6:G396  
 metabolism, age, accumulation, and depletion effects, 237,6:E18  
 metals, biliary excretion, 234,3:E47
- Metals**  
 biliary excretion, 234,3:E47  
 chelation: see Chelation  
 heavy  
   adrenergic neuromuscular transmission and, 232,1:C128  
   cardiovascular effects, 239,8:H22  
   ion transport, bladder, 230:1582  
   renal, 236,5:F373  
   renal handling, 237,6:F398, F408  
 trace  
   bacteria injection effects (lizard), 240,9:R272  
   copper deficiency, electrocardiography, 240,9:H185  
   glucagon effects, urinary, 240,9:F299  
   influence on blood pressure, plasma renin, and tissue mineral concentration, 238,1:E53  
   kinetic model, 237,6:R340
- Metanephrine**, demethylation, erythrocytes, 235,4:E150
- Metaphorical fugue**, Hofstadter's, on minds and machines, 238,7:R291
- Metarteriole**, circulation, central neural influence, 233,2:H141
- Methacholine**  
 eccrine sweat secretion, calcium and (monkey), 241,10:C113  
 liver microvascular cholinergic receptors, 236,5:E728  
 sodium pump activity and, salt gland cells (duck), 241,10:R77
- Methacholine chloride**, salt gland dissociation (chick), 238,7:C184
- Methanol**  
 angiotensin metabolism (sheep), 233,2:H527  
<sup>11</sup>C-labeled, 230:543
- Methazolamide**  
 carbonic anhydrase and, proximal acidification, 238,7:F372  
 cochlear potentials, 235,4:F317  
 physiological studies, 232,1:F291
- Methemoglobin**, demethylation, erythrocytes, 235,4:E150
- Methionine**, amino acid metabolism effects, portal-systemic shunting, 241,4:G503
- Methionine-enkephalin**, myoelectric activity, small bowel, 238,1:G384
- Methionine sulfoximine**, effect on glutathione and amino acid levels, nephron, 231:1536
- Methoclopramide**, pyloroplasty, 230:389
- Methohexital**  
 adenylate cyclase inhibition, bladder (toad), 237,6:F372  
 transport and, bladder (toad), 239,8:F319
- Methotrexate**, transport, kidney tubules (monkey), 242,11:F484
- Methoxamine**  
 arterial baroreceptors, exercise and, 230:85  
 blood flow, myocardial ischemia, 239,8:H163  
 effects on cardiac function, blood flow distribution and, 231:1579  
 myocardial energy supply-demand factors, 237,6:H696  
 oxygen consumption and, heart, 241,10:H370
- Methoxamine hydrochloride**,  $\alpha$ -adrenoceptor stimulation with, myocardial response (lamb), 242,11:H405
- Methoxyflurane**, adenylate cyclase inhibition, bladder (toad), 237,6:F372
- Methoxynulin**, biliary clearance rates, 235,4:E570
- Methoxyverapamil**: see also D600  
 lactogen release, placental, 240,3:E550  
 lead and, vascular reactivity, 241,10:H211  
 rest-twitch potentiation and, ventricular muscle, 241,10:H583
- 3-O-Methyl**, transport, intestinal, 233,2:E357
- Methylamine**  
 cellular processing of insulin and, 243,6:E140  
 importance, meal-induced gastrin release, 243,6:G341  
 measurement of intracellular pH, 231:799
- Methylation**, protein carboxyl, pancreatic enzyme secretion, 240,3:G199
- O-Methylation**  
 flow dependence, lung, 242,11:H844  
 hypertension, lung, 239,8:H736
- Methylcellulose**, hematopoiesis, 233,2:H234
- 3-O-Methylidopa**, demethylation, erythrocytes, 235,4:E150
- Methylene blue**  
 histamine effects, lung and forelimb permeability, 242,11:H565  
 transepithelial excretion, mitochondria-rich cells, 231:120
- $\beta$ -Methyl-D-galactoside**, absorption and secretion, intestinal (flounder), 240,3:G392
- Methylglucose**  
 efflux, fat cells, 234,3:E484  
 high-fat diet effects, pancreatic acini, 243,6:G448  
 transport, ileum, fetus, 242,5:G642
- 3-Methylglucose**, fetomaternal transfer, placental (sheep), 234,3:E32
- 3-O-Methylglucose**  
 absorption, renal tubular, 233,2:F274  
 metabolism, fat cells, 237,6:E325  
 transport  
   adipocytes, 238,1:E180  
   adipocytes, insulin-stimulated, 236,5:E621  
   dually perfused placenta, 237,6:C205  
   intestinal cells, 238,7:C73  
   isolated brain capillaries, 236,5:C96  
   sodium ion-dependent intestinal epithelial cells, 238,7:C177
- Methylglucoside**, sodium-dependent transport, renal cells (chick), 242,11:C312
- $\alpha$ -Methylglucoside**  
 fetomaternal transfer, placental (sheep), 234,3:E32  
 sodium-dependent transport system, intestinal epithelium (chicken), 241,10:C227
- $\alpha$ -Methyl-D-glucoside**  
 absorption and secretion, intestinal (flounder), 240,3:G392  
 renal cell transport (flounder), 232,1:F227  
 tubular reabsorption effects, efferent vessel plasma composition, 236,5:F119
- 2-Methylhistamine**  
 intestinal vasodilation, 233,2:E219  
 myoelectric activity, small bowel, 238,1:G50
- 4-Methylhistamine**  
 intestinal vasodilation, 233,2:E219  
 pepsin secretion, inhibition, 233,2:E225
- 3-Methylhistidine**  
 excretion  
   body composition and, 240,3:E302  
   myofibrillar protein degradation, 233,2:E119  
 release, skeletal muscle, gastrointestinal tract and skin, 243,6:E293
- 1-Methyl-3-isobutylxanthine**  
 adenosine monophosphate, cyclic production, arteriolar, 243,12:H398  
 heart contractile force regulation, 233,2:H269  
 vasopressin and, 232,1:F368
- Methylmercury**, polyamine synthesis and, liver and kidney, 231:560
- N<sup>\*</sup>-Methylnicotinamide**, transport and metabolism, kidney, 241,10:F308
- Methylprednisolone**  
 berberine effects, ileum, 241,4:G253  
 cardiac lymph effects, ischemia, 232,1:H602  
 electrolyte transport, ileal, 240,3:G365  
 glomerular filtration rate, 234,3:F166  
 gluconeogenesis, sodium and oxygen transport and, kidney, 242,11:F508  
 water transport, intestinal, ileal blood flow and, 236,5:E482
- (15S)-15-Methyl prostaglandin E<sub>2</sub>**  
 methyl ester, fibrinogen response, 235,4:H223
- $\alpha$ -Methyl-p-tyrosine**, circadian temperature rhythms and, 243,12:R218
- $\alpha$ -Methyltyrosine**  
 adrenal medullary function, development (swine), 234,3:E137  
 temperature acclimation, 230:564  
 temperature stress, 230:110
- Methylxanthines**  
 calcium ion mobilization, smooth muscle, 240,9:C239  
 glucose priming effects, insulin secretion, 240,3:E24  
 slow inward current blockade, myocardial, at low pH, embryo (chick), 233,2:C99
- Metamide**  
 acid secretion, gastric mucosa (monkey), 236,5:E733  
 adenylate cyclase activity, 232,1:E35  
 cardiopulmonary response, histamine, 232,1:H73  
 histamine-stimulated bile flow and, 231:516  
 hyperemia, postprandial intestinal, 243,6:G248  
 intestinal vasodilation, 233,2:E219  
 intracellular pH and, gastric mucosa (bullfrog), 237,6:E82  
 mesenteric circulation, 234,3:E370  
 myoelectric activity, small bowel, 238,1:G50  
 noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112  
 oxyntic cell adenosine monophosphate, cyclic, hydrochloric acid and, gastric mucosa (bullfrog), 235,4:E140  
 prostaglandins-adenylate cyclase-adenosine monophosphate, cyclic, gastric mucosa, 235,4:E546
- Metoprolol**, renin release, nonfiltering kidney, 241,10:F156
- Metrazole**, convulsions, protein transport, cerebral vessels, 233,2:C74
- Micellar components**  
 $\beta$ -carotene, intestinal absorption, 235,4:E686  
 critical, bile acids, 238,1:G10  
 vitamin A<sub>1</sub> absorption, 232,1:E471  
 vitamin K<sub>2</sub> absorption, colonic and ileal, 233,2:E124
- Micelles**  
 alcohols, uptake, intestinal, 236,5:E721

**Micelles (continued)**

- bile salt-phospholipid, lipase-colipase activity inhibition, pancreatic, 241,4:G328
- biliary transport maximum, 236,5:E10
- coronary arteries, erythrocytes, perfused hearts and, 240,9:H229
- diffusion and dissociation, pH dependence, 239,2:G177

**Michaelis-Menten kinetics**

- angiotensin-converting enzyme developing lung and kidney, 234,3:R141
- fetal, lung, 236,5:R57
- complex biological systems, simplification, computer modeling, 239,8:R1
- galactose elimination, liver, 230:1302
- limitations, intestinal unstirred layers, 236,5:E701
- renins, uterine and renal, 233,2:E434
- sodium entry, skin (frog), 235,4:C35

**Microanalysis**

- electron probe, 232,1:F391
- calcium and phosphorus reabsorption, cortical collecting tubules, 241,10:F461
- sodium transport, cortical collecting tubules, 241,10:F452
- quantitative, fluids, 234,3:F255
- x-ray, silver quantification, 238,8:H414

**Microautoradiography**

- arterial, radioactivity and silver comparisons, 239,8:H289
- quantitative, protein transport, aortic (dog, human, pig), 240,9:H54

**Microbubble elimination, membrane oxygenators (sheep), 234,3:H646****Microcalorimetry**

- bicarbonate reabsorption, proximal tubule, 236,5:F58, 237,6:F447
- bicarbonate transport, kidney tubules, 243,12:F535
- luminal bicarbonate concentration and acidification, proximal tubules, 243,12:F53

**Microcatheterization**

- acidification rate, collecting tubules, 241,10:F669
- adrenal enucleation, inner collecting duct function and, 242,11:F453
- calcium and magnesium transport, medullary collecting duct, 239,8:F24
- collecting tubule, role in fluid, sodium, and potassium balance, 237,6:F247
- electrical properties, medullary collecting duct, 239,8:F258
- medullary collecting duct, urea secretion, diuresis, 240,9:F165
- micropuncture and, comparison, papillary collecting duct, 239,8:F92
- pH and oxygen pressure, medullary collecting duct, 241,10:F659
- phosphate transport, medullary collecting duct, 237,6:F48
- potassium secretion, inner medullary collecting duct, 236,5:F278
- sodium and chloride transport, inner medullary collecting duct, saline expansion effects, 238,7:H504

**Microcinematography, spermatozoa, 242,11:C304****Microcirculation: see also Blood flow; Circulation**

- adenosine effects,
  - intestinal, 235,4:H707
  - striated muscle (hamster), 242,11:H688
- adenosine monophosphate, cyclic production, arteriolar, hypertension, 243,12:H398
- anesthetic depression of, decerebrated rat, 243,12:H837
- arterioles, intracerebral, 243,12:H598
- autoregulation, gastric, 241,4:G143
- cerebral
  - fatty acids and cyclooxygenase effects, 242,11:H629

- regulation, tissue hypoxia, 234,3:H582
- cerebral arterioles, prostaglandins and, 237,6:H381
- colloid osmotic pressure, plasma protein and, relations, 233,2:H295
- contracting striated muscle, 235,4:H494
- coronary blood volume, intracoronary adenosine and, 241,10:H194
- erythrocyte and plasma distribution, spontaneously hypertensive cremaster muscle, 242,11:H381
- erythrocyte velocity, vasa recta, 237,6:F326
- fluid exchange, intestinal muscle, 242,11:H268
- hemodynamics (bat wing), 232,1:H400
- hemorrhage, anesthetics and, 235,4:H753
- hydraulic conductivities, capillary, muscle (chicken), 243,12:H491
- hyperemia, reactive, 232,1:H411, H571
- hypertension, cremaster muscle, 241,10:H306
- ink filling, skeletal muscle, 241,10:H174
- interstitial, transmucosal fluid transport and, 240,3:G343
- intestinal, 230:1466
  - fat absorption and gastrointestinal hormones, 242,5:G194
  - model, 242,5:G541
  - muscle, mucosal villi and, 233,2:H685
  - tissue, glucose exposure, 238,7:H164
- kidney, vasodilator effects, 230:1148
- laser-Doppler spectroscopy, 232,1:H441
- liver, cholinergic receptors, stimulation and blockade, 236,5:E728
- maturation, striated muscle (hamster), 241,10:H317
- measurement, 243,12:H1018
- thermodynamic technique, 238,7:H682
- mesenteric
  - aspirin and indomethacin, 239,8:H220
  - oxygen exchange, 236,5:H846
- method for study, microvessels, 241,10:H108
- microscope-television system, flow velocity, skin, 233,2:H318
- microsphere effects, 233,2:H617
- microsphere measurement, blood flow, intrarenal, 241,10:H342
- muscle, systemic hypoxia, 240,9:H746
- muscular, running speed and, 243,12:H296
- myocardial, capillary density during, 242,11:H133
- neurogenic control, 233,2:H141
- neuromuscular, vascular smooth muscle, 243,12:H641
- norepinephrine, hypertension, 236,5:H545
- oxygen and, striated muscle, 235,4:H505
- oxygenation, resting skeletal muscle, norepinephrine effects, 236,5:H307
- oxygen consumption, pial arteries, 236,5:H151
- pial, response to carbon dioxide and hypoxia, prostaglandins and, 238,7:H226
- placenta, maternal and fetal (sheep), 241,10:H486
- plasma protein concentration, coronary, 238,7:H471
- prostaglandin effects, skeletal muscle, decerebrate rat, 243,12:H844
- prostaglandin synthesis effects, skeletal muscle, 243,12:H51
- reactive hyperemia
  - cheek pouch (hamster), 241,10:H748
  - skeletal muscle, 233,2:H289, 234,3:H352
  - skeletal muscle (chicken), 233,2:H379
  - rectal gland (dogfish), 243,12:H289
  - renal, salt restriction or excess, 238,7:F428
  - sympathetic stimulation, intestinal muscle and mucosa, 235,4:H40

- tetrodotoxin effects, vascular smooth muscle, 242,11:H967
- vasoactive intestinal polypeptides, effects, 239,8:H765

**Microclimate**

- acidic, intestinal epithelial cells (chicken), 240,3:G170
- fat absorption mechanisms, intestinal, 240,3:G1
- micellar diffusion and dissociation, 239,2:G177

**Microcomputer system**

- intracellular electrophysiological data, on-line analysis, 237,6:H400
- signal averager, spontaneous signals, 242,11:H291

**Microcoulometric analysis, chloride, thin loop of Henle, 235,4:F192****Microdissection**

- adenosine monophosphate, cyclic system, papillary collecting duct, 240,9:F311
- aldosterone binding, kidney tubules, 242,11:F63, F69
- filtration rate, nephron, after anesthesia, 232,1:F329
- hexokinase and phosphoenolpyruvate carboxykinase, nephron, 240,9:F492
- nephron, sodium-potassium-ATPase activity, 237,6:F105, F114
- protein kinase activity, isolated tubules, renal medulla, 238,7:F269

**Microdrop analysis, fluids, with energy-dispersive x-ray spectrometer, 234,3:F255****Microelectrodes**

- carbon dioxide pressure, myocardial measurement, 236,5:H29
- cellular electrophysiological marker, ischemic myocardial injury, 235,4:H559
- cochlear potentials, 235,4:F317
- double-barreled, small intestinal chloride activity (*Amphiuma*), 232,1:E553
- electrograms, ventricular, 240,9:C148
- glass
  - high resistance, controlled bending, 234,3:C56
  - self-filling and semifloating, 232,1:C207
- intracellular techniques, ischemia, myocardial, 240,9:H738
- intrapulmonary chemoreceptors, dynamic response (avian), 233,2:R15
- ion-selective, 234,3:F261
- chloride, liquid ion exchanger, 241,10:C258
- chloride activity, intracellular, papillary muscle, 238,7:H487
- ion activities, cardiac muscle cells, 241,10:H459
- Purkinje strands (sheep), 243,12:H128
- soleus muscle, 242,5:E193
- liquid, epithelial cells, intestinal (*Aplysia*), 239,8:R445
- liquid ion-exchanger, sodium ions, proximal tubule cells (*Necturus*), 236,5:F295
- measurement, intracellular pH, 231:799
- oxygen, maturation, striated muscle (hamster), 241,10:H325
- penetration, hyperpolarization, smooth muscle cells, stomach (toad), 239,8:C182
- pH
  - carbon dioxide permeability, kidney tubules, 240,9:F231
  - disequilibrium, kidney, 240,9:F138
  - in situ micropuncture study of pancreatic duct pH, 238,1:G263
  - transients, muscle fibers (barnacle), 233,2:C61
  - potassium ion-specific, salivary gland potassium transport, 234,3:E79
  - potassium-sensitive, tubular electrical potentials, 238,7:F235



- Purkinje fiber action potential overshoot, 237,6:H204
- recording, capacitance compensation network, dualpath, 238,7:H930
- selective, potassium ion activity, kidney tubules (salamander), 243,12:F12
- sodium and potassium, intracellular activities, 234,3:F261
- sodium-hydrogen exchange, proximal tubular, 241,10:F380
- sodium transport, skin (frog), 241,10:F279
- water-selective, mass spectrometry (toad), 241,10:C86
- Microenvironment**, tubular, 234,3:F207
- Microenzymatic technique**, nephron, after potassium loading, 238,7:F380
- Microfilaments**
- antidiuretic hormone action, bladder (toad), 236,5:F14
- cytoplasmic, tight-junction permeability (*Necturus*), 239,8:C75
- vasopressin and, urinary bladder (toad), 243,12:C200
- Microflora**, intestinal, urea recycling and (ground squirrel), 239,8:R168
- Microfluorometry**
- NAD redox state, kidney tubules, 240,9:F337
- nephron segments, mineralocorticoid effects on sodium-potassium-ATPase, 240,9:F536
- Microforge**, high resistance glass micro-electrodes, controlled bending, 234,3:C56
- $\beta$ -Microglobulin**, clearance, diabetic ketoacidosis, 241,4:E396
- $\beta_2$ -Microglobulin**, absorption, kidney tubules, 243,12:F379
- Microinfusion**, phosphate transport, along nephron, 233,2:F261
- Microinjection**
- angiotensin II tubular handling, amino acids and, 234,3:F325
- calcium efflux, nephron, ionophore RO 2-2985 effect, 235,4:F381
- chloride reabsorption, collecting duct segment, 239,8:F552
- denervation phosphaturia, kidney tubules, 240,9:F481
- glucose handling, furosemide effects, 232,1:F438
- hypothalamus, growth hormone regulation, 233,2:E61
- insulin, ventromedial hypothalamic nucleus, 240,3:E95
- phosphate flux, peritubular to luminal, renal, 232,1:F159
- renal tubular leakage, maleic acid-induced Fanconi syndrome, 239,8:F507
- saccharin excretion, renal, 238,7:F10
- tracer, glucose-mediated inhibition of phosphate reabsorption, kidney, 235,4:F430
- Micro-light guide**: see Photometry
- Micromanometer**, mitral valve opening and closure, 234,3:H146
- Micromaze**, platelet chemotaxis, 235,4:H23
- Micrometer**, ultrasonic, viscoelasticity, femoral artery, 236,5:H720
- Micromorphometry**, bone, parathyroid hormone effects, 242,11:F197
- Microperfusion**
- adrenergic agonists, submandibular excretory ducts, 235,4:F548
- angiotensin, nephron segments, 236,5:F365
- anion permeability, proximal convoluted tubules, 241,10:F386
- calcium and sodium reabsorption, distal tubular, 239,8:F478
- calcium transport, nephron, 237,6:F1
- capillary
- lipophilic solutes (frog), 240,9:H597
- tubuloglomerular feedback, 236,5:F97
- capillary and luminal, bicarbonate effect of lysine, proximal tubule, 242,11:F604
- chloride secretion, distal convoluted tubule, 243,12:F160
- collecting tubule, role in fluid, sodium, and potassium balance, 237,6:F247
- Henle's loop
- physical properties, 234,3:F54
- renal nerve stimulation and, 243,12:F576
- ionic requirements, proximal tubular sodium transport, 236,5:F268
- ischemic acute renal failure, 238,7:F305
- isolated single microvessels, 241,10:H108
- luminal bicarbonate concentration and, acidification, proximal tubules, 243,12:F53
- magnesium and calcium transfer, nephron, magnesium effects, 238,7:F187
- micropipette methods for, origin of, 242,11:F293
- nephron, mammalian, 241,10:F203
- nephron segments
- acute renal failure, 241,10:F556
- renal failure, 239,8:F17
- oxalate secretion, proximal tubule, 240,9:F295
- permeability, proximal tubule, adenosine monophosphate, cyclic effects, 236,5:F71
- phosphate flux, proximal convoluted tubule, 232,1:F235
- phosphate transport, isolated cortical collecting tubules, 238,7:F358
- potassium secretion
- distal tubule, 239,8:F289
- luminal chloride effects, kidney, 242,11:F46
- luminal influences, 236,5:F192
- potassium transport
- distal tubules, 243,12:F487
- pH effects, distal tubule, 242,11:F544
- prostaglandin  $E_2$  secretion, proximal tubules, 237,6:F268
- proximal tubule, glucose efflux, 238,7:F499
- retrograde, feedback regulation of glomerular filtration, 239,8:F427
- salivary duct transport, 233,2:F22
- solvent drag, proximal tubules, 243,12:F342
- subendocardium, left ventricular, 240,9:H804
- tubular fluid samples, electrolyte loss from, kidney, 242,11:F202
- urate absorption, proximal tubule, 236,5:F526
- Microphotometry**, bone, vitamin  $D_3$  activity (chicken), 238,1:E494
- Micropipette**
- erythrocyte membrane elasticity, 235,4:C269
- intracellular recording, beating heart, 237,6:H392
- motion compensated, intracellular recording, fibrillation, 240,9:H465
- origin of methods, Marshall Barber, 242,11:F293
- Micropressure**: see Pressure
- Microprobe**
- electron, calcium transport analysis, nephron, 237,6:F1
- microdrop analysis, fluids, technique, 234,3:F255
- Micropuncture**
- acid-base disturbance
- magnesium reabsorption, kidney tubule, 243,12:F197
- potassium transport and, kidney, 243,12:F188
- acidification, tubular, 241,10:F219
- acute renal failure, 234,3:F171
- allantoin excretion, renal, 233,2:F373
- p-aminohippurate transport, tubular (pig), 239,8:F107
- angiotensin II antagonism, renal effects of, 242,11:F149
- aortic clamping, effects on proximal reabsorption and sodium excretion, 232,1:F92
- autoregulation, whole kidney and single nephron, 234,3:F357
- bicarbonate reabsorption, proximal tubule, 236,5:F58
- bicarbonate transport, kidney tubules, 243,12:F335
- calcium excretion, urinary, 232,1:F545
- calcium transport
- distal convoluted tubule, 235,4:F492
- nephron, 237,6:F1
- carbon dioxide permeability, proximal convoluted tubule, 242,11:F470
- chloride gradient, proximal tubular, 242,11:F575
- chloride reabsorption, segmental, volume expansion, 240,9:F395
- chloride transport, papillary, 235,4:F219
- choline transport, bidirectional, renal tubules, 236,5:F112
- collecting tubules, role in fluid, sodium, and potassium balance, 237,6:F247
- electrolyte excretion, hypothalamic regulation, 239,8:F206
- electrolyte transport, remnant kidney, 230:1231
- feedback control, glomerular filtration rate, 233,2:F217
- feedback responses, chloride, renal, 240,9:F111
- filtration rate regulation, 232,1:F325
- fluid, distal tubular, hydrodynamic alterations, 232,1:F497
- free-flow, maturation, loop of Henle, 233,2:F519
- gentamicin, renal transport, 241,10:F645
- glomerular filtration, feedback control, 236,5:F40
- glomerular filtration effects, glomerular permeability, kidney, 240,9:F245
- glomerular function, tubular obstruction, 237,6:F379
- glomerular ultrafiltration
- dynamics, 239,8:F171
- pseudopregnancy, 243,12:F300
- glucose transport, renal, volume expansion effects, 236,5:F567
- hypercalcemia, calcium and phosphate ultrafiltrability and tubular reabsorption, 233,2:F201
- inorganic phosphate handling, kidney tubules, 241,10:F123
- interstitial pressure, renal, during volume expansion, 235,4:F209
- lithium, urinary acidification, 242,11:F23
- magnesium reabsorption, renal, calcitonin stimulation, 239,8:F524
- microcatheterization and, comparison, papillary collecting duct, 239,8:F92
- micropipette methods for, origin of, 242,11:F293
- mineralocorticoid escape, nephron sites, 239,8:F149
- natriuresis, after adrenal enucleation, 233,2:F8
- nephron
- filtration measurement, 241,10:F238
- superficial (desert rodent), 241,10:F612
- osmoregulation, nauplius (shrimp), 234,3:R216
- papillary collecting duct function (desert rodent), 239,8:F539
- perfusate osmolality, tubuloglomerular feedback responses and, 235,4:F352
- pH, pancreatic duct, 238,1:G263
- pH disequilibrium, kidney, 240,9:F138
- phosphate, tubular handling, 233,2:F342
- phosphate reabsorption, 239,8:F336
- nephron, 234,3:F287
- renal tubular calcium effects, 234,3:F22

**Micropuncture (continued)**

- phosphate transport, nephron, 233,2:F150, F261
  - piretanide effects, proximal tubules, 238,7:F60
  - plasma volume expansion, renal and tubuloglomerular feedback responses, 235,4:F156
  - potassium addition, beyond superficial distal tubule, 235,4:F104
  - potassium excretion, sodium intake effects, 233,2:F225
  - potassium regulation, tubular sites, 234,3:F146
  - potassium transfer, distal tubular, 235,4:F186
  - prostaglandin synthetase inhibition, renal, 235,4:F111
  - proximal tubular reabsorption, lithium, 241,10:F348
  - reduced renal mass, early development, 242,11:F190
  - renal, urate secretion, proximal tubule, 239,8:F383
  - renal denervation, volume expansion, 232,1:F26
  - renal tubular leakage, maleic acid-induced Fanconi syndrome, 239,8:F507
  - renin secretion, distal tubule sodium ions and, 235,4:F611
  - saline expansion, peritubule capillary, 240,9:F106
  - sodium, renal handling, 235,4:F394
  - sodium and potassium excretion, nephron heterogeneity, 239,8:F187
  - sodium chloride secretion, distal convoluted tubule, 243,12:F160
  - sodium handling, renal, after sympathectomy, 236,5:F513
  - sodium reabsorption, renal, following volume expansion, 233,2:F416
  - sodium transport
    - distal convoluted tubule, 235,4:F492
    - hyperoncotic albumin effects, nephron, 237,6:F34
  - statistical models, renal, 233,2:F349
  - stop-flow pressure feedback responses, renal, 237,6:F204
  - sugar absorption, renal, 233,2:F274
  - superficial nephrons, kidney (avian), 243,12:F561
  - surgery, plasma volume and salt and water excretion following, 233,2:F600
  - tubular fluid samples, electrolyte loss from, kidney, 242,11:F202
  - tubuloglomerular feedback response, 234,3:F154
  - uncoupling of proximal sodium bicarbonate from sodium phosphate transport, by bumetanide, 235,4:F403
  - urate absorption, proximal tubule, kidney, 240,9:F406
  - urate transport
    - proximal tubule, 240,9:F90
    - tubular (pig), 239,8:F107
  - water reabsorption, papillary collecting duct, remnant kidney, 242,11:F657
- Microreflectometry**, NADH, blood flow and volume, brain cortex, 236,5:H759
- Microregion**, blood flow, volume, and transit time, reflectometry, 236,5:H759
- Microrespirometry**  
Cartesian diver, oxygen consumption, pial arteries, 236,5:H151  
coulometric, oxygen consumption measurement, 243,12:R185
- Microscope**, compound, bending glass microelectrodes for, 234,3:C56
- Microscope-television system**, flow velocity, skin capillaries, 233,2:H318
- Microscopy**  
electron  
acute hypertension, cerebral arterioles, 240,9:H511

- calcium deprivation effects, hepatocytes, 241,10:C3
  - ethionine effects, pancreas, 242,5:G297
  - freeze-fracture, antidiuretic hormone-induced particle aggregation, urinary bladder (toad), 234,3:F461
  - freeze-fracture, bladder (toad), 239,8:F319
  - freeze-fracture, relation of membrane structure to transport physiology, 232,1:F77
  - freeze-fracture, vasopressin-collecting duct particle clusters, relations, 239,8:F560
  - <sup>125</sup>I-insulin action, pancreatic acini, 240,3:G69
  - isolated epithelial cells, bladder (toad), 238,7:F140
  - myofilament reorientation, during smooth muscle contraction (toad), 232,1:C5
  - pacemaker cells, sinoatrial node, 235,4:H407
  - quantitative autoradiographs, cholecystokinin, pancreatic acini, 243,6:G291
  - quantitative, capillary supply of skeletal muscle, 232,1:H705
  - renal papillary epithelium, antidiuresis and water diuresis, 235,4:F69
  - scanning and transmission, for morphophysiological study of pial microvessels, 238,7:H172
  - scanning, microdrop analysis of fluids, 234,3:F255
  - sodium reabsorption, renal tubular, 233,2:F73
  - video, sulfhemoglobin-red blood cells, mean transit time and blood flow velocity, microvascular, 238,7:H745
  - yolk sac placenta, 233,2:C111
  - histamine receptors, mesenteric, 234,3:E370
  - in vivo, skeletal muscle, 242,11:R411
  - light
    - epithelial transport processes, 237,6:F167
    - sodium-chloride cotransport, gallbladder (salamander), 243,12:C140
    - volume regulation, gallbladder (salamander), 243,12:C146
  - polarization, myofilament reorientation during smooth muscle contraction (toad), 232,1:C5
  - video, erythrocyte velocity, vasa recta, 237,6:F326
- Microsomal enzymes**, imidazole effects, ureteral-obstructed kidney, 240,9:F508
- Microsomes**  
calcium-ATPase kinetics, sarcoplasmic reticulum, hyperthyroidism, 235,4:H745  
calcium uptake, aorta, 234,3:H508  
 $\beta$ -cell, 230:441  
heart, calcium transport, failing hearts, 231:1159  
localization, 238,7:R251  
pancreatic, calcium ion uptake, 240,3:G122  
prostaglandin synthesis  
spontaneous hypertension, 236,5:H65  
vascular, in hypertension, 233,2:H493
- Microsphere markers**, contraction, papillary muscle, 233,2:H613
- Microspheres**: see also Radionuclide studies  
acute and chronic loss, left ventricular myocardium, 242,11:H392  
acute pericardial tamponade, 240,9:H49  
adenosine and dipyridamole effects, cerebral blood flow, 240,9:H775  
arteriovenous shunt, model for heart failure and, 236,5:H698  
autoregulation, spatial and temporal perfusion heterogeneity, myocardium, 235,4:H64

- auxotonic contractions, cardiac muscle segments (cat, ferret, monkey), 237,6:H131
- blood flow
  - cerebral, 239,8:H73
  - cerebral, fetal (ovine), 235,4:H162
  - cerebral, regulation (monkey), 239,8:H539
  - cerebral, sympathetic nerves and, 236,5:H549
  - chondroosseous, tibia and femur, 242,11:H365
  - contribution to myocardial perfusion, 236,5:H121
  - coronary, 242,11:H94
  - coronary, characteristics (miniature pig), 235,4:H601
  - gastrointestinal, glucagon and hypovolemic shock, 238,1:G434
  - gastrointestinal, pulseless perfusion and, 236,5:E28
  - gastrointestinal wall, 235,4:H34
  - glomerular and nutrient measurement, methods, 235,4:H592
  - ischemic myocardium, dopamine analogue effects, 235,4:H118
  - myocardial contractility
  - oxygen consumption and, skeletal muscle, 239,8:H516
  - regional myocardial, 239,8:H308
- blood flow distribution
  - hypothermia, 234,3:H706
  - lung (duck), 234,3:R146
  - placenta (sheep), 241,10:H486
- blood flow measurement, bone, 236,5:H1
- cerebral, anesthesia (cat, dog), 241,10:H228
- pancreatic islets, 242,5:E298
- blood flow velocity, coronary, 241,10:H816
- cardiac output
  - during isometric exercise, 236,5:H218
  - fetal (lamb), 239,8:H125
- central shunt flow, fetal (lamb), 241,10:H60
- cerebral autoregulation, during renal hypertension, 234,3:H35
- coronary occlusion, sympathectomized ventricle, 235,4:H429
- coronary stenosis, exercise, myocardial blood flow and, 243,12:H698
- dextran as suspending agent, hypotensive effect, 235,4:H587
- diffusible indicator and, quantitation of collateral and ischemic flows, 234,3:H487
- dye-dilution cardiac output, without blood withdrawal, 235,4:H258
- Fick method and, combined, for regional blood flow measurement, 235,4:H357
- hematocrit variations, hemodynamics and oxygen transport and, 238,7:H545
- hemodynamic effects, systemic, 233,2:H617
- histamine receptors, renal, 235,4:F570
- hypercapnia, cholinergic nerves during, 242,11:H683
- hypertrophy effects, coronary circulation, 241,10:H358
- intestinal villus blood flow, 230:916
- localization of mesenteric hyperemia, 230:583
- regional blood flow in hypertension, 230:691
- renovascular responses to hemorrhage, 230:940
- intracranial hypertension, cerebral blood flow during, 241,10:H78
- intramyocardial compression, fibrillating heart, 237,6:H191
- intrarenal blood flow measurement, 241,10:H342
- ischemic myocardium, 239,8:H469
- motility, gastrointestinal, 235,4:H34

- muscular blood flow, running speed and, 243,12:H296
- myocardial perfusion and heat generation, thermal quantification, 236,5:H345
- nonradioactive, glomerular function, tubular obstruction and, 237,6:F379
- oxygen uptake, digestion, gut, awake state, newborn (lamb), 241,4:G289
- placental vascular responses, indomethacin (ovine), 236,5:H61
- procainamide determination, myocardium, 234,3:H399
- prostaglandin endoperoxides, renal vascular and excretory response, 236,5:H427
- radioactive
- angiotensin I and II effects, intrarenal, 240,9:H914
  - blood flow, hypertension, 240,9:H361
  - cardiac output, endotoxin and (rooster), 241,10:R67
  - collateral development effects, cardiac, 240,9:H811
  - portal-systemic shunting, 240,3:G371
  - reflex activated catecholamine flow, adrenorenal rete, 240,9:F30
- radiolabeled
- adrenal blood flow, hemorrhagic hypotension, 241,10:H872
  - blood flow, collateral, myocardial infarction, 237,6:H371
  - blood flow, distribution, myocardial adenosine effects, 239,8:H7
  - blood flow, hormones and acid, xenopsin effects, 243,6:G195
  - blood flow, liver and ductus venosus, hypoxemia and umbilical flow effects, fetal (lamb), 238,7:H656
  - blood flow, marrow and osseous tissue after hemorrhage, 238,7:H360
  - blood flow, myocardial ischemia, calcium antagonists, 239,8:H163
  - blood flow, placental (guinea pig), 243,12:H404
  - blood flow, regional, during digestion, 238,7:H220
  - blood flow, regional, hyperoxia and, 238,7:H244
  - blood flow, regional distribution, heat stress (baboon), 237,6:H705
  - blood flow estimation, renal, left ventricular cannulation, 238,7:H736
  - blood flow, foot (chicken), 242,11:R582
  - blood flow measurement variability, 243,12:H371
  - carbon dioxide tension, cerebral blood flow and, fetal, newborn and adult (sheep), 242,11:H862
  - congestive heart failure, 230:537
  - coronary collateral flow, 230:279
  - coronary occlusion, 230:1072
  - ductus venosus blood streaming, brain and heart, fetal (lamb), 237,6:H724
  - energy supply-demand factors, myocardial, 237,6:H696
  - 17 $\beta$ -estradiol effects, puerperal (ovine), 239,2:E333
  - heart rate, left ventricular hypertrophy, 239,8:H621
  - hyperdynamic severe sepsis and (monkey), 243,12:R131
  - injection, left atrium, awake state, 243,12:H488
  - intraluminal pressure effects, intestinal, 242,5:G65
  - microvascular hemocrit and red cell flow, resting and contracting striated muscle, 237,6:H481
  - myocardial infarction, 239,8:H731, 242,11:H867
  - myocardial ischemia and function, 242,11:H260
  - myocardial performance and collateral flow after transient coronary occlusion during exercise, 237,6:H520
  - nitroglycerin effects, heart failure, awake state, 243,12:H974
  - norepinephrine elevation, 239,8:R115
  - regional blood flow measurement (gerbil), 242,11:H990
  - splanchnic hemodynamics, portal hypertension, 242,5:G156
  - venous return, hemorrhage effects, umbilical, fetus (lamb), 242,11:H543
- radionuclide-labeled
- oxygen consumption, gastrointestinal tract and liver, newborn (lamb), 240,3:G297
  - oxygen consumption, intestinal, fetal (lamb), 242,11:H50
  - redistribution of, intestines, 243,12:H123
  - reference sample method, cardiac output and blood flow, 239,8:H443
  - regional cardiac effects, ischemia and reperfusion, 234,3:H653
  - rubidium-86 reflow and uptake, after coronary occlusion, 234,3:H724
- shunting
- across coronary circulation, 236,5:H7
  - regional blood flow determination, 237,6:H25
  - shunting across coronary circulation, 236,5:H1
  - size, intestinal blood flow and, 241,10:H408
  - transplanted skeletal muscles, 241,10:H630
  - vasa vasorum, aortic wall nourishment, 240,9:H781
  - vasopressin infusion, cardiac output and, awake state, 243,12:H663
  - water transport, intestinal, ileal blood flow and, 236,5:E482
- Microsurgery**
- Brockmann body model, pancreatic endocrine secretions (catfish), 243,6:E352
  - isolated single microvessels, 241,10:H108
- Microtubules**
- antidiuretic hormone action, bladder, 236,5:F14
  - antimicrotubule agent effects, luteal cells, 243,6:E380
  - milk inhibitors, mammary gland, 234,3:C177
  - Purkinje fibers, heart, 241,10:H291
  - thymidine kinase activity, myocardial, 236,5:H73
- Microvascular control**, myocardial oxygen pressure distribution, 234,3:H361
- Microvascular dimensions**, wing (bat), 237,6:H59
- Microvascular dynamics**, anesthesia and, spontaneous hypertension, 241,10:H821
- Microvascular interaction**, histamine-catecholamine, edema, 234,3:H180
- Microvascular networks**, capillary control, rest and exercise, red muscle, 243,12:H196
- Microvascular rarefaction**: see Rarefaction
- Microvascular responses**
- altered oxygen, carbon dioxide, and pH, 231:244
  - glucose exposure, intestinal tissue, 238,7:H164
  - hemorrhage, anesthetics and, 235,4:H753
  - norepinephrine, hypertension, 236,5:H545
- Microvascular system**, functional unit, skeletal muscle, 242,11:R411
- Microvascular transit time**, heterogeneity, ink perfusion, 241,10:H174
- Microvascular transport**, whole-body capillary transport parameters, 242,11:R227
- Microvascular variables**, research, gracilis muscle, 242,11:H713
- Microvessels**
- cerebral, renin-like enzymatic activity, 238,7:H384
  - cremaster muscle, erythrocyte and plasma distribution, spontaneous hypertension, 242,11:H381
  - hemocrit, red cell flow and, striated muscle, 237,6:H481
  - isolated single, method for study, 241,10:H108
  - pial, morphological study, method, 238,7:H172
  - precapillary
    - central neural influence, 233,2:H141
    - contracting striated muscle and, interrelations, 235,4:H494
  - reactive hyperemia in, cheek pouch (hamster), 241,10:H748
  - sulfhemoglobin-red blood cells, mean transit time and blood flow velocity, 238,7:H745
- Microvibration**, smooth muscle activity, ureteral and portal, 236,5:C192
- Microvilli**, renal, regeneration after ischemia, 241,10:F28
- Microvillus membrane**
- placenta, monosaccharide transport, 238,7:C160
  - renal, potential-dependent D-glucose uptake, 242,11:F340
- Microvillus membrane vesicles**
- renal
    - phosphate effects (pig), 239,8:F352
    - sodium-dependent transport, hormone inhibition, 238,7:F210
    - sodium ion-hydrogen ion exchanger, 238,7:F461
- Microwave stimulation**, thyroid, 233,2:E363
- Micturition**, spontaneous, cardiovascular changes, 237,6:H213
- Midbrain**
- arousal from hibernation, 230:368
  - neuronal responses, local and spinal cord temperatures, 231:1573
  - reticular formation, 230:1018
- Midcollicular decerebration**, reversal of hypoxic bradycardia, 231:179
- Midgut**: see Intestines
- Midwall**, marker implantation, heart, 241,10:H104
- Migrating action-potential complex**, fluid production absence, cholera enterotoxin B subunit and, 242,5:G47
- Migrating complex**
- gastrin and, 235,4:E666
  - postprandial disruption, 235,4:E661, E666
- Migrating motor complex**: see Motor complex
- Migration**, lipogenesis rhythm (sparrow), 232,1:E193
- Miliaria rubra**, impaired heat tolerance, 239,8:R226, R233
- Milk**
- acid-base changes, acidosis and alkalosis, 231:132
  - gluconeogenesis, suckling, 233,2:E175
  - human, prolactin, protein, lactose, and  $\alpha$ -lactalbumin levels, correlation, 238,1:E83
  - secretion, microtubular inhibitors, 234,3:C177
  - zinc-binding ligands, 235,4:E556
- Milk fat**, hydrolysis, lingual lipase and, 237,6:E541
- Milk fever**, 1,25-dihydroxyvitamin D and parathyroid hormone, plasma levels (cow), 235,4:E634
- Milk ions**
- electrophysiology, mammary epithelium, 241,4:E410
  - transport, prolactin effects, mammary epithelium, 240,9:C110

- Millipore filtration**, sarcolemmal membranes, 238,7:H373
- Minds and machines**, Hofstadter's metaphorical fugue, 238,7:R291
- Mineral acid**  
buffering, endogenous parathyroid hormone independence, 243,12:F141  
metabolic acidosis, 235,4:F345
- Mineralization**  
bone: *see* Bone  
cartilage, calcium absorption, intestinal, 232,1:E298
- Mineralocorticoids**  
acid excretion, renal, potassium deprivation, 236,5:F48  
activity  
  bladder (toad), 241,4:E406  
  deoxycorticosterone, adrenalectomy, 242,5:E305  
  effect of aortic-caval fistula, 231:56  
adrenal enucleation, 238,1:E220  
alkalosis  
  amiloride attenuation, 236,5:F48  
  renal, potassium ion deprivation, 235,4:F298  
antagonism, progesterone, 236,5:E366  
binding sites, kidney tubules, 242,11:F63, F69  
cation transport, cortical collecting tubules, 235,4:F576  
colonic function, cycloheximide effects, 243,6:G112  
deficiency  
  adrenal insufficiency and, 233,2:F509  
  metabolic acidosis, 232,1:F136  
  renal acidosis, 236,5:F283  
electrolyte excretion, renal, 243,12:F211  
escape, nephron sites, 239,8:F149  
excess and deficiency, renal hyperchloremic acidosis, 238,7:F79  
hypertension  
  calcium concentrations, plasma, 243,12:H365  
  spontaneous, 234,3:F29  
increased fluid absorption and, proximal tubules, 241,10:F502  
luminal fluid acidification and, kidney tubules, 242,11:F521  
postprandial sodium and potassium excretion (sheep), 233,2:F213  
potassium excretion, 233,2:F225  
prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532  
pyridine nucleotide oxidative response, kidney, 232,1:E401  
receptors: *see* Receptors  
renal hypertension, 230:311  
sodium-potassium-ATPase and kidney, 242,11:F207  
nephron segments, 240,9:F536  
regulation, renal, 241,10:F186, 241,10:F273  
renal relations, 233,2:F593  
sodium transport, amiloride-sensitive colon, 238,7:F261  
spironolactone, renal acid-base effects, 240,9:F381
- Minerals**  
bone content, postmenopausal, 235,4:E82  
concentrations, tissue, cadmium and nickel effects, 238,1:E53  
homeostasis, estrogen effects (chick), 235,4:E338  
metabolism  
  alcohol ingestion and, 238,1:E507  
  calcium and phosphorus deficiency, 236,5:E118  
  norethindrone and mestranol effects, 231:98  
soft tissue, magnesium effects in phosphate depletion, 237,6:E152
- Mitochondria**: *see also* specific type and site  
active transport, epithelial tissues (frog), 240,9:F357  
adenine nucleotide transport, ischemia, 241,10:H663  
alterations, <sup>99m</sup>Tc pyrophosphate uptake and, myocardial ischemia, 243,12:H268  
 $\delta$ -aminolevulinic acid synthetase induction, muscle, 236,5:R180  
brown adipose tissue  
  diet effects, 241,4:E116  
  muscular dystrophy, 239,8:C18  
  thyroxine effects, obesity, 241,4:E436  
  ventromedial hypothalamic lesions, 243,6:E338  
brown fat, thyroxine effects, 241,10:C134  
calcification, high-phosphate diet and parathyroidectomy effects, 241,4:E136  
calcium exchange, myocardial tissue culture, 239,8:H769  
calcium ions  
  regulation, 232,1:C50  
  uptake, reoxygenation, hypoxia, myocardium, 242,11:H437  
calcium level, proximal tubules, 242,11:C124  
cardiac, fatty acid oxidation, 232,1:E258  
 $\beta$ -cell, 230:441  
cerebral cortex, redox transitions, 238,7:H249  
cholesterol content and membrane properties, myocardial ischemia (pig), 242,11:H254  
cold acclimation, obesity, 239,2:E301  
cytochrome c: *see* Cytochrome c  
development, cold adaptation, brown fat, 242,11:C159  
energy metabolism and, myocardium, 242,11:F699  
energy production, reptiles and mammals, 240,9:R3  
function  
  oxygen effects, 231:1811  
  potassium and verapamil cardioplegia, 240,9:H326  
heart  
  calcium accumulation, ischemia, 233,2:H677  
  calcium transport in failing heart, 231:1159  
  cytosols, energy relations, 234,3:C73  
  ischemia, 236,5:R31  
  membrane physiology, quantitative ultrastructural analysis, 235,4:C147  
  myopathy, Amytal and, 237,6:C221  
  respiration, in ischemia, 238,7:H909  
intracellular oxygen supply, hypoxia, 243,12:C247  
intramitochondrial adenine nucleotides, energy-linked functions and, heart, 241,10:H672  
ketone body effects, glutamine metabolism, 243,12:F181  
kidney, glutamine, transport and metabolism, 234,3:F514  
kidney cells, oxygen tension effects, 233,2:C135  
liver  
  amino acid oxidation, carnitine effects, 234,3:E494  
  keto acid oxidation, diabetes, 239,2:E215  
  pyruvate metabolism, regulation, 236,5:E501  
  sodium ion transport (toad), 236,5:C117  
lung, acetyl transfer, 232,1:E358  
muscle, bioenergetics, dietary iron deficiency and repletion, 242,5:E418  
myocardial, function, 237,6:H224  
oxidation-reduction changes, hypercapnia, brain, 243,12:H619  
oxidation-reduction state, NAD, homeostatic regulation, 234,3:C82  
oxidative phosphorylation, 235,4:C213  
coronary blood flow and, 243,12:H159  
oxygen metabolism, cerebral cortex (gerbil), 242,11:C265  
peroxisomal  $\beta$ -oxidation, cold adaptation, 239,8:C208  
proton semiconductors, energy transduction and, 235,4:R99  
renal  
  ammoniaogenesis, high protein diet, 235,4:E261  
  ammonia metabolism, 235,4:F265  
  ammonia production, 239,2:E51  
  renal cortex, glutamate metabolism, regulation, 237,6:F55  
  renal cortical, pH effects,  $\alpha$ -ketoglutarate metabolism, 240,9:F120  
  renal effect, pH on ammonia production, 231:1631  
  right ventricular hypertrophy, exercise effects, 243,12:H856  
skeletal muscle  
  calcium uptake, cold acclimation, 234,3:C7  
  characterization (frog), 234,3:C1  
  enzymes, thyrotoxicosis, 232,1:C180  
  substrate oxidation specificity, muscle, 236,5:C66  
T<sub>3</sub> and T<sub>4</sub> induced increase, time course, soleus muscle, 236,5:C132  
uncoupling, myocardial slow channels and, 235,4:H46
- Mitochondrial enzymes**  
changes, heat production effects, 240,9:R289  
epinephrine treatment effects, 241,10:C55  
inner membrane defects, myocardial ischemia (pig), 240,9:H308  
muscle fibers, 239,8:C58  
thyroid hormone effects, brown adipose tissue respiration, newborn, 241,4:E449  
thyrotoxicosis, soleus muscle, 236,5:C132
- Mitochondrial membrane**, cholesterol content, myocardial ischemia (pig), 242,11:H254
- Mitochondria-rich cells**, transport mechanisms, 231:120
- Mitosis**  
bulk diet, 230:911  
myocardial nuclei, 238,7:H66  
quantal, myoblast differentiation, 243,12:C278  
thymidine kinase activity, myocardial, 236,5:H73
- Mitotic inhibitor**, villous cell-derived, intestinal cell proliferation, 241,4:G520
- Mitral leaflet**, motion, atrial and ventricular pressure, 234,3:H146
- Mitral valve**  
fluid dynamics in, model, 242,11:H1095  
mechanisms of motion, diastole, 241,10:H389  
opening and closure  
  atrial and ventricular pressure, 234,3:H146  
  papillary muscle role, 238,7:H348  
prolapse syndrome, mathematical model, 242,11:H1095
- MK-196**, chloride transport inhibition, cornea (bullfrog), 240,9:F25
- Mobilization**  
bone minerals, 1,25-dihydroxyvitamin D<sub>3</sub> action, neonatal calvaria, 237,6:E113  
transmitter, diaphragm, neuromuscular junction, 237,6:C31
- Models**  
action potential, cardiac, measurement of maximum upstroke velocity with sample/hold peak detector, 234,3:H312  
acute renal failure, 234,3:F171  
adrenal feedback, corticoliberin and corticotropin release, 240,3:E136  
adrenal systems, 233,2:E273



- afferent routes of reflexes, during coronary occlusion, 239,8:H172
- aging obesity, insulin binding and degradation, adipose cell size, 240,3:E166
- analog circuitry, measuring time to peaks, 236,5:H785
- ANOVA, renal micropuncture studies, 233,2:F349
- aortic pressure-dimension techniques (dog, sheep), 235,4:H610
- aortic regurgitation, during cardiac catheterization, 239,8:H121
- aortic valve behavior, 240,9:H286
- aortic wavelength, determinant of heart rate-body size relations (mammal), 237,6:R3, R7
- arrhythmia, myocardium at risk, 243,12:H340
- arterial, 230:868
- arterial grafts, compliance, 233,2:H568
- arterial pressure, indirect mean, 238,7:H664
- arteriovenous shunt, heart failure, 236,5:H698
- artificial, glucose carrier, renal cortex, 234,3:E1
- assay precision, plasma insulin, disappearance, 235,4:E577
- atomic, screening of membrane surface charges by divalent cations, 235,4:C179
- atrioventricular junctional rhythm factorial design, 235,4:H308
- vagal control, computer studies, 237,6:H275
- attenuation, neurons, 235,4:R93
- automatic cardiac action potential duration meter, 236,5:H183
- autoregulation, coronary vascular resistance and, 238,7:H471
- auxotonic contraction, cardiac muscle segments (cat, ferret, monkey), 237,6:H131
- baroreceptor output, respiratory maneuvers, 240,9:H721
- baroreceptor resetting, 236,5:H174
- beating heart, intracellular recording, micropipette holder for, 237,6:H392
- bilirubin kinetics, fasting effects, Gilbert's syndrome, 240,9:R266
- biological, 230:476
- blood-brain barrier transport, cerebral utilization of dopa and (monkey), 238,7:R318
- blood components, 24-hour temporal variation, method for characterization, 237,6:E255
- blood flow
- cerebral, calculation from intracarotid  $^{133}\text{Xe}$  injection, 238,7:H750
  - collateral, during myocardial infarction, 237,6:H371
  - distribution, lung (duck), 234,3:R146
  - liver and ductus venosus, fetal (lamb), 238,7:H656
  - measurement, intrarenal, 241,10:H342
  - measurement, intrarenal, with  $^{133}\text{Xe}$ , 237,6:H395
  - quantification, regional thermodynamic technique, 238,7:H682
  - rate, renal influx of glucose and arginine and, hepatic, 238,7:H553
  - regional, myocardial prediction, 239,8:H308
  - renal, left ventricular cannulation for microsphere estimation, 238,7:H736
- blood-oxygen delivery, isolated heart, 237,6:H348
- blood pressure, arterial, instantaneous indirect measurement, 237,6:H632
- blood sampling protocols, sequential design and, kinetic experiments, 240,9:R259
- blood vessel wall thickness, measurement, 237,6:H265
- bone loss, postmenopausal and osteoporotic women, 242,5:E82
- branched elastic transparent vessels, 242,11:H122
- Brockmann body, pancreatic endocrine secretion (catfish), 243,6:E352
- bulk flow, brain interstitial fluid, 238,7:F42
- butyrate effects, ouabain-sensitive respiration, brown adipocytes (hamster), 242,11:C46
- cannula, push-pull, in evaluation of brain site perfusion, 236,5:R48
- capacitance response, responses, 235,4:H488
- capillary permeability, heart, 239,8:H464
- carbohydrate metabolism, heart, newborn (pig), 241,4:E364
- carbon dioxide and oxygen fluxes, bladder epithelium, mass spectrometry (toad), 236,5:F413
- carbon dioxide fraction, timing changes (chicken), 237,6:R260
- cardiac kinetics, analysis, photo-optic technique, 238,7:H98
- cardiac output
- during isometric exercise, 236,5:H218
  - fetal, thermolulution measurement (lamb), 239,8:H125
  - fetal (sheep), 238,7:H80
- measurement, impedance cardiography, 237,6:H491
- cardiac performance
- atrial pacemaker activity, 242,11:H98
  - collateral flow during exercise, 237,6:H520
- cardiodepressant substance, isolation from shock plasma, 237,6:H168
- cardiovascular physiology, 236,5:R168
- cardiovascular reflexes, liver, 242,11:H955
- cardiovascular response, hindlimb hypoxemia, 237,6:H359
- catheter, arterial, chronic and low compliance system, blood pressure recording, 239,8:H137
- cellular energy conversions, brown fat, 235,4:R121
- cell volume, membrane potential and membrane transport, interactions, 238,7:C196
- cerebral blood flow estimates, scattering,  $^{133}\text{Xe}$  intracarotid injections, 236,5:H680
- cerebral metabolic rate, local, of glucose, noninvasive determination, 238,1:E69
- chloride secretion, electrogenic, epithelial tissues, 236,5:F1
- chloride self-exchange, skeletal muscle (toad), 242,11:C207
- chronic arterial and venous access, unrestrained rat, 238,7:H599
- chronic instrumentation, anesthetic effects on hemodynamics, 238,7:H539
- chronic reduction, blood flow, uterine, pregnancy (sheep), 242,11:H297
- circulation, small intestinal mucosa, 237,6:E373
- circulation pattern, 24-hour radiotelemetry, 236,5:R231
- circulatory, 230:1555
- circulatory mechanoreceptors (turtle), 242,11:R216
- cisternal cerebrospinal fluid cannula, 236,5:R132
- closed-chest cross-sectional echocardiography, 233,2:H417
- colloid osmotic pressure, hindlimb, 242,11:H512
- colon, neurohumoral control, 236,5:E458
- compartmental
- body composition, 239,2:E524
  - curve peeling, 233,2:R1
  - fitting kinetics, 233,2:R1
  - fitting to tracer data, numerical method, 233,2:R1
  - fluid absorption, pars recta, 233,2:F154
- glucose metabolic rate, myocardial, 243,12:H884
- hepatic transport kinetics and plasma disappearance, 235,4:E648
- insulin, plasma disappearance, 235,4:E577
- neurons, calibration, 235,4:R93
- parameter and structural identifiability concepts, 239,8:R7
- pharmacokinetic, extracellular water measurement, 235,4:F254
- potassium transport, renal (bullfrog), 233,2:F464
- renal concentrating and diluting processes, 235,4:F1
- thyroid, iodide transport, 232,1:E343
- thyroid hormone parameters, 233,2:R134
- compartmental vs. noncompartmental analysis, 243,12:R1
- complex biological systems, simplifications, computer, 239,8:R1
- computer: see also Computer studies
- acidotic cardiac ischemia, 242,11:R533
  - action potentiation, cardiac conducting system, tetrodotoxin effects, 236,5:H561
  - arterial pressure control system, 234,3:R104
  - atrioventricular nodal potentials, 235,4:H110
  - metabolism, ischemic heart, 236,5:R21, R31
  - physiological systems, 234,3:R161
  - reentrant tachycardia stability, 240,9:H947
- computer-controlled servosystems, weak and strong myocardium in series, 235,4:H776
- computer simulation, work-jump, glucose-perfused heart, 243,12:R389
- conscious, heart failure, nitroglycerin effects, 243,12:H974
- coronary washout, linear regression analysis (swine), 239,8:H371
- cross-bridge cycling, smooth muscle, arterial (swine), 242,11:C102
- current-voltage relations, distal tubules, cable analysis (snake), 239,8:F402
- damaged ends, papillary muscle preparations, 238,7:H114
- dendrites, 235,4:R93
- diabetes mellitus, reevaluation of sand rat, 239,2:E340
- diastolic mechanics, left ventricle, 236,5:H323
- dispersion, glucose turnover, nonsteady state, 234,3:E84
- diurnal pH changes, duodenum, 238,1:G91
- Doppler technique for indirect blood pressure determination, renal hypertension, 237,6:H720
- dose-response curves, sigmoidal simultaneous analysis, 235,4:E97
- doubly labeled water errors, carbon dioxide production, 238,7:R466
- dual-path capacitance compensation network, microelectrode recordings, 238,7:H930
- dye-dilution curves, phase plane analysis, cardiac output and mean transit time, 236,5:H796
- ear-pulse derivative, 238,7:H355
- electrical, sodium transport, skin (frog), 241,10:F279
- electrical characteristics, distal tubules, cable analysis (snake), 239,8:F402
- electrical control, propulsion, jejunal, 240,3:G355
- electrical impedance measurements, intrathoracic, from esophageal probe, 236,5:R168
- electrode, implantable stimulating, for baroreceptor afferent nerves, 239,8:H706

**Models (continued)**

- electromagnetic lever system, isotonic relaxation, papillary muscle, 237,6:H83
- ellipsoidal shells, pressure-volume relations, shape effects, 238,7:H917
- energetics, cardiac, myothermal technique, 237,6:H90
- energy production and consumption, kinetic relations, gastric mucosa (frog), 236,5:E301
- energy supply demand factors, myocardial, 237,6:H696
- enzyme release, skeletal muscle (frog), 241,10:C98
- epicardium deformation, measurement, 239,8:H432
- equilibrium equations, myocardial stress, 242,11:H875
- equivalent circuit, prolactin effects, chloride secretion by opercular membrane, 242,11:R380
- esophageal manometry system, 233,2:E389
- esophageal peristaltic pressure, frequency content, 236,5:E296
- excretion-retention diagram, vertebrate respiratory system, 243,12:R329
- extracorporeal circulation system, closed-chest coronary perfusion, 236,5:H652
- factorial experimental design, autonomic control of right atrial contractile strength, 236,5:H860
- fetal cardiovascular system, 239,8:R317
- fibrinogen response, hemorrhage simulation studies, 237,6:H504
- filtration coefficient, intact lung, 238,7:H430
- flexible valinomycin electrodes, potassium ion-selective, 235,4:H455
- flow and power output, right ventricular, variable load impedance, 237,6:H125
- flow dependence of nonelectrolyte absorption, nephron, 236,5:F163
- fluid-filled catheters, determination of frequency response from step response, 236,5:H376
- fluid transport, transepithelial, 235,4:F626
- folate kinetics, 241,4:G516
- functional unit concept, skeletal muscle, 242,11:R411
- gastric emptying, quantitation, 239,2:G133
- gastric mucosa, acid secretion and motility, simultaneous monitoring (kiten, ferret), 234,3:E319
- gastrointestinal junction, neural and hormonal stimulation, 236,5:E45
- glomerular filtration, charged solutes, theoretical, 238,7:F126
- gluconeogenic carbons, 239,2:E30, E39
- glucose oscillations, 238,1:E395
- D-glucose transport, sodium-independent, kidney, 242,11:F340
- glutamine carbon, theoretical treatment of data on isotope distribution, \* 234,3:F123
- good manners, good modeling, 234,3:R161
- gracilis vascular resistance, neural effect of digitalis glycosides in hypotension, 238,7:H729
- Grodins respiratory, evaluation via dynamic end-tidal forcing, 233,2:R66
- gustatory response, dynamic and steady components (frog), 238,1:G445
- Guyton-Coleman circulatory, essential hypertension, 243,12:R318
- heart failure, high systemic resistance and, 239,8:H477
- Henle's loop function, computer simulation, 237,6:F196
- hepatic hemodynamics, systems analysis, 233,2:R188
- hepatic metabolism, transferrin-bound iron, 238,1:G30
- hepatic transport kinetics, plasma disappearance curves and, errors in conventional approach, 235,4:E648
- hepatic uptake processes, kinetic analysis, 236,5:E638
- high output failure, converting enzyme inhibitor and, 236,5:F541
- hot flashes, ambulatory monitoring, 237,6:R306
- hydrogen ion diffusion, mucus glycoprotein, gastrointestinal, 240,3:G176
- 25-hydroxyvitamin D<sub>3</sub> metabolism, perfused kidney, 239,2:E12
- hyperparathyroid animals, parathyroid hormone receptors in, renal (chick), 242,5:E154
- hypertension, ionic and total calcium concentrations in plasma of, 243,12:H365
- hypertrophy, left ventricular, concentric, 234,3:H515
- hypoxia, chronic, production, 237,6:E45
- impedance servo pump, ventricular loading, 243,12:H346
- indicative displacement gauge, 239,2:G128
- indomethacin-induced pulmonary vasoconstriction (lamb), 238,7:H639
- infection and endotoxin effects, hepatic ribonucleic acid, 238,1:G303
- input resistance, neurons, 235,4:R93
- insulin  
circulation and organs, dynamics, mathematical analysis, 237,6:E331  
myocardial and coronary vascular response, diabetes, neonate (lamb), 237,6:H514  
plasma, disappearance in man, 235,4:E577  
insulin secretion, storage- and signal-limited, comparison, 238,7:R378  
insulin sensitivity, quantitative estimation, 236,5:E667  
interaction between the right heart ventricle and its arterial load, quantitative solution, 238,7:H932  
interdigestive gastric contractions, cycles, 238,1:G85  
interstitial fluid pressure, wing (bat), 232,1:H297  
intestinal transport, 233,2:E247, E249, E357  
intracellular electrophysiological data, on-line analysis with microcomputer system, 237,6:H400  
intraluminal pressure, intestinal transport and, 242,5:G58  
intramyocardial compression, fibrillating heart, 237,6:H191  
ischemic dyssynergy, evaluation, 238,7:H43  
isogravimetric capillary pressures, alveolar hypoxia, 241,10:H732  
isometric twitch, irreversible thermodynamics, time-dependent formulation, 238,7:R413  
isotonic fluid absorption, proximal tubules, 236,5:F89  
isotopic water errors, 238,7:R454  
jejunal transport, Hirschsprung's disease, 239,2:G123  
jointless connections, animals, 240,3:G250  
ketone bodies, human, 243,12:R7  
kidney  
isolated perfused, physiological evaluation, methods and functions, 238,7:F71  
sodium-hydrogen exchange, brush border vesicles, 243,12:F293  
kidney perfusion, autoregulation, 242,11:F86  
labeled compounds, flux, biochemical oscillations, 237,6:R350
- Laplace transforms, numerical inversion, 235,4:E648
- laser scanning, cardiac muscles, computer-assisted data acquisition, 237,6:H260
- lengthening velocity, papillary muscle, during isotonic relaxation at pre-load, 237,6:H83
- limits of, reflexivity in nature, 242,11:R167
- liver-pancreas preparation, perfusion technique and metabolic function, 237,6:E340, E349
- lymph flow, cardiac, 237,6:E311
- macromolecular transport, lung endothelium, 242,11:H882
- mathematical  
aortic bulb functions, 240,9:R200  
arginine vasopressin metabolism, 235,4:E598  
autoregulation transients, renal, 240,9:F446  
body temperature and daily activity, 242,11:R1  
capillary-tissue fluid exchange, 234,3:H52  
carbon dioxide-induced hyperpnea, 235,4:R265  
carbon monoxide uptake, fetal-maternal, 232,1:H324  
fluid dynamics, mitral valve, 242,11:H1095  
glomerular filtration of protein, 241,10:F162  
Henle's loop permeability, hypertonic urine formation, 239,8:F57, F72  
human circadian system, 242,11:R3, R17, R22  
humoral and mechanical factors modulating neural input to renal vasculature, 235,4:R64  
hyperthermia and critical thermal maximum, 235,4:R228  
multiple-coupled pacemaker system, pyloureter, 241,10:R412  
multiple regression, inotropic state, cardiac, indices, 234,3:H562  
neutral solute transport  
peristalsis, distal colon, 236,5:E464  
physiological systems, 234,3:R161  
placental carbon monoxide exchange, 232,1:H311  
porous membranes, 241,10:F469  
regression analysis, trigeminal and aortic vasodepressor responses, 234,3:H67  
renal medulla, central core, 234,3:F402  
rubidium-86, myocardial and total body integral extraction ratios, 235,4:H794  
sinoatrial node, heart, 243,12:H207  
sleep timing, sex differences, 243,12:R193  
steroid hormones, blood-brain barrier transport and brain sequestration, 239,2:E96  
steroidogenesis, testes, 239,8:R184  
sympathetic influences, vascular tonicity, 241,10:H691  
time-varying carbon dioxide signal, 235,4:R265  
transport, structured tissues, corneal epithelium, 234,3:F215  
transport function using multiple regression analysis, 240,9:H133  
water exchange, placenta, 235,4:R181  
whole-body capillary transport parameters, 242,11:R227
- Maxwell, series elastic component, carotid artery, 232,1:H122
- measurement circuit, instantaneous frequency, 238,7:H929
- measurement errors, curve fitting and, 237,6:R366
- mechanical analogs, stiffness measurement, papillary muscle, 241,10:H155

- mesenteric circulation, 242,5:G541  
mesenteric lymphatics, mechanical characteristics (bovine), 239,8:H88  
metabolic systems, 240,9:R120  
metabolism  
  ischemic heart, computer simulation and interpretation, 237,6:R318, R327  
  ischemic myocardium, 239,8:H469  
  myocardial, assessment with  $^{11}\text{C}$ -labeled palmitate, 237,6:H51  
  methodology, new department, 240,9:R257  
  micellar diffusion and dissociation, pH dependence, 239,2:G177  
  microvascular hematocrit and red cell flow, resting and contracting striated muscle, 237,6:H481  
  microvascular myogenic reaction, wing (bat), 237,6:H59  
  microvessels, isolation, cannulation and study, 241,10:H108  
  motility, colon, 238,1:G321  
  multichannel telemetry system, cardiovascular, 236,5:H513  
  muscle fibers, pH regulation (barnacle), 240,9:C80  
  muscle motor units, interaction, 238,7:R119  
  myocardial infarction (baboon), 235,4:H413  
  myocardial metabolism, isolated heart preparation for external assessment, 236,5:H644  
  myocardial perfusion and heat generation, thermal quantification, 236,5:H345  
  myocardium, deprived, 232,1:H288  
  needle-type colloidal osmometer, continuous determination of blood oncotic pressure, 236,5:F419  
  nephron segments  
    acute renal failure, 241,10:F556  
    ischemic renal failure, 239,8:F17  
    nerve pathways, celiac plexus, 237,6:E90  
    nonhypotensive shock, 234,3:H80  
    on-line mapping, heart, 242,11:H526  
    optical techniques, evaluation of epithelial transport processes, 237,6:F167  
    optimal left ventricular dynamics, 240,9:R364  
  oral therapeutic agents, bioavailability, determination, 236,5:R137  
  osmolality, ileal, 234,3:H14  
  osmosensitivity and angiotensin interaction, third ventricle, 236,5:R75  
  osmosis, diffusion, convection, 235,4:R3  
  osmotic opening, reversible of blood-brain barrier, quantitative analysis, 238,7:R421  
  oxygen and carbohydrate consumption, myocardial, fetal and adult (sheep), 238,7:H399  
  oxygen consumption, measurement in voltage clamped epithelium (frog, toad), 236,5:F206  
  oxygen diffusion, arteriolar networks, mathematical analysis, 237,6:H681  
  oxygen metabolism, cerebral, 242,11:C265  
  oxygen transport, arterial wall, 243,12:H948  
  oxygen uptake, reactive hyperemia, myocardial, 235,4:H87  
  pancreatic juice, collecting method, 238,1:G332  
  parameter and structural identifiability concepts, 242,11:R421  
  ambiguous, 239,8:R7  
  parameter estimation of physiological systems, errors, 239,8:R390  
  parathyroid gland, epinephrine effects (calf), 242,11:R151  
  parathyroid hormone secretion, metabolism and (calf), 242,11:R141  
  passive absorption, small bowel mucosa, prediction, 239,2:G23  
  peak potential measuring, heart, 241,10:H455  
  perfused right bundle branch-septal, electrophysiological studies, 236,5:H379  
  perfusion apparatus  
    pancreas, 236,5:E391  
    pulseless, gastrointestinal blood flow, 236,5:E28  
  perfusion system, isolated heart, 237,6:H348  
  pharmacokinetic, brain transport, 232,1:R73, 242,11:R339  
  phenomenological, relating cell shape to water reabsorption, proximal nephron, 234,3:F308  
  phonocardiogram, impedance-matched, 238,7:H604  
  physical causality, brain theories and, 238,7:R277  
  pial microvessels, morphological study, method, 238,7:H172  
  pituitary cultures, perfused, luteinizing hormone secretion, 240,3:E591  
  placental electrical potentials (sheep), 236,5:C58  
  placental water exchange, mathematical analysis, 237,6:R89  
  plethysmography and pulsed Doppler blood flowmetry, comparison, 236,5:H899  
  portal-systemic shunt  
    portal hypertension, 243,6:G320  
    sulfur metabolism in, 241,4:G503  
  positron-emitting tracers, beta probe, 242,11:H62  
  postural regulation, systems analysis, 239,8:R93  
  potassium ion efflux, during exercise, skeletal muscle, 236,5:R83  
  power density, myocardial, cardiac frequency and, 237,6:R225  
  pressure dependency, coronary reactive hyperemia, 240,9:H709  
  pressure signal multiplexer, 242,11:H288  
  propagation velocity and reflection pressure waves, coronary artery, 237,6:H469  
  prostaglandin  $\text{D}_2$ , perinatal circulation and, 240,9:H755  
  prostaglandin modulation, adrenergic vessels, shock, 241,10:H85  
  proteins, passage through membranes, 238,1:G391  
  protein synthesis, renal, urine stimulation, 237,6:F299  
  proton semiconductors, energy transduction and, 235,4:R99  
  proximal tubules  
    electrophysiology of (salamander), 241,10:F540  
    isolated perfused (salamander), 241,10:F39  
    network thermodynamics model of salt and water flow, 235,4:F638  
    reabsorption, physical forces, 236,5:F478  
  pseudoelasticity, arterial, mathematical expression, 237,6:H620  
  pulmonary artery catheterization, 235,4:H452  
  pulmonary interstitial compliance, microvascular filtration coefficient and, 239,8:H189  
  pyruvate perfused heart, metabolism, computer simulation, 237,6:R153, R159, R167, R174, R181  
  quantitative microautoradiography, arteries, radioactivity and silver comparison, 239,8:H289  
  radiography, dynamic, validation, 238,7:H43  
  rapid-freezing transmural cardiac biopsy drill, 240,9:H126  
  RC, large arteries, compliance, 237,6:H550  
  reaction time enhancement, reduction in dimensionality, 243,12:R475  
  receptors and effectors, hormone action, kidney, 241,10:F333  
  reflex effects, renal, thoracic sympathetic afferents, 233,2:H580  
  regression lines, unequal slopes and, 242,11:R178  
  relaxation, myocardial, 237,6:H185  
  renal cortical tubule  
    oxygen delivery, 238,7:F50  
    suspension, improved, 238,7:F50  
  renal failure, glaphenine-induced, 243,12:F311, F416  
  renal medullary concentrating process, integrative hypothesis, 239,8:F578  
  renin inactivation, in vitro experiments (rat, dog, pig), 236,5:F501  
  renin secretion, during dynamic changes, renal perfusion pressure (sheep), 236,5:F546  
  rhythmic contractions, test sphincter (cow), 242,11:R181  
  R-R interval, high-resolution determination, 236,5:H894  
  sarcomere length  
    control, striated muscle, 242,11:H411  
    measurement, cardiac cells, 242,11:H68  
  sarcomere motion, isolated cardiac cells, image analysis, 236,5:C70  
  scanning esophageal impedance probe, measurement of luminal cross section, 236,5:E545  
  screen oxygenator, small animal organ perfusion, 237,6:H269  
  septal artery and collaterals, with and without circumflex occlusion, 238,7:H504  
  series-parallel pathway, temperature effects, lung cell permeability, 243,12:C285  
  servo-controlled roller pump, for cardiovascular research, 238,7:H269  
  servo-null method, vascular smooth muscle during hemorrhage, 238,7:H144  
  servo-nulling pressure measuring system, 236,5:H888  
  severe obesity, dietary-induced, 242,11:R212  
  signal averager, spontaneous signals, 242,11:H291  
  silicone rubber membrane oxygenators, biocompatibility (sheep), 236,5:H371  
  silver quantification, autoradiography, 238,7:H414  
  sinus node, bimodal chronotropic response of, 241,10:H311  
  smooth muscle behavior, controlled stretches, 242,11:C146  
  smooth muscle resting, mechanical properties, taenia coli, 237,6:C211  
  sodium and potassium transport, renal collecting tubules, 233,2:F559  
  sodium concentration, luminal, distal tubule, cable analysis (snake), 239,8:F412  
  sodium transport  
    bladder, 232,1:F187  
    negative feedback, bladder (toad), 236,5:F505  
  splenic afferents, reflex responses, 242,11:R247  
  Starling forces, transcapillary, membrane osmometry, 238,7:H886  
  statistical  
    errors in X and Y, 233,2:R94  
    measurement errors, 233,2:R94  
    micropuncture studies, renal, 233,2:F349  
  stereospecific stimulation, brown adipocyte respiration, 238,1:E552  
  stimulator, computer-controlled, cardiac, 239,8:H278  
  strain gauge, high frequency, low impedance, 236,5:H657

**Models (continued)**

stretch hypertrophy, wing muscle (chicken), 238,7:C62  
 sulfhemoglobin-red blood cells, mean transit time and blood flow velocity, microvascular, 238,7:H745  
 superperfusion apparatus, norepinephrine disposition, saphenous vein, 239,8:H238  
 systems analysis  
   arginine vasopressin metabolism, 235,4:E598  
   arterial pressure stability after hemorrhage, 235,4:R279  
 systolic barium contracture, liver, 239,8:H438  
 telemetry system  
   noise elimination, 239,8:H133  
   pressure, 239,8:H570  
 tension during active shortening, papillary muscle, 238,7:H8  
 tethering system, direct measurement of cardiovascular function (caged baboon), 236,5:H775  
 thermodynamics, field and circuit, 234,3:E3, R85  
 thermoregulation  
   anesthesia (monkey), 239,8:R241  
   two-dimensional transient, mathematical analysis, 237,6:R266  
 thoracic spinal neurons, coronary occlusion and viscerosomatic inputs, 238,7:H667  
 thyroid hormone parameters, kinetic experiment design, 233,2:R134  
 tissue sampling, cardiac cycle, 238,7:H389  
 tissue volume change, monitoring device, 242,11:H698  
 transcapillary exchange, molecular weight markers, postglomerular circulation, 242,11:F436  
 transcapillary fluid, protein movement and, 242,11:H227  
 transcapillary osmotic flow, heart, 240,9:H448  
 transepithelial force, measurement in vivo, 239,8:F466  
 transfer coefficients, hepatic, 243,6:G518  
 transmural myocardial deformation, left ventricular wall, 235,4:H523  
 transport kinetics, hepatic, 243,6:G532  
 Triton-induced hyperlipidemia, for study of intestinal lipoprotein production, 238,1:G453  
 two-component, carbon dioxide effects on cerebral blood flow (duck), 232,1:H596  
 ultrasonic transducer, cardiac, 240,9:H664  
 universal eating monitor for continuous recording, solid or liquid consumption, 238,7:R14  
 urea recycling (ground squirrel), 239,8:R168  
 urea transport, vasopressin-stimulated (toad), 243,12:C27  
 urinary concentration, 239,8:F578  
 vascular strip preparation, helically cut, 238,7:H107  
 vascular volumes, placental (guinea pig), 241,10:H73  
 velocity and hematocrit distribution, capillaries, 235,4:H251  
 venous drainage, myocardial, 234,3:H163  
 ventilatory control, neurohumoral computer simulation, 238,7:R28  
 ventricular cell fibrillation, action potential, 240,9:H465  
 ventricular mechanical energy, cardiac oxygen consumption and, 236,5:H498  
 ventricular mechanism, flow-pulse response, 237,6:H282  
 ventricular repolarization, 236,5:H391  
 ventricular volume measurement, intraventricular baboon method, 236,5:H506

ventricular wall force and stress, graphical estimation from pressure-volume diagram, 236,5:H787  
 visual control, postural, 239,8:F71, R80  
 Voigt, series elastic component, carotid artery, 232,1:H122  
 volumetric measurement, isolated cardiac muscle, 236,5:H519  
 wall deformation, left ventricular, 243,12:H379  
 wall movement effects, absorption and, intestines, 243,6:G541  
 water and solute transport, osmotic gradients and, duodenum and ileum, 237,6:E289  
 wound,  $\gamma$ -carrageenan-induced, perfused hindlimb, 242,11:R570  
 zinc metabolism, 237,6:R340

**Modulus**

elastic, arterial wall atherosclerosis (racing greyhound), 236,5:H790  
 incremental, arterial, 234,3:H533

**Molecular charge**, glomerular permselectivity, 234,3:F455

**Molecular forms**, immunoreactive pancreatic elastase, 238,1:G238

**Molecular size**, glomerular permselectivity, 234,3:F455

**Molecular transporters**, renal, 239,8:F97

**Molecules**

gastric capillary permeability to, 241,4:G478  
 kinetics, transport between plasma and lymph, 239,8:H525  
 small, capillary permeability, 241,4:G24

**Monensin**

amylase release, parotid acini, 240,9:C189  
 glucose-induced electrical activity and, pancreatic  $\beta$ -cells, 241,10:C264  
 roton uptake, secretory granules, pancreatic  $\beta$ -cells, 242,11:C382

**Moneonic precursor**, pulmonary vascular bed, 234,3:H133

**Monism**, varieties, 233,2:R75

**Monitoring**: see specific subject and site

**Monoamine oxidase**

activity, sinoaortic denervation and hypertension, 238,7:H521  
 developing lungs, 239,8:R401  
 diabetes, 239,2:E215  
 disposition, hypertension, lung, 239,8:H736  
 5-hydroxytryptamine (baboon), 234,3:H300

**Monoamine oxidase enzymes**, norepinephrine effects, intestinal, 241,4:G264

**Monoamines**

angiotensin interaction, pressor response, 240,9:R106  
 arousal from hibernation, 230:368  
 depletion, brain, thermoregulation and, 238,7:R364  
 potentiators and inhibitors, thermoregulatory effects, 230:148

**Monochromatic light**, photoreception, encephalic (quail), 240,9:R220

**Monocrotaline**

hypertension: see Hypertension  
 intoxication, pulmonary structure and function changes, 240,9:H149  
 membrane properties, smooth muscle cells, pulmonary hypertension, 242,11:H907

single injection, pneumotoxicity and thrombocytopenia, 242,11:H573

**Monocytes**, insulin action, sex differences, 243,6:E158

**Monoglyceride**

pathway  
   fatty acid esterification, 234,3:E236  
   fatty acid esterification, jejunal, 238,1:G414  
   small intestine, 237,6:E399

**Monoiodoinsulin**, degradation, 239,2:E3

**Monoiodotyrosine**, dehalogenation, insulin kinetics, 239,2:E3

**Monokine**, hyperinsulinemia, reticuloendothelial system phagocytosis, 242,5:E115

**Monolayer cultures**

hepatocytes, transmembrane potential, 241,10:C209  
 pituitary, luteinizing hormone and prolactin responses, 240,3:E297

**Monomers**, coronary arteries, erythrocytes, perfused hearts and, 240,9:H229

**Monophosphate, cyclic**

3,5'-labeled, calcium ion fluxes, pancreatic acinar cells, 240,3:G281  
 luteinizing hormones and, pituitary, 241,4:E6

**Monosaccharide**

transport  
   circadian rhythmicity, small intestine, 238,1:G203  
   microvillous membrane, placenta, 238,7:C160

**Monosodium glutamate**, obesity, neonatal oxygen consumption and locomotor activity, measurement, 234,3:E532

**Monovalent ion**, replacement and transport, proximal tubules (salamander), 241,10:F540

**Morphine**

catecholamine responses and, laparotomy and 2-deoxyglucose, 242,5:E317  
 cholecystokinin and, brain, 239,2:E232  
 migrating myoelectric complexes and, 242,5:G588  
 mydriasis  
   mechanisms, 236,5:R292  
   sympathetic system and, 241,10:R130  
 myoelectric activity, small bowel, 238,1:G384  
 plasma insulin oscillation (monkey), 240,3:E1  
 transport, renal tubule, 240,9:F83  
 vomiting, myoelectric activity, 233,2:E131

**Morphogenesis**, epithelial cell line, kidney, 240,9:C106

**Morphology**

accessory cells (teleost), 238,7:R199  
 adipose tissue, plasma insulin levels and, 240,3:E358  
 aging heart, spontaneous hypertension, 237,6:H461  
 bradykinin-induced macromolecular efflux, 236,5:H600  
 branchial epithelium (fish), 238,7:R207  
 carotid artery, 234,3:H280  
 cell shape and water reabsorption, relations, proximal nephron, 234,3:F308  
 collecting duct, 234,3:F146  
 gastric glands, 240,3:G232  
 gill epithelia, species differences (fish), 238,7:R147  
 ischemic myocardium, during hypothermia, 235,4:H736  
 quantitative, hypertension, age and sex influences, 240,9:H62  
 renal papillary epithelial, antidiuresis and water diuresis, 235,4:F69  
 ventricular, exercised spontaneously hypertensive rats, 235,4:H193  
 wing muscle (chicken), 239,8:C39

**Morphometrics**, pulmonary (snake), 243,12:R251

**Morphometric technique**, gastric secretory surface, phosphate activity and (frog), 232,1:E48

**Morphophysiological study**, pial microvessels, 238,7:H172

**Motilin**

diurnal pH changes, duodenum, 238,1:G91  
 interdigestive gallbladder contractions, 240,3:G183  
 interdigestive gastric contractions, 238,1:G85  
 interdigestive myoelectric complex, ectopic fronts, 239,2:G215



- interdigestive secretion, pancreatic, 241,4:G98
- plasma, gut hormone effects, 238,1:G280
- Motility**
- cholecystokinin, small bowel, 232,1:E44
- cholecystokinin effects, gastric, 234,3:E375
- cholera, prostaglandin  $F_{2\alpha}$  and, 232,1:E529
- colonic
- deoxycholic acid, 238,1:G321
- dietary components, 238,1:G228
- duodenal
- autonomic drugs (opossum), 236,5:E33
- duodenogastric reflux and, fasting, 241,4:G159
- gut hormones, 238,1:G280
- Escherichia coli*, toxigenic and nontoxigenic, small intestine, 235,4:E311
- esophageal
- atropine effects, 240,3:G290
- electrical activity and, 243,6:G415
- opossum, 233,2:E152
- swallowing effects, 241,4:G129
- gastric
- after pylorotomy, 242,5:G9
- cholecystokinin octapeptide effects, 240,3:G217
- emptying pattern, 242,5:G333
- endogenous prostaglandin effects, antrum, 241,4:G191
- glycoprotein receptor system and, 242,5:G429
- hormonal inhibition, 240,3:G221
- insulin-induced, hepatic modulation, 238,7:R346
- interdigestive, hormonal control, 237,6:E192
- interdigestive state, pancreatic, 241,4:G98
- liquids and solids, emptying, 239,2:G71
- neonatal maturation, 236,5:E562
- gastric and duodenal, relationship (chicken), 235,4:E670
- gastric mucosa (kitten, ferret), 234,3:E319
- gastrointestinal
- celiac plexus and, 237,6:E90
- gastric emptying of solids and liquids, 233,2:E335
- 5-hydroxytryptamine and, 237,6:E198
- motilin and, 239,2:G215
- pentagastrin effects, 232,1:E504
- vagal control of, 243,6:G276
- gastrointestinal hormone effects, duodenal (opossum, cat), 234,3:E60
- gastrointestinal wall, 235,4:H34
- intestinal, 230:132
- absorption and, model, 243,6:G541
- fluid movement, 243,6:G177
- glycemia oscillations and (pig), 242,5:G15
- ileocecal sphincter, 240,3:G450
- inductive displacement gauge, 239,2:G128
- lymph capillary pressure, 237,6:E301
- methionine-enkephalin, small bowel, 238,1:G384
- miniature transducer, 235,4:E532
- peristalsis, distal colon, 236,5:E464
- substance P effects, 243,6:G493
- jejunal
- absorption and, 239,2:G167
- liquids and solids, transit, 239,2:G497
- spike bursts, 239,2:G311
- miniature transducer, intestinal, 235,4:E532
- parasitism, intestinal, 234,3:R188
- prostaglandin E
- ileal, 234,3:E209
- intestinal, 234,3:E204
- small intestine
- absorption and, 239,2:G167
- chicken, 235,4:E670
- circulation and, 241,4:G1
- electrical control, 240,3:G355
- Escherichia coli*, 238,1:G57
- heat-stable toxin effects, 242,5:G360
- histamine receptors, 238,1:G50
- Shigella* enterotoxin and, 239,2:G382
- somatostatin effects, small bowel, 235,4:E249
- sperm, epididymis, 242,11:F199
- state-related, species differences (rat, rabbit, human), 241,10:R312
- stomach and duodenum, postprandial changes, 243,6:G365
- substance P effects, colon, 243,6:G259
- vagal control, gastric, 235,4:E366
- vasoactive intestinal polypeptide, gallbladder, 234,3:E44
- Motivation**, thirst, 230:188
- Motor activity**, interdigestive, Hieden-hain pouch, 234,3:E333
- Motor complex**
- interdigestive, test meal disruptive effect, 235,4:E661
- migrating
- mechanism of propagation, 240,3:G141
- neural involvement, 237,6:E451
- vagal control of, 243,6:G276
- Motor cycles**, interdigestive, gastric, hormonal control, 237,6:E192
- Motor deficits**, oral, central nervous system lesions, 237,6:R126
- Motor events**, large colon (equine), 237,6:E457
- Motor function**
- atropine effects, esophageal, 240,3:G290
- histamine effects, sphincter of Oddi (opossum), 241,4:G122
- Motor nerve**, activity-induced enzymatic adaptation and, skeletal muscle, 242,11:C272
- Motor nerve terminals**, neuromuscular junction, acetylcholine and protein release, 236,5:C225
- Motor pattern**, gastric, diurnal pH changes, duodenum, 238,1:G91
- Motor units**
- iliofibularis muscle, properties (frog), 236,5:C35
- peripheral interactions, motor control and, 238,7:R119
- Mouth**, motor deficits, central nervous system lesions, 237,6:R126
- Mucin**
- secretin, reserpine treatment and, intestines, 241,4:G443
- secretion
- dispersed submandibular cells, 238,7:C99
- stimulation by cholera toxin, intestinal, 240,3:G10
- submandibular secretion, calcium and adenosine monophosphate, cyclic, effects, 241,10:C76
- Mucin-secreting cells**, acid secretion, gastric mucosa (quail), 241,4:G382
- Mucociliary frequency**, palate epithelium (frog), 242,11:C31
- Mucociliary transport**, palate epithelium (frog), 242,11:C31
- Mucopolysaccharides**
- capillary water balance, 230:1121
- osmotic pressure, measurement of interstitial pressure, 232,1:H608
- Mucosal entry**, kinetics, ileal, 233,2:E47
- Mucosal gastrin receptor**: see Receptors
- Mucosa**: see specific subject and site
- Mucus**
- glucogenesis and glucose turnover (fish), 240,9:R246
- glycoprotein
- gastrointestinal, hydrogen ion diffusion, 240,3:G176
- secretion, cholera toxin stimulation, intestinal, 240,3:G10
- goblet cell, secretion, cholera toxin stimulation, intestinal, 240,3:G10
- transport frequency, palate epithelium (frog), 242,11:C31
- Mueller maneuvers**, baroreceptor output, 240,9:H721
- Multiplexer**, pressure signal, single oscilloscope channel, 242,11:H288
- Murmurs**, pulmonic stenosis: see Stenosis murmurs
- Muscarinic agonists**
- cholinergic regulation, electrolyte transport, colon, 242,5:G116
- norepinephrine release, cardiovascular system, 239,8:H713
- Muscarinic control**, peripheral, norepinephrine release, cardiovascular system, 239,8:H713
- Muscarinic inhibition**, adenosine monophosphate, cyclic, heart (chick), 243,12:H434
- Muscarinic receptors**: see Receptors
- Muscarinic stimulation**, calcium and sodium uptake, lacrimal cells, 239,2:G99
- Muscimol**, stress-induced eating and, 243,12:R159
- Muscle**: see also specific muscle
- action potentials: see Potentials
- activity, erection and ejaculation, 231:1343
- adenosine monophosphate, cyclic, insulin and exercise effects, 233,2:E509
- afferents, reflex response, cardiovascular, capsaicin injection, 240,9:H315
- alanine, cell/plasma ratio, 233,2:E109
- amino acid metabolism (sheep), 239,2:E248
- amino acid transaminase, branched-chain, stimulation, 236,5:E514
- amino acid transport, 230:245
- amino acid uptake, neurotrophic regulation, 232,1:C83
- $\alpha$ -aminobutyrate distribution, 238,1:E358
- $\delta$ -aminolevulinic acid synthetase induction, exercise or thyroxine, 236,5:R180
- anaerobic metabolism, adenosine triphosphate utilization (frog), 232,1:C30
- arterial, membrane properties, salt-induced hypertension, 241,10:H224
- atrophy
- glucocorticoid-induced, endurance training effects, 241,4:E226
- glucocorticoid treatment, food restriction and, 238,1:E124
- insulin resistance for glucose metabolism, 242,5:E12
- blood flow: see Blood flow
- capillaries
- hydraulic conductivities (chicken), 243,12:H491
- transit times, oxygen exchange, 240,9:H199
- cardiac and skeletal,  $\beta$ -blockade and pH of, 230:959
- chemoreceptors: see Receptors
- cholinergic and histaminergic reflex vasodilation, gracilis muscle, 234,3:H305
- circular, contraction, 230:389
- colonic
- autonomic drug effects, 240,3:G361
- characteristics, 237,6:E383
- composition, aging, 238,7:R82
- contractile activity, postprandial changes, gallbladder, 243,6:G365
- contractile force, during fatigue and recovery, 231:430
- contractile properties, glucocorticoid treatment and food restriction, 238,1:E124
- contractile response, aortic, diabetes, 236,5:H301
- contractile sensitivity, salt-induced hypertension, 241,10:H224
- contractility, lymph vessels, lymph flow and, 239,8:H775
- contraction
- adenosine triphosphate decrease effects, 240,9:C121

**Muscle (continued)**

- arterial, ouabain-induced (monkey, dog), 239,8:H199  
 autonomic drug effects, 240,3:G361  
 depolarized uterus, 236,5:C171  
 dystrophic (chicken), 242,11:C19  
 fast and slow, ammonia and adenylate metabolism, 237,6:C111  
 fatigue (frog), 232,1:C185  
 glycogen and (roundworm), 242,11:R514  
 glycogenolysis control, exercise, 242,5:E25  
 interdigestive, exocrine pancreas, 698  
 interdigestive, Heidenhain pouch, 234,3:E333  
 irreversible thermodynamics, 238,7:R413  
 isometric tetanic, 230:205  
 lactic acid accumulation effects, 240,9:C121  
 lower esophageal sphincter, calcium ions and (opossum), 237,6:E163  
 mechanism of, 242,11:C146  
 mesenteric lymphatics (bovine), 239,8:H88  
 neurogenic, cerebral arteries (goat), 235,4:H131  
 oviductal, optoelectronic transducers, 239,8:R326  
 oviductal, periovulatory, 239,8:R332  
 phosphorylation, activation, reversal, 237,6:R291  
 piezoelectric force transducer for single muscle cells, 235,4:C143  
 rhythmic, autonomic drug effects, 240,3:G361  
 smooth muscle cell receptors, 242,5:G400  
 sustained phasic vasodilation during, 236,5:H705  
 temperature and pH effects (frog), 240,9:R301  
 vagal stimulation, esophagus, 235,4:E63  
 creatine kinase release, osmotic changes and (frog), 242,11:C398  
 crossbridge, short-range stiffness, 232,1:C45  
 culture, carbon dioxide and (chicken), 237,6:C166  
 cytoplasmic dipeptidase activity, 233,2:E450  
 dehydrogenases (tuna), 234,3:R136  
 desensitization, magnesium effects (frog), 242,11:C319  
 differentiation, hormonal stimulation, 243,12:C278  
 disease, contraction and (chicken), 242,11:C19  
 dystrophic, 230:1138  
 elastic recoil, passive, intestinal, 234,3:E660  
 elastic stiffness, aortic pressure-dimension techniques (dog, sheep), 235,4:H610  
 electromyography: see Electromyography  
 energetics, 242,11:Fenn effect, 242,11:H1  
 energy utilization, different sarcomere and A-band lengths (horseshoe crab), 242,11:R394  
 enzymes, diet and flight (bat), 242,11:R189  
 excitation-contraction coupling, fatigue effects (frog), 232,1:C185  
 extension, hypoxia and, pulmonary, 236,5:H818  
 fast and slow, isometric endurance, 236,5:C185  
 fast-twitch  
   contractile property development, embryo (chick), 242,11:C52  
   red, cytochrome c and myoglobin turnover, 241,10:C140  
   red, glycogen resynthesis, 238,7:R328  
   white, 230:946  
   white, cytochrome c and myoglobin turnover, 241,10:C140  
   white, glycogen resynthesis, 238,7:R328  
 fatigue  
   contractile properties, 233,2:C86  
   epinephrine effects, exercise, 242,5:E25  
   fast and slow, isometric endurance, 236,5:C185  
   prolonged exercise, 242,11:C65  
   vasodilation, prolonged, 233,2:H27  
 fatigue and recovery, lactate and contractile force, 231:430  
 female sex hormone, esophageal sphincter (opossum), 234,3:E243  
 fiber transformation, intermittent stimulation, 242,11:C373  
 filaments: see Myofilaments  
 fluorescence, 230:1644  
 force-velocity, interaction between motor units, 238,7:R119  
 free fatty acid oxidation, cold exposure and feeding effects (bovine), 237,6:E309  
 fuel utilization (bat), 242,11:R189  
 gastrointestinal hormones, duodenal (opossum, cat), 234,3:E60  
 glucose uptake, shivering thermogenesis and, diabetes, 242,11:R109  
 glutamine metabolism  
   interorgan relations, 240,3:E519  
   sheep, 234,3:E197  
 glycogen  
   accumulation, lactate and palmitate effects, soleus, 238,7:C149  
   homeostasis, high-protein diet, 239,8:R437  
   insulin and exercise effects, 233,2:E509  
   metabolism, postexercise, 235,4:E255  
 glycogenolysis  
   epinephrine effects, running, 240,3:E526  
   glucose infusion effects, exercise, 240,3:E451  
 glycogen synthesis  
   after exercise, 233,2:E422  
   frog, 237,6:C231  
 growth, stretch-induced (chicken wing), 238,7:C62  
 heat production, latissimus dorsi (chick), 233,2:C1  
 hindlimb, insulin effects, adrenalectomy and fasting, 242,5:E323  
 immobilized, 231:1520  
 immunofluorescence, calcium ion-dependent neutral protease (hamster), 240,3:E493  
 initial length and oxygen uptake-load relations, 230:1008  
 inspired gas effects, blood flow and oxygen pressure, 230:839  
 insulin binding, soleus, 235,4:E606  
 insulin hyperpolarization, ouabain-inhibitable process, 241,10:C145  
 insulin sensitivity, neurotrophic regulation, 232,1:C83  
 intestinal  
   adaptation, jejunoileal bypass, 241,4:G259  
   blood flow, sympathetic stimulation, 235,4:H40  
   <sup>45</sup>Ca efflux, external ions and, 238,1:G520  
   fluid exchange across single capillaries, 242,11:H268  
   spontaneous rhythmic contractions, bombesin effects, 243,6:G141  
   intrinsic nerve supplies, duodenal, 233,2:E28  
 isometric contraction  
   caffeine and (frog), 241,10:C160  
   energy utilization (horseshoe crab), 242,11:R394  
   myosin phosphorylation, 242,11:C234  
   temperature and pH effects (frog), 240,9:R301  
 isometric tension, age-dependent responses to glucagon, 230:1590  
 isometric twitch, 230:1138  
 time-dependent general formulation, 238,7:R413  
 isotonic and isometric contractions, Fenn effect, 242,11:H1  
 layers, portal vein, responsiveness of, 242,5:G498  
 length, relaxation, 242,11:H303  
 length-tension relations, colonic, 237,6:E383  
 lipoprotein lipase  
   activity, obesity, 241,4:E108  
   oscillatory changes, feeding and fasting, 233,2:E316  
   suckling, 238,1:E511  
 lipoprotein lipase and lipid metabolism, 243,12:R258  
 longitudinal, slow-wave propagation, 240,9:C135  
 mass: see Mass  
 mechanical properties  
   frog, 236,5:C35  
   tenotomy and denervation, 241,10:C150  
 mechanics  
   age-related changes, esophageal sphincter, 233,2:E407  
   interaction, between motor units, 238,7:R119  
   microvessels, 241,10:H108  
   sarcomere motion, 236,5:C70  
 metabolism  
   fatigue and, post-tetanic (frog), 232,1:C185  
   oxygen, esophageal (opossum, cat), 242,5:G258  
 metabolite profile, hypercapnia, 243,12:F227  
 microcirculation, systemic hypoxia, 240,9:H746  
 microvascular pressures, intestinal, 233,2:H685  
 mitochondrial bioenergetics, dietary iron deficiency and repletion, 242,5:E418  
 oxygen tension, arteriolar dimensions and blood flow, 241,10:H547  
 papillary: see Muscle, heart  
 L-phenyllactate perfusion, metabolic effects, 238,1:E450  
 posttetanic potentiation (frog), 232,1:C185  
 potassium-induced relaxation, vascular, 240,9:H971  
 properties, thyroid hormone action, 242,11:R401  
 protein degradation, feeding and fasting, growing rates, 233,2:E119  
 protein exclusion, increased venous pressure and, 242,11:H1044  
 protein metabolism, starvation effects, 241,4:E321  
 protein synthesis, 230:1321  
 proteolytic enzyme activities, diabetes, 241,4:E378  
 pyruvate kinase, gluconeogenesis (frog), 237,6:C231  
 recovery energetics (frog), 232,1:C30  
 recovery heat, 230:1637  
 red, capillary control, rest and exercise, 243,12:H196  
 refractory period, esophageal swallowing response, 241,4:G129  
 reproductive, behavior during stretch, 242,11:C146  
 respiratory, elastic loading, 230:675  
 salbutamol stimulation, arteriolar number, 236,5:H134  
 sartorius, temperature and pH effects on contraction (frog), 240,9:R301  
 slow, glucocorticoid-treated, 238,1:E124  
 slow- and fast-twitch, red, 230:946  
 slow-twitch, red, glycogen resynthesis, 238,7:R328  
 steroid-induced atrophy, impaired excitability and, 243,6:E512

- stimulation, ammonia and adenylate metabolism, 237,6:C111
- stretch, resistance to, temperature effects, 231:1349
- stretch-induced growth, wing (chicken), 241,10:C93, 242,11:C178
- striated
- adenosine and exercise hyperemia (hamster), 242,11:H688
  - microvascular adaptations, maturation (hamster), 241,10:H317, H325
  - oxygen consumption, 230:34
  - resting and contracting microvascular hematocrit and red cell flow, 237,6:H481
  - sarcomere length control in, 242,11:H411
  - stimulus-response contractility, 240,9:H971
- substrate oxidation specificity, 236,4:C66
- substrate turnover during exercise, ethanol effects, splanchnic, 233,2:E195
- substrate utilization, lactate and palmitate effects, soleus, 238,7:C149
- sugar transport, regulation, 240,3:E263
- T<sub>3</sub>- and T<sub>4</sub>-induced increase, time course, soleus muscle mitochondria, 236,5:C132
- tension, photoelectric force transducer, 243,12:C299
- tension development, vascular, 240,9:H971
- tracheal, resting tension during metabolic inhibition, 231:1470
- trachealis, prostaglandins, 230:1737
- vascular
- portal vein, responsiveness of, 242,5:G498
  - potassium ion conductance, 230:1031
  - white, energy metabolism, 230:579
  - wing, stretch-induced growth (chicken), 239,8:C39
- Muscle, heart: see also Heart;**
- Myocardium**
- acetylcholine and vagal stimulation, differential sensitivity, 234,3:H460
  - acetylcholine inhibition, cholera toxin inotropic effect, ventricle (chick), 243,12:H434
  - actin complex, phosphorylation (bovine), 236,5:C41
  - aging, 242,11:H927
  - alanine production, atrial, 238,1:E487
  - amino acid degradation, atrial, 238,1:E480
  - amplitude dependence, papillary muscle, 238,7:H340
  - anion distribution, interstitial, 237,6:C125
  - atherosclerotic, mechanical alternans, papillary, 239,8:H674
  - barium ion contracture, transient tension responses, step length changes, 238,7:H340
  - baroreceptors, 238,7:H93
  - biopsy, energy supply-demand factors, myocardial, 237,6:H696
  - blood flow: *see also* Blood flow
  - blood-perfused
    - force-length relations, 233,2:H711
    - papillary, 237,6:H83  - buffer values, 234,3:F432
  - calcium-hydrogen ions relations, 237,6:H497
  - calcium ion and sodium ion binding, sarcolemmal membrane, 238,7:H373
  - carbon dioxide pressure-modulated performance, 231:1620
  - cardiodepressant substance, shock-induced, isolation, papillary muscle, 237,6:H168
  - cellular electrophysiological marker, ischemic injury, papillary muscle, 235,4:H559
  - cellular injury, ischemia, autonomic nervous system and, 240,9:H738
  - central segment performance, laser scanning, 237,6:H260
  - chloride activity
    - cellular content (amphibian), 235,4:C122
    - intracellular, ouabain effects, 240,9:C183
    - intracellular papillary muscle, 238,7:H487
    - ventricular (mammal), 241,10:C121  - chronotropic response, atrial, hyperosmotic media, 233,2:H228
  - chronotropism, adrenergic effects, 234,3:H525
  - coenzyme A synthesis, diabetes and fasting effects, 240,9:H606
  - compliance
    - left ventricular, ischemic arrest and reperfusion, 235,4:H619
    - weak and strong myocardium in series, 235,4:H776  - contractile force
    - calcium and sodium effects, Purkinje fibers, 240,9:H561
    - myocardial, autonomic neuromodulators, 238,7:H794
    - prolactin and, 243,6:E458
    - renal afferent effects, 241,10:R286
    - volume overload and, 243,12:H876  - contractile motion measurement, digital sonomicrometer, 243,12:H634
  - contractile reserve, postextrasystolic potentiation and, 243,12:H990
  - contractility
    - cigarette smoke effects, 240,9:H584
    - diabetes-induced inhibition, insulin effects, 242,11:H490
    - dysfunction, endotoxemic shock, 240,9:H954
    - hypertensive hypertrophy and, 242,11:H882
    - indices, endotoxemic shock, 242,11:H172
    - inotropic responsiveness, endotoxemic shock, 240,9:H954
    - inotropy, catecholamine infusion, renal function (swine), 240,9:F276
    - pressure overload, 230:199
    - sarcolemmal calcium binding and, muscle preparations, 240,9:H576  - contraction
    - acetylcholine, negative inotropic effects, maturation, atria, 238,7:H1
    - acetylcholine and vagal stimulation effects, 234,3:H460
    - acidosis, myocardial, 236,5:H525
    - adenosine and, 239,8:H365
    - adrenal contribution, acute hypoxia (piglet), 239,8:H751
    - adrenergic control, myocardial, in hyperthyroidism, 237,6:H590
    - aftercontractions, augmented, papillary muscle, hypertrophied, 237,6:H649
    - aftercontractions, hypertension, 235,4:H82
    - afterload, ventricular hypertrophy, 232,1:H418
    - aging,  $\beta$ -adrenergic stimulation, 239,8:H501
    - asynergy, left ventricular, isoproterenol and, 239,8:H594
    - asynergy, weak and strong myocardium in series, 235,4:H776
    - atherosclerotic, papillary muscle, 239,8:H674
    - atrial, myocardium, 239,8:H365
    - auxotonic, segments (cat, ferret, monkey), 236,7:H131
    - barium-induced mechanism (mammal), 240,9:H216
    - bicarbonate-buffered solutions, inotropic response, atrial, 237,6:H318
    - calcium ionophore effects, arterial, 235,4:C13
    - calcium paradox, 237,6:H713
    - carotid sinus baroreceptors, 239,8:H65
    - cholinergic stimulation, myocardial, newborn (lamb), 233,2:H451
    - cocaine and, 233,2:H399
    - computer analysis, right ventricular, 239,8:H794
    - contractile force, adenosine monophosphate, cyclic-dependent protein kinase and, 236,5:H84
    - contractile force, Purkinje fibers, strophanthidin toxicity, 234,3:H477
    - contractile force, strophanthidin-induced toxicity, Purkinje fibers, 236,5:H689
    - contractile force, volume overload, heart failure, 235,4:H690
    - contractile potential, exercise-trained papillary muscle, 234,3:H421
    - contractile state, hypertrophied left ventricle, volume overload, 234,3:H88
    - contractile strength, right atrial, autonomic control, 236,5:H860
    - contractility, myocardial, contribution to myocardial perfusion, 236,5:H121
    - contractility, water and air breathers (trout, turtle), 234,3:R155
    - contrasting ischemic patterns, 243,12:H852
    - coronary flow and, 235,4:H784
    - countershock effects, myocardial cells, embryo (chick), 235,4:H24
    - D600 effects, species differences, 235,4:H276
    - diabetic heart, 239,8:H614
    - diastolic pressure-diameter relations, ventricular, 237,6:H644
    - digitalis, voltage dependence, 241,10:H646
    - endotoxin-induced myocardial failure, 235,4:H150
    - force, atrial, 239,8:H333
    - force, maturation, 242,11:H359
    - force, vanadate and, 239,8:H47
    - force-velocity-length relations, during ejection, 239,8:H601
    - force-velocity relations, ventricular hypertrophy, 232,1:H418
    - frequency-force interactions, vagal stimuli, atrial, 239,8:H333
    - heavy metal feeding, 239,8:H22
    - hypoxia, carbon dioxide effects, 239,8:H545
    - hypoxia, graded, ventricular cells, embryo (chick), 239,8:H651
    - inhibitory effect on coronary collateral blood flow, 233,2:H541
    - inorganic phosphate effects, 242,11:H79
    - inosine effects, myocardial, 233,2:H438
    - inotropic interventions, hypertrophied, 237,6:H293
    - inotropic state, hemodynamic factors, 234,3:H562
    - inotropism and chronotropism, adrenergic effects, 234,3:H525
    - inotropy, carbon dioxide water and air breathers (trout, turtle), 234,3:R155
    - inotropy, myocardial, oxygen consumption and, 235,4:H237
    - inotropy and preload, high heart rate, independent effects, 236,5:H568
    - insulin effects, 230:1360
    - insulin effects (piglet), 233,2:H665
    - ischemia, myocardial, 233,2:H392
    - ischemia and reperfusion, 235,4:H619, H637
    - isometric, capillary reserve, 233,2:H276
    - isometric, left ventricular, 233,2:H555
    - isometric, nonexcised papillary muscle, 233,2:H711
    - isometric, uranyl ions, atrial, 235,4:H295
    - isometric twitch, papillary muscle, myocardial energetics, 236,5:H244
    - isoproterenol, myocardial, 239,8:H594

**Muscle, heart (continued)**

- isoproterenol effects, 233,2:H404
- isoproterenol-induced restoration, potassium-depolarized, 241,10:H187
- isotonic, myocardial oxygen consumption, 236,5:H331
- isovolumic, pressure-volume relations, right atrium, 236,5:H672
- isovolumic ventricular, mitral valve opening and closure, 234,3:H146
- kinematics, right ventricle, 239,8:H794
- myocardial, during right ventricular systolic hypertension (pony), 235,4:H628
- myocardial, hypertonic sodium chloride infusion, 235,4:H18
- myocardial force (guinea pig), 241,10:H18
- myosin phosphorylation, 239,8:H756
- nonuniform, 233,2:H613
- nonuniform (cat, ferret, monkey), 237,6:H131
- oxygen extraction and, 235,4:H784
- peak force, atrial, 239,8:H365
- physical training, 234,3:H608
- positive end-expiratory pressure, ventricular, 236,5:H534
- positive inotropism, grayanotoxin I effects, 235,4:C136
- potassium-free perfusion, 237,6:C1
- power density, cardiac frequency and, 237,6:H225
- preload and systolic pressure-diameter relations, 240,9:H354
- propranolol effects, 237,6:C195
- protein kinase regulation, 234,3:H638
- reflex control, 239,8:H65
- regulation, 233,2:H269
- right ventricular failure, contractile response to catecholamines, 233,2:H399
- sodium transport, intact cardiac cells, 236,5:H189
- sympathetic modulation, vagal afferents, 237,6:H528
- theophylline inhibition of, 242,11:H349
- transmural myocardial deformation, left ventricular wall, 235,4:H523
- uncoupling cation effects, neonatal, 237,6:H332
- vagal stimuli, 239,8:H494
- volume overload, ventricular, 237,6:H575
- contracture
  - barium ion dose-response, 239,8:H438
  - hyperosmolar media, atrial, 236,5:H629
  - hypoxic and posthypoxic, 232,1:H526
  - ischemia and reperfusion, 235,4:H619, H637
- creep
  - constitutive equation, 232,1:H553
  - nonexercised papillary muscle, 233,2:H711
- damaged ends, papillary muscle preparations, 238,7:H14
- diabetic
  - anoxia and increased work effects, 239,8:H614
  - with metabolic acidosis (lamb), 238,7:H263
- distensibility, 232,1:H545
- during thiamine deficiency, 231:1390
- dynamics, left ventricular, measurement, 233,2:H384
- dysfunction, papillary muscle, 238,7:H348
- elasticity, passive, papillary muscle, 234,3:H416
- electrophysiology, infarct growth time course, ventricular, 236,5:H356
- energetics
  - Fenn effect, 242,11:H1
  - indices of myocardial oxygen consumption, 236,5:H331
- papillary, species differences, 237,6:H90
- excitation-contraction coupling, metal-film thermopiles, 233,2:C146
- fluid dynamics, mathematical model, 242,11:H1095
- force and length measurement and control, 233,2:H162
- force development, myocardial, during shortening, 238,7:H8
- force-length relations (cat, ferret, monkey), 237,6:H131
- force-velocity-length relations
  - awake state, 240,9:H354
  - instantaneous, 232,1:H241
- force-velocity relations
  - exercise-trained, 234,3:H421
  - myosin, 243,12:H391
- hibernation, 230:403
- homeometric autoregulation, afterload-induced, 231:545
- hyperosmolarity, 232,1:C155
- hyperthyroid,  $\beta$ -adrenergic stimulation effects, 243,6:E114
- hypertrophy: see Hypertrophy
- hypoxia (muskrat, rabbit, guinea pig), 243,12:H245
- immunofluorescence, calcium ion-dependent neutral protease (hamster), 240,3:E493
- inosine effects, myocardial, 238,7:H569
- inotropic effects,  $\alpha$ -adrenoceptor stimulation (lamb), 242,11:H405
- inotropic interventions, ventricular diastolic dimensions, 241,10:H376
- inotropic response, inosine, 233,2:H438
- inotropy
  - aortic insufficiency and, 242,11:H973
  - digoxin effects (sheep), 243,12:H519
  - prolactin effects, 243,6:E458
  - reflex, sympathetic control, awake state, 241,10:H857
  - thyroidal effects, 232,1:C196
- isolated, afterload-induced homeometric autoregulation, 231:545
- isometric, oxygenation criteria, 241,10:H348
- isometric indices, left ventricular, 233,2:H555
- isovolumic, pericardium, 238,7:H494
- lactate and mannitol interactions, 231:1209
- lengthening velocity, papillary muscle, 237,6:H83
- length-tension relations
  - developmental changes, 240,9:H546
  - exercise-trained, 234,3:H421
  - left ventricular hypertrophy, 234,3:H88
  - pressure overload and, left ventricular, 238,7:H134
- loading determinants, relaxation, 242,11:H303
- longitudinal strain, 233,2:H410
- long-term stimulated, fiber profile and capillary density, 243,12:H530
- mechanical alterations, long-term hypertension, 241,10:H435
- mechanics, 232,1:H241
- aging and hypertension, 235,4:H82
- during thiamine deficiency, 231:1390
- maturation, 242,11:H359
- nitroprusside and, 237,6:H185
- papillary, 237,6:H83
- papillary muscle, 235,4:H144
- sarcomere length control, 242,11:H411
- tension prolongation phenomenon, 237,6:H185
- metabolic performance, papillary muscle, 235,4:H144
- metal-film thermopile, 233,2:C146
- myocardial, mitral valve and, 238,7:H348
- negative inotropism, positive end-expiratory pressure-induced, prostaglandin effects, 241,10:H783
- norepinephrine effects, 232,1:H241
- oxygen pressure-modulated performance, 231:1620
- papillary
  - barium-induced contracture (mam-mal), 240,9:H216
  - digitalis and calcium effects, 231:66
  - exercise effects, excitation-contraction coupling, 240,9:H472
  - relation between resting tension and mechanical properties, 231:1679
  - passive, pressure-overload hypertrophied papillary muscle, 237,6:H676
  - peptide-chain initiation, glucocorticoid effects, 235,4:E134
  - performance, hyperthyroidism, 237,6:H293
  - phosphorus nuclear magnetic resonance spectroscopy, 242,11:H729
  - physiology, quantitative ultrastructural analysis, 235,4:C147
  - potassium activity, ventricular, 240,9:C39
  - potassium permeability, embryonic tissue cultures (avian), 236,5:C163
  - preparations, sarcolemmal calcium binding and contractility, 240,9:H576
  - pressure, intramyocardial, 238,7:H625
  - protein phosphorylation, 241,10:H117
  - protein synthesis
    - fasting, 235,4:E126
    - insulin stimulation of (chicken), 243,12:C81
  - protein turnover, diabetes, 239,2:E178
- relaxation
  - calcium-hydrogen ions relations, 237,6:H497
  - diastolic, ischemia, 233,2:H677
  - diastolic, myocardial, global ischemia, 235,4:H720
  - high-frequency harmonics, 240,9:H669
  - ischemia and reperfusion, 235,4:H619, H637
  - isovolumic, mitral valve opening and closure, 234,3:H146
  - isovolumic pressure fall, left ventricular, 235,4:H701
  - left ventricular, 239,8:H1
  - load dependence (frog, cat, rat), 237,6:H455
  - loading determinants of, 242,11:H303
  - myocardial, nitroprusside effects on tension prolongation phenomenon, 237,6:H185
  - $\beta$ -stimulation, 233,2:H404
  - resting potential, electrogenic component, ventricular, 240,9:C28
  - resting potential changes, sodium-potassium pump, 240,9:H168
  - sarcomere length measurement, cardiac cells, 242,11:H68
- shortening
  - during chronic volume overload, left ventricular, 238,7:H126
  - myocardial oxygen consumption and, 233,2:H421
  - shortening deactivation, 238,7:H8
  - sodium flux, tissue-cultured heart cells (chick), 243,12:C169
- staircase, 230:631
- stiffness
  - barium ion effects, ventricular, 239,8:H438
  - constant, papillary, 234,3:H416
  - diastolic, left ventricular, 234,3:H392
  - dynamic, of senescent trabeculae carnea, 232,1:H373
  - elasticity measurement, 241,10:H155
  - inotropic agents and, 232,1:H275
  - systolic quick release, papillary muscle, 238,7:H153
  - viscoelasticity, 232,1:H373, H553
  - stiffness-stress relations, ellipsoidal shell model, myocardial, 238,7:H197
  - stress-strain relations, left ventricular, 239,8:H101



- strophanthidin inotropy, calcium and sodium effects, Purkinje fibers, 240,9:H561
- substrates, oxidation specificity, 236,5:C66
- sugar transport kinetics, insulin effects, 234,3:E70
- tension
- atrial, hyperosmolality, 233,2:H222
  - atrial, hyperosmolar media, 236,5:H629
  - during active shortening, papillary muscle, 238,7:H8
  - resting and developed, 232,1:C155
  - thoracic nerve stimulation, myocardial, 232,1:H485
  - uncoupling effect, 238,7:H340
  - uridine kinase, thyroid hormone effects, 238,1:E443
- ventricular
- frequency-force relations, 230:631
  - hibernation, 230:403
  - rest-twitch potentiation, theophylline effects, 241,10:H583
  - voltage and time dependence, restitution of contractions (sheep), 243,12:H68
  - volumetric measurements, papillary muscle, 236,5:H519
  - Walton-Brodie arch, left ventricular, 234,3:H88
- Muscle, skeletal**
- aminoisobutyric acid transport
  - thioglucose obesity, 243,6:E74
  - activation, studies on skinned fibers, vertebrate, 240,9:C1
  - adenosine, hyperemia and, 230:1531
  - adenosine release, exercise and, 238,7:H156
  - amino acid levels, 232,1:E243
  - amino acid oxidation, carnitine effects, 234,3:E494
  - anesthesia, microvascular effects of, 243,12:H837
  - anion distribution, interstitial, 237,6:C125
  - arginine metabolism, urea synthesis and, 242,5:E87
  - ATPase, myofibrillar, 233,2:C14
  - blood flow: see Blood flow, skeletal muscle
  - blood viscosity, 241,10:H513
  - buffer values, 234,3:F432
  - cable properties (crayfish), 235,4:C221
  - calcium uptake, cold acclimation, 234,3:C7
  - capillary supply, untrained and endurance-trained men, 232,1:H705
  - capillary transit times, 233,2:H122
  - cardiovascular reflexes, 233,2:H374
  - catecholamines, metabolic effects, 239,2:E461
  - chloride, cellular content (amphibian), 235,4:C122
  - chloride activity, ventricular (mammal), 241,10:C121
  - chloride conductance, 232,1:C109
  - chloride self-exchange (toad), 242,11:C207
  - chylomicron triglyceride uptake, effect of lipoprotein lipase, 231:880
  - clofibrate acid effects, amino acid metabolism, 240,2:E203
  - colchicine-treat<sup>d</sup>, creatine and, 235,4:C199
  - consecutive vascular sections,  $\beta$ -adrenergic dilator effects, 243,12:H819
  - contractile, biochemical, and histochemical properties of thyrotoxic soleus muscle, 238,7:C15
  - contractile properties
    - development, embryo (chick), 242,11:C52
    - frog, 243,12:C66
    - surgical overload, 242,11:C259
    - transplanted extensor digitorum longus muscle, 238,7:C120
- contractility
- glucose delivery, modulation of glucose uptake, 233,2:E514
  - soleus, training and fatigue effects, 233,2:C86
- contraction
- arterial, hypoxia and, 238,7:H761
  - arterial, oxygen and, 238,7:H716
  - deuterium oxide (frog), 239,8:C105
  - energy output (frog), 235,4:C20
  - isometric, fast and slow, 239,8:C98
  - lactic acid and adenosine triphosphate effects, 240,9:C121
  - metabolic effects, 239,2:E461
  - 2-n-butyl-methylenedioxyindene effects (frog), 242,11:C347
  - time, autograft, 238,7:C120
  - creatine kinase release, osmotic changes and (frog), 242,11:C398
  - creatine metabolism, 233,2:E91
  - depolarized, potassium ion flux ratio (frog), 241,10:C68
  - dystrophic: see Muscular dystrophy
  - electrolytes, mineralocorticoid-induced hypertension, 236,5:E366
- energetics
- epitrochlearis, 239,2:E454
  - Fenn effect, 242,11:H1
  - stress development cost, 243,12:C242
  - energy coupling, sodium transport (frog), 235,4:C25
  - enzymatic adaptation, motor nerve and, 242,11:C272
  - enzyme changes, neonatal, thyroid deficiency and, 235,4:C97
  - exercise oxygen consumption,  $\alpha$ -stimulation, 238,7:H331
  - exercise vasodilation, adenosine role, gracilis muscle, 238,7:H703
  - fast- and slow-twitch
    - disuse effects on sarcoplasmic reticulum, 243,12:C156  - energetics, dantrolene effects, 238,7:C56
  - length-tension shift, dantrolene effects, 238,7:C56
  - fast-twitch, protein synthesis, 239,2:E88
  - fast-twitch red, glycogen resynthesis, 235,4:R145
  - fatigability, 233,2:C14
  - autograft, 238,7:C120
  - fatigue, prolonged exercise, 242,11:C65
  - fibers
    - hyperpolarization of, potassium-free media, 242,11:C12
    - regeneration, transplanted, 238,7:C120  - fiber types, endurance training effects, 241,4:E226
  - free fatty acid utilization, endotoxic shock, 239,2:E391
  - functional unit, 242,11:R411
  - glucose uptake
    - after endotoxin, 239,2:E311
    - exercise, 241,10:C200
    - gram-negative endotoxin effects, 240,9:H342
    - hyperpolarization and, 239,2:E21
    - insulin regulation, 239,2:E69
    - shivering thermogenesis and, diabetes, 242,11:R109  - glycogen content, diurnal variation and effects of fasting, 231:614
  - glycogen metabolism, insulin regulation, 239,2:E69
  - glycogen synthase activation
    - effects of diet and exercise, 236,5:E660
    - postexercise, 240,3:E197  - growth
    - cross-sectional, wing (chicken), 238,7:C62
    - work-induced, inositol incorporation, 232,1:E324  - heat production, obesity, 238,1:E193
  - hyperemia: see Hyperemia
  - hyperbolic effects (frog), 234,3:C181
  - immunofluorescence, calcium ion-
- dependent neutral protease (hamster), 240,3:E493
- injury, magnesium depletion and, 243,12:F113
- ink filling, microvascular, 241,10:H174
- insulin
- resistance, glucose metabolism, 242,5:E12
  - stimulation, sodium and potassium activities during, 242,5:E193
  - insulin binding
    - sensitivity, starvation effects, 240,3:E184  - soleus muscle, 234,3:E348
  - insulin resistance, genetic obesity, 239,2:E363
  - insulin sensitivity, 239,2:E169
  - hypergravity adaptation, 240,3:E482
  - starvation and aging, 236,5:E519
  - intracellular bicarbonate, 230:228
  - intracellular water spaces, rest and exercise, 243,12:R271
  - iron deficiency effects, 241,10:C47
  - isometric contractile properties, avian myogenesis (chick), 243,12:C177
  - isometric contraction, dystrophy (chicken), 242,11:C19
  - isoproterenol, 232,1:E243
  - length effects
    - calcium ion efflux, 231:555
    - force development, fast and slow, 239,8:C98  - length-tension relations, 237,6:C38
  - leucine metabolism, exercise effects, 242,5:E407
  - lipoprotein lipase activity, thyroid status and, 238,1:E518
  - long-term stimulated, fiber profile and capillary density, 243,12:H530
  - mass, age- and race-related changes, 232,1:E419
  - mechanical performance, epitrochlearis, 239,2:E454
  - mechanics and energetics, 2-n-butyl-methylenedioxyindene effects (frog), 242,11:C347
  - membrane potentials in myotonia (goat, rat), 240,9:C56
  - metabolic alterations, hemorrhagic shock (monkey), 233,2:E439
  - metabolic intermediates, lactate diffusion and, 231:766
  - metabolism
    - glutamine deprivation, 236,5:E234
    - intracellular pH effects (frog), 242,11:C87
    - methylhistidine release, 243,6:E293
    - microvascular responses, hemorrhage, 235,4:H753  - mitochondria: see Mitochondria
  - motor control, ankle oscillations, 233,2:R8
  - myogenesis, carbon dioxide and (chicken), 237,6:C166
  - myosin, light chain, phosphorylation-dephosphorylation, 242,11:C234
  - nonshivering thermogenesis, seasonal acclimatization, 241,10:R185
  - norepinephrine effects, hypertension, 236,5:H545
  - oxygen, negative work, 230:1013
  - oxygenation, norepinephrine effects, 236,5:H307
  - oxygen consumption, soleus and gracilis, 239,8:H516
  - oxygen uptake, influence of sympathetic nerves, 231:529
  - peptide chain initiation, glucocorticoid effects, 235,4:E134
  - pH, intracellular, association with calcium ion release (frog), 234,3:C110
  - phosphorus nuclear magnetic resonance spectroscopy, 242,11:H729
  - pH transients, intracellular measurement, diaphragm, 235,4:C49
  - posttetanic twitch potentiation, deuterium oxide effects (frog), 239,8:C105

**Muscle, skeletal (continued)**

- potassium depletion, exercise hyperemia, 236,5:H480
- potassium ion efflux, exercise, 236,5:R83
- potassium-stimulated respiration, dantrolene and heavy water effects (frog), 243,12:C87
- prostaglandin E release, during restricted flow exercise, 236,5:H596
- prostaglandin inhibitors, 232,1:H571
- prostaglandins
- exercise hyperemia and, 238,7:H191
  - microvascular sensitivity to, decerebrate rat, 243,12:H844
- prostaglandin synthesis, microvascular response to, 243,12:H51
- protein synthesis, 230:1108
- degradation, effect of food deprivation, 231:441
  - fasting, 235,4:E126
  - insulin stimulation of (chicken), 243,12:C81
- protein turnover
- fasting, 236,5:E222
  - glucocorticoid effects, perfused hemi-corpus, 238,1:E564
  - thyroxine effects, 235,4:E231
- proteolysis, prolonged starvation and, 241,4:E321
- reactive hyperemia, capillary, arterial pressure effects, 234,3:H352
- red, cytochrome c and myoglobin turnover, 241,10:C140
- reflex response, cardiovascular, capsaicin injection, 240,9:H315
- regression, stretch-induced hypertrophy, wing (chicken), 242,11:C333
- resistance, hypoxia, 243,12:H1010
- respiration (frog), 234,3:C1
- resting membrane potential, insulin action (frog), 236,5:C249
- sarcoplasmic enzyme release (frog), 241,10:C98
- sarcoplasmic reticulum, thyrotoxicosis effects, 243,12:C151
- skin and, hemorrhage, 230:569
- slow, force development, 239,8:C98
- sodium-potassium-ATPase, obesity, 238,1:E193
- sodium-potassium-ATPase enzyme units, lean and obese thyroxine-injected mice, 237,6:E265
- structure and metabolism, age and feeding effects, 242,11:R89
- substrate turnover, during exercise, ethanol effects, 233,2:E195
- tetanus tension inhibition, extracellular calcium concentration (frog), 240,9:C193
- thyroidectomy, electrical and mechanical characteristics, 234,3:C90
- thyrotoxicosis, 232,1:C180
- tilting effects, 242,11:H161
- training effects
- angina pectoris, 243,12:H830
  - thyroidectomy, 230:1194
- transplanted, capillarity and blood flow of, 241,10:H630
- triglyceride uptake, thyroid status and, 238,1:E518
- twitch, stretch-induced growth (chicken wing), 239,8:C39
- uridine kinase, thyroid hormone effects, 238,1:E443
- vascular changes, asphyxia, 235,4:H72
- vascular resistance
- digitalis effects in hypotension, gracilis muscle, 238,7:H729
  - hemorrhage (chicken), 240,9:H9
- vascular responses, hypothermia, 240,9:H868
- weight, glucocorticoid effects, 238,1:E564
- Muscle, smooth**
- acid hydrolase activities, myometrial lysosomes, ovarian hormone effects, 232,1:E423
  - active factor, renal cortical, 232,1:F84

- actomyosin ATPase, calcium ion sensitivity (chicken gizzard), 237,6:C213
- adrenergic influences, oviduct, 234,3:C96
- adrenergic neurons, ovarian steroid and pregnancy effects, 240,9:C165
- angiotensin II receptors
- potassium balance and, 237,6:E519
  - potassium ion-regulated, 239,2:E317
- angiotensin receptor, esophageal (opossum), 235,4:E738
- antral, indomethacin effects, 241,4:G191
- arterial
- constriction response, 231:77
  - contraction, magnesium ion-induced, 242,11:C25
  - effects of norepinephrine, 231:420
  - mechanics and electrolyte composition, 231:77
  - norepinephrine effects, calcium mobilization, 240,9:C239
  - tonic force maintenance in (swine), 242,11:C102
- arterial and venous
- comparison, 232,1:H133
  - sodium-potassium exchange in, 243,12:H553
- arterial coronary, protein kinase in, 242,11:H177
- autonomic drug effects, 240,3:G361
- duodenal (opossum), 236,5:E33
- behavior, controlled stretches, 242,11:C146
- bethanechol and progesterone, mechanical effects, antral and gastroduodenal junction, 235,4:E422
- bioelectrical behavior, mesotubarium superius, 233,2:C180
- birefringence (toad), 232,1:C5
- calcium blocker effects, 236,5:H613
- calcium chelation-induced potentials, gastrointestinal, 233,2:C19
- calcium dependence, neuromuscular events, esophageal (opossum), 232,1:E547
- calcium effects, colon, 243,6:G134
- calcium ion efflux, external ions and, intestinal, 238,1:G520
- calcium ion mobilization, norepinephrine and methylxanthines, 240,9:C239
- calcium uptake, myometrium, 242,11:C278
- cells, cholecystokinin effects (guinea pig), 243,6:G497
- chemical energetics, single isometric tetani, 235,4:C1
- cholecystokinin effects, gastric, 235,4:E324
- cholecystokinin-octapeptide activity, intestine, 232,1:E306
- chronotropic effect, positive, 236,5:C192
- contractile activity
- mesotubarium, 234,3:C14
  - prostaglandin E, 234,3:E209
- prostaglandin effects, oviduct, ampulla, 238,1:E157
- contractile events, leukotriene D<sub>4</sub> and histamine-induced, 243,12:C133
- contractility
- gallbladder, 234,3:E44
  - Goldblatt hypertension, 241,10:H525
  - splanchnic arterial occlusion shock (pig), 241,10:H34
  - stimulus response, vascular, 240,9:H971
- contraction
- acetylcholine, trachealis muscle, 236,5:C177
  - acetyl glyceryl ether phosphorylcholine, ileum, 241,10:C130
  - adenine compounds effects, 233,2:H114
  - arterial, mannitol-induced, 232,1:H59
  - arterial and venous, comparison, 232,1:H131
  - bradykinin-induced, 232,1:H267
  - calcium dependence, esophageal (opossum), 232,1:E547

- cholinergic drug effects, isolated cells (frog), 232,1:C144
- detection, cells in suspension (frog), 232,1:C138
- esophageal, pharmacology (opossum), 237,6:E561
- force potential, tracheal, 242,11:C283
- gallbladder (salmon), 232,1:E485
- inductive displacement gauge, 239,2:G128
- isometric, taenia coli, 233,2:C47
- jejunum, 239,2:G311
- lower esophageal sphincter (opossum), 238,1:G40
- mesotubarium superius, 233,2:C180
- myofilament reorientation (toad), 232,1:C5
- myosin light chain phosphorylation, arterial (swine), 240,9:C222
- pentagastrin-induced, stomach, 232,1:E504
- receptor affinity and kinetics (frog), 232,1:C144
- spontaneous, microvibration and, 236,5:C192
- transmural stimulation, lymphatic (bovine), 240,9:H498
- Tris effects, 241,10:H337
- vagal stimulation-induced, esophageal (opossum), 235,4:E392
- deoxycholic acid, colonic motility and, 238,1:G321
- depolarization-induced contractile activity, calcium-free solution, 242,11:C36
- desensitization to angiotensin II, 232,1:H223
- diffusion limitations (frog), 232,1:C144
- diltiazem effects, mesenteric artery, 242,11:H325
- dopamine (opossum), 232,1:E19
- eccrine myoeptithelial mechanical properties and functions (monkey), 237,6:C177
- elasticity, calcium effects, 231:1501
- electrical and mechanical activity relations, esophageal (opossum), 240,3:G305
- electromyography: see Electromyography
- electrophysiology: see Electrophysiology
- energetics, temperature effects, 238,7:C49
- esophageal
- contraction, age-related changes, 232,1:H580
  - electrical off-response, 230:233
  - force-length relations, age-related changes, 232,1:E580
  - off-response, 232,1:E432
  - oxygen uptake (opossum, cat), 242,5:G258
  - potassium gradient (opossum), 232,1:E270
- excitation-contraction coupling, during metabolic depletion, trachea, 233,2:C8
- extracellular space, esophagus (opossum), 232,1:E270
- force-velocity relations
- airway, 241,10:C42
  - trachea, 233,2:C92
- gallbladder, interaction of gastrin I, secretin, and cholecystokinin, 230:553
- gap junction
- formation, myometrial, 238,7:C81
  - myometrium, 239,8:C217
- gastric, ethyl alcohol effects, 242,5:G222
- gastrin-cholecystokinin-secretin interaction, antral, 236,5:E39
- 5-hydroxytryptamine, lower esophageal sphincter (opossum), 234,3:E273
- iliac artery, mechanics, 230:462
- intestinal, slow waves, calcium levels and, 243,12:C7
- intracellular pH, hypoxic, tracheal, 232,1:E330
- isometric responses, 230:462

- length-tension relations, taenia coli, 233,2:C47
- mechanical properties, gallbladder (baboon), 241,4:G376
- membranes, calcium transport and binding, myometrium, 239,8:C66
- microvessels, method for study, 241,10:H108
- motor function (opossum), 232,1:E19
- neurotensin effects, stomach, 243,6:G404
- oscillating prostaglandin release, gastrointestinal, 239,2:G53
- ovarian hormones, oviduct, 234,3:C96
- oxygen consumption, pial arteries, 236,5:H151
- pentagastrin effects
- intestine, 239,2:G295
  - lower esophageal sphincter (opossum), 234,3:E301
- peristalsis, distal colon, 236,5:E464
- potassium content, esophageal (opossum), 235,4:E709
- propagation of stimulated slow waves, 231:228
- properties, ileocecal sphincter, 241,4:G222
- prostaglandin E, intestinal, 234,3:E204
- prostaglandin E release, 232,1:E191
- prostaglandins, 230:149
- pulmonary, impedance, blood volume effects, 242,11:H197
- pulmonary vascular
- mechanics and composition, 242,11:H245
  - receptors, 240,9:H274
  - splanchnic arterial occlusion shock (pig), 241,10:H34
- reactivity
- isolated tibia, 236,5:H904
  - potassium and, 241,10:H217
- relaxation
- bradykinin-induced, 232,1:H267
  - gastric fundus, pentagastrin-induced, 232,1:E504
  - prostaglandins, lower esophageal sphincter (opossum), 236,5:E153
  - sodium activity, 232,1:C59
  - transmural stimulation, lymphatic (bovine), 240,9:H498
- resistance: see Resistance
- resting, mechanical properties, taenia coli, 236,5:C211
- rhythmic contractions, teat sphincter (cow), 242,11:R181
- rigor, resistance to stretch and, 231:1509
- series elastic component, carotid artery, 232,1:H122
- series elasticity
- regional variations, 233,2:H248
  - urinary bladder, 231:1337
- slow-wave propagation, intestinal, 240,9:C135
- slow-wave propagation and entrainment, small intestine, 237,6:C237
- sodium-calcium exchange, myometrium membrane vesicles, 240,9:C175
- spike, calcium roles, small intestine, 237,6:C247
- spike bursts, oviduct, 234,3:E430, E439
- stomach, potassium flux, 230:743
- structural adaptation, hindlimb, 236,5:H586
- structural and functional control, trachea, 238,7:C27
- subcellular fractions, calcium incorporation, 240,9:C248
- sugar transport, insulin-stimulated, ATP effect, soleus muscle, 234,3:E407
- tachyphylaxis to angiotensin II, 232,1:H223
- taenia coli, stress-strain relations, 236,5:C211
- tension
- depression, microvibration effects, 236,5:C192
  - isometric, mesotubarium superius, 233,2:C182
- tracheal
- excitation-coupling during metabolic depletion, 233,2:C8
  - maximum force potential, 242,11:C283
  - mechanical properties, 233,2:C92
  - reflex relaxation, thin-fiber muscle afferents, 243,12:R383
  - structure and function, control, 238,7:C27
- ultrastructure, calcium, contraction and, 230:1217
- umbilical artery, calcium uptake, 231:1074
- ureteral
- force-length relations, obstruction effects (rabbit), 243,12:F204
  - multiple-coupled pacemaker system, 241,10:R412
- uterine, lithium inhibition of angiotensin, 230:1132
- vagal inhibitory pathway, esophageal sphincter (opossum), 234,3:E273
- vascular
- action potentials, tetraethylammonium-induced, arterial, 237,6:C75
  - actomyosin content, aortic, 237,6:H34
  - adenosine and adenine nucleotide action, venous, 233,2:H114
  - adenosine nucleotide derivatives, formation (hog), 233,2:H299
  - adenosine relaxation, 230:1239
  - adenosine triphosphate effects, sarcoplasmic reticulum, 242,11:C242
  - adrenergic innervation, 239,8:H252
  - aldosterone-induced hypertension, 243,12:H927
  - alloxan diabetes mellitus, 239,2:E412
  - arginine-vasopressin, arterial, 234,3:H167
  - arterial, mechanics, hindlimb, 235,4:H649
  - arterial wall mechanics, atherosclerosis (racing greyhound), 236,5:H790
  - asymmetric contraction, ear artery, 238,7:H618
  - blunted hypoxic vasoconstriction, 238,7:H849
  - calcium-45 efflux, aortic, 234,3:C139
  - calcium pools, Tris effects, 235,4:H208
  - calcium uptake, adenosine effects, 242,11:H797
  - calcium uptake, microsomal, aorta, 234,3:H508
  - cell sodium components, 242,11:H751
  - compliance, femoral vein, 233,2:H15
  - connective tissue composition, arterial, 234,3:H533
  - constriction, adrenergic, 233,2:H22
  - contractile stimuli, lymph vessels, 233,2:H57
  - contractility, adenosine monophosphate, cyclic, aorta, 234,3:H508
  - contraction, actomyosin and, aorta, 237,6:C81
  - contraction, hypoxia-induced depression, 238,7:H761
  - contraction, isometric, arterial, 233,2:H248, 234,3:C146
  - contraction, oxygen and, 238,7:H716
  - contraction, prostaglandins and, 234,3:H139
  - contraction-relaxation cycle, 243,12:H641
  - deoxycorticosterone effects, 237,6:H197
  - elasticity, femoral vein, 233,2:H14
  - electrical activity, cerebral, 239,8:C23
  - electrophysiology, hemorrhage effects, 238,7:H144
  - function, dietary manipulation of age-related decline, 238,7:H652
  - histamine, pulmonary arterial response, neonatal, 237,6:H76
  - hyperemia, microvessels (hamster), 241,10:H748
  - hypothermia effects, 240,9:H868
- impedance, aortic, hemorrhage and volume expansion effects, 238,7:H902
- intracerebral arterioles, 243,12:H598
- ion concentration gradients, cold, aortic (rat, squirrel), 237,6:C17
- ionic transport, aorta, temperature effects (rat, squirrel), 237,6:C23
- lead effects, 241,10:H211
- length-dependent sensitivity, 241,10:H557
- mechanics, arterial, 234,3:H542
- mechanics, hypertension, 237,6:H597
- mechanics, normotension and spontaneous hypertension, 237,6:H159
- mechanics, perfusion, 241,10:H789
- membrane potentials, tetrodotoxin effects, 242,11:H967
- membrane stabilization, calcium, 235,4:C227
- metabolic inhibitors, 238,7:H849
- myosin light chain phosphorylation in (swine), 242,11:C109
- neural input, humoral and mechanical factors, 235,4:R64
- norepinephrine release by potassium-free solution, 232,1:H140
- ouabain and potassium relaxation, renal hypertension, 243,12:H896
- prostaglandin H<sub>2</sub> analogue U-44069, 241,10:C243
- protein kinase in, 242,11:H177
- protein phosphorylation, 241,10:H117
- reactive hyperemia, prostaglandin inhibitors, 232,1:H571
- relaxation and contraction, arterial, prostaglandin actions, 238,7:H111
- resistance, sodium-calcium exchange, 232,1:C165
- sensitivity, spontaneous hypertension, 238,7:H287
- stress-strain relations, carotid artery, 234,3:H280
- strips, helically cut, 238,7:H107
- tone, during hemorrhage, 238,7:H144
- Tris effects, 237,6:H409
- utilization of lipid, glycogen, and protein, 243,12:H128
- venous, reactivity, extracellular sodium effects, 235,4:H581
- volume loading, aorta, 238,7:H379
- vasoactive intestinal polypeptide, gallbladder, 234,3:E44
- Muscle afferents**, thin-fiber, tracheal smooth muscle reflex relaxation, 243,12:R383
- Muscle cells**
- cardiac, ion activities, 241,10:H459
  - chloride activity, papillary muscle, 238,7:H487
  - chloride concentration, ventricular, 238,7:C169
  - chloride content (amphibian), 235,4:C122
- heart**
- calcium control, intracellular, 237,6:C147
  - choline acetyltransferase activity, embryo (chick), 233,2:H642
  - cultured, high sensitivity to autonomic agents, embryo (chick), 233,2:C172
  - dimensions and volume, growth, 234,3:H123
  - electrogenesis, regulation, embryo (chick), 239,8:C197
  - high sensitivity to autonomic agents, embryo (chick), 233,2:C172
  - protein turnover, diabetes, 239,2:E178
  - RNA polymerase activity, myocardial hypertrophy, 240,9:H901
  - protein synthesis in, insulin stimulation of (chicken), 243,12:C81
  - right bundle branch-septal model, 236,5:H379
  - single, piezoelectric force transducer, 235,4:C143

**Muscle cells (continued)**

- skeletal
  - arginine metabolism and urea synthesis, 242,5:E87
  - pH, calcium ion release (frog), 234,3:C110
- smooth
  - calcium action potential, stomach (toad), 239,8:C162
  - dissociated, stomach (toad), 239,8:C153, C162, C175, C182
  - membrane properties, pulmonary artery, 242,11:H900, H907
  - receptor characterization, 242,5:G400
  - sodium, active transport, 236,5:H189
  - substrate oxidation, ventricular, 238,7:H740
  - vascular smooth, hormone effects, 241,10:H91
- Muscle fibers**
  - acid extrusion (barnacle), 240,9:C80
  - area, cold acclimatization and, 241,10:R357
  - blood flow, running speed and, 243,12:H296
  - composition
    - epitrochlear muscle, 239,2:E454
    - rest and exercise, 243,12:R271
  - contractile properties (frog), 243,12:C66
  - 5,5-dimethylxazolidine-2,4-dione, membrane permeability (barnacle), 240,9:C73
  - dystrophic, cable properties (chicken), 237,6:C131
  - enzyme levels, 239,8:C58
  - fast-twitch, oxidative, intermittent stimulation, 242,11:C373
  - fatigue, caffeine and (frog), 241,10:C160
  - heart, angles, distribution, left ventricular, 236,5:H487
  - injected or cut, markers, intracellular localization (frog), 237,6:C50
  - isometric endurance, fast and slow muscle, 236,5:C185
  - lipoprotein lipase activity, triglyceride uptake, 238,1:E518
  - long-term stimulation effects, 243,12:H530
  - metabolite changes, during stimulation, 242,11:C218
  - pH regulation
    - dependence on intracellular and extracellular pH (barnacle), 237,6:C185
    - sodium and bicarbonate effects (barnacle), 240,9:C80
  - pH transients, intracellular (barnacle), 233,2:C61
  - piezoelectric force transducers, 235,4:C143
  - posttetanic potentiation (frog), 232,1:C185
  - short-range stiffness, 231:449
  - skeletal, regeneration, autografts, 238,7:C120
  - skinned
    - activation, 240,9:C1
    - calcium effects (crayfish), 233,2:C127
    - strophanthidin-induced toxicity, calcium effects, 236,5:H689
    - subendocardial, coronary occlusion and reperfusion, 238,7:H581
    - tonic, invaginated membrane (crayfish), 235,4:C221
    - training, 230:946
    - type IIB to IIA, transformation, intermittent stimulation, 242,11:C373
  - types
    - AMP and IMP activity, 239,8:C32
    - blood flow and oxygen consumption, 239,8:H516
    - enzyme changes, neonatal, 235,4:C97
    - hindlimb, 238,1:E124
    - thyroid hormone action, 242,11:R401
    - weak acid effects (barnacle), 241,10:C193
    - wing (chicken), 238,7:C62

- Muscle-heart reflex**, cardiac output, during isometric exercise, 236,5:H218
- Muscular dystrophy**
  - brown adipose tissue, 239,8:C18
  - calcium ion-dependent protease, immunofluorescent location (hamster), 240,3:E493
  - homozygous and heterozygous mice, 234,3:E421
  - myotonia, suppression by phenytoin (chicken), 237,6:C131
  - protein synthesis and degradation, 239,2:E401
  - stretch-induced growth effects, wing muscle (chicken), 242,11:C178
- Muscularis**, blood flow, microsphere size effects, 241,10:H408
- Muscularis serosa**, motility and blood flow, gastrointestinal tract, 235,4:H34
- Mustard seed oil**, erucic acid metabolism and, 235,4:E509
- Mutation**, low-density lipoprotein, receptor function, 243,6:E5
- Myasthenia**, cholinergic-receptor protein immunization (frog), 236,5:C53
- Myasthenia gravis**, acetylcholine receptors in, 243,6:E31
- Myothermalm rhythm**: see Rhythm
- Mydriasis**
  - morphine-induced mechanism, 236,5:R292
  - sympathetic system and, 241,10:R130
- Myenteric plexus**
  - adrenergic-cholinergic axoaxonic synapse, 236,5:E738
  - migrating motor complex, neural control, 237,6:E451
- Myoblasts**
  - differentiation, hormonal stimulation of, 243,12:C278
  - myocardial cultures (chick), 238,7:H24
- Myocardial cells**
  - automaticity, overdrive suppression (chick), 238,7:H24
  - calcium permeability, 235,4:H461
  - countershock-type electric field stimulation, embryo (chick), 235,4:H214
  - cylindrical, hypertrophy, 236,5:H79
  - defibrillator-induced damage, safety factor for, 242,11:H662
  - diameter, hypertrophy, left ventricular, 236,5:H487
  - electrical activity, lanthanum ion-induced alterations, 237,6:C87
  - electrophysiological markers, in irreversible ischemic injury, 235,4:H559
  - supersensitivity, autonomic agents, embryo (chick), 233,2:C172
  - swelling, sodium permeability and, 239,8:H31
  - transmembrane potentials: see Potentials
- Myocardial chord**, length, left ventricular asynergy, isoproterenol, 239,8:H594
- Myocardial depressant factor**
  - angiotensin II receptor blockade, hemorrhagic shock, 236,5:H280
  - arachidonic acid effects, 231:112
  - cardiogenic shock, 235,4:H657
  - naloxone effects, hemorrhagic shock, 239,8:H416
  - occlusion shock, splanchnic artery, 234,3:H1
- Myocardial infarction**: see Infarction
- Myocardial nuclei**, DNA synthesis, cytoplasmic control, Okazaki fragments, 238,7:H66
- Myocardial tissue**
  - calcium exchange, structure and function, correlation, 237,6:H239
  - mitochondrial calcium exchange, 239,8:H769
- Myocardial wall**
  - force, oxygen consumption and, 233,2:H421

- motion
  - segmental, cardiokymography, 233,2:H700
  - segmental, photokymography, 238,7:H98
- thickening, coronary occlusion, 234,3:H653
- Myocarditis**, catecholamine-induced, insulin and, 238,7:H257
- Myocardium**
  - acetylcholinesterase effects, newborn, 241,10:H637
  - acute ischemia, systemic arterial hypertension effects, 240,9:H855
  - adaptation, exercise, 240,9:H472
  - adenosine, coronary resistance and, cardiac performance, 239,8:H509
  - adenosine distribution, during coronary constriction, 236,5:H833
  - adenosine formation, increased cardiac performance and, 236,5:H13
  - adenosine monophosphate, cyclic-protein kinase cascade system, diabetes effects, 240,9:H375
  - adenosine triphosphate synthesis, oxygen deficiency, 234,3:H620
  - adenylate cyclase activity, 234,3:H608
  - $\alpha$ -adrenoceptor stimulation and, methoxamine hydrochloride (lamb), 242,11:H405
  - age changes, inotropic agent effects, 242,11:H13
  - aging, review of, 242,11:H927
  - akinetic, coronary collateral blood flow, 233,2:H541
  - ammonia, extraction and clearance, 242,11:H536
  - anaerobic, amino acid metabolism, 237,6:H535
  - anaerobiosis, 232,1:H470
  - anoxic, 232,1:H85
    - energetic state and potassium loss, 235,4:H537
  - atrial, contractile dysfunction, endotoxic shock, 240,9:H954
  - at risk, coronary artery occlusion and release, 243,12:H340
  - autoregulation, spatial and temporal perfusion, heterogeneity, 235,4:H64
  - biomechanics, left ventricular wall deformation, 235,4:H523
  - blood flow: see also Blood flow
    - coronary, contractile force as function of, 230:1
    - distribution, in hemorrhagic shock, 230:41
    - hemorrhagic shock, verapamil effects, 241,10:H12
    - mitochondrial enzyme defects, ischemia (pig), 240,9:H308
  - calcium, mitochondrial, in ischemia, 233,2:H677
  - calcium ion exchange, acidosis, 236,5:H525
  - capillaries: see Capillaries
  - capillary-myocardial exchange, coronary flow reduction, 234,3:H679
  - carbon dioxide buffering, 230:1037
  - carbon dioxide pressure, ischemic injury, 237,6:H253
  - cardiac lymph, mannitol effects, 236,5:H112
  - carnitine levels in, diabetes, 243,12:H154
  - catecholamines, reinnervation and, 233,2:H431
  - cation contents, calcium paradox induction, 237,6:H713
  - chloride analysis, 238,7:C169
  - chlorobutanol and bradykinin effects, excitation, 230:306
  - chord length
    - adrenergic inotropic and chronotropic effects, 234,3:H525
    - high heart rate and, 236,5:H568
  - collaterals, intramyocardial, circumflex occlusion and, 238,7:H504



- compliance, hypoxia, 232,1:H526  
compression, fibrillation and, 237,6:H191  
contractile behavior, hypertensive hypertrophy, 242,11:H882  
contractile proteins, pressure-overload hypertrophy and failure, 234,3:H711  
contractility: *see also* Muscle, heart  
adrenal contribution, newborn (lamb), 234,3:H173  
digoxin effects (sheep), 243,12:H519  
nitroglycerin, 234,3:H244  
regional, coronary occlusion, 234,3:H653  
vagal stimulation and, 243,12:H219  
contracture  
hypoxic and posthypoxic, 232,1:H526  
ischemia and, 233,2:H677  
magnesium fluxes, 234,3:C115  
cyclic nucleotides and norepinephrine, neural sympathetic stimulation, 240,9:H630  
depression  
contractile dysfunction, endotoxic shock, 240,9:H954  
endotoxic shock, 242,11:H172  
deprived, thermally induced preservation and necrosis, 232,1:H288  
diastolic stiffness, left ventricular hypertrophy, 242,11:H633  
differential response, 232,1:H485  
dynamics, regional, and negative  $dP/dt$ , 237,6:H542  
dysfunction  
isosorbide dinitrate effects, regional, 239,8:H399  
vascular resistance, 239,8:H477  
ellipsoidal shells, pressure-volume relations, shape effects, 238,7:H197  
energetics  
during isometric twitch contractions, papillary muscle, 236,5:H244  
iron-deficiency anemia, 232,1:H470  
energy state, cytosol-mitochondrion relations, 234,3:C73  
energy supply-demand, factors, 237,6:H696  
enzyme activities, development, 233,2:H707  
excitability, computer-controlled stimulator, 239,8:H278  
excitation-contraction coupling  
magnesium effects, 237,6:H413  
neonatal, 242,11:H834  
exercise effects, excitation-contraction coupling, 240,9:H472  
extracellular marker, cobaltic EDTA, 242,11:H671  
failure  
endotoxin, role of myofibril and venous return, 235,4:H150  
volume overload and, 243,12:H876  
fiber orientation, left ventricular hypertrophy, 236,5:H487  
flow, cardiac function and, collateral development, 240,9:H811  
frequency response, strain gauge, 236,5:H657  
function  
 $\alpha$ -adrenergic receptor blockade effects, awake state, 243,12:H94  
hypoxia, neonatal, 235,4:H469  
ischemia effects, newborn, 242,11:H1077  
left ventricular shortening during chronic volume overload, 238,7:H126  
regional, left ventricular diastolic mechanics and, 236,5:H323  
regional, nifedipine and diltiazem, 239,8:H658  
regional, papillary muscle dynamics, 233,2:H384  
right ventricular systolic hypertension (pony), 235,4:H628  
Tris effects, 235,4:H167  
function and metabolism, coronary artery occlusion and, 242,11:H980  
gas tension: *see* Gas, or the specific gas geometry, ischemia effects, 240,9:H413  
glucose, metabolic rate of, 243,12:H884  
graded coronary occlusion effects, 243,12:H852  
grayanotoxin I effects, right atrial, 235,4:C136  
heat production, species differences, 237,6:H90  
helical fibers, contraction effects, 243,12:H1  
hemodynamic correlates, oxygen consumption, 235,4:H237  
high-energy phosphates, hypoxia effects, neonate, 235,4:H475  
hyperthyroid, catecholamine effects, 243,6:E114  
hyperthyroidism, adrenergic control of contractility, 237,6:H590  
hypertrophy  
blood flow, right ventricular (pony), 240,9:H881  
passive electrical properties of, 243,12:H917  
hypothermic ischemia, excitation-contraction coupling, 240,9:H336  
hypoxia, reoxygenation after, tissue calcium ion exchange and, 242,11:H437  
imaging, regional blood flow, 232,1:H576  
impaired energy metabolism, phosphate depletion and, 242,11:F699  
infarction: *see* Infarction  
infarct size, risk area and, relations, 242,11:H867  
injury, protein release, radioimmunoassay, 239,8:H565  
inotropy, carbon dioxide, water and air breathers (trout, turtle), 234,3:R155  
insulin effects, neonatal diabetes (lamb), 237,6:H514  
interstitial volume, cell swelling, 239,8:H31  
intracellular sodium activity, catecholamine effects, 243,12:H670  
ionic activity, potassium-selective electrodes, 235,4:H455  
ischemic: *see also* Ischemia  
abnormal lanthanum accumulation, 241,10:H714  
fructose 1,6-diphosphate effects, 241,10:H576  
lysophosphoglycerides in, arrhythmogenic effects, 241,10:H700  
postextrasystolic potentiation, 241,10:H654  
regional function recovery, 240,9:H399  
isoproterenol-induced dysfunction  
coronary stenosis and, 242,11:H260  
reticuloendothelial system function, 236,5:H813  
left ventricular, microsphere loss from, 242,11:H392  
lipoprotein lipase activity, obesity, 241,4:E108  
mechanical alterations, hypertension, long-term, 241,10:H435  
mechanical performance, anoxia, 232,1:H85  
mechanics  
amino acid perfusion, 236,5:H873  
barium ion contracture and, 238,7:H340  
ischemic and physical training, 234,3:H215  
isometric twitch contractions, papillary muscle, 236,5:H244  
oxygen deficiency, 234,3:H620  
metabolic-electrophysiological relations, 235,4:H46  
metabolism  
adenosine activity and, 238,7:H389  
assessment with  $^{14}C$ -labeled palmitate, 237,6:H51  
coronary shunting of microspheres, 236,5:H7  
diabetic, newborn (lamb), 237,6:H118  
diving (seal), 242,11:R97  
energy supply-demand factors, 237,6:H696  
fetal and adult (sheep), 238,7:H399  
heavy metals, 239,8:H22  
isolated heart preparation, external assessment, 236,5:H644  
positron-emitting tracers, 242,11:H62  
metabolite accumulation, reactive hyperemia, 234,3:H625  
mid-, perfusion and heat generation, thermal quantification, 236,5:H345  
multipolar needle electrode, 233,2:H312  
nerve excitation, autonomic neuromedators, 238,7:H794  
nerve growth factor-enhanced reinnervation, catecholamines and, 236,5:H624  
norepinephrine and insulin, reciprocal inhibition (piglet), 233,2:H665  
nucleotide depletion, brief ischemia, open chest, 242,11:H818  
oxygen: *see also* Oxygen  
oxygen delivery, adrenergic control of, exercise, awake state, 242,11:H805  
oxygen and carbohydrate metabolism, fetal, hypoxemia in utero, 243,12:H959  
oxygen extraction  
aortic constriction and, 242,11:H310  
methoxamine effects, 241,10:H370  
oxygen requirements, prediction of, 243,12:H862  
performance  
adult and newborn (lamb and sheep), 237,6:H66  
mannitol effects, 233,2:H444  
maturation, papillary muscle, 242,11:H359  
regional, strain gauge, 236,5:H657  
transient coronary occlusion, exercise, 237,6:H520  
perfusion  
contribution of myocardial contractility, 236,5:H121  
critical closing and opening phenomena, coronary vasculature, 238,7:H533  
ischemia, evaluation from coronary venous blood, 236,5:H385  
left ventricular hypertrophy, 239,8:H621  
regional, heat generation, thermal quantification, 236,5:H345  
right ventricular systolic hypertension (pony), 235,4:H628  
spatial and temporal heterogeneity, 235,4:H64  
transmural, during restricted coronary inflow, 232,1:H645  
pH, regional ischemia, photometric measurement of, 243,12:H1027  
physical training, 234,3:H608  
potassium depletion, subcellular changes, 237,6:C1  
potassium exchange, anoxia, 232,1:H85  
power density, contractility and, 237,6:R225  
preservation  
autonomic nervous system and, 240,9:H738  
magnesium effects, ischemia, species differences (rat, rabbit), 242,11:H89  
progressive hypothermia, 236,5:H839  
procainamide, radiochemical determination, 234,3:H399  
protection, ischemic arrest, 240,9:H300, H326  
protein kinases, postnatal, 235,4:H338  
protein synthesis, during oxygen deprivation, 230:120  
pyruvate oxidation, energy-linked changes, adrenergic stimulation (guinea pig), 242,11:H30  
radiotracer kinetics, regional, 242,11:H849

**Myocardium (continued)**

- reactive hyperemia, coronary artery pressure, 240,9:H709
- regional function, coronary occlusion, 240,9:H293, H399
- regional perfusion, coronary artery vasodilation, 240,9:H767
- relaxation, heart ventricles, 240,9:H87
- reperfusion, prolonged abnormalities following, 241,10:H591
- ribonucleic acid polymerases, endogenous in hyperthyroidism, 236,5:H451
- right ventricular wall motion, intersection and, 236,5:H254
- rubidium-86, integral extraction rate, 235,4:H794
- segmental wall motion, photokymography, 238,7:H98
- segment length
  - cardiokymography, 233,2:H700
  - collateral function, awake state, 241,10:H519
- senescent,  $\beta$ -adrenergic stimulation, 239,8:H501
- slow channels
  - electrophysiology, 235,4:H1
  - valinomyin blockade, glucose reversal, 235,4:H46
- slow inward current, blockade at low pH, embryo (chick), 233,2:C99
- stiffness
  - dynamic, 232,1:H373
  - passive, pressure-overload hypertrophy, 237,6:H676
- stiffness, ischemia effects, 240,9:H413
- stiffness-stress relations, ellipsoidal shell model, 238,7:H917
- stimulation,  $\beta$ -adrenergic, gastric distension, 243,12:H748
- strength-interval relations, ischemia, 233,2:H392
- stress, estimation of, 242,11:H875
- structure, left ventricular hypertrophy, 236,5:H487
- subcellular function, ischemia, hypothermia and, 240,9:H336
- substrate effects, normoxia and hypoxia, 235,4:H144
- supersensitivity, reinnervation and, 233,2:H431
- tension, hypoxia, 232,1:H526
- tension prolongation phenomenon, nitroprusside effects, 237,6:H185
- thallium exchange, hyperkalemia and glycoside effects, 240,9:H612
- thoracic nerve stimulation, 232,1:H485
- three-dimensional shape, 241,10:H1
- thymidine kinase, age-dependent stimulation by growth hormone, 236,5:H73
- timed plasma staining, capillary density during, 242,11:H133
- transcapillary exchange, dopamine analogue effects, 235,4:H118
- transmural deformation, dynamic geometry, 235,4:H523
- valvar subcoronary aortic stenosis, 236,5:H780
- vascular waterfall, 236,5:H121
- venous drainage, quantitation, 234,3:H163
- ventricular
  - digitalis, voltage dependence, 241,10:H646
  - volume regulation, hydrostatic force effects, 241,10:H740
  - viscoelasticity, left ventricular diastolic mechanics and, 236,5:H323
  - volume regulation, hypothermic ischemic arrest, 240,9:H116
  - water content, during hemodilution, 235,4:H767
  - weak and strong, segmental dysfunction and, 235,4:H776
- Myocytes:** see also Cardiac cells; Heart cells, Muscle cells, heart

- cardiac
  - hexose monophosphate shunt, 232,1:E570
  - sodium-potassium-ATPase activity, fatty acid effects, 242,11:H456
- contracture, anaerobic to aerobic transition and, 242,11:H1022
- nerves: see Cardiac nerves
- oxidative phosphorylation, euthyroid, hypothyroid and hyperthyroid, 235,4:C213
- oxygen delivery, normoxic and hypoxic, 235,4:H809
- peptide chain initiation, glucocorticoid effects, 235,4:E134
- protein synthesis, fasting, 235,4:E126
- reperfusion and ischemia
  - contraction-relaxation changes, 235,4:H637
  - myocardial contracture, 235,4:H619
- slow responses, valinomycin blockade of myocardial slow channels, 235,4:H46
- species differences, hyperosmolality and D600 effects, 235,4:H276
- substrate oxidation, amino acid stimulation, 235,4:E461
- weight, carbon monoxide-induced cardiomegaly, 235,4:H516
- Myoelectric activity,** 230:1538
  - colon, 236,5:E458
  - deoxycholic acid, 238,1:G321
  - duodenal, gut hormones, 238,1:G280
  - Escherichia coli*, toxigenic and nontoxigenic, small intestine, 235,4:E311
  - gastric, liquids and solids, emptying, 239,2:G71
  - gastrocolonic, dietary components, 238,1:G228
  - heat-stable toxin effects, small intestine, 242,5:G360
  - interdigestive motor complex, 235,4:E661
  - intestinal
    - parasitism, 234,3:R188
    - perinatal development (dog, sheep), 237,6:E61
  - intrinsic responses, esophageal sphincter, 243,6:G415
  - jejunum, liquids and solids, transit, 239,2:G497
  - migrating complex, 235,4:E666
  - small intestine
    - absorption and, 239,2:G167
    - alteration by *Escherichia coli*, 238,1:G57
    - histamine receptors, 238,1:G50
    - methionine-enkephalin, 238,1:G384
    - Shigella* enterotoxin and, 239,2:G382
    - somatostatin effects, small bowel, 235,4:E249
  - spike bursts, minute rhythm of, small intestine, species differences, 242,5:G654
  - substance P effects, small bowel, 243,6:G493
- Myoelectric complex**
  - activity, cholera toxin B subunit and, 242,5:G47
  - blood sugar oscillations and, duodenal (pig), 242,5:G15
  - correlates, intestinal, in vomiting, 233,2:F131
  - interdigestive
    - celiac and superior mesenteric, gangliotectomy, effects, 237,6:E432
    - ectopic fronts, motilin-independent, 239,2:G215
    - fasting, 241,4:G159
    - gastric pacemaker rhythm and, 237,6:E279
  - migrating
    - interdigestive, disorganization by perfusion of a Thirty-vella loop, 238,1:G509
    - intrinsic nervous control, 241,4:G16
    - morphine effects, 242,5:G588

- origin (sheep), 233,2:E483
- migratory, small bowel, nervous control (miniature swine), 238,1:G102
- small intestine, 238,1:G57
- test meals, disruptive effects, 235,4:E661
- Myoelectric properties,** ileocecal sphincter, 240,3:G450
- Myoepithelium,** eccrine sweat gland, mechanical properties and function (monkey), 237,6:C177
- Myofibrillar proliferation,** stretch-induced growth, wing muscles (chicken), 241,10:C93
- Myofibrils**
  - ATPase, skeletal muscle, 233,2:C14
  - endotoxin-induced myocardial failure, 235,4:H150
  - phosphate depletion, energy metabolism and, myocardium, 242,11:F699
  - prolonged exercise, muscle fatigue and, 242,11:C65
  - protein degradation, 233,2:E119
  - Purkinje fibers, heart, 241,10:H291
  - right ventricular hypertrophy, exercise effects, 243,12:H856
  - subcellular function, hypothermic ischemic myocardium, 240,9:H336
- Myofilament**
  - overlap, latissimus dorsi muscle, related to heat production (chick), 233,2:C1
  - reorientation, smooth muscle (toad), 232,1:C5
- Myofilament-polyribosome complexes,** Purkinje fibers, heart, 241,10:H291
- Myogenesis**
  - avian, isometric contractile properties during, muscle (chick), 243,12:C177
  - contractile property development, embryo (chick), 242,11:C52
- Myogenic control,** skeletal muscle capillaries, reactive hyperemia, 234,3:H352
- Myogenic effect,** acetylcholine and cholecystokinin, gastric smooth muscle cells (toad), 237,6:E172
- Myogenic hypothesis,** reactive hyperemia, skeletal muscle (chicken), 233,2:H379
- Myogenic mechanism**
  - autoregulation, arterioles, 241,10:H829
  - reactive hyperemia, microvessels, cheek pouch (hamster), 241,10:H748
- Myogenic reaction,** microvascular (bat wing), 237,6:H59
- Myogenic responses**
  - blood flow autoregulation, intestinal, 239,8:H156
  - calcium-dependent contractile activation, cerebral artery, 242,11:H760
  - hyperemia, myocardial, 240,9:H709
  - intestinal, arterial pulse pressure and hypoxia, 235,4:H157
  - intestinal resistance, exchange vessels and, 233,2:H547
- Myogenic vasoconstriction,** intestinal, oxygen extraction and, 238,7:H836
- Myoglobin**
  - carbon dioxide exposure and, postnatal, 243,12:H328
  - function, fluorocarbon-perfused heart, 234,3:H567
  - magnesium flux, myocardial contracture, 234,3:C115
  - muscle atrophy, glucocorticoid-induced, endurance training effects, 241,4:E226
  - oxygenation, coronary artery occlusion, 242,11:H980
  - oxygen pressure, resting skeletal muscle, 236,5:H307
  - serum, radioimmunoassay, 239,8:H565
  - turnover, red skeletal muscle, 241,10:C140
  - warmth effects (fish), 240,9:R151
- Myoglobin-antimyoglobin,** kinetics, radioimmunoassay, 239,8:H565

**Myogram**, isogram, trachea, 233,2:C92  
**Myometrium**

- activation, during parturition, gap junctions, 235,4:C168
- calcium binding, plasma membrane, 239,8:C66
- calcium ions, intracellular, regulation, 232,1:C50
- calcium uptake, plasma membrane, 242,11:C278
- estrogen- and progesterone-treated, tissue impedance, 238,7:C34
- gap junction, formation and regulation, 239,8:C217
- gap junction formation, control by estrogens, progesterone, and prostaglandins, 238,7:C81
- innervation, 233,2:C25
- norepinephrine uptake and metabolism, pregnancy, 236,5:C277
- ionic environment effects, oxygen uptake and lactate production, 230:158
- lysosomal acid hydrolase activities, ovarian hormone effects, 232,1:C423
- sodium-calcium exchange, plasma membrane enriched membrane vesicles, 240,9:C175

**Myopathy**

- mitochondria, cardiac, Amytal and, 237,6:C221
- steroid, muscle, 243,6:E512

**Myopia**, pupil (dolphin), 237,6:R301**Myosin**

- electrophoretic patterns, fiber transformation, muscle, 242,11:C373
- force-velocity relations, heart atria and ventricles, 243,12:H391
- heavy chain synthesis, neurotrophic effects (chick), 241,10:C269
- hypertrophy, cardiac, 241,10:H263
- light chain
  - kinase, contraction, arterial smooth muscle (swine), 240,9:C222
  - phosphorylation, calcium ions and smooth muscle (swine), 242,11:C109
  - phosphorylation, cardiac muscle, 241,10:H117
  - phosphorylation-dephosphorylation, skeletal muscle, 242,11:C234
  - phosphorylation, perfused heart, 239,8:H756
  - thyroid hormone action, muscle, 242,11:R401

**Myosin ATPase**: see Adenosine triphosphatase**Myothermal technique**, cardiac energetics, species differences, 237,6:H90**Myothermia**, stress development cost, soleus muscle, 243,12:C242**Myothermic properties**, smooth muscle, 238,7:C49**Myotonia**

- membrane potentials (goat, rat), 240,9:C56
- phenytoin suppression, dystrophic muscle (chicken), 237,6:C131

## N

**NADH**

- fluorescence
  - myocardial performance, normoxia and hypoxia, 234,3:H144
  - oxygen effects, kidney, 231:1082

**NADH-CoQ-reductase**, mitochondrial enzyme defects, myocardial ischemia (pig), 240,9:H308**NADH glycohydrolase**, activity, myocardial infarction, 231:1173**NAD<sup>+</sup>/NADH**, antiammonogenic effect, ketone bodies, 239,8:F420**Nafoxidine**, adiposity and, female, 240,3:E474**Nailfold capillaries**: see Capillaries**Naloxone**

- endotoxic shock, cerebellum pressor effects, 240,9:H368

- hemorrhagic shock, protective action, 239,8:H416
- morphine effects and, catecholamine responses, 242,5:E317
- myoelectric activity, small bowel, 238,1:G384
- pituitary, experimental obesity, 241,10:R173
- shock and, central nervous system effects, 241,10:H479
- temperature regulation and, 243,12:R104

**Nanoliter samples**, acid-base titration, glass and antimony electrodes, 242,11:F95 **$\alpha$ -Naphthylthiourea**

- pulmonary edema, 232,1:C132
- vascular injury, dose-dependent, lung (sheep), 243,12:H507

**Naproxen**, prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532**NAP-taurine**, transport, kidney, 241,10:F9**Nasal gland**

- guanosine monophosphate, cyclic and, cholinergic activation, sodium-potassium pump (duck), 240,9:C207
- stimulus-secretion coupling, guanosine monophosphate, cyclic role (duck), 237,6:C200

**Nasopharynx**, cardiovascular-respiratory reflex interactions (monkey), 234,3:H293**Natriocentric theory**, transepithelial fluid transport, 235,4:F626**Natriuresis**

- adrenal enucleation, 233,2:F8
- aldosterone effects
  - hypertonic infusions, 242,11:F30
  - spontaneous hypertension, 234,3:F29
- angiotensin, 230:1042
  - Goldblatt hypertension, nephron, 243,12:F553
  - angiotensin II, central, 242,11:R498
  - goosefish, 236,5:R297
  - arginine vasopressin, 236,5:F66
  - blunted, norepinephrine effects, spontaneous hypertension, 235,4:F425
  - bradykinin action, renal prostaglandins and, 237,6:F182
  - caval constriction, 232,1:F507
  - central nervous system-induced, nonpressor mechanisms, 237,6:F157
  - denervation, 232,1:F16
  - kidney, awake state, 242,11:F140
  - renal, 236,5:F513
  - diuretic drugs, renal response (crayfish), 232,1:F278
  - dopamine effects, 232,1:F524
  - exaggerated, spontaneous hypertension, 235,4:F409
  - gastrointestinal control, 230:1504
  - interstitial pressure, renal, 235,4:F209
  - intracarotid sodium chloride-induced, 230:427
  - kallikrein excretion, renal, vasopressin effects, 239,8:F388
  - nephron function, 232,1:F566
  - nephron mass, reduced, cross-circulation study, 235,4:F465
  - oxytocin and, saline-expanded neonates, 239,8:F589
  - prostaglandins, 233,2:F169
  - proteinuria, angiotensin- and norepinephrine-induced, 237,6:F133
  - renal sympathetic nerve activity, 235,4:F557
  - secretin effects, 232,1:F147
  - tissue composition and, kidney, 241,10:F250
  - two-component response, saline loading, 235,4:F126
  - vasopressin, 231:28
  - volume expansion, 233,2:F118
  - renal (monkey), 242,11:F649
  - water restriction effects, 240,9:R319

**Natriuretic hormone**

- nonpressor central nervous system natriuresis, 237,6:F157
- sodium-potassium-ATPase and, kidney, 242,11:F207

**Nauplius**, osmoregulation (shrimp), 234,3:R216**Neck**

- suction
  - carotid baroreceptor stimuli, 242,11:H638
  - neural control, heart, 239,8:H581
- Neck organ**, osmoregulation (shrimp), 234,3:R216

**Necrosis**

- cellular, ethionine effects, pancreas, 242,5:G296
- endothelial, acute hypertension, cerebral arterioles, 240,9:H511
- histological, myocardial infarction, 239,8:H731
- medial, vasa vasorum role, aortic wall nourishment, 240,9:H781
- myocardial, thermally induced, 232,1:H288
- papillary, 239,8:F187
- renal tubular, phospholipid metabolism (rat), 232,1:E216

**Necrotic ulcers**, prednisolone-induced, intestinal prevention by prostaglandin E<sub>2</sub>, 235,4:E703**Necrotic wavefront**, movement, coronary artery occlusion and, 243,12:H682**Negative feedback**: see Feedback**Nematode infection**, intestinal, myoelectric activity, 234,3:R188**Neomycin**, prednisolone-induced intestinal lesions, 235,4:E703**Neonate**: see also Infant; Newborn

- $\beta$ -adrenergic receptors, hypoxic pulmonary circulation (lamb), 240,9:H697
- carbon dioxide exposure effects, postnatal, 243,12:H328

**chemical sympathectomy**, circulatory effects (sheep), 243,12:H113**chondroosseous circulation**, tibia and femur, 242,11:H365**endocrine responses**, arterial hypotension (sheep), 242,5:E215**excitation-contraction coupling**, myocardial, 242,11:H834**gastrin concentration**, fetal and neonatal (sheep), 241,4:G235**hypoxia**, cerebral circulatory response during (lamb), 243,12:H27**maturation**, developing kidney (guinea pig), 241,10:F618**parathyroid hormone and amrinone interaction**, bone culture, 243,6:E499**Neoplastic cells**, 240,3:GH<sub>3</sub> calcium, prolactin release and, 240,3:E705**Neostigmine**, presynaptic receptors, neuromuscular transmission and, 242,11:C366**Nephrectomy**

- bilateral, aldosterone secretion, 232,1:F434
- cardiovascular responses, hemorrhage, 240,9:R166
- drinking inhibition, 234,3:F41
- erythropoiesis, 230:845
- erythropoiesis, 230:845
- glucocorticoid hypertension, renin-angiotensin system in, 243,6:E48
- hypalbuminemia, chronic renal failure, 243,12:F372
- inhibition of transmembrane potassium transfer and, 231:1660
- insulin extraction and degradation, 239,2:E3
- partial, hypertension, 236,5:H314
- phosphate transport, medullary collecting duct, 237,6:F48
- plasma trypsinogens in, 242,5:G177
- potassium homeostasis and, 241,10:F151

**Nephrectomy (continued)**

- potassium secretion, inner medullary collecting duct, 236,5:F278
- protein synthesis, 237,6:F299
- unilateral
  - arterial pressure-urinary output relations, 234,3:R98
  - compensatory phosphaturia following, 231:1625
  - concentrating ability, 233,2:F428
  - kidney function changes after, 242,11:F181
  - potassium regulation, tubular sites, 234,3:F146
  - renal nerves role in compensatory renal response, 238,7:F26
  - sodium-potassium-ATPase, 239,8:F281
  - volume expansion, compensatory adaptation, 235,4:F528
  - uteroplacental blood flow, pregnancy, 242,11:H142
- Nephrocalcinosis**, calcium and, kidney, 241,4:E136
- Nephrolithiasis**, hypercalciuria, 237,6:F415

**Nephron**

- acute renal failure, 238,7:F305
- aldosterone binding
  - autoradiographic study, 240,9:F172
  - tubules, 242,11:F63, F69
- aldosterone effect, sodium-potassium-ATPase, 241,10:F273
- angiotensin microperfusion, 236,5:F365
- bidirectional transport, 237,6:F85
- calcium and magnesium transport, furosemide effects, 241,10:F340
- calcium efflux, ionophore RO 2-2985 effect, 235,4:F381
- calcium-magnesium-ATPase, high-affinity, 242,11:F346
- calcium transfer, intraluminal and contraluminal magnesium effects, 238,7:F187
- calcium transport, 237,6:F1
  - calcitonin and, 238,1:E573
- cell volume regulation in, 243,12:F408
- chloride reabsorption, segmental, as a function of load, 234,3:F97
- chloride transport, volume expansion effects, 233,2:F118
- chronically altered, glucose transport, 243,12:F393
- concentrating mechanism (reptiles, birds, mammals), 239,8:R197
- corticomedullary, prostaglandin synthetase inhibition, 235,4:F111
- deep
  - phosphate transport, 233,2:F150
  - renal mass reduction effects, 236,5:F454
- differentiation, principles, 235,4:F387
- distal
  - adenyl cyclase, 235,4:F451
  - allantoin excretion, 233,2:F373
  - calcium transport, 235,4:F367
  - hydrogen ion secretion, respiratory alkalosis, 235,4:F203
  - kinins, formation, 234,3:F36
  - phosphate transport, 238,7:F358
  - potassium adaptation, 243,12:F103
  - prostaglandin-forming cyclooxygenase, 235,4:F451
  - prostaglandin synthetase inhibition, 235,4:F111
- distal blockade, chloride concentration gradient, newborn, 239,8:F328
- electrolyte transport, parathyroid hormone effects, 236,5:F342
- filtration measurement, proximal intratubular pressure role, 241,10:F238
- filtration rate, glomerular permeability coefficient, 240,9:F245
- flow rate, early proximal, 239,8:F427
- fluid transport, volume expansion effects, 233,2:F118
- function
  - angiotensin effects, hypertension, 243,12:F553
  - isolated perfused kidney, 231:1699
  - physiological evaluation, 238,7:F71
  - potassium effects, 234,3:F381
  - volume expansion, 232,1:F566
- functional segmentation, mammalian, 241,10:F203
- gentamicin transport, 241,10:F645
- gluconeogenic enzymes, distribution in acidosis and starvation, 235,4:F246
- hemodynamics, spontaneous hypertension, 236,5:F246
- heterogeneity, 232,1:F159, F312, 237,6:F34
  - corticosteroid binding, 243,12:F235
  - drug-induced necrosis, kidney papilla, 241,10:F14
  - oxalate transport, proximal tubule, 243,12:F271
  - phosphate reabsorption, 239,8:F336
  - potassium and, 235,4:F104
  - potassium transport, pars recta, 242,11:F226
  - saline effects, filtration fraction, 243,12:F96
  - sodium and potassium excretion, 239,8:F187
  - structural and functional, 233,2:F491
  - hexokinase distribution, 240,9:F492
- hormone action sites, mammalian nephron, 240,9:F159
- individual segments, mineralocorticoid effects on sodium-potassium-ATPase, 240,9:F536
- ion permeation (*Necturus*), 235,4:F89
- isolated perfused, angiotensin II handling, 232,1:F319
- juxtamedullary
  - acid-base disturbance effects, magnesium reabsorption, 243,12:F197
  - mannitol-induced diuresis, 240,9:F411
  - papillary plasma flow, potassium, deficiency effects, 237,6:F226
  - potassium transport, acid-base disturbance effects, 243,12:F188
  - renal mass reduction effects, 236,5:F454
- kallikrein-kinin system, 238,7:F247
- lactate uptake, peritubular (garter snake), 238,7:F296
- magnesium transfer, intraluminal and contraluminal magnesium effects, 238,7:F187
- magnesium transport, 239,8:F393
- calcitonin and, 238,1:E573
- medullary, sodium transport, prostaglandin effects, 232,1:F383
- methionine sulfoximine effects, glutathione and amino acid levels, 231:1536
- mineralocorticoid escape, sites, 239,8:F149
- natriuretic factors, with reduced mass, 235,4:F465
- nonelectrolyte absorption, flow dependence, 236,5:F163
- nucleotide metabolism, enzymes of, 243,12:F349
- obstruction, altered glomerular hemodynamics, 241,11:F580
- parathyroid hormone responsiveness, 233,2:F29
- perfusion, feedback responses, 234,3:F154
- phosphate reabsorption, heterogeneity, 234,3:F287
- phosphate transfer, 233,2:F261
- phosphoenolpyruvate carboxykinase distribution, 240,9:F492
- plasma flow, determinants, 232,1:F477
- potassium chloride transport, furosemide and, 238,7:F509
- potassium loading, sodium-potassium-ATPase activity, 238,7:F380
- proximal
  - cell shape and water reabsorption,

- phenomenological model, 234,3:F308
- glucose transport, 241,10:F322
- remnant, hyperinflation and, 241,10:F85
- segments
  - acute renal failure, 241,10:F556
  - individuals, in potassium transport, 235,4:F515
  - isolated, ischemic acute renal failure, 239,8:F17
  - isolated perfused, luteinizing hormone-releasing hormone, 241,10:F117
- single
  - autoregulation, 234,3:F357
  - glomerular filtration rate, pseudopregnancy, 243,12:F300
  - glomerular function, angiotensin (trout), 239,8:R509
- single segments, sodium-potassium-ATPase activity, 237,6:F105
- sodium chloride cotransport, antidiuretic hormone stimulated, 241,10:F412
- sodium concentrations, variations, 238,7:F256
- sodium-potassium-ATPase activity, maturation, 233,2:F55
- stop-flow pressure, tubular obstruction, 237,6:F379
- superficial
  - anatomical patterns, 234,3:F207
  - bicarbonate transport, parathyroid hormone and, 239,8:F127
  - diluting capacity, maturation, 233,2:F519
  - fluid absorption, deoxycorticosterone acetate effects, 241,10:F502
  - micropuncture of, kidney (avian), 243,12:F561
  - micropuncture study (desert rodent), 241,10:F612
  - phosphate transport, 233,2:F150
  - reduced renal mass in early development, 242,11:F190
  - terminal, calcium excretion, urinary, 232,1:F545
- Nephropathy**, potassium depletion, phospholipid formation, 236,5:E429
- Nephrosclerosis**, malignant, 230:849
- Nephrotic syndrome**, glomerular permselectivity, 234,3:F455
- Nephrotoxicity**
  - cisplatin, papillary hypertonicity, 241,10:F175
  - common drugs and, 241,10:F1
  - gentamicin, ion composition and, renal cortex, 242,11:F477
  - glaphenine-induced, model, 243,12:F311, F416
- Nernst potentials**: see Potentials
- Nerve endings**
  - heart rate, vena cava stretching effects, 241,10:H248
  - norepinephrine release and disposition, estradiol effects, 239,8:H450
  - transduction mechanisms, carotid body, 239,8:C135
- Nerve fibers**
  - cardiac, afferent sympathetic, coronary occlusion, 238,7:H667
  - single, tetanic hyperpolarization in sodium and lithium, 231:1033
  - sympathetic postganglionic, atrioventricular junctional rhythm, 239,8:H181
- Nerve growth factor**, cardiac reinnervation, 236,5:H624
- Nerve-muscle activity**, amino acid uptake, insulin-sensitive muscle, 232,1:C83
- Nerve-muscle pathways**, polarity, 235,4:E345
- Nerves**: see also specific nerve block: see Block
  - conductivity: see Conductivity
  - growth factor, heart, 241,10:C215
  - input, carotid sinus, 233,2:R100
  - slow sodium inactivation, trypsin modification (crayfish), 235,4:C238



- stimulation  
 adrenergic transmission, modulation  
   by angiotensins, mesentery,  
   236,5:H211  
 norepinephrine disposition, saphenous  
   vein, 239,8:H238  
 train composition, effects on heart  
   rate, 237,6:H366  
 supply, duodenal muscle, 233,2:E28  
 traffic, circulatory mechanoreceptors  
   (turtle), 242,11:R216  
 transmural stimulation, cerebral arteries,  
   243,12:H145
- Nerve suture technique**, efferent vagal  
 fibers, discharge, gastric antrum,  
 235,4:E366
- Nervous syndrome**, high pressure,  
 230:1244
- Neural augmentation**, arrhythmogenic  
 properties, polar cardiac glycosides,  
 238,7:H202
- Neural blocking agents**: see **Blocking  
 agents**
- Neural communication system**, celiac  
 and superior mesenteric ganglionec-  
 tomy, effects, 237,6:E432
- Neural control**  
 antidiuretic hormone release,  
 237,6:H299  
 arteriolar closure, 236,5:H157  
 blood flow  
   cerebral, 239,8:H73  
   intestinal muscle and mucosa,  
   235,4:H40  
 cardiac receptors, veratrum alkaloid ef-  
   fects, 239,8:H784  
 cardiovascular, neural disease,  
   239,8:H581  
 circulation, coronary occlusion,  
   240,9:H620  
 gastrin and somatostatin, 243,6:G442  
 glycogen, pineal cell, 232,1:E584  
 heart, 239,8:H143  
   human disease, 239,8:H581  
   prejunctional cholinergic modulation  
   of adrenergic neurotransmission,  
   cardiovascular system, 238,7:H275  
 heart rate, 232,1:H464, 236,5:H35  
 mechanisms, racing (greyhound),  
   240,9:H383  
 migrating motor complex, 237,6:E451  
 migratory myoelectric complex, small  
   bowel, 237,1:G102  
 nutritional and nonnutritional circuits,  
   hindpaw, 234,3:H384  
 reflex cardiovascular changes, veratri-  
   dine and, awake state, 242,11:H810  
 renal circulation, 237,6:H560  
 renal function, 233,2:H592, 241,10:R267  
 renal vasculature, 239,8:F474  
   humoral and mechanical factors,  
   235,4:R64  
 renin, 235,4:H175  
 right coronary circulation and (dog, pig),  
   241,10:H149  
 sympathetic discharge, spinal,  
   234,3:H223  
 vasomotion, desynchronized sleep, ear,  
   243,12:R142
- Neural effects**  
 cerebral vessels, during seizures,  
   237,6:H178  
 digitalis glycosides, gracilis vascular re-  
   sistance, hypotension, 238,7:H729
- Neural factors**  
 digitalis toxicity, 235,4:H531  
 renin response, graded renal nerve stim-  
   ulation, 242,11:R552
- Neural fibers**  
 nonadrenergic, 236,5:E45  
 noncholinergic, nonadrenergic, gastro-  
   duodenal junction, 236,5:E45
- Neural inhibition**, esophageal swallowing  
 response, 241,4:G129
- Neural lobe**  
 blood flow, regional (sheep), 241,10:R36
- portal vascular route, adenohypophysis,  
 239,8:R463
- Neural mechanisms**, tachycardia, in-  
 duced by nonhypotensive arteriove-  
 nous shunt, 236,5:H35
- Neural nets**, pharmacolinguistics,  
 237,6:R251
- Neural pathways**  
 cardiogenic hypertensive chemoreflex,  
   235,4:H345  
 renin response, volume expansion, intra-  
   vascular, 238,7:H611
- Neural reflexes**: see **Reflexes**
- Neural stimulation**  
 gastroduodenal junction, 236,5:E45  
 sympathetic, cardiac cyclic nucleotides  
   and norepinephrine, 240,9:H630
- Neural substrates**: see **Substrates**
- Neural traffic**, cardiogenic hypertensive  
 chemoreflex, 238,7:H61
- Neuraminidase**  
 electrogenesis, cultured heart cells, em-  
   bryo (chick), 239,8:C197  
 insulin action, hexose, adipocytes,  
   239,2:E186
- Neuroanatomy**, liver, 236,5:R5
- Neuroblastoma**, ornithine decarboxylase  
 and putrescine metabolism, isogaba-  
 culine and  $\alpha$ -aminobutyric acid ef-  
 fects, 243,12:C35
- Neuroeffector agents**, electrolyte trans-  
 port, esophageal (rabbit, opossum),  
 239,2:G5
- Neuroendocrine activity**, hypothalamic-  
 pituitary-thyroid, cold effects,  
 239,2:E223
- Neuroendocrine cells**, vasopressin,  
 240,3:E108
- Neuroendocrine control**  
 pituitary luteinizing hormone-releasing  
 hormone receptors, 237,6:E136  
 sodium balance (fiddler crab),  
 242,11:R505
- Neuroendocrine system**, hypotension ef-  
 fects, fetal (lamb), 240,3:E656
- Neuroendocrinology**, 230:1090
- Neurogenic contraction**, cerebral arter-  
 ies (goat), 235,4:H131
- Neurogenic control**  
 baroreceptors and chemoreceptors and,  
   cerebral blood flow, hypoxia,  
   241,10:H724  
 cerebral vessels, hypercapnia,  
   238,7:H697  
 digitalis glycosides, gracilis vascular re-  
   sistance, hypotension, 238,7:H729  
 microcirculation, precapillary,  
   233,2:H141  
 renal vasculature, hypertension,  
   238,7:H770  
 sodium reabsorption, renal tubular,  
   233,2:F73  
 vascular resistance, after pulmonary ar-  
   tery constriction, 236,5:H866
- Neurogenic hypertension**: see  
**Hypertension**
- Neurogenic mechanisms**  
 interaction, desoxycorticosterone and  
   salt hypertension, 242,11:H37  
 renal compensation, 238,7:F26  
 renin secretion, 238,7:F119
- Neurogenic relaxation**, transmural  
 stimulation, lymphatics, 240,9:H498
- Neurograms**, afferent, reflex hypotension  
 and bradycardia, 239,8:H172
- Neurohumoral control**  
 blood flow, bones and marrow,  
   237,6:H440  
 colonic activity, 236,5:E458  
 electrolyte transport, esophageal (rabbit,  
   opossum), 239,2:G5  
 hemorrhage, 230:569  
 sleep, 238,1:E116  
 ventilatory, computer simulation,  
   238,7:R28
- Neurohumoral stimulation**, calcium  
 effects, colonic smooth muscle,  
 243,6:G134
- Neurohypophyseal hormone**  
 transcuteaneous permeability, larval and  
   adult (salamander), 239,8:R505  
 vascular response, renal and peripheral  
   (bullfrog), 239,8:R156
- Neurohypophysis**  
 antidiuretic hormone release, angioten-  
   sin II-stimulated, 234,3:F135  
 blood flow, 243,6:E427  
 corticosterone activity, vasopressin and,  
   240,3:E689  
 dopaminergic innervation, 241,4:E186  
 median eminence blood flow (sheep),  
   241,10:R36  
 mesotocin (bullfrog), 235,4:F151  
 osmotic regulation, vasopressin,  
   240,3:E108  
 vasopressin effects, fetal (lamb),  
   242,11:F740
- Neuromediators**, autonomic, release,  
 ventricular electrical stimulation,  
 238,7:H794
- Neuromodulation**, noradrenergic nervous  
 system, colonic mucosa, 241,4:G137
- Neuromuscular activity**, calcium depen-  
 dence, esophageal smooth muscle  
 (opossum), 232,1:E547
- Neuromuscular junction**: see **Junction**
- Neuromuscular transmission**: see  
**Transmission**
- Neuronal metabolism**, norepinephrine,  
 saphenous vein, 243,12:H424
- Neurons**  
 adrenal medulla, epinephrine uptake,  
   242,11:H593  
 adrenergic, smooth muscle, oviduct,  
   234,3:C96  
 antidromically identified, supraoptic,  
   236,5:R261  
 brain stem, sympathetic-related activity,  
   240,9:R348  
 catecholamine, alloxan injection effects,  
   brain, 243,12:R312  
 cholinergic, choline acetyltransferase ac-  
   tivity, cardiac, 236,5:H620  
 compartmental model, calibration,  
   235,4:R93  
 dopaminergic, neurohypophysis and,  
   241,4:E186  
 electrical activity, Auerbach's plexus, de-  
   pleted calcium, 236,5:C78  
 hypothalamic, activity patterns, sympa-  
   thetic nerve discharge and,  
   242,11:R34  
 inhibitory, nonadrenergic and noncho-  
   linergic, lower esophageal sphincter  
   (opossum), 234,3:E273  
 membrane, spontaneous activity (snail),  
   239,8:C47  
 midbrain, responses to thermal stimula-  
   tion, 231:1573  
 myenteric, synaptic activation, small in-  
   testine, 240,3:G437  
 nonadrenergic, lower esophageal sphinc-  
   ter (opossum), 234,3:E273  
 noncholinergic, lower esophageal sphinc-  
   ter (opossum), 234,3:E273  
 norepinephrine uptake  
   estradiol effects, saphenous vein,  
   239,8:H450  
   uterine, pregnancy, 236,5:C277  
 peptidergic, regulatory physiology, gut,  
   239,2:G237  
 peripheral neural input, stellate gan-  
   glion, 242,11:R237  
 preganglionic, sympathetic reflexes,  
   spinal cord (frog), 240,9:R295  
 preganglionic parasympathetic, choline  
   acetyltransferase activity, cardiac,  
   236,5:H620  
 purinergic inhibitory  
   5-hydroxytryptamine effects, intes-  
   tinal, 237,6:E198

**Neurons (continued)**

- reliability, physical causality and brain theories, 238,7:R277
- repetitive firing frequency, temperature and (mollusk), 234,3:C155
- supraoptic neurosecretory, antidromically identified, 237,6:R63
- sympathetic
  - activity patterns, brain stem, 240,9:R335
  - celiac plexus, 237,6:E90
  - sympathetic preganglionic spinal response, hypoxia, 241,10:H679
  - spontaneous hypertension, 236,5:R147
  - temperature-sensitive, preoptic region (sunfish), 241,10:R259
  - thermosensitive, synaptic blockade effects, hypothalamic tissue slices, 243,12:R480
  - vagal cardioinhibitory, distribution, medulla, 238,7:R57
- Neuropathy**, diabetic, experimental juvenile, 243,12:H139
- Neuropeptides**
  - circadian properties of, cerebrospinal fluid, 243,6:E489
  - gastric ulcers, stress-induced, 242,5:G342
  - regulatory physiology, gut, 239,2:G237
- Neuropharmacology**, physical causality, brain theories and, 238,7:R277
- Neurophysiology**
  - acid-base equilibrium, artificial ventilation, 236,5:R126
  - autonomic
    - Auerbach's plexus, depleted calcium, 236,5:C78
    - myenteric neurons, burst-type, 240,3:G437
    - contribution to communication sciences, 234,3:R159
- Neuropil**, variations, amino acid incorporation, hypothalamus, 240,9:R348
- Neurosecretory cells**
  - supraoptic
    - carotid occlusion and left atrial stretch, effects, 237,6:R63
    - left atrial distension, 236,5:R261
- Neurotensin**
  - blood flow, hormone release and acid secretion, 243,6:G195
  - centrally administered, cytoprotective effects, gastric ulcers, 242,5:G342
  - electrical activity, stomach, 243,6:G404
  - stress-induced feeding and, 241,10:R72
- Neurotransmissions**: see Transmission
- Neurotransmitters**
  - bombesin effects
  - epinephrine, adrenal medulla, 242,11:H593
  - gastric muscle contraction, 243,6:G141
  - spontaneous growth hormone, catecholamines and (baboon), 241,4:E196
  - synthesis, ischemic heart, 243,12:H788
- Neutron activation**
  - age- and race-related changes, 232,1:E419
  - aging, bone mass and, 230:143
  - analysis, 231:1760
  - total body, postmenopausal, 235,4:E82
  - bone loss, women, 242,5:E82
  - sodium, calcium and chloride measurement (guinea pig), 241,10:R419
- Neutrophic regulation**, insulin-sensitive muscle, 232,1:C83
- Neutrophilia**, methylcellulose injection, 233,2:H234
- Neutrophils**
  - calcium levels, chemotactic factors, 237,6:C43
  - chemotactic activity, hormonal control, vaginal, 233,2:R59
  - chemotaxis, augmentation, 236,5:C22
  - endogenous pyrogen, leukocytic endogenous mediator and, differentiation, 232,1:C15, 235,4:C118
- Newborn**: see also Infant; Neonate
  - acetylcholinesterase effects, myocardial function, 241,10:H637

- actomyosin, pharmacology, aortic, 237,6:C81
- adrenal medullary function (swine), 234,3:E137
- adrenergic stimuli, renal circulatory effects (piglets), 237,6:H690
- aerobic glycolysis, bone, 234,3:C41, C51
- amino acid content, incubated renal cortex slices, 236,5:F398
- amino acid transport, 235,4:E304
- angiotensin-converting enzyme, lung and kidney, 234,3:R141
- angiotensin I metabolism, lungs, 238,7:R395
- anoxia, brain metabolism and, 230:1269
- aortic pressure-dimension techniques (dog, sheep), 235,4:H610
- autonomic heart rate control, development, during sleep, 238,7:H829
- baroreceptor sensitivity, carotid sinus, 243,12:H548
- bile acids, sulfation, development, liver, 238,1:G423
- bile salt absorption, intestinal, 239,2:G319
- birth weight, maternal starvation and (pig), 237,6:E273
- blood flow, diabetes with metabolic acidosis (lamb), 238,7:H263
- blood flow and oxygen delivery, myocardial (sheep), 243,12:H729
- bone mineral mobilization, 1,25-dihydroxyvitamin D<sub>3</sub> calvaria, 237,6:E113
- brown adipose tissue respiration, thyroid hormone effects, 241,4:E449
- calcitropic hormones, 239,2:E385
- calcium exchange, hypoxic myocardium, 237,6:H612
- calcium homeostasis, 240,3:E367
- calcium transport, vitamin D and, small intestine, 239,2:G463
- carbohydrate metabolism, heart (pig), 241,4:E364
- carbon dioxide tension, cerebral blood flow and (sheep), 242,11:H862
- cardiac cellular response, altered nutrition, 233,2:H356
- cardiac output (sheep), 234,3:H520
- carotid sinus reflex, depressed responsiveness, 237,6:H40
- cations, uncoupling, effects on cardiac contractility and sarcolemmal calcium ion binding, 237,6:H332
- cerebral blood flow, oxygen consumption and, 234,3:R209
- cerebral metabolism, hypoglycemia, 240,9:R192
- chloride concentration gradient, distal nephron blockade, 239,8:F328
- cholestasis, 237,6:E177
- cholinergic stimulation, cardiac function and metabolism during (lamb), 233,2:H451
- circadian rhythm, suckling, development, 234,3:E500
- cold tolerance (northern fur seals), 236,5:R322
- copper metabolism, 232,1:E172
- corticosterone
  - mucosal gastrin receptor induction, 240,3:G442
  - plasma concentrations during development, 235,4:E451
- developmental changes, obesity, 236,5:E508
- diabetic
  - coronary dynamics (lamb), 237,6:H118
  - myocardial and coronary vascular responses, 237,6:H514
- drug absorption, pulmonary, 234,3:C191
- enzymatic conjugation, development, liver, 238,1:G429
- enzyme changes, skeletal muscle, thyroid deficiency and, 235,4:C97
- enzymes, cardiac, 236,5:C30
- erythrocyte components, hemoglobin function and, 238,7:H73
- feeding controls, ontogeny, 237,6:R187
- $\alpha$ -fetoprotein (ovine), 235,4:E27
- fever development (lamb), 236,5:R184
- food intake, appetite and, 235,4:R141
- galactosyltransferase, colonic, 235,4:E213
- gastric motility, maturation, 236,5:E562
- glomerular ultrafiltration, development, 236,5:F465
- glomerulotubular balance, saline loading effects, 235,4:F417
- glucagon, 230:1590
- gluconeogenesis, 230:362
  - from alanine (ovine), 233,2:E462
  - liver, suckling, 233,2:E175
- gluconeogenesis measurement, [2,3-<sup>14</sup>C]alanine and, 240,3:E615
- glucose homeostasis, 234,3:E129
- growth, maternal starvation and (pig), 237,6:E273
- heart function, mechanical and glycolytic, hypoxia, 237,6:H411
- hemorrhage effects, arterial blood pressure, ACTH, cortisol and vasopressin (lamb), 240,3:E585
- histamine, pulmonary arterial responses, 237,6:H76
- homeostasis, vasopressin effects (lamb), 242,11:F740
- hydrochloric acid secretion, substrate dependency, isolated gastric mucosa (piglet), 238,1:G353
- hypertension, sympathetic hyperresponsiveness to hypothalamic stimulation, 237,6:R39
- hypoxia effects
  - heart function, 235,4:H469
  - myocardial high-energy phosphates, 235,4:H475
- insulin secretion (sheep), 235,4:E467
- intestinal brush border proteins, 239,2:G524
- intestinal development, 235,4:E451
- intestinal myoelectrical activity, development (dog, sheep), 237,6:E61
- ischemia effects, myocardium, 242,11:H1077
- laryngeal reflex apnea
  - chemodervation and (pig), 237,6:R10
- piglet, 239,8:R25
- lipoprotein lipase, muscle, postnatal development, 238,1:E511
- litter size, maternal starvation (pig), 237,6:E273
- metallothionein metabolism, 237,6:E18
- mucosal gastrin receptors, development, 240,3:G163
- myocardial enzyme activities, postnatal, 233,2:H707
- myocardial performance (lamb), 237,6:H66
- obesity
  - genetic, development, 234,3:E568
  - monosodium glutamate-induced, oxygen consumption and locomotor activity, measurement, 234,3:E532
- oxygen consumption, gastrointestinal tract and liver (lamb), 240,3:G297
- oxygen delivery
  - cardiovascular and hematologic development (lamb), 237,6:H668
- hematology, postnatal, 237,6:H71
- regulation, 238,7:H73
- oxygen uptake, digestion, gut, awake state (lamb), 241,4:G289
- parathyroid hormone, 239,2:E385
- phosphorus depletion, effects on intestinal calcium and phosphorus absorption, 236,5:E451
- phosphorylase regulation, hepatic, 232,1:E370
- postnatal development, histamine and, 237,6:H76

- prostaglandin D<sub>2</sub> effects, circulation (goat, lamb), 240,9:H755
- prostaglandin production, pulmonary (lamb), 241,10:H756
- prostaglandins, pulmonary vascular responses (lamb), 238,7:H631
- protein kinase, myocardium, 235,4:H338
- pulmonary artery stenosis murmurs (calf), 238,7:H876
- pulmonary vascular resistance, intracranial pressure effects (goat), 232,1:H671
- pyrogen, cold and starvation responses to, 241,10:R167
- reduced cardiac sympathetic innervation, functional significance, 243,12:H20
- renal clearance, salt loading effects, 232,1:F178
- renal function, saralasin and indomethacin effects (piglet), 238,7:R438
- renin-angiotensin system, development, 238,7:R432
- respiratory mechanics, growth and species differences, newborn, 241,10:R336
- reticuloendothelial development, hormonal influences, 233,2:C141
- riboflavin incorporation, 233,2:E397
- saline-expanded, natriuretic effect of oxytocin, 239,8:F589
- sinus node response, atropine and propranolol, 234,3:H412
- small-for-gestational age, gluconeogenesis measurement, 240,3:E615
- sodium deprivation, subsequent adult thirst and salt preference, 234,3:F59
- substrate turnover, fasting, 239,2:E287
- sudden death syndrome (piglet), 239,8:R25
- temperature regulation (harp seal), 236,5:R188
- thermal protection (polar bear), 236,5:R67
- transcapillary pressure (Starling), 240,9:H843
- tryptophan effects, transport properties, jejunum, 242,5:G308
- tryptophan transport, jejunum, 239,2:G306
- ureteral obstruction, terminal collecting duct function, 236,5:F260
- vascular responses, pulmonary and systemic to prostaglandin E<sub>1</sub> and E<sub>2</sub> (goat), 236,5:H828
- vasoconstriction, pulmonary, indomethacin-induced (lamb), 238,7:H639
- vasopressin, adenylate cyclase responsiveness, renal, 234,3:F16
- vitamin D metabolites, 239,2:E385
- volume expansion, renal, hemodynamic and excretory response, 237,6:F392
- zinc, intestinal absorption, 235,4:E556
- New directions**, 241,10:C1
- Nexal junctions**, heart, viral effects, embryo (chick), 234,3:C170
- Nexus**, physiology, quantitative ultrastructural analysis, 235,4:C147
- Nickel**, mineral concentration, tissue, 238,1:E53
- Nicotinamide**, parathyroid hormone, calcitonin and, phosphate deprivation, 242,11:F447
- Nicotinamide adenine dinucleotide** fluorescence, hormone effects, hepatocytes, 242,11:C172
- oxidation-reduction, mitochondria, 234,3:C73
- phosphate transport and, kidney, 243,12:C227
- redox state, microfluorometric monitoring, kidney tubules, 240,9:F337
- Nicotinamide nucleotide**, redox state, Amyltal effects, perfused heart, 237,6:C221
- Nicotine** cerebral circulation, sympathetic regulation, 238,7:H594
- electrogenic pump theory, gastric acid and hydrochloric acid secretion (frog), 232,1:E251
- receptors: *see* Receptors
- reflex effects, left ventricular, 235,4:H188
- relaxant responses to, cerebral arteries, 243,12:H145
- Nicotinic acid**, transport, brush border membrane vesicles, kidney, 240,9:F185
- Nifedipine** calcium uptake, myocardial ischemia, 233,2:H677
- coronary vasoconstriction, 240,9:H493
- ischemic myocardium, 239,8:H658
- secretion, ileal, 239,2:G18
- Nigericin**, acridine orange uptake and, brush border vesicles, renal, 242,11:F733
- Nitrite** fluorocarbon-perfused heart, 234,3:H567
- inhibition, electrophysiology and secretion, stomach (frog), 234,3:E120
- Nitrogen**  $\alpha$ -amino, acute uremia, hindquarter, 241,4:E415
- balance cardiac work, 238,1:E431
- protein wasting, prolonged fasting, 243,3:E251
- rest and exercise, 240,3:E155
- balance (ground squirrel), 239,8:R168
- leucine and, working heart, 239,2:E510
- chemical maturation, 242,11:R390
- excretion, long-term fasting effects (geese), 241,4:E342
- four-pool model, protein metabolism, trauma, 241,4:E64
- handling, hypothalamic obesity, 238,1:E32
- metabolism, blood (seal), 242,11:R85
- restriction, protein synthesis, 230:1321
- retention, late gestation, zinc intake effects, 239,2:E113
- total-body compartmental model, 239,2:E524
- 3-methylhistidine excretion and, 240,3:C302
- Nitrogen-15** amino acid turnover rates and pools, plasma, 237,6:E418
- fibrinogen half-life, measurements, 234,3:E504
- protein synthesis, trauma-induced changes, 233,2:E348
- protein turnover, measurement, 235,4:E165
- Nitroglycerin** blood flow, myocardial ischemia, 239,8:H163
- blood flow distribution, regional, 234,3:H244
- coronary artery diameter, measurement, 240,9:H73
- ischemic myocardium, 239,8:H658
- mannitol-induced vascular contractile response, 232,1:H59
- myocardial blood flow measurement, 232,1:H173
- peripheral vascular effects, heart failure, awake state, model, 243,12:H974
- renal vascular response, prostaglandin inhibitors, 234,3:H496
- vasoconstrictor and vasodilator response, mannitol, coronary artery, 235,4:H728
- p-Nitrophenylacetate**, carbonic anhydrase (tobacco hornworm), 241,10:R92
- p-Nitrophenylphosphatase** ouabain-sensitive, cyclic GMP and, salt gland (duck), 240,9:C207
- renal mass reduction, 239,8:F281
- Nitroprusside** acute pericardial tamponade, 240,9:H49
- hypotension, baroreflex control of heart rate and, 243,12:R18
- ileocecal sphincter and, 241,4:G222
- ischemic myocardium, 239,8:H658
- microvascular rarefaction, spontaneous hypertension, 243,12:H243
- neuromuscular events, esophageal smooth muscle (opossum), 232,1:E547
- resistance and volume changes, 237,6:H99
- tension prolongation phenomenon, myocardial, 237,6:H185
- vascular effects, external reservoir, 237,6:H99
- Nitrous oxide**, amino acid supply and, brain, 242,5:E1
- Nociceptor**, cardiac, contractility and smoke, 240,9:H584
- Nocturnal acrophase**, plasma prolactin variations, 241,4:E355
- Noise** elimination, telemetry system, pulse-width, 239,8:H133
- thermodynamics, 234,3:R3
- Nonadrenergic inhibitory nerves**, lower esophageal sphincter (opossum), 236,5:E153
- Nonadrenergic innervation**, inhibitory, relaxation, mesenteric lymphatics, 240,9:H498
- Nonadrenergic nerves**, duodenal muscle, 233,2:E28
- Nonapeptides**, renal and adrenal responses, 234,3:F130
- Noncholinergic inhibitory nerve**, duodenal muscle, 233,2:E28
- Noncholinergic neurons**, regulation, gastrin and somatostatin secretion, 243,6:G442
- Nonelectrolytes** absorption, flow dependence, nephron, 236,5:F163
- brain barrier system (salamander), 234,3:R52
- efflux, transepithelial (frog), 232,1:C67
- lung cell permeability, 233,2:C104
- membrane permeability to, temperature effects, lung cells, 243,12:C285
- permeability bile duct, 242,5:G52
- cerebrovascular, 235,4:H299
- red cell osmotic behavior, 236,5:C238
- resting and developed tension, heart muscle, 232,1:C155
- sodium-coupled, transport, epithelia, 241,4:G451
- water and, placental transfer during a single circulatory passage, 236,5:C47
- Noninvasive methods** ear-pulse derivative, 238,7:H355
- local cerebral metabolic rate of glucose, 238,1:E69
- measurement, blood pressure (swine), 242,11:H217
- Nonionic diffusion**, fluoride tissue distribution, 236,5:F141
- Nonisotopic verification**, transjugular hepatic vein cannulation, 237,6:H730
- Nonlinear control theory** parathyroid gland response, epinephrine (calf), 242,11:R151
- parathyroid hormone secretion (calf), 242,11:R141
- Nonlinearity**, reviewing the reviewers, 241,10:R107
- Nonlinear mechanics**, physical causality, brain theories and, 238,7:R277
- Nonmineral acids**, metabolic acidosis, 235,4:F345
- Nonpressor mechanisms**, central nervous system-induced natriuresis, 237,6:F157
- Nonprotein sulfhydryl group**, cardiogenic shock, 235,4:H657
- Nonshivering thermogenesis**: *see* Thermogenesis
- Nonsteady-state turnover**, ketone bodies, tracer technique, 240,3:E253

- Nontransmitter substances**, release, neuromuscular junction, 236,5:C225
- Nonvasopressin corticoliberin**, activity, neurohypophysis, 240,3:E689
- Noradrenaline**: *see also* Norepinephrine
- calcium sources, basilar artery, 241,10:H129
- cold acclimation, obesity, 239,2:E301
- Noradrenergic activity**, hypothalamic norepinephrine, feeding and push-pull perfusion, 236,5:R312
- Noradrenergic innervation**, colonic mucosa, 241,4:G137
- Noradrenergic mechanisms**, aortic nerve transection, brain and peripheral organs, 240,9:H481
- Noradrenergic nerves**, norepinephrine release, colonic mucosa, 241,4:G416
- Noradrenergic nervous system**
- functional properties, colonic mucosa, 241,4:G137
- temperature maintenance (chicken), 239,8:R296
- 19-Nordeoxycorticosterone**, activity, bladder (toad), 241,4:E406
- Norepinephrine**
- actomyosin and, aortic, neonatal, 237,6:C81
- acute renal failure, furosemide and acetylcholine effects, 235,4:F131
- adenosine monophosphate, cyclic and, liver, 237,6:R147
- adenosine monophosphate responses, choroid plexus, 232,1:E353
- adrenergic-cholinergic interaction, cardiovascular neurotransmissions, 238,7:H275
- adrenergic constriction, vascular smooth muscle, 233,2:H22
- adrenergic innervation, arterial, 239,8:H252
- adrenergic neuromuscular transmission responses, 232,1:C128
- $\alpha$ -adrenergic phenomena, liver and other tissues, 233,1:E3
- adrenergic receptors, skin melanophores (frog), 241,4:E76
- adrenergic stimulation, coronary blood flow, 243,12:H13
- adrenergic transmission, modulation by angiotensin, mesentery, 236,5:H211
- $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330
- adrenocorticotropin, hypothalamic control, endocrine thermogenesis (goat), 241,4:E420
- androgen-mediated sex differences, cardiovascular responses, 235,4:H242
- anesthesia, response to hemorrhage and, 243,12:H713
- angiotensin II effects, species differences, 243,12:R65
- angiotensin interaction, drinking and pressor response, 240,9:R106
- anthopleurin-B-stimulated release, adrenergic nerves (guinea pig), 243,12:C237
- aortic contractile response, diabetes, 236,5:H301
- arterial wall mechanics, normotension and spontaneous hypertension, 237,6:H159
- arteriolar closure mediation, hypertension, 236,5:H157
- asymmetric contraction, ear artery, 238,7:H618
- autonomic nerves, uterine distribution, 233,2:C25
- basal, overflow, renal nerve stimulation, 239,8:F371
- biogenic amines, during arousal (ground squirrel), 236,5:R162
- blood flow
- neurohumoral regulation, bones and marrow, 237,6:H440
- pancreatic islets, 242,5:E298
- renal cortical and medullary laser-Doppler spectroscopy, 236,5:F80
- tissue, laser-Doppler spectroscopy, 232,1:H441
- bradykinin effects, kidney, 241,10:R146
- brown adipocyte respiration, 238,1:E552
- brown fat metabolism, thyroid cold acclimation influences, 232,1:E565
- calcium ion mobilization, smooth muscle, 240,9:C239
- calcium sources, basilar artery, 241,10:H129
- calcium uptake and, vascular smooth muscle, 242,11:H797
- cardiac cyclic nucleotides and, neural sympathetic stimulation, 240,9:H630
- cardiac muscle cell sensitivity, embryo (chick), 233,2:C172
- cardiomyopathic injury, ventricular function after, 242,11:H191
- cardiomyopathy, insulin and, 238,7:H257
- cardiovascular response, hemorrhage, 240,9:R166
- carotid artery mechanics, 234,3:H280
- aging effects, 233,2:H256
- carotid sinus baroreceptor stimulation, 240,9:H650
- cerebral circulation, blood-brain barrier and, 231:483
- cerebral circulatory response (baboon), 233,2:H458
- cerebrovascular barrier and uptake responses (baboon), 233,2:H458
- contractile response, right ventricular failure, 233,2:H399
- contractility, vascular smooth muscle, 240,9:H971
- contraction, vascular smooth muscle, 238,7:H716, H761
- contracture, myocardial, hypoxic and posthypoxic, 232,1:H526
- coronary regulation, newborn (lamb), 234,3:H173
- coronary vasodilation, adenosine effects, 243,12:H538
- demethylation, erythrocytes, 235,4:E150
- denervation and, prostaglandin  $E_2$  and kallikrein, renal, 241,10:F477
- depolarization, diastolic, 243,12:H767
- differential sensitivity, sinus node neurotransmitters, 233,2:H211
- dilator effects, skeletal muscle, 243,12:H819
- disposition
- hypertension, lung, 239,8:H736
- nerve stimulation, saphenous vein, 239,8:H238
- DOCA-salt hypertension, 239,8:R303
- dose-response relations, fetal (lamb), 239,8:R115
- effect on arterial mechanics, 231:420
- effect on arterial smooth muscle, 231:777
- effect on brown adipose tissue, 231:34
- effect on intestinal ion transport, 231:252
- effect on potassium influx and adenosine monophosphate, cyclic, 231:306
- efflux, basal, saphenous vein, 234,3:H235
- electrolyte and water excretion, renal, 240,9:F192
- elevation, cardiac output, fetal (lamb), 239,8:R115
- endogenous, overflow from saphenous veins, measurement, 236,5:H263
- endogenous influence, cerebral blood flow and metabolism, 231:489
- energy balance (fowl), 232,1:R137
- energy conversion, cellular, brown adipose tissue, 235,4:R121
- estradiol effects, nerve endings, 239,8:H450
- excretion, renal nerves, urinary, 240,9:F75
- exercise oxygen consumption, skeletal muscle, 238,7:H331
- extraction, flow dependence of, lung, 242,11:H844
- extraneuronal reuptake, pulmonary vascular smooth muscle, 240,9:H274
- extraneuronal uptake, uterine, pregnancy, 236,5:C277
- fasting and cold exposure effects, sympathoadrenal medullary response, 241,4:E316
- fatty acid-deficient diet, renal vasoconstriction, 243,12:H61
- feeding responses, 239,2:E379
- fluid reabsorption, proximal, 238,7:F347
- force-velocity-length relations, heart, 232,1:H241
- functional hyperemia, aminophylline effects, 243,12:H480
- gastric circulation, 230:346
- glucose metabolism, free water clearance and, 242,11:F491
- glycogen, pineal cell, 232,1:E584
- glycogen resynthesis, muscle, after exercise, 235,4:R145
- Goldblatt hypertension, veins and arteries, 241,10:H525
- hemorrhage, vascular smooth muscle, 238,7:H144
- hepatic arterial response, hepatic nerve stimulation and glucagon, 233,2:H647
- $^3H$ -labeled
- disposition, saphenous vein, 239,8:H238
- release, nerves, colonic mucosa, 241,4:G416
- uptake, colonic mucosa, 241,4:G137
- hormone, neurotransmitter and, 234,3:E252
- hormone effects, blood vessels, bone, 241,10:H91
- hyperosmolarity effects, 231:141
- hyperresponsivity, spontaneous hypertension, 234,3:H690
- hypertension, 230:1545
- hypoglycemia, 236,5:E147
- hypothalamic, feeding and push-pull perfusion, 236,5:R312
- hypoxemia and, fetal (lamb), 243,12:R520
- immunoregulation, sympathetic nervous system and, 242,11:R30
- infusion, cardiovascular and renal changes during (swine), 240,9:F276
- inhibition, renal adrenergic nerves, 237,6:H326
- insulin and
- reciprocal inhibition, cardiac (piglet), 233,2:H665
- responsiveness to, 230:1360
- intracerebroventricular, free fatty acid mobilization after, 242,5:E248
- ischemic acute renal failure, mannitol protection, 238,7:F305
- isovolumic pressure fall, left ventricular, time constant, 235,4:H701
- jejunum, response to angiotensin II, 240,3:G17
- lead and, vascular reactivity, 241,10:H211
- length-tension curves, volume overload heart failure, 235,4:H690
- levels, carotid occlusion, 236,5:H96
- lipolysis, chronic hypoxemia and, 241,4:E28
- lymph flow and, forelimb, 243,12:H575
- membrane stabilization, calcium vascular smooth muscle, 235,4:C227
- metabolism
- adrenergic nerves, uterus and oviduct, 240,9:C165
- glycol metabolites and, 234,3:H235
- intestinal, 241,4:G264
- plasma effects, saphenous vein, 243,12:H424
- pulmonary artery epithelium, 243,12:H732



- microvascular responses, hypertension, 236,5:H545
- muscle relaxation, 230:1239
- muscular glycogenolysis, pancreatic hormone secretion and, running, 240,3:E526
- natriuresis, blunted, in isolated spontaneously hypertensive kidney, 235,4:F425
- neurogenic hypertension, vascular reactivity, 239,8:F474
- neuronal uptake, pulmonary vascular smooth muscle, 240,9:H274
- noncholinergic vasodilator nerves, feet (duck, chicken), 237,6:H112
- oxygenation, resting skeletal muscle, 236,5:H307
- oxygenation regulation, intestinal, 242,5:G435
- oxygen consumption, myocardial, 235,4:H237
- oxygen extraction, gut, 230:298
- peripheral muscarinic control, cardiovascular system, 239,8:H713
- plasma  
  exercise, 241,10:H243  
  myocardial failure and, 243,12:H876  
  sympathetic stimulation in pithed rats, 237,6:H305  
  thyroid treatment, 243,12:R170
- plasma levels  
  pressure overload, left ventricular, 238,7:H134  
  sinoaortic denervation and hypertension, 238,7:H521
- plasma renin activity, control, 236,5:H463
- potassium concentrations and, vascular smooth muscle reactivity, 241,10:H217
- pressor response, hypoxic lungs, 235,4:H104
- pressure-volume relations, vascular, 238,7:H823
- production, neural and extraneural, kidney, 242,11:F261
- prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
- proteinuria, corticoid effects, 237,6:F133
- pulmonary circulation effects, hypoxia, neonatal (lamb), 240,9:H697
- pulmonary vascular reactivity, pregnancy, 239,8:H297
- pyruvate oxidation, adrenergic stimulation, myocardial (guinea pig), 242,11:H30
- reactive hyperemia, arteriolar, 232,1:H571
- reflex limb dilatation after, 230:557
- regulation of level of, synaptic cleft, vascular tissue, 242,11:H233
- relaxation, modulation, lower esophageal sphincter (opossum), 237,6:E481
- release  
  adrenergic-cholinergic axoaxonic synapse, gut, 236,5:E738  
  arterial, by potassium-free solution, 232,1:H140  
  arterial contraction, ouabain-induced (monkey, dog), 239,8:H199  
  2-deoxy-D-glucose and insulin effects, hypothalamus, 242,11:R596  
  fibrillation threshold, 238,7:H406  
  heart, computer model, 232,1:H394  
  spontaneous hypertension, 241,10:R379  
  sympathetic nerve stimulation, lungs, 235,4:H803  
  sympathetic stimulation effects, cardiac, 241,10:H850
- renal, spontaneous hypertension and, 243,12:H284
- renin release and  
  dogs, rats, 240,9:F515  
  inhibition by angiotensin, kidney slices, 235,4:F62
- respiration, butyrate effects, brown adipocytes (hamster), 242,11:C46
- response  
  lower body negative pressure, 243,12:H970  
  morphine effects and, 242,5:E317  
  secretion, adrenal (bovine), 234,3:E600
- sensitivity  
  chemical sympathectomy, 238,7:H527  
  cold acclimation, brown fat cells, 242,11:C250
- series elasticity, arterial smooth muscle, 233,2:H248, 234,3:C146
- smooth muscle contractions, Tris effects, 241,10:H337
- smooth muscle mechanics, 230:462
- sodium activity and, heart, 243,12:H670
- sodium-potassium exchange effects, smooth muscle, 243,12:H553
- somatostatin secretion stimulation, perfused stomach, 240,3:E274
- steroid modulation, luteinizing hormone release, 242,5:E164
- stiffness, cardiac muscle, 232,1:H275
- strophanthidin inotropy, Purkinje fibers, 240,9:H561
- supersensitivity, renal, after functional reinnervation, 238,7:R353
- sympathetic function, embryonic heart (chick), 232,1:R116
- sympathetic hyperresponsiveness, hypothalamic stimulation, hypertension, 237,6:R39
- synthesis, nonuniform sympathetic activity, heart, 237,6:H606
- thermal homeostasis, 230:932
- tissue, aortic nerve transection, 240,9:H481
- titrated, cardiac reinnervation, 235,4:H289
- tubular effects, 233,2:F39
- turnover  
  circadian temperature rhythms and, 243,12:R218  
  diet and cold exposure effects, pancreas and liver, 236,5:E524  
  heart and spleen, 230:564  
  reduced, brown fat, 242,5:E253
- tyramine-induced release, intestinal ion transport modulation, 241,4:G264
- tyrosine and, normotensive and hypotensive, 239,8:H206
- uptake  
  arterial endothelium (pig), 232,1:C88  
  chemical sympathectomy, 238,7:H527  
  nerve growth factor-enhanced reinnervation, cardiac, 236,5:H624
- uptake and excretion, kidney, 242,11:F56
- uptake and secretion, cardiac, adrenergic stimulation, 243,6:E52
- vascular capacitance, intestinal, 234,3:H7
- vascular compliance, delayed, fluid exchange and, intestinal, 234,3:H660
- vascular reactivity, isolated tibia, 236,5:H904
- vascular resistance and reactivity, renal spontaneous hypertension, 238,7:H287
- vascular smooth muscle response, 236,5:H613
- vasoconstrictor and vasodilator response, mannitol, coronary artery, 235,4:H728
- vasoconstrictor escape, 230:1461
- vasodilation, pressor response, buffering, 236,5:H165
- vasopressin and neurogenic mechanism interaction, hypertension, 242,11:H37
- venous membrane potential and, spontaneous hypertension, 243,12:C101
- venous membrane potential response, spontaneous hypertension, 240,9:H837
- ventricular shortening, 230:419
- water retention and, systemic hemodynamics, 243,12:H934
- Norethindrone**, effects on tissue levels of minerals, 231:98
- Normetanephrine**, estradiol effects, nerve endings, 239,8:H450
- Normocalcemia**, parathyroid hormone secretion and, 241,4:E171
- Normocapnia**, blood flow, cerebral (bird, duck), 234,3:H230
- Normoglycemia**, furosemide effects, 232,1:F438
- Normolipemia**, <sup>125</sup>I-albumin permeability, aging effects, aorta (cockerel), 239,8:H642
- Normotension**  
  arterial wall mechanics, 237,6:H159  
  biventricular hypertrophy, 236,5:H640  
  blood pressure, plasma catecholamines, sympathetic outflow and, 238,7:H365  
  <sup>125</sup>I-albumin permeability, aging effects, aorta (cockerel), 239,8:H642  
  sympathetic silent period, 236,5:R147  
  tyrosine infusion, 239,8:H206  
  vascular reactivity, angiotensin II, in pregnancy (ewe), 238,7:H209
- Normothermia**, renin-angiotensin-aldosterone system (marmot), 233,2:R37
- Normoxia**  
  hypoxia and, oxygen delivery heterogeneity, fluorometer study, 235,4:H809  
  myocardial performance, substrate effects, 235,4:H144
- Nuclear binding**  
  estradiol effects, adipose tissues, 240,3:E43  
  hormone action, kidney, 241,10:F333  
  L-3,5,3'-triiodothyronine, liver and kidney, 240,3:E146
- Nuclear density**, wing muscles (chicken), 239,8:C39
- Nuclear magnetic resonance**, phosphorus-31, heavy metals, cardiovascular, 239,8:H22
- Nuclear receptors: see Receptors**
- Nucleic acid**  
  hypertrophy, renal, 232,1:F405  
  mammary gland, zinc deficiency effects, 238,1:E26  
  protein and, relations, control theory, 235,4:R205  
  stretch-induced growth, wing muscle (chicken), 242,11:C178  
  subfornical organ area, dehydration and renin effects, 237,6:R26  
  synthesis  
    gastric mucosa, 232,1:E223  
    regulation by salinity (brine shrimp), 238,7:R91
- Nucleosidediphosphate kinase**, nucleotide metabolism, nephron, 243,12:F349
- Nucleoside diphosphokinase**, pyruvate-perfused heart, 237,6:R159
- Nucleosides**  
  cardiac, nonischemic myocardial hypoxia, 243,12:H514  
  red cell glycolysis (cow), 236,5:C255, C262
- Nucleotidase**, nucleotide metabolism, nephron, 243,12:F349
- 5'-Nucleotidase**  
  adenosine formation, heart, 240,9:H963  
  hemodynamics, liver, 234,3:E584
- Nucleotide cyclases**, subcellular distribution, intestinal epithelium, 235,4:E539
- Nucleotide phosphodiesterase, cyclic**, vasopressin-elicited refractoriness, urinary bladder (toad), 240,9:F551
- Nucleotides**  
  adenine  
    hypoxia, brain, 241,10:H228  
    incorporation, brain, 239,8:H212  
    adenylate and guanylate, metabolism, nephron, 243,12:F349

**Nucleotides (continued)**

- cardiac, norepinephrine and, neural sympathetic stimulation, 240,9:H630
- cholesterol synthesis, intestinal, 240,3:G274
- depletion, myocardial, brief ischemia, open chest, 242,11:H818
- diabetes-induced renal growth, 238,1:E349
- distribution, heart, 232,1:R158
- guanine
  - parathyroid hormone-receptor-cyclase system and, kidney, 241,10:F364
  - vasopressin responsiveness and (toad), 243,12:C52
- pepsinogen secretion, esophagus (frog), 238,1:G79
- plasma dense granule constituents, species differences, 243,12:R454
- regulatory site
  - adenylate cyclase regulation, 241,10:F364
  - cortical adenylyl cyclase, renal, 242,11:F457
- Nucleotides, cyclic**
  - acetylcholine receptors and, myasthenia gravis, 243,6:E31
  - $\alpha$ -adrenergic phenomena, liver and other tissues, 238,1:E3
  - $\beta$ -adrenergic stimulation, ovarian, 239,2:E139
  - arterial smooth muscle relaxation, coronary, 242,11:H177
  - cell suspension cultures, growth regulation, 234,3:C131
  - cholecystokinin agonists, interaction with cholecystokinin receptors, 242,5:G161
  - contractile force, heart, 236,5:H84
  - gonadotropin-releasing hormones and, luteinizing hormone synthesis and release, 235,4:E586, 241,4:E6
  - heart contractile force regulation, 233,2:H269
  - heat-stable toxin effects, small intestine, 242,5:G360
  - metabolism
    - isolated perfused kidney, 237,6:F75
    - mesenteric artery, 232,1:H191
  - protein kinase dependence, interaction of acetylcholine and epinephrine, 234,3:H432
  - secretory mechanisms, pancreatic development, 236,5:E446
  - thyrotropin-releasing hormone effects, pituitary cells, 241,4:E298
  - transient, gastric acid secretion (frog), 239,2:G255
  - venous smooth muscle response, 233,2:H114
- Nucleus: see also specific type**
  - amygdaloid lesions, oral motor deficits and, 237,6:R126
  - cell binding, estradiol effects, adipose tissues, 240,3:E43
  - fastigial, orthostatic reflex and (cat, monkey), 232,1:H676
  - fastigial cerebellar, cerebral vasodilation and, 243,12:H226
  - hypothalamus, amino acid incorporation, 240,9:R16
  - lateral reticular
    - cardiovascular integration site, 233,2:R100
    - central cardiovascular regulation, 232,1:H157
  - ribonucleic acid polymerases, myocardial, 236,5:H451
  - solitary, adrenocorticotropin activity, 233,2:R116
- Nucleus accumbens**, projection to globus pallidus,  $\gamma$ -aminobutyric acid release, 238,7:R65
- Nucleus ambiguus**
  - elicitation of vagal bradycardia, 235,4:R286

- stimulation, plasma insulin levels, 241,4:E22
- vagal cardioinhibitory units, distribution, 238,7:R57
- Nucleus tractus solitarius**
  - afferent nerves, 239,8:R407
  - destruction, sinoaortic denervation and comparison, 236,5:H736
  - interneurons, 232,1:H657
  - projections to hypothalamus, 239,8:R130
  - subthalamic-mediated bradycardia, 236,5:H471
  - vagal, cardioinhibitory units, 238,7:R57
- Numerical inversion**, Laplace transforms, hepatic transport kinetics and plasma disappearance curves, 235,4:E648
- Nutrients**
  - depletion, cell cultures, 234,3:C131
  - dietary, concentration, weight gain and, 243,12:E531
  - hepatic-portal infusions, 232,1:E119
  - intestinal control and, gastric secretion, 243,6:G372
  - intracellular calcium movement, pancreatic  $\beta$ -cells, 243,6:E196
  - motility and, spermatozoa, 242,11:C304
  - transport, intestines, 241,4:G294
  - umbilical uptake, nutritional supplementation effects, fetal (sheep), 241,4:E178
- Nutrition: see Feeding**
- Nystatin**
  - activity, skin (larval frog), 237,6:R74
  - bladder function, 232,1:F187

## O

**Obesity**

- abnormal brown adipose tissue, thyroxine effects, 241,4:E436
- adipose tissue, phenoxylbenzamine effects, 243,6:E398
- appetite suppressant activity, intestinal bypass and, 243,12:R60
- brown adipose tissue abnormality,  $\beta$ -adrenoreceptors and, 243,6:E217
- calcium ion uptake, pancreatic islets, 240,9:C35
- carnitine metabolism, fasting, 238,1:E409
- cholecystokinin effects, pancreatic exocrine response, 242,5:G612
- cold acclimation, abnormal brown adipose tissue, 239,2:E301
- development
  - hydroxycitrate effects, 240,3:E72
  - without hyperphagia, 238,1:E284
- developmental changes, 236,5:E508
- dietary
  - exercise, growth and, 232,1:R38
  - subdiaphragmatic vagotomy, 238,7:R447
- dietary-induced, model, 242,11:R212
- dietary susceptibility, adipocyte size and number, 240,3:E47
- estradiol effects, cell nuclear binding, adipose tissues, 240,3:E43
- exercise
  - during fasting, metabolic response, 238,1:E312
  - noninsulin-dependent diabetes, 240,3:E458
- experimental,  $\beta$ -endorphin and, 241,10:R173
- fasting ketogenesis regulation, acid-base balance, 242,11:F238
- fat cell increase, diet-induced, 235,4:E279
- feeding responses, 2-deoxy-D-glucose, norepinephrine, and insulin, 239,2:E379
- food intake, 230:1474

- gastric acid output, 239,2:G221
- gastric emptying, food intake relations and, 239,2:G1
- genetic
  - development, pre- and post-weaning, 234,3:E568
  - early development of lipogenesis, 239,2:E265
  - hydroxycitrate effects, 240,3:E72
  - hypothermia, 233,2:R110
  - insulin resistance, age-dependent, soleus muscle, 239,2:E363
  - jejunoileal bypass, meal patterns, 237,6:R217
  - mouse, 233,2:R110
  - pig, 233,2:E104
  - swim training effects, 242,11:R204
- glucose concentration, adipocytes, 238,1:E180
- glycerol release, fasting, 241,4:E76
- growth hormones (pig), 233,2:E104
- heat production, sodium-potassium-ATPase units and, 238,1:E193
- hepatic lipid accumulation, small intestinal bypass, 239,2:G358
- hyperglycemia and, 235,4:E191, E501
- hyperlipemic, glucagon regulation, 230:1336
- hyperplasia, cafeteria feeding and, 242,11:R349
- hypophysectomy, 230:982
- hypothalamic
  - adrenalectomy and corticosterone effects, 243,6:E152
  - circulating ergostatic factor, 239,8:R344
  - knife-cut, vagus nerve and, 238,7:R447
  - nitrogen handling, 238,1:E32
  - pancreatic  $\beta$ -cell transplantation, 235,4:E266
- hypothalamic knife cuts and, lipolysis and blood insulin levels, 243,12:R445
- hypothalamic lesions
  - adipose cellularity development, 242,11:R311
  - lateral, 239,8:R337
  - vagally mediated hyperinsulinemia, 239,2:E437
  - ventromedial, jejunoileal bypass, 239,2:G387
- insulin
  - binding and, hepatocytes, 243,6:E240
  - binding, soleus muscle, 234,3:E348
  - resistance, diabetes mellitus, 243,6:E15
- insulin effects, fat and protein deposition, diabetes, 242,5:E19
- insulin (pig), 233,2:E97, E104
- insulin secretion, isolated perfused pancreas, 236,5:E391
- insulin-treated diabetes, adipose lipoprotein lipase and, 242,5:E445
- intestinal bypass surgery, 234,3:E389
- islet cell function and, perfused organ system, 241,4:E215
- ketosis, acetylcarnitine excretion and, urinary, 243,6:E168
- lateral hypothalamic lesion and, diet and adipose cellularity, 242,5:E437
- lipogenesis and insulin sensitivity, tissues (*ob/ob* mouse), 240,3:E101
- lipoprotein lipase activity, adipose tissue and muscle, 241,4:E108
- metabolic, intragastric feeding and, 240,3:E566
- metabolic alterations, high fat diet-induced, 233,2:R162
- monosodium glutamate-induced, oxygen consumption and locomotor activity, neonatal, 234,3:E532
- peripheral metabolism, control, 238,1:E284
- physical training and, fat cell metabolism, 243,6:E418
- plasma and pancreatic insulin develop-

- ment, fetus and suckling, 242,5:E220
- plasma insulin levels, 240,3:E358
- progestins and antiestrogens interactions, female, 240,3:E474
- prolonged fasting, protein wasting due to acidosis, 243,6:E251
- protein turnover, whole body, 238,1:E235
- pyloroplasty, 236,5:R61
- sodium-potassium-ATPase enzyme units, 237,6:E265
- spontaneous
- fat cell metabolism, 234,3:E182
  - semipurified diet (squirrel monkey), 241,10:R316
  - starvation and, 239,2:E269, E277
  - sucrose, ovariectomy, and sucrose effects, 243,12:R347
  - sympathetic activity, thyroid treatment and, 243,12:R170
  - thioglycose, aminobutyric acid transport, soleus muscle, 243,6:E74
  - ventromedial hypothalamic lesions, brown fat in, 243,6:E338
  - ventromedial hypothalamic intragastric feeding and, 240,3:E566
  - vagotomy, pair feeding, 240,3:E573
- Obesity-hyperglycemia**
- islet cell calcium pool, 232,1:E114
  - Langerhan's islets, abnormalities, 233,2:E86
  - pancreatic colipase, 232,1:E131
  - obstruction, imidazole effects, 243,12:F532
  - glomeruli: *see* Kidney glomeruli hemodynamics
  - increased venous pressure, angiotensin II effects, 243,12:F260
  - intrarenal converting enzyme inhibition and, 243,12:H277
  - hypertension, ouabain and potassium relaxation, aorta, 243,12:H896
  - immediate adaptation, hypercapnia, 243,12:F227
  - insufficiency, potassium adaptation and, 243,12:F103
  - ischemia, renin-angiotensin system and collateral circulation after, 243,12:H869
  - isolated perfused, redox state of cytochrome in, 243,12:F356
  - $\alpha$ -ketoisocaproate disposal, 243,6:E123
  - ketone body effects, glutamine metabolism, 243,12:F181
  - low peritubular sodium concentration, vasopressin action and, 243,12:F503
  - magnesium transport, acid-base disturbance effects, 243,12:F197
  - medulla: *see* Kidney medulla
  - metabolic acidosis, 25-hydroxyvitamin D<sub>3</sub>-1-hydroxylase and, 243,6:E265
  - metabolite profile, hypercapnia, 243,12:F227
  - metallothionein induction, cadmium and zinc effects, 243,6:G396
  - micropuncture study, adrenergic effects of anesthetics, 243,12:F253
  - nutritional recovery, protein breakdown rate, 243,6:E360
  - obstruction, phosphate uptake and, brush border vesicles, 243,12:F29
  - organic base secretion, 243,12:F404
  - papilla: *see* Kidney papilla
  - peritubular circulation, insulin removed from, 243,12:F126
  - phosphate
    - excretion, respiratory alkalosis effects, 243,12:F471
    - transport, glucocorticoid effects, 243,12:C227
    - protein absorption, 243,12:F379
    - renal artery stenosis, fluid volume and pressor responses, 243,12:H779
    - renin release, sodium-potassium-ATPase effects, 243,12:F598
    - sulfuric acid feeding, aldosterone and, 243,12:F494
    - superficial nephrons, micropuncture of (avian), 243,12:F561
    - thick ascending limb
    - maleic acid-induced tubular dysfunction, 243,12:F604
    - sodium chloride secretion, 243,12:F160
    - tubules: *see* Kidney tubules
    - vasoconstriction, fatty acid-deficient diet effects, 243,12:H61
- Obstruction:** *see* specific subject and site
- Occluders,** pulmonary artery, for measurement of circulatory filling pressure and vascular capacitance, 234,3:H94
- Occlusion cuff,** digital blood pressure, blood flow measurement and, 232,1:H338
- Occlusion:** *see also* specific subject and site
- carotid
    - left ventricular dP/dt, 238,7:H93
    - pressure response, hypothalamic component, 233,2:H240  - carotid artery, intrarenal blood flow redistribution mechanism, 232,1:F167
  - circumflex, septal artery and collaterals, 238,7:H504
  - coronary
    - cardiac pump performance during exercise, 234,3:H157
    - cardiokymography, 233,2:H700
    - collateral and ischemic flow quantitation, microspheres and diffusible indicator, 234,3:H487
    - embolization, selective, 232,1:H335
    - hydrogen peroxide effects, 234,3:H28
    - reactive hyperemia, 234,3:H625
    - regional blood flow depression, 234,3:H653
    - rubidium-86 reflow and uptake, 234,3:H724  - descending thoracic aorta, hemodynamic response, 238,7:H423
  - mechanical, exercise oxygen consumption, skeletal muscle, 238,7:H331
  - motor units, interaction, 238,7:R119
  - papillary muscle dynamics, measurement, 233,2:H384
  - postextrasystolic potentiation, loss, 233,2:H392
  - renal artery, transient renal vasospasm (monkey), 233,2:H622
  - venous
    - anatomic response of hindlimb vasculature, 232,1:H584
    - blood flow and oxygenation, colon, 238,1:G478
    - sympathetic response, 233,2:H264
- Occlusion shock,** splanchnic artery, dopamine action, 234,3:H1
- Occlusion time,** proximal tubular reabsorption, lithium, 241,10:F348
- Octanoate**
- hexose monophosphate shunt, cardiac myocytes, 232,1:E570
  - metabolism, perfused kidney, 237,6:F210
  - oxidation, cardiac myocytes, amino acid stimulation, 235,4:E461
- Octanol-water,** partition coefficient, brain, 238,7:H776
- Octapeptide,** cholecystokinin, gastric emptying inhibition, 234,3:E375
- Okazaki fragments,** myocardial nuclei, 238,7:H66
- Oleic acid**
- erucic acid metabolism and, 235,4:E509
  - fat, uptake, apoprotein C effects, 243,6:E175
  - fibrinogen response, 235,4:E223
  - intestinal hyperemia, postprandial, 238,1:G284
  - lung compliance decrease, effects on cardiovascular response to positive end-expiratory pressure, 233,2:H635
- Oligomycin**
- calcium transport, erythrocytes, 237,6:C96
  - cardiac function and, 242,11:H79
  - chemoreceptor response and, carotid body, 242,11:C200
  - urinary acidification (toad, turtle), 240,9:C201
- Oligopeptides:** *see also* Peptides; Polypeptides
- glycine, plasma and tissue concentrations, 243,6:E413
  - intestinally perfused, pancreatic response, 231:678
- Omasum,** capillary blood flow (sheep), 232,1:E53
- Omohyoideus mass,** lateral, age and feeding effects, skeletal muscle, 242,11:R89
- Oncometer,** needle, model, 236,5:F419
- Oncotic gradients,** capillaries, 232,1:H354
- Oncotic pressure:** *see* Pressure
- Ontogenesis**
- adrenal, medulla (swine), 234,3:E137
  - $\beta$ -adrenergic receptors, lung, 240,3:E351
  - bile salts, intestinal transport, postnatal (guinea pig), 243,6:G189
  - intestinal bile salt absorption, neonatal, 239,2:G319
  - sodium-potassium-ATPase, nephron, 233,2:F55
  - ultradian lighting, 232,1:E375
- Ontogeny**
- cerebrospinal fluid sink action, urea, 243,12:R400
  - gastrin, fetal and neonatal (sheep), 241,4:G235
  - glycine transport, renal tubule, 233,2:F241
  - insulin receptors, lung, fetal, 242,5:E384
  - oxygen dependence (salamander), 236,5:R282
- Oocyte nucleus,** potassium exchange (amphibian), 238,7:C133
- Oocytes**
- meiosis reinitiation, insulin-induced, follicle wall (frog), 241,4:E51
  - potassium exchange, whole cell, cytoplasm, nucleus and (amphibian), 238,7:C133
- Open-loop gain:** *see* Gain
- Operant conditioning:** *see* Exercise, conditioning
- Opercular epithelium**
- current, ionic contributions (fish), 238,7:R231
  - ion secretion (teleost), 238,7:R185
  - ion transport (fish), 238,7:R224
- Opercular membrane,** chloride secretion and, prolactin effects, 242,11:R380
- Opiates**
- antagonists, shock pathophysiology, 241,10:H479
  - endogenous, hemorrhagic shock, 239,8:H416
- Opsonic activity,** reticuloendothelial system, isoproterenol-induced myocardial injury, 236,5:H813
- Optical isolator,** voltage clamp, 235,4:C69
- Optical methods,** permeability and model testing, heart capillaries, 239,8:H464
- Optical reflectance**
- arterial, 233,2:H66
  - Evans blue dye measurement, 232,1:H204
- Optical techniques,** epithelial transport processes, evaluation, 237,6:F167
- Optic lobes,** temperature effects, circadian pacemaker (cockroach), 240,9:R144
- Optokinetic reactions,** postural, 239,8:R71, R80

- Oral cavity**, insulin release, 230:1411
- Oral contraceptives**, minerals, tissue levels of, 231:98
- Oral motor deficits**, central nervous system lesions, 237:6:R126
- Oral stimulation**: see Feeding
- Orchidectomy**, hormone levels after, sex differences, 241:4:E460
- Organ culture**  
antral, gastric release, 235:4:E410  
muscle, insulin-sensitive, neurotrophic regulation, 232:1:C83  
somatostatin release, antral mucosae, 241:4:G59
- Organic acids**  
absorption, nephron, 236:5:F163  
brush border membrane vesicles, 236:5:F519  
glucocorticoid and, renal and systemic, 239:8:F30  
proton donors, intestinal secretion, enterotoxin-induced, 241:4:G227  
secretion, 230:256, 1509  
chloride substitute effects, kidney tubules (snake), 241:10:F632  
proximal tubule, 239:8:F383, 240:9:F295  
renal (*Necturus*), 236:5:F442  
renal tubules, inhibitors, 236:5:F379  
renal tubules (garter snake), 238:7:F16  
secretory pathway, blockade, 235:4:F473  
transport  
probenecid uricosuria, 232:1:F222  
proximal tubule, 243:12:F271  
proximal tubule, kidney, 240:9:F90, F406  
renal, 234:3:F80  
renal, pH and temperature dependence, 233:2:F382  
renal (marine fish), 233:2:F126  
tubular (pig), 239:8:F107  
transport system, renal, 237:6:F210  
urate secretion, kidney tubules,  $S_2$  segment, 240:9:F530
- Organic anions**: see Anions
- Organic bases**  
cimetidine secretion, kidney tubules, 241:10:F69  
transport, proximal tubules, 242:11:F672
- Organic base secretion**, heterogeneity of, proximal tubules, 243:12:F404
- Organic ions**  
bilirubin kinetics, fasting effects, 240:9:R266  
transfer, from plasma, effect of fasting, 231:1371
- Organic solutes**: see Solutes
- Organic substances**, transport, isolated perfused kidney, 238:7:F71
- Organogenesis**, colon, 235:4:E207
- Organ perfusion**, screen oxygenator, small animals, 237:6:H269
- Organ resistance**: see Resistance
- Organs**, lead content, vitamin D and, 238:1:G124
- Organ system**, perfused, starvation and obesity effects, 241:4:E215
- Organum vasculosum**, lamina terminalis proestrus, 238:1:E533
- Organ weight**: see Weight
- Ornithine**, production, erythrocytes, 242:11:C393
- Ornithine aminotransferase**  
arginine-free meals and, 241:4:E310  
liver regeneration, 238:1:E46
- Ornithine decarboxylase**  
bone differentiation, 238:1:E200  
cardiac hypertrophy, 239:2:E372  
hormonal activation of, pelvic cartilage, embryo (chick), 241:4:E545  
metabolism, isogabaculine and  $\alpha$ -aminobutyric effects, 243:12:C35  
myocardial, catecholamine-thyroid interaction on, 243:6:E305  
regulation of content, cultured fibroblasts, 243:12:C262
- stimulation, small intestine, 231:1557  
thymic, endocrine regulation, 237:6:E6
- Ornithine transcarbamoylase**, hepatic, activity, zinc deficiency, 235:4:E203
- Oropharyngeal stimuli**, ventromedial hypothalamic obesity, intragastric feeding and, 240:3:E566
- Orotate**, renal cortex, diabetic, 238:1:E341
- Orthophosphate**  
active transport, epithelial tissues (frog), 240:9:F357  
inorganic  
intracellular, homeostatic regulation, 234:3:C82  
renal mass reduction, 239:8:F281
- Orthostatic reflex**: see Reflexes
- Oscillations**  
biochemical, labeled compounds, flux, 237:6:R350  
glucose: see Glucose  
ischemic heart, 236:5:R21, R31  
plasma potassium and insulin, potassium infusion and, 243:12:F44  
prostaglandin release, contracting taenia coli, 239:2:G53  
transmembrane potential, hepatocytes, 241:10:C209
- Oscillators**  
central, sympathetic nerve discharge, 239:8:H143  
interacting, human circadian system, model, 242:11:R3, R17, R22  
mutually coupled, temperature effects, circadian pacemaker (cockroach), 240:9:R144  
relaxation, morphine effects, 242:5:G588  
slow sympathetic, 231:1601  
sympathetic, brain stem, 239:8:R48
- Oscillatory changes**, lipoprotein lipase, muscle, feeding and fasting, 233:2:E316
- Oscillatory perturbation**, mesotubarium, 234:3:C14
- Oscillometric method**, arterial pressure, indirect means, 238:7:H664
- Oscilloscope**  
memory, 232:1:C211  
single channel, pressure signal multiplexer, 242:11:H288
- Osmolality**  
angiotensin II, central, 242:11:R498  
antidiuretic hormone-sensitive adenosine monophosphate, cyclic system, papillary collecting duct, 240:9:F311  
arginine vasopressin release, after hemorrhage, 238:1:E62  
bath, water permeability, epithelial tissue (frog), 242:11:C184  
central, thirst and, 238:7:R340  
exercise effects, 242:11:R482  
fluid, distal tubular, 232:1:F497  
hemorrhage and, fetal (lamb), 238:1:E214  
hyperemia, 230:1531  
intestinal, sugar effects (monkey), 241:10:R25  
intraportal, antidiuretic hormone, release, 236:5:E603  
perfusate, stop-flow pressure feedback responses, 235:4:F352  
peritubular, antidiuretic hormone effects, kidney, 241:10:F443  
plasma  
arginine vasopressin and, log linear relations (sheep), 233:2:E37  
arginine vasopressin secretion, 233:2:E32  
circannual renal function (marmot), 241:10:R87  
drinking, dehydration, 240:3:E394  
ethanol effects, 242:11:R522  
hemorrhage effects (chicken), 240:9:H9  
hyperthermia, 230:74  
hypertonic intracarotid infusion effects, 243:6:E522
- osmotic regulation of vasopressin, 240:3:E108  
placental, 235:4:H200  
placental (sheep), 233:2:H466, H475  
vasopressin, relation, 238:1:E313, 243:6:E287  
vasopressin role in, fetal (lamb), 242:11:F740  
saline, drinking and, 232:1:R88  
steady-state exercise hyperemia, 242:11:H949  
tissue, papillary, chronic caval, 242:11:F370  
urinary (desert rodent), 236:5:F448  
urine  
age effects, 240:9:F147  
arginine vasopressin metabolism, 235:4:E591  
prostaglandin excretion, renal, 235:4:E624  
red blood cell survival, 239:8:C27  
uninephrectomy, 233:2:F428  
vasopressin secretion and, streptozotocin diabetes, 242:5:E411  
venous smooth muscle reactivity, extracellular sodium effects, 235:4:H581  
water and solute transport, duodenum and ileum, 237:6:E389  
water deprivation and, 242:11:R296
- Osmolarity**  
distal tubular, feedback, regulation of glomerular filtration, 239:8:F427  
plasma, vasopressin effects, 237:6:F232  
prostaglandin biosynthesis, renal papilla, 234:3:F64  
sarcomere length measurement, cardiac cells, 242:11:H68  
urinary acidification and metabolism, bladder (toad), 239:8:F565
- Osmolyte receptors**: see Receptors
- Osmometry**  
colloid, needle-type, continuous determination of blood oncotic pressure, 236:5:F419  
membrane, transcapillary Starling forces, 238:7:H886
- Osmoreceptors**: see Receptors
- Osmoregulation**, 231:1735  
blood flow, rectal gland (dogfish), 243:12:R289  
calcium transport, peritubular (teleost), 243:12:R34  
dipsogenic effects of vasopressin, central, 242:11:R372  
elasmobranchs, 230:925  
embryos (killifish), 238:7:R36, R42  
fetal, prolactin in, 232:1:R124  
gill epithelia (fish), 238:7:R147  
nauplius (shrimp), 234:3:R216  
of plasma, DDE and, 231:370  
physiology (fish), 238:7:R145  
renal (teleost), 238:7:F92  
renal tubules (teleost), 234:3:F522  
rubidium ion transport, skin (teleost), 241:10:F482  
salt gland secretion (duck), 237:6:R355  
sodium balance (fiddler crab), 242:11:R505  
standing gradient hypothesis, 231:1735  
sulfate transport and, bladder (teleost), 239:8:F143  
teleost, 238:7:R171, R185  
urinary bladder (teleost), 235:4:R48  
vasopressin, 240:3:E108  
water and solute transport, duodenum and ileum, 237:6:E389
- Osmosensitivity**, third ventricular, interactions with angiotension, 236:5:R75
- Osmosis**  
antidiuretic hormone  
microfilaments, urinary bladder (toad), 243:12:C200  
sodium and potassium ions and (toad), 243:12:F476  
blood-brain barrier, 238:7:R421  
bulk flow, 235:4:R3



- chemical drives, 237,6:R114  
colligative properties, solutions, 237,6:R95  
descending limb of Henle's loop, 239,8:H57, H72  
flow-dependent transport processes, renal, 243,12:F1  
Hammel-Scholarer solvent tension theory, 237,6:R110  
Hulett's solvent tension theory, 237,6:R95  
nonlinear, bath osmolality effects, epithelial tissue (frog), 242,11:C184  
placenta (sheep), 233,2:H475  
pressure, osmotic, 237,6:R108  
red cells, ammonium chloride effects, 236,5:C238  
reverse, skin (snake), 242,11:F681  
transport of confusion, 235,4:R1  
water, 231:1588
- Osmosis forum**, 237,6:R93-R125
- Osmotic buffering**, transcappillary, secondary driving forces, heart, 240,9:H457
- Osmotic changes**, creatine kinase release, muscle (frog), 242,11:C398
- Osmotic conductance**: see Conductance
- Osmotic conductivity**, water, gastric mucosa (frog), 238,1:G298
- Osmotic diuresis**: see Diuresis
- Osmotic effects**, epithelial transport, gallbladder (*Necturus*), 232,1:C99
- Osmotic events**, intracellular, protein secretion and exocrine pancreas, 238,1:G289
- Osmotic expansion**, parietal cell, 238,1:G165
- Osmotic flow**: see Flow
- Osmotic gradients**  
solute transport, duodenum and ileum, 237,6:E389  
water transport, duodenum and ileum, 237,6:E389
- Osmotic interaction**, 230:1121  
plasma proteins, interstitial macromolecules, 231:638
- Osmotic methods**, permeability and model testing, heart capillaries, 239,8:H464
- Osmotic opening**, reversible, blood-brain barrier, 238,7:R421
- Osmotic permeability**: see Permeability
- Osmotic pressure**: see Pressure
- Osmotic reflection coefficient**  
capillaries (frog), 240,9:H597  
capillary, histamine effects, intestinal, 240,3:G381  
intestinal, 239,2:G30
- Osmotic regulation**  
body fluids influencing salt gland secretion (duck), 239,8:R489  
ion transport, amiloride-sensitive (blue crab), 241,10:R370  
plasma vasopressin, 243,6:E287  
vasopressin release, 236,5:F321
- Osmotic response**  
asymmetry, gastric mucosa (frog), 238,1:G298  
tubular system membrane, chloride cells (teleost), 238,7:R171
- Osmotic shock**: see Shock
- Osmotic stimulation**  
arginine vasopressin-osmolality relations plasma, secretion, 233,2:E32  
plasma (sheep), 233,2:E37  
ingestive compensation to dehydration, chronic decerebrates, 240,9:R81
- Osmotic thirst**: see Thirst
- Osmotic threshold**  
arginine vasopressin, plasma, release (sheep), 233,2:E37  
salt gland secretion, dehydration and (duck), 237,6:R355  
vasopressin release (sheep), 234,3:E339  
water intake mechanism, altitude, 240,9:R187
- Osmotic transient**  
heart capillary permeability, 239,8:H464  
transcapillary  
heart, 240,9:H448  
secondary driving forces, heart, 240,9:H457  
whole-body capillary transport parameters, 242,11:R227
- Osmotic vasodilation**: see Vasodilation
- Osseous tissue**, blood flow, after hemorrhage, 238,7:H360
- Osteitis fibrosa**, parathyroid hormone and, 239,8:F1
- Osteocytes**, vitamin D<sub>3</sub> interactions (chicken), 238,1:E494
- Osteogenesis**, chondroosseous blood flow, regional, 242,11:H365
- Osteoid**  
mineralization, calcium absorption, intestinal, 232,1:E298  
parathyroid hormone effects, 242,11:F197
- Osteopenia**, bone loss in, women, 242,5:E82
- Osteoporosis**, postmenopausal, estrogen and, 235,4:E338
- Ouabain**  
acid transport, renal cortical tissue, cell pH and, 239,8:F440  
activity, skin (larval frog), 237,6:R74  
adenosine monophosphate, cyclic levels, heart, 240,9:H441  
 $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330  
aldosterone release, adrenal, 237,6:E363  
p-aminohippurate  
transport, sodium-potassium-ATPase activity and, renal, 236,5:F126  
uptake, renal, 232,1:F239  
antidiuretic hormone-stimulated sodium chloride cotransport, nephron heterogeneity, 241,10:F412  
bicarbonate absorption, collecting tubules, 234,3:F141  
bicarbonate transport  
proximal convoluted tubules, 233,2:F307  
proximal tubules, 238,7:F166  
binding  
aorta, renal hypertension and, 243,12:H896  
gastric mucosa (frog), 241,4:G104, 243,6:G297  
gill arch (mullet), 238,7:R160  
sodium deprivation, 239,8:F378  
sodium-potassium-ATPase activity and, placenta, 238,1:E38  
sodium-potassium-ATPase enzyme units, lean and obese, 237,6:E265  
calcium ions trigger pool, exocrine pancreas, 238,1:G338  
calcium role, adrenal glomerulosa cell response, 241,4:E42  
calcium transport, cecum, 240,3:G424  
cardiac pump performance, ischemia and exercise, 234,3:H157  
cardiovascular effects, cerebroventricular perfusion, 230:1168  
carotid body cell membrane response, temperature, 233,2:C35  
cation transport, gastric mucosal cells, 235,4:E16  
cell volume changes, kidney, 240,9:F180  
cell volume regulation  
proximal convoluted tubules, 243,12:F408  
proximal tubule, 233,2:F325  
renal tubules, 236,5:F226  
chloride flux mechanisms, skin (flux), 232,1:F550  
chloride transport, bladder (toad), 233,2:F421  
contractility, vascular smooth muscle, 240,9:H971  
contraction, vascular smooth muscle, 238,7:H761
- coupling of sodium transport with respiration, 231:222  
deoxycorticosterone effects, vascular smooth muscle, 237,6:H197  
digitalis toxicity, 235,4:E531  
diuretic and indanone effects, cornea and bladder (toad), 238,7:R70  
electrical activity, adrenal cortex, 237,6:E158  
electrical characteristics, gastric mucosa (monkey), 239,2:G77  
electrolyte transport, ileum, gallbladder, colon, 239,2:G463  
epithelial cell activity, bladder (toad), 232,1:F196  
gastric acid secretion and, gastric glands, 241,4:G431  
glucose effects, Ehrlich cells, 242,11:C326  
glucose-induced electrical activity, pancreatic  $\beta$ -cells, 240,9:C127  
<sup>3</sup>H-labeled  
binding, cultured cardiac cells, 236,5:C87  
binding, in kidney epithelial (MDCK) cells, 238,7:C43  
inhibition, intestinal transport (fresh-water prawn), 239,8:C1  
inhibition of renin secretion, renal (dog, pig), 240,9:F70  
insulin action, resting membrane potential, skeletal muscle (frog), 236,5:C249  
insulin hyperpolarization, muscle, 241,10:C145  
intracellular effects, chloride activity, papillary muscle, 240,9:C183  
intracellular potentials, perfused proximal tubules, 240,9:F200  
ion concentrations, chloride epithelium, 238,7:F399  
ion content and, cells, tracheal epithelium, 241,10:C184  
ion-secreting epithelia, chloride cells (teleost), 238,7:R185  
isoproterenol-induced changes, glands, skin (frog), 241,10:C250  
lactate and sodium, kidney, 240,9:F343  
lithium, 230:1132  
luminal fluid acidification and, kidney tubules, 242,11:F521  
membrane properties, smooth muscle cells, pulmonary artery, 242,11:H900  
membrane stabilization, vascular smooth muscle, 235,4:C227  
muscle contraction, arterial (monkey, dog), 239,8:H199  
norepinephrine release, arterial, by potassium-free solution, 232,1:H140  
papillary muscles, in normal and hypoxic states, 231:66  
phosphate transport  
bladder (turtle), 238,7:F31  
cortical collecting tubules, 242,11:F379  
potassium absorption and, urinary bladder (turtle), 241,10:F315  
potassium activity and, proximal straight tubules, 241,10:F677  
potassium concentration and, vascular smooth muscle reactivity, 241,10:H217  
potassium flux, 230:743  
potassium ion conductance, pancreatic  $\beta$ -cells, 237,6:C137  
potassium ion efflux, exercising skeletal muscle, 236,5:R83  
potassium ion transport, bladder (toad), 237,6:F145  
potassium transport and  
descending colon, 242,11:C81  
perfused kidney (bullfrog), 236,5:F175  
potentials, Henle's loop, 232,1:F348  
pressure overload, left ventricular, 238,7:H134

**Ouabain** (continued)

- renal cell volume, hypotonic media, 238,7:F491
- renal cortical tubule suspension, 238,7:F50
- renin release, kidney slices (pig), 235,4:F22
- respiration, butyrate effects, brown adipocytes (hamster), 242,11:C46
- rubidium-86 efflux, pancreatic islets, 236,5:E139
- salt gland dissociation (duck), 238,7:C184
- sensitivity, salt gland respiration (duck), 237,6:C200
- sodium and potassium, tubular activity, 232,1:F42
- sodium and potassium transport, kidney tubules, 242,11:F514
- sodium-chloride symport and, stomach (frog), 242,5:G620
- sodium-chloride transport and, gallbladder epithelial cells (salamander), 243,12:C140
- sodium-hydrogen exchange, proximal tubules, 238,7:F445, 241,10:F380
- sodium ion transport, stomach (mammalian), 234,3:E228
- sodium permeability, myocardial cell swelling, 239,8:H31
- sodium-potassium-ATPase activity, rectal gland (dogfish), 237,6:F468
- sodium-potassium-ATPase-dependent sodium reabsorption, 232,1:F152
- sodium-potassium-ATPase inhibition intestinal, 234,3:E629
- taenia coli, 232,1:C191
- sodium-potassium-ATPase turnover, HeLa cells, 241,10:C173
- sodium-potassium exchange effects, smooth muscle, 243,12:H553
- sodium pump activity, salt gland cells (duck), 241,10:R77
- sodium pump sensitivity, kidney cells (pig), 236,5:C157
- sodium reabsorption and, kidney tubules, 242,11:F254
- sodium uptake, bile formation and, liver, 230:876
- specialized cell function and, urinary bladder (turtle), 242,11:F627
- stiffness, cardiac muscle, 232,1:H275
- sugar absorption and secretion, intestinal (flounder), 240,3:G392
- sulfate transport and, proximal convoluted tubules, 241,10:F300
- taurine secretion and, kidney (fish), 242,11:R64
- temperature-dependent potentials, proximal tubules, 236,5:F302
- thermodynamic analysis, corneal epithelium (frog), 242,11:F690
- transepithelial potentials, distal tubule (reptile), 234,3:F238
- tubular cell volume regulation, 235,4:F480
- urate secretion, proximal tubules, 239,8:F545
- volume overload and, myocardial failure, 243,12:H876

**Ovarian cycle**

- heat loss, estradiol effects, 243,12:R70
- progesterone effects, hypersection of follicle-stimulating hormone (monkey), 243,6:E387

**Ovarian follicle**

- development, 233,2:E229
- postovulatory steroidogenesis, 241,4:E221
- granulosa cell culture, luteinization and human chorionic gonadotropin response (pig), 240,3:E622

**Ovarian hormones**

- lysosomal acid hydrolase responses, myometrial, 232,1:E423
- metabolism, feeding and, 243,6:E407
- smooth muscle, oviduct, 234,3:C96

**Ovarian steroids**: see Steroids

**Ovarian tissue**, adenosine monophosphate, cyclic,  $\beta$ -adrenergic stimulation, 239,2:E139

**Ovariectomy**

- adenosine monophosphate, cyclic production and binding, pituitary, 243,6:E109
- core temperature and, 231:361
- $\beta$ -endorphin and, experimental obesity, 241,10:R173
- energy balance, estrogen replacement, 238,7:R400
- hormone levels after, sex differences, 241,4:E460
- hypothyroid, heat loss, estradiol effects, 243,12:R70
- luteinizing hormone surge (rhesus monkey), 236,5:R102
- obesity and, 243,12:R347
- theophylline-estrogen interaction, uterus, 242,5:E121
- unilateral, follicle-stimulating hormone and inhibin feedback, 240,3:E544
- vitamin D metabolism (quail), 234,3:E622

**Ovary**

- asymmetry, luteectomy (monkey), 243,6:E325
- body weight regulation, hypothalamic damage, 242,11:R265
- development, hypophysectomy (calf, heifer), 232,1:E497
- estrogen-theophylline interaction and, uterus, 242,5:E121
- hemodynamics, pseudopregnancy, 237,6:E30
- hormone interaction, circadian locomotor rhythm, 239,8:R497
- human chorionic gonadotropin, receptor-bound, internalization and degradation in granulosa cell cultures, 236,5:E129
- progesterone secretion, maternal starvation (pig), 237,6:E273
- sympathetic innervation, 230:1400
- tissue, estrogen action site, 243,6:E188

**Ovary cells**, potassium ion and  $\alpha$ -aminoisobutyric acid transport, low potassium ion-treated cells (Chinese hamster), 243,12:C124

**Overdrive**, sodium-potassium pump, heart muscle, 240,9:H168

**Overdrive suppression**

- cardiac automaticity and, 233,2:H625
- cultured myocardial cells (chick), 238,7:H24

**Overeating**: see Feeding

**Overhydration**, fluid distribution, between blood and interstitium, 238,7:H645

**Overload**

- calcium, intracellular, calcium paradox and, 237,6:H713
- iron, pregnancy, 232,1:E57
- pressure, ventricular hypertrophy, 232,1:H418

**Overperfusion**, adjustments, exercise and shock avoidance, 236,5:H225

**Oviduct**

- adrenergic influences, 234,3:C96
- contractile activity
- optoelectronic transducer, 239,8:R326, R332
- prostaglandins and, 238,1:E157
- ovarian steroid effects, adrenergic nerves, 240,9:C165
- pregnancy effects, adrenergic nerves, 240,9:C165
- spike bursts
- estrogen and progesterone effects, 234,3:E439
- ovulation effects, 234,3:E430
- Ovine  $^{125}$ I-labeled  $\alpha$ -fetoprotein**: see  $\alpha$ -Fetoprotein
- Oviposition activity**, circadian control (*Ostrinia*), 239,8:R259

**Ovulation**

- photoperiod-sensitive pacemaker and, 241,4:E261
- PMS-induced, postovulatory steroidogenesis and, 241,4:E221
- rhythms: see Rhythms
- spike bursts, oviduct, 234,3:E430
- Ovulatory quota**, follicle dominance and ovarian asymmetry, luteectomy (monkey), 243,6:E325
- Ovum**, transport, spike bursts, 234,3:E430, E439
- Oxalacetate**, role in lipate effects, gastric mucosa, 231:209
- Oxalate**
- secretion, proximal tubule, 240,9:F295
- transport, proximal tubule, 243,12:F271
- Oxidation**
- aged heart, 232,1:E258
- alanine, leucine and glucose, rest and exercise, 240,3:E155
- amino acids, carnitine effects, liver and skeletal muscle, 234,3:E494
- cholesterol, by simultaneous terol balance and breath analysis (primate), 235,4:R55
- fatty acid
- aorta, 243,12:H128
- insulin effects, hepatic metabolites, 233,2:E13
- pyruvate metabolism and, liver mitochondria, 236,5:H846
- glucose
- burn trauma, 233,2:E80
- high-fat diet effects, pancreatic acini, 243,6:G448
- perfused lung, 236,5:E276
- renal, 235,4:F52
- $\beta$ -hydroxybutyrate, fetal, 235,4:E330
- lactate: see Lactate
- leucine metabolism and, exercise effects, 242,5:E407
- lipid metabolism, and, muscle and adipose tissue, 243,12:R258
- pyruvate
- adrenergic stimulant, perfused heart (guinea pig), 242,11:H30
- leucine effect, atrial muscle, 238,1:E480
- urinary acidification and metabolism, bladder (toad), 239,8:F565
- rate, carbon fuels and, fetal, 233,2:E457
- substrate
- cardiac myocytes, amino acid stimulation, 235,4:E461
- heart myocytes, 238,7:H740
- specificity, muscle, 236,5:C66
- $\beta$ -Oxidation**
- gastric acid secretion and (toad), 238,1:G255
- muscle enzymes, diet, flight and (bat), 242,11:R189
- peroxisomal brown fat, cold adaptation, 239,8:C208
- thyroid treatment and, 243,12:R170
- Oxidation-reduction**
- changes, stimulation and hypercapnia, brain cortex, 243,12:H619
- cytochrome, isolated perfused kidney, 243,12:F356
- cytochrome c, homeostatic regulation, 234,3:C82
- cytochrome c turnover number, 235,4:C213
- cytoplasmic, renal papilla, 236,5:F423
- gastric mucosa (frog), 236,5:E301
- glucagon effects, hepatic, 237,6:E121
- lactic acidosis, 239,8:F135
- nicotinamide nucleotide state, Amytal effects, perfused heart, 237,6:C221
- pyridine nucleotide, perfused heart, 234,3:H40
- regulation (tuna), 234,3:R136
- sodium-potassium-ATPase, renal venadium and, 236,5:F530
- transitions, mitochondrial, cerebral cortex, 238,7:H249

- Oxidative capacity**  
 mitochondrial, brown fat, cold adaptation, 239,8:C208  
 motor nerve, skeletal muscle, 242,11:C272  
 skeletal muscle, 233,2:C14
- Oxidative decarboxylation, keto acids, branched-chain, diabetes,** 239,2:E215
- Oxidative enzymes, stretch-altered proportions, wing muscle (chicken),** 238,7:C62
- Oxidative glycolysis: see Glycolysis**
- Oxidative inhibitors, redox state,** 230:1198
- Oxidative metabolism**  
 active transport  
   coupling, midgut (hornworm), 238,7:C1  
   epithelial tissues (frog), 240,9:F357  
 carbon fuels, fetal, 232,2:E457  
 heart, 230:1741  
 Krebs cycle intermediates and inhibitors, effects, gastric mucosa (toad), 236,5:E692  
 renal, 235,4:F137  
 vasoactive agents and, splanchnic, 243,6:G1  
 voltage-clamped bladder epithelia, mass spectrometry (toad), 236,5:F413
- Oxidative phosphorylation, 231:1811**  
 amylase effects, perfused heart, 237,6:C221  
 chemoreceptor response and, carotid body, 242,11:C200  
 gastric mucosa (frog), 239,2:G411  
 heart, in euthyroidism, hypothyroidism and hyperthyroidism, 235,4:C213  
 mitochondrial  
   coronary blood flow and, 243,12:H159  
   skeletal muscle (frog), 234,3:C1  
 muscle, dietary iron effects, 242,5:E418  
 potassium and verapamil cardioplegia, ischemic arrest, 240,9:H326  
 uncoupling, glucose inhibition, ulceration, 242,5:G429
- Oximetry**  
 ear, heart rate response to isocapnic hypoxia, 234,3:H129  
 oxyhemoglobin saturation, prediction limitations, 239,8:H703
- Oxonic acid**  
 allantoin excretion, renal, 233,2:F373  
 urate uptake and, kidney cortex, 242,11:F158  
 uric acid metabolism, muscular dystrophy, 234,3:E421
- Oxyanions, anion permeability, proximal tubules, 242,11:F395**
- Oxygen**  
 absorptive hyperemia, intestines, 239,8:H489  
 acid secretion and, gastric mucosa, 231:1240  
 affinity  
   blood, postnatal, 238,7:H73  
   red cells, physiological effects (baboon), 232,1:H79  
 altered, microvascular response, 231:244  
 arterial content changes, cerebral blood flow (lamb), 240,9:H209  
 arteriolar dimensions and blood flow, sartorius muscle, 241,10:H547  
 arteriovenous, pregnant uterus (sheep), 237,6:R52  
 arteriovenous difference  
   analyzer, 232,1:H437  
   exercise and shock avoidance, 236,5:H225  
   oxyhemoglobin saturation prediction, 239,8:H703  
 artificial carrier, uridine regulation, liver, 242,11:R465  
 balance, skeletal muscle, contracting, 233,2:E514  
 binding  
   carbonic anhydrase and (fish), 238,7:R240  
   hemocyanin, temperature acclimation (crayfish), 240,9:R93  
 blood, postnatal regulation of erythrocytes, 242,11:H500  
 blood flow autoregulation and, sartorius muscle, 241,10:H807  
 capacity, activity (crayfish), 240,9:R99  
 carbon monoxide effects, equilibrium between hemoglobin and, 230:471  
 carotid body chemoreceptor response to, oligomycin effects, 242,11:C200  
 cerebral metabolic rate, neonatal, 234,3:R209  
 cerebral uptake, relations to EEG frequency, 231:1840  
 conservation, cerebral, apneic asphyxia (duck), 239,8:R352  
 content  
   arterial, fetus (ovine), 235,4:H162  
   blood flow, cerebral, Bohr effect (duck), 236,5:H744  
   coronary washout (swine), 239,8:H371  
   portal blood, hepatic circulatory autoregulation, 233,2:E255  
 contractile response, ductus arteriosus, 231:240  
 cooperativity, temperature acclimation effects (crayfish), 240,9:R93  
 coronary sinus, myocardial energy supply-demand factors, 237,6:H696  
 cost, ventricular pressure-volume area, 240,9:H320  
 debt  
   activity (crayfish), 240,9:R87  
   myocardial reactive hyperemia, 235,4:H87  
 deficiency  
   myocardial, reactive hyperemia, 234,3:H625  
   norepinephrine-stimulated lipolysis, 241,4:E28  
 delivery  
   activity (crayfish), 240,9:R99  
   adrenergic control of, myocardium, exercise, awake state, 242,11:H805  
   aging effects (sheep), 243,12:H729  
   blood flow, cerebral, 240,9:H209  
   blood flow interactions, gut and liver, newborn (lamb), 240,3:G297  
   blood volume changes during exercise, 240,9:H177  
   cardiovascular and hematologic development (lamb), 237,6:H668  
   consumption and, pregnant uterus, 237,6:R52  
   consumption and, cerebral cortex (gerbil), 242,11:C265  
   coronary washout (swine), 239,8:H371  
   heterogeneity in normoxic and hypoxic states, fluorimetry, 235,4:H809  
   intestinal, adenosine effects, 235,4:H707  
   isolated heart model, 237,6:H348  
   kidney, 241,10:F257  
   microcirculatory, measurement of, 243,12:H1018  
   muscle  $\text{VO}_2$ , 240:327  
   postnatal hematology, 237,6:H71  
   postnatal regulation of, erythrocyte metabolism, 242,11:H500  
   renal cortical tubule suspension and, 238,7:F50  
   umbilical, hemorrhage effects, fetus (lamb), 242,11:H543  
 dependence, development, embryonic (salamander), 236,5:R282  
 deprivation, myocardial protein synthesis during, 230:120  
 dietary component effects, intestinal, 242,5:G27  
 difference, arteriovenous, fetus (ovine), 235,4:H162  
 diffusion  
   arteriolar networks, analysis, 237,6:H681  
   capillary transit times, muscle, 240,9:H199  
   gastric acid secretion and (frog), 238,1:G197  
 diffusion fields, spinal cord, 240,9:H761  
 exchange  
   capillary transit times, muscle, 240,9:H199  
   mesenteric microcirculation, 236,5:H846  
   simulated trout gill secondary lamella, 233,2:R145  
   totally perfused (trout), 234,3:R201  
 exposure, thyroid gland, 235,4:E628  
 extraction  
   blood flow, autoregulation, intestinal, 239,8:H156  
   circulation and, pancreas, 242,5:G596  
   coronary, hemorrhage, 239,8:H326  
   diabetes and metabolic acidosis, myocardial (lamb), 238,7:H263  
   gastrointestinal tract, newborn (lamb), 240,3:G297  
   inosine and  
     interdependence with cardiac function and coronary flow, 235,4:H734  
   liver, newborn (lamb), 240,3:G297  
   metabolic hyperemia, 237,6:E548  
   myocardial, 238,7:H569  
   myocardial, aortic constriction and, 242,11:H310  
   myocardial, atrial pacing, 236,5:H231  
   myocardial, coronary autoregulation, 234,3:H361  
   myogenic vasoconstriction, intestinal, 238,7:H836  
   ratio, hematocrit variations, effects, 233,2:H106  
   sympathetics and, 233,2:H264  
 fluxes, voltage-clamped bladder epithelia, mass spectrometry (toad), 236,5:F413  
 gradient  
   capillary, skeletal muscle, 233,2:H122  
   capillary transit times, muscle, 240,9:H199  
   hyperbaric, spontaneous transmitter release (lobster), 235,4:C233  
   induced changes, pulmonary superoxide dismutase, 231:1196  
   inhalation, 100%, regional blood flow and, 238,7:H244  
   intake, clearances, 240,9:R356  
   intracellular supply, hypoxia, 243,12:C247  
 metabolic rate, cerebral, neonatal, 234,3:R209  
 metabolism  
   coronary blood flow and, 243,12:H159  
   fetal, hypoxemia in utero, 243,12:H959  
   heart ventricles, open chest, 243,12:H761  
   myocardial, diabetes and (lamb), 243,12:H252  
   renal, 231:1166  
   skeletal muscle, influence of sympathetic nerves, 231:529  
   microelectrodes, spinal cord, 240,9:H761  
   myocardial, hypoxemia, fetus (sheep), 242,11:H657  
   NADH fluorescence and, functional state of kidney, 231:1082  
   paradox, heart cell contracture and, 242,11:H1022  
   partial pressure, papillary muscle, 241,10:H348  
   precapillary losses, analysis, 237,6:H681  
   prostaglandin production, modulation, renal, 233,2:F539  
   radicals, albumin clearance and, intestinal mucosa, 242,5:G448  
   reactive forms, phagocytizing alveolar macrophages, 235,4:C103  
   reactive hyperemia and, microvessels, cheek pouch (hamster), 241,10:H748

**Oxygen (continued)**

release rates, heart, 230:1744  
 repayment, myocardial reactive hyperemia, 235,4:H87  
 requirement  
   bicarbonate-dependent sodium reabsorption, renal, 238,7:F175  
   prediction of, myocardium, 243,12:H862  
   renal, sodium-potassium-ATPase-dependent sodium reabsorption, 232,1:F152  
 retraction, hypoxia (lamb), 243,12:H27  
 saturation, arterial, heart rate response, 234,3:H129  
 shunt, capillary transit times, muscle, 240,9:H199  
 supply  
   cerebral blood flow, Bohr effect (duck), 236,5:H744  
   cremaster muscle (hamster), 242,11:H211  
   microvascular hematocrit and, striated muscle, 237,6:H481  
   muscle, dietary iron effects, 242,5:E418  
 tolerance, role of pulmonary superoxide dismutase, 231:1196  
 toxicity  
   lung defense mechanisms, 230:1425  
   thyroid gland, 235,4:E628  
 transport  
   blood, organ weight and (shrew), 236,5:R221  
   capillary, cardiac, 235,4:H321  
   capillary recruitment, 238,7:H31  
   capillary transit time, skeletal muscle, 233,2:H122  
   circulation and (crayfish), 240,9:R99  
   2,3-diphosphoglycerate binding by spectrin, 234,3:C36  
   exercise vasodilation, adenosine role, gracilis muscle, 238,7:H703  
   hematocrit variations, 238,7:H545  
   hematocrit variations, effects, 233,2:H106  
   hypothermia, 235,4:H136  
   intrinsic regulation, intestinal, 238,7:H836  
   rest and exercise, red muscle, 243,12:H196  
   screen oxygenator, small animals, 237,6:H269  
   shock, 241,10:H864  
   systemic, development (lamb), 237,6:H668  
   varanid lizard, 233,2:R89  
 uptake  
   angiotensin effects (squirrel monkey), 233,2:H10  
   autoregulation, gastric, 241,4:G143  
   bile salt effects, ileal, 241,4:G469  
   blood flow relations, intestinal, 242,5:G202  
   embryo (salamander), 236,5:R282  
   epinephrine effects, muscle, 242,5:E25  
   esophageal smooth muscle (opossum, cat), 242,5:G258  
   exercise, heavy, sitting and supine, 236,5:R206  
   for negative work, 230:1013  
   gut, awake state, newborn (lamb), 241,4:G289  
   hypoxic anoxic or ischemic brain, 239,2:E501  
   intestinal, sympathetic stimulation and partial arterial occlusion, 236,5:H731  
   iron deficiency effects, skeletal muscle, 241,10:C47  
   jejunal, postprandial intestinal hyperemia, 243,6:G248  
   liver, hepatic nerve stimulation, 232,1:H652  
   muscle load and, 230:1008  
   myogenic responses, intestinal, 233,2:H547

myometrium, 230:158  
 pentagastrin-stimulated stomach, 242,5:G565  
 resting skeletal muscle, influence of sympathetic nerves, 231:529  
 supply and, intestinal, 243,6:G91  
 transient, myocardial reactive hyperemia, 235,4:H87  
 vasoactive agents and, 243,6:G1  
 uptake rate, activity (crayfish), 240,9:R99  
 usage, myocardial, insulin effects, neonatal diabetes (lamb), 237,6:H514  
 utilization  
   cardiac myocytes, amino acid stimulation, 235,4:E461  
   coronary, hematocrit effects, 233,2:H106  
   sodium ion reabsorption and, renal, 238,7:F415  
   vascular smooth muscle contraction, 238,7:H716, H761  
   water and ion content and, aorta, 231:1800  
**Oxygen-18**, doubly labeled water errors, 238,7:R466  
**Oxygenation**  
 blood volume changes, exercise, 240,9:H177  
 criteria, papillary muscle, 241,10:H348  
 extracorporeal, small animals, 237,6:H269  
 intestinal  
   exchange vessels in, 242,5:G570  
   fetal (lamb), 242,11:H50  
   regulation, capillary recruitment and, 242,5:G435  
 intrinsic control  
   colon, 238,1:G478  
   intestinal, 238,7:H836  
 mucosal, absorptive hyperemia, intestinal, 239,8:H489  
 myocardial  
   aging effects (sheep), 243,12:H729  
   hypoxemia and, fetus (sheep), 242,11:H657  
   myoglobin function, myocardial, 234,3:H567  
   skeletal muscle, resting, 236,5:H307  
   tissue, mesenteric, 236,5:H846  
**Oxygenator**  
 membrane  
   carbon dioxide priming (sheep), 236,5:H371  
   microbubble, elimination during priming (sheep), 234,3:H646  
   screen, small animal organ perfusion, 237,6:H269  
**Oxygen buffers**, myocardial reactive hyperemia, 235,4:H87  
**Oxygen consumption**  
 activity (crayfish), 240,9:R87  
 $\beta$ -adrenergic blockade effects, glucoprivation, 243,12:R379  
 age and feeding effects, skeletal muscle, 242,11:R89  
 aorta, 243,12:H128  
 baroreflexive depression (monkey), 232,1:H451  
 bile flow and, liver (skate), 242,5:G313  
 biogenic amines, arousal and (ground squirrel), 236,5:R162  
 blood flow, cerebral, 240,9:H209  
 blood flow autoregulation, intestinal, 239,8:H156  
 blood volume changes, exercise, 240,9:H177  
 brown fat cells, cold acclimation, 242,11:C250  
 bumetanide effects, cornea (bullfrog), 234,3:F297  
 capillary recruitment and, 242,5:G435  
 cardiac  
   newborn (pig), 241,4:E364  
   regional, effect of atrial pacing, 236,5:H231

ventricular mechanical energy and, model, 236,5:H498  
 ventricular systolic pressure-volume area, 240,9:H39  
 carnitine effects, heart (swine), 243,12:H691  
 cells, tracheal epithelium, 241,10:C184  
 cerebral  
   fetus (ovine), 235,4:H162  
   hypotension, 236,5:H802  
 cerebral, carbon dioxide tension and, fetal, newborn and adult (sheep), 242,11:H862  
 cerebral blood flow, neonatal, 234,3:R209  
 cholinergic stimulation, myocardial, newborn (lamb), 233,2:H451  
 cold acclimatization, skeletal muscle, 241,10:R357  
 cold exposure (monkey), 232,1:H459  
 coronary, hemorrhage, 239,8:H326  
 coulometric microrespirometry, 243,12:R185  
 cytochrome *a* and, kidney, 243,12:F356  
 delivery and, pregnant uterus (sheep), 237,6:R52  
 development (lamb), 237,6:H668  
 2,4-dinitrophenol effects, renal, 233,2:F207  
 diving (beaver, nutria), 242,11:R434  
 dynamics, myocardial, 233,2:H34  
 estrogen and, 238,7:R400  
 ethacrynic acid and ouabain effects, kidney, 242,11:F254  
 exercise hyperemia, 236,5:H480  
 exercise increment, skeletal muscle,  $\alpha$ -stimulation, 238,7:H331  
 fetal, 230:357  
 gastric acid inhibition, 234,3:E445  
 gastric mucosa (frog), 236,5:E301  
 gastrointestinal tract, newborn (lamb), 240,3:G297  
 gluconeogenesis and sodium transport relations, kidney, 242,11:F508  
 graded activity (lizard), 239,8:F174  
 growth and, embryonic (albatross), 242,11:R121  
 heat loss and, estradiol effects, 243,12:R70  
 hematocrit variations, effects, 233,2:H106  
 hemodynamics, liver, 234,3:E584  
 hemorrhagic shock, myocardial, 241,10:H12  
 histamine receptors, intestinal, 233,2:E219  
 hormone effects, hepatocytes, 242,11:C172  
 hyperdynamic severe intravascular sepsis and (monkey), 243,12:R131  
 hyperthyroidism, fetal, 239,8:H302  
 hypothermia, 235,4:H136  
 hypoxemia, spontaneous hypertension and, 234,3:H275  
 inosine and, myocardial, 238,7:H569  
 intestinal  
   exchange vessels and, 242,5:G570  
   fetal (lamb), 242,11:H50  
   hypoxemia, 234,3:E248  
   myogenic responses, 235,4:H157  
   portal pressure reduction, 238,1:G502  
   intrinsic regulation, intestinal, 238,7:H836  
 isotonic contraction indices, myocardial, 236,5:H331  
 left ventricular systolic pressure-volume area and, correlation, 237,6:H566  
 liver, newborn (lamb), 240,3:G297  
 locomotor activity, weight loss, 241,10:R392  
 locomotory energetics (lizard), 241,10:R342  
 lung  
   fasting effects, 230:291  
   thyroxine, 230:295  
 mannitol effects, myocardial, 233,2:H444



- maximal, working muscle, 230:327  
measurement, voltage-clamped epithelia (frog, toad), 236,5:F206  
metabolic hyperemia, 237,6:E548  
metabolic inhibitor effects, proximal tubule (rabbit), 243,12:F133  
methoxamine effects, heart, 241,10:H370  
modulation, midgut (hornworm), 238,7:C1  
monosodium glutamate-induced obesity, neonatal, measurement, 234,3:E532  
myocardial, 230:41  
activation sequence effects, 234,3:R260  
adenosine, 239,8:H509  
adenosine and, awake state, 243,12:H628  
adenosine and, exercise, 242,11:H24  
adrenals and, newborn (lamb), 234,3:H173  
aminophylline effects, 243,12:H480  
catecholamines, 235,4:H237  
coronary vascular response, 235,4:H372  
diabetes and metabolic acidosis (lamb), 238,7:H263  
dog, pig, 241,10:H149  
hemodilution, 235,4:H767  
interdependence with heart function and coronary flow, 235,4:H784  
myocardial, intracoronary adenosine and, 241,10:H194  
in utero, fetal and adult, 238,7:H399  
ischemic arrest and reperfusion, 235,4:H619  
training effects, angina pectoris, 243,12:H830  
norepinephrine, fetal (lamb), 239,8:R115  
optimal control evaluation, myocardial, 240,9:R370  
parietal cells, 237,6:E444  
pial arteries, 236,5:H151  
potassium and osmolality effects, 242,11:H949  
potassium depletion, 236,5:H480  
pressure load vs. volume load, heart, 242,11:H942  
prostacyclin and, hypoxic liver, 238,7:H176  
pulsatile pressure and metabolic rate effects, intestinal, 242,11:H769  
rate, arterial wall, 243,12:H948  
red cells, hypoxia (baboon), 232,1:H79  
renal, 230:1126  
ammoniogenesis and, 237,6:F7  
during rapid volume expansion, 231:1166  
sodium reabsorption, 232,1:F152  
renal and hepatic, nuclear binding of L-3,5,3'-triiodothyronine, 240,3:E146  
renal cortical tubule suspension and, 238,7:F50  
skeletal muscle, 232,1:E243, 233,2:C14  
soleus and gracilis muscle, 239,8:H516  
solute-coupled volume absorption, ileal, 236,5:E198  
striated muscle, 230:34  
tension-time index, myocardial, 233,2:H444  
thermodynamics of, corneal epithelium (frog), 242,11:F690  
thermogenesis, infant, 233,2:R23  
ventricular pressure-volume area, cardiac, 240,9:H320  
wall force and shortening effects, myocardial, 233,2:H421  
weight-specific (shrew), 236,5:R221  
whole-body, newborn (lamb), 240,3:G297  
working heart, 239,2:E428
- Oxygen dissociation curve**  
blood, 230:471  
heart, 230:1744, 1751
- Oxygen electrodes**, voltage-clamped epithelia (frog, toad), 236,5:F206
- Oxygen-hemoglobin affinity**, 2,3-di-phosphoglycerate binding, spectrin, 234,3:C36
- Oxygen pressure**  
blood flow, cerebra, Bohr effect (duck), 236,5:H744  
critical, embryo (salamander), 236,5:R282  
half saturation, organ weight and (shrew), 236,5:R221  
metabolism, renal papilla, 236,5:F423  
myocardial distribution, coronary autoregulation, 234,3:H361  
myoglobin, resting skeletal muscle, 236,5:H307  
performance of cardiac muscle, 231:1620  
pH and, medullary collecting duct, 241,10:F659  
tissue, during reactive hyperemia, skeletal muscle (chicken), 233,2:H379
- Oxygen tension**  
arterial, hydrogen peroxide, 234,3:H28  
arterial and cisternal, cerebrospinal fluid, 236,5:F220  
arteriolar functional vasodilation, striated muscle, 235,4:H505  
blood flow and, uterus (guinea pig), 241,4:E142  
brain (turtle, rat), 243,12:R281  
development, capillary muscle, 241,10:H348  
energetics, kidney cells, 233,2:C135  
glucose exposure and, intestinal tissue, 238,7:H164  
inspired gas effects, 230:839  
lung model, 241,4:E47  
myocardial  
atrial pacing, 232,1:H49  
coronary stenosis, 232,1:H39  
intracoronary adenosine and, 241,10:H194  
oxyhemoglobin stimulation prediction, 239,8:H703  
sartorius muscle, 241,10:H807  
spinal cord, 240,9:H761  
systemic hypoxia, muscle microcirculation, 240,9:H746  
tissue, 230:493  
striated muscle (hamster), 241,10:H325
- Oxyhemoglobin**, saturation, prediction from oxygen tension, 239,8:H703
- Oxyhemoglobin dissociation curve**, hypoxia and, cerebral circulatory response (lamb), 243,12:H27
- Oxymetazoline**  
presynaptic  $\alpha$ -receptor function, renal vascular bed, 239,8:H422  
renin release and, carotid sinus, 242,11:R318
- Oxytic cells**  
adenosine monophosphate, cyclic formation, hydrochloric acid secretion and, gastric mucosa (bullfrog), 235,4:E140  
extracellular calcium, gastric stimulation (frog), 241,4:G365  
functional changes, gastric, 241,4:G349  
hydrogen ion secretion, membrane elaboration and, ionic requirements (frog), 242,5:G388  
ouabain-binding site, gastric mucosa (frog), 243,6:G297  
ultrastructure, stomach (frog), 232,1:E48
- Oxytic cell tubulin**, gastric, 240,3:G317
- Oxytic gland**  
gastric receptors, 237,6:E284, E295  
mucosal gastrin receptor, binding specificity, 239,2:G395  
mucosal gastrin receptors, 242,5:G243  
development, newborn, 240,3:G163  
mucosal growth stimulation, epidermal growth factor, 238,1:G45
- Oxytic mucosa**  
bathing, amino acid solution acidification, 243,6:G336  
deoxyribonucleic acid synthesis, 235,4:E565
- Oxyticopeptic cells**, acid secretion, gastric mucosa (quail), 241,4:G382
- Oxypurines**, secretion, jejunum, 238,1:G141
- Oxytocic potency**, 230:50
- Oxytocin**  
degradation, renal tubules, 232,1:F319  
natriuretic effect, saline-expanded neonates, 239,8:F589  
prolactin, identification and contamination, 234,3:F318  
testosterone-aldosterone antagonism, bladder (toad), 239,8:F433
- P**
- P113**, renal cortical smooth muscle, active factor response, 232,1:F84
- pA<sub>2</sub>**, pulmonary vascular smooth muscle, 240,9:H274
- Pacemaker**  
activity  
atrial, 242,11:H98  
cultured heart cells, embryo (chick), 239,8:C197  
cultured myocardial cells (chick), 238,7:H24  
embryonic heart cells (avian), 236,5:C163  
intestinal, 243,12:C7  
atrial  
cardiac automaticity and, 241,10:H45  
ectopic, during exercise, 234,3:H465  
subsidiary, and sinoatrial node function, comparison, 234,3:H465, H471  
atrial and ventricular, cardiac automaticity and, 233,2:H625  
automaticity, atrial ectopic foci, 238,7:H788  
autonomic control, atrioventricular junction, 235,4:H308  
cardiac, response curve, model, 243,12:H207  
circadian  
estradiol and progesterone interaction, 239,8:R497  
gonadotropin release, free-running female (hamster), 238,7:R23  
low temperature effects (cockroach), 240,9:R144  
temperature dependence, 241,10:R17  
complete heart block, 233,2:H723  
coordination and organization, atrial, 239,8:H406  
current flow effects, sinoatrial node, 238,7:H307  
ectopic cardiac, atrioventricular junctional rhythm, 237,6:H275  
entrainment, small intestine, 237,6:C237  
frequency, 230:1031  
hierarchy, 234,3:H471  
large colon (equine), 237,6:E457  
multicalyceal kidney (minipig), 241,10:R398  
multiple-coupled system, pelvis, unicalyceal kidney, 241,10:R412  
photoperiod-sensitive, estrous cycle and, 241,4:E261  
rhythm, gastric, 237,6:E279  
subsidiary, atrial, 238,7:H788  
ventricular, epinephrine effects, 242,11:H677  
ventricular automaticity, 239,8:H247
- Pacemaker cells**  
primary, sinoatrial node, heart, 243,12:H207  
sinoatrial node, ultrastructure and physiology, 235,4:H407  
sinus node, rhythm, 235,4:H379  
sympathetic stimulation effects, cardiac, 241,10:H850
- Pacemaker centers**, specialized, atrial, 239,8:H406
- Pacemaker complex**  
atrial, 239,8:H406  
heart, 239,8:H406

**Pacing****atrial**

- adrenergic effects, 234,3:H525
- critical coronary stenosis, 232,1:H49
- inotropy and preload at high heart rate, 236,5:H568
- left ventricular metabolic gradients, 233,2:H217
- myocardial energy supply-demand factors, 237,6:H696
- myocardial oxygen consumption, 234,3:H260
- oxygen consumption and supply, regional, cardiac, 236,5:H231
- electrical, jejunal transit, 240,3:G355
- heart, perfused at constant pressure, 238,7:H118
- myocardial blood flow, left ventricular hypertrophy, 239,8:H261
- paired, 230:1
- ventricular, regional left ventricular performance and, 238,7:H858

**Paired-pulse stimulation**, 237,6:H649**aftercontraction, hypertrophied cardiac muscle**, 237,6:H649**Pair-feeding: see Feeding****Palmitate**

- calcium and, serum, 238,1:E104
- calcium-ion tolerant myocytes, cardiac, 240,9:H659
- carnitine transport and, myocardial, diabetes, 243,12:H154
- <sup>11</sup>C-labeled, positron-emitting tracers, myocardial metabolism, 242,11:H62
- <sup>14</sup>C-labeled, myocardial metabolism, assessment, 236,5:H644, 237,5:H644
- <sup>1-14</sup>C-labeled, free fatty acid utilization after endotoxin, skeletal muscle, 239,2:E391
- incorporation, fatty liver, hypervitaminosis A, 234,3:E511
- metabolism, 231:14
- oxidation, heart myocytes, 238,7:H740
- renal metabolism, lactate and glutamine effects, 231:14
- structure, function and metabolism correlates, ischemic heart, 240,9:H391
- substrate, utilization, soleus muscle, 238,7:C149
- substrate oxidation specificity, muscle, 236,5:C66
- turnover, hepatic, glucagon effects, 237,6:E121
- uptake, liver, intracellular binding sites, 234,3:E542

**Palmitic acid**

- fibrinogen response, 235,4:H223
- utilization, renal cortex, potassium effects, 232,1:F254

**Palmitoyl-CoA-synthetase, fatty liver, hypervitaminosis A**, 234,3:E511**Pancreas**

- A-cell function, 231:1057
- acinar cells, ion effects on amylase release, 231:1562
- adenosine triphosphatase activity, islets, 230:441
- $\alpha$ -aminobutyric acid inhibition, cholecystokinin effects, 238,1:G440
- amylase secretion, bile, 243,6:G54
- L-asparagine homeostasis, role of L-asparagine synthetase, 236,5:E746
- bicarbonate, secretin concentration and, 236,5:E539
- bicarbonate secretion, 234,3:E286
- vagally mediated, vasoactive intestinal polypeptide and (pig), 237,6:E535
- blood flow: see Blood flow
- calcification, calcium bicarbonate and carbonate complexes, 241,4:G182
- calcium fluxes, secretagogue effects, acini, 240,3:G38
- calcium movement, 238,1:G247
- cationic trypsinogen, serum radioimmunoassay, 236,5:E77

 **$\alpha$ -cells, dietary modulation of**

- 242,5:G354
- cholecystokinin-induced desensitization, enzyme secretion, 239,2:G272
- cholinergic innervation, glucose tolerance and, 241,4:E337
- clearance, circulating pancreatic amylase, 243,6:G21
- colipase, 232,1:E131
- digestive enzyme secretion and, 231:1847
- synthesis and discharge, ethionine effects, 239,2:G418
- dispersed acini, Gila monster venom effects, 242,5:G470
- distension, pyloropancreatic reflex, 234,3:E468
- dorsal areas, islet hormones, 240,3:E422
- duodenal extracts, enzyme secretion and, 243,6:G304
- elastase: see Elastase
- endocrine
  - cold acclimation in, 242,5:E360
  - growth hormone, 237,6:E107
  - hypothalamus and, 233,2:E380
  - secretions, Brockmann body model (catfish), 243,6:E352
  - secretory responses, leukocytic endogenous mediators, 233,2:E240
- endocrine secretion,  $\alpha$ -amylase, 241,4:G170
- endotoxemia, hyperinsulinemia, 239,2:E156
- enzymes and secretagogue responsiveness, fasting effects, 242,5:G215
- enzyme secretion
  - cholecystokinin effects, 242,5:G416
  - cholecystokinin-induced restricted stimulation of, 242,5:G464
- enzyme secretion reversal, guanosine monophosphate, cyclic, 240,3:G466
- ethionine effects, 242,5:G297
- ethionine-treated, altered insulin and glucagon secretion, 243,6:E505
- exocrine
  - biphasic postprandial secretion, 238,1:G332
  - cholecystokinin receptors, biological function and, 242,5:G250
  - dietary lipid effects, 243,6:G10
  - exportable proteins, biosynthesis, segregation, synthesis and, 238,1:G467
  - flow dependence of protein secretion, 242,5:G32
  - insulin action, 240,3:G56
  - insulin action, autoradiographs, 240,3:G69
  - insulin binding sites, acini, 240,3:G63
  - protein carboxyl methylation, stimulus-secretion coupling, 240,3:G199
  - protein secretion, intracellular osmotic events, 238,1:G289
  - protein synthesis, cholecystokinin and, 241,4:G116
  - protein synthesis, cholecystokinin and calcium effects, 243,6:G69
  - response, cholecystokinin, obesity and, 242,5:G612
  - response to cholecystokinin, 239,2:G247
  - secretagogue action, 235,4:E517
  - secretion, 233,2:E530
  - secretion, atropine effects, 240,3:G376
  - secretion, pyloropancreatic reflex, 234,3:E468
  - secretion, vasoactive intestinal polypeptide effects (pig), 235,4:E387
  - secretory activity, interdigestive state, 241,4:G98
  - vagotomy, pair feeding, 240,3:E573
- gastrin, secretory effects (porcine), 238,1:E186
- gastrin effects on adaptation, small bowel resection, 243,6:G16
- glucagon: see Glucagon
- growth
  - amino acid-stimulated, 239,2:G400

- hydrocortisone and, 239,2:G95
- hydrochloric acid and secretin, atropine effects and, 240,3:G376
- hyperinsulinemia, reticuloendothelial system phagocytosis, 242,5:E115
- immunoreactive cationic trypsin, molecular forms in pancreatitis sera, 237,6:E474
- innervation, cephalic phase insulin secretion, 238,1:E336
- insulin: see also Insulin
  - development of, fetus and suckling, 242,5:E220
  - release, somatostatin-impaired, hyperglycemia, 240,3:E407
  - secretion, cold acclimation and, 242,5:E360
- kallikrein, plasma, radioimmunoassay for, 242,11:H602
- lipase-colipase activity inhibition, mixed bile salt-phospholipid micelles, 241,4:G328
- lipid metabolism, 238,1:G247
- metabolic alterations, experimental obesity, 233,2:R162
- microsomes, calcium ion uptake, 240,3:G122
- neural influences, basal plasma insulin levels (monkey), 240,3:E5
- norepinephrine turnover, diet and cold exposure, 236,5:E524
- parallel secretion, digestive enzymes, 231:1860
- perfused
  - calcium effects, 240,9:C64
  - insulin secretion and acid-base alterations, 234,3:E426
  - priming effect of glucose on insulin secretion, 240,3:E24
- perfusion apparatus, models, 236,5:E391
- physiology, 230:1090
- plasma insulin levels, nutritional state effects (monkey), 242,11:R255
- plasma trypsinogens, renal failure and nephrectomy, 242,5:G177
- polypeptide release
  - intestinal phase of, 240,3:G387
  - mechanics, 235,4:E443
- polypeptide response, meal, atropine and vagotomy effects, 235,4:E443
- polypeptides
  - gastric acid secretion and, 236,5:E488
  - hormone-stimulated release, vagotomy, 240,3:G114
  - porcine secretin effects, 241,4:G43
- prolactase: see Prolactase
- prostaglandins, adrenergic transmission, 232,1:E201
- protein synthesis, cholecystokinin and calcium effects, 243,6:G69
- protein transport, 238,1:G391
- regulation of insulin secretion, 231:1830
- response to cholecystokinin, parallel secretion, 239,2:G247
- response to intestinally perfused oligopeptides, 231:678
- response to intestinally perfused proteins and protein digests, 231:682
- response to luminal L-amino acids, mediation by gut receptors, 231:669
- secretin
  - secretory effects (pig), 235,4:E381
  - vasoactive intestinal peptides and, 232,1:E156
- secretin concentration, fasting and postprandial, 236,5:E539
- secretion, 230:784
- acid-induced, protein digests of, 242,5:G634
- atropine effects, 238,1:G18
- bovine pancreatic peptide effects, 232,1:E311
- calcium ion uptake, 240,3:G122
- digestive enzymes, 230:1499
- electron-microscope autoradiographs, 243,6:G291

- exocrine, pH measurement, 238,1:G263  
 hormone-regulated, in enteric parasitism, 237,6:R232  
 inhibition, luminal somatostatin, 241,4:G109  
 parenteral feeding, long-term, 233,2:E524  
 prostacyclin-induced inhibition, 238,1:G531  
 protein synthesis inhibitor effects, 243,6:G285  
 sham feeding, 234,3:E417  
 substance P effects, 241,4:G74  
 secretory mechanisms, development, 236,5:E446  
 size and composition  
   caerulein and hydrocortisone effects, 241,4:G37  
   caerulein-secretin interaction, 235,4:E714  
 somatostatin analogues, 236,5:E123  
 somatostatin-like immunoreactivity, release, during intestinal phase of a meal, 237,6:E555  
 subcellular stores, secretory protein from, 241,4:G67  
 transplantation  
   atropine effects, 238,1:G18  
   cephalic phase insulin secretion, 238,1:E336  
   prandial insulin release, 235,4:E103  
   transplanted and intact, comparison, 236,5:E186  
 trophic effect of hydrocortisone, 239,2:G95  
 trypsin, immunoreactive forms, 236,5:E77  
 trypsinogens, circulating clearance, 239,2:G511  
 vascularly isolated, hemodynamics and metabolism, 236,5:E626  
 ventral area, islet hormones, 240,3:E422  
**Pancreas-duodenum**, isolated perfused, insulin, glucagon, and somatostatin secretion (rat, chicken), 238,1:E150  
**Pancreas preparation**, isolation, viability and stability, 236,5:E391  
**Pancreatectomy**  
   carbon atoms, transfer, 239,2:E39  
   glucose turnover, 236,5:E255  
   extrapancreatic glucagon and, 234,3:E213  
   hepatic metabolism, glucagon, 240,3:E233  
   insulin deprivation and, mixed meal responses, 242,5:E335  
**Pancreatic acinar cells**  
   amylase release, kinetics, 235,4:E743  
   function  
     calcium messenger role, 239,2:G335  
     regulation by intracellular calcium, 238,1:G269  
   isolated, calcium ion fluxes, 238,1:G332  
   parotid, adenoreceptor agonist effects, 242,5:G481  
   peptides, isolated from skin, effects (amphibian), 235,4:E112  
   secretagogue-induced calcium ion fluxes, lanthanum effects, 240,3:G281  
   secretagogue receptor, 238,1:G63  
   secretion, sodium and calcium transmembrane movement, 242,5:G513  
**Pancreatic acini**  
   amylase release  
     actions of amphibian peptides, 236,5:E571  
     A23187 effects, 238,1:G458  
     kinetics, 235,4:E743  
     manganese effects (guinea pig), 241,4:G359  
   arachidonic acid metabolism, amylase secretion and, 242,5:G493  
   biological functions in, cholecystokinin receptors and, 242,5:G250  
   calcium fluxes, secretagogue effects, 240,3:G38  
   cholecystokinin, electron microscopy autoradiographs, 243,6:G291  
   cholecystokinin-induced desensitization, enzyme secretion, 239,2:G272  
   dispersed  
     amylase release, extracellular calcium effects, 236,5:E754  
     cholecystokinin effects, obesity and, 242,5:G612  
     Gila monster venom effects, 242,5:G470  
   enzyme secretion  
     bombesin-induced desensitization, 238,1:G213  
     cholecystokinin effects, 242,5:G416  
     cholecystokinin-induced, 240,3:G459  
     residual stimulation of, cholecystokinin effects (guinea pig), 243,6:G214  
   glucose metabolism, high-fat diet effects, 243,6:G448  
   heterogeneity, taurocholate transport, 243,6:G455  
   insulin action  
     <sup>125</sup>I-insulin autoradiographs, 240,3:G69  
     <sup>125</sup>I-insulin receptors, 240,3:G63  
     protein synthesis stimulation, 240,3:G56  
     streptozotocin treatment, 240,3:G56, G63, G69  
   intestinal peptide effects (guinea pig), 241,4:G498  
   ionophore A23187 effects, 243,12:C196  
   peptides and secretion, phosphodiesterase inhibitor effects, 242,5:G547  
   postreceptor modulation, peptide and secretin, 242,5:G423  
   secretagogues, action, 235,4:E517  
   secretagogue sensitivity, protein synthesis inhibition, 243,6:G285  
   secretion, stimulation of, cytosolic calcium and sodium, 242,5:G513  
   subcellular calcium ion distribution, secretagogue-induced, 240,3:G130  
**Pancreatic cells**  
    $\alpha$ -  
     function, glucagon secretion, 236,5:E20  
     gastrointestinal polypeptides, effects, 238,1:G526  
     insulin secretion, somatostatin analogues, hyperglycemia, 240,3:E407  
     volume and function, dietary modulation of, 242,5:G354  
    $\beta$ -  
     acetylcholine stimulation, 235,4:E493  
     amino acid effects, rubidium ion fluxes and membrane potentials, 240,3:E245  
     calcium action potentials, 239,8:C124  
     calcium ion influx into, 242,5:E59  
     calcium ion uptake, potassium-stimulated, 240,9:C35  
     calcium-magnesium competition, 240,9:C64  
     chloride fluxes-insulin release, interrelationship, 235,4:E501  
     divalent cation effects, 241,10:C59  
     electrical activity, 237,6:C137  
     electrical activity, calcium effects, 240,9:C64  
     electrical activity, glucose-induced, 240,9:C127  
     electrical activity, glucose-induced, pH and, 241,10:C274  
     electrical activity, sodium effects, 242,11:C296  
     function, effects of calcium, epinephrine, and acetylcholine, 231:1246  
     gap junctions, nonrandom distribution, 238,7:C114  
     gap junctions, tetraethylammonium modification, 240,9:C116  
     glucose tolerance, physical training effects, 243,6:E464  
     insulin secretion, somatostatin analogues, hyperglycemia, 240,3:E407  
   intracellular calcium movement, nutrient-induced, 243,6:E196  
   membrane potentials, calcium effects, islet  $\beta$ -cells, 240,9:C64  
   priming, glucose, 240,3:E24  
   secretory granules of, protein uptake, glucose-induced, 242,11:C382  
   transplantation, feeding and metabolic patterns, 235,4:E119  
   transplantation, hypothalamic obesity, 235,4:E266  
    $\alpha$ - and  $\beta$ -  
     gastric inhibitory polypeptide effects, 237,6:E185  
     somatostatin analogues, differential effects, 236,5:E123  
   potassium ions conductance, calcium ions and voltage dependence, 237,6:C137  
   response to glucagon clamp technique, 237,6:E214  
   sensitivity, insulin removal, perfused, 237,6:E349  
   slow oscillatory activity, 237,6:F137  
   sodium channels, activation, 237,6:E130  
**Pancreatic duct**, pH measurements, 238,1:G263  
**Pancreatic enzymes**  
   chloride secretion, intestinal, 239,2:G190  
   dietary lipids and, 243,6:G10  
   growth and, 239,2:G95  
   intestinal hyperemia and, 235,4:H677  
   intraduodenal stimulation, 238,1:G23  
   nutrient-related, duodenal mucosal extracts, 240,3:G109  
   peptide and secretin effects, postreceptor modulation of, 242,5:G423  
   postprandial intestinal hyperemia, 238,1:G284  
   secretagogue responsiveness and, fasting and refeeding effects, 242,5:G215  
   secretion  
     arachidonic acid metabolism and, 242,5:G493  
     calcium role, 239,2:G335  
     cholecystokinin-induced desensitization, 239,2:G272  
     cholecystokinin-induced restricted stimulation of, 242,5:G464  
     duodenal mucosal extract stimulation, 240,3:G109  
     Gila monster venom effects, 242,5:G470  
     protein carboxyl methylation effects, 240,3:G199  
     residual stimulation of, cholecystokinin effects (guinea pig), 243,6:G214  
     reversal, dibutylryl guanosine monophosphate, cyclic, 240,3:G466  
     secretory response, cholecystokinin, 239,2:G247  
**Pancreatic fistula**, secretin concentrations, fasting and postprandial, 236,5:E539  
**Pancreatic hormone**  
   release, nucleus ambiguus stimulation, 241,4:E22  
   secretion, epinephrine effects, running, 240,3:E526  
**Pancreatic islet cells**  
   amino acid effects, 240,3:E245  
   function, starvation and obesity effects, 241,4:E215  
   gap junctions, tetraethylammonium modification, 240,9:C116  
   hormone content and secretion, 240,3:E422  
   transplantation, cholinergic innervation and, 241,4:E337  
   voltage dependence, rhythmic plateau potentials, 240,3:E290  
**Pancreatic islets**  
   acetylcholine-stimulated, 235,4:E493  
   blood flow, measurement of, 242,5:E298  
   calcium-calcium exchange, glucose-induced, 238,1:E96

**Pancreatic islets (continued)**

- calcium-45 efflux, glucose inhibition, 235,4:E191
  - calcium fluxes
    - dissociated response to glucose, 238,1:E87
    - regulation, 238,1:E87, E96
  - calcium pool, glucose stimulated, 232,1:E114
  - chloride flux-insulin release, interrelationship, obese-hyperglycemic mice, 235,4:E501
  - cholinergic effects, 235,4:E493
  - dantrolene inhibition, insulin release, 243,6:E59
  - electrical activity
    - amino acid uptake (toadfish), 233,2:E19
    - functional abnormalities, obese hyperglycemic mouse, 233,2:E86
    - inhibition, somatostatin, 233,2:C164
    - perfusion, experimental obesity, 233,2:R162
  - fatty acids (ovine), 234,3:E162
  - function, sympathetic blockade by spinal anesthesia, 239,2:E150
  - glucose-induced biphasic insulin release, modulation by bicarbonate, 231:713
  - glucose oxidation, effects of synthetic fragments of human growth hormones, 236,5:E4
  - glucose utilization and insulin release, physical training effects, 243,6:E464
  - hormones, pancreas-duodenum (rat, chicken), 238,1:E150
  - insulin: see Insulin
  - islets of Langerhans, ethionine-treated, insulin and glucagon secretion effects, 243,6:E505
  - prostaglandin inhibitors, reversal of  $\alpha$ -adrenergic inhibition of insulin response to glucose, 239,2:E490
  - rubidium-86 efflux, regulation, 236,5:E139
  - transplanted, cephalic phase insulin secretion, 238,1:E336
  - trophic actions, pentagastrin, cholecystokinin, and secretin, 234,3:E286
- Pancreatic juice**, collecting method, 238,1:G332
- Pancreatic lobules**, enzyme secretion, protein carboxyl methylation effects, 240,3:G199
- Pancreaticobiliary secretions**, fatty acid esterification, jejunal, 238,1:G414
- Pancreatic stones**, calcium bicarbonate and calcium carbonate complexes, 241,4:G182
- Pancreatitis**
  - altered insulin and glucagon secretion, ethionine and, 243,6:E505
  - digestive enzymes, synthesis and discharge, 239,2:G418
  - ethionine effects, pancreas, 242,5:G297
- Pancreatitis sera**, immunoreactive pancreatic cationic trypsin, molecular forms, 237,6:E474
- Pancreozymin**
  - cholecystokinin and, secretory mechanisms, pancreatic, development, 236,5:E446
  - stimulus-secretion coupling, exocrine pancreas, 240,3:G199
- Panting**, thermoregulation, nocturnal simian, 240,9:R156
- Pantothenate kinase**, diabetes and fasting effects, heart, 240,9:H606
- Pantothenic acid**
  - diabetes and fasting effects, heart, 240,9:H606
  - metabolism, diabetes and fasting effects, 240,3:E597
- Papaverine**
  - bradykinin-induced macromolecular efflux, 236,5:H600

- hypertension, pre- and postcapillary resistance, hindlimb, 236,5:H586
  - oxygen exchange, mesenteric microcirculation, 236,5:H846
  - oxyntic cell adenosine monophosphate, cyclic, hydrochloric acid and, gastric mucosa (bullfrog), 235,4:E140
  - renin release, inhibition by angiotensins, kidney slices, 235,4:F62
  - vascular compliance, delayed, and fluid exchange, intestinal, 234,3:H660
- Papilla, renal**: see Kidney papilla
- Papillary cells**: see Kidney cells
- Papillary collecting duct**: see Kidney
- Papillary interstitial fluid**: see Fluid
- Papillary muscle**: see Muscle, heart
- Parabiosis**
  - circulating ergostatic factor, 239,8:R344
  - humoral factor, weight regulation, 232,1:R150
  - hypertrophy, renal, 232,1:F405
  - venous hypertrophy, spontaneous hypertension, 241,10:H421
- Parabrachial nucleus**, renal vasoconstriction and, 234,3:R223
- Parabrachial pons**, mediation, renal vasoconstriction, 234,3:R223
- Paracellular pathway**
  - bile secretion, sodium-potassium-ATPase effects, liver, 243,6:G243
  - cytoplasmic regulation, tight-junction permeability (*Necturus*), 239,8:C75
  - sodium-to-chloride permeability, proximal convoluted tubule, 235,4:F592
- Paracellular resistance**: see Resistance
- Paracervical ganglion**: see Ganglion
- Paracrine**
  - pancreas-duodenum (rat, chicken), 238,1:E150
  - somatostatin release and, antral mucosae, 241,4:G59
- Paracrine cells**, regulatory physiology, gut, 239,2:G237
- Paradoxical sleep**: see Sleep
- Paraffin oil**, tubular fluid samples, electrolyte loss from, kidney, 242,11:F202
- Parahormone**
  - calcium transport, medullary collecting duct, 239,8:F24
  - magnesium transport, medullary collecting duct, 239,8:F24
- Parameter**
  - bilirubin kinetics, fasting effects, 240,9:R266
  - estimation, compartmental model, 242,11:R421
  - fitting, compartmental models, 233,2:R1
  - identifiability, thyroid hormones, 233,2:R134
  - stimulation, esophageal sphincter, 233,2:E407
- Parametrial fat**, lipolysis, exercise training, 239,2:E422
- Parametric forcing**, arterial pressure control system, 234,3:R104
- Paraquat**, perfusion, lung, glucose metabolism, 234,3:E653
- Parasitism**
  - enteric, gastrointestinal hormone release, 237,6:R232
  - inflammation, intestinal mucosa, 234,3:R72
  - myoelectric activity, intestinal, 234,3:R188
- Parasympathetic control**
  - cardiovascular, human disease, 239,8:H581
  - heart rate, posture effects, 243,12:H676
- Parasympathetic innervation**, cardiac, choline acetyltransferase activity, 235,4:H367
- Parasympathetic nerves**
  - atrial vulnerability (puppy), 235,4:H683
  - atrioventricular junctional rhythm, 235,4:H308

- baroreflex control, heart interval, renal hypertension, 241,10:H332
  - cardiac control, atropine effects, 232,1:H146
  - potassium transport, submaxillary duct, 233,2:F22
- Parasympathetic nervous system**
  - acetylcholine release, neural control, heart, 240,9:H431
  - sinus node response, carotid baroreceptor stimuli, 242,11:H638
  - transients, baroreflex modulation, 242,11:H185
  - vagal stimulation, cardiac responses to, 243,12:H219
  - vagal stimuli, 239,8:H494
- Parasympathetic neurons**, preganglionic, choline acetyltransferase activity, cardiac, 236,5:H620
- Parasympathetic pathways**, vasopressin release, 236,5:F321
- Parasympathetic stimulation**
  - goblet cell secretion and, intestinal, 242,5:G370
  - potassium ion transport, salivary gland, 234,3:E79
- Parasympathetic tone**, heart rate control, development, neonatal, 238,7:H829
- Parathyroid cells**, hyperpolarization, low calcium, 236,5:C15
- Parathyroidectomy**
  - calcitonin stimulation of urine flow, sodium excretion and (starling), 238,7:R406
  - calcium and, kidney, 241,4:E136
  - calcium deprivation, 232,1:E336
  - calcium excretion, renal (starling), 233,2:F138
  - calcium transport, medullary collecting duct, 239,8:F24
  - hypercalciuria, lithium-induced, 234,3:E294
  - phosphate excretion
    - renal (starling), 239,8:F233
    - sodium bicarbonate effects, 236,5:F184
  - phosphate secretion and, kidney (fowl), 241,10:F263
- Parathyroid extract**
  - bone resorption, 230:90
  - injection, calcium excretion (starling), 233,2:F138
- Parathyroid glands**
  - absence, phosphorus adaptation, 239,2:G261
  - calcium uptake and, bone, 242,5:E146
  - epinephrine effects, rate-sensitivity mechanism (calf), 242,11:R151
- Parathyroid hormone-receptor-cyclase system**, regulation, kidney, 241,10:F364
- Parathyroid hormones**
  - absorption, chlorothiazide effects, intestines, 242,5:G575
  - acid-base effects, renal, 241,10:F495
  - acid buffering, extrarenal, 239,8:F533
  - acid excretion, renal, 232,1:F721
  - action sites, mammalian nephron, 240,9:F159
  - adenosine monophosphate, cyclic content, following vasopressin, 237,6:F218
  - adenosine monophosphate, cyclic, renal, refractoriness, 236,5:E401
  - adenylate cyclase, epinephrine inhibition, renal cortex, 242,11:F721
  - adenylate cyclase regulation, renal, 239,2:E396
  - adenylate cyclase stimulation, glomeruli, 235,4:F458
  - aerobic glycolysis, bone, embryo and newborn, 234,3:C41, C51
  - amrinone interaction, bone culture, 243,6:E499
  - antidiuretic hormone and, interactions on urine concentration, 239,8:F244



- bicarbonate absorption, proximal tubules, 236,5:F387  
 bicarbonate transport, proximal tubules, 238,7:F166  
 blood-bone disequilibrium, 236,5:C244  
 blood vessels and, bone, 241,10:H91  
 bovine, metabolism, liver, 241,4:E208  
 1-84 bovine, 235,4:F96  
 calcium and magnesium transport, nephron, 241,10:F340  
 calcium and sodium clearance, 230:67  
 calcium deficiency, 236,5:E118  
 calcium deprivation, 232,1:E336  
 calcium fluxes, regulation, 232,1:E535  
 calcium handling, renal, 236,5:F349  
 calcium homeostasis, streptozotocin-induced diabetes mellitus, 242,5:E451  
 calcium metabolism, 233,2:E160  
 calcium reabsorption  
   distal tubular, 239,8:F478  
   renal, 233,2:F197  
 calcium transport  
   cortical thick ascending limb, Henle's loop, 239,8:F121  
   distal nephron, 235,4:F367  
   kidney tubules, 241,10:F171  
 catabolism, renal, 233,2:F445, F448  
 concentrations, electrolyte secretion and, renal, 243,12:F514  
 cortical tubules, isolated, 237,6:F350  
 1,25-dihydroxyvitamin D regulation, 239,2:E119  
 diphosphonate clearance, 232,1:H341  
 dopamine and (cattle), 239,2:E255  
 electrolyte excretion, glucose effects, 240,9:F17  
 electrolyte transport, nephron, 236,5:F342  
 endogenous, acute acid-buffering response and, 243,12:F141  
 Fanconi syndrome, antiphasphatase action of 25(OH)vitamin D<sub>3</sub>, 236,5:E90  
 glomerular adenosine monophosphate, cyclic, 235,4:F458  
 glomerular ultrafiltration, 234,3:F393  
 homeostasis, fetal and neonatal, 240,3:E367  
 hypercalciuria, 234,3:E294  
 hypocalcemia, phosphate excretion and, 243,12:F471  
 immunoreactive, hypocalcemia and, 242,5:E287  
 inhibition, bicarbonate transport, proximal convoluted tubules, 239,8:F127  
 inhibitor, giant cell tumors, 239,2:E144  
 inorganic phosphate and, kidney tubules, 241,10:F123  
 interaction with somatostatin and arginine vasopressin, renal effects, 237,6:E428  
 levels, half-time of disappearance, hypocalcemia effects, 240,3:E649  
 long-term infusion, bone and, 242,11:F197  
 metabolic acidosis effects, 230:127  
 low calcium diet and, 243,12:F570  
 phosphorus deprivation, kidney, 241,10:F23  
 metabolism, 239,8:F1  
 nicotinamide effects, phosphate deprivation, 242,11:F447  
 perinatal, 239,2:E385  
 phosphate, inorganic, renal handling, 234,3:F497  
 phosphate excretion, 236,5:F184  
 renal (starling), 239,8:F233  
 phosphate handling, 230:790  
 phosphate reabsorption  
   distal convoluted, 235,4:F321  
   nephron, 234,3:F287  
   renal tubular, calcium effects, 234,3:F22  
 phosphate secretion and, kidney (fowl), 241,10:F263  
 phosphate secretory flux, proximal tubule, 232,1:F235  
 phosphate transport  
   cortical collecting tubules, 242,11:F379  
   medullary collecting duct, 237,6:F48  
   nephron, 233,2:F29, F150  
   renal, 234,3:F199  
   renal cells (chick), 242,11:C312  
 phosphate uptake and, brush border vesicles, 243,12:F29  
 phosphaturia  
   fasting, 237,6:F241  
   postobstructive, ureteral, 237,6:F14  
 phosphaturic effect  
   furosemide, 232,1:F105  
   resistance, 237,6:F175  
 phosphaturic response, ammonium chloride effect, 239,2:E328  
 phosphorus deficiency, 236,5:E118  
 plasma levels, paresis (cow), 235,4:E634  
 plasma renin activity, 236,5:F302  
 potential as a uremic toxin, 239,8:F1  
 prostaglandin synthesis, papillary collecting tubule, 241,10:F94  
 protein kinase modulation, giant cell tumors of bone, 239,2:E144  
 protein kinase stimulation, insulin inhibition, renal cortex, 236,5:E649  
 receptor-adenylate cyclase system regulation, kidney, 242,11:F457  
 red cell space, bone, hypocalcemia, 234,3:E66  
 regulation, plasma calcium, 231:1533  
 release, vitamin D metabolites and (bovine), 238,1:E384  
 renal, receptors in (chick), 242,5:E154  
 renal excretion, phosphate and calcium, 231:1152  
 renal handling of calcium, magnesium and phosphate, 233,2:F514  
 renal tubular permeability and, 231:1401  
 response to, proximal tubules, 230:286  
 secretion  
   episodic, 241,4:E171  
   metabolism and (calf), 242,11:R141  
   sensitivity, ammonium chloride and, 242,11:F552  
 sodium excretion, 236,5:E311  
 sodium reabsorption, distal tubule, 239,8:F478  
 tubular handling of inorganic phosphate, growth, 242,11:F705  
 urinary acidification, 232,1:F429  
 urinary phosphate regulation, 231:61  
**Paraventricular lesions**, adrenocorticotropin release, corticotropin releasing factor and, stalk-median, 240,3:E441  
**Paraventricular nuclei**, central cardiovascular regulation, 239,8:R137  
**Parenteral nutrition**: see Feeding  
**Paresis**, parturient, 1,25-dihydroxyvitamin D and parathyroid hormone plasma levels (cow), 235,4:E634  
**Pargyline**  
    $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330  
   norepinephrine metabolism, saphenous vein, 234,3:H235  
**Parietal cells**  
   calcium ion-dependent secretagogue stimulation, 239,2:G90  
   function, probes of, 238,1:G165  
   functional changes, gastric, 241,4:G349  
   gastric, histamine regulation of adenylyl cyclase, 240,3:G76  
   gastric acid secretion and, gastric glands, 241,4:G431  
   gastric glands, gastrin stimulation of, 242,5:G504  
   histamine, adenosine monophosphate, cyclic and, 237,6:E444  
   histamine responsiveness, 238,1:G312  
   isolated  
     adenosine monophosphate, cyclic production, 237,6:E437  
     aminopyrine accumulation, secretagogue stimulation, 238,1:G366  
     osmotic expansion, 238,1:G165  
     prostaglandin-histamine interaction, fundic glands, 242,5:G21  
     quinuclidinyl benzilate, binding to cholinergic receptors, 239,2:G204  
   receptors: see Receptors  
**Parotid acinar cells**, dissociation, viral infection, 239,2:G288  
**Parotid acini**, amylase release, monensin effects, 240,9:C188  
**Parotid gland**  
   amino acid uptake, cholinergic agonists, 239,2:G183  
   amylase, adrenergic sympathetic stimulation, 236,5:E371  
   amylase release, cholinergic-stimulated, calcium mediation, 236,5:C233  
   calcium, adrenergic sympathetic stimulation, 236,5:E371  
   mitosis and DNA, with bulk diet, 230:911  
   potassium permeability, ionic milieu and, 235,4:C180  
**Parotid saliva**, protein composition, physiological factors, 242,5:G231  
**Pars convoluta**, *p*-aminohippurate transport (pig), 239,8:F107  
**Pars recta**  
   chloride ions, absorption, 234,3:F332  
   cimetidine secretion, kidney tubules, 241,10:F69  
   cisplatin nephrotoxicity, kidney papilla, 241,10:F175  
   comparison of lithium reabsorption, proximal tubules, 241,10:F348  
   flow-rate dependence, 234,3:F340, F349  
   mineralocorticoid escape, 239,8:F149  
   phenol red, tubular localization in vivo, 238,7:F159  
   potassium transport, 242,11:F226, F297  
   sodium ions, transport, 234,3:F332  
   superficial, fluid absorption, 233,2:F154  
   urate transport, 237,6:F85  
   pig, 239,8:F107  
   volume absorption, 234,3:F332, F340, F349  
**Particle aggregation**  
   antidiuretic hormone-induced, bladder (toad), 234,3:F461  
   intramembranous  
     bladder, antidiuretic hormone action (toad), 236,5:F14  
     bladder (frog), 237,6:F483  
     bladder (toad), 232,1:F77  
**Particle clusters**, collecting duct, and vasopressin, dose-response relations, 239,8:F560  
**Particles**  
   aggregate, intramembranous, urinary bladder (toad), 240,9:F63  
   binding and internalization, macrophage phagocytosis, 242,11:C339  
   mean flow, capillary, 235,4:H251  
**Partition coefficient**, capillaries (frog), 240,9:H597  
**Parturition**: see Pregnancy  
**Pasteur effect**, 230:658  
**Pathological science**, scientific creativity, and the gauntlet of review, 236,5:R1  
**Pavlov pouch**, bicarbonate secretion, solute absorption and (llama), 235,4:E1  
**Paw**, potassium ion secretion, eccrine sweat gland, 239,8:C90  
**Peak time measurement**, analog circuitry, 236,5:H785  
**Pectoralis**, muscle, myosin heavy chain isoforms, neurotrophic effects (chick), 241,10:C269  
**PEEP**: see Pressure, positive end-expiratory  
**Pelvis**, cartilage, hormonal activation of ornithine decarboxylase, embryo (chick), 241,4:E545  
**Penicillamine**, amino acid transport, 235,4:E316

**Penis**, pressures, erection and ejaculation, 231:1343

#### **Pentagastrin**

acid secretion and motility, gastric mucosa (kitten, ferret), 234,3:E319  
adenylate cyclase activity, 232,1:E35  
electrical responses, esophageal sphincter, 243,6:G415  
esophageal sphincter, lower, responses (baboon), 235,4:E42  
gastric motility, newborn, 236,5:E562  
gastric mucosal cell proliferation and, development, 242,5:G135  
hydrogen ion secretion, gastric mucosa (frog), 236,5:E784  
infused, gastric response kinetics, 242,5:G60  
intestinal phase, 230:335  
oxyntic cell adenosine monophosphate, cyclic, hydrochloric acid and, gastric mucosa (bullfrog), 235,4:E140  
pancreatic polypeptide, role in gastric acid secretion, 236,5:E488  
pressure response, lower esophageal sphincter (opossum), 234,3:E301  
prostaglandin E<sub>2</sub>, 230:351  
pyloroplasty, 230:389  
relaxation, gastric fundus, 232,1:E504  
sensitivity, biphasic development, stomach, 242,5:G111  
smooth muscle, intestine, 239,2:G295  
stimulation, oxygen uptake and, stomach, 242,5:G565  
trophic action, pancreas, 234,3:E286  
vagotomy, 230:105  
vascular effects, various organs, 232,1:H103

#### **4-Pentenoic acid**

effects on renal phosphate and calcium excretion, 231:216  
gastric acid secretion (toad), 238,1:G255

#### **Pentobarbital**

amino acid supply and, brain, 242,5:E1  
anesthesia, 230:211  
carotid hypotension, 237,6:H424  
carotid sinus reflex control, arterial hemodynamics, 239,8:H681  
circulatory filling pressure, vascular capacitance measurement and, 234,3:H94  
descending pressor pathway, 234,3:H152  
hypotension, after hemorrhage, 236,5:H607  
morphine effects and, catecholamine responses, 242,5:E317  
neural and humoral mechanisms, response to hemorrhage, 243,12:H713  
peripheral circulation, after hemorrhage, 236,5:H206  
plasma insulin levels, oscillations (monkey), 240,3:E5  
sodium transport, cholinergic inhibition, bladder (toad), 235,4:F564  
ventricular fibrillation, 239,8:H422

#### **Pentobarbital sodium**, hemodynamics, spontaneously hypertensive and Wistar-Kyoto rats, 238,7:H539

#### **Pentobarbitone**, vasopressin, plasma, 234,3:E463

#### **Pentolinium tartrate**, glycogen metabolism, anesthesia, liver, 243,6:E182

#### **Pentose cycle**, activity of lung, 231:1527

#### **Pentose pathway**, 234,3:E97

#### **Pentose shunt**: see Shunt

#### **Pepsin**

gastrin release, antral, 236,5:E173  
infused gastrin, gastric response to, 242,5:G660  
inhibition, secretin, 240,3:G239  
parenteral feeding effects, 232,1:E39  
secretion, histamine H<sub>2</sub> receptor, 233,2:E225  
vagotomy, 230:105

#### **Pepsinogen**

concentration-response, esophagus (frog), 238,1:G79  
histamine H<sub>2</sub> receptor, 233,2:H225  
release, gastric glands, 243,6:G218

secretion, gastric, colchicine and vinblastine effects (frog), 236,5:E550

#### **Pepstatin**, cellular processing of insulin, 243,6:E140

#### **Peptidases**, ethanol effects, jejunal brush-border membrane (hamster), 242,5:G442

#### **Peptide chain**

initiation  
glucocorticoids and, hemiporus, 238,1:E564  
lung, starvation and diabetes, 236,5:E421  
normal and dystrophic muscle, 239,2:E401  
skeletal muscle, diabetes and, 239,2:E88  
skeletal muscle, fasting, 236,5:E222

#### **Peptide fragments**, gastrin and cholecystokinin, structure-function relations, 233,2:E286

#### **Peptide hydrolases**, adaptation to diet, 239,2:G445

#### **Peptidergic nerves**

female genital tract (cat, goat, pig, rabbit, rat, guinea pig), 240,3:E32  
vasoactive intestinal polypeptide effects, cerebral arterioles, 239,8:H765

#### **Peptidergic neurons**: see Neurons

#### **Peptides**: see also Polypeptides

acidic, crystal growth inhibitors, urine, 233,2:F455  
adenosine monophosphate responses, choroid plexus, 232,1:E353  
amphibian skin, actions on amylase release from dispersed pancreatic acini, 236,5:E571  
analogs, receptor binding, brain, 241,10:R124  
angiotensin II, tubular handling, 234,3:F325  
antidiuretic, choroid plexus, 230:50  
antral, gastrin secretion, 238,1:G495  
bovine pancreatic  
gastric secretory effects, 232,1:E311  
intestinal resistance vessels, 232,1:H260

C-, exercise effects, 238,2:G136  
chain, initiation, skeletal muscle and heart, glucocorticoid effects, 235,4:E134  
contraction, gallbladder (salmon), 232,1:E485  
gastric inhibitory  
bicarbonate transport and (bullfrog), 242,5:G100  
gastric glucagon release during gastric and intestinal phase of meal, 238,1:G109

gastric secretion stimulation, intestinal phase, 234,3:E64  
gastric smooth muscle cells, 237,6:E172  
gastrin-releasing, bombesin effects, stomach, 241,4:G242  
gastroenteropancreatic, exercise effects, 239,2:G136

hormones, prostaglandin biosynthesis and, cultured cells, 243,12:C205  
hydrolysis  
renal brush border, 236,5:F365  
tissue, 233,2:E450  
within lumen of small intestine, 231:1322

inhibition of proximal tubular hydrolysis, reabsorption of bradykinin and, 231:743

insulin-like, metabolism and proliferation, fibroblasts, 239,2:E125  
intestinal hyperemia, postprandial, 238,1:G284  
isolated from skin, action on pancreatic acinar cells (amphibian), 235,4:E112  
melanotropic, plasma/cerebrospinal fluid barrier permeability, 234,3:E327  
neuro-, female genital tract (cat, goat, pig, rabbit, rat, guinea pig), 240,3:E32

regulatory physiology, gut, 239,2:G237  
small, hydrolysis and transport, proximal tubule, 238,7:F151  
stimulation, gastric acid secretion, 242,5:G85

stress-induced eating and, 243,12:R159  
structure, effect on hydrogen ion secretion by gastric mucosa, 231:573  
synthetic, hyperglycemic action, 234,3:E521

transport, plasma and tissue concentrations, 243,6:E413  
vasoactive, angiotensin I and II, intrarenal vascular effects, 240,9:H914  
vasoactive intestinal  
actions, pancreatic acini (guinea pig), 241,4:G498

amylase release, pancreatic acini, 235,4:E743, 236,5:E571, E574  
bicarbonate transport and (bullfrog), 242,5:G100

blood flow, cerebral, 239,8:H73  
chloride transport, rectal gland (dogfish), 237,6:F138

cholecystokinin effects, 242,5:G464  
enzyme secretion, pancreatic acini, 238,1:G213, 239,2:G272

Gila monster venom effects, 242,5:G470  
glucagon secretion, 232,1:E197

hormonal secretion and, pancreas, 243,6:E505  
intestinal nucleotide cyclases and, 235,4:E539

manganese effects, pancreatic acini (guinea pig), 241,4:G359  
pancreatic enzyme secretion and, 242,5:G423

pancreatic response, 232,1:E156  
phosphodiesterase inhibitor effects, pancreatic acini, 242,5:G547

receptors, small intestinal epithelial cells, 238,1:G190  
renin secretion and, 243,12:F306

secretagogue receptors, pancreatic acinar cells, 238,1:G63  
theophylline effects, 239,2:G324

uptake, liver, 243,6:G103

#### **Peptone**

gastrin release, antral, 235,4:E410  
instillation, esophageal sphincter regulation, 234,3:E157

#### **Perchlorate**

iodide and thiocyanate efflux, brain, 235,4:F331  
iodide transport, thyroid, 232,1:E343

nuclear binding of triiodothyronine, liver and kidney, 240,3:E146

#### **Percoll**, motility measurement, spermatozoa, 242,11:C304

#### **Perfluorochemical emulsion**, isolated working heart, 242,11:H485

#### **Perfusate**

flow rate,  $\beta$ -carotene intestinal absorption, 235,4:E686  
osmolality: see Osmolality

#### **Perfusion**: see also specific type and site capillary, long-term stimulation effects, muscle, 243,12:H530

catecholamine effects, somatostatin secretion, stomach, 240,3:E274  
constant-flow, monitoring device, tissue volume, 242,11:H698

constant-pressure, hibernation and, heart (hamster), 241,10:R50

#### **coronary**

mannitol effects on myocardial oxygen consumption, 233,2:H444  
nonoxygenated solutions, reactive hyperemia, 234,3:H625

#### **coronary artery**

constant flow, 236,5:H652  
prostaglandin actions, 235,4:H400

cross, diving responses, chemoreceptor effects (duck), 243,12:R537  
distal tubular, electrical potential differ-

- ence and potassium transport, 238,7:F235
- extracorporeal
- endogenous anticoagulation, 239,8:H742
  - thromboxane effects on hypertension (sheep), 243,12:H471
- free-flow, intestinal, 242,5:G202
- galactose-metabolizing enzymes, suckling liver, 240,3:E333
- glomerular, methodologic considerations, 242,11:F1
- heart
- fluorocarbon, myoglobin function, 234,3:H567
  - hyperosmolarity and tension, 232,1:C155
  - respiratory acidosis, 234,3:H40
  - sugar transport kinetics, insulin effects, 234,3:E70
- hemicorpus, protein turnover, skeletal muscle, 234,3:E38
- heterogeneity
- left ventricle, 232,1:H173
  - proximal tubules, 240,9:F430
  - hindlimb, glucose delivery and uptake, contracting skeletal muscle, 233,2:E514
- hypoxic, brain metabolism, 239,2:E501
- ink filling, skeletal muscle, 241,10:H174
- intestinal
- magnesium absorption, jejunal, 238,1:G349
  - sham feeding, 234,3:E417
- jugal vein, hepatic venous pressoreceptor discharge rate, 232,1:C76
- kidney
- aldosterone metabolism, 234,3:E472
  - methods (amphibian), 233,2:F481
- lung
- distribution (duck), 234,3:R146
  - paraquat, glucose metabolism, 234,3:E653
- myocardium
- calcium-free, magnesium fluxes, 234,3:C115
  - during restricted coronary inflow, 232,1:H645
- pancreas
- fetal, 239,2:E57
  - insulin secretion and acid-base alterations, 234,3:E426
- pressure: see Pressure
- prolactin secretion, pituitary, autoregulation of, 242,5:E226
- proximal tubules, 238,7:F166
- pulseless, gastrointestinal blood flow and distribution, 236,5:E28
- push-pull
- hypothalamic norepinephrine in, 236,5:R312
  - norepinephrine release, hypothalamus, 242,11:R596
- rate, placental, 232,1:H666
- recirculating system, liver, 243,6:G518
- reflex control, resistance, hindlimb, 241,10:H789
- renal
- intratubular pressure and, 238,7:F205
  - methods, 238,7:F71
  - vitamin D<sub>3</sub> metabolism, 239,2:E12
- screen oxygenator, small animals, 237,6:H269
- single-pass, 25-hydroxyvitamin D<sub>3</sub> absorption, intestinal, 236,5:E441
- spleen, erythrocyte circulation, 239,8:H272
- technique, liver-pancreas preparation, 237,6:E340, E349
- territory, coronary flow relations, 243,12:H738
- tissue site, evaluation, with push-pull cannula, 236,5:R48
- total, oxygen exchange and vascular resistance (trout), 234,3:R201
- ventriculocisternal, interstitial fluid transport, 238,7:F42
- Periarterial nerve**
- stimulation
  - DOCA-salt hypertension, 239,8:R303
  - hormone effects, blood vessels, bone, 241,10:H91
  - hypertension, 241,10:R379
- Pericardium**
- acute tamponade, volume and vasodilator effects, 240,9:H49
  - ventricular events and, interaction, 238,7:H494
  - ventricular function curves, 237,6:H644
- Pericoronary nerve**, sympathetic response and, coronary occlusion, 243,12:H170
- Pericoronary stimulation**, circulatory reflex, 235,4:H759
- Peridural anesthesia**, pressor response, muscle ischemia, 237,6:H433
- Perikarya**, variations, amino acid incorporation, hypothalamus, 240,9:R16
- Perinatal processes**: see Fetus; Neonate; Newborn
- Periodogram**, plasma cortisol, normal and in Cushing's syndrome, 236,5:R268
- Perioviulatory period**, oviductal contractions, 239,8:R332
- Peripheral arteries**
- anti-inflammatory agents, 232,1:H267
  - prostaglandin H<sub>2</sub> and I<sub>2</sub> actions, 238,7:H111
- Peripheral blockade**: see Blockade
- Peripheral resistance**: see Resistance
- Peristalsis**
- colon, distal, 236,5:E464
  - esophageal
    - atropine effects, 240,3:G290
    - manometry (opossum), 233,2:E152
    - pressure amplitude, 238,1:G485
    - swallowing and, 241,4:G129
    - vagal cooling (opossum), 232,1:E159
    - vagal innervation (opossum), 234,3:E359
    - vagal stimulation-induced (opossum), 235,4:E392  - esophageal smooth muscle pharmacology (opossum), 237,6:E561
  - flow: see Flow
  - fluid: see Fluid
  - pressure amplitude, swallow intervals, transport time, and wave duration, 238,1:G485
  - renal, multiple-coupled pacemaker system, 241,10:R412
  - vagal cooling, esophageal (opossum), 232,1:E159
- Peritoneal fluid**: see Fluid
- Peritoneum**
- intraperitoneal distension, reflexes, cardiovascular, 240,9:H539
  - leukocytes, procoagulant activity, 235,4:E333
- Peritubular capillaries**, renal, permeability to neutral dextrans and endogenous albumin, 231:283
- Peritubular medium**, potassium-free, proximal convoluted tubules, 243,12:F408
- Peritubular membrane**, sodium transport properties, cortical collecting tubule, 242,11:F664
- Permeability**
- adenosine monophosphate, cyclic effects, proximal tubule, 236,5:F71
  - alveolar epithelium, pulmonary edema, 233,2:H80
  - amniotic membrane, 232,1:R125
  - anion
    - proximal convoluted tubule, 241,10:F386
    - proximal tubule, 242,11:F395  - antipyrine and aminopyrine, capillaries (frog), 240,9:H597
  - aortic endothelial, 233,2:H66
  - bicarbonate
  - acidification and, proximal tubules, 243,12:F53
  - proximal convoluted tubules, 241,10:F386
- bile duct, 242,5:G52
- brain capillaries, sodium extraction, 238,7:H868
- branchial, tritiated water, gills (trout), 240,9:R235
- calcium
- barium effects, 242,11:H203
  - Henle's loop, 236,5:F357
  - ischemic heart, 242,11:C288
  - kidney cortical collecting duct, 242,11:F285
  - myocardial cell, 235,4:H461
  - smooth muscle cells, stomach (toad), 239,8:C162
  - tubular, ionophore RO2-2985 effect, 235,4:F381
- calcium ions, sarcoplasmic reticulum, hyperthyroidism, 235,4:H745
- capillary, 230:543
- cardiac lymph, mannitol effects, 236,5:H112
  - coronary flow reduction, 234,3:H679
  - exercise, effects in spontaneous hypertension, 234,3:H439
  - gastric, molecules, 241,4:G478
  - glomerular, plasma protein and, 232,1:F58
  - histamine effects, intestinal, 240,3:G381
  - ileal, 235,4:E429
  - luminal distension, intestines, 239,2:G516
  - macromolecules, small intestine, 241,4:G31
  - parathyroid hormone effects on glomerular ultrafiltration, 234,3:F393
  - plasma protein redistribution, hypoproteinemia (sheep), 243,12:H803
  - prostaglandin effects, 232,1:H690
  - small molecules, intestinal, 241,4:G24
  - spinal, 230:614
  - substrates, lung endothelium, 243,12:C20
- carbon dioxide
- proximal convoluted tubule, 240,9:F231, 242,11:F470
  - renal tissue, 239,8:F307
- cell membrane
- ischemic arrest, 240,9:H116
  - proximal tubules, amphotericin B effects (*Necturus*), 236,5:F392
- cerebrovascular
- horseradish peroxidase, 233,2:C74
  - osmotic barrier opening, 238,7:R421
- channel structure and, skin (snake), 242,11:F681
- chloride
- furosemide effects, skin (frog), 243,12:F581, F588
  - proximal tubule (*Necturus*), 235,4:F617
  - short-circuited skin (frog), 234,3:F437
- chloride ion, suppression by furosemide, gastric mucosa, 239,2:G532
- colon, 232,1:F5
- capillaries, 239,2:G300
- corneal
- bumetanide effects (bullfrog), 234,3:F297
  - ionophore A23187 effects (frog), 233,2:F94
- corneal epithelium
- chloride transport inhibition (bullfrog), 240,9:F25
  - structured tissues, mathematical modeling, 234,3:F215
- coronary, resistance and transport increases, obstruction, 240,9:H262
- diffusion, placenta (sheep), 233,2:H466, H475
- drugs
- brain and cerebrospinal fluid, 242,11:R339

**Permeability (continued)**

- pulmonary, neonatal, 234,3:C191  
 electrolytes, alimentary epithelia, 240,3:G191  
 endothelium, Evans blue dye, 232,1:H204  
 endotoxemia, lung (sheep), 240,9:H348  
 erythrocyte membrane, lipophilic solutes, temperature effects, 242,11:F74  
 erythrocytes, 231:332  
 renal glucose metabolism, 234,3:F415  
 to lipophilic molecules, solubility and volume effects, 238,7:C107  
 gastric mucosal barrier, 241,4:G275  
 glomerular  
 glomerular filtration effects, kidney, 240,9:F245  
 growth effects, 232,1:F96  
 glomerular capillaries  
 antidiuretic hormone, 233,2:F102  
 plasma protein and, 232,1:F58  
 glomerular coefficient, determinants, 232,1:F477  
 glucose  
 metabolism and, reticulocytes, 230:1668  
 proximal nephron, 241,10:F322  
 glutamine, renal mitochondria, metabolic acidosis, 239,2:E51  
 heart capillaries, osmotic and optical methods, 239,8:H464  
 Henle's loop, 232,1:F348  
 descending limb, hypertonic urine formation, 239,8:F57, F72  
<sup>125</sup>I-albumin, aorta, aging effects (cockerel), 239,8:H642  
 intestinal, intraluminal pressure effects, 242,5:G65  
 intestinal capillaries  
 fat absorption and gastrointestinal hormones, 242,5:G194  
 to endogenous macromolecules, 238,7:H457  
 intestinal fatty acids, aging, 239,2:G363  
 ionic  
 bladder, effect of amphotericin B (toad), 235,4:F507  
 cortical collecting tubule, 243,12:F81  
 insulin stimulation, soleus muscle, 242,5:E193  
 proximal tubule (*Necturus*), 235,4:F89  
 smooth muscle cells, pulmonary hypertension, 242,11:H907  
 kidney, linear nonequilibrium thermodynamics, 236,5:F211  
 kidney tubular cells, common drugs, 241,10:F1  
 lipid-mediated, neonates and adults, 243,12:C161  
 lung  
 amino acids, 240,9:C215  
 edema, 232,1:C132  
 mannitol, gastric mucosa (monkey), 239,2:G77  
 membrane  
 adenosine triphosphate and, intestinal epithelial cells (chicken), 243,12:C116  
 deoxycorticosterone effects, 237,6:H197  
 5,5-dimethylloxazolidine-2,4-dione, muscle (barnacle), 240,9:C73  
 ileum, 243,6:G28  
 low potassium depolarization, Purkinje fibers (sheep), 237,6:C156  
 myotonia (goat, rat), 240,9:C56  
 potassium ions, intracellular, 234,3:F261  
 temperature effects, lung cells, 243,12:C285  
 temperature effects, neuron (snail), 239,8:C47  
 $\alpha$ -naphthylthiourea, dose-dependent vascular injury, lung (sheep), 243,12:H507  
 nonelectrolytes  
 cerebrovascular, 235,4:H299  
 lung cells, 233,2:C104  
 osmotic  
 bladder (trout), 233,2:F525  
 gastric mucosa (frog), 236,5:E63  
 osmotic and solute, bladder (trout), 233,2:F525  
 osmotic water  
 antidiuretic hormone effects, urinary bladder (toad), 240,9:F63  
 collecting tubules, 243,12:F503  
 passive properties  
 antidiuretic hormone effects, kidney, 241,10:F412  
 sodium chloride cotransport, kidney, 241,10:F432  
 plasma/cerebrospinal fluid barrier, melanotropic peptides, 234,3:E327  
 plasma membrane, common drugs, 241,10:F1  
 potassium  
 amino acid effects, pancreatic  $\beta$ -cells, 240,3:E245  
 calcium-sensitive, pancreatic  $\beta$ -cells, 239,8:C124  
 embryonic heart cells (avian), 236,5:C163  
 giant axon (squid), 235,4:C55  
 ionic milieu, parotid gland, 235,4:C180  
 myocardial cell, 235,4:H461  
 pancreatic  $\beta$ -cells, 239,8:C124, 242,11:C296  
 sublingual gland, 235,4:C128  
 potassium ions, calcium-activated, pancreatic  $\beta$ -cells, 240,9:C64  
 protein  
 alveolar epithelium, pulmonary edema, 233,2:H80  
 capillary, angiotensin II effects, 233,2:F13  
 histamine effects, lung and forelimb, 242,11:H565  
 proximal tubule  
 network thermodynamic model, 235,4:F638  
 pore theory (*Necturus*), 234,3:F225  
 pulmonary endothelial, platelet aggregation and (sheep), 242,11:H645  
 pulmonary vascular, histamine and alloxan effects, 239,8:H96  
 reagents, bladder membrane (toad), 233,2:F607  
 red cells, ammonium chloride effects, 236,5:C238  
 renal interstitium, 241,10:F105  
 respiratory tract, amino acid, 240,9:C215  
 salt-excreting organs, vertebrate comparison, 238,7:R219  
 skin (newt), 238,7:R113  
 skin (seasnake), 235,4:R151  
 sodium  
 myocardial cell swelling and, 239,8:H31  
 pancreatic  $\beta$ -cells, 242,11:C296  
 proximal tubule (*Necturus*), 232,1:F461  
 sodium ions, proximal tubule cells (*Necturus*), 236,5:F295  
 solutes, bladder (trout), 233,2:F525  
 sucrose, proximal tubule, 236,5:F71  
 surface area product, gastrointestinal tissue blood flow and, 243,6:G155  
 tight junction  
 cytoplasmic regulation, plant cytokinins (*Necturus*), 239,8:C75  
 osmotic barrier opening, 238,7:R421  
 transcutaneous, larval and adult (salamander), 239,8:R505  
 transepithelial, proximal tubule (*Necturus*), 235,4:F89  
 vascular  
 erythrocyte and globulin effects, kidney, 241,10:F139  
 myocardial ischemia and, 242,11:H337  
 water  
 antidiuretic hormone-induced, sodium and potassium (toad), 243,12:F476  
 bath osmolality effects, epithelial tissue (frog), 242,11:C184  
 collecting duct, vasopressin-induced, 239,8:F560  
 compliance and, bladder, stretch (toad), 242,11:F8  
 diffusional, embryo (*Fundulus*), 238,7:R36  
 microfilaments and, urinary bladder (toad), 243,12:C200  
 pH effects, bladder (frog), 237,6:F483  
 placental, 235,4:R181  
 placental (sheep, guinea pig), 236,5:C47  
 proximal tubular cells, 242,11:F321  
 vasopressin effects, urinary bladder (toad), 240,9:F551  
**Permeability coefficient**  
 glomerular, ultrafiltration dynamics, 239,8:F171  
 jejunal fatty acids, 239,2:G363  
 nephron, mammalian, 241,10:F203  
 peritubular capillary, 235,4:F142  
**Permeation**  
 alcohols, intestine, 236,5:E721  
 ion, gallbladder epithelium (*Necturus*), 232,1:C99  
**Permeability selectivity**  
 biliary canalicular membrane, 235,4:E570  
 gastric mucosal barrier, 241,4:G275  
 glomerular: see Glomerular permeability  
**Peroxidase**  
 inflammation, intestinal mucosa, 234,3:R72  
 pregnancy, 236,5:E386  
**Peroxisomal activity**, brown fat, 239,8:C208  
**Perturbation**, stiffness measurements, papillary muscle, 241,10:H155  
**Perturbation test**, arterial pressure control system, 234,3:R104  
**pH**  
 acidosis, myocardial, 236,5:H525  
 activity (crayfish), 240,9:R99  
 aldosterone effects, potassium distribution, 243,12:R526  
 altered, microvascular response, 231:244  
 ammonia production and, 231:1631  
 blood  
 acidification and, distal, 243,12:F364  
 and potassium and phosphorus relations, metabolic acidosis, 235,4:F345  
 brain  
 awake state, 243,12:R462  
 ventral medulla, 242,11:R195  
 carbon dioxide permeability  
 kidney tubules, 240,9:F231  
 proximal convoluted tubule, 242,11:F470  
 carbonic anhydrase and  
 in proximal acidification, 238,7:F372  
 tobacco hornworm, 241,10:R92  
 cardiac and skeletal muscle,  $\beta$ -blockade effects, 230:959  
 cardiac muscle, 237,6:H497  
 $\beta$ -carotene, intestinal absorption, 235,4:E686  
 catecholamine secretion, ionophore effects, adrenal gland and spleen, 242,5:E137  
 cell, 230:228  
 proximal tubules, hydrogen transport, 238,7:F445  
 cerebral blood flow, hypoxia and hypercapnia, 243,12:H33  
 cerebrospinal fluid, relation to autoregulation of cerebral blood flow, 231:929  
 changes, insulin secretion, 234,3:E426  
 chemoreceptor response and, carotid body, 242,11:C200  
 chloride transport and, gastric mucosa (frog), 243,6:G60



- coronary vein, evaluation of regional myocardial perfusion and ischemia, 236,5:H385
- cytoplasmic, heart, determination, 232,1:R158
- disequilibrium  
kidney, 240,9:F138  
renal tissue, 239,8:F307
- disequilibrium method, jejunal bicarbonate absorption, 232,1:E62
- diurnal changes, duodenum, 238,1:G91
- duodenal, 230:784  
secretin concentration, 236,5:E539
- elastic deformability, erythrocyte membrane, 235,4:C269
- electrodes: see Electrodes;  
Microelectrodes
- equilibrium, ileal ion transport, 232,1:E574
- fluoride absorption, 232,1:F10
- gastric, pentagastrin sensitivity, 242,5:G111
- glucose-induced electrical activity, pancreatic  $\beta$ -cells, 241,10:C264
- gradients  
developing teeth, autoradiography, 232,1:F364  
fluoride tissue distribution, 236,5:F141
- hemocyanin oxygen binding (crayfish), 240,9:R93
- intracellular  
brain, 230:804  
calcium ion release, skeletal muscle (frog), 234,3:C110  
comparisons, 231:799  
5,5-dimethylxazolidine-2,4-dione, membrane permeability, muscle (barnacle), 240,9:C73  
glycolysis, smooth muscle, 232,1:E330  
hepatic, acute acidosis and alkalosis, 236,5:F240  
hypothermia effects, anoxia, 243,12:C62  
insulin action and, glycolysis, skeletal muscle (frog), 242,11:C87  
liver, lactic acidosis, 239,8:F135  
measurement in gastric mucosa (bull-frog), 237,6:E82  
potentials, perfused proximal tubules, 240,9:F200  
proximal straight tubules, 241,10:F677  
regulation, muscle fibers (barnacle), 240,9:C80  
renal cortical tissue, acid transport, 239,8:F440  
sodium bicarbonate effects, 242,11:F586
- intraduodenal  
interdigestive gastric contractions, 238,1:G85  
interdigestive state, exocrine pancreas, 241,4:G98
- intrasplenic, 231:1672
- $\alpha$ -ketoglutarate metabolism, renal cortical mitochondria, 240,9:F120
- micellar diffusion and dissociation, 239,2:G177
- mucosal and serosal, antidiuretic effects, bladder (frog), 237,6:F483
- myocardial, regional ischemia, photometric measurement of, 243,12:H1027
- organic acid transport, renal, 232,2:F382
- oxygen pressure and, medullary collecting duct, 241,10:F659
- pancreatic bicarbonate, serum gastrin, and secretin responses, 233,2:E41
- pancreatic duct, micropuncture study, 238,1:G263
- parathyroid hormone metabolism, 239,8:F1  
intracellular, lactic acidosis, 239,8:F135
- plasma  
chronic metabolic acid-base disturbances, 235,4:F291
- renal, response to secondary hypercapnia in metabolic alkalosis, 238,7:F283
- plasma potassium concentration and, renal, 242,11:F599
- portacaval diversion, 239,2:G83
- portal blood, hepatic circulatory autoregulation, 233,2:E255
- potassium transport and, distal tubule, 242,11:F544
- profile, 230:335
- prostaglandin E receptors, downregulation, 239,2:E75
- purine nucleoside phosphorylase, localization, 239,8:H721
- redox state, lactic acidosis, 239,8:F135
- regulation  
dependence on intracellular and extracellular pH (barnacle), 237,6:C185  
extracellular sodium and bicarbonate effects, muscle fibers (barnacle), 240,9:C80  
weak acid effects, muscle fibers (barnacle), 241,10:C193
- renal  
fluoride clearance, 230:527  
potassium transport, 230:239  
retinal transport, lymphatic and portal, 239,2:G210  
slow inward current, myocardial blockade, embryo (chick), 233,2:C99  
sodium entry kinetics, skin (frog), 235,4:C35  
sodium-hydrogen exchange, proximal tubular, 241,10:F380  
stat, hydrogen ion removal, stomach and duodenum, 235,4:E692  
sulfobromophthalein-glutathione conjugate, transport, 239,8:C118  
temperature acclimation and, contraction, sartorius muscle (frog), 240,9:R301  
tissue, systemic hypoxia, muscle microcirculation, 240,9:H746  
titration, bile salt-phospholipid micelles, 241,4:G328
- transients  
intracellular, diaphragm muscle, measurement, 235,4:C49  
intracellular, muscle fibers (barnacle), 233,2:C61
- Tris, smooth muscle contraction, 241,10:H337
- urinary, bicarbonate reabsorption and (toad), 243,12:F67
- variations, secretory and hormonal responses, 233,2:E41
- venous efflux of prostaglandins and, 242,11:F38
- ventilatory rate effects, 242,11:F38
- vitamin K absorption, colonic and ileal, 233,2:E124
- Phagocytosis**, 230:7  
alveolar macrophages, reactive forms of oxygen and chemiluminescence, 235,4:C103  
diabetes, reticuloendothelial system, 240,3:G225  
hemorrhagic shock, 232,1:H283  
hepatic, reticuloendothelial system, following isoproterenol-induced myocardial injury, 236,5:H813  
Kupffer cells, hyperinsulinemia, 238,1:E276  
macrophage, particle binding and internalization, 242,11:C339  
platelet clearance, hepatic and splenic, 235,4:H314  
reticuloendothelial, 234,3:H323  
reticuloendothelial system, mechanism of hyperinsulinemia after, 242,5:E115
- Pharmacokinetics**  
central nervous system, 232,1:R73  
urea, brain and cerebrospinal fluid, 242,11:R339
- Pharmacolinguistics**, in integrative pharmacology, 237,6:R251
- Pharmacological analysis**, sympathetic function, embryonic heart (chick), 232,1:R116
- Pharmacology**  
integrative, pharmacolinguistics, 237,6:R251  
isolated eccrine sweat gland (monkey), 240,9:R44
- Pharmacomechanical coupling**: see Coupling
- Phase control**, sinus node, 238,7:H307
- Phase-plane analysis**, dye-dilution curves, 236,5:H796
- Phase relations**, between baroreceptor and sympathetic nervous discharge, 230:263
- Phase-response curves**  
circadian rhythm  
dark pulse effects (hamster), 242,11:R44  
serotonin and, eye (mollusk), 242,11:R326  
dual system theory (insect), 241,10:R322
- Phase shift**  
circadian corticosterone rhythm, autotransplanted adrenal, 240,3:E363  
glycogen, pineal cell, 232,1:E584  
 $\alpha$ -methyl-p-tyrosine effects, 243,12:R218  
serotonin and, rhythm, eye (mollusk), 242,11:R333
- Phasic contractions**, histamine effects, sphincter of Oddi (opossum), 241,4:G122
- Phasic response curves**, glucagon effects, cardiac chronotropic response, 242,11:H7
- Phenazine methosulfate**, stimulation of lung metabolism, 231:898
- Phenformin**  
lactic acidosis, 239,8:F135  
sodium bicarbonate effects, 242,11:F586
- Phenobarbital**  
adenylate cyclase inhibition, bladder (toad), 237,6:F372  
bilirubin uptake, hepatic, 236,5:E638  
cholephilic dye transport, 232,1:E445  
cytochrome P-450 induction, hepatocytes, 234,3:C102
- Phenol 3,6-dibromophthalein disulfonate**, transport, hepatic, carrier-mediated, 232,1:E560
- Phenolphthalein**, electrolyte transport (monkey), 243,6:G268
- Phenol red**  
excretion, kidney (*Necturus*), 236,5:F442  
organic acid transport, renal, pH-temperature dependence, 233,2:F382  
renal handling, 238,7:F159  
uptake, pulmonary edema, 232,1:C132
- Phenolsulfophthalein**, excretion, kidney (*Necturus*), 236,5:F442
- Phenomenological laws**, isometric twitch, 238,7:R413
- Phenoxybenzamine**  
adipose tissue and, obesity and, 243,6:E398  
 $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330  
 $\alpha$ -adrenoceptor blockade, renin secretion, intrarenal, 240,3:E682  
brown adipocyte respiration, 238,1:E552  
cardiac tamponade, 232,1:H5  
cardiovascular responses, 235,4:F199  
cerebral circulatory response, metabolic depression (baboon), 234,3:H74  
hemorrhage effects (chicken), 240,9:H9  
hypotension, baroreceptor resetting, time course, 234,3:H552  
mydriasis, morphine-induced, 236,5:R292  
ouabain, 230:1168  
potassium homeostasis and, 241,10:F151

**Phenoxybenzamine (continued)**

pulmonary circulation effects, hypoxia, neonatal (lamb), 240,9:H697  
renal cortical smooth muscle, active factor response, 232,1:F84  
renal function, hemorrhagic shock, 232,1:F409  
renin release, 230:410  
renin secretion,  $\alpha$ -adrenoceptors and, renal, 242,11:F620  
shock, 230:41

**Phentolamine**

adrenal regulation, coronary vessels, newborn (lamb), 234,3:H173  
adrenergic constriction, vascular smooth muscle, 233,2:H22  
 $\alpha$ -adrenoceptor stimulation, myocardial response (lamb), 242,11:H405  
anesthetics and, adrenergic effects, 243,12:F253  
angiotensin II effects, species differences, 243,12:R65  
arrhythmias, hypothalamic stimulation-induced, 234,3:H199  
blocking of pressor responses and, 231:1750  
blood flow, cerebral (goat), 232,1:H368, H495  
brown adipocyte respiration, 238,1:E552  
brown fat responses, 232,1:R101  
cardiovascular actions,  $\beta$ -phenylethylamine, 236,5:H592  
cephalic phase insulin release, sham feeding-induced, 242,5:E280  
coronary effects, awake state, 243,12:H94  
diet and age effects, vascular smooth muscle, 238,7:H652  
fluid reabsorption, proximal, 238,7:F347  
glucagon and insulin secretion, stress, spontaneous diabetes, 240,3:E373  
glucose kinetics and, sepsis and burns, 241,10:R222  
intracerebroventricular norepinephrine and, free fatty acid mobilization, 242,5:E248  
lymph flow, forelimb, 243,12:H575  
metabolic effects, epitrochlearis muscle, 239,2:E461  
microvascular response, skeletal muscle, 243,12:H51  
mydriasis, morphine-induced, 236,5:R292  
noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112  
norepinephrine release, arterial, potassium-free solution, 232,1:H14  
oxygen delivery and, myocardial exercise, awake state, 242,11:R677  
pacemakers, ventricular, 240,3:H677  
renal arteriolar response, hypoxia, 238,7:H697  
plasma ammoniagenic factor, metabolic acidosis, renal, 242,10:F112  
plasma insulin levels, oscillations (monkey), 240,3:E5  
pressor response blockade, potassium (dogfish), 242,11:R185  
presynaptic  $\alpha$ -receptor function, renal vascular bed, 239,8:H422  
reflex limb dilatation, 230:557  
renal blood flow and renin release response, hypertonic saline, 237,6:F441  
renal vascular response, prostaglandin analogs, 233,2:H573  
renin release, 230:410  
dog, rat, 240,9:F515  
graded renal nerve stimulation, 242,11:R552  
renin secretion,  $\alpha$ -adrenoceptors and, renal, 242,11:F620

**Phenylalanine**

acid-induced pancreatic secretion and, protein digests, 242,5:G634  
blood-brain transport, portacaval shunt effects, 241,4:G163

F-Met-Leu-Phe, calcium levels and, neutrophils, 237,6:C43  
food intake, 230:15  
L-phenyllactate perfusion and, kidney liver, and muscle, 238,1:E450  
protein turnover and, heart, 240,3:E677  
transport, serum effect, lung macrophages, 236,5:C111  
uptake, placenta, maternal and fetal, 241,10:C106

**Phenylbutazone**, ulcer, glucose effects, 242,5:G429

**Phenylephrine**

arterial hypertension, myocardial ischemia, 240,9:H855  
blood pressure (monkey), 232,1:H451  
brain temperature, corneal convection and (pigeon), 242,11:R577  
brown adipocyte respiration, 238,1:E552  
brown fat responses, 232,1:R101  
contractile activity, oviduct ampulla, 238,1:E157  
deoxycorticosterone effects, vascular smooth muscle, 237,6:H197  
diabetes-induced inhibition of contractility and, heart, 242,11:H490  
eccrine sweat secretion, calcium and (monkey), 241,10:C113  
electrical responses, esophageal sphincter, 243,6:G415  
heart rate  
angiotensin (squirrel monkey), 233,2:H10  
arterial baroreflex control, 236,5:H42  
myoelectric properties, ileocecal sphincter, 240,3:G450  
neural control, heart, 239,8:H581  
oxygen uptake, response to angiotensin (squirrel monkey), 233,2:H10  
pressor response to, desoxycorticosterone-salt hypertension, 242,11:H44  
renin and, 237,1:E416  
vasodilation, pressor response buffering, 236,5:H165

**Phenylethanolamine-N-methyltransferase**, dopamine  $\beta$ -hydroxylase secretion, adrenal (bovine), 234,3:E600

**$\beta$ -Phenylethylamine**, cardiovascular actions, 236,5:H592

**Phenylketonuria**, keto acid transport, blood-brain barrier, 243,6:E272

**L-Phenyllactate**, metabolic effects, perfused kidney, liver, and muscle, 238,1:E450

**Phenylpyruvate**, L-phenyllactate perfusion and, kidney, liver, and muscle, 238,1:E450

**Phenytoin**

antiarrhythmic effects, ventricular, 241,10:H67  
cardiac ischemia, 235,4:H574  
digoxin-induced arrhythmias, ventricular, 241,10:H67  
myotonia suppression, dystrophic muscle, 237,6:C131  
**PHL**, actions, pancreatic acini (guinea pig), 241,4:G498

**Phloretin**

glucose transport and  
dually perfused placenta, 237,6:C205  
renal cells (flounder), 232,1:F227  
hexose transport and phosphorylation, isolated brain capillaries, 236,5:C96  
3-O-methylglucose transport, intestinal epithelial cells (chicken), 234,3:C64  
sugar absorption and secretion, intestinal (flounder), 240,3:G392  
sugar transport, intestinal, 233,2:E357

**Phloridzin**

electrolyte excretion, renal, 240,9:F17  
phosphate transport, microvillus membrane vesicles, kidney, 242,11:F126  
sugar absorption, renal tubular, 233,2:F274  
urate absorption, proximal tubules, 236,5:F526

**Phlorizin**

binding, proximal tubules, 242,11:F406  
2-deoxy-D-galactose secretion, renal (flounder), 234,3:F424  
2-deoxy-D-glucose transport and, kidney, 242,11:F711

folate transport, intestinal epithelial cells (chicken), 240,3:G170  
glucagon and, in hypoglycemia, 238,1:E131

glucose and, interactions, proximal tubule, 234,3:F270  
glucose metabolism, renal, 234,3:F485  
glucose transport  
dually perfused placenta, 237,6:C205  
renal cells (flounder), 232,1:F227  
transepithelial cell culture (pig), 240,9:C92

hexose transport and phosphorylation, isolated brain capillaries, 236,5:C96  
sensitive transport, jejunum (chick), 240,3:G102

sugar absorption and secretion, intestinal (flounder), 240,3:G392  
sugar transport, intestinal, 233,2:E357

**Phonocardiogram system**, acoustic impedance matching, 238,7:H604

**Phonocardiography**, heart sounds, second, relation to diastolic vibration of closed aortic valve, 234,3:H696

**Phorbol ester**, insulin binding and, 243,6:E319

**Phosphagen**, utilization, ischemic heart, 243,12:H911

**Phosphatase**  
gastric mucosa (frog), 232,1:E48  
myosin light chain, vascular smooth muscle (swine), 242,11:C109  
potassium ion-dependent, heart, 232,1:C196

**Phosphate**  
absorption  
heterogeneity, 237,6:F312  
intestinal, vitamin D and (chick), 234,3:E379  
metabolic inhibitor effects, proximal tubule (rabbit), 243,12:F133  
adaptation, tubular localization, 233,2:F342  
compartments, liver, isolated perfused, 236,5:C202  
depletion  
alkaline phosphatase and, 237,6:E465  
bone and soft tissue mineral changes, dietary magnesium effects, 237,6:E152  
energy metabolism and, myocardium, 242,11:F699  
normophosphatemic, during growth, 236,5:E283  
deprivation  
nicotinamide effects, 242,11:F447  
renal phosphate transport and, 234,3:F199  
dietary  
calcium absorption and, intestinal, 241,4:G49  
calcium and, kidney, 241,4:E136  
renal handling, 234,3:F497  
renal microvillus vesicles (pig), 239,8:F352  
transport, renal, 239,8:F13  
excretion  
acetazolamide effects, 232,1:F484  
ammonium chloride and, 239,2:E328  
calcitonin and (starling), 238,7:R406  
calcitonin effects, renal, 240,9:F12  
furosemide effects, 232,1:F105  
lithium administration effects, 231:1140  
medullary collecting duct, 237,6:F48  
parathyroid hormone and, 236,5:F311  
parathyroid hormone effects, renal, 239,8:F233, 243,12:F514  
potassium excretion and, interrelation, 239,8:F524

- renal, parathyroidectomy (starlings), 233,2:F138
- respiratory alkalosis effects, 243,12:F471
- sodium bicarbonate and parathyroidectomy effects, 236,5:F184
- urinary, hypocalcemia and, 242,5:E287
- urinary, renal denervation, 240,9:F481
- flux**
- peritubular to lumina, 232,1:F159
- secretory, proximate convoluted tubule, 232,1:F235
- unidirectional, plasma membrane, 236,5:C202
- gastric mucosal potassium uptake (frog), 232,1:E294
- high-energy**
- anoxic myocardium, 235,4:H537
- blood flow and, subendocardium, left ventricular, 240,9:H804
- heart (swine), 243,12:H691
- ischemia effects, myocardium, newborn, 242,11:H1077
- ischemic heart, 243,12:H911
- myocardial, hypoxia effects, neonatal, 235,4:H475
- myocardial ischemia, 240,3:E268
- nucleotide metabolism, nephron, 243,12:F349
- reduced levels in heart, 230:1744, 1751
- hydrogen ion secretion, respiratory alkalosis, 235,4:F203
- incorporation, gastric mucosa (frog), 239,2:G411
- inorganic**
- cardiac function and, 242,11:H79
- clearance, fasting effects, renal, 241,10:F509
- 1,25-dihydroxyvitamin D<sub>3</sub> and, tubular transport, 241,10:F123
- hyperemia, 230:1531
- muscle contraction, 240,9:C121
- nuclear magnetic resonance analysis, skin (frog), 243,12:C74
- sodium, glucocorticoid effects, kidney, 243,12:C227
- sodium ion cotransport, duodenal, 242,5:G533
- transport, small intestinal epithelium, 240,3:G409
- tubular handling of, growth, 242,11:F705
- intestinal transport, alkaline phosphatase activity and (chick), 240,3:E379
- intrarenal calcium, handling of, 230:790
- low dietary intake, alkaline phosphatase and, 237,6:E465
- metabolic acidosis effects, 1,25-dihydroxyvitamin D<sub>3</sub>, 243,12:F570
- micropuncture, superficial nephrons, 243,12:F561
- myocardial mitochondrial function, 237,6:H224
- papillary necrosis, drug-induced, 241,10:F14
- polyphoretic, renal cortical smooth muscle active factor response, 232,1:F84
- reabsorption**
- calcium effects, renal tubular, 234,3:F22
- distal convolution, parathyroid hormone effects, 235,4:F321
- glucose-mediated inhibition, kidney, 235,4:F430
- heterogeneity, nephron, 234,3:F287
- juxtamedullary and superficial nephron, 239,8:F336
- maleate-induced tubular dysfunction, 239,8:F50
- nephron, 233,2:F261
- potassium handling and, kidney (toad), 243,12:F67
- sodium bicarbonate and parathyroidectomy effects, 236,5:F184
- tubular, hypercalcemia, 233,2:F201
- renal excretion
- parathyroid hormone effects, 231:1152
- 4-pentenoic acid effects, 231:216
- renal handling, parathyroid hormone and adenosine monophosphate, cyclic effects, 233,2:F541
- restriction**
- kidney tubules, 241,10:F123
- renal microvillus vesicles (pig), 239,8:F352
- secretin stimulation, parathyroid hormone, kidney (fowl), 241,10:F263
- sulfate transport and, proximal convoluted tubules, 241,10:F300
- transport**
- bladder, two modes (turtle), 238,7:F31
- cortical collecting tubule, 238,7:F358
- 1,25-dihydroxyvitamin D<sub>3</sub> effects, 240,3:G90
- 1,25-dihydroxyvitamin D<sub>3</sub> effects, jejunum, 243,6:E470
- disphosphate treatment, renal brush border vesicles, 239,8:F13
- fractional delivery, 233,2:F150
- glucocorticoid effects, renal, 243,12:C227
- inner medullary collecting duct, 237,6:F48
- intestinal, vitamin D<sub>3</sub> metabolites and, 233,2:E488
- isolated proximal tubule, 231:979
- nephron, 233,2:F29, F150, F261
- parathyroid hormone effects, nephron, 233,2:F29
- piretanide effects, proximal tubules, 238,7:F60
- renal, alkaline phosphatase and, 237,6:E465
- renal, phosphate deprivation and, 234,3:F199
- vitamin D-dependent, intestinal (chick), 234,3:E379
- uptake**
- brush border vesicles, ureteral obstruction and, 243,12:F29
- cellular, guanosine monophosphate, cyclic and, 233,2:E203
- gastric mucosa (frog), 239,2:G411
- urinary, effect of colchicine and parathyroid hormone, 231:61
- Phosphate compounds**
- high energy, myocardial energy supply-demand, 237,6:H696
- technetium-labeled, bone extraction and blood clearance, 232,1:H341
- Phosphatemia**
- 1,25-dihydroxyvitamin D regulation, 239,2:E119
- fasting and, renal, 241,10:F509
- parathyroid hormone effects, 232,1:E535
- phosphate, inorganic, renal handling, 234,3:F497
- phosphate restriction, kidney tubules, 242,11:F353
- Phosphatide, composition, liver, thermal acclimation (rainbow trout), 236,5:R91**
- Phosphatidic acid pathway**
- fatty acid esterification, 234,3:E236
- jejunal, 238,1:G414
- small intestine, 237,3:E236
- Phosphatidylcholine**
- disaturated, cholinergic stimulation of, 243,12:C39
- insulin action and, adipocytes, 241,4:E281
- prostaglandin synthesis, renomedullary, 236,5:H65
- spontaneous hypertension, aortic, 240,9:H33
- Phosphatidylinositol**
- arachidonic acid release from, 5-hydroxytryptamine-stimulated, salivary glands (blowfly), 243,12:C222
- breakdown,  $\alpha$ -adrenergic mechanism, liver and other tissues, 238,1:E3
- turnover, pancreas, 238,1:G247
- Phosphaturia**
- ammonium chloride, acidemia role, 242,11:F552
- compensatory, after unilateral nephrectomy, 231:1625
- denervation, kidney, 240,9:F481
- fasting, 237,6:F241
- furosemide effects, 232,1:F105
- glucocorticoid effects, kidney, 243,12:C227
- parathyroid extract and, renal, 237,6:E428
- postobstructive, ureteral, 237,6:F14
- Phosphatitic action, glucagon, 25(OH)vitamin D<sub>3</sub> and, 240,9:F269**
- Phosphatitic effect, parathyroid hormone, resistance, 237,6:F175**
- Phosphocreatine**
- heart levels, 230:1744, 1751
- ischemic myocardium, fructose 1,6-diphosphate effects, 241,10:H576
- isoproterenol effects, ischemic myocardium, 239,8:H469
- metabolic gradients, atrial pacing effects, 233,2:H217
- muscle, metabolite changes during stimulation, 242,11:C218
- muscle fiber fatigue, caffeine and (frog), 241,10:C160
- nuclear magnetic resonance analysis, skin (frog), 243,12:C74
- propranolol effects
- ischemic heart, 232,1:H349
- ischemic myocardium, 239,8:H469
- substrate regulation, muscle protein synthesis, 242,5:E184
- Phosphodiesterase**
- adenosine monophosphate, cyclic
- antidiuretic hormone, papillary collecting duct, 240,9:F311
- prostaglandin F<sub>2 $\alpha$</sub>  and coronary ligation, effects, 234,3:H718
- prostaglandin inhibitors, 232,1:F529
- vasopressin, 232,1:F368
- aging effects, 243,12:F121
- anesthetic-induced adenylate cyclase inhibition, bladder (toad), 237,6:F372
- antidiuretic hormone and, bladder (toad), 239,8:F250
- cold acclimation, brown fat cells, 242,11:C250
- cyclic nucleotide
- inhibitors, peptides and secretin and, pancreatic acini, 242,5:G547
- intestinal, serotonin effects, 232,1:E85
- nucleotide metabolism, nephron, 243,12:F349
- Phosphoenolpyruvate, proximal tubules, 241,10:F403**
- Phosphoenolpyruvate carboxykinase**
- activity, brown fat, glucocorticoid regulation, 235,4:E197
- distribution, nephron, 240,9:F492
- glucocorticoid regulation, kidney and adipose tissue, 233,2:E147
- gluconeogenesis (chicken, carnivorous bird), 234,3:R115
- glutamine metabolism, renal, 235,4:E261
- homeostasis, high-protein diet, 239,8:R437
- Phosphofructokinase**
- activity, perfused lung, 236,5:E276
- endotoxic shock, normal and diabetic liver, 240,9:R10
- gluconeogenesis regulation, 236,5:E410
- hormonal regulation, gluconeogenesis, 235,4:E295
- metabolism, seasonal acclimatization (goldfinch), 242,11:R563
- neonatal skeletal muscle, thyroid deficiency and, 235,4:C97
- training and, angina pectoris, 243,12:H830
- work-jump, glucose-perfused heart, 243,12:R389

- 6-Phosphogluconate dehydrogenase**, sensitivity, tissues (*ob/ob* mouse), 240,3:E101
- 6-P-Phosphogluconate**, pyruvate kinase regulation, hepatocytes, 240,3:E279
- Phosphoinositide**, metabolism, spontaneously hypertensive erythrocytes, 243,12:H590
- Phospholamban**, phosphorylation, myocardial sarcoplasmic reticulum, hyperthyroidism, 234,3:H426
- Phospholipase**  
glomerular, angiotensin II and, 239,8:F486  
prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532  
spontaneous hypertension, aortic, 240,9:H33
- Phospholipase A**  
intestinal, triglyceride lipase and, fasting effects, 242,5:G168  
sarcolemma, hydrolysis of, 242,11:H652
- Phospholipase A<sub>2</sub>**  
inhibition, bile salt-phospholipid micelles, pancreatic, 241,4:G328  
prostaglandin synthesis, renomedullary, 236,5:H65
- Phospholipids**  
aortic, deacylation-reacylation cycle, spontaneous hypertension, 240,9:H33  
bile acid structure, bile formation and, 238,1:G10  
biliary  
bile acid effects, 242,5:G40  
secretion, sulfbromophthalein excretion effects, 240,3:G85  
transport, micelles and sulfbromophthalein in, 236,5:E10  
calcium-ATPase kinetics, sarcoplasmic reticulum, hyperthyroidism, 235,4:H745  
chylomicron composition, duodenal, 235,4:E183  
compensatory kidney growth, 230:1067  
formation  
potassium depletion nephropathy, 236,5:E429  
renal, during potassium depletion, 233,2:E212  
glomeruli, ureteral ligation and, 241,10:F289  
incorporation, skeletal muscle, 232,1:E324  
lung development, thyroid hormones and, 242,5:E378  
mechanical alternans, atherosclerotic papillary muscle, 239,8:H674  
membrane, insulin receptors and, fetal, 243,6:E246  
metabolism  
brush border regeneration, renal ischemia, 241,10:F28  
erucic acid and, 235,4:E509  
renal regeneration after acute tubular necrosis, 232,1:E216  
phosphorylation, erythrocytes, spontaneous hypertension, 243,12:H590  
plasma membrane composition, renal medulla, 234,3:F247  
secretion, biliary, bile acid structure and, 234,3:E637  
serum, age-related changes with food restriction, 238,1:E253  
sodium-calcium exchange and, ischemic heart, 242,11:C288
- Phospholipid vesicles**, hexose uptake, insulin action and, 241,4:E281
- Phosphonates**, bone mineralization, 232,1:E298
- 4'-Phosphopanthetheine**, diabetes and fasting effects, heart, 240,9:H606
- Phosphoprotein**, calcium-ATPase kinetics, sarcoplasmic reticulum, 235,4:H745
- Phosphoprotein phosphatase**, microsomal, aorta, 234,3:H508
- 5-Phosphoribosyl 1-pyrophosphate synthetase**, subcellular distribution, intestinal mucosa, 239,2:G266
- Phosphoribosylpyrophosphate**, bioavailability, diabetic renal cortex, 238,1:E341
- Phosphorous nuclear magnetic resonance spectroscopy**: see Spectroscopy
- Phosphorus**  
absorption  
intestinal, metabolic acidosis, 239,2:G480  
intestinal, phosphorus depletion effects, 236,5:E451  
adaptation, endogenous excretion, 239,2:G261  
age- and race-related changes, 232,1:E419  
bone mobilization, during growth, 236,5:E283  
calcitonin action, renal, 232,1:E515  
deficiency, 1,25-dihydroxyvitamin D<sub>3</sub> and, 236,5:E118  
depletion  
calcium absorption, intestinal, 236,5:E451  
skeletal muscle injury after, 243,12:F113  
deprivation, metabolic acidosis effects, parathyroid hormone, kidney, 241,10:F23  
dietary restriction, adaptation with age, 239,2:E322  
electrolyte excretion, renal, 240,9:F17  
excretion, parathyroid hormone and, renal, 236,5:E401  
gentamicin nephrotoxicity, kidney cortex, 242,11:F477  
homeostasis, vitamin D and magnesium effects, 241,4:E35  
32-labeled, storage telemetry, 233,2:E479  
nuclear magnetic resonance analysis, skin (frog), 243,12:C74  
plasma levels, paresis (cow), 235,4:E634  
potassium and, during metabolic acidosis, 235,4:F345  
reabsorption, tubular, fasting effects, 237,6:F241  
transport, parathyroid hormone effects, nephron, 236,5:F342  
urinary, glucagon and 25(OH)vitamin D<sub>3</sub> interactions, 240,9:F271
- Phosphorus-31**, nuclear magnetic resonance, heavy metals, cardiovascular, 239,8:H22
- Phosphorylarginine**, utilization, muscle (horseshoe crab), 242,11:R394
- Phosphorylase**  
activation  
electrical stimulation, liver, 240,3:E226  
isoproterenol-induced, diabetes effects, myocardial, 240,9:H375  
reversal in contracting muscle, 237,6:R291  
activity, circadian rhythm, liver, hypothalamic lesions and, 238,1:E21  
changes, hypoxia and, anesthesia, liver, 243,6:E182  
contractile force, heart, 236,5:H84  
epinephrine effects, muscle, exercise, 242,5:E25  
liver, gluconeogenesis and, 235,4:E354  
metabolism, muscle contraction and (roundworm), 242,11:R514  
propranolol effects, ischemic heart, 232,1:H349  
regulation  
adipose tissue, 237,6:E11  
liver, 232,1:E370
- Phosphorylase α**, activity ratio, perfused heart, 239,8:H756
- Phosphorylase kinase**  
activity, regulation, cardiac, 234,3:H638
- regulation  
adenosine monophosphate, cyclic, effects, heart, 240,3:E340  
calcium effects, heart, 240,3:E340  
protein kinase effects, heart, 240,3:E340
- Phosphorylase phosphatase**, glycogen metabolism, hepatocytes, 242,5:E262
- Phosphorylation**  
capacity, mitochondria, skeletal muscle (frog), 234,3:C1  
cardiac actin complex (bovine), 236,5:C41  
cardiac regulatory proteins, adenosine monophosphate, cyclic-dependent protein kinase, 231:1330  
cytosolic adenine nucleotides, 234,3:C73, C82  
enzyme, pyruvate-perfused heart, 237,6:R167  
hexose transport, brain capillaries, 236,5:C96  
membrane, aorta, 234,3:H508  
myocardial sarcoplasmic reticulum, hyperthyroidism, 234,3:H426  
myosin, perfused heart, 239,8:H756  
myosin light chain  
atria and ventricles, 243,12:H391  
contraction, arterial smooth muscle (swine), 240,9:C222  
oxidative: see Oxidative phosphorylation  
postnatal, myocardium, 235,4:H338  
pyridoxine hydrochloride, absorbed, jejunal, 235,4:E272  
renal cells (flounder), 232,1:F227
- Phosphorylation state**, free adenine nucleotides, Amytal effects, perfused heart, 237,6:C221
- Phosphorylcreatine**, chemical energetics, smooth muscle, 235,4:C1
- Photoelectric method**, hemodynamic changes, cerebral measurement (cat, monkey), 235,4:H56
- Photoelectric plethysmography**: see Plethysmography
- Photokymography**, segmental myocardial wall motion, 238,7:H98
- Photometry**  
epithelial transport processes, 237,6:F167  
hemorheology, hypofibrinogenemia, 236,5:H447  
micro-light guide, for measuring tissue fluorescence and reflectance, 236,5:C144
- Photon absorptiometry**, skeletal mass, postmenopausal women, 235,4:E82
- Photoperiod**  
constant, sexual maturation, male, 234,3:E262  
growth regulation, light-dark cycle (lamb), 241,4:E1
- Photoreception**, encephalic (quail), 240,9:R220
- Photosexual response**, sites and action spectra, encephalic (quail), 240,9:R220
- Photostimulation**, pineal multiunit, response (quail), 233,2:E293
- Phrenectomy**, hepatic baroreceptor reflexes and, 238,7:R390
- Phrenic nerves**, 230:1003  
lateralized responses, 230:1314  
synchronization, sympathetic nerve discharges, 231:1601
- Phylogenesis**, gastrin-cholecystokinin system, 240,3:G255
- Physalacmin**  
amylase release, pancreatic acini, 236,5:E571  
pancreatic acinar cells (amphibian), 235,4:E112  
pancreatic enzyme secretion, cholecystokinin effects, 242,5:G464
- Physical biology**: see Biology



- Physical causality**, brain theories and, 238,7:R277
- Physical conditioning**: *see* Exercise
- Physical forces**, reabsorption, proximal tubule, model, 236,5:F478
- Physical training**: *see* Exercise
- Physics**
- envy, biology and, 234,3:R1
  - hierarchies, 233,2:R75, 234,3:R3
  - theories, criticism and response, 240,9:R115
- Physiological factors**, protein composition, parotid saliva, 242,5:G231
- Physiological integration**, concepts, 237,6:R255
- Physiological mechanisms**, thirst (monkey), 242,11:R423
- Physiological systems**
- identifiability, 239,8:R390
  - mathematical models and computer simulation, good manners in good modeling, 234,3:R161
  - metabolism analysis, 240,9:R120
  - monitoring, long-term, 240,9:R384
- Physiology**
- comparative
    - lung ventilation, aestivating lungfish, 233,2:R181
    - renal (avian), 234,3:F270
    - renal (reptile), 234,3:F68, F238
  - contribution of communication sciences, 234,3:R159
  - developmental: *see* Fetus; Newborn; Embryo
  - integrative, field and circuit thermodynamics, 233,2:R171, 234,3:R3, R81, R85
  - systems, thyroid hormone parameters, experiment design, 233,2:R134
  - terminology, concerning gain, 235,4:H117
- Physoestrogens**
- blood flow, gastrointestinal wall, 235,4:H34
  - inhibition, renal adrenergic nerves, 237,6:H326
  - liver microvascular cholinergic receptors, 236,5:E728
  - salivary secretion (tick), 235,4:R76
- Pial arteries**
- blood flow, anesthesia (cat, dog), 241,10:H228
  - oxygen consumption, wall composition, 236,5:H151
- Pial arterioles**
- carbon dioxide pressure changes, effects, 238,7:H697
  - response to carbon dioxide and hypoxia, prostaglandins and, 238,7:H226
  - vessel size, effects in hypercapnia, 238,7:H697
- Pial microvessels**, morphophysiological study method, 238,7:H172
- Picolinic acid**, brush border membrane vesicles, kidney, 240,9:F185
- Picrotoxin**, nucleus accumbens-pallidal pathway, ambulatory activity, 238,7:R65
- Pilocarpine**
- goblet cell secretion and, intestinal, 242,5:G370
  - intestinal ion transport effects, 231:252
  - lacrimal gland flow, 230:80
  - salivary secretion (tick), 235,4:R76
- Pimozide**
- cerebral circulation (baboon), 233,2:H222
  - temperature maintenance (chicken), 239,8:R296
- Pinane thromboxane A<sub>2</sub>**, ischemic myocardium, 238,7:H87
- Pineal cell**, glycogen: *see* Glycogen
- Pinealectomy**, core temperature and, 231:355
- Pineal gland**
- circadian rhythm, blindness, 234,3:R110
  - dark pulse effects, circadian rhythm (hamster), 242,11:R44
  - enzyme activity, circadian, 232,1:E375
  - habenular lesion (quail), 233,2:E293
  - hypothalamus-pituitary-thyroid axis and, interactions, 236,5:E416
  - macromolecular changes, after dehydration and renin, 237,6:R26
  - multiunit activity, light effects, 231:136
  - N-acetyltransferase, neonatal, 233,2:E141
  - thymic biosynthetic polyamine decarboxylase, regulation, 237,6:E6
  - vasopressin and melatonin rhythms, cerebrospinal fluid, 243,6:E489
- Pinocytosis**
- binding and internalization, particles, 242,11:C339
  - blood-brain transport, histamine effects, 243,12:H307
  - intestinal, lead retention, suckling, 239,2:G114
- 1-4-Piperazinebis-(ethanesulfonic acid)**, sodium-hydrogen exchange, proximal tubular, 241,10:F380
- Pirenzepine**, substance P effects and, intestinal motility, 243,6:G493
- Piretanide**
- bicarbonate transport, proximal tubules, 238,7:F60
  - chloride transport inhibition, cornea (bullfrog), 240,9:F25
- Pituitary-adrenocortical system**, hemorrhage, response to, 232,1:R5
- Pituitary cells**
- clonal, calcium channel and prolactin release, verapamil effects, 243,6:E68
  - culture systems, pregnant rats, 236,5:E239
  - sensitivity, long-term culture, 240,3:E602
  - separated and enriched populations, thyrotropin-releasing hormone effects, 241,4:E298
- Pituitary gland**
- adenosine monophosphate, cyclic production and binding, estradiol stimulation of, 243,6:E109
  - response, gonadotropin-releasing hormone, sex difference, 235,4:E37
  - anterior
    - calcium distribution, kinetic analysis, 238,1:E167
    - cortisol secretion, angiotensin II effects, 233,2:E273
    - cyclic nucleotide and gonadotropin-releasing hormone effects, 241,4:E6
    - luteinizing hormone synthesis and release, 241,4:E14
  - anterior cultures, luteinizing hormone response, aging, 240,3:E510
  - arterial wall mechanics, 234,3:H167
  - blood flow, 243,6:E427
  - clomiphene effects, gonadotropin release, 240,3:E125
  - columns, luteinizing hormone secretion regulation, 240,3:E591
  - corticotropin-releasing factor effects, 239,8:R309
  - cortisol secretion, angiotensin II effects, 233,2:E273
  - feedback regulation of thyrotropin, thyroxine effects, 240,3:E308
  - function
    - aging effects, 237,6:E224
    - hemorrhage effects, newborn (lamb), 240,3:E585
    - growth hormone and thyrotropin, endotoxin effects, 243,6:E332
    - luteinizing hormone-releasing hormone estradiol effects, 242,5:E392
    - receptor, estrogen modulation, 237,6:E136
    - luteinizing hormone responses, aging, 240,3:E510
  - monolayer cultures, luteinizing hormone activity, sex differences, 235,4:E291
  - obesity, 230:982
  - perfused cultures, luteinizing hormone secretion regulation, 240,3:E591
  - perfusion, gonadotropin-releasing hormone action, 240,3:E504
  - prolactin secretion, autoregulation of, 242,5:E226
  - reserve, estrogen effects, 233,2:E235
  - responses, arterial hypotension (sheep), 242,5:E215
  - tamoxifen effects, gonadotropin release, 240,3:E125
  - vasopressin, spontaneous hypertension, 235,4:H361, 242,11:H496
- Pituitary-gonadal axis**, zinc deficiency, 230:1730
- Pituitary gonadotropin**: *see* Gonadotropin
- Pituitary hormones**
- adenosine monophosphate, cyclic, induced release, 243,6:E109
  - androgen secretion, cortical, 236,5:E616
  - anterior, luteinizing hormone response, aging, 240,3:E510
  - 17 $\beta$ -estradiol effects, binding and responses, 240,3:E297
  - portal vascular route, 239,8:R463
  - posterior, renal hypertension, 239,8:H81
- Pituitary monolayer cultures**, luteinizing hormone release and synthesis, sex hormone effects, 238,1:E458
- Pituitary-testis coupling**: *see* Coupling
- Pituitary-thyroid axis**, winter sleep (bear), 237,6:E227
- Pituitary thyrotropin**: *see* Thyrotropin
- pK**, plasma (aestivating lungfish), 232,1:R10
- Placenta**: *see also* Fetus; Pregnancy
- amino acids, transport by microvillus membrane vesicles, 234,3:C27
  - amino acid uptake
    - intracellular substrate effects, 243,12:C46
  - maternal and fetal, 241,10:C106
  - bile salt transfer, fetal (sheep), 243,6:G172
  - blood flow
    - prostaglandin E<sub>2</sub> effects, 231:754
    - sheep, 233,2:H466
  - blood flow distribution, maternal and fetal (sheep), 241,10:H486
  - calcium-binding protein regulation, 242,5:E47
  - carbon fuels, fetal, contribution to oxidative metabolism, 233,2:E457
  - carbon monoxide diffusing capacity, nor-epinephrine elevation (lamb), 239,8:R115
  - carbon monoxide exchange, 232,1:H311
  - carbon monoxide uptake, fetal and maternal (sheep), 232,1:H324
  - chorioallantoic, 233,2:C111, E308
  - colloid osmotic pressure, plasma, 235,4:H200
  - compliance, maternal vessels (sheep), 233,2:H660
  - creatine transport, 233,2:E308
  - diffusing capacity, hyperthyroidism, 239,8:H302
  - diffusion permeability (sheep), 233,2:H466, H475
  - dually perfused, carrier-mediated transport, 237,6:C205
  - electrical potential difference: *see* Potential difference
  - electrical potential: *see* Potentials
  - flow rates, 232,1:H666
  - glucose analogues, fetomaternal transfer (sheep), 234,3:E32
  - glucose transfer, maternal hypoglycemia (sheep), 238,1:E524
  - growth
    - dietary restriction and ovarian steroid effects (pig), 234,3:E190
    - starvation and (pig), 236,5:E335
    - intervillous space, 234,3:H289

**Placenta (continued)**

- lactogen release, calcium effects, 240,3:E550
- microvillus plasma membranes, D-glucose transport reconstitution, 242,11:C166
- monosaccharide transport, microvillus membrane, 238,7:C160
- neutral amino acid transport, 230:706
- ouabain binding, sodium-potassium-ATPase activity and, 238,1:E32
- perfused, vascular volumes (guinea pig), 241,10:H73
- protein, retinol-binding, 233,2:E263
- renin, blood pressure regulation, 239,8:H266
- size, fetal size and, blood flow effects (guinea pig), 243,12:H404
- steroid transfer, binding effects, 235,1:E208
- taurocholate transfer (sheep), 239,2:G354
- term, 17 $\beta$ - and 10 $\alpha$ -hydroxysteroid dehydrogenases in cytosol, 242,5:E178
- terminal diols (sheep, guinea pig), 236,5:C47
- transfer
  - $\alpha$ -fetoprotein, fetal (sheep), 240,3:E191
  - uterine blood flow and (ewe), 242,11:H429
- vascular responses, indomethacin (ovine), 236,5:H61
- vasculature, fatty acid metabolism in, fetal, 240,3:E65
- water exchange, mathematical model, 235,4:R181, 237,6:R89
- Placental barrier**, osmotic flow (sheep), 233,2:H466, H475
- Plantaris muscle**, inositol incorporation, 232,1:E324
- Plant lectins**: see Lectins
- Plant sterols**, differential absorption, small intestine, 240,3:G50
- Plasma**
  - ammoniogenic factor: see Ammoniogenic factor
  - adrenal medullary (swine), 234,3:E137
  - amino acid concentration, fuel metabolism, fetal brain, 241,4:E200
  - $\alpha$ -amino nitrogen concentration, cold exposure effects, 231:174
  - anion gap, chronic metabolic acid-base disturbances, 235,4:F291
  - antinatriuretic activity, effect of vasopressin, 231:28
  - appetite suppressant activity of, intestinal bypass surgery, 243,12:R60
  - arterial and mixed venous, ionic composition, 233,2:F412
  - cAMP: see Adenosine monophosphate, cyclic
  - clearance: see Clearance
  - clotting factors: see Clotting factors
  - colloid osmotic pressures, placental, 235,4:H200
  - composition
    - efferent vessels, tubular reabsorbate effects, 236,5:F119
    - lungfish, 232,1:R10
  - concentration, renal urate excretion and, 231:387
  - constituents: see specific constituent
  - corticosterone levels, running activity and, 231:817
  - disappearance curves, model exposing errors in conventional approach, 235,4:E648
  - distribution, spontaneously hypertensive cremaster muscle, 242,11:H381
  - electrolytes: see Electrolytes
  - flow: see Flow
  - glycolysis stimulation, red cells (cow), 236,5:C262
  - hemorrhaged, restoration by gastrointestinal fluid, 234,3:H80
  - membrane: see Membrane

- molecule transport kinetics, 239,8:H525
- norepinephrine accumulation, saphenous vein, 243,12:H424
- oncotic pressure, calculation errors, 239,8:H810
- osmolality: see Osmolality
- osmoregulation, DDE and, 231:370
- postglomerular, concentration of chloride, sodium, and inulin, 231:822
- proteins: see Proteins
- renin: see Renin
- shock-induced cardiodepressant substance, isolation, 237,6:H168
- space, central nervous system (dogfish), 232,1:R45
- timed staining, capillary density, myocardium, 242,11:H133
- trypsin effects, stimulation of renin release, 243,6:E206
- viscosity, red blood cell aggregation and, blood viscosity, skeletal muscle, 241,10:H513
- volume: see Volume
- Plasma/cerebrospinal fluid barrier** hibernation (marmot), 234,3:R178
- permeability, melanotropic peptides and, 234,3:E327
- Plasma dilution method**, intestinal lymph flow, 232,1:E13
- Plasma layer**, microvascular, striated muscle, resting and contracting, 237,6:H481
- Plasma-lymph**, transport, kinetics, 239,8:H525
- Plasmapheresis**, protein redistribution and (sheep), 243,12:H803
- Plateau potentials**, rhythmic: see Potentials
- Platelets**
  - activating factor, smooth muscle contraction, ileum, 241,10:C130
  - adhesion, gas nuclei (swine), 233,2:H100
  - aggregation, 237,6:H353
    - adenosine diphosphate-induced, lung fluid balance and (sheep), 242,11:H645
    - androgen-mediated sensitivity, 232,1:H381
  - extracorporeal circulation, 232,1:H622
  - fibrin-induced, 233,2:H305
  - mesenteric arterioles, aspirin, 239,8:H220
  - microvascular (bat wing), 232,1:H400
  - primary, calcium ion uptake, epinephrine, 239,8:H483
  - prostaglandin analogues, effects, 235,4:H223
  - pyridoxal phosphate and, 238,7:H54
  - verapamil effects, 242,11:H19
  - arachidonic acid effects, 231:112
  - calcium ion mobilization in, chlortetracycline fluorescence, 241,10:H613
  - chemotaxis, 235,4:H23
  - clearance, hepatic and splenic, 235,4:H314
  - cohesion, von Willebrand factor and prostaglandin I<sub>2</sub> effects, 241,10:H54
  - cross-linking, actin and fibrin, 233,2:H346
  - factor 4, 232,1:H622
  - function, extracorporeal circulation, 232,1:H622
  - 5-hydroxytryptamine, prostaglandin control of, lung, 241,10:H766
  - inhibition of agglutination, 230:1406
  - interfacial concentration, release (pig), 240,9:H99
  - lipid peroxidation, 240,9:H800
  - losses, silicone rubber membrane oxygenators (sheep), 236,5:H371
  - mass transport (pig), 240,9:H99
  - perfusion, prostacyclin-thromboxane interactions, heart (guinea pig), 241,10:H18
  - preservation, membrane oxygenator priming technique (sheep), 234,3:H646

- prostacyclin effects, lung lobes, 242,11:H745
- release of serotonin, fibrin-induced, 231:244
- respiration, influence of medium tonicity, 231:185
- secretion (Chediak-Higashi cattle), 237,6:R239
- thrombin and, interaction, 237,6:H353
- vascular reactivity, lung, 234,3:H186
- Platelets-fibrin interaction**, inhibition by fibrinogen degradation fragment D, 233,2:H305
- Platinum**, nephrotoxicity, papillary hypertonicity, 241,10:F175
- Plethysmography**
  - admittance, blood flow measurement, human limb, 235,4:H821
  - baroreceptors, plasma renin activity and, 235,4:H23
  - barostasis, arterial, 232,1:H197
  - impedance, calibrated, 239,8:H283
  - nutritional and nonnutritional circuits, hindpaw, neural control, 234,3:H384
  - photoelectric, arterial blood pressure measurement, 237,6:H632
  - pulsed Doppler blood flowmetry and, comparison, 236,5:H899
  - thoracic impedance, cardiac output measurement, 237,6:H491
  - tissue volume change, monitoring device, 242,11:H698
- Pleural effusion**, lymphatic ligation and, 231:1777
- Pluralism**
  - ontological, 233,2:R75
  - varieties, 233,2:R73, R75
- Pluronic L-81**, lymphatic lipid transport, 239,2:G348
- Pneumatic cuff**, barostasis, arterial, 232,1:H197
- Pneumocytes**, granular, 2-deoxy-D-glucose uptake by lung, 243,12:C14
- Pneumoplethysmography**, digital arterial pressure, compliance and, 233,2:H168
- Pneumotoxicity**, monocrotaline and, 242,11:H573
- Poikilotherms**
  - blood viscosity (frog, turtle), 239,8:R248
  - energy production, homeotherms comparison, 240,9:R1
  - sodium ion and thyroxine transport (toad), 236,5:C117
- Poiseuille flow**: see Flow
- Poisson distribution**
  - miniature end-plate potentials, timing calcium and ethanol effects (frog), 237,6:C264
  - neuromuscular junction, 233,2:C157
- Poisson variable**, blood flow, radiolabeled microspheres, 243,12:H371
- Polarity**, nerve-muscle pathways, intestinal, 235,4:E345
- Polarography**, myocardial energetics, during papillary muscle isometric twitch contraction, 236,5:H244
- Pollution**, carbon monoxide exchange, fetal-placental, 232,1:H311
- Polyamine**
  - blood levels, pregnancy and lactation, 234,3:E451
  - metabolism
    - cardiac hypertrophy, 239,2:E372
    - function and, 243,12:C212
    - ornithine decarboxylase, myocardial, 243,6:E305
  - regulation of content, cultured fibroblasts, 243,12:C262
  - synthesis, liver and kidney, response to methylmercury, 231:560
- Polyamine decarboxylase**, thymic, biosynthetic, endocrine regulation, 237,6:E6
- Polycythemia**
  - endotoxin suppression, erythropoietin-responsive cells, 231:73

- erythrocyte circulation, spleen, 239,8:H272
- Polyethylene glycol**  
angiotensin II levels after, 240,9:R229  
radiolabeled, albumin and, brain, 240,9:F319  
transport, ileum, 238,1:G326
- Polymers**, flexible, as probes of glomerular pore size, 236,5:F103
- Polymorphonuclear leukocytes**: see Leukocytes
- Polymyxin B**  
experimental liver injury, insulin and glucagon after, 241,4:E428  
prednisolone-induced intestinal lesions, 235,4:E703
- Polypeptide hormones**  
angiotensin II stimulation, aorta, heart, kidney, 240,3:E391  
pharmacologic, 237,6:R251
- Polypeptides**: see also Peptides  
biosynthesis, gastrin-cholecystokinin system, 240,3:G255  
gastric inhibitory  
  amino acids and, insulin release (foxhound), 242,5:E53  
  arginine interaction, insulin release and, 242,5:E343  
  exercise and, 239,2:G136  
  hormonal secretion and, pancreas, 243,6:E505  
  insulinotropic factor secretion, intestinal, 236,5:E710  
  pancreatic  $\alpha$ - and  $\beta$ -cell responses, 237,6:E185  
gastrointestinal, hormone content and, endocrine pancreas, 238,1:G526  
norepinephrine release and, adrenergic nerves (guinea pig), 243,12:C237  
pancreatic  
  blood flow, hormone release and acid secretion, 243,6:G195  
  gallbladder function (pig), 243,6:G204  
  gastric acid secretion and, 236,5:E488  
  hormone-stimulated release, vagotomy, 240,3:G114  
  response to meal, atropine and vagotomy effects, 235,4:E443  
relaxant responses and, cerebral arteries, 243,12:H145  
release, pancreatic, intestinal phase of, 240,3:G387  
urinary zinc excretion, 235,4:F40  
vasoactive intestinal  
  cerebral metabolism, 238,7:H449  
  exercise and, 239,2:G136  
  female genital tract (cat, goat, pig, rabbit, rat, guinea pig), 240,3:E32  
  fluorescence and oxygen consumption changes, hepatocytes, 242,11:C172  
  glycogen metabolism and, hepatocytes, 242,5:E262  
secretory effects on pancreas (pig), 235,4:E387  
smooth muscle response, gallbladder, 234,3:E44  
vagally mediated pancreatic fluid and bicarbonate secretion (pig), 237,6:E535  
vasodilator action, cerebral arterioles, 239,8:H765
- Polypeptide hormone**, metabolism, liver, 241,4:E208
- Polyphlorethin phosphate**, prostaglandin-adenylate cyclase-adenosine monophosphate, cyclic interaction, gastric mucosa, 235,4:E546
- Polyribonucleotides**, crystal growth inhibitors, urine, 233,2:F455
- Polysaccharide material**, chloride cell, gill (teleost), 238,7:R213
- Polysorbate 80**, cardiovascular effects, 232:H331
- Polyuria**  
cis-dichlorodiammine platinum, kidney, 243,12:F36
- cisplatin nephrotoxicity, papillary hypertonicity, 241,10:F175  
prostaglandin-dependent, hypercalcemia, 241,10:F224
- Polyvinyl chloride**, cuff occluder, hydraulic, 232,1:H99
- Polyvinylpyrrolidone**, lead retention, intestinal, suckling, 239,2:G114
- Pons**, rostral, adrenocorticotropin release, 233,2:R116
- Pontogeniculocipital waves**, eye movement detection, REM sleep, 241,10:R217
- Population dynamics**, thermodynamics, 234,3:R3
- Pore theory**, permeability, proximal tubule (*Necturus*), 234,3:F225
- Portacaval diversion**: see Shunt
- Portal absorption**, retinol, 239,2:G210
- Portal blood flow**: see Blood flow; Circulation
- Portal hypertension**: see Hypertension
- Portal pressure**: see Pressure
- Portal system**, renal, parathyroid hormone effects (fowl), 241,10:F263
- Portal transport**  
  linolenate, low absorption rates, jejunum, 240,3:G157  
  retinol, 239,2:G210
- Portal vein**  
  blood flow: see Blood flow  
  blood mixing, vasopressin effects, 233,2:H50  
  calcium pools, Tris effects, 235,4:H208  
  circular and longitudinal muscle, responses, 232,1:H131  
  circulation, p-aminohippuric acid and uric acid clearance, renal (chicken), 240,9:F46  
  contractions, Tris effects, 241,10:H337  
  insulin, plasma disappearance, in man, 235,4:E577  
  insulin uptake, 237,6:E509  
  long-chain fatty acid transport, 239,2:G141  
  muscle layers, responsiveness of, 242,5:G498  
  obstruction, radioactive microspheres, 240,3:G371  
  oxygen saturation, vasopressin effects, 233,2:H50  
  parabiosis, spontaneous hypertension and, 241,10:H421  
  plasma flow, insulin and glucagon extraction, 235,4:E88  
  pressoreceptors, afferent discharges, 232,1:C76  
  renal and adrenal nerve activity, 230:1733  
  smooth muscle microvibration, 236,5:C192
- Portal vessels**, hypophysial, vascular route, 239,8:R463
- Positive end-expiratory pressure**: see Pressure
- Positive feedback**: see Feedback
- Positron emission**  
  myocardial metabolism assessment, 237,6:H51  
  external assessment, 236,5:H644
- Postextrasystolic potentiation**  
  excitation-contraction coupling, myocardial, neonatal, 24,11:H834  
  ischemia identification, myocardial, 241,10:H654
- Postganglionic action potentials**: see Potentials
- Postganglionic sympathetic nerve**: see Sympathetic nerve
- Postmenopause**, bone loss in, women, 242,5:E82
- Postocclusive vasoconstriction**: see Vasoconstriction
- Postpartum period**  
  copper metabolism, 232,1:E172  
  norepinephrine uptake and metabolism, uterine nerves, 236,5:C277
- reactive hyperemia curve, 233,2:H500
- Posttetanic potentiation**, myosin phosphorylation, skeletal muscle, 242,11:C234
- Posture**  
  ankle tremor, 233,2:R8  
  changes  
    head-up tilt, fastigial nucleus response (cat, monkey), 232,1:H676  
    tilt, renin release, renal denervation effects, 232,1:H500  
  head-up tilt, coronary heart disease, 233,2:H694  
  regulation, optimal and adaptive control, 239,8:R93  
  sinusoidal motion, peripheral visual field, 239,8:R71, R80  
  sitting, plasma volume and electrolyte shifts with heavy exercise, 236,5:R206  
  standing, heart rate response to, 243,12:H676  
  tilting effects  
    adipose tissue vascular resistance, 242,11:H161  
    blood pressure and interstitial pressure (fish), 242,11:R70  
    reflex control of circulation and renin release, 237,6:H146  
  upright, renin release, chloride effects, 241,10:F361  
  upright tilt, neural control, heart, 239,8:H581  
  visual factor, model, 239,8:R80  
  posture effects, 243,12:H676
- Potassium**  
  absorption  
    colon, 242,5:G209  
    luminal membrane, urinary bladder (turtle), 241,10:F315  
  active transport, thermodynamics of, corneal epithelium (frog), 242,11:F690  
  activity  
    bladder epithelial cells (toad), 232,1:F196  
    DOCA hypertension, 232,1:F260  
    stimulation frequency effects, heart, 240,9:C39  
  adaptation  
    colon, 234,3:F48  
    increased secretion, 239,8:F378  
    mechanism of, 243,12:F103  
    renal, sodium-potassium-ATPase activity, nephron, 238,7:F380  
  adrenal cell sensitivity, 233,2:E402  
  adrenergic constriction, vascular smooth muscle, 233,2:H22  
  aldosterone response  
    adrenal transport, adrenocorticotropin effects (sheep), 237,6:E500  
    calcium, adrenal, 232,1:E388  
  ammoniogenesis and, renal mitochondria, 231:44  
  arterial, human, 234,3:H404  
  arterial pressor responses and (dogfish), 241,10:R228  
  asymmetric contraction, ear artery, 238,7:H618  
  ATPase dependency, salt gland (duck), 237,6:C200  
  atrial, interactions of diphenylhydantoin and cardiac glycosides, 230:965  
  balance  
    aldosterone effects, pregnancy, 240,9:R175  
    angiotensin II receptors, number and affinity, smooth muscle and adrenal tissue, 237,6:E519  
    collecting tubule, 237,6:F247  
    vasopressin-treated diabetes, 234,3:F106  
  bicarbonate transport, proximal convoluted tubules, 233,2:F307  
  bladder responses, theophylline (toad), 232,1:F173  
  body, aging, 230:143

**Potassium (continued)**

- calcium ion influx and, pancreatic  $\beta$ -cell, 242,5:E59
- calcium role, adrenal glomerulosa cell response, 241,4:E42
- calcium transport, erythrocytes, 237,6:C96
- cardioplegia
  - ischemic arrest, 240,9:H326
  - progressive hypothermia during global ischemia, 236,5:H839
- channel, skeletal muscle (frog), 241,10:C68
- concentration (50 mM), ileal secretion effects, 240,3:G211
- concentration gradients, cardiac cells, 236,5:H189
- concentrations, red blood cells, microanalysis (human, sheep), 235,4:C245
- conductance
  - cardiac automaticity, 233,2:H625
  - control by internal calcium, 234,3:H101
  - ischemic heart, 239,8:H380
  - macrophages, 241,10:C9
  - skeletal muscle, 232,1:C109
  - smooth muscle cells, stomach (toad), 239,8:C175, C182
- conductance blocker, pancreatic  $\beta$ -cells, 240,9:C116
- content
  - adrenal cells, 237,6:E363
  - proximal tubules, hypotonic medium effect, 232,1:F42
  - regional differences, esophageal smooth muscle (opossum), 235,4:E709
- contractility, vascular smooth muscle, 240,9:H971
- contraction, vascular smooth muscle, 238,7:H761
- contracture, diabetes-induced inhibition, heart, 242,11:H490
- control, renin-angiotensin system role, 238,7:R359
- current
  - axon (squid), 238,7:C127
  - circular muscle, small intestine, 237,6:C247
  - transient, temperature effects (mollusc), 234,3:C155
- deficiency
  - aldosterone biosynthesis in edema, role of kidney, 240,3:E12
  - angiotensin II effects, 243,6:E450
  - bicarbonate transport and, kidney tubules, 242,11:F532
  - papillary plasma flow, 237,6:F226
  - delivery, acid-base disturbance effects, juxtamedullary end-descending limb, 243,12:F188
  - deoxycorticosterone effects, vascular smooth muscle, 237,6:H197
- depletion
  - effect on control of breathing, 231:588
  - effect on cerebrospinal fluid bicarbonate homeostasis, 231:579
  - exercise hyperemia, 236,5:H480
  - magnesium metabolism, 234,3:F466
  - muscle buffer values, 234,3:F432
  - nephropathy, phospholipid formation, 236,5:E429
  - phospholipid formation, renal, 233,2:E212
  - prostaglandin and, renal, 238,7:F37
  - prostaglandin  $E_2$  effects, kidney, 240,9:F151
  - pyruvate kinase activity, renal medulla, 238,1:E377
  - renal acidification and, 236,5:F48
  - subcellular changes, heart, 237,6:C1
  - thromboxane  $B_2$  effects, kidney, 240,9:F151
- depolarization
  - contraction and, heart, 241,10:H187
  - diastolic, 243,12:H767
  - ionophore effects, adrenal gland and spleen, 242,5:E137
  - membrane permeability and, Purkinje fibers (sheep), 237,6:C156
  - norepinephrine metabolism, saphenous vein, 234,3:H235
  - series elasticity, 234,3:H542
  - distribution, aldosterone effects, 243,12:R526
  - efflux
    - calcium and, sublingual gland, 235,4:C128
    - embryonic heart cells (avian), 236,5:C163
  - electrolyte excretion, adaptive changes, renal, 243,12:F211
  - entry, inner ear and cerebrospinal fluid, 243,12:F173
  - equilibrium potential, epithelial cells, bladder (toad), 232,1:F196
  - exchange
    - acetylcholinesterase effects, myocardial, newborn, 241,10:H637
    - anoxic myocardium, 232,1:H85
    - myocardial ischemia, 232,1:H564
    - oocytes (amphibian), 238,7:C133
    - skeletal muscle (toad), 242,11:C207
  - excretion
    - adrenal enucleation, 238,1:E220
    - adrenal enucleation effects, kidney, 242,11:F453
    - $\alpha$ -adrenergic blockade, 232,1:F409
    - albumin effects, 235,4:F228
    - aldosterone effects, pregnancy, 240,9:R175
    - angiotensin II effects, renal, 232,1:F298
    - aortic-caval fistula effects, 231:56
    - circulating catecholamine effects, renal, 240,9:F192
    - cortisol-mediated synchronization of circadian rhythm (monkey), 233,2:R230
    - deoxycorticosterone and, adrenalectomy, 242,5:E305
    - electrolyte infusion studies, renal (sheep), 234,3:F371
    - furosemide effects, 232,1:F397
    - hemorrhagic shock, 232,1:F409
    - hypertension, spontaneous, 234,3:F29
    - inner medullary collecting duct, 236,5:F278
    - oxytocin effects, saline-expanded neonates, 239,8:F589
    - perfused kidney, ouabain effects (bullfrog), 236,5:F175
    - phosphate excretion and, interrelations, 239,8:F524
    - postprandial (sheep), 233,2:F213
    - pregnancy, 239,8:R143
    - renal, kinetic analysis (bullfrog), 233,2:F464
    - renal, plasma potassium concentration relations, 242,11:F599
    - renal, sodium intake effects, 233,2:F225
    - renal (starling), 233,2:F138
    - sodium excretion and, nephron heterogeneity, 239,8:F187
    - tubular, uninephrectomy, 234,3:F146
    - uninephrectomy, 233,2:F428
    - urinary, angiotensin II effects, 233,2:F388
    - water deprivation and, 242,11:R296
  - exercise, heavy, sitting and supine, 236,5:R206
  - external
    - cerebral and mesenteric arteries, 239,8:C23
    - giant axon (squid), 235,4:C63
  - extracellular, awake state, brain, 243,12:R462
  - extracellular accumulation, myocardial ischemia, heart, 242,11:H619
  - extracellular concentration, vascular smooth muscle and, 241,10:H217
  - extracellular parathyroid hyperpolarization, 236,5:C15
  - flow-dependent transport processes, renal, 243,12:F1
  - flow rate, distal tubule, transepithelial voltage, 239,8:F289
  - fluid absorption, proximal tubules, 234,3:F381
  - flux
    - cardiac cells, cultured, 236,5:C87
    - hypoxic myocardium, neonatal, 237,6:H612
    - kinetics, oocytes (amphibian), 238,7:C113
    - stomach muscle, 230:743
    - submaxillary duct, 233,2:F22
    - gentamicin nephrotoxicity, kidney cortex, 242,11:F477
    - glutamine transport, renal mitochondria, 234,3:F514
    - gradient, esophageal smooth muscle (opossum), 232,1:E270
    - handling, bicarbonate reabsorption and, kidney (toad), 243,12:F67
  - homeostasis
    - extrarenal, 240,9:F257
    - extrarenal, adrenal hormones and, 242,11:F641
    - hyperinsulinemia, 242,5:E373
    - sympathetic system and, 241,10:F151
  - hyperemia, 230:1531
  - hypertension, corticosterone and DOCA, 233,2:F403
  - influx
    - active, cardiac cells, 236,5:H189
    - effect of norepinephrine and hypertonicity, 231:306
  - infusion effects, plasma renin activity and, 242,11:F463
  - inhibition of renin secretion, renal (dog, pig), 240,9:F70
  - inorganic phosphate effects, cardiac function, 242,11:H79
  - insulin-mediated sodium transport response, bladder (toad), 232,1:F270
  - intracellular, rectal gland (dogfish), 237,6:F468
  - intracellular activity
    - proximal straight tubules, 241,10:F677
    - small intestine, 231:1214
  - ionophore action, myocardial, 235,4:H46
  - 42-labeled, storage telemetry, 233,2:E479
  - loading
    - angiotensin II receptor regulation, adrenal, 239,2:E317
    - increased potassium secretion, 239,8:F378
    - sodium-potassium-ATPase activity, renal, 238,7:F315, F380
    - loss, anoxic myocardium, 235,4:H537
    - low, intracellular potentials, perfused proximal tubules, 240,9:F200
    - magnesium fluxes, myocardial contraction, 234,3:C115
    - mechanism, potassium loading and, 239,8:F378
  - metabolism
    - hormonal control, extrarenal, 240,9:F257
    - insulin effects, splanchnic and peripheral, 238,1:E421
    - micropuncture, superficial nephrons, 243,12:F561
    - mineralocorticoid deficiency, 232,1:F136
    - mineralocorticoid deficiency acidosis, renal, 236,5:F283
    - muscle content, insulin hyperpolarization, 241,10:C145
    - muscle relaxation, 230:1239
    - myosin phosphorylation, perfused heart, 239,8:H756
    - net addition beyond superficial distal tubule, 235,4:F104
    - norepinephrine release, nerves, colonic mucosa, 241,4:G416
    - ouabain binding and, gastric mucosa (frog), 241,4:G104



- palmitic acid utilization, renal cortex, 232,1:F254  
 permeability: *see* Permeability  
 phosphorus and, during metabolic acidosis, 235,4:F345  
 plasma  
   circannual renal function (marmot), 241,10:R87  
   oscillations during potassium infusion, 243,12:F44  
   proximal cell activity (salamander), 243,12:F12  
 plasma concentration, renal potassium excretion relations, 242,11:F599  
 plasma levels, angiotensin II infusion, intracerebroventricular, 239,2:E447  
 potential drop, gastric mucosa, 230:61  
 pressor response to, magnesium and phentolamine blockade (dogfish), 242,11:R185  
 prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532  
 pump: *see* Pump  
 Purkinje cell, compartments, 238,7:H561  
 reabsorption  
   kidney, perfused (bullfrog), 235,4:F26  
   papillary collecting duct (desert rodent), 239,8:F539  
   sodium and chloride effects, kidney (bullfrog), 240,9:F127  
 reduction, cerebroarterial response, 234,3:H404  
 reflex activation, cardiac afferent nerves, 239,8:H316  
 regulation, tubular sites, uninephrectomy, 234,3:F146  
 relaxation, aorta, renal hypertension and, 243,12:H896  
 release  
   agonist-induced, submandibular gland, 235,4:C256  
   ionic milieu, parotid gland, 235,4:C180  
   sublingual gland, 235,4:C128  
   renal ammonia production and, 231:1178  
   renal transport, 230:239  
   renin response, calcium, adrenal, 232,1:E388  
 replacement and transport, proximal tubules (salamander), 241,10:F540  
 respiration, dantrolene and heavy water effects, skeletal muscle (frog), 243,12:C87  
 resting potential, ventricular muscle, 240,9:C28  
 restriction, aldosterone and, renal acidosis, 238,7:F79  
 secretion  
   colon, 232,1:F5, 234,3:F48  
   colonic mucosa, 240,3:G417  
   colonic mucosal cells, 231:987  
   colonic mucosal cells after potassium adaptation, 231:987  
   cortical collecting tubules, 235,4:F576, 241,10:F395  
   electrical potentials, tubular, 238,7:F235  
   fluid flow rate, distal tubule, 236,5:F192  
   inner medullary collecting duct, 236,5:F278  
   intestinal (freshwater prawn), 239,8:C1  
   kidney, perfused (bullfrog), 235,4:F26  
   luminal chloride effects, kidney, 242,11:F46  
   luminal influences, distal tubule, 236,5:F192, 239,8:F289  
   renal, metabolic and respiratory acidosis, 233,2:F82  
   sodium and chloride effects, kidney (bullfrog), 240,9:F127  
   selectivity, hydrochloric acid secretion and, gastric (frog), 240,3:G331  
   smooth muscle contracture, arterial, 242,11:C25  
   sodium and, intracellular activities, 234,3:F261  
   sodium-dependent secretion, colon, 242,5:G209  
   solid membrane ion-selective electrode, measurement, 233,2:C56  
   steady-state exercise hyperemia, 242,11:H949  
   strontium exchange, bone, 242,11:H705  
   tissue, substrate-selective maintenance, perfused kidney, 242,11:F360  
   total-body  
     compartmental model, 239,2:E524  
     3-methylhistidine excretion and, 240,3:E302  
   total exchangeable, indirect measurement, 233,2:F253  
   transport  
     active, cultured cells, temperature disparity and (guinea pig, ground squirrel), 235,4:C159  
     albumin effects, perfused kidney, 240,9:F569  
     amiloride effects, tissues and cells, 242,11:C131  
     descending colon, 242,11:C81  
     distal tubular, normal and remnant kidney, 235,4:F186  
     distal tubule, 243,12:F487  
     distal tubule, electrical potential difference, 238,7:F235  
     effect of autonomic agents, 231:252  
     kidney, contributions of individual nephron segments and populations, 235,4:F515  
     medullary collecting tubule, 242,11:F514  
     ouabain effects, perfused kidney (bullfrog), 236,5:F175  
     pars recta, 242,11:F226  
     pathways, kidney, 242,11:F297  
     pH effects, distal tubule, 242,11:F544  
     remnant kidney, 230:1231  
     renal tubular cells, 236,5:F226  
     sodium and chloride effects, kidney (bullfrog), 240,9:F127  
     sodium-potassium-ATPase effects, renal, 242,11:F207  
     transepithelial, 234,3:F261  
   turnover, temperature effects, aorta (rat, squirrel), 237,6:C23  
   uptake  
     cardiac Purkinje fibers, effect of catecholamines, 231:1415  
     peripheral, insulin effects, 238,1:E421  
 urinary  
   conflicting circadian synchronizers (monkey), 235,4:R175  
   renal electrolyte circadian rhythms (squirrel monkey), 232,1:F128  
   volume rhythms (squirrel monkey), 234,3:R130  
   urine collection device, 233,2:F615  
   vascular heterogeneity, smooth muscle, 243,12:H553  
   ventricular fibrillation, 235,4:H231  
**Potassium chloride**  
   actomyosin and, aortic, neonatal, 237,6:C81  
   blunted hypoxic vasoconstriction, pulmonary, 238,7:H849  
   contracture, muscle fiber fatigue (frog), 241,10:C160  
   cotransport, skeletal muscle (toad), 242,11:C207  
   electrical activity, adrenal cortex, 237,6:E158  
   Goldblatt hypertension, veins and arteries, 241,10:H525  
   intake, increased, chronic furosemide administration and, 238,7:F509  
   intestinal secretion and, 234,3:E629  
   tachypnea, 230:1003  
**Potassium cyanide**, biliary secretion, liver (skate), 242,5:G319  
**Potassium-free media**, hyperpolarization, skeletal muscle fibers, 242,11:C12  
**Potassium-free solution**, norepinephrine release, arterial, 232,1:H140  
**Potassium-hydrogen exchange**, submaxillary duct epithelium, 242,11:F132  
**Potassium ions**  
   acid secretory rate, gastric mucosa (frog), 237,6:E51  
   active transport, low potassium ion-treated ovary cells (Chinese hamster), 243,12:C124  
    $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330  
   angiotensin II and, relations in aldosterone release, adrenal, 237,6:E363  
   angiotensin II receptor regulation, adrenal, 239,2:E317  
   arrest, carnitine transport, heart, 242,11:H585  
   calcium ion uptake, pancreatic islets, 240,9:C35  
   carotid artery stimulation, adenosine nucleotide derivatives (hog), 233,2:H299  
   chloride ion inhibition, gastric mucosa (frog), 238,1:G403  
   compartmentalization, subcellular, 234,3:F261  
   compartmentalized and free, gastric mucosa (frog), 237,6:E51  
   concentrations, induced changes, choroidal epithelium, 238,7:F399  
   conductance  
     calcium ion activation, smooth muscle cells, stomach (toad), 239,8:C175, C182  
     calcium ions and pancreatic  $\beta$ -cells, 237,6:C137  
     vascular muscle, 230:1031  
   contraction, aorta and portal vein, 235,4:H208  
   cytoplasmic pools, 234,3:F261  
   depletion, kidney, 231:1204  
   deprivation  
     acid excretory effect of mineralocorticoid, renal, 236,5:F48  
     mineralocorticoid alkalosis, renal, 235,4:F298  
   determination, with flexible valinomycin electrodes, 235,4:H455  
   efflux  
     exercising skeletal muscle, 236,5:R83  
     parasympathetic-induced, salivary gland, 234,3:E79  
   extracellular accumulation, early myocardial ischemia (rabbit), 243,12:H318  
   flux ratio, skeletal muscle (frog), 241,10:C68  
   gastric acid secretion and, gastric glands, 241,4:G431  
   gradients, imposed, intestinal cells, 238,7:C73  
   homeostasis  
     anoxia and, brain (turtle, rat), 243,12:R281  
     choroid epithelium, 238,7:F399  
   inhibition, endogenous leukocytic mediator, 235,4:C118  
   intracellular  
     insulin stimulation and, soleus muscle, 242,5:E193  
     proximal tubules (salamander), 243,12:F12  
     Purkinje fibers, 237,6:C156  
   leukocytic endogenous mediator effects, 232,1:C15  
   loss, albumin effects, 235,4:F228  
   membrane properties, smooth muscle cells, pulmonary artery, 242,11:H900  
   permeability: *see* Permeability  
   renal  
     collecting tubules, 233,2:F544, F559  
     kinetic analysis (bullfrog), 233,2:F464  
   rubidium-86 efflux, pancreatic islets, 236,5:E139

**Potassium ions (continued)**

- secretion
  - electrochemical forces, eccrine sweat gland, paw, 239,8:C90
  - gastric mucosa (bullfrog), 239,2:G485
  - submaxillary duct, parasympathetic control, 233,2:F22
  - tissue maintenance, perfused kidney, 235,4:F52, F228
- transport
  - bladder, amphotericin B and (toad), 237,6:F145
  - gastric mucosal cells, 235,4:E16
  - pars recta, 242,11:F226
  - uptake, gastric mucosa (frog), 232,1:E294
  - urinary bladder (toad), 233,2:F421
  - water permeability and, antidiuretic hormone-induced (toad), 243,12:F476
- Potassium-magnesium**, interaction, myocardial, 237,6:H413
- Potassium-p-nitrophenylphosphatase**, sodium-calcium exchange and, ischemic heart, 242,11:C288
- Potassium salts**, renin secretion, 234,3:F10
- Potential difference**
  - anomalous response, sodium chloride, stomach (frog), 242,5:G620
  - calcium and phosphorus reabsorption, cortical collecting tubules, 241,10:F461
  - colonic mucosa, corticosteroid-binding, 240,3:G417
  - colonic transmural, glucocorticoids and aldosterone effects, 238,7:F181
  - cornea (frog), 238,7:C21
  - electrical, 230:762
    - insulin hyperpolarization, muscle, 241,10:C145
    - medullary collecting duct, 239,8:F258
    - placenta, sodium fluxes and (sheep), 235,4:F536
  - electrochemical, *p*-aminohippuric acid transport, brush border vesicles (flounder), 237,6:F291
  - fluid, sodium, and potassium balance, collecting tubules, 237,6:F247
  - gastric mucosa (monkey), 239,2:G77
  - intestinal
    - organic solutes (freshwater prawn), 239,8:C11
    - transmural, organic solutes and (freshwater prawn), 239,8:C11
  - ion transport, intestinal, 238,1:G491
  - origins
    - gastric mucosa, chloride-free solutions (frog), 240,3:G267
    - in thin ascending limbs in Henle's loop, 232,1:F348
  - potassium, stomach (frog), 233,2:E298
  - potassium ions and, gastric mucosa (frog), 237,6:E51
  - potassium selectivity, hydrochloric acid secretion, gastric (frog), 240,3:G331
  - potassium transport, tubular, 238,7:F235
  - sodium transport depression, cortical collecting tubules, 241,10:F452
  - transepithelial, 230:1250
    - dopamine effects, proximal tubule, 242,11:F634
    - potassium ion secretion, eccrine sweat gland, paw, 239,8:C90
  - transmembrane electrical, cells, kidney tubules, 241,10:F61
  - transmucosal, mucosal barrier damage, alkaline secretion and, 241,4:G509
  - transmural, chloride transport, intestinal (sea hare), 240,9:R61
- Potential energy**, ventricular pressure-volume area, 240,9:H326
- Potential gradient**, electrochemical, chloride ions, proximal straight tubule, 237,6:F455
- Potentials**
  - action
    - anoxal, *Gymnodinium breve* toxin effects (squid), 232,1:C23

- atrial, calcium ions effects, 233,2:H203
- atrioventricular node, 236,5:C1
- automatic duration meter, cardiac, 236,5:H183
- barium, smooth muscle cells, stomach (toad), 239,8:C162
- calcium-dependent, verapamil effects, clonal pituitary cells, 243,6:E68
- calcium ion-dependent, arterial smooth muscle, 237,6:C75
- cardiac, 230:306
- cardiac, automated analysis with microcomputer system, 237,6:H400
- cardiac, intracellular recordings, 242,11:H1115
- cardiac, ionic activities, 234,3:H101
- cardiac, low-calcium solution (frog), 242,11:H827
- cardiac automaticity, 233,2:H625
- cardiac muscle cell sensitivity, embryo (chick), 233,2:C172
- contractile properties, skeletal muscle (frog), 243,12:C66
- electrograms, ventricular, 240,9:C148
- exercise effects, excitation-contraction coupling, myocardium, 240,9:H472
- fibrillation, ventricular cells, 240,9:H465
- giant axon (squid), 235,4:C55
- maximum upstroke velocity, measurement with sample/hold peak detector, 234,3:H312
- migrating complexes, ileum, 240,3:G450
- migrating myoelectric complexes, 241,4:G16
- migrating myoelectric complex, morphine effects, 242,5:G588
- muscle, calcium-induced inhibition (frog), 240,9:C193
- overshoot, Purkinje fibers, slow inward current and, 237,6:H204
- pancreatic  $\beta$ -cell activity, 241,10:C59
- Purkinje fibers, acetylcholine and (sheep), 238,7:H237
- recordings during junctional rhythms utilizing signal averaging, 235,4:H110
- right bundle-branch, septal, 236,5:H379
- sodium-calcium exchange, cardiac, 236,5:C103
- tetraethylammonium chloride effects, cardiac Purkinje fibers, 241,10:H139
- tetrodotoxin effects, cardiac conduction system, 236,5:H561
- thyroid hormones and Purkinje fibers, cardiac, 240,9:H934
- transmembrane, arrhythmia vulnerability, 236,5:H391
- transmembrane, measuring, heart, 241,10:H455
- transmembrane recording, micropipette holder for, 237,6:H392
- basolateral membrane, perfused proximal tubules, 240,9:F200
- bi-ionic, proximal tubules, 242,11:F395
- bi-ionic diffusion, potassium ion secretion, eccrine sweat gland, paw, 239,8:C90
- calcium, pancreatic  $\beta$ -cells, 239,8:C124
- calcium roles, circular muscle, small intestine, 237,6:C247
- cardiac, end-diastolic volume and (pig), 235,4:H182
- cell, kidney tubules, 241,10:F61
- cochlear, carbonic anhydrase and, 235,4:F317
- contractile, exercise-trained heart, 234,3:H421
- cytoplasmic redox, protein synthesis, muscle, 242,5:E184
- diffusion, intestinal (freshwater prawn), 239,8:C1
- electrical
  - placental (sheep), 236,5:C58
  - sodium transport, ileum, 232,1:E5
- electrocardiographic, hematocrit effects (pig), 232,1:H406
- electrochemical, intracellular ion activities, cardiac muscle cells, 241,10:H459
- electrogenic pump, cultured myocardial cells (chick), 238,7:H24
- end-plate
  - diaphragm neuromuscular junction, 237,6:C31
  - neuromuscular junction, 233,2:C157
  - presynaptic receptors and, 242,11:C366
  - transmitter release, hyperbaric oxygen and (lobster), 235,4:C233
- energy
  - left ventricular, 236,5:H498
  - oxygen consumption, cardiac, 240,9:H39
  - relaxing ventricles, 236,5:H494
- ephaptic transmission, giant axons (squid), 234,3:C162
- evoked
  - reflex circulatory changes, 235,4:H759
  - vagal C-fiber afferents, 239,8:R454
  - ventral root mapping of cardiac nerves, 232,1:H590
- excitatory junction, diamide effects (lobster), 242,11:C59
- extracellular
  - axon (squid), 234,3:C162
  - thoracic spinal, coronary occlusion and, 238,7:H667
- gastric, inhibitors and weak bases (frog), 234,3:E120
- glucose uptake, muscle, 239,2:E21
- heart cells, viral effects, embryo (chick), 234,3:C170
- inactivation, arterial smooth muscle, 237,6:C75
- intracellular, perfused proximal tubules, 240,9:F200
- ion permeation, proximal tubule (*Necturus*), 235,4:F89
- isoproterenol maps, body surface, 236,5:H391
- lacrimal, cholinergically induced, 235,4:C8
- limb muscles, bipolar electrodes, 234,3:C198
- membrane
  - acetylcholine-stimulated pancreatic islets, 235,4:E493
  - adrenal cortex, aldosterone secretion and, 237,6:E158
  - ATP-depleted intestinal cells (chick), 237,6:C64
  - barium-induced contracture, cardiac muscle (mammal), 240,9:H216
  - basolateral, proximal straight tubules, 241,10:F677
  - calcium effects, islet  $\beta$ -cells, 240,9:C64
  - calcium-free strontium transport (monkey), 242,11:C353
  - carotid body, temperature effects, 233,2:C35
  - cell volume, and membrane transport, interactions, 238,7:C196
  - chloride flux-insulin release, pancreatic islets, 235,4:E501
  - contractile properties, skeletal muscle (frog), 243,12:C66
  - $\alpha$ -dihydrograyanotoxin II effects (crayfish, frog, salamander), 235,4:C204
  - electrograms, ventricular, 240,9:C148
  - embryonic heart cells (avian), 236,5:C163
  - epithelial cells, intestinal (*Aplysia*), 239,8:R445
  - extracellular ionic concentrations in myotonia (goat, rat), 240,9:C56
  - fluctuation, smooth muscle cells, stomach (toad), 239,8:C175
  - glucose effects, Ehrlich cells, 242,11:C326
  - D-glucose uptake, kidney, 242,11:F340

- hemorrhagic shock, liver, 240,9:R211  
hypertension, arterial muscle, 241,10:H224  
insulin effects, cardiac, 240,9:H636  
intestinal sodium ion-dependent transport energetics, 235,4:C73  
ionophore-induced, sugar transport and, intestinal cels, 238,7:C73  
kidney tubules, proximal (salamander), 241,10:F39  
lacrimal gland, 235,4:C8  
low potassium depolarization, Purkinje fibers (sheep), 237,6:C156  
macrophages, 241,10:C9  
magnesium depletion, skeletal muscle injury after, 243,12:F113  
microelectrode modifications, 232,1:C207  
nicotinic acid transport, kidney brush border, 240,9:F185  
*p*-aminohippurate transport, energy-depleted renal cells, 235,4:F278  
parathyroid, hyperpolarization by low calcium, 236,5:C15  
phosphate fluxes, liver, 236,5:C202  
pulmonary artery, 242,11:H900  
Purkinje fibers, acetylcholine and (sheep), 238,7:H237  
Purkinje fibers, stretch effects, 237,6:C119  
Purkinje fibers, strophanthidin toxicity, 234,3:H477  
resting, insulin action, skeletal muscle (frog), 236,5:C249  
resting, soleus muscle, 242,5:E193  
rubidium ion fluxes and, amino acid effects, pancreatic  $\beta$ -cells, 240,3:E245  
sodium-calcium exchange, cardiac fibers, 236,5:C103  
sodium transport, cardiac cells, 236,5:H189  
strontium-induced spontaneous sweating (monkey), 242,11:C360  
structured tissues, corneal epithelium, 234,3:F215  
tetraethylammonium chloride effects, cardiac Purkinje fibers, 241,10:H139  
tetrodotoxin effects, vascular smooth muscle, 242,11:H967  
venous, during hemorrhage, 238,7:H144  
venous, sympathetic control of, spontaneous hypertension, 243,12:C101  
migrating, cholera, 232,1:E529  
migrating action complex, colon, 238,1:G321  
miniature end-plate, timing, calcium and ethanol effects (frog), 237,6:C264  
myocardial cell swelling, 239,8:H31  
Nernst, plasma electrolytes, placental, 235,4:F200  
nicotine effects, gastric mucosa (frog), 232,1:E251  
opercular epithelium, ionic contributions (fish), 238,7:R231  
oscillatory, cardiac Purkinje fibers, 243,12:H767  
pacemaker, 235,4:H308, H379, H407  
peak, measuring, heart, 241,10:H455  
placenta, sodium fluxes and (sheep), 235,4:F536  
plasma membrane, bladder epithelial cells (toad), 232,1:F196  
postganglionic action, carotid sinus distension and, 240,9:H716  
prolonged, calcium chelation-induced gastrointestinal muscles, 233,2:C19  
Purkinje fibers  
infarct growth, 236,5:H356  
strophanthidin-induced toxicity, calcium effects, 236,5:H689  
tetrodotoxin effects, 236,5:H561  
resting  
cardiac, ionic activities, 234,3:H101  
electrogenic component, ventricular muscle, 240,9:C28  
giant axon, sodium pump and (squid), 235,4:C55  
lacrimal gland, 235,4:C8  
sodium-potassium pump, heart muscle, 240,9:H168  
reversal, cardiac fibers, 236,5:C103  
rhythmic plateau, voltage dependence, pancreatic islet cells, 240,3:E290  
sialic acid, cultured heart cells, embryo (chick), 239,8:C197  
skin, applied, sodium entry kinetics (frog), 235,4:C35  
slow response, lysophosphatides and, 243,12:H187  
smooth muscle, gastric and duodenal motility (chicken), 235,4:E670  
spike, cholecystokinin effects, 232,1:E44  
spike bursts, oviduct, 234,3:E430, E439  
stomach, electrogenic hydrogen chloride theory (frog), 233,2:E298  
suction electrode, ventricular repolarization, 236,5:H391  
surface, screening by divalent cations, 235,4:C109  
takeoff, intracellular recordings, 242,11:H115  
thyroid membrane, thyrotropin and adenosine monophosphate, cyclic effects, 231:52  
tip, distal tubule, 234,3:F182  
transepithelial  
distal tubule (reptile), 234,3:F238  
embryo (*Fundulus*), 238,7:R42  
proximal tubules, temperature dependence, 236,5:F302  
strontium-induced spontaneous sweating (monkey), 242,11:C360  
transmembrane  
cellular injury, ischemia, myocardial, 240,9:H738  
digitalis, voltage dependence, cardiac, 241,10:H646  
estrogen withdrawal mesotubarium superius, 233,2:C180  
hibernation, 230:403  
hydrostatic forces and, myocardial, 241,10:H740  
intracellular electrolytes and, hemorrhagic shock, liver, 240,9:R211  
monolayer culture, hepatocytes, 241,10:C209  
myocardial cells, countershock effects, embryo (chick), 235,4:H214  
myocardial magnesium fluxes, 234,3:C115  
norepinephrine and tetrodotoxin, spontaneous hypertension, 240,9:H837  
subendocardial fibers, coronary occlusion and reperfusion effects, 238,7:H581  
thyroid hormone effects, cardiac Purkinje fibers, 240,9:H934  
transmucosal, 231:1649  
uterus, laying and nonlaying birds, 232,1:E437  
vectocardiographic, Brody effect (pig), 235,4:H182  
venous membrane, norepinephrine and tetrodotoxin, spontaneous hypertension, 240,9:H837  
ventricular muscle, infarct growth, 236,5:H356  
ventricular postextrasystolic, loss after coronary occlusion, 233,2:H392  
**Potentiation**  
postextrasystolic, contractile reserve and, 243,12:H990  
posttetanic, muscle fibers (frog), 232,1:C185  
**Power spectrum, QRS, exercise effects, 243,12:H964**  
**Practolol**  
adrenal regulation, coronary vessels, newborn (lamb), 234,3:H173  
cardiac function and metabolism, newborn (lamb), 233,2:H451  
cardiac output response, hypertonic sodium chloride infusion, 235,4:H18  
coronary innervation, 230:1569  
injection, adrenoreceptor desensitization after, 240,9:H691  
norepinephrine and insulin, reciprocal inhibition, cardiac (piglet), 233,2:H665  
protein kinase activity, cardiac, 234,3:H638  
repetitive extrasystole, 230:1469  
**Prazosin**  
 $\alpha$ -adrenoceptor blockade, renin secretion, intrarenal, 240,3:E682  
coronary effects, awake state, 243,12:H94  
renin secretion,  $\alpha$ -adrenoceptors and, renal, 242,11:F620  
**Preadipocyte, development, 236,5:E508**  
**Precapillary microvessels, contracting striated muscle and, interrelations, 235,4:H494**  
**Precapillary resistance: see Resistance Precapillary sphincter, cardiac, 235,4:H321**  
**Prednisolone**  
glucocorticoid effects, structure and function, 241,4:G306  
lesions, intestinal, prevention by prostaglandin E<sub>2</sub>, 235,4:E703  
**Preglomerular resistance: see Resistance**  
**Pregnancy: see also Fetus; Placenta**  
acid-base regulation, 231:1764  
adrenocortical function, diabetes, 240,3:E217  
aldosterone effects, sodium retention, 240,9:R175  
angiotensin II pressor response, volume expansion effects (ewe), 240,9:H908  
arterial pressure, heart rate and, fetal and maternal (sheep), 243,12:R433  
ascorbate changes, 236,5:E386  
bile salt metabolism, fetus (sheep), 243,6:G172  
blood flow, uterine (sheep), 237,6:R52  
calcium transport, small intestine, 239,2:E64  
cardiac output distribution (sheep), 232,1:H231  
cholesterol disposition during, 230:754  
chylomicron triglyceride removal, 239,2:E81  
copper metabolism, 232,1:E172  
dietary restriction and ovarian steroids, effects (pig), 234,3:E190  
duodenal mucosal growth, 236,5:E98  
epithelial cells, adipocytes, metabolic cooperativity, 241,10:C204  
estradiol, dehydroepiandrosterone and its sulfate, effects (baboon), 235,4:E78  
fasting, fetal and newborn insulin secretory response (sheep), 235,4:L467  
fetal development, fasting (pig), 236,5:E335  
 $\alpha$ -fetoprotein  
fetal-maternal distribution (ovine), 235,4:E27  
transfer and catabolism, fetal-maternal (sheep), 240,3:E191  
food intake, lactation and, 237,6:E98  
gap junctions, in myometrial activation during parturition, 235,4:C168  
gases, respiratory uterine (swine), 234,3:R25  
hypoglycemia, maternal, glucose turnover, maternal and fetal (sheep), 238,1:E524  
inanition, effects (pig), 237,6:E273  
lower esophageal sphincter muscle, inhibition (opossum), 234,3:E243  
luteolysis induction, dihydrotestosterone, 241,4:E444

**Pregnancy (continued)**

- mammary gland function and development, zinc deficiency, 238,1:E26
- maternal fasting, fetal metabolic response to, 232,1:E456
- maternal metabolism, in maternal hypoglycemia (sheep), 238,1:E524
- nitrogen retention, zinc intake effects, 239,2:E113
- norepinephrine, <sup>3</sup>H-labeled, uptake and metabolism, uterine nerves, 236,5:C277
- normotensive and hypertensive vascular reactivity, angiotensin II (ewe), 238,7:H209
- ovarian steroids and, adrenergic nerves, uterus and oviduct, 240,9:C165
- oxygen, arteriovenous, uterine (sheep), 237,6:R52
- oxygen and carbohydrate consumption, in utero, myocardial, fetal and adult (sheep), 238,7:H399
- parturition paresis, 1,25-dihydroxyvitamin D and parathyroid hormone plasma levels (cow), 235,4:E634
- peroxidase changes, 236,5:E386
- phosphorylase regulation, liver, 232,1:E370
- pituitary cell culture system, 236,5:E239
- polyamine, blood levels, 234,3:E451
- proteins, plasma, steroid-binding (monkey), 234,3:E489
- pseudopregnant luteal blood flow and function, relations, 237,6:E30
- pulmonary vascular reactivity, 239,8:H297
- rate, maternal starvation and (pig), 237,6:E273
- reactive hyperemia curve, 233,2:H500
- sodium balance, 239,8:R143
- taurocholate, placental transfer (sheep), 239,2:C354
- thermoregulatory ability, 239,8:R470
- transcapillary pressure (Starling), 240,9:H843
- uterine blood flow, chronic reduction of (sheep), 242,11:H297
- uteroplacental blood flow during, kinins and, 242,11:H142
- uteroplacental renin, blood pressure regulation, 239,8:H266

**Preincubation, amino acid transport, 235,4:E304****Preload**

- changes, systolic pressure-diameter relations, awake state, 240,9:H354
- contractility and power density, myocardial, 237,6:R225
- coronary circulation and, awake state, 243,12:H94
- Frank-Starling mechanism, 234,3:H338
- gastric, food intake control, suckling (pig), 232,1:E510
- inotropy and, at high heart rate, independent effect on cardiac performance, 236,5:H568
- interaction with afterload, 232,1:H697
- isotonic relaxation, papillary muscle, 237,6:H83
- isovolumic pressure fall, 235,4:H701
- myocardial relaxation, 239,8:H1

**Preoptic area**

- angiotensin II injections, effect on water intake, 240,9:R70
- arousal state (marmot), 236,5:R107
- hypothalamus, thermosensitivity, 242,11:R77
- thermal homeostasis, 230:932

**Preoptic-hypothalamic lesions, thirst deficits, hypernatremia and, 233,2:R44****Preoptic lesion, medial, circadian body temperature rhythms in, 242,11:R352****Preoptic nuclei thermoregulation**

marmot, 232,1:R203  
 seal, 232,1:R18

**Preoptic region, neurons, temperature-sensitive (sunfish), 241,10:R259****Prepyriform cortex, ammonia effects, food intake regulation, 231:1263****Pressor action**

- angiotensin, area postrema, 239,8:H108
- angiotensin II, subfornical organ, 239,8:R382
- central, blood-borne angiotensin, 239,8:R358

**Pressor areas, cerebral ischemia, 239,8:H349****Pressoreceptors: see Receptors****Pressor effects**

- endotoxin shock, cerebellum, 240,9:H368
- fast and slow, angiotensin II, awake state, 241,10:H381

**Pressor hyperresponsiveness: see Pressor response****Pressor reflexes: see Reflexes****Pressor response**

- angiotensin (turtle), 240,9:R276
- arterial
  - angiotensin metabolism, adrenocortical, with adrenal transplants (sheep), 235,4:E525
  - potassium (dogfish), 241,10:R228
- baroreflexes and vasopressin, desoxycorticosterone-salt hypertension, 242,11:H44
- blockade, muscle ischemia, 237,6:H453
- buffering, by  $\beta$ -adrenergic and cholinergic vasodilation, 236,5:H165
- carotid, inhibition by left aortic depressor nerve, 240,9:H555
- central angiotensin and monoamine interaction, 240,9:R106
- dipsogenic, central angiotensin II and, 242,11:R498
- hyperresponsiveness, vasopressin, renal artery stenosis, 240,9:H862
- hypothalamic component, carotid occlusion, 233,2:H240
- mesenteric artery occlusion, 236,5:H286
- pericoronary nerve stimulation, 235,4:H759
- potassium, magnesium and phentolamine blockade (dogfish), 242,11:R185
- renal artery stenosis, two-kidney, 243,12:H779
- stenosis, renal artery, 240,9:H2
- vasopressin, renal artery stenosis, 240,9:H862
- volume expansion effects, angiotensin II, pregnancy (ewe), 240,9:H908

**Pressors**

- descending, pathway, in conscious and pentobarbital-anesthetized dog, 234,3:H152
- hypoxic lungs, 235,4:H104

**Pressure: see also Blood pressure**

- acute regional ischemia and, subepicardium and subendocardium, 242,11:H240
- afterload and preload, interaction, 232,1:H697
- age-related changes, esophageal sphincter, 233,2:E407
- air, positive, lower body, central vascular expansion, renal response (monkey), 239,8:F343
- airway, increase, cardiovascular effects, 232,1:H35
- aortic
  - and left ventricular end-diastolic, interaction, 232,1:H697
  - arterial geometry and size, 232,1:H167
  - expanded bulb model, 240,9:R200
  - applied, and net water flux, gastric mucosa (frog), 235,4:E361
- arterial
  - adenosine levels, 239,8:H636
  - anesthetic effects, spontaneous hypertension, 238,7:H539

- angiotensin, area postrema, 239,8:H108
- angiotensin II inhibition, 233,2:F290
- angiotensin II (turtle), 240,9:R276
- antidiuretic hormone and, 241,10:H431
- antidiuretic hormone release, inhibition, 237,6:H299
- antidiuretic hormone-thirst feedback mechanism, 232,1:R145
- aortic baroreceptor deafferentation, 241,10:H268
- aortic nerve stimulation and, 242,11:H790
- atrial stretch effects, 242,11:H1056
- baroreceptor control, awake state (toad), 241,10:R307
- carotid baroreflex control, exercise, 241,10:H838
- carotid sinus and aortic arch reflexes, 236,5:H127
- carotid sinus and cardiopulmonary reflexes, roles, 238,7:H93
- carotid sinus baroreflex, vagotomy and, 242,11:H580
- cerebral ischemia, 239,8:H349
- chemical sympathectomy effects, fetal, neonatal and adult, 243,12:H113
- cold exposure (monkey), 232,1:H459
- control, right atrium and, 241,10:R163
- control system, characteristics, hemorrhage, 234,3:R104
- control system, open-loop gain estimation, 240,9:H832
- depressed carotid sinus reflex, newborn, 237,6:H40
- dextran as radioactive microsphere suspending agent, 235,4:H587
- digital, noninvasive measurement, 233,2:H168
- dimension and, relations, measurement (dog, sheep), 235,4:H610
- embryonic (chick), 232,1:H250
- endotoxic shock, 240,9:H368
- excitement-induced (baboon), 234,3:H210
- fetal and maternal (sheep), 243,12:R433
- glomerular filtration rate, transient response, 233,2:F396
- hypothalamically induced renal vasoconstriction, 234,3:R223
- hypoxemia and spontaneous hypertension, 234,3:H275
- indirect mean, 238,7:H664
- left atrial, renal function and, awake state (monkey), 243,12:R119
- mean systemic, aortic occlusion and, 243,12:R152
- micturition, spontaneous, 237,6:H213
- myogenic responses, gut, 235,4:H157
- neural control, human disease, 239,8:H581
- nitroglycerin, 234,3:H244
- open-loop gain after hemorrhage, 235,4:R279
- plasma potassium concentration and, renal, 242,11:F599
- prostaglandin E<sub>2</sub> hypertension, 237,6:H449
- reactive hyperemia, skeletal muscle capillaries, 234,3:H352
- regulation, effects of ischemic blood volume expansion, 231:104
- renal, spontaneous hypertension, 237,6:F38
- renal hypertension, 241,10:H332
- renin release, ventricular receptors, 233,2:H181
- renin secretion during carbon dioxide retention, 234,3:H573
- restoration, after hemorrhage, sinoaortic interaction, 237,6:R203
- sinoaortic reflexes, defense behaviors, 240,9:H421
- urinary output and, hypertension, 234,3:R98



- veratrum alkaloid effects, 239,8:H784  
 water retention and, 243,12:H934  
 arteriolar, cerebral, in hypotension and hypertension, 234,3:H371  
 atrial  
   angiotensin II hypertension, 239,8:H391  
   Bainbridge reflex, 242,11:R244  
   effective right, during Valsalva-like maneuvers following volume infusion, 233,2:H93  
   hemodilution and, 235,4:H767  
   instantaneous, isovolumic contraction, 236,5:H672  
   left, hypoxic and carbon monoxide hypoxia, 236,5:H22  
   left, stretch effects, awake state, 242,11:H1065  
   left, supraoptic neurosecretory cells, 236,5:R261  
   mitral valve opening and closure, 234,3:H146  
   reflex effects, intravascular volume, 241,10:H760  
   renin release and, 235,4:H175  
   bleeding, adrenal cortical hormone regulation, 233,2:R239  
 capillary  
   autoregulation, intestinal, 243,6:G475  
   fetal, newborn, adult, pregnant adult (Starling), 240,9:H843  
   glomerular, 239,8:F171  
   glomerular, nephron obstruction, 242,11:F580  
   glomerular, tubular obstruction and, 237,6:F379  
   hepatic, systems analysis, 233,2:R188  
   intestinal muscle, 242,11:H268  
   intestinal muscle and mucosal villi, 233,2:H685  
   isogravimetric, alveolar hypoxia, 241,10:H732  
   isogravimetric, determinants, 233,2:H130  
   membrane osmometry, 238,7:H886  
   nailfold, fluctuations, 236,5:H888  
   renal tubular, spontaneous hypertension, 237,6:F38  
   spontaneous hypertension, 236,5:F246  
   Starling forces, forelimb, 233,2:H136  
   cardiac, neonatal growth (sheep), 234,3:H520  
 carotid  
   fixed, cardiovascular responses to aortic nerve stimulation, 236,5:H769  
   raised, pressure and heart rate responses (toad), 237,6:H639  
   carotid artery, resistance, 243,12:H259  
   carotid sinus, cardiac contractility, 239,8:H65  
   central shunt, fetal (lamb), 241,10:H60  
   central venous, catecholamine plasma levels, 235,4:F119  
   cerebrospinal fluid formation, nonsteady state, 239,8:R277  
   cerebroventricular, hypertension spontaneous, 232,1:H426  
   circadian pattern, radiotelemetry, 236,5:R231  
   circulatory, spontaneous hypertension, 237,6:H584  
   circulatory filling  
     hemorrhage, 236,5:H206  
     measurement, 234,3:H94  
     salt-induced hypertension, 236,5:R40  
     vascular pressure-volume relations, 238,7:H823  
 colloid oncotic  
   right bundle-branch septal model, 236,5:H379  
   tubuloglomerular feedback, 236,5:F97  
 colloid osmotic  
   albumin effects, perfused kidney, 240,9:F569  
   cell volume regulation, proximal tubule, 233,2:F325  
   fluid distribution during overhydration, 238,7:H645  
   glomerular plasma protein effects, 232,1:F58  
   glomerular ultrafiltration dynamics, 239,8:F171  
   hypothesis, isolated heart, 238,7:H471  
   isogravimetric hindlimb, 242,11:H512  
   modification of lymph, 243,12:H351  
   plasma, placental, 235,4:H200  
   plasma protein and, relations, 233,2:H295  
   renal and tubuloglomerular feedback responses, 235,4:F156  
   renal tubule cell volume regulation, 235,4:F480  
 continuous monitoring, telemetry system, 239,8:H570  
 coronary  
   constant, measurement, 233,2:H154  
   programmable control system, 243,12:H796  
   coronary artery, hyperemia, myocardial, 240,9:H760  
   covariations, 242,11:H434  
   critical capillary, filtration coefficient and, intact lung, 238,7:H430  
   diastolic, myocardial ischemia, 240,9:H855  
   ejection, diastolic left ventricular pressure-volume relations, 232,1:H545  
   end-diastolic  
     left ventricular, ischemic arrest, 240,9:H300  
     transmural, ventricular function, 236,5:H534  
     ventricular dimensions, 242,11:H549  
   end-expiratory, positive, cardiovascular effects, 232,1:H35  
   epidural, dynamics, 232,1:H255  
   esophageal  
     peristaltic, frequency content, 236,5:E296  
     ventricular function, 236,5:H534  
   esophageal sphincter  
     gastric antrum regulation, 234,3:E157  
     lower, somatostatin and (baboon), 237,6:E77  
     pentagastrin effects (opossum), 234,3:E301  
     upper, profile, 239,2:G49  
   external, interstitial fluid, loading, 240,9:R327  
   fall, left ventricular, 242,11:H131  
   femoral artery, viscoelastic properties, dependence, 236,5:H720  
   filling  
     heart contractile force regulation, 233,2:H269  
     left ventricular, strength-interval curve, 233,2:H555  
     mean circulatory, angiotensin II, 239,8:H391  
     vascular compliance and, in spontaneous hypertension, 237,6:H584  
   filtration  
     equilibrium, 241,10:F196  
     placenta (sheep), 233,2:H466, H475  
     gallbladder, pancreatic polypeptide effects (pig), 243,6:G204  
     gas, hematologic response (fish), 239,8:R161  
   gastric balloon, intestinal motility monitoring, 235,4:E532  
   glomerular  
     chloride, distal, 240,9:F111  
     feedback responses, perfusate osmolality and, 235,4:F352  
     feedback responses during reduced renal vascular resistance, 237,6:F204  
     maturational development, 236,5:F465  
     renal autoregulation, 234,3:F357  
     stop-flow, feedback responses to nephron perfusion, 234,3:F154  
   glomerular capillary, chronic tubular obstruction (*Necturus*), 234,3:F112  
   glomerular hydrostatic  
     determinants, 232,1:F477  
     growth effects, 232,1:F97  
   Henle's loop, effects, 237,6:F196  
   hepatic artery, afferent discharges from venous pressoreceptors, 232,1:C76  
   hepatic venous  
     ascites formation and reabsorption, 233,2:H185  
     effects on liver and blood volume, 231:292  
   hydrostatic  
     aortic hydraulic conductivity, 236,5:H53  
     basement membrane, Henle's loop, 234,3:F54  
     capillary filtration measurement, 232,1:H361  
     cell volume regulation, proximal tubule, 233,2:F325  
     intestinal transport and, 242,5:G58, G65  
     luminal, intestinal secretion and, 233,2:E416  
     protein, renal lymph, 233,2:F269  
     proximal tubular reabsorption, 236,5:F488  
     proximal tubule, 230:1173  
     renal during volume expansion, 235,4:F209  
   hyperbaric, neuromuscular function, 230:1244  
   interstitial  
     control, acetylcholine-induced vasodilation, renal, 243,12:F325  
     isogravimetric capillary, 233,2:H130  
     mucopolysaccharide osmotic pressure and, 232,1:H608  
     proximal tubular reabsorption, 236,5:F478  
     renal, vein constriction and, 238,7:F279  
     renal glomerulotubular balance and, 235,4:F142  
     saline expansion effects, peritubule capillary, 240,9:F106  
     secretin effects, 232,1:F147  
   interstitial fluid  
     analysis (bat wing), 232,1:H297  
     epidural, dynamics, 232,1:H255  
     membrane osmometry, 238,7:H886  
     Starling forces, transcapillary, 233,2:H136  
     strain gauge measurement, 232,1:H354  
     subcutaneous, during external loading, 240,9:R327  
     tilting effects (fish), 242,11:R70  
   interstitial free fluid, transcapillary, fetal, newborn, pregnant adult (Starling), 240,9:H843  
   interstitial oncotic, 231:638  
   interstitial protein osmotic, transcapillary, fetal, newborn, pregnant adult (Starling), 240,9:H843  
   intracranial  
     antidiuretic hormone levels, positive end-expiratory pressure ventilation, 239,2:E474  
     cerebral blood flow, sympathetic nerve effects, 241,10:H78  
     cerebrospinal fluid formation, 239,8:R277  
     elastic response, 232,1:R27  
     heart rate, 230:1695  
     pulmonary vascular resistance, fetal and neonatal (goat), 232,1:H671  
   intragastic, gastric emptying and secretion, 235,4:E552  
   intraluminal  
     ileocecal sphincter, 240,3:G450  
     saliva ion concentration and, 231:974  
     ureteral circumferential force-length relations (rabbit), 243,12:F204  
   intramyocardial  
     acute regional ischemia, 242,11:H240  
     blood flow, 239,8:H308  
     fibrillation and, 237,6:H191

**Pressure (continued)**

- myocardial contractility, 236,5:H121  
 intraperitoneal, ascites formation and reabsorption, 233,2:H185  
 intralubular, sodium reabsorption, renal vein constriction, 243,12:F19  
 isovolumic, time constant of fall, working left ventricle, 235,4:H701  
 isovolumic l.v. ventricular, hemodynamic determinants, 239,8:H1  
 left atrial, coronary occlusion during exercise, 237,6:H520  
 left ventricular  
   aortic occlusion, 238,7:H423  
   dextran as radioactive microsphere suspending agent, 235,4:H587  
   diving bradycardia (duck), 238,7:R50  
   early diastolic events, coronary occlusion effects, 237,6:H542  
   fibrillation, 235,4:H231  
 loading, right ventricle outflow, 243,12:H99  
 lower body negative, vasopressin and norepinephrine response to, 243,12:H970  
 lower body positive air, central vascular expansion, renal responses (monkey), 239,8:F343  
 lower esophageal sphincter, electrical activity and, 243,6:G415  
 luminal osmotic, Cr-EDTA absorption and, 231:1595  
 lymph, epithelial cell extrusion, small intestine, 232,1:E408  
 lymph capillaries, intestinal villi during fluid absorption, 237,6:E301  
 maximum negative dP/dt, cardiac tamponade, 232,1:H5  
 mean arterial  
   carotid sympathectomy, vagotomy and  $\beta$ -blockade, 241,10:H600  
   open-loop gain estimation, 240,9:H832  
 mean circulatory filling, hypertension, 240,9:H487  
 measurements  
   age and sex influences, 240,9:H62  
   signal multiplexer, 242,11:H288  
 microvascular  
   hemorrhage and, 238,7:H144  
   intestinal muscle, 233,2:H685  
   lymph vessel contractility, 233,2:H57  
   mucosal villi, 233,2:H685  
 negative  
   lower body, heart rate and, 236,5:H42  
   lower body, neural control, heart, 239,8:H581  
 oncotic  
   blood, needle-type colloid osmometer, 236,5:F419  
   calculation errors, plasma, 239,8:H810  
   capillary, tubuloglomerular feedback, 236,5:F97  
   capillary filtration measurement, 232,1:H361  
   equilibrium, capillaries, 241,10:F196  
   interstitial, in subcutaneous tissue, 231:888  
   plasma, effect on renal hemodynamics and renin release, 231:1550  
   plasma, transcapillary fluid, protein transport and, 242,11:H227  
   protein, renal lymph, 233,2:F269  
   solute-coupled transport, ileal, 235,4:E429  
   systemic, glomerular permeability, kidney, 240,9:F245  
 osmotic  
   colloid, erythrocyte and globulin effects, kidney, 241,10:F139  
   colloid, renal interstitium, 241,10:F105  
   gradient, isotonic fluid transport, proximal tubule, 236,5:F89  
   heart rate, 233,2:H228  
   mucopolysaccharide, in measurement of interstitial pressure, 232,1:H608  
   Purkinje cell volume and, 238,7:H561  
 osmotic interstitial, protein, 238,7:H886  
 overload  
   chronic, valvular subcoronary aortic stenosis, 236,5:H780  
   hypertrophy, cardiac, 238,7:H134  
   hypertrophy and failure, myosin ATPase recovery, 234,3:H711  
   left ventricular hypertrophy, 242,11:H633  
   left ventricular performance during, 242,11:H611  
   myosin ATPase and mechanics, cardiac, 234,3:H253  
   passive stiffness, hypertrophied myocardium, 237,6:H676  
   right ventricular, during systolic hypertension (pony), 235,4:H628  
   sodium-potassium pump, heart muscle, 240,9:H168  
   therapy effects, cardiac performance, 242,11:H776  
   ventricular hypertrophy, 232,1:H418  
 perfusion  
   aerobic limit, heart, 238,7:H118  
   afferent discharges from hepatic venous pressoreceptors, 232,1:C76  
   cerebral, adenosine production, 239,8:H636  
   natriuresis and, renal, 241,10:F250  
   redistribution of microspheres, intestines, 243,12:H123  
   reduction, vascular sensitivity, 237,6:H174  
   renal, autoregulation, 242,11:F86  
   renal, blood flow and filtration rate autoregulation, 237,6:F479  
   renal, cerebral stroke, spontaneous hypertension, 238,7:H317  
   renal, dynamic renin secretion (sheep), 236,5:F546  
   renal, renin release, 232,1:F377  
   renin activity, juxtaglomerular apparatus, 238,7:F488  
   stenosis and, 243,12:H236  
   vascular tonicity (frog), 241,10:H691  
 peristaltic, esophageal, frequency content, 236,5:E296  
 peritubule capillary, saline expansion effects, 240,9:F106  
 plasma protein osmotic, transcapillary, fetal, newborn, pregnant adult (Starling), 240,9:H843  
 portal  
   ascites formation and reabsorption, 233,2:H185  
   oxygen consumption, intestinal, 238,1:G502  
 positive end-expiratory  
   cardiovascular response, effects of decreasing lung compliance, 233,2:H635  
   carotid baroreflex effects, 242,11:H470  
   negative inotropism and, prostaglandin effects, 241,10:H783  
   ventilation, ventricular dimensions during, 242,11:H549  
   ventricular function, 236,5:H534  
 protein osmotic, calculation errors, plasma, 239,8:H810  
 proximal intratubular, nephron filtration and, 241,10:F238  
 proximal tubule hydrostatic, renal perfusion and, 238,7:F205  
 pulmonary artery  
   histamine effects, 232,1:H73  
   hypoxia, 236,5:H818  
 pulmonary capillary, intact lung, 235,4:H569  
 pulsatile, metabolic rate and, intestinal autoregulation, 242,11:H769  
 pulse  
   blood volume effects, 242,11:H197  
   gastrointestinal blood flow, 236,5:E28  
   hemorrhage, 238,7:H902  
 ramp, renin secretion (sheep), 236,5:F546  
 regulation, tissue volume, monitoring device, 242,11:H698  
 renal artery  
   autoregulatory response of renal plasma flow and glomerular filtration rate, 236,5:F559  
   glomerular dynamics, 236,5:F25  
   renin release with carotid occlusion, 236,5:H108  
 renal tubular, ureteral obstruction, 236,5:F131  
 servo-controlled, viscoelasticity, femoral artery, 236,5:H720  
 servo-nulling system, measurement, nail-fold capillaries, 236,5:H888  
 servo systems, 232,1:H241, H545  
 spontaneous hypertension, 236,5:F246  
 stop-flow  
   feedback responses during renal vascular resistance, 237,6:F204  
   glomerular, feedback responses to nephron perfusion, 234,3:F154  
   ischemic acute renal failure, 238,7:F305  
   nephron, tubular obstruction, 237,6:F379  
   tubuloglomerular feedback, 236,5:F97  
 systemic  
   fetal (sheep), 238,7:H80  
   hypoxia, 236,5:H818  
 systolic  
   cadmium effects, 232,1:H114  
   osmolality effect after hemorrhage, 238,1:E62  
   peak, alloxan diabetes, 236,5:H806  
   telemetry system, 239,8:H570  
   thermal, osmosis, 237,6:R110  
   thermodynamic, osmosis, 237,6:R110  
 threshold  
   baroreceptor sensitivity, newborn, 243,12:H548  
   carotid sinus baroreceptors, norepinephrine, 240,9:H650  
 tissue  
   epidural, 232,1:H255  
   renal hypertension, awake state, 242,11:H376  
   tissue fluid, epithelial cell extrusion, small intestine, 232,1:E408  
   transcapillary, fetal, newborn, adult and pregnant adult (Starling), 240,9:H843  
   transmural end-diastolic, continuous positive-pressure ventilation and, ventricular, 240,9:H821  
   transpulmonary, dihomo- $\gamma$ -linolenic acid effects, 234,3:H133  
   vapor, osmotic, 237,6:R95  
 vascular  
   edema, histamine-catecholamine interaction, 234,3:H180  
   histamine effects, 233,2:H148  
   small intestinal mucosa, model, 237,6:E373  
 venous  
   central, arterial baroreflex control of heart rate, 236,5:H42  
   central, atrial stretch effects, denervated heart, 242,11:H1056  
   cerebral arteriolar response to, 243,12:H442  
   elevation, colon, 238,1:G478  
   elevation, pancreas, 242,5:G596  
   epithelial cell extrusion, small intestine, 232,1:E408  
   hemorrhage stress, fetal and adult (sheep), 239,8:H789  
   hepatic capacitance responses, 240,9:H18  
   hepatic responses to, angiotensin II effects, 243,12:F260  
   myocardial, venous drainage and, 234,3:H163  
   myogenic responses, gut, 235,4:H157  
   pentobarbital effects after hemorrhage, 236,5:H607

- protein exclusion, muscle, 242,11:H1044
- protein exclusion, skin, 242,11:H1038
- renal, feedback responses, 237,6:F204
- splenic, 242,11:R247
- ventricular**
- development, myocardial ischemia, 240,3:E268
- end-diastolic and peak, pericardium and, 238,7:H494
- left, behavioral stress, 236,5:H750
- left, conditional response to shock (monkey), 236,5:H273
- mitral valve opening and closure, 234,3:H146
- ventricular filling, diabetic acidosis, insulin effects (lamb), 241,10:H401
- vulnerability to volume contraction, regulation by adrenal cortical hormones, 233,2:R239
- wedge, cardiovascular effects, 232,1:H35
- Wharton's jelly, measurement, 232,1:H608
- Pressure amplitude**, peristalsis, esophageal, 238,1:G485
- Pressure-diameter relations**
- age-related changes, esophageal sphincter, 233,2:E407
- diastolic, ventricular function curves and, 237,6:H644
- left ventricular, Frank-Starling mechanism, 234,3:H338
- oxygen requirements, myocardium, 243,12:H862
- Pressure-dimension relations**, arterial, measurement (dog, sheep), 235,4:H610
- Pressure-flow relations**
- blood viscosity, skeletal muscle, 241,10:H513
- cerebral, hemorrhagic hypotension (goat), 232,1:H368
- changes during Valsalva-like maneuvers, following volume infusion, 233,2:H93
- coronary
- critical closing and critical opening phenomenon, 238,7:H533
- diabetes and metabolic acidosis (lamb), 238,7:H263
- right ventricular systole and, 238,7:H481
- coronary sinus occlusion, 239,8:H57
- distal tubular, 232,1:F497
- gut (dogfish), 234,3:R196
- intramyocardial, fibrillation and, 237,6:H191
- liver, systems analysis, 233,2:R188
- square-wave response, during Valsalva-like maneuver, 233,2:H93
- steady-state flows, 232,1:H197
- Pressure gradient**
- cerebrospinal fluid, epidural and ventricular volume loading, 234,3:R167
- imposed regional, gastric emptying, fluids, 241,4:G403
- left ventricular concentric hypertrophy, reproducible model, 234,3:H515
- systolic and diastolic, left ventricular wall, 238,7:H625
- valvar subcoronary aortic stenosis, 236,5:H780
- Pressure load**, oxygen consumption rate and, heart, 242,11:H942
- Pressure modulus**, arterial grafts, 233,2:H568
- Pressure-radius relations**, mesenteric lymphatics (bovine), 239,8:H88
- Pressure-sarcomere relations**, diastolic free wall, 239,8:H101
- Pressure servo system**, pericardial-ventricular interaction, 238,7:H494
- Pressure-strain relations**, overload, left ventricular, 234,3:H392
- Pressure-time index**, diastolic, myocardial blood flow, 239,8:H308
- Pressure-velocity relations**, microvascular (bat wing), 232,1:H400
- Pressure-volume area**
- left ventricular systolic, correlation with oxygen consumption, 237,6:H566
- ventricular, oxygen consumption regression, cardiac, 240,9:H320
- ventricular systolic, oxygen consumption, cardiac, 240,9:H39
- Pressure-volume diagram**, oxygen consumption, cardiac, 240,9:H39, H320
- Pressure-volume loop**, oxygen consumption, cardiac, 240,9:H320
- Pressure-volume relations**
- capillary, isogravimetric, determinants, 233,2:H130
- cerebrospinal fluid, 234,3:R167
- continuous positive-pressure ventilation effects, ventricular, 240,9:H821
- diastolic left ventricular, ejection pressure effects, 232,1:H545
- ellipsoidal shell model, myocardial, 238,7:H917
- left ventricular, oxygen consumption and, 237,6:H566
- mechanical energy, ventricle model and cardiac oxygen consumption, 236,5:H498
- mesenteric lymphatics (bovine), 239,8:H88
- oxygen consumption rate and, heart, 242,11:H942
- placental, 234,3:H289
- planimetric measurement of carotid sinus deformation, 242,11:H921
- relaxing ventricle, 236,5:H494
- umbilical compliance and (sheep), 233,2:H660
- vascular, model, 238,7:H823
- ventricular, Frank-Starling mechanism, 234,3:H338
- ventricular volume clamped, 233,2:F718
- ventricular wall force and stress, graphical estimation, 236,5:H787
- wall shear stress, carotid artery, 239,8:H14
- Pressure wave**, propagation velocity and reflection, coronary artery, 237,6:H469
- Pressure-weight relations**, liver, systems analysis, 233,2:R188
- Presynaptic inhibition**, renal adrenergic nerves, 237,6:H326
- Probability**, physical causality, brain theories and, 238,7:R277
- Probe**
- beta, positron-emitting tracers, myocardial metabolism, 242,11:H62
- electromagnetic flow
- anesthetic effects on hemodynamics, 238,7:H539
- cardiac output, fetal (lamb), 239,8:H125
- electron
- magnesium reabsorption, renal calcitonin stimulation, 239,8:F524
- papillary collecting duct function (desert rodent), 239,8:F539
- silver quantification, 238,7:H414
- urinary concentrating mechanism (desert rodent), 236,5:F448
- X-ray microanalysis, arterial, 239,8:H289
- flexible polymers, glomerular pore size determination, 236,5:F103
- thermistor, myocardial perfusion and heat generation, regional, 236,5:H345
- Probenecid**
- accumulation, renal cortex, 232,1:F513
- acid clearance, renal (chicken), 240,9:F46
- p-aminohippurate accumulation, proximal tubules, 239,8:F222
- p-aminohippurate transport, sodium-potassium-ATPase activity and, renal, 236,5:F126
- p-aminohippurate transport, renal tubular, 238,7:F99
- p-aminohippurate tubular transit, 232,1:F424
- lactate uptake, peritubular, by proximal tubule (garter snake), 238,7:F296
- prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
- prostaglandin metabolism and transport, pulmonary, 232,1:E382
- prostaglandin transport, renal tubular, inhibition (chicken), 233,2:F133
- sodium-hydrogen exchange, proximal tubules, 238,7:F445
- uptake, proximal tubular segments, kidney (pig), 241,10:F591
- urate absorption, proximal tubule, 236,5:F526
- urate secretion, proximal tubules, 239,8:F545, 241,10:F565
- urate transport, nephron, 237,6:F85
- uricosuria: see *Uricosuria*
- Procainamide**
- absorption, pulmonary, neonatal, 234,3:C191
- <sup>14</sup>C-labeled, determination, myocardium, 234,3:H399
- secretion, proximal tubules, 242,11:F672, 243,12:F404
- Procaine**
- calcium ion release, skeletal muscle (frog), 234,3:C110
- gustatory response (frog), 238,1:G445
- Procaine hydrochloride**, digoxin-norepinephrine response, vascular smooth muscle, 236,5:H613
- Procoagulant activity**, leukocytes, peritoneal, 235,4:H333
- Proconvertin**: see *Prothrombin-proconvertin*
- Proelastase**
- pancreatic
- circulating, 238,1:G238
- circulating, clearance and metabolism, 239,2:G504
- 2- $\alpha_1$ -protease inhibitor complex, pancreatic, human plasma, 238,1:G177
- Proestrus**, medial preoptic nucleus, role, 238,1:E533
- Progesterone**
- acid hydrolase response, myometrial lysosomes, 232,1:E423
- adiposity and, female, 240,3:E474
- $\beta$ -adrenergic stimulation, ovarian tissue, 239,2:E139
- aldosterone receptors, distribution, cortical tubules, 237,6:F360
- antifolliculogenic action of, hypersection of follicle-stimulating hormone (monkey), 243,6:E387
- antihypertensive effect, mineralocorticoid-induced hypertension, 236,5:E366
- binding, kidney tubules, 241,10:F605
- blood flow and, uterine (guinea pig), 241,4:E142
- calcium-binding protein and, duodenum (chick), 237,6:E409
- cerebrovascular response, 5-hydroxytryptamine (baboon), 234,3:H300
- cervical tissue, 241,4:E160
- conversion to 20 $\alpha$ -dihydroprogesterone, term placenta, 242,5:E178
- estradiol interaction, circadian locomotor rhythm, 239,8:R497
- exogenous, fetal developmental effects (pig), 234,3:E190
- food intake, body weight and, weanling, 240,3:E499
- gap junction formation, myometrial, 238,7:C81
- gonadotropic hormone regulation (monkey), 240,3:E489
- human chorionic gonadotropin responsiveness, granulosa cell culture (pig), 240,3:E622

**Progesterone (continued)**

- lipoprotein lipase modification, food intake and, 239,2:E162
- lower esophageal sphincter muscle, inhibition (opossum), 234,3:E243
- luteal function, pseudopregnancy, 237,6:E30
- luteolysis induction, dihydrotestosterone, pregnancy, 241,4:E444
- mechanical responses, bethanechol, antral and gastroduodenal smooth muscle, 235,4:E422
- ovarian development, 233,2:E229
- PMS-induced ovulation, postovulatory steroidogenesis after, 241,4:E221
- production, ovarian tissue, 243,6:E188
- prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
- pulmonary vascular reactivity, pregnancy, 239,8:H297
- secretion, maternal starvation (pig), 236,5:E335, 237,6:E273
- sodium-potassium-ATPase stimulation, distal tubule segments, 243,12:F463
- spike bursts, oviduct, 234,3:E439
- steroid hormone receptor, breast cancer and, 243,6:E99
- tissue impedance, myometrial, 238,7:C34

**Progestin**

- antiestrogens and, adiposity, female, 240,3:E474
- binding sites, adipose tissues, 239,2:E237
- metabolism, feeding and, 243,6:E407
- nuclear, cervical tissue, 241,4:E160
- receptors: *see* Receptors

**Proglucagon, pancreatic islets (toadfish), 233,2:E19****Proglumide**

- contraction inhibition, smooth muscle cells (guinea pig), 243,6:G497
- receptors, smooth muscle cells and, 242,5:G400

**Proinsulin, pancreatic islets (toadfish), 233,2:E19****Prolactin**

- adenohypophyseal cell sensitivity, long-term culture, 240,3:E602
- amion permeability studies, 232,1:R124
- decidual, transport, fetal membrane, 243,12:R552
- degradation, kidney, 240,9:F437
- diluting and concentrating ability, 230:1524
- hemorrhage and, fetal (lamb), 238,1:E214
- human chorionic gonadotropin responsiveness, granulosa cell culture (pig), 240,3:E622
- human milk, correlation with total protein, lactase, and  $\alpha$ -lactalbumin levels, 238,1:E83
- inotropic action of, heart, 243,6:E458
- ion transport, mammary epithelium, 240,9:C110
- light-dark cycle effects, photoperiodic regulation of growth (lamb), 241,4:E1
- lipogenesis rhythm (sparrow), 232,1:E193
- opercular membrane, chloride secretion and, 242,11:R380
- pituitary cell culture system, pregnancy, 236,5:E239
- plasma, spontaneous variations, 241,4:E355
- PMS-induced ovulation, postovulatory steroidogenesis after, 241,4:E221
- powder, contamination by antidiuretic hormone and oxytocin, 234,3:F318
- release
  - calcium and, neoplastic GH<sub>3</sub> cells, 240,3:E705
  - lutinizing hormones, pituitary, 240,3:E504
  - verapamil effects, clonal pituitary cells, 243,6:E68

- response, 17 $\beta$ -estradiol effects, pituitary, 240,3:E297
- secretion
  - dopaminergic inhibitions and, 240,3:E700
  - pituitary, autoregulation of, 242,5:E226
- sensitivity, mammary epithelium, 241,4:E410
- sexual maturation, male, continuous light, 234,3:E262
- thyrotropin-releasing hormone effects, pituitary cells, 241,4:E298
- water balance (newt), 238,7:R113

**Proline**

- $\alpha$ -aminoisobutyric acid reabsorption, renal, 237,6:F274
- glomerular basement membrane, diabetes, 242,11:F385

**Promethazine**

- histamine and adenosine monophosphate, cyclic, gastric mucosa (piglet), 242,5:G79

**Propagation**

- intestinal slow waves, 240,9:C135
- pressure wave velocity and reflection, coronary artery, 237,6:H469
- slow waves, small intestine, 237,6:C237
- velocity, mesenteric lymphatics (bovine), 239,8:H88

**Propanteline, arrhythmias, hypothalamic stimulation-induced, 234,3:H199****Propionate**

- acid excretion, kidney, 240,9:F306
- maleate-induced tubular dysfunction, 239,8:F50
- pH regulation and, muscle fibers (barnacle), 241,10:C193

**Propranolol**

- adrenergic inotropic and chronotropic effects, cardiac, 234,3:H525
- $\alpha$ -adrenoceptor blockade, renin secretion, intrarenal, 240,3:E682
- arrhythmias, hypothalamic stimulation-induced, 234,3:H199
- autonomic afferents, 232,1:H464
- baroreflex control of heart rate, nitroprusside-induced hypotension, 243,12:R18
- brown adipocyte respiration, 238,1:E552
- brown fat response, 232,1:R101
- cardiac function, coronary flow, and oxygen extraction, interdependence, 235,4:H784
- cardiac pump performance, ischemia and exercise, 234,3:H157
- cardiac tamponade, 232,1:H5
- cardiac vagal C fibers, discharge, 238,7:H465
- cardiovascular actions,  $\beta$ -phenylethylamine, 236,5:H592
- chronic, myofibrillar ATPase activity, heart, 237,6:C195
- contractility, vascular smooth muscle, 240,9:H971
- contraction, vascular smooth muscle, 238,7:H761
- coronary innervation, 230:1569
- coronary vasoconstriction, stellate ganglia stimulation, 243,12:H410
- electromechanical dissociation and, 241,10:R213
- erythropoiesis, 236,5:H422
- exercise oxygen consumption, skeletal muscle, 238,7:H331
- fluid reabsorption, proximal, 238,7:F347
- force-velocity-length relations, heart, 232,1:H241
- glucagon and insulin secretion, stress, spontaneous diabetes, 240,3:E373
- glucose kinetics and, sepsis and burns, 241,10:R222
- glycogen, pineal cell, 232,1:E584
- glycogenolysis inhibition, endo- and epicardial, 232,1:H349
- heart rate
  - arterial baroreflex, control, 236,5:H42

- control, development, neonatal, 238,7:H829
- hemorrhage effects (chicken), 240,9:H9
- hormone effects, blood vessels, bone, 241,10:H91
- hyperpolarization, thyroid cells, 231:52
- hypertension, spontaneous, development, 232,1:H639
- hypertrophy, cardiac, development, 232,1:H639
- infarct size, 239,8:H469
- injection, adrenoceptor desensitization after, 240,9:H691
- inotropic responses, cardiac, to inosine, 233,2:H438
- intracerebroventricular norepinephrine and, free fatty acid mobilization, 242,5:E248
- isometric contractions, atrial, 235,4:H295
- isoproterenol-induced changes, glands, skin (frog), 241,10:C250
- isovolumic pressure fall, left ventricular, time constant, 235,4:H701
- left ventricular isovolumic pressure, 239,8:H1
- metabolic effects, epitrochlearis muscle, 239,2:E461
- myocardial contractility, power density and, 237,6:R225
- noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112
- nonshivering thermogenesis, 230:637
- ouabain, 230:1168
- pacemakers, ventricular, 242,11:H677
- plasma ammoniagenic factor, metabolic acidosis, renal, 241,10:F112
- plasma insulin levels, oscillations (monkey), 240,3:E5
- plasma renin activity, 239,8:H342
- potassium homeostasis and, 241,10:F151
- hyperinsulinemia, 242,5:E373
- prostaglandin and renin-angiotensin systems, interaction, glomeruli, 239,8:F602
- pulmonary circulation effects, hypoxia, neonatal (lamb), 240,9:H697
- Purkinje strand, automaticity, ventricular, 239,8:H247
- renin release, 230:410, 232,1:F248
- carotid sinus, 242,11:R318
- graded renal nerve stimulation, 242,11:R552
- nonfiltering kidney, 241,10:F156
- renovascular hypertension, indomethacin effects, 240,9:H533
- sinus node response, postnatal, 234,3:H412
- tachycardia, carotid chemoreceptors and vagi, 240,9:H874
- tachycardia induced by nonhypotensive arteriovenous shunt, 236,5:H35
- thermogenesis and lipolysis,  $\beta$ -adrenergic blockade effects, 243,12:R379
- tubular effects, 233,2:F39
- vascular control, renal and hindlimb, during acute emotion (baboon), 236,5:R198
- vascular reactivity, isolated tibia, 236,5:H904
- vasodilation, pressor response buffering, 236,5:H165
- ventricular electrical stability, 234,3:H503
- ventricular fibrillation threshold, 234,3:H592
- ventricular shortening, 230:419

**Propylthiouracil**

- cardiac enzymes, neonatal, 236,5:C30
- estradiol effects, heat loss, ovariectomy, 243,12:R70
- lipoprotein lipase activity, skeletal muscle, 238,1:E518
- pituitary and thyroid function, aging, 237,6:E224

**Prosomatostatin, gastric function and, 243,6:G97**



- Prostacyclin:** *see also* Prostaglandin I<sub>2</sub>  
acute pulmonary hypertension and, extracorporeal perfusion (sheep), 243,12:H471  
adenylate cyclase stimulation, glomeruli, 235,4:F458  
adverse effects of, lung lobes, 242,11:H745  
cerebral circulation, metabolic effects and, 243,12:H416  
coronary response, 235,4:H400  
gastric mucosal integrity, prostaglandin effects, 242,5:G337  
glomeruli, ureteral ligation, 241,10:F289  
inflammatory response modification, aspiration, 243,12:H903  
prostaglandin release, hypotension and, pump-perfused kidney, 240,9:F545  
pulmonary production, perinatal (lamb), 241,10:H756  
regional blood flow and, bypass, lung (sheep), 242,11:H462  
renin metabolism, liver, awake state, 243,12:H584  
splanchnic arterial occlusion shock (pig), 241,10:H34  
synthesis, platelets, 240,9:H800  
thromboxane interactions, platelet-perfused heart (guinea pig), 241,10:H18  
vascular actions of, gastric, 242,5:G582
- Prostaglandin A<sub>2</sub>**  
interaction with adenylate cyclase-adenosine monophosphate, cyclic, gastric mucosa, 235,4:E546  
response, renal vascular, 233,2:H573
- Prostaglandin analogues, fibrinogen response, 235,4:H223**
- Prostaglandin antagonists, renal cortical smooth muscle active factor response, 232,1:F84**
- Prostaglandin D<sub>2</sub>**  
circulation and, perinatal (goat, lamb), 240,9:H755  
contractile effects, intrapulmonary vessels, 234,3:H139  
fibrinogen response, 235,4:H223  
mesenteric vascular bed, 235,4:H326  
renal vascular response, 233,2:H573  
renin release, filtering and nonfiltering kidney, 237,6:F285  
vasoactivity, pulmonary (lamb), 238,7:H631  
vasodilation, cerebral arterioles, 237,6:H381
- Prostaglandin dehydrogenase**  
activity, vascular, in hypertension, 233,2:H493  
hypertension, spontaneous, 233,2:H87
- Prostaglandin E**  
 $\alpha$ -adrenergic events and, pancreatic islets, 239,2:E490  
binding sites, 239,2:E75  
effect of hemorrhagic shock on renal release of, 230:831  
endogenous, contractile activity, ileal smooth muscle, 234,3:E209  
excretion  
diuretic-induced changes, 236,5:F494  
hypercalcemia, 241,10:F224  
organic acid secretory pathway, 235,4:F473  
urine flow rate and, 238,7:F107  
exercise hyperemia, skeletal muscle, 238,7:H191  
hepatic receptors, up-regulation of, 241,4:E291  
receptors: *see* Receptors  
release  
effect of sodium, 231:1429  
exercise, skeletal muscle, 236,5:H596  
pancreatic, adrenergic stimulation, 232,1:E201  
sodium-potassium-ATPase effects, taenia coli, 232,1:C191  
synthesis, inhibitors,  $\alpha$ -adrenergic events, pancreatic islets, 239,2:E490
- Prostaglandin E<sub>1</sub>**  
blood flow, uterine (sheep), 234,3:H557  
calcium uptake, muscle mitochondria, 234,3:C7  
cerebral and peripheral arterial responses, 238,7:H111  
circulatory effects, perinatal (goat), 236,5:H828  
epithelial cell activity, bladder (toad), 232,1:F196  
fibrinogen response, 235,4:H223  
fibrinogen synthesis, 233,2:H1  
5-hydroxytryptamine control, plasma and platelet, lung, 241,10:H766  
intestinal secretion and, 236,5:E788  
secretin and, small intestinal epithelial cells, 238,1:G190  
sodium transport and, skin (frog), 241,10:F279  
transcapillary fluid exchange, 230:1148  
transport, renal, 234,3:F80  
vasoactivity, pulmonary (lamb), 238,7:H631
- Prostaglandin E<sub>2</sub>**  
adenosine monophosphate, cyclic production, isolated fundic mucosal cells, 237,6:E437  
adrenal regeneration hypertension, 232,1:E95  
antenatal, ductus arteriosus and, preterm (lamb), 241,10:H415  
antidiuretic hormone interaction, cortical collecting tubule, 241,10:F452, F461  
antidiuretic hormone-sensitive adenosine monophosphate, cyclic system, papillary collecting duct, 240,9:F311  
binding sites, fundic mucosa (hog), 241,4:G313  
biosynthesis, renal, stimulation by dietary sodium restriction, 237,6:F344  
blood flow and  
maternal placental, 231:754  
uterine (sheep), 234,3:H557  
calcium effects, 241,10:F77  
circulation and, near-term fetus, 231:760  
circulatory effects, perinatal (goat), 236,5:H828  
diuretic response and, hypoxia, awake state, 243,12:F440  
ductus arteriosus, preterm (infant and lamb), 234,3:H117, 240,9:H430  
excretion, renal, 235,4:E624  
fever, 242,11:R116  
gastric secretion inhibition, oxygen consumption during, 234,3:E445  
gastrin secretion, 238,1:G495  
histamine interactions, fundic glands, 242,5:G21  
imidazole effects, ureteral-obstructed kidney, 240,9:F508  
infusion, chronic intrarenal, 237,6:H449  
mesenteric vascular bed, 235,4:H326  
norepinephrine and denervation effects, renal, 241,10:F477  
plasma renin activity, awake state, 240,3:E286  
potassium depletion, kidney, 240,9:F151  
prednisolone-induced intestinal lesions, prevention, 235,4:E703  
production  
bladder, 239,8:F452  
dietary sodium effects, renal, 241,10:F517  
release  
hypotension and, pump-perfused kidney, 240,9:F545  
nerves, colonic mucosa, 241,4:G416  
renal vascular response, 233,2:H573  
renal venous, efflux, ventilatory rate effects, 242,11:F38  
secretion, proximal tubules, 237,6:F268  
secretion and excretion, renal, 236,5:F552  
synthesis  
medullary, calcium effects, 235,4:F213
- renal, antidiuretic hormone effects, 235,4:F180  
renal inner medulla, calcium and A23187 effects, 238,1:E37  
transport, renal tubular (chicken), 233,2:F133  
unilateral ureteral obstruction, kidney, 242,11:F220  
urea reabsorption and, kidney collecting duct, 241,10:F53  
vasodepressor effects, spontaneous hypotension, vagal afferents and, 236,5:H635  
vasodilation, cerebral arterioles, 237,6:H381  
zinc absorption, 234,3:E99
- Prostaglandin E<sub>9</sub>-ketoreductase**  
activity, vascular, in hypertension, 233,2:H493
- Prostaglandin endoperoxides**  
mechanism of activation, aorta, 241,10:C243  
renal vascular and excretory response, 236,5:H427  
renin release and, kidney cortex, 240,3:E609
- Prostaglandin F<sub>1 $\alpha$</sub>**   
6-keto-  
cerebral and peripheral arterial responses, 238,7:H111  
pulmonary, fetal (goat, sheep), 238,7:H282  
urinary excretion of, arterial blood, 242,5:E171  
platelet perfused heart (guinea pig), 241,10:H18
- Prostaglandin F<sub>2 $\alpha$</sub>**   
production, dietary sodium effects, renal, 241,10:F517
- Prostaglandin F<sub>2 $\alpha$</sub>**   
blood flow, uterine (sheep), 234,3:H557  
cardiovascular effects, central nervous system, 242,11:R545  
cholera motility, 232,1:E529  
coronary ligation and, 234,3:H718  
excretion, renal, 235,4:E624  
potassium depletion, kidney, 240,9:F151  
pressor response, hypoxic lungs, 235,4:H104  
pulmonary vascular reactivity, pregnancy, 239,8:H297  
release, during splanchnic artery occlusion shock, 230:684  
transport, renal, 234,3:F80  
urea reabsorption and, kidney collecting duct, 241,10:F53  
vasoactivity, pulmonary (lamb), 238,7:H631  
vasoconstrictor cardiogenic chemoreflex, 240,9:H528
- Prostaglandin F<sub>2 $\alpha$</sub> , renal venous, efflux, ventilatory rate effects, 242,11:F38**
- Prostaglandin G<sub>2</sub>**  
vasodilation, cerebral arterioles, 237,6:H381
- Prostaglandin H<sub>2</sub>**  
analogue, contractile effects, intrapulmonary vessels, 234,3:H139  
analogue U-4406F, mechanism of activation, aorta, 241,10:C243  
cerebral and peripheral arterial responses, 238,7:H111
- Prostaglandin I<sub>2</sub>:** *see also* Prostacyclin  
cerebral and peripheral arterial responses, 238,7:H111  
cytoprotective action, hypoxic liver, 238,7:H176  
ductus arteriosus (lamb), 234,3:H117  
mediation, renal and cerebral artery relaxation, 240,9:H247  
mesenteric vascular bed, 235,4:H326  
metabolic hyperemia, gut, 239,2:G12  
pancreatic secretion, inhibition, 238,1:G531  
platelet aggregation, mesenteric arterioles, 239,8:H220  
release  
hypotension and, pump-perfused kidney, 240,9:F545

**Prostaglandin I<sub>2</sub> (continued)**

- relaxation of renal and cerebral arteries, 240,9:H247
- renin release
  - filtering and nonfiltering kidney, 237,6:F285
  - glomeruli, 243,12:F276
- synthesis, glomerular, angiotensin II effect, 239,8:F486
- vasoactivity, pulmonary (lamb), 238,7:H631
- ventilation-induced release, fetal lung (goat, sheep), 238,7:H282
- von Willebrand factor, platelet cohesion, 241,10:H54

**Prostaglandin inhibitors**

- adrenal regeneration hypertension, 232,1:E95
- arteriolar reactive hyperemia, 232,1:H571
- gastric mucosa, 235,4:E546
- renal sodium excretion and, 235,4:F338
- renin release, renal vasodilation and, dissociation, 237,6:F20
- renovascular responses, hemorrhage, 230:940
- sodium transport, medullary nephron, 232,1:F383

**Prostaglandin precursor, pulmonary vascular bed, 239,8:H40****Prostaglandins**

- acidity regulation, bicarbonate transport and, 242,5:G183
- acute hypertension, cerebral arterioles, 240,9:H511
- adenosine monophosphate, cyclic formation, interaction with adenylate cyclase-adenosine monophosphate, cyclic system, 235,4:E546
- adenylate cyclase stimulation, glomeruli, 235,4:F458
- adrenal, indomethacin inhibition, 240,3:E131
- adrenergic transmission, pancreas, 232,1:E201
- adrenergic vascular control, hemorrhagic shock, 241,10:H85
- alkaline secretion and, duodenum (bullfrog), 241,4:G528
- p*-aminohippuric acid transport and, renal comparisons, 234,3:F80
- antidiuretic hormone and, 233,2:F169
- arachidonic acid effects, 231:112
- arachidonic acid metabolism, pancreatic acini, 242,5:G493
- bicarbonate transport, duodenum (bullfrog), 239,2:G198
- bilateral ureteral obstruction and, 243,12:F532
- biosynthesis
  - regulation, cultured cells, 243,12:C205
  - renal papilla, stimulation by hypertonic mediums, 234,3:F64
- blood flow, postocclusive renal, 235,4:F286
- body temperature changes and, 230:1284
- bradykinin, natriuretic action, renal, 237,6:F182
- bradykinin relations, adrenergic transmission, kidney, 241,10:R146
- calcium interaction, antidiuretic hormones and, 242,11:F313
- calcium ion-calmodulin-dependent, vasopressin effects, renal, 241,10:F649
- capillary permeability and, intestinal, 242,5:G194
- cardiovascular response, hemorrhage, 240,9:R166
- cation transport, gastric mucosal cells, 235,4:E16
- chloride transport modification, tracheal mucosa, 240,9:F101
- cholera, migrating action potential complex, 232,1:E529
- concentrating defect, hypokalemic kidney, 238,7:F37

- contractile activity, oviduct ampulla, 238,1:E157
- contractile effects, intrapulmonary vessels (canine, bovine), 234,3:H139
- coronary responses, 235,4:H400
- coronary vascular response, increased myocardial oxygen consumption, 235,4:H372
- cyclooxygenase inhibition, renal, 239,8:F360
- degradation, liver, 231:426
- endogenous, gastric antral motility and, 241,4:G191
- endothelial uptake, lung, 243,12:C20
- exercise hyperemia, skeletal muscle, 238,7:H191
- fatty acid-deficient diet, renal vasoconstriction and, 243,12:H61
- formation, cyclooxygenase and, renal cortex, 235,4:F451
- gap junction, myometrium, 239,8:C217
- gap junction formation, myometrial, 238,7:C81
- gastric mucosal, mucosal integrity and, 242,5:G337
- gastric parietal cells, 240,3:G76
- glaphenine-induced renal failure and, 243,12:F416
- glomerular adenosine monophosphate, cyclic, 235,4:F458
- glucose production, hepatic, 236,5:E358
- Goldblatt hypertension and, veins and arteries, 241,10:H525
- 5-hydroxytryptamine control, plasma and platelet, lung, 241,10:H766
- hyperemia, reactive, 233,2:F89
- hypertension, 233,2:H87, H493, F169
- renovascular, 240,9:H533
- inhibition
  - hemorrhage, renal, 235,4:F46
  - renin secretion and, 236,5:F472
  - vasopressin-induced renal response, 232,1:F416
- inhibitors, renal vascular responses, 234,3:H496
- interaction with adenylate cyclase-adenosine monophosphate, cyclic, gastric mucosa, 235,4:E546
- intestinal, 234,3:E204
- ischemia, myocardial, 242,11:H337
- jejunum, response to angiotensin II, 240,3:G17
- macromolecular transport, blood to lymph, 232,1:H690
- magnesium metabolism, 234,3:F466
- mesenteric vascular bed, 235,4:H326
- metabolism
  - lungs, 232,1:E382
  - renal, 234,3:F80
- microvascular sensitivity to, skeletal muscle, decerebrate rat, 243,12:H844
- monoenoic, pulmonary vascular bed, 234,3:H133
- mucosal protection, bicarbonate transport and, duodenum, 243,6:G348
- $\alpha$ -naphthylthiourea and, dose-dependent vascular injury, lung (sheep), 243,12:H507
- negative inotropism and, positive end-expiratory pressure induced, 241,10:H783
- neurotensin effects, stress-induced gastric ulcers, 242,5:G342
- norepinephrine release, sympathetic nerve stimulation, lungs, 235,4:H803
- perinatal, pulmonary (goat, sheep), 238,7:H275
- pial arteriolar response, carbon dioxide and hypoxia, 238,7:H226
- plasma epinephrine, control of plasma renin activity and, 236,5:H854
- plasma renin activity, awake state, 240,3:E286
- polyuria, hypercalcemia, 241,10:F224

- pretreatment, renal response to captopril, awake state, 243,12:F543
- production
  - inotropic action and, heart, 243,6:E458
  - oviduct, 238,1:E157
  - oxygen modulation, renal, 233,2:F539
  - pulmonary, perinatal (lamb), 241,10:H756
  - pulmonary injury and, endotoxemia, awake state (sheep), 240,9:H348
  - pulmonary vasoactivity (lamb), 238,7:H631
- red cell space, hypocalcemia, 234,3:E6
- reflex activation, cardiac afferent nerves, 239,8:H316
- release, oscillating, contracting taenia coli, 239,2:G53
- renal, renin release and (dogs, rats), 240,9:F515
- renal and hepatic vasculature, renin clearance and, 243,12:H584
- renal cortical smooth muscle factor responses, 232,1:F84
- renal function and, saralasin and indomethacin effects (piglet), 238,7:R438
- renal synthesis inhibition, 230:711
- renal vasculature, humoral and mechanical factors, 235,4:R64
- renin and, relations, bradykinin-induced renal hemodynamic alterations, 237,6:F433
- renin-angiotensin system and interaction, glomeruli, 239,8:F602
- renin release and
  - renal cortex, 240,3:E609
  - sodium deprivation and, 243,12:F537
- renin secretion and, 238,7:F119
- salt intake and, glomerular adaptation, 238,7:F428
- salt loading and, stroke-prone spontaneous hypertension, 243,12:H360
- saphenous vein, 233,2:H361
- shock, 230:724
- sodium reabsorption, renal tubular, 233,2:R73
- sodium transport, medullary nephron segment, 232,1:F383
- sodium transport modification, tracheal mucosa, 240,9:F101
- splanchnic arterial occlusion shock (pig), 241,10:H34
- superfusion bioassay, 230:711
- surfactant secretion and, 243,12:C39
- synthesis
  - cardiac, modulation of angiotensin II coronary vasoconstriction, 238,7:H895
  - concentrating defect and, renal, 238,7:F37
  - glomerular, angiotensin II effects, 239,8:F478, F486
  - glomeruli, ureteral ligation, 241,10:F289
  - indomethacin inhibition, corticosterone secretion after, 240,3:E131
  - inhibition, bradykinin effects, kidney, 241,10:R146
  - inhibition, gastric mucosal blood flow, 238,1:G131
  - inhibitors of
    - inhibitors of, urinary bladder (toad), 241,10:F625
    - kinin-induced, papillary collecting tubule cells, 241,10:F94
  - microvascular response to blockade of, skeletal muscle, 243,12:H51
  - phenolphthalein effects (monkey), 243,6:G268
  - platelets, 240,9:H800
  - prostaglandin E receptors, hepatic, 241,4:E291
  - renal, antidiuretic hormone and, 235,4:F180
  - renal failure and, 243,12:F311

- renomedullary, spontaneous hypertension, 236,5:H65  
 synthesis inhibition, blood flow and, jejunal, 242,5:G140  
 systems, kallikrein-kinin system and, relations, 238,7:F247  
 taenia coli, 230:149  
 tetrodotoxin-insensitive relaxation, lower esophageal sphincter (oposum), 236,5:E153  
 trachealis muscle, 230:1737  
 transport, carrier-mediated processes, lungs, 232,1:E382  
 urinary excretion of, arterial blood, 242,5:E171  
 urine concentration and, papillary exposure, kidney, 240,9:F423  
 uteroplacental blood flow, pregnancy, 242,11:H142  
 vascular actions  
   gastric, 242,5:G582  
   mesenteric, 232,1:H305  
 vascular effects, renal, 233,2:H573  
 vasoactive intestinal polypeptides and, cerebral arterioles, 239,8:H765  
 vasoconstrictor response, pancreas, 232,1:E201  
 vasoconstrictor-vasodilator interactions, intrarenal, ureteral obstruction, 236,5:F131  
 vasodilation, prolonged, 233,2:H27  
 vasopressin effects, bladder epithelial cells (toad), 243,12:F593  
 vasopressin interaction, urinary bladder (toad), 241,10:F625  
 water diuresis and, diabetes insipidus, 241,10:F231  
 water excretion control, kidney medulla, 240,9:F471  
 water flow, stimulation (toad), 239,8:F160  
**Prostaglandin synthase**  
 hypertension, spontaneous, 233,2:H87, H493  
 inhibition  
   renal effect, 235,4:F111  
   renin release and (dogs, rats), 240,9:F515  
   inhibitors, effect on renal blood flow, 231:1541  
   pulmonary vascular response, ventilation, fetus (goat), 234,3:H346  
**Prostanoids**, vascular actions of, gastric, 242,5:G582  
**Protease**  
   calcium ion-dependent, immunofluorescence, muscle (hamster), 240,3:E493  
   luminal, intestinal brush border, 239,2:G524  
   plasma inhibitors, radioimmunoassay for, 242,11:H602  
   proteolysis inhibitor, hypoxia and, lung, 241,4:E101  
   troponin loss, actomyosin, coronary occlusion, 240,9:F704  
**Protease inhibitors**, protein degradation and atrophy, fetal heart, 237,6:E35  
**Protein**  
   absorption  
     jejunal, 242,5:G558  
     kidney tubules, 243,12:F379  
     pancreas, 241,4:G54  
   activity, implanted sponge connective tissue, zinc deficiency, 236,5:E272  
   adhesion, gas nuclei (swine), 233,2:H100  
   aortic transmural serum, transport, concentration, time and location effects (dog, human, pig), 240,9:H54  
   balance, hydrocortisone and insulin effects, fetal heart, 234,3:E306  
   binding  
     intracellular, bilirubin transfer and, hepatic, 236,5:E638  
     ischemic heart, 236,5:R31  
     placental, steroid transfer and, 238,1:E208  
   bone matrix, 232,1:C115  
   breakdown  
     leupeptid effects, fetal heart, 237,6:E35  
     lysine flux, whole-body, 239,2:E192  
   caerulein-secretin interaction, trophic effects, pancreas, 235,4:E714  
   calcium-binding  
     aging, 236,5:E763  
     aging effect, 239,2:E322  
     gonadal hormonal effects, duodenal (chick), 237,6:E409  
     intestinal, calcium absorption and, relations (chick), 236,5:E556  
     placenta and intestine, 242,5:E47  
     saturable and nonsaturable components, duodenal, 240,3:G32  
     vitamin D dependence, 243,6:E483  
     vitamin D-dependent, kidney, 243,12:F243  
   carboxyl methylation, pancreatic enzyme secretion, 240,3:G199  
   cardiac regulatory, phosphorylation by adenosine monophosphate, cyclic-dependent protein kinase, 231:1330  
   cholinergic-receptor immunization, myasthenia (frog), 236,5:C53  
   circulating, pulmonary endothelium, 242,11:H882  
   clearance, plasma, pancreatic proelastase and, 239,2:G504  
   composition  
     lung fluids, alloxan edema, 230:376  
     parotid saliva, 242,5:G231  
   concentration  
     biphasic postprandial secretory response, pancreas, 238,1:G332  
     lymph, jejunum, 240,3:G312  
     plasma, in glomerular ultrafiltration, 232,1:F58  
     transmural serum transport, aortic (dog, human, pig), 240,9:H54  
   conformation, total body water, 232,1:R54, R60  
   conservation, starvation and, 239,2:E269, E277  
   content  
     aging, 238,7:R82  
     glucocorticoid effects, hemichorus, 238,1:E564  
   contractile, 233,2:H346  
   myocardial, pressure-overload hypertrophy and failure, 234,3:H711  
   physiological hypertrophy, cardiac, 241,10:H263  
   contractile activity, myocardial, 242,11:H882  
   cross-linking reagents, membrane currents and, axon (squid), 238,7:C127  
   degradation  
     aromatic amino acid monitors, heart, 240,3:E677  
     cardiac work, 238,1:E431  
     cathepsin D content, starvation, heart, 240,9:H222  
     diabetic cardiac muscle, 239,2:E178  
     glucocorticoid effects, hemichorus, 238,1:E564  
     heart atria, 238,1:E487  
     intestinal, 242,5:G650  
     kidney, 243,6:E360  
     leucine regulation, working heart, 239,2:E510  
     leupeptin effects, fetal heart, 237,6:E35  
     liver, 243,6:G103  
     lung proteolysis, 241,4:E101  
     methylhistidine release and, 243,6:E293  
     myocardial ischemia, 240,3:E268  
     normal and dystrophic skeletal muscle, 239,2:E401  
     skeletal muscle, 234,3:E38  
     skeletal muscle, fasting, 236,5:E222  
     thyroxine effects, skeletal muscle, 235,4:E231  
   dephosphorylation, giant cell tumor, 239,2:E144  
   depletion, plasma protein redistribution (sheep), 243,12:H803  
   deposition, insulin effects, diabetes, 242,5:E19  
   deprivation  
     amino acid transport, 230:245  
     diabetes and, protein synthesis, liver and small intestine, 241,4:E238  
   dietary  
     gastrocolonic response, 238,1:G228  
     glucose homeostasis, 239,8:R437  
     glutamine metabolism, renal, 235,4:E261  
     lysine flux, whole-body, 239,2:E192  
     plasma and diet amino acid relations, 243,12:R99  
   dietary intake  
     leucine metabolism and, 240,3:E712  
     lysine metabolism and, 240,3:E712  
     digests, acid-induced pancreatic secretion and, 242,5:G634  
   distribution, subcutaneous capsule, long-term study, 241,10:F687  
   efflux, prostaglandin E<sub>1</sub>-induced intestinal secretion, 236,5:E788  
   estrogen binding, vitellogenin gene expression (frog), 243,12:C1  
   exercise, heavy, sitting and supine, 236,5:R206  
   explorable, pancreatic biosynthesis, segregation, and synthesis, 238,1:G467  
   extravascular, capillary-tissue fluid exchange, mathematical model, 234,3:H52  
   fatty acid binding, fat absorption, intestinal, 240,3:G1  
   fatty acid-binding, liver, 234,3:E542  
   feeding, glucagon secretion, 236,5:E20  
   filtration, angiotensin II effects, 233,2:F13  
   fluid distribution, 238,7:H645  
   flux, lymph flow and, intravascular saline effects, thoracic duct, 240,9:R282  
   gastric emptying, 239,2:G1  
   glomerular filtration determinants, 241,10:F162  
   heme, demethylation, erythrocytes, 235,4:E150  
   hepatic-portal infusion, 232,1:E119  
   hydrolysis and transport, proximal tubule, 238,7:F151  
   hyperemia and, intestinal, 242,5:G27  
   ingestion, amino acid metabolism, 241,4:E90  
   intake  
     α-aminoisobutyrate distribution, 238,1:E358  
     diabetes, weanling, 236,5:R307  
     intestinally perfused, pancreatic response, 231:682  
   liquid, copper deficiency, 240,9:H185  
   liver regeneration, 238,1:E46  
     whole-body constant infusion method, 238,1:E235  
   location, transmural serum transport, aortic (dog, human, pig), 240,9:H54  
   low-molecular weight  
     absorption, amino acid effects, kidney tubules, 242,11:F745  
     growth hormone removal and excretion, kidney, 240,9:F282  
     insulin degradation and, kidney, 243,12:F126  
   lung fluid, acute cardiogenic edema, 231:1466  
   lymph  
     bradykinin-induced macromolecular efflux, 236,5:H600  
     histamine-catecholamine interaction, 234,3:H180  
     mesenteric, zinc deficiency, 236,5:E180  
     renal, 233,2:F269  
   lymph and interstitial fluid, edema, 230:1650

**Protein (continued)**

lymph concentration, histamine effects, 233,2:E148  
meal, duodenogastric reflux, 242,5:G603, 243,6:G42  
membrane  
  bladder (toad), 233,2:F607  
  placental microvillous, 242,11:C166  
metabolism  
  burns, 231:476  
  growth muscle, 233,2:E119  
  isoproterenol effects, skeletal muscle, 232,1:E243  
  liver and small intestine, 241,4:E238  
  mammalian species of different body sizes, 238,7:R306  
  whole-body, trauma and, L-alanine, 241,4:E64  
milk, human, 238,1:E83  
movement, transcapillary fluid and, 242,11:H227  
muscle, jejunoileal bypass and, intestinal, 241,4:G259  
muscle atrophy, glucocorticoid-induced, endurance training effects, 241,4:E226  
nonhistone, myocardial, postnatal, 235,4:H338  
nucleic acid and, relations, control theory, 235,4:R205  
oncotic pressure: see Pressure  
opsonic, 230:7  
  during reticuloendothelial blockade, 232,1:R80  
  hemorrhagic shock, 232,1:H283  
osmotic pressure, interstitial, 238,7:H886  
overhydration, 238,7:H645  
pancreatic secretion of, atropine effects, 242,5:G608  
passage through membranes, old assumptions and new perspectives, 238,1:G391  
permeability  
  alveolar epithelium, pulmonary edema, 233,2:H80  
  histamine effects, lung and forelimb, 242,11:H565  
phosphorylation  
  giant cell tumors, 239,2:E144  
  pharmacokinetics, 237,6:R251  
  smooth muscle, heart, 241,10:H117  
plasma  
  capillary water balance, 230:1121  
  colloid osmotic pressure and, relations, 233,2:H295  
  concentration, coronary vascular resistance, 238,7:H471  
  concentration, oncotic pressure, calculation errors, 239,8:H810  
  exclusion in interstitium, hind paw, 239,8:H532  
  hemorrhage and, 237,6:H504  
  hypothermia, 233,2:H605  
  in chronic metabolic acid-base disturbances, 235,4:F291  
  osmotic interactions with interstitial macromolecules, 231:638  
  osmotic pressure, fetal, newborn, pregnant adult, 240,9:H843  
  redistribution, acute protein depletion (sheep), 243,12:H803  
plasma clearance, pancreatic trypsinogens and, 239,2:G511  
plasma membrane vesicles, 238,1:G151  
posttranslational modification, enzyme secretion, pancreatic, 240,3:G199  
purification, angiotensinogen and, 236,5:E655  
radiolabeled, nonparallel discharge, pancreatic, 239,2:G247  
release  
  calcium accumulation and, barium effects, 242,11:H203  
  neuromuscular junction, 236,5:C225  
removal, lymph, 232,1:H236

retained intracellular, synthesis, following thyroidectomy, liver, 240,3:E18  
retinol-binding, fetal metabolism, 233,2:E263  
secretion  
  atropine effects, pancreatic, 240,3:G376  
  flow dependence of, exocrine pancreas, 242,5:G32  
  interdigestive state, pancreatic, 241,4:G98  
  intracellular osmotic events, exocrine pancreas, 238,1:G289  
  pancreatic, 233,2:E530  
  pancreatic, atropine effects, 238,1:G18  
  pancreatic, parenteral feeding, long-term, effects, 233,2:E524  
  pathway, pancreas, 238,1:G467  
secretory, subcellular stores, pancreas, 241,4:G67  
serum  
  fetal (ovine), 235,4:E27  
  parenteral concentration, 233,2:C111  
  transfer and catabolism, fetal (sheep), 240,3:E191  
smooth muscle contractile, myosin light chain phosphorylation, arterial (swine), 240,9:C222  
starvation, age and obesity, effects, 239,2:E269, E277  
steroid-binding, plasma, during pregnancy (monkey), 234,3:E489  
stimulation, gastric acid secretion, 242,5:G85  
stretch-induced hypertrophy, skeletal muscle, wing (chicken), 242,11:C333  
synthesis: see Protein synthesis  
time, transmurial serum transport, aortic (dog, human, pig), 240,9:H54  
total, lysine flux, whole-body, 239,2:E192  
total-body, compartmental model, 239,2:E524  
total secretory, production, following thyroidectomy, liver, 240,3:E18  
transcapillary movement, small intestine, 241,4:G31  
transendothelial permeability, carotid artery, 239,8:H14  
transfer across mammary gland, 230:1594  
transport  
  arterial, measurement, 232,1:H204  
  diffusion-like processes, 238,1:G391  
  exocrine pancreas, 238,1:G289  
  intestinal, in uremia, 238,1:G424  
  osmotic changes and, muscle (frog), 242,11:C398  
  pancreas, 241,4:G170  
  pancreatic secretion and, 231:1847  
  subcellular stores, pancreas, 241,4:G67  
  tubular, uptake, growth hormone removal and excretion, kidney, 240,9:F282  
turnover  
  alloxan diabetes and, liver, 241,4:E151  
  aromatic amino acid monitors, heart, 240,3:E677  
  cardiac work, 238,1:E431  
  diabetic cardiac muscle, 239,2:E178  
  dose regimens, 235,4:E165  
  end products, 235,4:E165  
  glucocorticoid effects, hemichorus, 238,1:E564  
  growth hormone effects, skeletal muscle, 234,3:E38  
  immunofluorescence, muscle (hamster), 240,3:E493  
  infused L-leucine, 238,1:E473  
  intestinal brush border, postnatal development, 239,2:G524  
  leucine regulation, working heart, 239,2:E510  
  lung proteolysis, 241,4:E101  
  lysine flux, whole-body, 239,2:E192  
  myocardial ischemia, 240,3:E268

skeletal muscle, starvation effects, 241,4:E321  
synthesis and, fetal (ewe), 240,3:E320  
utilization, aorta, 243,12:H128  
wasting, acidosis, fasting, 243,6:E251  
weight gain and plasma amino acid level, uremia, 230:1455  
zinc-binding, hepatic, 234,3:E399, E542  
**Protein amylase**, hydrocortisone and cerulein effects, pancreatic growth, 241,4:G37  
**Proteinase**  
  cellular, alloxan diabetes, liver, 241,4:E151  
  pretreatment effects, sodium-calcium exchange, sarcolemmal vesicles, heart, 243,12:C191  
**Protein carboxyl methylation**, stimulus-secretion coupling and, 242,5:G76  
**Protein kinase**  
  actin complex, phosphorylation, cardiac (bovine), 236,5:C41  
  activity, tubules, renal medulla, 238,7:F269  
  adenosine monophosphate  
    diabetes effects, myocardial, 240,9:H375  
    vasopressin effects, urinary bladder (toad), 240,9:F551  
  adenosine monophosphate, cyclic-dependent, adipose tissue, 237,6:E11  
  adenosine monophosphate-dependent, metabolic acidosis effects, kidney, 241,10:F23  
  adrenergic-cholinergic interaction, heart, 234,3:H432  
  arterial smooth muscle relaxation, coronary, 242,11:H177  
  cardiac relaxation and, 240,9:H441  
  contractile force, heart, regulation, 233,2:H269  
  contractility, cardiac, 234,3:H638  
  contraction-relaxation rates, heart, 233,2:H404  
  giant cell tumors, parathyroid hormone modulation, 239,2:E144  
  hepatic, diabetes, 234,3:E13  
  hormone-stimulated, insulin inhibition, renal cortex, 236,5:E649  
  in regulation of heart contractile force, 236,5:H84  
  lipolysis, adipose tissue, exercise, 239,2:E422  
  microsomal, aorta, 234,3:H508  
  nuclear, myocardial, postnatal, 235,4:H338  
  phosphorylase activity, regulation, cardiac, 234,3:H638  
  phosphorylase kinase regulation, heart, 240,3:E340  
  phosphorylation, myocardial sarcolemmal reticulum, hyperthyroidism, 234,3:H426  
  postobstructive phosphaturia, ureteral, 237,6:F14  
  transport, hydrazine effects, bladder (toad), 239,8:F319  
  urinary bladder (toad), 241,10:F625  
  vasopressin effects, cellular, 232,1:E368  
  vasopressin regulations, renal medulla (bovine), 232,1:F50  
**Protein-lipid complexes**, membranes, 239,1:G391  
**Protein synthesis**  
  adrenal medulla (bovine), 235,4:E475  
  adrenal steroids and, bladder (toad), 234,3:F532  
  angiotensin II effects, jejunal, 240,3:G17  
  aromatic amino acid monitors, heart, 240,3:E677  
  L-asparagine synthetase activity, pancreatic, 236,5:E746  
  bladder (toad), 232,1:E307  
  cardiac work, 238,1:E431  
  cell-free, pancreas, 238,1:G467



- cerebral vessels, during metrazole-induced convulsions, 233,2:C74  
 circadian clock and, 241,10:R31  
 cold acclimation and, liver (fish), 242,11:R280  
 degradation and, skeletal muscle, food deprivation effects, 231:441  
 diabetes and, fast- and slow-twitch skeletal muscle, 239,2:E88  
 diabetic cardiac muscle, 239,2:E178  
 fetal heart, 234,3:E306  
 fibrinogen half-life, 234,3:E504  
 following hormone treatment and thyroidectomy, liver, 240,3:E18  
 gastric mucosa, pentagastrin, 232,1:E223  
 gastrointestinal malignancies, human visceral, 234,3:E648  
 glucocorticoid effects  
   hemicorpus, 238,1:E564  
   skeletal muscle and heart, 235,4:E134  
 gluconeogenesis and, 235,4:E22  
 hepatocytes, 243,6:E132  
 hypertrophy, right ventricular, 241,10:H708  
 inhibitors, pancreatic secretion and, 243,6:G285  
 initiation in fasting, skeletal muscle and heart, 235,4:E126  
 insulin action, pancreatic acini, 240,3:G56  
 insulin receptors and, serine effects, 241,10:C167  
 insulin stimulation of, muscle cells (chicken), 243,12:C81  
 leucine regulation, working heart, 239,2:E510  
 liver, 232,1:E492  
   hypothalamic obesity, 238,1:E32  
 lung, starvation and diabetes, 236,5:E421  
 measurement with glycine, 239,2:E294  
 medial hypothalamic nuclei, 240,9:R16  
 myocardial ischemia, 240,3:E268  
 nitrogen and calorie restriction, 230:1321  
 normal and dystrophic skeletal muscle, 239,2:E401  
 nutritional recovery, kidney, 243,6:E360  
 pancreatic, cholecystokinin and calcium effects, 243,6:G69  
 parenteral nutrition effects, 239,2:G280  
 protein deprivation and diabetes, liver and small intestine, 241,4:E238  
 protein synthesis, protein deprivation and diabetes, 241,4:E238  
 regulation, cholecystokinin, pancreas, 241,4:G116  
 RNA, 230:1108  
 skeletal muscle, 234,3:E38  
   fasting, 236,5:E222  
 spontaneous hypertension, 241,10:H421  
 streptozotocin treatment, 240,3:G56  
 systemic histamine effects, 233,2:H148  
 thyroxine effects, skeletal muscle, 235,4:E231  
 tissue, tyrosine, 231:1018  
 trauma-induced changes, 233,2:E348  
 turnover and, fetal (ewe), 240,3:E320  
 urinary, slowly dialyzable stimulants, renal, 237,6:F299  
 with tyrosine, tissue, 231:1018
- Proteinuria**  
 angiotensin II-induced, mechanism, 233,2:F13  
 angiotensin-induced, corticoid effects, 237,6:F133  
 cadmium-induced hypertension, 235,4:H385  
 glomerular filtration  
   charged solutes, 238,7:F126  
   protein, 241,10:F162  
 glomerular permselectivity, 234,3:F455  
 low-molecular-weight, diabetic ketoacidosis, 241,4:E396  
 renal perfusion pressure, spontaneous hypertension, 238,7:H317
- Proteoliposomes**, reconstitution of D-glucose transporter, human placenta, 242,11:C166
- Proteolysis**  
 angiotensin II receptor blockade, hemorrhagic shock, 236,5:H280  
 leupeptin effects, fetal heart, 237,6:E35  
 lung, inhibitor of, hypoxia and, 241,4:E101  
 naloxone effects, hemorrhagic shock, 239,8:H416  
 occlusion shock, splanchnic artery, 234,3:H1  
 prolonged starvation effects, skeletal muscle, 241,4:E321  
 SAO shock, 230:684
- Proteolytic enzymes**, diabetes and, muscle, 241,4:E378
- Prothrombin**, synthesis, vitamin K<sub>1</sub> absorption and, 232,1:H12
- Prothrombin-proconvertin deficiency**, estrogen and prothrombin synthesis, 232,1:H12
- Protochemistry**, energy transduction and, biological systems, 235,4:R99
- Proton-donors**  
 anion, myocardial tissue culture, 239,8:H769  
 organic acid, intestinal secretion, enterotoxin-induced, 241,4:G227
- Proton pumping**, pH transients, diaphragm muscle, 235,4:C49
- Protons**  
 ATPase: see Adenosine triphosphatase channel, ATPase and, urinary acidification (toad, turtle), 240,9:C201  
 sodium-hydrogen exchange, proximal tubular, 241,10:F380  
 transport, parietal cells, 238,1:G165  
 uptake, glucose-induced, pancreatic  $\beta$ -cells, 242,11:C382
- Proton semiconductors**, energy transduction and, biological systems, 235,4:R99
- Protoporphyrin**, canalicular transport of, cholesteric effects, liver, 242,5:G347
- Provitamin A**, absorption, intestinal, 235,4:E686
- Pseudoelasticity**, arterial, constitutive equation, 237,6:H620
- Pseudohypoparathyroidism**, hormone resistance in, 243,6:E37
- Pseudomonas aeruginosa**, endotoxin, cardiorespiratory effects, 232,1:H682
- Pseudopregnancy**  
 effect on core temperature, 231:361  
 glomerular ultrafiltration in, 243,12:F300  
 luteal blood flow and function, relation, 237,6:E30
- Pseudorandom white-noise method**, 230:205
- Psoas muscle**  
 protein synthesis, 239,2:E88  
 uridine triphosphate and uridine kinase, thyroid hormone effects, 238,1:E443
- Psychosocial stimulation**, plasma renin activity and, 231:1290
- Puberty**  
 endocrinology, adrenal androgens (baboon), 241,4:E305  
 hypophysectomy, follicle-stimulating hormone and testosterone effects, seminiferous tubules, 241,4:E233  
 PMS-induced ovulation, postovulatory steroidogenesis after, 241,4:E221
- Puerperium**, 17 $\beta$ -estradiol effects (ovine), 239,2:E333
- Pulmonary absorption**, amino acids, 240,9:C215
- Pulmonary artery**  
 amine uptake and metabolism, endothelium (pig), 232,1:C88  
 banding, hypertrophy, right ventricular (pony), 240,9:H881  
 catheterization, 235,4:H452
- constriction  
 hypertrophied right ventricle (guinea pig), 243,12:H175  
 right ventricular systolic hypertension (pony), 235,4:H628  
 vascular resistance, humoral regulation, 236,5:H866  
 converting enzyme activity, endothelium (pig), 232,1:C95  
 endothelium, norepinephrine metabolism, 243,12:H732  
 hemodynamics and structure, hypoxia, 236,5:H818  
 impedance, blood volume effects, 242,11:H197  
 intralobar, adrenergic mechanisms, 240,9:H274  
 mechanics and composition, extra- and intralobar, 242,11:H245  
 norepinephrine levels, synaptic cleft, 242,11:H233  
 occluder, for measurement of circulatory filling pressure and vascular capacitance, 234,3:H94  
 occlusion shock, smooth muscle function in (pig), 241,10:H34  
 pressure: see Pressure  
 responses to histamine, neonatal, 237,6:H76  
 smooth muscle cells, membrane properties of, 242,11:H900, H907  
 stenosis, collagen synthesis, heart ventricles, 241,10:H708
- Pulmonary catabolism**, prostaglandin E<sub>1</sub> and E<sub>2</sub>, perinatal (goat), 236,5:H828
- Pulmonary circulation**: see Circulation
- Pulmonary edema**: see Edema
- Pulmonary endothelium**, ischemia, acute myocardial, 242,11:H337
- Pulmonary epithelium**, 2-deoxy-D-glucose uptake, granular pneumocytes, 243,12:C14
- Pulmonary exchange vessels**  
 filtration coefficient, 234,3:H266  
 intact lung, 235,4:H569
- Pulmonary hemorrhagic edema**: see Edema
- Pulmonary impedance**: see Impedance
- Pulmonary injury**, prostaglandin production and, endotoxemia, awake state (sheep), 240,9:H348
- Pulmonary pathology**, centrogenic, sympathetic outflows, 240,9:H109
- Pulmonary resistance**: see Resistance
- Pulmonary stretch receptors**: see Receptors
- Pulmonary valve**, heart sounds, accentuation in anemia, 235,4:H664
- Pulmonary vascular bed**  
 arachidonic acid effects, 239,8:H40  
 hypertension, age and sex influences, 240,9:H62
- Pulmonary vascular compliance**: see Compliance
- Pulmonary vascular resistance**: see Resistance
- Pulmonary vascular response**, prostaglandin E<sub>1</sub> and E<sub>2</sub>, perinatal (goat), 236,5:H828
- Pulmonary vasoconstriction**: see Vasoconstriction
- Pulmonary vein**  
 atrial junction and, stretch receptors, thirst inhibition, 242,11:R452  
 intralobar, adrenergic mechanisms, 240,9:H274
- Pulmonary vessels**  
 direct response, prostaglandins (lamb), 238,7:H631  
 small, monocrotaline effects on medial thickness, 240,9:H149
- Pulmonic stenosis**: see Stenosis
- Pulsatile hemodynamics**: see Hemodynamics
- Pulsations**, carotid sinus control, regional arterial hemodynamics, 238,7:H182

**Pulse**

- frequency, stimulus train composition effects, 237,6:H366
- low-temperature, circadian pacemaker (cockroach), 240,9:R144
- output, automatic cardiac action potential duration meter, 236,5:H183
- paired stimulation, cardiac muscle mechanics, hypertension, 235,4:H82
- responses, ventricular, new method, 237,6:H282

**Pulse dose**, protein metabolism, trauma, 241,4:E64**Pulseless perfusion**, gastrointestinal blood flow and distribution, 236,5:E28**Pulse wave**

- heart rate-body size relations (mammals), 237,6:R3, R7
- pattern, nailfold capillaries, 236,5:H888
- propagation, kidney tubules, 240,9:F446

**Pulse width**, oemodulator, ultrasonic dimensions gauge, 233,2:H322**Pulse-width discriminator**, telemetry noise reduction, 239,8:H133**Pulsus alternans**

- aerobic limit, perfused heart, 238,7:H118

**Pulsus paradoxus**, baroreceptor output, respiratory maneuvers, 240,9:H721**Pump**

- blood, gastrointestinal, 236,5:E28
- buccal force, aestivating (lungfish), 233,2:R181
- calcium, plasma membrane, myometrium, 242,11:C278
- cardiac, ischemia and exercise, 234,3:H157
- chloride ions, cornea (frog), 237,6:F121
- efficiency, right ventricle, 242,11:H154
- electrogenic
  - chloride, stomach (frog), 233,2:E298
  - gastric acid secretion (frog), 232,1:E251
  - gastric mucosa potential difference (frog), 240,3:G267
  - giant axon (squid), 235,4:C55, C663
  - insulin effects, cardiac, 240,9:H636
  - potassium absorption, urinary bladder (turtle), 241,10:F315
  - potassium activity, proximal straight tubules, 241,10:F677
  - potential, cultured myocardial cells (chick), 238,7:H24
  - temperature effects, nephron membrane (snail), 239,8:C47
- electrogenic sodium, cerebroarterial response, 234,3:H404

**ion**

- interactions of cell volume, membrane potential and membrane transport, 238,7:C196
- renal tubule, 233,2:F359
- skin (frog), 232,1:F550
- kidney perfusion, prostaglandin release, hypotension and, 240,9:F545
- potassium
  - luminal membrane, urinary bladder (turtle), 241,10:F315
  - renal collecting tubules, 233,2:F559
  - rheogenic, ileum, 232,1:E5
- roller, servo-controlled, for cardiovascular research, 238,8:H269
- servo, impedance loading, excised ventricle, 243,12:H346
- sodium
  - aldosterone and insulin effects, bladder, 230:1603
  - cardiac cells, cultured, 236,5:C87
  - driving force, dependence on transport rate (toad), 232,1:F448
  - electric current generation, giant axon (squid), 235,4:C63
  - electrogenic, ouabain-induced arterial contraction (monkey, dog), 239,8:H199

**electrogenic, smooth muscle**

- 243,12:H553
- electrogenic cardiac cells, 236,5:H189
- electromotive force, bladder (toad), 236,5:F405
- electromotive force estimation from current-voltage relations, 231:1880
- glucose-induced electrical activity, pancreatic  $\beta$ -cells, 240,9:C127
- heart, 232,1:C196
- hyperpolarization, potassium-free media, skeletal muscle, 242,11:C12
- intestinal (freshwater prawn), 239,8:C1, C11
- magnesium and, bladder (toad), 234,3:F192
- methacholine effects, salt gland cells (duck), 241,10:R77
- myocardial ischemia, 232,1:H596
- potassium effects, vascular smooth muscle reactivity, 241,10:H217
- renal collecting tubules, 233,2:F559
- renal hypertension and, 243,12:H896
- resting membrane potential, skeletal muscle (frog), 236,5:C249
- smooth muscle cells, pulmonary hypertension, 242,11:H907
- vanadate and, renal, 239,8:F97
- vanadium and, renal, 236,5:F530
- vascular smooth muscle contractility, 240,9:H971
- sodium ion, ouabain-sensitive, localization, kidney cells (pig), 236,5:C157
- sodium-potassium
  - anoxic myocardium, 232,1:H85
  - digoxin effects (sheep), 243,12:H519
  - electrical activity and, pancreatic  $\beta$ -cells, 242,11:C296
  - exchange, myocardial cell swelling, 239,8:H31
  - exercising skeletal muscle, 236,5:R83
  - guanosine monophosphate, cyclic, and cholinergic activation, salt gland (duck), 240,9:C207
  - islet cells, 237,6:E130
  - lithium fluxes, erythrocytes, 237,6:C102
  - low potassium ion-treated cells (Chinese hamster), 243,12:C124
  - resting potential changes, heart muscle, 240,9:H168
  - sodium-potassium-ATPase, disparity of temperature sensitivity (guinea pig, ground squirrel), 235,4:C159
  - sodium-potassium-ATPase, mechanisms, renal tubular, 233,2:F359
  - sodium-potassium membrane, respiration, brown adipocytes (hamster), 242,11:C46
  - ventricular function, 237,6:H282

**Pumping**

- ability, ventricular, exercise spontaneous hypertension, 235,4:H193
- proton, pH transients, diaphragm muscle, 235,4:C49

**Pump-leak systems**, solute transport, tubular, 234,3:F480**Pupil**

- mydriasis, morphine effects, 241,10:R130
- static and kinetic properties (dolphin), 237,6:R301

**Purine**

- atrial contractility, 239,8:H365
  - glycolysis, red cells (cow), 236,5:C255, C262
  - metabolism
    - ischemic heart, computer model, 232,1:H386, H394
    - myocardial, 236,5:H833
  - regulation, plasma membrane and cytoplasmic 5'-nucleotidases, 243,12:C270
  - transport, intestinal mucosa, 239,2:G266
- Purine nucleoside phosphorylase**, localization, heart, kidney, liver, 239,8:H721

**Purine nucleosides**

- coronary vasodilation, nonmetabolically coupled, 238,7:H569
- inotropic response, cardiac, to inosine, 233,2:H438
- transport, ileal, 233,2:E47

**Purine nucleotide cycle**

- contracting fast and slow muscle, 237,6:C111

**working skeletal muscle**, 239,8:C32**Purkinje fibers**, blood flow and, foot (chicken), 242,11:R582**Purkinje cells**, osmotic pressure, cell volume and, 238,7:H561**Purkinje fibers**

- acetylcholine, 230:116
- cable properties, effect of stretch (sheep), 237,6:C119
- calcium and sodium effects, strophanthidin inotropic, 240,9:H561

**cardiac**

- peak potential measuring, 241,10:H455
  - tetraethylammonium chloride effects on action potential, 241,10:H139
  - cardiac automaticity and, 233,2:H625
  - conduction velocity, developmental changes, 240,9:H546
  - contractile force, strophanthidin toxicity, 234,3:H477
  - electrophysiological alterations, during myocardial ischemia, 233,2:H329
  - electrophysiology, infarct growth, time course, 236,5:H356
  - filament systems, heart, 241,10:H291
  - inhibitory effects of catecholamines, 231:1415
  - intracellular electrophysiological data, microcomputer system, 237,6:H400
  - intracellular sodium activity, catecholamine effects, 243,12:H670
  - membrane currents, contractions and aftercontractions (sheep), 243,12:H77
  - membrane permeability, during low potassium depolarization (sheep), 237,6:C156
  - potassium activity, 240,9:C39
  - potentials: see Potentials
  - reentry, 235,4:H1
  - right bundle branch-septal model, 236,5:H379
  - slow response potentials, lysophosphatides and, 243,12:H187
  - spontaneous discharge, strophanthidin-induced, 243,12:H767
  - stimulation, intracellular calcium ion activity and (sheep), 243,12:H133
  - stimulator, computer-controlled, 239,8:H278
  - strophanthidin toxicity, calcium effects, 236,5:H689
  - subendocardial, coronary occlusion and reperfusion, effects, 238,7:H581
  - transmembrane potential, thyroid hormone effects, cardiac, 240,9:H934
  - voltage and time dependence, restitution (sheep), 243,12:H68
  - volumetric measurement, isolated cardiac muscle, 236,5:H519
- Purkinje strands**, automaticity, escape intervals, ventricular, 239,8:H247
- Puromycin**, renin synthesis and, kidney, 243,12:F434
- Putrescine**
- cardiac hypertrophy, 239,2:E372
  - metabolism, isogabaculine and  $\alpha$ -aminobutyric acid effects, 243,12:C35
  - regulation of content, cultured fibroblasts, 243,12:C262
- P wave**, morphology, atrial activation (fowl), 239,8:R483
- Pyeloureter**
- multicalyceal kidney (minipig), 241,10:R398
  - multiple-coupled pacemaker system, unicalyceal kidney, 241,10:R412

- Pylorotomy**, duodenogastric reflux, fasting, 241,4:G159
- Pyloric gland**, gastric secretion, amino acid stimulation, 233,2:E170
- Pyloric pressure response**, hypoglycemia, insulin-induced, 241,4:G321
- Pyloropancreatic reflex**: see Reflexes
- Pyloroplasty**  
duodenogastric reflux, fasting, 241,4:G159  
gastric emptying, 234,3:E375  
gastrointestinal motor gradients after, 230:389  
weight and food intake, responses, 236,5:R61
- Pylorus**  
cholecystokinin inhibition, gastric emptying, 234,3:E375  
duodenogastric reflux and, fasting, 241,4:G159  
gastric emptying, 230:813  
reflux, pylorotomy effects, 242,5:G9  
hormonal effects on, 243,6:G330
- Pyrazinamide**  
allantoin excretion, renal, 233,2:F373  
probenecid uricosuria inhibition, 232,1:F222  
renal uric acid transport, 230:1276  
uric acid transport, brush-border membrane vesicles, renal, 236,5:F519
- Pyrazinoic acid**  
p-aminohippurate accumulation, proximal tubules, 239,8:F222  
uptake, proximal tubular segments, kidney (pig), 241,10:F591  
urate transport, nephron, 237,6:F85  
urate uptake and, kidney cortex, 242,11:F158  
uric acid transport, brush-border membrane vesicles, renal, 236,5:F519
- Pyribenzamine**, contractility, vascular smooth muscle, 240,9:H971
- Pyridine**, derivatives, nicotinic acid transport, kidney, 240,9:F185
- Pyridine nucleotides**  
cerebral cortex mitochondria, 238,7:H249  
fluorescence, intracellular, micro-light photometry, 236,5:C144  
lung redox state, 230:1198  
normoxic and hypoxic states, 235,4:H809  
oxidative response to aldosterone, kidney, 232,1:E401  
redox state, heart, 234,3:H40
- Pyridoxal phosphate**, platelet formation, inhibition, 238,7:H54
- Pyridoxine hydrochloride**, dephosphorylation, jejunal, 235,4:E272
- $\beta$ -Pyridylcarbinol**, dopamine, 230:1126
- Pyrimidine**  
biosynthesis, ketone body inhibition of, brain, fetal, 243,6:E234  
diabetes-induced renal growth, 238,1:E349  
diabetic renal cortex, 238,1:E341  
glycolysis, red cells (cow), 236,5:C255, C262
- Pyrimidine nucleoside phosphorylase**, localization, heart, kidney, liver, 239,8:H721
- Pyrimidine nucleosides**, uridine regulation, liver, 242,11:F465
- Pyrimidine nucleotides**, synthesis, salvage pathway, heart and skeletal muscle, 238,1:E443
- Pyrogen**  
bacterial, endotoxin fever and, 242,11:R116  
body temperature changes, 230:1284  
cold stress and starvation, behavioral responses, newborn, 241,10:R167  
endogenous  
and leukocytic endogenous mediator, differentiation, 232,1:C15  
and leukocytic endogenous mediator, similarities, 235,4:C118  
excretion, kidney, 241,10:R271  
Kupffer cell phagocytosis, hyperinsulinemia, 238,1:E276  
neonatal (lamb), 236,5:R184  
febrile response, after brain lesions, 231:1638  
fever and (lizard), 241,10:R198  
nonshivering thermogenesis, 230:637
- Pyrophosphate**  
<sup>99m</sup>Tc-labeled, uptake, myocardial ischemia, 243,12:H268  
transport, adenine nucleotides and, heart mitochondria, 241,10:H672
- Pyrrrolizidine alkaloids**  
pulmonary structure and function, 240,9:H149  
single injection, pneumotoxicity and thrombocytopenia, 242,11:H573
- Pyruvate**  
carbon monoxide, lung metabolism and, 230:658  
<sup>14</sup>C-labeled, incorporation into blood glucose, insulin and fasting effects, 235,4:E22  
diabetes, obese noninsulin-dependent, exercise, 240,3:E458  
fuel metabolism, brain, fetal, 241,4:E200  
glucagon release, pancreas, 236,5:E98  
gluconeogenesis  
hydrogen ion transport, bladder (turtle), 239,8:F366  
sodium and oxygen transport and, kidney, 242,11:F508  
glucose transport, perfused lung, 241,4:E191  
heart performance, ischemia and physical training, 234,3:H215  
hexose monophosphate shunt, cardiac myocytes, 232,1:E570  
hypoxia and, lung model, 241,4:E47  
levels, mixed meal effects, 240,3:E54  
metabolism  
free water clearance and, 242,11:F491  
paraquat-perfused lung, 234,3:E653  
regulation, liver mitochondria, 236,5:E501  
muscle, fasting and diabetes effects, 233,2:E109  
muscle protein synthesis, 242,5:E184  
oxidation  
adrenergic stimulation, perfused heart (guinea pig), 242,11:H30  
leucine effect, atrial muscle, 238,1:E480  
urinary acidification and metabolism, bladder (toad), 239,8:F565  
pancreatectomy, mixed meal response, 242,5:E335  
smooth muscle, 232,1:E330  
sodium transport, bladder (toad), 232,1:F307  
transport, brush-border membrane vesicles, renal, 243,12:F456  
uptake, heart, newborn (pig), 241,4:E364
- Pyruvate carboxylase**  
cold acclimation, brown fat cells, 242,11:C250  
distribution, nephron, in acidosis and starvation, 235,4:F246  
insulin effects, hepatic metabolites, 233,2:E13
- Pyruvate dehydrogenase**  
lactate oxidation, cardiac, 243,12:H722  
pyruvate-perfused heart, simulation, 237,6:R167  
respiratory acidosis, perfused heart, 234,3:H40
- Pyruvate kinase**  
activity, perfused lung, 236,5:E276  
bioenergetics, renal medulla, 238,1:E377  
endotoxic shock, normal and diabetic liver, 240,9:R10  
erythrocyte metabolism, postnatal regulation of, 242,11:H500  
gluconeogenesis and, striated muscle (frog), 237,6:C231  
regulation, 6-phosphogluconate, hepatocytes, 240,3:E279
- Q**
- QRS**, duration measurement, high-frequency electrocardiography, 242,11:H507
- QRST deflection area**, ventricular recovery properties, 239,8:H227
- Quantitation**, gastric emptying, isotopic, 243,6:G237
- Quantum mechanics**, physical causality, brain theories and, 238,7:R277
- Quantum size**, neuromuscular junction, 233,2:C157
- Quinacrine**, injection, adrenoreceptor desensitization after, 240,9:H691
- Quinidine**  
calcium movements, erythrocytes, 237,6:C10  
cardiac action potential, maximum upstroke velocity, 234,3:H312  
cardiac ischemia, 235,4:H574  
exercise vasodilation, adenosine role, gracilis muscle, 238,7:H703  
relaxant responses and, cerebral arteries, 243,12:H145  
sodium-calcium interactions, kidney tubules, proximal convoluted, 240,9:F558
- Quinine**  
calcium ion release, skeletal muscle (frog), 234,3:C110  
glucose-induced electrical activity, pancreatic  $\beta$ -cells, 240,9:C127  
zona incerta lesions, 233,2:R53
- Quinine sulfate**, taste preference, hypothyroidism, 232,1:E80
- Quinones**, colon, 230:251
- Quinuclidinyl benzilate**  
<sup>3</sup>H-labeled  
binding to muscarinic receptors, salt gland (avian), 243,12:C254  
parietal cell binding, cholinergic receptors and, 239,2:G204
- R**
- R 5020**  
adiposity and, female, 240,3:E474  
binding sites, adipose tissue, 239,2:E237
- Race**, body composition, elemental, 232,1:E419
- Racial**: see Exercise
- Radial asymmetry**: see Asymmetry
- Radiation**  
electromagnetic, thyroid, 233,2:E363  
solar, thermoregulatory responses (eland, hartebeest), 237,6:R192
- Radiation, beta**, detector, implantable semiconductor, 232,1:H95
- Radiation detectors**, radiotracer kinetics, regional myocardial, 242,11:H849
- Radioactive microspheres**: see Microspheres; see also Radionuclide studies
- Radioactive tracer**, glucose utilization and turnover, fetal (sheep), 240,3:E662
- Radioactivity**, arterial quantitative microautoradiography, 239,8:H289
- Radioautography**  
glycoprotein synthesis, fetal colon, 235,4:E207  
hyperplasia, brown adipose tissue, 242,5:E353
- Radiochemical determinations**, procainamide, myocardium, 234,3:H399
- Radiochromatography**, urinary excretion, arterial blood prostaglandins and thromboxanes, 242,5:E171
- Radiocopper**  
excretion defect, biliary (dog), 243,6:G231

**Radiocopper (continued)**

Wilson's disease, copper-loading disease comparison, species differences (dog, human), 243,6:G226

**Radioenzymatic assay**, plasma catecholamines, spontaneous hypertension, 234,3:H690**Radiography**

blood vessel wall thickness, measurement, 237,6:H265

dynamic, cardiac-surface angular rotation, myocardial infarction, 238,7:H43

**Radioimmunoassay**

angiotensin metabolism (sheep), 233,2:H527

arginine vasopressin, angiotensin II effects, 240,9:R130

calcium effects, prostaglandin release, renal, 241,10:F77

cathepsin D, starvation, heart, 240,9:H222

corticotropin activity, vasopressin and neurohypophysis, 240,3:E689

dose-response curves, sigmoidal simultaneous analysis, 235,4:E97

$\alpha$ -fetoproteins, fetal-maternal distribution (ovine), 235,4:E27

gastrin, antral and serum levels, effect of chemically defined diets, 238,1:G376

gastrin concentration, fetal and neonatal (sheep), 241,4:G235

immunoreactive glandular kallikrein, plasma, 242,11:H602

insulin delivery rate, glucose-induced, 233,2:E500

luteinizing hormones, pituitary cultures, aging, 240,3:E510

milk prolactin lactose, protein, and  $\alpha$ -lactalbumin levels, 238,1:E83

pancreatic cationic trypsinogen, serum, 236,5:E77

pancreatic elastase, 238,1:G238

pancreatic polypeptide release, 235,4:E443

pancreatic proelastase 2- $\alpha_1$ -protease inhibitor complex, human plasma, 238,1:G177

plasma osmolality and plasma vasopressin, relations, 238,2:E313

potassium depletion, kidney, 240,9:F151

prostaglandin-thromboxane interactions, platelet-perfused heart (guinea pig), 241,10:H18

prostaglandin  $E_2$  production, bladder, 239,8:F452

prostaglandin  $E$  synthesis and water flow, bladder (toad), 234,3:F532

prostaglandins, 230:711

renin-angiotensin system, postnatal development, 238,7:R432

right atrial stretch, vasopressin and, 241,10:R44

secretin development, postnatal, intestinal, 243,6:G511

serum myoglobin, 239,8:H565

somatostatin release, organ culture, antral mucosa, 241,4:G59

trypsinogens, renal failure and nephrectomy, 242,5:G177

vasoactive intestinal polypeptide, vagally mediated pancreatic secretion of fluid and bicarbonate (pig), 237,6:E535

vasopressin, cerebrospinal fluid and plasma, 234,3:E463

vasopressin content, spontaneous hypertension, brain, 242,11:H496

**Radioisotopes**

arterial transport, aldosterone-induced hypertension, 243,12:H927

metabolic response, adrenergic blockade, awake state, 241,4:E385

**Radioligand assay**, dose-response curves, sigmoidal, simultaneous analysis, 235,4:E97

**Radionuclide studies**

acetyl transfer, mitochondria, pulmonary, 232,1:E358

actin-fibrin cross-linking, 233,2:H346

adenosine triphosphate uptake, liver and kidney, hemorrhagic shock, 233,2:R83

allantoin excretion, renal, 233,2:F373

amino acid uptake, pancreatic islets (toadfish), 233,2:E19

atrial pacing, critical coronary stenosis, 232,1:H49

blood flow

capillary (sheep), 232,1:E53

intrarenal, redistribution after carotid artery occlusion, 232,1:F167

myocardial, 232,1:H576

myocardial, simultaneous regional measurement, 232,1:H173

renal cortical, antidiuretic hormone effects, 232,1:F111

carbon dioxide, arterial, effects on cerebral blood flow (duck), 232,1:H596

cardiac output distribution, pregnancy (sheep), 232,1:H231

cardiovascular effects, 232,1:H331

chromium (III) metabolism, compartment analysis, 232,1:E478

Cori cycle activity, 232,1:E136, E145

creatine transport, placenta, 233,2:E308

creatinuria, triiodothyronine-induced, 233,2:E19

cyclic nucleotide, metabolism and vasodilation, mesenteric artery, 232,1:H919

diphosphate, bone extraction and blood clearance, 232,1:H341

fatty acid synthesis, pulmonary, 232,1:E358, E364

fibrinogen metabolism, 233,2:H1

fluoride absorption, bladder, 232,1:F10

gas tensions, myocardial, 232,1:H49

gastric emptying, solids and liquids, 233,2:E335

gluconeogenesis from alanine, fetal (ovine and lamb), 233,2:E462

glucose turnover (kelp bass), 232,1:R66

hematocrit variations, 233,2:H106

hexose monophosphate shunt, cardiac myocytes, 232,1:E570

hydrogen, exchangeable, 232,1:R54, R60

hydrophilic materials, uptake (dogfish), 232,1:R45

hyperemia, reactive, indomethacin effects, kidney, 233,2:F89

indicator-dilution curves, 233,2:H350

inositol incorporation, skeletal muscle, 232,1:E324

isotope dilution

adenosine release, measurement, skeletal muscle, 238,7:H156

blood volume, active, endotoxin shock, 236,5:H291

constant-infusion method, glucose-lactate interrelations (sheep), 235,4:E487

isotopes, water, errors, 238,7:R454

krypton-85 distribution, intrarenal, in endotoxin shock, 232,1:H54

labeled compounds, flux, biochemical oscillations, 237,6:R350

lactate entry, rate measurement, isotope dilution (sheep), 233,2:E138

noradrenaline, cerebrovascular response (baboon), 233,2:H458

palmitic acid utilization, renal cortex, 232,1:F254

phosphoenolpyruvate carboxykinase activity, kidney and adipose tissue, 233,2:E14

phospholipid formation, renal, 233,2:E212

placental transfer, hydrophilic molecules, 233,2:G14

plasma flow heterogeneity, intracortical, 233,2:F333

portal venous blood studies, vasopressin, 233,2:H50

potassium exchange, myocardial ischemia, 232,1:H564

prostaglandin metabolism, pulmonary, 232,1:E382

prostaglandins, renal tubular transport (chicken), 233,2:F133

protein synthesis, trauma-induced changes, 233,2:E348

pulmonary edema, drug transport and binding, 232,1:C132

purine nucleotide and nucleoside transport, ileal, 233,2:E47

$\beta$ -radiation detector, implantable semiconductor, 232,1:H95

sodium fluxes, proximal tubule (*Necturus*), 232,1:F461

stable isotopes, amino acid turnover and pools, plasma, 237,6:E418

storage telemetry of tracers, 233,2:E479

thyroid function, obesity, 233,2:R110

thyroid hormone metabolism, 233,2:R134

transmural myocardial perfusion, during coronary inflow, 232,1:H645

vitamin  $A_1$ , absorption, intestinal, 232,1:E478

water, total body, and exchangeable hydrogen, 232,1:R54, R60

water compartments, developing teeth, 232,1:F358

**Radiopaque beads**, implantation, heart, 241,10:H104

**Radiopaque markers**

identification, heart rotation, 239,8:H573

mitral valve opening and closure, 234,3:H146

volume measurement, ventricular, 240,9:H896

**Radioreceptors**: see Receptors

**Radiosulfate**: see Sulfate

**Radiotelemetry**: see Telemetry

**Radiotracer kinetics**, regional myocardial, 242,11:H849

**Raffinose**

cell volume changes, kidney, 240,9:F180

conservation, colonic, 241,4:G397

**Ramp pressure**: see Pressure

**Ranatensin**, enzyme secretion, pancreatic acini, 238,1:G213

**Randomness**, physical causality, brain theories and, 238,7:R277

**Raoult's law**, 237,6:R108

solvent activity, 237,6:R123

**Raphe neurons**, sympathetic, classification with cardiac-related activity, 243,12:R49

**Raphe nuclei**

lesions, adrenocorticotropin rhythm, 239,2:E482

serotonin effects, area postrema and, 241,10:R158

**Rapid-eye-movement sleep**: see Sleep

**Rarefaction**

microvascular

hypertension, cremaster muscle, 241,10:H306

spontaneous hypertension, 243,12:H243

**Ratameter**, cardiac, circuit for measurement of instantaneous frequency, 238,7:H929

**Reabsorption**: see specific subject and site

**Reaction rate theory**, modeling methodology forum, 243,12:R475

**Reactive hyperemia**: see Hyperemia

**Reagents**, membrane-impermeant, bladder (toad), 233,2:F607

**$\alpha$ -Receptor blockade**: see Blockade

**Receptor-reflex system**, high-pressure, pentobarbital effects on hypertension after hemorrhage, 236,5:H67



## Receptors

 $\alpha$ -

calcium ion uptake, platelets, 239,8:H483  
hypoxic pulmonary circulation, neonate (lamb), 240,9:H697  
presynaptic, renal vascular bed, 239,8:H422

 $\beta$ -

activation, autonomic nervous system and, 240,9:H738  
coronary vascular sympathetic, innervation, 230:1569  
relaxation, vascular smooth muscle, diet and age effects, 238,7:H652

 $\alpha$ - and  $\beta$ -

brown adipocyte respiration, 238,1:E552  
kidney function and, 243,12:F425

## acetylcholine

myasthenia gravis, 243,6:E31  
neuromuscular transmission and, 242,11:C366

acyl, fatty acid esterification, 234,3:E236

adenosine, membrane and cytoplasmic

5'-nucleotidases, 243,12:C270

## adrenergic

adenosine monophosphate, cyclic, contraction and, heart, 241,10:H187

amylase, parotid, 236,5:E371

$\alpha$ - and  $\beta$ -adrenoceptors, renal, renin

release, 236,5:H580

blockers, insulin secretion modulation, 234,3:E106

blood flow regulation (trout gill), 232,1:H18

brown fat responses, 232,1:R101

catecholamines, tubular effects, 233,2:F39

cerebrovascular barrier and uptake response to noradrenaline (baboon), 233,2:H458

clinical psychology of, 243,6:E43

constriction, vascular smooth muscle, 233,2:H22

coronary blood flow and, 243,12:H13

cyclic nucleotides and norepinephrine, cardiac, 240,9:H630

erythropoiesis, 236,5:H422

$\alpha$ -excitatory duodenal smooth muscle (opossum), 236,5:E33

exercise oxygen consumption, skeletal muscle, 238,7:H331

glucose output, perfused liver, 236,5:E323

heart, embryo (chick), 232,1:H250

hypercapnia and (goat), 242,11:R441

ionic corneal transport, 230:1487

mechanisms, liver and other tissues, 238,1:E3

mediating depolarization, brown adipose tissue, 231:700

norepinephrine-stimulated lipolysis, hypoxemia, 241,4:E28

oxygen delivery, myocardium, exercise, awake state, 242,11:H805

parathyroid hormone-stimulated adenylate cyclase, renal cortex, 242,11:F721

receptor-cyclase coupling, exercise effects, 243,6:E345

renal, renin release, 232,1:F248

renin and, carotid sinus, 242,11:R318

renin release and, 242,11:R552

skin melanophores (frog), 241,4:E84

temperature-induced conversion, renal, 243,12:F23

 $\alpha$ -adrenergic

affinity, thermoregulatory behavior of veins, 234,3:H330

agonist-induced submandibular secretions, 235,4:C256

hyperglucagonemia in hypoxia, 237,6:E404

hypoxia, muscle microcirculation, 240,9:H746

ion transport, intestinal, 235,4:E402

norepinephrine and methylxanthines

effects, smooth muscle, 240,9:C239

norepinephrine effects, intestinal, 241,4:G264

pharmacologic response, eccrine sweat glands (monkey), 240,9:R44

platelet, verapamil interaction, 242,11:H19

reflex limb dilatation, 230:557

renal circulatory activity (piglet and swine), 237,6:H690

vasoconstriction, middle cerebral artery (goat), 235,4:H131

$\alpha_2$ -adrenergic, ion transport and, ileum, 242,5:G237

 $\beta$ -adrenergic

adenosine monophosphate, cyclic, and

progesterone stimulation, 239,2:E139

agonist-induced submandibular secretions, 235,4:C256

blockade, exercise oxygen consumption, skeletal muscle, 238,7:H331

glucose production (baboon), 243,6:E225

hypoxic pulmonary circulation, neonatal (lamb), 240,9:H697

myofibrillar ATPase activity, cardiac, 237,6:C195

ontogeny, developing lung, 240,3:E351

pharmacologic response, eccrine sweat glands (monkey), 240,9:R44

pithe spontaneously hypertensive and normotensive rats, 238,7:H365

plasma renin activity, awake state, 240,3:E286

plasma renin activity, control, 236,5:H463

renal circulatory activity (piglet, swine), 237,6:H690

renin release, 230:410

sinus node changes, postnatal, 234,3:H412

stimulation, intravascular volume and, 241,10:H760

vagal C fiber discharge, 238,7:H465

 $\alpha$ -adrenoceptor

myocardial responses to (lamb), 242,11:H405

presynaptic, DOCA-salt hypertension, 239,8:R303

presynaptic, spontaneous hypertension, 241,10:R379

renin secretion and, renal, 242,11:F620

stellate stimulation and flow distribution, myocardial, 239,8:H359

$\alpha$ -adrenoceptor blockade, renin secretion and, intrarenal, 240,3:E682

 $\beta$ -adrenoceptor

abnormal brown adipose composition, obesity, 243,6:E217

brown adipocyte respiration, 238,1:E552

renin release, nonfiltering kidney, 241,10:F156

stellate stimulation and flow distribution, myocardial, 239,8:H359

$\beta_1$  and  $\beta_2$ -adrenoceptors, isoproterenol-induced renin release, mediation, 238,7:F387

## adrenoreceptors

desensitization, isoproterenol and stress effects, 240,9:H691

temperature-induced conversion, kidney, 243,12:F23

airway, reflexes (monkey), 234,3:H293

aldosterone

bladder epithelium (toad), 235,4:C82

distribution in cortical tubules, 237,6:F360

kidney, 240,9:C20

kidney tubules, 240,9:F172

sodium transport and, bladder (toad), 235,4:C90

aldosterone and corticosterone, sodium

transport and, proximal tubule, 242,11:F610

## angiotensin

antagonists, coronary vasoconstriction, 240,9:H493

esophageal smooth muscle (opossum), 235,4:E738

fish, 235,4:H95

vasodepressor action, awake state (chicken), 243,12:H456

## angiotensin II

blockade, hemorrhagic shock, 236,5:H280

potassium balance and, relations, 237,6:E519

potassium ion-regulated, adrenal, 239,2:E317

vascular (turtle), 240,9:R276

angiotensin II tachyphylaxis, 232,1:H223

atrial smooth muscle, sites, 236,5:E39

## aortic

respiratory maneuvers, 240,9:H721

volume expansion and, 237,6:H153

arginine vasopressin metabolism, 235,4:E591

## arterial

reflexes, racing (greyhound), 240,9:H383

tachycardia, 240,9:H874

## atrial

adrenocorticotropin response, 233,2:R116

Bainbridge reflex (baboon), 240,9:H164

control of adrenocorticotropin, 231:692

modulation, renal nerve activity (monkey), 242,11:F592

plasma vasopressin and, 241,10:R44

propranolol, 238,7:H465

renal blood flow and, 242,11:H220

renal effects, heart failure, 236,5:H554

stretch effects, heart, 242,11:H1056

stretch, vasomotor reflexes and, 241,10:R163

supraoptic neurosecretory cells, left atrial distension, 236,5:R261

atropine, smooth muscle cells and, 242,5:G400

## baroreceptors

adaptation, carotid sinus deformation, 242,11:H921

afferent nerves, 239,8:H706

angiotensin effects, temperature regulation (squirrel monkey), 233,2:H110

angiotensin II pressor response, volume expansion, pregnancy (ewe), 240,9:H908

aortic, arch, pulsatile hemodynamics, 238,7:H294

aortic, blood flow and pressure change effects, 242,11:H520

aortic deafferentation, blood pressure measurement, 241,10:H268

aortic deafferentation, neurogenic hypertension, 239,8:F474

aortic, reflex responses of abdominal vascular capacitance, 235,4:H488

arterial, antidiuretic hormone release, inhibition, 237,6:H299

arterial, depressed reflex, newborn, 237,6:H40

arterial, during simulated dives (seal), 234,3:H730

arterial, heart rate, 230:85

arterial hemodynamics, carotid sinus control, 238,7:H182

arterial, nonhypotensive arteriovenous shunt, 236,5:H35

arterial, plasma renin activity, 235,4:H29

arterial, pressure regulation, exercise, 241,10:H838

arterial, resetting of, 241,10:H802

atrial, denervation, fetal (lamb), 242,11:H916

blood flow regulation, bones and marrow, 237,6:H440

**Receptors (continued)**

- blood reservoir function, splanchnic organs, 232,1:H67
- brain, angiotension binding and actions, 241,10:R124
- cardiogenic hypertensive chemoreflex, 238,7:H61
- cardiopulmonary, heart rate control, 236,5:H42
- cardiopulmonary, pulseatile hemodynamics, carotid sinus control, 238,7:H294
- cardiopulmonary, renal nerve activity and volume expansion, 243,12:H810
- cardiovascular defense, 240,9:H421
- carotid, modulation of sympathetic outflow, 242,11:H185
- carotid occlusion reflex, 233,2:H240
- carotid, renal circulation control, 237,6:H560
- carotid, respiratory maneuvers, 240,9:H721
- carotid sinus, alloxan diabetes, 236,5:H417
- carotid sinus, anesthesia and, 237,6:H424
- carotid sinus, aortic nerve pressor reflexes and, 237,6:H662
- carotid sinus, Bezold-Jarisch reflexes, 237,6:H655
- carotid sinus, cardiac contractility, 239,8:H65
- carotid sinus, increased activity, nor-epinephrine, 240,9:H650
- carotid sinus, nephrectomy effects on kidney function, 242,11:F181
- carotid, sinus node responses to stimuli, 242,11:H638
- carotid sinus, plasma renin activity, 234,3:H670
- carotid sinus, reflex system, hemorrhage and, 237,6:R203
- carotid sinus, sensitivity of, newborn and adult, 243,12:H548
- carotid, supraoptic neurosecretory cells and, 237,6:R63
- carotid, vasomotor reflexes and, 241,10:R163
- circulatory (turtle), 242,11:R216
- deafferentation, body fluid changes, aortic, 240,9:H685
- deafferentation, sinoaortic denervation and hypertension, 238,7:H521
- denervation, angiotensin II antagonists and, dehydration, 232,1:H110
- denervation, cerebrovascular response to hypoxia, 241,10:H724
- diving response control (duck), 242,11:R105
- fastigial sympathetic activity, 243,12:R25
- heart, posture effects, 243,12:H676
- heart interval, renal hypertension, 241,10:H332
- heart rate control, awake state (toad), 241,10:R307
- hepatic, reflex effects on renal and cardiac sympathetic nerves, 238,7:R390
- impulse activity, diving (seal), 234,3:H730
- intrarenal, renin release, prostaglandin-stimulated, 237,6:F285
- kidney, renin release, 232,1:F248
- low-pressure, renal afferent effects, 241,10:R286
- low-pressure, splenic, 242,11:R247
- output, respiratory maneuvers, 240,9:H721
- oxygen consumption depression (monkey), 232,1:H451
- postural control, circulation and renin release, 237,6:H146
- regulation, heart rate (baboon), 241,10:R277
- renal, renin release, 232,1:F248
- renal blood flow and, 242,11:H220
- renal nerve activity, 238,7:H801
- renal vascular tone, 239,8:H232
- renin release with carotid occlusion, renal arterial pressure and, 236,5:H108
- renin secretion, prostaglandins and, 236,5:F472
- renin secretion, renal perfusion pressure and (sheep), 236,5:E546
- resetting elements, 236,5:H174
- resetting, time course, short-term hypotension, 234,3:H552
- sensory functions, liver, 236,5:R5
- sinoaortic, supraoptic neurosecretory cells, left atrial distension, 236,5:R261
- spinal interneurons, 232,1:H657
- stimulation, intravascular volume and, 241,10:H760
- vagal afferent effects, sodium depletion, 241,10:H255
- veratrum alkaloid stimulation, antidiuretic hormone and, 239,8:H784
- bicarbonate, physiological studies, 232,1:F291
- bicarbonate reabsorption
- acetazolamide effects, 232,1:F484
- volume expansion, 232,1:F484
- bicarbonate transport, 232,1:F20
- blocker, renal, cyclooxygenase inhibition, 239,8:F360
- bombesin, pancreatic acinar cells, 238,1:G63
- cadmium effects, 232,1:H114
- calcium, smooth muscle cells and, 242,5:G400
- calcium ion, exercise effects, myocardium, 240,9:H472
- calcium reabsorption, hypercalcemia, 232,1:F490
- cardiac
- diving bradycardia (duck), 238,7:R50
- inhibitory, left ventricular distribution, 235,4:H188
- sensitization, intracoronary acetylcholine, 239,8:H628
- stimulation with veratrum alkaloids, antidiuretic hormone and, 239,8:H784
- sympathetic modulation of vagal afferents, 237,6:H528
- cardiac muscle cells, sensitivity to autonomic agents, embryo (chick), 233,2:C172
- cardiopulmonary
- arterial pressure regulation, exercise, 241,10:H838
- atrial pressure reduction, renin release and, 235,4:H175
- nucleus tractus solitarius destruction and sinoaortic denervation, comparison, 236,5:H736
- vagal afferent effects, sodium depletion, 241,10:H255
- vagal afferents, antidiuretic hormone inhibition, 237,6:H299
- volume expansion and, 237,6:H153
- cardiovascular, salt gland secretion (goose), 232,1:R185
- chemoreceptors
- aortic arch, hindlimb veins, 242,11:H1050
- arterial, cardiovascular neurons and, 231:20
- atrial, denervation, fetal (lamb), 242,11:H916
- cardiovascular-respiratory reflexes (monkey), 234,3:H293
- cardiovascular responses to hindlimb hypoxemia, 237,6:H359
- carotid, cardiorespiratory control, diving (seal), 232,1:H508
- carotid, reflex sympathetic control of cerebral circulation, 238,7:H594
- carotid body, dopamine effects, 230:1494
- carotid body, oxygen and carbon dioxide responses, 242,11:C200
- carotid occlusion reflex, 233,2:H240
- carotid, tachycardia and, 240,9:H874
- denervation, cerebrovascular response to hypoxia, 241,10:H724
- diving responses and (duck), 243,12:R537
- hypoxia and bradycardia, 231:179
- hypoxic vagal bradycardia, abolition by lateral mesencephalic lesions, 237,6:R15
- interactions among reflexes, 230:19
- intrapulmonary, carbon dioxide fraction timing (chicken), 237,6:R260
- intrapulmonary, carbon dioxide-sensitive, dynamics (avian), 233,2:R15
- muscle, pressor response to muscle ischemia, 237,6:H433
- peripheral, hypoxia, carbon dioxide effects, 239,8:H545
- renin secretion during carbon dioxide retention, 234,3:H573
- transduction mechanisms, carotid body, 239,8:C135
- cholecystokinin
- biological function and, pancreatic acini, 242,5:G250
- cyclic nucleotide agonists of, 242,5:G161
- enzyme secretion, pancreatic acini, 240,3:G459
- enzyme secretion reversal, guanosine monophosphate, cyclic, pancreas, 240,3:G466
- pancreatic acinar cells, 238,1:G63
- pancreatic acini, 243,6:G291
- cholinergic
- aminopyrine accumulation, parietal cells, 238,1:G366
- cardiac responses, vagal stimulation, 243,12:H219
- desensitization, sinoatrial cell, 238,7:H439
- drinking inhibition, 234,3:F41
- hepatic microvascular, stimulation and blockade, 236,5:E728
- pharmacologic response, eccrine sweat glands (monkey), 240,9:R44
- protein, immunization in myasthenia (frog), 236,5:C53
- quinuclidinyl benzilate binding, parietal cells, 239,2:G204
- smooth muscle cell responses (frog), 232,1:C144
- colonic corticosteroid, cytosol, 240,3:G417
- copper metabolism, 232,1:E172
- cytoplasmic
- aldosterone binding, bladder epithelium (toad), 235,4:C82
- aldosterone binding, kidney, 240,9:C20
- diphosphonate clearance, 232,1:H341
- diuretic drugs, effects (catfish), 232,1:F278
- dopamine
- heat production and, brain, 242,11:R471
- stimulation and blockade, cerebral circulatory response (baboon), 233,2:H222
- duodenal, gastric intake and food intake, relations, 239,2:G1
- efferent arterioles, renin depletion, 232,1:F215
- electrolyte excretion, angiotensin II effects, 232,1:F538
- electrolytes, circadian rhythms (squirrel monkey), 232,1:F128
- electrolyte transport, angiotensin II effects, 232,1:F298
- endocrine disease, 243,6:E3
- epicardial, diving bradycardia (duck), 238,7:R50
- estrogen
- adipose tissues, 239,2:E237

- food intake and body weight effects, weanling, 240,3:E499  
ovarian tissue, 243,6:E188  
vitellogenin gene expression (frog), 243,12:C1  
excretory ability, hypertrophy, 232,1:F405  
failure, DOC hypertension, 232,1:F260  
fluoride transport, pH dependence, 232,1:F10  
gastrin  
  aminopyrine accumulation, parietal cells, 238,1:G366  
  assay standardization, 237,6:E284  
  membrane preparation, 237,6:E284, E295  
  mucosal, regulation, 238,1:G135  
  oxyntic gland mucosa, binding specificity, 239,2:G395  
glomerular, for parathyroid hormone, 235,4:F96  
glucocorticoid, 235,4:R115  
  aldosterone binding, bladder epithelium (toad), 235,4:C82  
  cortical tubules, 240,9:F38  
  leukemia and, 243,6:E103  
  phosphoenolpyruvate carboxykinase regulation, kidney and adipose tissue, 233,2:E147  
  sodium-potassium-ATPase induction, proximal tubular cells, 241,10:F356  
  sodium transport, bladder (toad), 235,4:C90  
glucose receptors, 233,2:R127  
  alloxan injection effects, fourth ventricle, 243,12:R312  
  hepatic, feeding patterns, 239,8:R66  
glucose, dorsomedial hypothalamic lesions and, 235,4:R168  
glucose reabsorption, albumin infusion effects, 232,1:F286  
glycoprivic system, phenylbutazone ulcer and, 242,5:G429  
glycoprotein-glycolipid interaction, pharmacokinetics, 237,6:R251  
gonadotropin-release hormone, nonpituitary tissues, 235,4:E227  
gustatory, sensitivity (frog), 243,12:R42  
gut, mediation of pancreatic responses to luminal L-amino acids, 231:669  
H<sub>2</sub>  
  adenylate cyclase activity, 232,1:E35  
  pepsin secretion, inhibition, 233,2:E225  
H<sub>1</sub> and H<sub>2</sub>  
  blockade, cardiopulmonary circulation, 232,1:H73  
  blockade, esophageal sphincter, lower (baboon), 235,4:E42  
  capillary permeability, intestinal, 240,3:G381  
  histamine, myoelectric activity, small bowel, 238,1:G50  
  histamine, renal, characterization and function, 235,4:F570  
  intestinal vasodilation, 233,2:E219  
H<sub>2</sub> antagonists  
  active alkalization, gastric fundic mucosa (amphibia), 233,2:E1  
  bicarbonate secretion, gastric, 234,3:E535  
hemodynamics: *see* Hemodynamics  
Henle's loop: *see* Henle's loop  
hepatic, prostaglandin E, up-regulation of, 241,4:E291  
high-pressure, renal nerve activity, 238,7:H801  
histamine  
  antagonist, cimetidine, kidney tubules, 241,10:F69  
  antagonists, mesenteric circulation, 234,3:E370  
  bile flow, 231:516  
  blood-brain transport and, 243,12:H307  
  gastric mucosa (bullfrog), 241,4:G93  
  mesenteric circulation, 234,3:E370  
  pulmonary arteries, neonatal, 237,6:H76  
  vasodilation, 231:1002  
hormone  
  adenylate cyclase coupling deficiency, pseudohypoparathyroidism, 243,6:E37  
  dose-response curves, sigmoidal, simultaneous analysis, 235,4:E97  
  liver, 243,6:G103  
  hormone action, kidney, 241,10:F333  
  human chorionic gonadotropin  
  granulosa cells, 236,5:E129  
  granulosa cells (pig), 240,3:E622  
  hypercalcemia, 232,1:F490  
  hypertrophy: *see* Hypertrophy  
insulin  
  adipocytes, 235,4:E53  
  antibodies, insulin binding and, 240,3:E325  
  autoradiographs, pancreatic acini, 240,3:G69  
  circadian profiles of, 242,5:E127  
  compartment, 239,2:E3  
  cultured human fibroblasts, 241,4:E251  
  defect, obesity, diabetes mellitus, 243,6:E15  
  development, glucocorticoids and hypothyroidism effects, lung, fetal, 242,5:E384  
  fat cells, sex differences, 243,6:E158  
  glucose transport deactivation and, 242,5:E234  
  glucose transport, fat cells, 240,3:E556  
  hypergravity, 238,1:E330  
  <sup>125</sup>I-labeled, pancreatic acini, 240,3:G63  
  inhibition, phorbol ester, 243,6:E319  
  Kupffer cell phagocytosis, hyperinsulinemia, 238,1:E276  
  membrane lipids and, fetal, 243,6:E246  
  modulation of action and degradation, insulin binding and, 240,3:E325  
  obesity and fasting effects, hepatocytes, 243,6:E240  
  peritubular circulation, kidney, 243,12:F126  
  protein synthesis and, serine effects, 241,10:C167  
  soleus muscle, 234,3:E348  
  starvation effects, skeletal muscle, 240,3:E184  
  streptozotocin diabetes, 235,4:E175  
  streptozotocin treatment, 240,3:G63  
  wheat germ agglutinin and, fat cells, 238,1:E267  
interoceptors, gastric function and hepatic modulation, 238,7:R346  
ion, sensory function, liver, 236,5:R5  
kinetics, smooth muscle cells (frog), 232,1:C144  
krypton-85 distribution, endotoxemia, 232,1:H54  
left atrial  
  sensitivity, after reversal of heart failure, 237,6:H555  
  supraoptic neurosecretory cells and, 237,6:R63  
  ligand, leukoagglutinin-lymphocyte binding, 237,6:E207  
  liver, capsaicin injection and, 242,11:H955  
  low-density lipoprotein, mutation effects, 243,6:E5  
  low-pressure, renal nerve activity, 238,7:H801  
macula densa, renin release, 232,1:F248  
mass, loss, in hypertrophy, 232,1:F405  
mechanoreceptors  
  cardiopulmonary, positive end-expiratory pressure and, 242,11:H470  
  circulatory (turtle), 242,11:R216  
  control, hormone secretion, fetal (sheep), 243,6:E278  
interactions among reflexes, 230:19  
intravascular, renal sympathetic nerve activity, 238,7:H801  
left atrial after reversal of heart failure, 237,6:H555  
renal, compensatory adaptation to ureteral occlusion, 238,7:F229  
substance P effects, colon, 243,6:G259  
membrane  
  assay, prostaglandin excretion and urine flow rate, 238,7:F107  
  cobalamin, intestines, 241,4:G294  
  microelectrode, self-filling and semifloating, glass, 232,1:C207  
mineralocorticoid  
  aldosterone binding, kidney, 240,9:C20  
  aldosterone binding, urinary bladder epithelium (toad), 235,4:C82  
  bladder (toad), 239,8:F433  
  cortical tubules, 237,6:F360  
  nephron, 241,10:F605  
  renal sodium and water retention, 234,3:F490  
  sodium transport, bladder (toad), 235,4:C90  
mucosal gastrin  
  binding, sex differences, 243,6:G469  
  corticosterone and, newborn, 240,3:G442  
  development, newborn, 240,3:G163  
  up- and downregulation, 242,5:G243  
muscarinic  
  acetylcholine and, maturing cardiac muscle, 238,7:H1  
  adrenergic-cholinergic interactions, 238,7:H275  
  aminopyrine accumulation, parietal cells, 238,1:G366  
  blood flow during activation, coronary, 240,9:H941  
  cholinergic nerves during hypercapnia, 242,11:H683  
  cyclic nucleotides and norepinephrine, cardiac, 240,9:H630  
  differential sensitivity to sinus node neurotransmitters, 233,2:H211  
  ion transport, intestinal, 235,4:E402  
  presynaptic, norepinephrine release, cardiovascular system, 239,8:H713  
  quinuclidinyl benzilate binding to, salt gland (avian), 243,12:C254  
  sinus node changes, postnatal, 234,3:H412  
  substance P effects, intestinal motility, 243,6:G493  
  muscarinic-cholinergic, agonist-induced submandibular secretions, 235,4:C256  
  muscle, posture effects, 243,12:H676  
nephron: *see* Nephron  
nuclear  
  aldosterone binding, kidney, 240,9:C20  
  triiodothyronine, liver and kidney, 240,3:E146  
  osmolyte, control of gastric emptying, 231:84, 231:848  
osmoreceptors  
  angiotensin and, third ventricle interaction, 236,5:R75  
  central, drinking and, 232,1:R88  
  central nervous system natriuresis, 237,6:F157  
  drinking and vasopressin release, 238,7:R333, R340  
  electrical activation of anteroventral third ventricle, 235,4:H445  
  ethanol effects, 242,11:R522  
  hepatic portal, antidiuretic hormone release, 236,5:E603  
  hypothalamic, vasopressin release, 236,5:F321  
  salt gland secretion (duck), 237,6:R355  
  satiety controls, intestinal, preabsorptive (pig), 236,5:R328  
  sensory functions, liver, 236,5:R5

**Receptors (continued)**

- supraoptic neurosecretory cells and, 237,6:R63
- vasopressin, 240,3:E108
- water intake, altitude, 240,9:R187
- pancreatic acinar cells, PHI effects (guinea pig), 241,4:G498
- parathyroid hormone
  - adenylate cyclase regulation, kidney, 242,11:F457
  - renal (chick), 242,5:E154
- parietal cells, specificity, 238,1:G366
- phosphate flux, peritubular to luminal, 232,1:F159
- pituitary luteinizing hormone-releasing hormone, estrogen modulation, 237,6:E136
- plasma membrane, skin melanophores (frog), 241,4:E84
- postreceptor modulation, peptide and secretin, pancreatic enzyme secretion and, 242,5:G423
- potassium excretion, angiotensin II effects, 232,1:F298
- pressor receptors, hepatic volume afferent discharges, 232,1:C76
- presynaptic, neuromuscular transmission and, 242,11:C366
- probenecid accumulation, 232,1:F513
- progestin, food intake and body weight effects, weaning, 240,3:E499
- prostaglandin E, down-regulation, 239,2:E75
- prostaglandin inhibition, vasopressin effects, 232,1:F416
- pulmonary stretch awake state, 242,11:H1065
- pulmonary stretch, cardiorespiratory interactions (seal), 240,9:H190
- pyridine nucleotide, oxidative response to aldosterone, 232,1:E401
- radioreceptor assay, potassium-angiotensin II receptors, relations, smooth muscle and adrenal tissue, 237,6:E519
- $\alpha$ -receptors
  - hypoxic pulmonary circulation, neonatal (lamb), 240,9:H697
- presynaptic, renal vascular bed, 239,8:H422
- pulmonary vascular smooth muscle, 240,9:H274
- $\beta$ -receptors, activation, autonomic nervous system and, 240,9:H738
- regeneration, phospholipid metabolism, 232,1:E216
- renin: *see* Renin
- salt loading, renal clearance studies, 232,1:F178
- salt retention, cirrhosis, 232,1:F315
- secretagogue, pancreatic acinar cells, 238,1:G63
- secretin, small intestinal epithelial cells, 238,1:G190
- smooth muscle cells, contraction and specific antagonists, 242,5:G400
- sodium
  - drinking and vasopressin release, 238,7:R333, R340
  - nonpressor central nervous system natriuresis, 237,6:F157
- sodium chloride transport, 232,1:F201
- sodium reabsorption, angiotensin II effects, 232,1:F298
- somatic and cardiopulmonary, interaction, renal circulation, 237,6:H560
- steroid, blood-brain barrier, 239,2:E96
- steroid hormone, breast cancer and, 243,6:E99
- stretch
  - model for renin release, 231:936
  - pulmoatrial, drinking inhibition, 242,11:R452
- sugar transport, antiluminal membrane, 232,1:F455
- sympathetic nerves, blood flow redistribution after carotid occlusion, 232,1:F167
- thyroid hormones
  - affinity, thyrotropic cells, 237,6:E142
  - syndromes of resistance, 243,6:E88
- thyrotropin-releasing hormone, estrogen effects, 233,2:E235
- transport
  - cornea (bullfrog), 236,5:C268
  - jejunal, aspirin effects, 236,5:E495
  - small intestinal brush border, ATPase effects, 236,5:E70
- tryptophan, control of gastric emptying, 231:848
- urea transport, 232,1:F201
- urine concentration, 232,1:F201
- vagal restraint, systemic blood pressure during hemorrhage, 234,3:H192
- vascular
  - angiotensin II (fish, turtle), 240,9:R276
- vascular resistance
  - gastrointestinal hormone effects, 232,1:H103
  - renin depletion, 232,1:F215
- vasopressin clearance, reduced blood flow, 232,1:F341
- vasopressin-prostaglandin interaction, 232,1:F416
- ventricular
  - coronary artery occlusion and, 243,12:H170
  - diving bradycardia (duck), 238,7:R50
  - interaction, 237,6:H655
  - propranolol, 238,7:H465
  - reflex hypotension and bradycardia, 239,8:H172
  - reflex suppression of renin release, 233,2:H181
  - veratrum alkaloid effects, antidiuretic hormone and, 239,8:H784
- vitamin D<sub>3</sub>, phosphaturic action of calcitonin, 232,1:E515
- volume, salt gland secretion (duck), 237,6:R355
- volume expansion: *see* Volume expansion
- water retention, cirrhosis, 232,1:F315

**Recirculation:** *see* Circulation; *see also* Blood flow; Microcirculation

**Recruitment**

- capillary, cardiac, 235,4:H321
- coronary capillary, 233,2:H276
- transfer capacity, gills (trout), 240,9:R235

**Rectal gland**

- blood flow (dogfish), 243,12:R289
- chloride secretion, tight junction (shark), 233,2:F298, 242,11:C388
- chloride transport, 230:1250
- hormonal regulation (dogfish), 237,6:F138
- sodium-potassium-ATPase enhancement (dogfish), 237,6:F468

**Rectal temperature:** *see* Temperature, body

**Rectifier,** inward, potassium ions, skeletal muscle (frog), 241,10:C68

**Rectococcygeus muscle,** mechanical and myothermic properties, temperature effects, 238,7:C49

**Red blood cells:** *see* Erythrocytes

**Redox:** *see* Oxidation-reduction

**Reduction,** biological complexity and, 236,5:R241, R247

**Reductionism**

- epistemological, 233,2:R75
- field and circuit thermodynamics, 233,2:R171
- limits of models, reflexivity in nature, 242,11:R167

**Reentry,** excitation, cardiac arrhythmias, 235,4:H1

**Refeeding:** *see* Feeding

**Reflectance,** tissue, micro-light guides, for measurement, 236,5:C144

**Reflection coefficient**

- placenta (sheep), 233,2:H466, H475
- proximal tubule
  - network thermodynamic model, 235,4:F638
- volume expansion (*Necturus*), 234,3:F225

water exchange, placenta, 235,4:R181

**Reflectometry,** microregion, blood flow and volume, brain cortex, 236,5:H759

**Reflex arc**

- atrial, left ventricular effects, 232,1:H634
- baroreceptor
  - angiotensin II antagonists, 232,1:H110
  - cardiopulmonary, left ventricular effects, 232,1:H634
  - oxygen consumption depression (monkey), 232,1:H451
  - spinal interneurons, 232,1:H657
- cardioacceleratory, autonomic afferents, 232,1:H464
- chemoreceptor
  - carotid body, interaction (seal), 232,1:H517
  - diving (seal), 232,1:H508
  - laryngeal, interactions (seal), 232,1:H517
  - orthostatic, fastigial nucleus and (cat, monkey), 232,1:H671
- somatosympathetic, lateral reticular nucleus function, 232,1:H157
- spinovagal, volume-induced tachycardia, 232,1:H464
- trigeminal, interactions (seal), 232,1:H517

**Reflexes**

- airway receptors (monkey), 234,3:H293
- antagonistic vascular, interaction, 237,6:H662
- arrhythmias, hypothalamic stimulation-induced, 234,3:H199
- atrial vs. pulmonary stretch receptors, awake state, 242,11:H1065
- autonomic
  - coronary regulation, newborn (lamb), 234,3:H173
  - volume loading and, 242,11:R244
- Bainbridge, 230:25
- baboon, 240,9:H164
- phylogenesis of, 242,11:R244
- baroreceptor
  - angiotensin effects, temperature regulation (squirrel monkey), 233,2:H10
  - aortic, abdominal vascular capacitance, 235,4:H488
  - arterial, during simulated dives (seal), 234,3:H730
  - arterial, racing (greyhound), 240,9:H383
  - behavioral influences (baboon), 241,10:R277
  - carotid sinus, anesthesia, 237,6:H424
  - carotid sinus, isolated, 238,7:H815
  - carotid sinus and aortic arch, central interaction, 236,5:H127
  - descending pressor pathway, 234,3:H152
  - dominant inhibition, 240,9:H555
  - heart rate and awake state (toad), 241,10:R307
  - hepatic, renal and cardiac sympathetic nerve activity, 238,7:R390
  - hypothalamic neurons and, 242,11:R34
  - nitroglycerin, 234,3:H244
  - raphe sympathetic neurons, 243,12:R49
  - renin control, 235,4:H29
  - resetting, renovascular hypertension, 236,5:H101
  - spinal sympathetic discharge, 234,3:H223
  - sympathetic nerve discharge, brain stem, 240,9:R335



- tilting effects, 242,11:H161  
 trigeminal and aortic vasodepressor responses, 234,3:H67  
 baroreceptor and Bezold-Jarisch, interaction, 237,6:H655  
 baroreceptor gain, spontaneous hypertension effects, 243,12:R500  
 baroreflex  
   antidiuretic hormone and, 241,10:H431  
   aortic, alterations during left aortic nerve stimulation, 236,5:H769  
   arterial, anesthesia and response to hemorrhage, 243,12:H713  
   arterial, heart rate control, 238,7:H515  
   arterial, heart rate control, blood volume shift effects, (monkey), 241,10:H571  
   arterial, heart rate control, central venous pressure effects, 236,5:H42  
   arterial, heart rate control, heart failure, 240,9:H793, 241,10:H778  
   arterial, hypertension, renal, 241,10:H332  
   arterial vasodilation, pressor response buffering, 236,5:H165  
   bradycardia, carotid, inhibition of, 243,12:H607  
   cardiopulmonary, digoxin effects, 243,12:H815  
   carotid, arterial pressure and, exercise, 241,10:H838  
   carotid, function during volume expansion, 237,6:H153  
   carotid, perfusion, hindlimb, 241,10:H789  
   carotid, plasma renin regulation, 239,8:H342  
   carotid, positive end-expiratory pressure, 242,11:H470  
   carotid, renin release, renal adrenoceptors and, 236,5:H580  
   carotid, resetting of, 241,10:H802  
   carotid, sympathectomy, vagotomy and  $\beta$ -blockade, 241,10:H600  
   carotid sinus, anesthesia and, 237,6:H424  
   carotid sinus, cardiac contractility, 239,8:H65  
   carotid sinus, halothane and, 238,7:H294  
   carotid sinus, regional hemodynamics, anesthesia effects, 239,8:H681  
   carotid sinus, reversible vascular isolation, 238,7:H809  
   carotid sinus, vagotomy and, 242,11:H580  
   depressed responsiveness, newborn, 237,6:H40  
   heart rate, nitroprusside-induced hypotension and, 243,12:R18  
   human disease, 239,8:H581  
   left atrium-pulmonary vein, peripheral vascular beds, 233,2:H587  
   modulation of sympathetic outflow, 242,11:H185  
   open-loop gain, 240,9:H832  
   pressor response to, deoxycorticosterone-salt hypertension, 242,11:H44  
   sinovagal, interaction in hemorrhage, 237,6:R203  
   sinus node, 241,10:H311  
   sinus node response, 242,11:H638  
   stimulation, urinary catecholamine excretion, renal nerves, 240,9:F75  
   stimulus train composition effects on heart rate, 237,6:H366  
   sympathetic nerve rhythm, brain stem origin, 239,8:R42  
   sympathetic oscillators, 239,8:H143  
   volume expansion, renal nerve activity and, 243,12:H810  
 barostatic, mesenteric artery occlusion, 236,5:H286  
 Bezold-Jarisch  
   cardiovascular changes, veratridine, awake state, 242,11:H810  
   left ventricular, 235,4:H188  
 bradycardia: *see* Bradycardia  
 cardiac, cold exposure, cutaneous, 239,8:H114  
 cardioacceleratory  
   autonomic afferents, 232,1:H464  
   carotid chemoreceptors, 240,9:H874  
   nonhypotensive arteriovenous shunt, 236,5:H35  
 cardiocardiic, neural pathways, 235,4:H345  
 cardiogenic, interaction, 237,6:H655  
 cardioinhibitory, carotid chemoreceptors, 240,9:H874  
 cardiopulmonary  
   human disease, 239,8:H581  
   left ventricular dP/dt, 238,7:H93  
   plasma renin activity, 238,7:H611  
 cardiorenal, coronary occlusion, 242,11:H107  
 cardiovascular  
   aortic arch, chemoreceptor stimulation and, 242,11:H1050  
   asphyxia, 235,4:H72  
   blood volume effects, 242,11:H197  
   capsaicin injection, skeletal muscle, 240,9:H315  
   hemorrhage heart rate, with volume overload, 235,4:H422  
   hypoxic vagal bradycardia, 237,6:R15  
   intracranial pressure, sympathetic nerves and, 241,10:H78  
   systemic arterial input impedance, 238,7:H902  
   vagal cardioinhibitory neurons, medullary distribution, 238,7:R7  
 cardiovascular depression, capsaicin injection and, liver, 242,11:H955  
 cardiovascular-respiratory interactions (monkey), 234,3:H293  
 carotid, hypoxia, hypoxic and carbon monoxide, 236,5:H22  
 carotid occlusion, hypothalamic integration, 233,2:H240  
 carotid sinus  
   alloxan diabetes, 236,5:H417  
   anesthetic effects, 238,7:H815  
   arterial hemodynamic control, anesthesia effects, 239,8:H681  
   cervical sympathetic nerve stimulation and, 230:1026  
   depressed responsiveness, newborn, 237,6:H40  
   hemorrhage and, 237,6:R203  
   pentobarbital effects after hypotension and hemorrhage, 236,5:H607  
   plasma renin activity, 234,3:H670  
   regional arterial hemodynamics, 238,7:H182  
   renovascular hypertension, 236,5:H101  
   simulated dives (seal), 234,3:H730  
   sodium intake effects, 233,2:H196  
   vagal afferent effects, sodium depletion, 241,10:H255  
   vasoconstriction, right coronary (dog, pig), 241,10:H149  
 chemoreceptor, carotid, sympathetic control of cerebral circulation, 238,7:H594  
 chemoreflex  
   cardiogenic hypertensive neural pathways, 235,4:H345  
   cardiogenic hypertensive sympathetic discharge during, 238,7:H61  
   cardiogenic vasoconstrictor, prostaglandin  $F_{2\alpha}$ -induced, 240,9:H528  
   laryngeal, properties in newborn (piglet), 233,2:R30  
 circulatory  
   nephrectomy effects on kidney function, 242,11:F181  
   pericoronary stimulation, 235,4:H759  
   contracting skeletal muscle, circulatory and respiratory response, 233,2:H374  
   contrasting  
   chemical activation, cardiac afferent nerves, 239,8:H316  
   coronary occlusion, afferent nerves, cardiac, 240,9:H620  
   enterogastric, migrating myoelectric complex and (sheep), 233,2:E483  
   enteropancreatic  
     atropine effects, 240,3:G376  
     transplanted pancreas, 236,5:E186  
   excitatory, epicardial bradykinin effects, cardiac sympathetic afferents, 242,11:H148  
   exercise  
     cardiovascular response to hindlimb hypoxemia, 237,6:H359  
     heart rate, posture effects, 243,12:H676  
     sensory nerve block, muscle ischemia, 237,6:H433  
   gastric-cardiovascular, adrenergic mechanisms in, 243,12:H748  
   heart rate increase, vena cava stretching and, 241,10:H248  
   heart rate responsiveness, 238,7:H515  
   Henry-Gauer  
     central vascular expansion (monkey), 239,8:F343  
     left atrial pressure effects on renal function, awake state, 243,12:R119  
   Hering-Breuer, cardiorespiratory interactions (seal), 240,9:H190  
   inhibitory, epicardial bradykinin effects, cardiac sympathetic afferents, 242,11:H148  
   laryngeal  
     apnea, newborn (pig), 237,6:R10  
     interactions (seal), 232,1:H517  
   laryngeal apnea, anemia and (piglet), 239,8:R25  
   left atrial pressure elevation, intravascular volume and, 241,10:H760  
   left ventricular, inhibitory receptors and, 235,4:H188  
   local, stellate ganglion, 242,11:R237  
   lordosis, mesencephalic mechanisms, 237,6:R278, R285  
   muscle-heart, cardiac output during isometric exercise, 236,5:H218  
   neural, regional arterial hemodynamics, 238,7:H182  
   organization, thoracic sympathetic afferents, 237,6:H44  
   orthostatic, fastigial nucleus (cat, monkey), 232,1:H676  
   plasma renin activity, 239,8:H232  
   pressor  
     aortic nerve, carotid sinus baroreceptor and, 237,6:H662  
     hindlimb, 237,6:H359  
   pyloropancreatic, 234,3:E468  
   pancreatic exocrine secretion, 234,3:E468  
   relaxation, thin-fiber muscle afferents, tracheal smooth muscle, 243,12:R383  
   renal afferent, heart and kidney, 241,10:R286  
   renal-cardiac, renal afferent effects, 241,10:R286  
   renorenal  
     functional evidence, 239,8:F265  
     kidney function and, 243,12:F425  
     uterine occlusion and, 238,7:F229  
   resistance control, perfusion, hindlimb, 241,10:H789  
   responses, splenic afferents, 242,11:R247  
   sinoaortic  
     cardiovascular defense, 240,9:H421  
     control of circulation and renin release, 237,6:H146  
   sinus-ganglion, 242,11:H168  
   somatosympathetic  
     A and C, ascending spinal pathways, 237,6:H342  
     lateral reticular nucleus, 233,2:R100

**Reflexes (continued)**

- lateral reticular nucleus function, 232,1:H157
- somatovisceral, thin-fiber muscle afferents and, 243,12:R383
- spinal sympathetic, random activity and, spinal cord (frog), 240,9:R295
- spinovagal
  - nonhypotensive arteriovenous shunt, 236,5:H35
  - volume-induced tachycardia, 232,1:H464
- stretch, postural regulation, 239,8:R93
- superior cervical ganglion, carotid sinus distension and, 240,9:H716
- swallowing, decrement, primary afferent nerves, 239,8:R407
- sympathetic, 230:25
  - cardiac afferent nerve effects, 241,10:R267
  - inotropy, left ventricular, awake state, 241,10:H857
  - vasoconstriction, 233,2:H264
- thoracic sympathetic afferent nerve, renal effects, 233,2:H580
- trigeminal, interactions (seal), 232,1:H517
- vagal, pentobarbital effects after hypotension and hemorrhage, 236,5:H607
- vagally mediated, hemorrhage and, 237,6:R203
- vagocardiac, preganglionic neurons, 243,12:R92
- vagosympathetic, nonhypotensive arteriovenous shunt, 236,5:H35
- vagovagal, feeding pattern, 239,8:R66
- vascular, interplay among, 230:19
- vascular tone, renal, 239,8:H232
- vasodilation
  - cholinergic and histaminergic components, relation, 234,3:H305
  - pressor response buffering, 236,5:H165
- vasomotor, right atrium mediation, 241,10:R163
- vasopressin and norepinephrine response, lower body negative pressure, 243,12:H970
- vasovagal, feeding pattern, 239,8:R66
- visceral, gastric distension, 240,9:H539
- viscerovisceral, splenic afferents, 242,11:R247
- Reflex specificity**, cardiopulmonary sympathetic afferent influences, renal nerves, 233,2:H592
- Reflex suppression**, renin release, by ventricular receptors with vagal afferents, 233,2:H181
- Refractoriness**
  - adenosine monophosphate, cyclic system, renal, parathyroid hormone-mediated, 236,5:E401
  - reentrant tachycardia, stability, 240,9:H947
  - vasopressin-elicited, urinary bladder (toad), 240,9:F551
  - ventricular, autonomic control of, 241,10:H878
- Refractory periods**
  - atrial, sympathetic neural effects, 240,9:H590
  - mechanical, cardiac muscle, hypertension, 235,4:H82
  - supernormal conduction, bundle of His, 238,7:H300
  - ventricular, 236,5:H391
- QRST deflection area, 239,8:H227
- Regeneration**: see specific subject and site
- Regression analysis**: see also Models
  - multiple, circulatory transport function, 240,9:H133
- Reinfusion, urine**: see Urine
- Relaxation**
  - cardiac: see Muscle, heart
  - muscle: see Muscle

- cerebroarterial, nerve stimulation and nicotine, 243,12:H145
- isometric-isotonic, loading determinants, papillary muscle, 242,11:H303
- Renal artery**
  - angiotensin-induced relaxation, 240,9:H247
  - cardiovascular changes, stenosis, 240,9:H2
  - clamping, two-component natriuretic response, saline loading, 235,4:F126
  - clipping, acute renal failure, 233,2:F247
  - constriction
    - hypertension, 240,9:H788
    - hypertensive hypertrophy, 242,11:H882
  - helical strips, angiotensin-induced relaxation, 240,9:H247
  - hypotension: see Hypotension
  - occlusion, blood flow response, 235,4:F286
  - pressure: see Pressure
  - stenosis
    - fluid volume and pressor responses, 243,12:H779
    - hypertension and, 233,2:H514
    - vasopressin, 240,9:H862
- Renal cells**: see Kidney cells
- Renal nerve**, 230:508
  - activity
    - atrial receptor modulation (monkey), 242,11:F592
    - baroreceptors, 238,7:H801
    - coronary artery occlusion, 243,12:H170
    - electrophysiological analysis, 237,6:H44
    - prostaglandin E<sub>2</sub> and kallikrein effects, 241,10:F477
    - volume expansion and, baroreflex regulation of, 243,12:H810
  - adrenal nerves and, baroreceptor effects, 230:1733
  - afferent
    - compensatory adaptation to ureteral occlusion, 238,7:F229
    - reflex effects, heart and kidney, 241,10:R286
  - antinatriuresis, stimulation, angiotensin II effects, 231:1105
  - cardiac afferent nerve effects, kidney function, 241,10:R267
  - cardiopulmonary sympathetic afferent influences, 233,2:H592
  - catecholamine
    - excretion, urinary, 240,9:F75
    - production, 242,11:F261
    - tubular effects, 233,2:F39
  - contrasting reflex effects, coronary occlusion, 240,9:H620
  - denervation
    - catecholamine excretion, urinary, 240,9:F75
    - kidney function with, awake state, 242,11:F140
    - phosphate transport and excretion after, 240,9:F481
  - digoxin effects, cardiopulmonary baroreflexes, 243,12:H815
  - epicardial bradykinin effects, heart, 242,11:H148
  - efferent, sympathetic, 238,7:F26
  - graded stimulation, renin response to, 242,11:R552
  - hemorrhage, renal dynamics, 235,4:F46
  - modulation, macula densa and, renin secretion, 242,11:R367
  - norepinephrine overflow, 239,8:F371
  - plasma epinephrine, control of plasma renin activity, 236,5:H854
  - plasma renin activity, 239,8:H342
  - postocclusive renal blood flow, 235,4:F286
  - postural control, circulation, renin release and, 237,6:H146
  - reflexes
    - chemical activation, 239,8:H316

- functional evidence, 239,8:F265
- reinnervation, functional, development of supersensitivity to norepinephrine, 238,7:R353
- renin release, prostaglandins in, 243,12:F537
- role in spontaneous hypertension, 243,12:H284
- sodium handling and, 236,5:F513
- sodium reabsorption, tubular, 233,2:F73, 235,4:F557
- spontaneous hypertension, spinal transection, 243,12:R506
- stimulation
  - blood flow changes, renal continuous measurement, 234,3:H219
  - Henle's loop transport, 243,12:F576
  - renin release, nonfiltering kidney, 241,10:F156
- sympathetic
  - intravascular mechanoreceptor modulation, 238,7:H801
  - reflex effects of hepatic baroreceptors, 238,7:R390
- sympathetic efferent
  - reflex responses, 242,11:R247
  - renal afferent effects, 241,10:R286
- vascular control, impaired, renal hypertension, 238,7:H770
- vasculature response, humoral and mechanical factors, 235,4:R64
- Renal tubules**: see Kidney tubules
- Renal vein**
  - circular and longitudinal muscle responses, 232,1:H131
  - constriction
    - interstitial pressure, renal, 238,7:F279
    - sodium reabsorption during, 243,12:F19
  - norepinephrine overflow, 239,8:F371
  - occlusion, partial, glomerulotubular balance and, 235,4:F142
- Renin**
  - activity
    - arterial, 238,7:H384
    - during anesthesia, effect of sodium, 231:1185
    - hyperlipidemia and, 240,3:E60
    - juxtaglomerular apparatus, volume status and perfusion pressure effects, 238,7:F488
    - myocardial failure and, 243,12:H876
    - water deprivation, 239,8:R476
  - adrenally induced release, indomethacin treatment (dogs, rats), 240,9:F515
  - adrenocorticotropin/adrenal corticosteroid dose-response curves, 238,1:E543
  - aldosterone biosynthesis, sodium sequestration, 243,6:E450
  - aldosterone biosynthesis in edema, 240,3:E12
  - angiotensin-generating capacity, dipogenic levels and, 238,7:R372
  - arterial hemodynamics, 230:211
  - atrial stretch effects, heart, 242,11:H1056
  - big, adrenergic agonists, 238,1:E416
  - cardiovascular effects, central nervous system, 242,11:R545
  - concentration, plasma, P-113 effects (sheep), 236,5:F333
  - content
    - renal, autoregulatory response of renal, plasma flow, and glomerular filtration rate, 236,5:F559
    - renal, filtration rate, 232,1:F325
    - converting enzyme development, fetal lung, 236,5:R57
    - converting enzyme inhibition, glucocorticoid hypertension, 238,7:H844
    - decrease of plasma activity, volume expansion, 230:1550
    - denaturation, in vitro experiments, 236,5:F501

- depletion, blood flow, renal, autoregulation, 232,1:F215
- developing kidney and lung, 234,3:R141
- during hemorrhage and shock, 231:1300
- enzyme differences, brain, 242,5:E292
- glomerular filtration rate, autoregulation, 236,5:F559
- granules, renal, sodium restriction, 237,6:F367
- half-life, 237,6:F188
- high-molecular-weight, adrenergic agonists, 238,1:E416
- hydrochloric acid-inhibited, 239,8:F44
- positive end-expiratory pressure ventilation, 239,2:E474
- renal vascular tone, 239,8:H232
- hypotension (aglomerular toadfish), 237,6:H105
- immunofluorescent localization, kidney and submaxillary gland, 234,3:E480
- inhibition
- chloride and, 235,4:F444
  - fatty acids, 234,3:E593
  - sodium bicarbonate and potassium bicarbonate, 231:1050
- inhibitor, increased enzymatic activity, 240,3:E60
- isoproterenol stimulation, isolated perfused kidney, 232,1:F248
- juxtaglomerular apparatus, 237,6:F333
- macromolecular changes, subfornical organ area, 237,6:R26
- metabolism, prostacyclin effects, liver, awake state, 243,12:H584
- neural regulation, 235,4:H175
- nonpressor central nervous system natriuresis, 237,6:F157
- plasma activity, 230:311
- $\beta$ -adrenoceptors, 238,7:F387
  - aldosterone and, kidney, 243,12:F494
  - angiotensin II antagonists, 232,1:H110
  - angiotensin II infusion, 234,3:R66
  - angiotensin II infusion, central, sodium depletion and, 237,6:H139
  - angiotensin II infusion, intracerebroventricular, 239,2:E447
  - arginine vasopressin and, fetal kidney (ewe), 238,7:F407
  - baroreceptors, low and high pressure, 235,4:H29
  - cadmium and, 238,1:E53
  - captopril effects, awake state, 243,12:F543
  - cardiopulmonary reflex, 238,7:H611
  - carotid sinus reflex, 234,3:H670
  - caval constriction, 232,1:F559
  - chloride and, 235,4:H444
  - deoxycorticosterone acetate effects, proximal tubules, 241,10:F502
  - dietary chloride effects, 241,10:F361
  - DOCA hypertension, 232,1:F260
  - drinking, dehydration, 240,3:E394
  - during avoidance performance, 231:772
  - fastigial and baroreceptor effects, 239,8:H232
  - gentamicin nephrotoxicity, kidney cortex, 242,11:F477
  - glucocorticoid hypertension and, 243,6:E48
  - Goldblatt hypertension, renal, 241,10:H145
  - hemorrhage, fetal (sheep), 240,9:H848
  - hypercapnic acidosis, 238,7:F119
  - hyperlipidemia and, 240,3:E60
  - hypertension, 241,10:F525
  - hypertension, renovascular, 240,9:H533
  - indomethacin effects, awake state, 240,3:E286
  - postocclusive renal vasoconstriction blockade, 237,6:F463
  - potassium-mediated, 242,11:F463
  - prostaglandin  $E_2$  hypertension, 237,6:H449
  - psychosocial stimulation effects, 231:1290
- renal arterial, hypotension, 233,2:H191
- renovascular hypertension, 235,4:F310
- trypsin effects, 243,6:E206
- vasoactive intestinal peptides and, 243,12:F306
- vasopressin effects, 237,6:F232
- ventilatory rate effects, 242,11:F38
- plasma level, carotid baroreflex regulation, 239,8:H342
- pools, renal, 234,3:F506
- prostaglandin and, relations, bradykinin-induced renal hemodynamic alterations, 237,6:F433
- $\beta$ -receptors, release of, 230:410
- reflex control, 235,4:H29
- reflexes, atrial vs. pulmonary stretch, 242,11:H1065
- release
- adenosine role in, 242,11:F423
  - adrenergic modulation of, 242,11:R318
  - adrenergic receptors, renal, 232,1:F248
  - $\beta$ -adrenoceptors, 238,7:F387
  - after sinoaortic denervation and cervical vagotomy, 230:777
  - atrial pressure, graded reductions, 235,4:H175
  - calcium control, kidney slices (pig), 235,4:F22
  - calcium effects, 232,1:F377
  - carotid occlusion, renal arterial pressure, 236,5:H108
  - denervation, renal, 232,1:H500
  - dietary chloride effects, 241,10:F361
  - effects of plasma oncotic pressure, 231:1550
  - hemorrhage (aglomerular toadfish), 237,6:H105
  - hemorrhage and osmolality effects, 238,1:E62
  - hypertonic saline effects, 237,6:F441
  - inhibition of, coronary occlusion, 242,11:H107
  - inhibition, renal, angiotensins II and III, 235,4:F62
  - isoproterenol, dopamine and glucagon effects, 242,11:F267
  - magnesium effects, 232,1:F377
  - mechanisms, 234,3:F373
  - neural pathway, 238,7:H611
  - nonfiltering kidney, 241,10:F156
  - postural control, vagal and sinoaortic reflexes, 237,6:H146
  - prostaglandin  $I_2$  effects, glomeruli, 243,12:F276
  - prostaglandins  $I_2$ - and  $D_2$ -stimulated, kidney, 237,6:F285
  - prostaglandins in, sodium deprivation, 243,12:F537
  - reflex suppression by ventricular receptors with vagal afferents, 233,2:H181
  - regional, renal, 237,6:R188
  - renal arterial hypotension, 233,2:H191
  - renal, carotid baroreflex, 236,5:H580
  - renal vasodilation and, prostaglandin inhibitors, 237,6:F20
  - sodium-potassium-ATPase effects, kidney, 243,12:F598
  - stretch receptor model, 231:936
  - submaxillary glands, effects of sympathetic nervous system, 231:551
  - temperature-induced conversion, renal adrenoceptors, 243,12:F23
- renal failure, 233,2:F247
- renal hypertension, 233,2:H514, 239,8:H81
- renal, myohemoglobinuric failure, kidney, 241,10:F34
- renovascular hypertension, 236,5:H101
- response, graded renal nerve stimulation, 242,11:R552
- secretion
- $\beta$ -adrenergic and baroreceptor-mediated prostaglandins and, 236,5:F472
  - $\alpha$ -adrenoceptors and, 242,11:F620
- angiotensin II effects, renal, 243,12:F260
- anions, 234,3:F10
- arginine vasopressin effects, 236,5:F66
- carbon dioxide retention, 234,3:H573
- distal tubule sodium ions and, 235,4:F611
- dynamic, renal perfusion pressure (sheep), 236,5:F546
- hydrochloric acid-inhibited, 239,8:F44
- hypercapnic acidosis, 238,7:F119
- hypovolemia, 237,6:R45
- prostaglandin-stimulated, kidney, 237,6:F285
- renal nerve modulation of, 242,11:R367
- respiratory acidosis, 234,3:H573
- sodium salts, 234,3:F10
- submaxillary gland, sympathetic nervous system effects, 231:551
- vasoactive intestinal peptide effects, 243,12:F306
- single nephron glomerular function (trout), 239,8:R509
- stimulation of adrenocorticotropin release, effect of dehydration, 231:655
- subcellular fractionation, sodium restriction, 237,6:F367
- synthesis,  $\beta$ -adrenergic stimulation of renin release effects, 243,12:F434
- theophylline stimulation, isolated perfused kidney, 232,1:F248
- trypsin-activable, renin release stimulation effects, plasma, 243,6:E206
- tyrosine and, normotension and hypertension, 239,8:H206
- uteroplacental, blood pressure regulation, 239,8:H266
- uterine and renal, kinetic difference, 233,2:E434
- Renin-angiotensin-aldosterone system**
- caval constriction, 232,1:F559
  - hibernation (marmot), 234,3:R178
  - hypertension, 230:311
  - kallikrein-kinin system and, relations, 238,7:F247
  - normothermia (marmot), 233,2:R37
  - volume expansion, renal, neonatal, 237,6:F392
- Renin-angiotensin system**
- acute renal failure, 234,3:F171
  - adrenal insufficiency, 233,2:F509
  - aldosterone secretion, during aortic constriction, 232,1:F434
  - anesthesia, response to hemorrhage and, 243,12:H713
  - angiotensinogen
    - partial purification, 236,5:E655
    - plasma concentration, 232,1:E234
    - production, 238,1:E145
    - liver, 239,2:E442  - autoregulation effects, renal blood flow, 231:1267
  - blood flow, renal, autoregulation, 232,1:F215
  - carotid sinus reflex, 233,2:H196
  - central, dipsogenic and pressor responses, 242,11:R498
  - central nervous system and, awake state, 243,12:R82
  - collateral circulation and, renal ischemia, 243,12:H869
  - converting enzyme inhibitor, high output failure, 236,5:F541
  - cyclooxygenase inhibition, 239,8:F360
  - development, postnatal, 238,7:R432
  - drinking, caval ligation-induced, 243,12:R558
  - drinking rates (killifish), 239,8:R31
  - glomerular filtration rate, control, 233,2:F366
  - glucocorticoid hypertension and, 243,6:E48
  - Goldblatt hypertension and, kidney, 241,10:H145
  - hemodynamics, renal, 233,2:F290

**Renin-angiotensin system (continued)**

- hypertension, 231:1295, 234,3:E25, E267, H447
- corticosterone and DOCA, 233,2:F403
- renal hemodynamics, 235,4:F174
- renovascular, 235,4:F310
- two-kidney Goldblatt, 238,7:H889
- inhibitors, central antihypertensive effects, 231:1794
- intrarenal effects, saralasin reversal, 237,6:F386
- malignant hypertension, 236,5:H665
- modification of sodium chloride intake and, 231:1744
- myohemoglobinuric renal failure and, 241,10:F34
- plasma activity
  - arginine vasopressin effects, 236,5:F66
  - circulating catecholamines, 236,5:H463
  - converting enzyme inhibitor, high output failure, 236,5:F541
  - hypertension, during antidiuretic hormone and hypotonic saline infusion, 236,5:H314
  - parathyroid hormone effects, 236,5:F311
  - plasma epinephrine, possible extrarenal mechanisms, 236,5:H854
  - prostaglandins, 236,5:F472
  - salt-induced hypertension, 236,5:R40
  - tolbutamide, 236,5:E1
- potassium control, 238,7:R359
- prostaglandins and, 233,2:F169
- interaction, glomeruli, 239,8:F602
- renal blood flow and, 243,12:H277
- renal hypertension, 230:849
- sodium deprivation, 237,6:F424
- sodium intake, 233,2:F196
- stroke-prone spontaneous hypertension, 236,5:H409
- uteroplacental blood flow, pregnancy, 242,11:H142
- vasopressin-treated diabetes, 234,3:F106
- water deprivation, renal and endocrine responses to, 242,11:R296

**Renin-like activity, cerebral microves-****Renin substrates**

- angiotensin II, exogenous and endogenous, renal, 235,4:F605
- angiotensinogen production, 238,1:E145
- liver, 239,2:E442
- uterine and renal, kinetic difference, 233,2:E434

**Renorenal reflexes: see Reflexes****Renovascular hypertension: see Hypertension****Reoxygenation**

- amino acid transport, blood-brain, 233,2:E326
- calcium ion gain and, hypoxia, myocardium, 242,11:H437
- myocardial relaxation and, 237,6:H185
- stiffness, heart muscle, 232,1:H275
- weak and strong mechanisms in series, 235,4:H776

**Reperfusion**

- adenine nucleotide metabolism, fetal heart, 233,2:H282
- blood flow depression, wall thickening and, coronary, 234,3:H653
- cardiac: see Heart
- coronary artery occlusion and, 243,12:H682
- coronary artery: see Coronary artery
- dexamethasone and, ischemic myocardium, 242,11:H55
- fatty acid oxidation, ischemic heart, 239,8:H257
- myocardial relaxation and, 237,6:H185
- prolonged abnormalities following, myocardium, 241,10:H591
- rubidium-86 reflow and uptake, 234,3:H724
- subendocardial fibers, 238,7:H581

**Repolarization**

- activation sequence, extrastimulus techniques, 236,5:H391
- heart ventricles, carotid sinus denervation, 237,6:H475
- potassium membrane permeability, Purkinje fibers (sheep), 237,6:C156
- ventricular, carotid sinus denervation, 237,6:H475

**Reproduction: see also Pregnancy**

- circannual body weight rhythms, gonadal hormone effects (squirrel), 243,12:R546
- pituitary luteinizing hormone-releasing hormone receptors and, 237,6:E136
- senescence, testosterone secretion, luteinizing hormone and, age effects, 243,6:E257

**Reproductive behavior****female**

- facilitation, mesencephalic central gray stimulation, 237,6:R278
- integration, mesencephalic mechanisms, 237,6:R285

**Reproductive cycle, photoperiod-sensitive pacemaker and, 241,4:E261****Reproductive system, female, smooth muscle studies, 233,2:C180****Reserpine**

- adrenal medullary function, development (swine), 234,3:E137
- body volume regulation (tick), 238,7:R102
- collateral circulation and, renal ischemia, 243,12:H869
- glycogen, pineal cell, 232,1:E584
- glycogen metabolism, anesthesia, liver, 243,6:E182
- hypotension, baroreceptor resetting, time course, 234,3:H552
- laryngeal apnea, anemia and (piglet), 239,8:R25
- noncholinergic vasodilator innervation, feet (duck), 237,6:H112
- norepinephrine uptake, colonic mucosa, 241,4:G137
- salivary secretion (tick), 235,4:R76
- treatment, mucin secretion and, intestines, 241,4:G443
- ventricular fibrillation thresholds, 239,8:H457

**Resistance**

- afferent, 231:961
- afferent arteriolar, adenosine role in, renal, 242,11:F423
- anomalous, hydrogen ion rate, stomach (frog), 233,2:E298
- apparent source, right ventricular flow and power output, 237,6:H125
- arterial, sympathectomy, renal hypertension, 241,10:H449
- cardiac output-blood volume relations, hypertension, 243,12:R318
- carotid artery, cardiopulmonary resuscitation, 243,12:H259
- cerebrovascular, halothane anesthesia and (monkey), 233,2:H670
- coronary, adenosine and, conscious exercise, 242,11:H24
- coronary extravascular, acute regional ischemia and, 242,11:H240
- diffusion, isotonic proximal tubular fluid absorption, 236,5:F89
- distal, stenosis and, 243,12:H236
- electrical
- gastric mucosal barrier, 241,4:G275
- sodium transport, connecting tubules, 243,12:F330
- extracellular, giant axons (squid), 234,3:C162
- extravascular coronary, myocardial blood flow, 239,8:H308
- flow
  - coronary, hemorrhage, 239,8:H326
  - hematocrit variations, effect, 233,2:H106
  - hypothermia, 235,4:H136

- gastric, inhibitors and weak bases (frog), 234,3:E120
- gastric emptying, liquid meals, 241,4:G403
- hepatic, active capacitance and, 242,11:H1000
- hindlimb
  - hypoxia and, 243,12:H1010
  - reflex control, perfusion, 241,10:H789
- hormone, androgen syndromes, 243,6:E81
- hypoxemia and spontaneous hypertension, 234,3:H275
- neonatal growth (lamb), 23,3:H520
- peripheral, total, trigeminal and aortic vasodepressors, 234,3:H67
- pre- and postcapillary exercise effects, spontaneous hypertension, 234,3:H439
- input
  - carotid body cell membranes, temperature effects, 233,2:C35
  - compartmental models, neurons, 235,4:R93
- insulin: see also Insulin
  - amino acid transport, soleus muscle, 243,6:E74
  - impaired excitability, muscle, 243,6:E512
  - obesity, diabetes mellitus and, 243,6:E15
- intestinal, myogenic responses, 233,2:H547
- load, flow and power output, right ventricular, 237,6:H125
- luminal membrane, stomach, electrogenic hydrogen chloride theory (frog), 233,2:E298
- membrane
  - hypertrophied myocardium, 243,12:H917
  - skeletal muscle, 232,1:C109
- negative region, macrophages, 241,10:C9
- nicotine effects, gastric mucosa (frog), 232,1:E251
- organ, measurement by combined Fick and microsphere methods, 235,4:H357
- outflow prediction, right ventricle, 243,12:H99
- peripheral
  - angiotensin and  $\alpha$ -adrenergic receptor blockade, 235,4:F199
  - atrial vs. pulmonary stretch, 242,11:H1065
  - depressed carotid sinus reflex, newborn, 237,6:H40
  - diving responses, chemoreceptor effects (duck), 243,12:R537
- precapillary, 230:1561
  - alveolar hypoxia, 241,10:H732
- preglomerular, 231:961
- pulmonary vascular, 5-hydroxytryptamine effects, embolization, lung, 241,10:H766
- ratios
  - intestinal muscle and mucosal villi, 233,2:H685
- precapillary-to-postcapillary, intestines, 243,6:G475
- renal
  - autoregulation, 242,11:F86
  - vascular, angiotensin II effects, 242,11:F149
- segmental, 230:569
- transepithelial, luminal sodium concentration, distal tubule (snake), 239,8:F412
- vascular
  - adipose tissue, tilting effects, 242,11:H161
  - adrenergic receptors, 233,2:H22
  - afferent effects, renal, 241,10:R286
  - angiotensin and epinephrine effects, gut (dogfish), 234,3:R196
  - angiotensin II effects, renal, 241,10:R190



- arginine vasotocin, renal and peripheral (bullfrog), 239,8:R156  
 arterioles, efferent, glomerular dynamics, 236,5:F25  
 autoregulation, gastric, 241,4:G143  
 blood flow, neurohumoral regulation, bones and marrow, 237,6:H440  
 branchial, totally perfused trout, 234,3:R201  
 capacitance responses in baroreflex, 235,4:H488  
 cerebral, hypoxia, anoxia, or ischemia, 239,2:E501  
 cerebral, renal hypertension, 234,3:H35  
 coronary, adenosine and, 239,8:H509  
 coronary, adrenals and, newborn (lamb), 234,3:H173  
 coronary, critical closing and opening phenomena, 238,7:H533  
 coronary, during myocardial perfusion, 232,1:H645  
 coronary, extracorporeal circulation system, 236,5:H652  
 coronary, hypertonic mannitol, 235,4:H728  
 coronary, insulin effects, neonatal diabetes (lamb), 237,6:H514  
 coronary, myocardial oxygen consumption, 233,2:H34  
 coronary, plasma protein, 238,7:H471  
 coronary flow, hemorrhage, 239,8:H326  
 coronary peripheral, pressure wave velocity and reflection, 237,6:H469  
 coronary, collateral, after ventricular sympathectomy, 238,7:H196  
 Doppler flowmeter, awake state, 241,10:H273  
 ductus venosus, blood flow, fetal (lamb), 238,7:H656  
 edema, histamine-catecholamine interaction, 234,3:H180  
 fastigial and baroreceptor effects, 239,8:H232  
 gastrointestinal hormonal effects in various organs, 232,1:H103  
 gracilis muscle, digitalis effects, hypotension, 238,7:H279  
 hepatic, systems analysis, 233,2:R188  
 hepatic arterial, control of blood flow, 239,8:H559  
 high systemic, myocardial dysfunction, 239,8:H477  
 hindquarters, salt-induced hypertension (Dahl strain), 236,5:H48  
 histamine effects, 233,2:H148  
 humoral regulation, after pulmonary artery constriction, 236,5:H866  
 hyperosmolality, ileal, 234,3:H14  
 hypertension, hindquarter, 242,11:H37  
 hypertrophy effects, coronary circulation, 241,10:H358  
 hypothermia, 235,4:H136  
 interactions among reflexes, 230:19  
 isoproterenol effects, 233,2:H22  
 local control, 233,2:H34  
 microvessel study, 241,10:H108  
 nitroprusside effects, 237,6:H99  
 pancreas, 242,5:G96  
 peripheral, angiotensin II hypertension, 239,8:H391  
 peripheral, aversive conditioning of elevations, 236,5:H880  
 peripheral, covariations in cardiovascular activity, 236,5:H434  
 peripheral, endotoxin effects, 239,2:E311  
 peripheral, left atrium-pulmonary vein baroreflex effects, 233,2:H587  
 peripheral, sodium-calcium exchange, 232,1:C165  
 peripheral, total, anesthetic effects, 238,7:H539  
 pre- and postcapillary, hindlimb, 236,5:H586  
 prostaglandin E release, skeletal muscle exercise, 236,5:H596  
 pulmonary, arachidonic acid, 239,8:H40  
 pulmonary, intracranial pressure effects, fetal and neonatal (goat), 232,1:H671  
 pulmonary, prostaglandin E<sub>1</sub> and E<sub>2</sub>, perinatal (goat), 236,5:H828  
 pulmonary venous, intact lung, 235,4:H569  
 reactive hyperemia, 233,2:H500  
 reflex effects, renal, thoracic sympathetic afferents, 233,2:H580  
 renal, acute emotion (baboon), 236,5:R198  
 renal, angiotensin II effects, 233,2:F388  
 renal, carotid baroreflex, 239,8:H342  
 renal, circulatory control, receptor interaction, 237,6:H560  
 renal, dynamic leg exercise (baboon), 236,5:H141  
 renal, glomerular ultrafiltration dynamics, 239,8:F171  
 renal, neurogenic hypertension, 239,8:F474  
 renal, renin depletion, 232,1:F215  
 renal, spontaneous hypertension, 236,5:F246, 237,6:F128, 238,7:H287, 242,11:H961  
 renal, stop-flow pressure feedback, responses, 237,6:F204  
 renal arterioles, maturational development, 236,5:F465  
 renal collecting tubules, 233,2:F544  
 renin release, kidney, 242,11:R552  
 systemic, antihistamine and indomethacin effects, 242,11:H450  
 systolic and diastolic pressure gradients, left ventricular wall, 238,7:H625  
 total peripheral, vanadate effects, 239,8:H47  
 ventricular source, flow-pulse response methods, 237,6:H282  
**Resistance-capacitance, lattice network**, 232,1:F471  
**Resistance vessels**  
    $\beta$ -adrenergic dilator effects, skeletal muscle, 243,12:H819  
   intestinal, peptides, 232,1:H260  
   mesenteric, vasopressin effects, 236,5:H200  
**Resistivity**  
   blood, admittance plethysmography, limb, 235,4:H821  
   calibrated impedance, plethysmography, 239,8:H283  
**Resorption, bone, calcium absorption** and, intestinal, 232,1:E298  
**Respiration**  
   aerobic, spectrophotometric monitoring, kidney, 241,10:F257  
   aestivating (lungfish), 233,2:R181  
   amphibian, 230:608  
   anesthetic depression of, decerebrated rat, 243,12:H837  
   benzimidazole effects, gastric glands, 243,6:G505  
   brown adipose tissue, thyroid hormone effects, newborn, 241,4:E449  
   comparative physiology, vertebrate, 243,12:R329  
   coupling to sodium transport, 231:222  
   end-tidal forcing, Grodins model, 233,2:R66  
   expiratory duration, carbon dioxide fraction timing changes (chicken), 237,6:R260  
   expired air, carbon dioxide concentration, artificial ventilation experiments, 236,5:R126  
   intracellular oxygen supply, hypoxia, 243,12:C247  
   intralamellar blood flow, gill (fish), 239,8:R428  
   laryngeal reflex inhibition (piglet), 239,8:R25  
   loading, 230:675  
   mitochondrial  
     aged heart, 232,1:E258  
     and cytosolic metabolism, energy relations, heart, 234,3:C73  
     monoamine depletion, brain, 238,7:R364  
     open-loop chemosensitivity, 230:861  
     ouabain-sensitive, butyrate effects, brown adipocytes (hamster), 242,11:C46  
   platelet, influence of medium tonicity, 231:185  
   potassium-stimulated, dantrolene and heavy water effects, skeletal muscle (frog), 243,12:C87  
   reflex effects, from contracting skeletal muscle, 233,2:H374  
   serotonin and cold-induced metabolism, 235,4:R41  
   sinus arrhythmia, breathing pattern and heart rate, 241,10:H620  
   skeletal muscle (frog), 234,3:C1  
   state 3, intramitochondrial adenine nucleotides, heart, 241,10:H672  
   tissue  
     histamine effects, gastric glands, 238,1:G312  
     ouabain-sensitive, salt gland (duck), 237,6:C200  
     oxyntic cell, gastric mucosa, adenosine monophosphate, cyclic and hydrochloric acid in (bullfrog), 235,4:E140  
     variations in rate and depth, sleeping infant, 243,12:R164  
**Respiratory acidosis: see Acidosis**  
**Respiratory alkalosis: see Alkalosis**  
**Respiratory capacity, muscle, epinephrine treatment effects**, 241,10:C55  
**Respiratory cells, ion exchange, freshwater and seawater adaptation (teleost)**, 238,7:R260  
**Respiratory drive**  
   laryngeal chemoreflex, neonatal (piglet), 233,2:R30  
   laryngeal reflex apnea, newborn (pig), 237,6:R10  
**Respiratory duration, breath-to-breath relations, sleeping infant**, 243,12:R164  
**Respiratory enzymes, mitochondrial, iron deficiency effects, skeletal muscle**, 241,10:C47  
**Respiratory heat loss: see Heat**  
**Respiratory mechanics, comparative, growth and, species differences, newborn**, 241,10:R336  
**Respiratory motor nerves**, 230:861  
**Respiratory pattern, heart rate and, respiratory sinus arrhythmia effects**, 241,10:H620  
**Respiratory rate**  
   circadian pattern, radiotelemetry, 236,5:R231  
   oxygen tension effects, kidney cells, 233,2:C135  
**Respiratory regulation**  
   active transport role, midgut (hornworm), 238,7:C10  
   carbon dioxide fraction timing changes (chicken), 237,6:R260  
   coupling, midgut (hornworm), 238,7:C1  
   Grodins model, evaluation, 233,2:R66  
   intrapulmonary chemoreceptors (avian), 233,2:R15  
   neurohumoral carbon dioxide signals, computer simulation, 238,7:R28  
   pulmonary ventilation, 230:608  
   ratio, mitochondria, skeletal muscle, 234,3:C1  
   temperature effects (turtle), 239,8:R254  
**Respiratory rhythm: see Rhythm**  
**Respiratory sinus, arrhythmia, breathing pattern and heart rate**, 241,10:H620  
**Respiratory system**  
   endotoxic shock, 232,1:H682

- Respiratory system** (*continued*)  
vertebrate, gas exchange, 243,12:R329
- Respiratory tract**, secretions, pathways, 239,8:F215
- Rest**: *see also* Exercise  
cardiovascular activity, 236,5:H434  
mediation and, blood flow redistribution, 235,4:R89
- Resting tension**, tracheal muscle, increase during metabolic inhibition, 231:1470
- Rest-twitch potentiation**, theophylline effects, ventricular muscle, 241,10:H583
- Resuscitation**, ventricular defibrillation threshold, temporal stability, 235,4:H553
- Reticular formation**  
mesencephalic reproductive behavior, female, 237,6:R278, R285  
midbrain, 230:368
- Reticulocyte lysate**, metallothionein induction, cadmium and zinc effects, small bowel, 243,6:G396
- Reticulocytes**  
characterization of maturing, 230:1676  
glucose permeability and metabolism, 230:1668  
oxygen delivery, postnatal, 237,6:H71
- Reticuloendothelial function**  
fibronectin effects, bacteremia, 242,11:H557  
prostacyclin and, hypoxic liver, 238,7:H176
- Reticuloendothelial system**  
blockade, opsonic protein electroimmunoassay, 232,1:R80  
depression, hemorrhagic shock, 232,1:H283  
development, hormonal influences, 233,2:C141  
function  
cardiogenic shock, 236,5:H813  
hypoglycemic depression, 231:265  
intravascular coagulation and, 234,3:H323  
hyperinsulinemia, Kupffer cell phagocytosis, 238,1:E276  
phagocytosis, mechanism of hyperinsulinemia after, 242,5:E115  
platelet removal, hepatic and splenic, 235,4:H314  
shock, 230:178
- Reticulum**, capillary blood flow (sheep), 232,1:E53
- Retina**, circulation: *see* Circulation
- Retinoic acid**, 233,2:E263
- Retinol transport**, bile effects, 239,2:G210
- Retrograde blood flow**: *see* Blood flow
- Reynolds number**, pulmonic stenosis murmurs (calf), 238,7:H876
- Rhabdomyolysis**, magnesium depletion, skeletal muscle injury after, 243,12:F113
- Rheogenic pump**: *see* Pump
- Rheogenic transport**, monovalent ions, proximal tubules (salamander), 241,10:F540
- Rheology**, blood, fibrinogen concentrations, 236,5:H447
- Rhizotomy**, volume-induced tachycardia, 232,1:H464
- Rhythms**  
activity, renal electrolytes (squirrel), 232,1:F128  
adrenal, 235,4:R210  
amplification, adrenocortical system, 239,8:R309  
arterial pressure and heart rate, fetal and maternal (sheep), 243,12:R433  
atrial (lungfish), 232,1:H24  
atrioventricular junctional, atrial ectopic foci, 238,7:H783  
atrioventricular junction, cholinergic intervention in autonomic nerves, 239,8:H181  
biological, free fatty acid patterns, plasma, 232,1:E25  
biological clock  
bile acid production, 236,5:R175  
liver glycogen metabolism, hypothalamic lesions, 238,1:E21  
cardiac-related, sympathetic oscillators, 239,8:H143  
circadian  
adrenocortical activity differences, mutual influence, 234,3:E515  
adrenocortical, blinded infant, 243,6:E443  
adrenocorticotropin, serotonergic system and, 239,2:E482  
aldosterone (squirrel monkey), 233,2:R230  
bile acid distribution, 230:1331  
blood components, 24-hour temporal variation, 237,6:E255  
body temperature, aberrations of, medial preoptic lesion, 242,11:R352  
body temperature, suprachiasmatic lesions (monkey), 241,10:R385  
brain activity, epilepsy (baboon), 239,8:R35  
calcium metabolism, 237,6:R311  
central vascular expansion at night (monkey), 239,8:F343  
circulation pattern, radiotelemetry, 236,5:R231  
corticosterone, serotonergic system and, 239,2:E482  
coulometric microrespirometry and, 243,12:R185  
cycloheximide-induced phase shifting, 241,10:R31  
dark pulse effects (hamster), 242,11:R44  
decomposition, 235,4:R250  
desynchronization (monkey), 232,1:R31  
disaccharidase activity, small intestine, 234,3:E500  
dissociation with conflicting temporal information (monkey), 235,4:R175  
dual system theory (insect), 241,10:R322  
entrainment of, serotonin and (mollusk), 242,11:R326  
enzyme activity, pineal, under ultradian lighting schedule, 232,1:E375  
feeding and metabolic patterns, 235,4:E119  
food-sleep relations, 238,1:E223  
glucocorticosteroids and, 243,12:R373  
gonadal hormone effects, 241,10:R62  
gonadotropin release, 238,7:R23  
internal synchronization, under constant light, 235,4:R243  
intestinal, under oral and intravenous feeding, 238,1:G203  
intestinal disaccharidases, adurnal feeding effects, 238,1:G97  
intestinal sucrose and glucose transport, 230:731  
jejunal sucrose activity, development, 235,4:E437  
lipogenesis (sparrow), 232,1:E193  
liver glycogen metabolism, hypothalamic lesions, 238,1:E21  
locomotor, estradiol and progesterone interaction (hamster), 239,8:R497  
locomotor activity, 239,8:R149  
lordosis behavior and, female, 243,12:R112  
oviposition activity (*Ostrinia*), 239,8:R259  
ovulation, phase shift, 239,8:R450  
pacemaker, blindness, 236,5:R249  
phase angle, 235,4:R243  
photoperiod-sensitive pacemaker and, 241,4:E261  
pineal and activity cycles, blindness, 234,3:R110  
plasma cortisol, periodicity, Cushing's syndrome, 236,5:R268  
renal electrolytes (squirrel monkey), 232,1:F128  
running activity, under ultradian lighting schedule, 232,1:E375  
sex differentiation, 238,7:R97  
sleep patterns, 238,1:E223  
sleep timing, sex differences, 243,12:R193  
small intestinal functions independent of use of intestine, 238,1:G203  
stress-induced eating and, 241,10:R72  
synchronization by light and food (squirrel monkey), 234,3:R130  
temperature,  $\alpha$ -methyl-*p*-tyrosine effects, 243,12:R218  
temperature, storage telemetry, 233,2:E479  
thermoregulation (squirrel monkey), 236,5:R153  
ultradian components, 235,4:R250  
urinary excretion, epilepsy (baboon), 239,8:R35  
vasopressin and melatonin, cerebrospinal fluid, 243,6:E489  
volume expansion and, renal (monkey), 242,11:F649  
circannual body weight, gonadal hormone effects, 243,12:R546  
cortical, brain stem origin, 239,8:R42  
diurnal  
amino acid turnover rates and pools, 237,6:E418  
biphasic postprandial secretory response, pancreas, 238,1:G332  
changes, hormonal, adrenocortical system, 239,8:R309  
pH changes, duodenum, 238,1:G91  
photoperiodic regulation of growth (lamb), 241,4:E1  
pineal cell glycogen, neural control, 232,1:E584  
plasma glucose response, oral glucose load, 238,1:E463  
protein degradation, muscle, 233,2:E119  
drinking, renal electrolytes (squirrel monkey), 232,1:F128  
endogenous ultradian, exposure to prolonged continuous light, 235,4:R250  
free-running  
adrenocortical activity, 234,3:E515  
dark pulse effects (hamster), 242,11:R44  
*Ostrinia*, 239,8:R259  
generation, spinal transection, 243,12:H463  
idioventricular, 230:116  
epinephrine effects, heart, 242,11:H677  
junctional, sinoatrial node artery distribution and, 241,10:H45  
locomotor, temporal structure, 239,8:R149  
minute, spike bursts, small intestine, species differences, 242,5:G654  
renal, multiple-coupled pacemaker system, 241,10:R412  
respiratory-related, sympathetic oscillators, 239,8:H143  
sinus node pacemaker cells, mechanisms, 235,4:H379  
sinus venosus (lungfish), 232,1:H24  
sympathetic nerve discharge, brain stem, 239,8:R42  
ultradian  
episodic hormone secretion, 243,6:E310  
24-hour profile, statistical analysis, 237,6:E255  
**Rhythmicity**, tracheal smooth muscle, during metabolic depletion, 233,2:C8  
**Ribidium**, transport, digoxin effects (sheep), 243,12:H519  
**Riboflavin**, deficiency, newborn, 233,2:E397

- Ribonuclease A**, clearance, hepatobiliary and pancreatic, 243,6:G21
- Ribonucleic acid**  
activity  
glucocorticoid effects, hemicorpus, 238,1:E564  
implanted sponge connective tissue, in zinc deficiency, 236,5:E272  
caerulein-secretin interaction, trophic effects, pancreas, 235,4:E714  
cytoplasmic, noncoordinate regulation, compensatory renal hypertrophy, 237,6:R360  
deoxyribonucleic acid and, hybridization, dose-response curves, 235,4:E97  
heart function, 230:199  
hypertrophy, renal, parabiotic, 232,1:F405  
isolated, epithelial cell, bladder (toad), 238,7:F140  
pancreatic growth and, 239,2:G400  
production and distribution, hepatic, infection and endotoxin effects, 238,1:G303  
prophylactic digitalization effects, myocardial, 233,2:H600  
protein synthesis, 230:1108  
liver and small intestine, 241,4:E238  
skeletal muscle, 239,2:E88  
protein turnover, skeletal muscle, 234,3:E38, 235,4:E231  
ribosomal, aldosterone effects, bladder (toad), 232,1:C174  
starvation, age, and obesity effects, 239,8:F269  
stretch-induced growth, wing muscles (chicken), 239,8:C39  
stretch-induced hypertrophy, skeletal muscle, wing (chicken), 242,11:C333  
subfornal organ area, dehydration and renin effects, 237,6:R26  
synthesis  
diabetes-induced renal growth, 238,1:E349  
epidermal growth factor, oxyntic gland, 238,1:G45  
myocardial, hyperthyroidism, 236,5:H451  
postnatal, myocardial, 235,4:H338  
salt-dependent (brine shrimp), 238,7:R91  
uric acid metabolism, muscular dystrophy, 234,3:E421
- Ribonucleic acid polymerases**, initiation sites, myocardial, 236,5:H451
- Ribosomal subunits**, skeletal muscle, fasting, 236,5:E222
- Ribosomes**  
hepatic, infection and endotoxin effects, 238,1:G303  
lung, starvation and diabetes, 236,5:E421  
subunits, glucocorticoid effects, hemicorpus, 238,1:E564
- Rickets**  
hematopoietic stem cell reduction, 243,12:C303  
phosphorus, adaptation, vitamin D or parathyroid gland and, 239,2:G261
- Rigor**  
actomyosin ATPase (chicken gizzard), 237,6:C213  
measuring device, ischemic heart, 243,12:H911
- Ringer loading**, aortic clamping during, 232,1:F92
- Ringer infusion**, papillary collecting duct, 239,8:F92
- Ristocetin**, platelet cohesion, 241,10:H54
- Ro 4-4602**, reflex bradycardia, 236,5:R302
- Rose bengal**, biliary transport, 232,1:E445
- Rotenone**  
epithelial cell activity, bladder (toad), 232,1:F196
- metabolism and transport and, proximal tubule (rabbit), 243,12:F133
- R-R interval**, high-resolution, determination, 236,5:H894
- Rubidium**, palmitic acid utilization, renal cortex, 232,1:F254
- Rubidium-86**  
accumulation, intracortical peritubular plasma flow and, 233,2:F333  
efflux, pancreatic islets, 236,5:E139  
extraction, arterial hypoxia, 234,3:E248  
glomerular and nutrient blood flow measurement, 235,4:H592  
myocardial and total body integral extraction ratios, analysis, 235,4:H794  
reflow and uptake, coronary occlusion, 234,3:H724
- Rubidium chloride**  
microspheres and, quantitation of collateral and ischemic flow, 234,3:H487  
radioactive, glomerular and nutrient blood flow measurement, 235,4:H592
- Rubidium ions**  
active transport, skin (teleost), 241,10:F482  
transport  
duck, 234,3:C59  
gastric mucosal cells, 235,4:E16  
pars recta, 242,11:F226
- Rubidium-86 ions**, fluxes, aldosterone release, adrenal, 237,6:E363
- Rumen**, capillary blood flow (sheep), 232,1:E53
- Running**: see Exercise
- Ruthenium red**  
calcium fluxes, pancreatic islets, 238,1:E96  
myocardial contracture, mitochondrial calcium accumulation and, ischemia, 233,2:H677
- R wave voltage**, ischemic heart, 239,8:H380
- S**
- Saccharin**  
excretion, renal, 238,7:F10  
zona incerta lesions, 233,2:R53
- Safflower oil**  
ingestion, plasma and lymph lipoproteins and, 241,4:G422  
saturation, low-density lipoprotein and, 241,4:E57
- Salbutamol**  
adenosine monophosphate, cyclic stimulation, arteriolar, hypertension, 243,12:H398  
erythropoiesis, 236,5:H422  
stimulation of arteriolar number, spontaneous hypertension, 236,5:H134
- Salicylate**, ion transport, gastric mucosa, 230:319
- Saline**  
appetite, mineralocorticoid hypertension, 236,5:E366  
catecholamine responses, 232,1:F123  
diuresis, denervated and intact kidney, 237,6:F262  
drinking, following intracarotid infusion, 232,1:R88  
expansion  
chloride transport, inner medullary collecting duct, 238,7:F504  
oxytocin natriuresis, neonatal, 239,8:F589  
expansion: see Volume expansion  
filtration fractions and, kidney, 243,12:F96  
hypertonic  
infusion, ethanol effects, 242,11:R522  
infusion, hypertension, 236,5:H314  
infusion, portal antidiuretic hormone release, 236,5:E603  
renal blood flow, 237,6:F441
- splanchnic infusion, renal response, cirrhosis, 242,11:F390
- infusion**  
inotropy and preload at high heart rate, independent cardiac effects, 236,5:H568  
phosphate reabsorption, renal tubular, calcium effects, 234,3:F22
- loading**  
calcium excretion, urinary, 232,1:F545  
denervated and intact kidney, 237,6:F262  
erythrocyte velocity, vasa recta, 237,6:F326  
filtration rate, after anesthesia, 232,1:F329  
glomerulotubular balance and, developing kidney, 235,4:F417  
renal, hemodynamic and excretory response, neonatal, 236,5:F392  
renal sodium handling and, 235,4:F394  
two-component natriuretic response, 235,4:F126  
natriuresis, urea washout and, kidney, 241,10:F250
- Salinity**  
gill arch response (mullet), 238,7:R160  
nucleic acid synthesis, regulation (brine shrimp), 238,7:R91  
polysaccharidic maternal and, gill chloride cell (teleost), 238,7:R213
- Saliva**  
amylase and calcium, adrenergic effects, 236,5:E371  
formation, parasympathetic control, 233,2:F22  
ion concentrations, changes produced by increased intraluminal pressure, 231:974  
microdrop analysis technique, scanning electron microscope, 234,3:F255  
secretion, parotid, angiotensin II effects (sheep), 237,6:E56  
stimulated, protein composition, 242,5:G231
- Salivary duct**  
adrenergic agonists, 235,4:F548  
sympathetic control, 230:341  
transport, parasympathetic control, 233,2:F22
- Salivary glands**  
blood flow in, kallikrein-kinin system and, 242,11:H1010  
calcium movement, stimulus-secretion coupling (blowfly), 241,4:G150  
metabolic alterations, experimental obesity, 233,2:R162  
phosphatidylinositol, arachidonic release from, 5-hydroxytryptamine-stimulated (blowfly), 243,12:C222  
potassium efflux, calcium and, 235,4:C128  
potassium ion transport, 234,3:E79  
secretory response, dispersed submandibular cells, 238,7:C90, C99  
submandibular mucin secretion, calcium and adenosine monophosphate, cyclic effects, 241,10:C76  
transport, submaxillary duct epithelium, 242,11:F132
- Salivary secretion**  
body volume regulation (tick), 238,7:R102  
sympathetic control, 230:341  
transmitters, antagonists and, effects (tick), 235,4:R76
- Salivation**, body volume regulation (tick), 238,7:R102
- Salmonella typhimurium**, ribonucleic acid response, hepatic, 238,1:G303
- Salt**  
absorption  
Henle's loop, 237,6:F196  
pars recta, 234,3:F349  
acaptation, urea transport and, skin (amphibian), 241,10:R114

**Salt (continued)**

- appetite
  - malignant hypertension, 236,5:H665
  - sodium concentration in cerebrospinal fluid and (sheep), 242,11:R51
- balance, embryo, seawater (*Fundulus*), 238,7:R42
- depletion
  - carotid sinus reflex, 233,2:H196
  - renin release, denervated kidney, 232,1:H500
- dietary restriction or excess, glomerular adaptations, 238,7:F428
- excretion
  - chronic unilateral renal denervation, awake state, 242,11:F140
  - micropuncture surgery effects, 232,2:F600
  - renorenal reflex, 239,8:F265
  - flow, proximal tubular, network thermodynamic model, 235,4:F638
- hypertension: *see also* Hypertension baroreflexes and vasopressin in, 242,11:H44
  - membrane properties, arterial muscle, 241,10:H224
  - vasopressin and neurogenic mechanism interaction during, 242,11:H37
- loading
  - hypertension, spontaneous, 234,3:F29
  - intrarenal blood flow distribution and, 231:1111
  - prostaglandins in stroke-prone spontaneous hypertension, 243,12:H360
  - renal clearance studies, 232,1:F178
  - renal response (starling), 234,3:F270
  - single nephron glomerular filtration rate, feedback-mediated autoregulation, 237,6:F63
  - spontaneous hypertension, 234,3:F29
  - stroke-prone spontaneous hypertension, 236,5:H409
- potassium infusion and, plasma renin activity, 242,11:F463
- preference, adult, effects of prenatal and postnatal sodium deprivation, 234,3:F58
- reabsorption
  - proximal, ion selectivity and, 235,4:F234
  - tubular, 241,10:F219
- retention
  - ascites, 232,1:F315
  - caval constriction, 232,1:F507
  - chronic caval, kidney papilla, 242,11:F370
- transport
  - carbonic anhydrase and (fish gill), 238,7:R240
  - pars recta, 234,3:F340
  - water homeostasis and, renovascular hypertension, 235,4:F310
  - zinc nutrition and, 241,10:R233
- Salt-excreting epithelia**, C-4 pathway (crustacean), 238,7:R269
- Salt-excreting organs**, vertebrate, comparison, 238,7:R219
- Salt gland**
  - cells, methacholine effects, sodium pump activity (duck), 241,10:R77
  - dissociated cells, separation procedures and characterizations (duck), 238,7:C184
  - insulin effects, monovalent cation transport and sodium-potassium-ATPase activity, 234,3:C59
  - intracellular concentrations, 230:514
  - nasal, secretion, body fluid properties (duck), 239,8:R489
  - quinuclidinyl benzilate binding, muscarinic receptors (avian), 243,12:C254
- secretion
  - osmotic threshold, dehydration and (duck), 236,5:R355
  - veratrine effects (goose), 232,1:R185
  - sodium transport (duck), 236,5:C200

- Salt-water balance**, skin (seasnake), 235,4:R151
- Sample/hold peak detector**, maximum upstroke velocity, cardiac action potential, 234,3:H312
- Saphenous artery**
  - adrenergic innervation, 239,8:H252
  - adrenergic neuromuscular transmission, 232,1:C128
- Saphenous vein**
  - endoperoxide analogs, 233,2:H361
  - nerve endings, estradiol effects, 239,8:H450
  - nerve stimulation, norepinephrine disposition, 239,8:H238
  - norepinephrine accumulation, plasma effects, 243,12:H424
  - norepinephrine levels, synaptic cleft, 242,11:H233
  - norepinephrine overflow, measurement, 236,5:H263
  - norepinephrine metabolism, 234,3:H235
  - reactivity, extracellular sodium effects, 235,4:H581
- Saralasin**: *see also* Angiotensin antagonists
  - angiotensin II antagonism, kidney effects, 242,11:F149
  - cardiovascular responses, 235,4:F199
  - collateral circulation and, renal ischemia, 243,12:H869
  - drinking rates (killifish), 239,8:R31
  - pressor and dipsogenic action, subfornical organ, 239,8:R382
  - renal function (piglet), 238,7:R438
  - renin release, inhibition, kidney slices, 235,4:F62
- Sarcolemma**
  - cardiac, sodium-potassium-ATPase activity, fatty acid effects, 242,11:H456
  - hydrolysis of, lysosomal lipases, 242,11:H652
  - isolated vesicles, calcium ion binding, uncoupling cation effects, neonatal, 237,6:H332
  - protein phosphorylation, heart, 241,10:H117
- Sarcolemmal enzymes**, sodium-calcium exchange and, ischemic heart, 242,11:C288
- Sarcolemmal membrane**, calcium ion and sodium ion binding, myocardial contractility, 238,7:H373
- Sarcolemmal vesicles**
  - calcium ion and sodium ion binding, myocardial contractility, 238,7:H373
  - proteinase pretreatment effects, sodium-calcium exchange, heart, 243,12:C191
- Sarcomere**
  - direct measurement of length, cardiac cells, 242,11:H68
  - energy utilization, muscle (horseshoe crab), 242,11:R394
  - length
    - myofibrillar splitting (chicken), 241,10:C93
    - wing muscle (chicken), 239,8:C39
  - length control, striated muscle, 242,11:H411
  - motion, isolated cardiac cells, 236,5:C70
  - spacing, skeletal muscle (frog), 243,12:C66
- Sarcoplasm**, magnesium concentration, myocardial contracture, 234,3:C115
- Sarcoplasmic enzymes**, release, skeletal muscle (frog), 241,10:C98
- Sarcoplasmic reticulum**
  - adenosine triphosphate effects, vascular smooth muscle, 242,11:C242
  - calcium transport ATPase, hyperthyroidism, 235,4:H745
  - chloride content, cellular (amphibian), 235,4:C122
  - contraction-relaxation rates, isoproterenol effects, 233,2:H404

- disuse effects, fast and slow skeletal muscle, 243,12:C156
- energetics, dantrolene effects, 238,7:C56
- intracellular localization, markers (frog), 237,6:C50
- load dependence, heart failure, 242,11:H855
- muscle contraction, 230:1217
- myocardial, phosphorylation in hyperthyroidism, 234,3:H426
- myocardium, neonatal, 242,11:H834
- physiological hypertrophy, cardiac, 241,10:H263
- physiology, quantitative ultrastructural analysis, 235,4:C147
- prolonged exercise, muscle fatigue and, 242,11:C65
- protein phosphorylation, heart, 241,10:H117
- sucrose, <sup>3</sup>H-labeled, compartments (frog), 234,3:C181
- thyrotoxicosis effects, skeletal muscle, 243,12:C151
- thyrotoxic soleus muscle, 238,7:C15
- Sarcotubular system**, load dependence, cardiac muscle relaxation (frog, cat, rat), 237,6:H455
- Sartorius muscle**
  - blood flow autoregulation, oxygen effects, 241,10:H807
  - elastic modulus, 230:205
  - oxygen effects, arteriolar dimensions and blood flow, 241,10:H547
  - reactive hyperemia, capillaries, 230:715
- Satiety**: *see also* Feeding
  - cholecystokinin, 230:15
  - glucose infusion, 230:1084
  - hepatic-portal nutrient infusions, 232,1:E119
  - humoral factor, 232,1:R150
  - suckling (pig), 232,1:E510
- Saturation transfer method**, metabolism, striated muscle, 242,11:C1
- Saxitoxin**, membrane sensitivity (crayfish, salamander, frog), 235,4:C204
- SC 19220**, renal cortical smooth muscle active factor response, 232,1:F84
- Scanning**: *see also* Imaging
  - bone, diphosphate extraction and clearance, 232,1:H341
  - electron microscopy: *see* Microscopy
  - laser, cardiac muscle, 237,6:H260
  - liver, bile secretion, hemodynamic effects, 234,3:E584
- Scatchard plots**, leukoagglutinin-lymphocyte binding, 237,6:E207
- Schistosomiasis**, hepatic uptake, 238,7:H533
- Sciatic nerve**, extract, neurotrophic effects, myosin heavy chain synthesis (chick), 241,10:C269
- Science**
  - complexity and limits to knowledge, 235,4:R201
  - general theory of systems, 233,2:R169
- Scientific creativity**, pathological science, and the gauntlet of review, 236,5:R1
- Scientific law**
  - choosing the right fictions, 239,8:R365
  - getting the homunculus out of the head, 239,8:R363
- Scintigraphy**
  - gastric emptying, measurement, 239,2:G39
  - hepatic lobular concentration gradient, bile acid derivative, 238,1:G233
- Scintillation-disk flow cell technique**, calcium exchange, myocardial tissue culture, 237,6:H239
- Screening**, membrane surface charges, 235,4:C109
- Seasonal acclimatization**
  - nonshivering thermogenesis, skeletal muscle, 241,10:R185
  - substrate metabolism (goldfinch), 242,11:R563



- Seasonal factors**, fattening (sparrow), 232,1:E193
- Secretagogues**  
 amylase release, theophylline effects, pancreatic acini, 239,2:G324  
 calcium ion-dependent stimulation, gastric glands, 239,2:G90  
 epithelial cells, small intestinal, 238,1:G190  
 gastric hydrogen ion secretion, substrates and, 231:522  
 gastric mucosa (bullfrog), 239,2:G485  
 goblet cell secretion and, intestinal, 242,5:G380  
 insulin: *see* Insulin  
 pancreatic, calcium messenger role, 239,2:G335  
 pancreatic acinar response, 235,4:E517  
 pancreatic enzyme secretion, peptide and secretin effects, 242,5:G423  
 pancreatic secretion of, protein synthesis inhibitor effects, 243,6:G285  
 receptors: *see* Receptors  
 responsiveness, pancreatic enzymes and, fasting and refeeding effects, 242,5:G215  
 stimulation, aminopyrine accumulation, isolated parietal cells, 238,1:G366
- Secretin**  
 adenosine monophosphate, cyclic production, isolated fundic mucosal cells, 237,6:E437  
 amylase release, pancreatic acini, 235,4:E743, 236,5:E571, E754  
 antral smooth muscle, 236,5:E39  
 atropine effects, action and release, 242,5:G608  
 bicarbonate transport, gastroduodenal (bullfrog), 242,5:G100  
 bile flow and (baboon), 242,5:G475  
 biphasic postprandial secretory responses, pancreas, 238,1:G332  
 blood flow, renal, 232,1:F147  
 caerulein and, interaction on pancreatic size and composition, 235,4:E714  
 diurnal pH changes, duodenum, 238,1:G91  
 electrolyte transport, esophageal (rabbit, opossum), 239,2:G5  
 enteric parasitism and, 237,6:R232  
 enzyme secretion and, pancreatic, 242,5:G423  
 epidermal growth factor and, 238,1:G45  
 erythritol and mannitol clearance, biliary, 234,3:E146  
 exercise and, 239,2:G136  
 gallbladder response, 230:553, 1461  
 gastric glucagon release, gastric and intestinal phase of meal, 238,1:G109  
 Gila monster venom effects, pancreas, 242,5:G470  
 insulinotropic factor secretion, intestinal, 236,5:E710  
 insulin secretion and, ethionine-treated pancreas, 243,6:E505  
 intestinal phase, 230:335  
 luminal somatostatin and, pancreatic secretion, 241,4:G109  
 manganese effects, amylase release, pancreatic acini (guinea pig), 241,4:G359  
 meal and hormone effects, duodenal, 238,1:G280  
 pancreatic acinar cells, PHI effects (guinea pig), 241,4:G498  
 pancreatic enzyme secretion, cholecystokin effects, 242,5:G464  
 pancreatic growth and, 239,2:G400  
 pancreatic peptide activity, bovine, 232,1:E311  
 pancreatic response, 232,1:E156  
 pancreatic secretion stimulation, 236,5:E678  
 pancreatic secretory response, 233,2:E530  
 phosphodiesterase inhibitor effects, pancreatic acini, 242,5:G547  
 plasma, duodenal acidification, 230:784  
 plasma concentration, fasting and postprandial, 236,5:E539  
 porcine, perfused pancreas and, 241,4:G43  
 postnatal development, intestinal, 243,6:G511  
 prostacyclin-induced inhibition, 238,1:G531  
 protein digests, acid-induced pancreatic secretion and, 242,5:G634  
 pylorus and, 243,6:G330  
 receptors, small intestinal epithelial cells, 238,1:G190  
 responses to gastric and intestinal meals, pH effects, 233,2:E537  
 responses to meals, varying in pH, 233,2:E41  
 secretagogue receptors and, pancreatic acinar cells, 238,1:G63  
 secretory effects, isolated perfused pancreas (pig), 235,4:E381  
 serum, in long-term parenteral feeding, 233,2:E524  
 substance P effects, gastric and pancreatic secretion, 241,4:G74  
 theophylline effects, pancreatic acini, 239,2:G324  
 tropic action, pancreas, 234,3:E286  
 vascular effects, various organs, 232,1:H103
- Secretion**: *see* specific subject and site
- Secretory immunity**, intestines, 242,5:G1
- Secretory membrane**, gastric mucosa, ionic transport, 231:1649
- Secretory rate**, maximum, bile acids, 241,4:G337
- Sedation**, hyperthermia, critical thermal maximum and, 235,4:R228
- Seizures**  
 epileptic: *see* Epileptic seizures  
 redox transitions, cerebral cortex, 238,7:H249  
 sympathetic neural effects, cerebral vessels, 237,6:H178
- Selenium**, cadmium effects, renal, 232,1:H114
- Self-reference**  
 Hofstadter's metaphorical fugue, 238,7:R291  
 limits of models, 242,11:R167  
 physical causality, brain theories and, 238,7:R277
- Self-selection feeding**: *see* Feeding
- Semistarvation**: *see* Fasting
- Sensitivity**: *see also* specific subject and site  
 cocaine, 233,2:H399  
 cultured cardiac muscle cells, autonomic agents, embryo (chick), 233,2:C172  
 differential, to neurotransmitters in denervated sinus node, 233,2:H211  
 gonadotropin, during ovarian development, 233,2:E229  
 hypertension, 234,3:E25  
 myocardial, reinnervation and, 233,2:H431  
 threshold, adrenal cells, 233,2:E402
- Sensor**, thermistor, urine flow, 234,3:F452
- Sensorimotor deficit**, zona incerta lesions, 233,2:R53
- Sensory function**, liver, 236,5:R5
- Sensory nerve block**, pressor response, muscle ischemia, 237,6:H433
- Sensory synapses**, transduction mechanisms, carotid body, 239,8:C135
- Sepsis**  
 glucose kinetics and, adrenergic blockade effects, 241,10:R222  
 hepatic glycogen metabolism, glucoregulatory hormones and, 230:1296  
 hyperdynamic severe, fluid administration and (monkey), 243,12:R131  
 transvascular fluid balance during, fibroblast effects, intestines, 242,11:H557
- Septal artery**  
 atrioventricular junctional rhythm, 239,8:H181  
 collaterals and, with and without circumflex occlusion, 238,7:H504  
 coronary flow, perfusion territory relations, 243,12:H738
- Septic shock**: *see* Shock
- Septum**  
 interventricular  
 ammonia extraction and clearance, 242,11:H536  
 extracellular marker, heart, 242,11:H671  
 ventricular: *see* Heart ventricles
- Sequential-shock strategy**, transthoracic defibrillation (calf), 243,12:H982
- Series elasticity**  
 component  
 carotid artery, identification, 232,1:H122  
 short-range stiffness, 232,1:C45  
 smooth muscle: *see* Muscle, smooth  
 urinary bladder smooth muscle, 231:1337
- Serine**  
 caffeine and (frog), 241,10:C160  
 metabolism, urea synthesis and, skeletal muscle, 242,5:E87  
 protein synthesis, insulin receptors and, 241,10:C167
- Serine protease**, plasma, radioimmunoassay for, 242,11:H602
- Serosal cells**, membrane, transport inhibitors, intestinal (chicken), 241,10:C227
- Serosal membrane**, p-aminohippuric acid transport, urinary bladder (rock crab), 242,11:R25
- Serotonin**  
 adenosine monophosphate responses, choroid plexus, 232,1:E353  
 adrenocorticotropin feedback inhibition, 234,3:R46  
 area postrema, solitary tract nucleus and, 241,10:R158  
 asymmetric contraction, ear artery, 238,7:H618  
 brain  
 metabolic heart production in cold, 235,4:R41  
 protein intake regulation, weanling, 236,5:R307  
 thermoregulation and, 238,7:R364  
 brown adipose tissue and, sympathetic neurons, 231:34  
 calcium and, stimulus-secretion coupling (blowfly), 241,4:G150  
 calcium sources, basilar artery, 241,10:H129  
 cardiogenic hypertensive chemoreflex, neural pathways, 235,4:H345  
 cerebrovascular responses, 5-hydroxytryptamine (baboon), 234,3:H300  
 cholecystokinin and, brain, 239,2:E232  
 circadian rhythm and  
 eye (mollusk), 242,11:R326  
 pineal and running, blindness, 234,3:R110  
 electrolyte transport, ileum, colon, and gallbladder, 239,2:G463  
 Goldblatt hypertension, veins and arteries, 241,10:H525  
 intestinal transport and, 232,1:E85  
 lipolysis and phosphorylase, adipose tissue, 237,6:E11  
 plasma dense granule constituent, comparative study of, species differences, 243,12:R454  
 platelet release, fibrin-induced, 231:344  
 platelets (Chediak-Higashi cattle), 237,6:R239  
 reflex bradycardia, 236,5:R302  
 release  
 fibrin-induced, 233,2:H305  
 platelets, pyridoxal phosphate and, 238,7:H54

**Serotonin (continued)**

transmitterlike action, rhythm, eye (mollusk), 242,11:R333  
 turnover, brain, uremia, 232,1:E526  
 vascular resistance and reactivity, renal, spontaneous hypertension, 238,7:H287  
 water transport, intestinal, ileal blood flow and, 236,5:E482

**Serotonergic system**, circadian rhythm, adrenocorticotropin and corticosterone, 239,2:E482

**Serotonin N-acetyltransferase**

circadian activity, ultradian lighting schedule, 232,1:E375  
 pressure, 232,1:H241, H545

**Serous cells**

stimulus-induced vacuolation  
 secretory glands, tracheal, 241,10:C25  
 submucosal glands, tracheal, 241,10:C25

**Serous glands**, lingual: see Tongue

**Serum**

alkaline phosphatase activity, fat feeding effects, 241,4:G461  
 aortic albumin, Evans blue dye uptake and, 243,12:H708  
 biochemical parameters, alloxan diabetes mellitus, 239,2:E412  
 constituents: see specific constituent  
 gastrin concentration, fetal and neonatal (sheep), 241,4:G235  
 lipoprotein lipase activity and, fat cells, 243,6:E175  
 membrane transport effects, lung macrophages, 236,5:C111

**Serum gastrin**, levels, after cholinergic stimulation, 231:1250

**Servo control**

hydraulic, arterial blood pressure measurement, 237,6:H632  
 pressure, viscoelasticity and, femoral artery, 236,5:H720

**Servo-controlled roller pump**, cardiovascular research, 238,7:H269

**Servo-nulling system**, pressure measuring, nailfold capillaries, 236,5:H888

**Servo-null method**, vascular smooth muscle, during hemorrhage, 238,7:H144

**Servo pump**: see Pump

**Servo system**

computer-controlled, weak and strong myocardium in series, 235,4:H776  
 oxygen consumption, myocardial, 233,2:H421  
 papillary muscle, 233,2:H162  
 pressure, pericardial-ventricular interaction, 238,7:H494  
 ventricular volume clasper, 233,2:H718

**Sex**, reactive hyperemia curve, 233,2:H500

**Sex differences**

androgen-mediated, cardiovascular, 235,4:H242  
 androgen resistance syndromes, 243,6:E81  
 body weight regulation, hypothalamic damage, 242,11:R265  
 bone loss, postmenopausal and osteoporotic women, 242,5:E82  
 brain aromatization, luteinizing hormone secretion and, male, 241,4:E246  
 circadian system, 238,7:R97  
 circadian timing, sleepiness, 243,12:R193  
 circannual body weight rhythms, gonadal hormone effects (squirrel), 243,12:R546  
 corticosterone regulation, water deprivation and, female, 241,10:R21  
 erythropoietic factor, hepatic production, 238,1:E245  
 hormone levels, castration, 241,4:E460  
 hypertension, cadmium-induced, 235,4:H385  
 insulin action, fat cells, 243,6:E158  
 luteinizing hormone response

luteinizing hormone-releasing hormone, 235,4:E291

luteinizing hormone-releasing hormone and dibutyladenosine monophosphate, cyclic, 236,5:E216  
 mucosal gastrin receptors, binding, 243,6:G469

pituitary adenosine monophosphate, cyclic response, gonadotropin-releasing hormone, 235,4:E37

**Sex hormone-binding globulin**, testosterone-estradiol transport, brain, 239,2:E103

**Sex hormones**

blood pressure, 232,1:H617  
 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub>, serum (chick), 235,4:E338  
 female, lower esophageal sphincter muscular inhibition (opossum), 234,3:E243  
 protection against circulatory stress reactions, 231:842

**Sex steroids**: see Steroids

**Sexual impairment**, mesencephalic lesions, 237,6:R285

**Sexual maturity**, hypophysectomy (calf, heifer), 232,1:E497

**Sham feeding**: see Feeding, sham

**Shear angle**, deformation measurement, epicardium, 239,8:H432

**Shear rate**, microvascular (bat wing), 232,1:H400

**Shear stress**

histamine synthesis, aorta, 234,3:H701  
 regulation, carotid artery wall, 239,8:H14

**Shell formation**, estrogen effects (chick), 235,4:E338

**Shiga toxin**: see Enterotoxin

**Shigella dysenteriae I enterotoxin**: see Enterotoxin

**Shigellosis**, *Shigella* enterotoxin, pathogenic role, 239,2:G382

**Shivering**

facilitation, brainstem, 232,1:R198  
 free fatty acid oxidation, muscle (bovine), 237,6:E309  
 glucagon effects (pigeon), 232,1:E451  
 hypothalamic cooling, 230:522  
 hypothalamic temperature (seal), 232,1:R18  
 inhibition, brainstem, 232,1:R190  
 skeletal muscle, 241,10:R185

**Shock**

adenosine triphosphate-MgCl<sub>2</sub> treatment, 242,11:R604  
 antilymphocyte serum, 230:178  
 avoidance, hemodynamic adjustments, 236,5:H225  
 burn, cardiac output, 232,1:E415  
 cardiogenic  
   coronary occlusion, hydrogen peroxide effects, 234,3:H28  
   cysteine and, 235,4:H657  
   reticuloendothelial system function, 236,5:H813  
   carotid occlusion, reflex, 233,2:H240  
   circulatory, adrenal blood flow regulation, 241,10:H872  
   conditional cardiovascular response, before and after coronary occlusion (monkey), 236,5:H273

**endotoxic**

blood, role of, 233,2:E71  
 blood volume, actively circulating, indicator-dilution measurement, 236,5:H291  
 cardiodepressant substance, isolation, 237,6:H168  
 cardiorespiratory effects, 232,1:H682  
 gram-negative sepsis, 238,7:H325  
 krypton-85 distribution, intrarenal, 232,1:H54  
 left ventricular performance, 242,11:H172  
 fluid administration and, hyperdynamic

severe sepsis and (monkey), 243,12:R131

free fatty acid turnover, cerebrospinal fluid, during hypotension, 236,5:H802

gluconeogenesis effects, glucose utilization, 231:872

hemorrhagic, 230:940

adenosine triphosphate uptake, liver and kidney, 233,2:R83

$\alpha$ -adrenergic blockade, 232,1:F409

adrenergic vessels, prostaglandin modulation of, 241,10:H85

angiotensin II receptor blockade, 236,5:H280

blood flow, cerebral (goat), 232,1:H368

blood flow to marrow and osseous tissue, 238,7:H360

cardiodepressant substance, isolation, 237,6:H168

endocrine activation (monkey), 233,2:E439

hematocrit variations, coronary, 239,8:H326

humoral factor depletion, 232,1:H283

hyperosmotic sodium chloride and, innervated lung, 241,10:H883

interorgan transport of amino acids, 231:377

intramyocardial distribution of blood flow in, 230:41

kidney function, 230:724

renal function, 232,1:F409

renal release of prostaglandin E, 230:831

solute mixing, impaired, 236,5:H440

survival and microvascular responses, anesthetics and, 235,4:H753

vascular smooth muscle tone and venous membrane potentials, 238,7:H144

verapamil effects, heart, 241,10:H12

hyperosmotic sodium chloride and, 239,8:H664

**hypovolemic**

blood flow, gastrointestinal, glucagon effects, 238,1:G434

hyperosmotic sodium chloride and, 239,8:H664

hyperosmotic sodium chloride and, innervated lung, 241,10:H883

naloxone effects, 239,8:H416

nonhypotensive, restoration of hemorrhaged plasma volume by gastrointestinal fluid, 234,3:H80

occlusion, splanchnic artery, dopamine action, 234,3:H1

osmotic, creatine kinase release and, muscle (frog), 242,11:C398

pituitary endorphins, central nervous system effects, 241,10:H479

redox transitions, cerebral cortex, 238,7:H249

renin response and angiotensin control, 231:1300

reticuloendothelial function, 234,3:H323

septic, glucose metabolism, 235,4:R219

splanchnic arterial occlusion, smooth muscle function, pulmonary vascular (pig), 241,10:H34

splanchnic artery occlusion, prostaglandin release, 230:684

therapy, hyperosmotic sodium chloride, innervated lung, 241,10:H883

traumatic, humoral deficiency and reticuloendothelial depression after, 230:7

**Short-circuit current**: see Current

**Shunt**: see also Bypass

**arteriovenous**

biventricular hypertrophy, normotensive, 236,5:H640

spontaneous hypertension and, 242,11:H722

wall shear stress, carotid artery, 239,8:H14

- bypass tracts, reentrant excitation, cardiac, 235,4:H1
- cardiopulmonary, endogenous anticoagulation, heparinlike inhibitor, 239,8:H742
- cardiopulmonary bypass, mitral valve opening and closure, 234,3:H146
- central, flows and pressures, fetal (lamb), 241,10:H60
- extracorporeal, measurement of coronary flow in closed-chest, 233,2:H154
- facultative anaerobic, C-4 pathway (crustacean), 238,7:R269
- heart failure, model, 236,5:H698
- hexose monophosphate, cardiac myocytes, 232,1:E570
- jejunoileal bypass
- glucose uptake, 238,1:G219
  - hypothalamic hyperphagia and obesity, 239,2:G387
  - meal patterns, genetically obese and lean rats, 237,6:R217
  - obese and lean mice, 234,3:E389
- left ventricular hypertrophy, 236,5:H487
- nonhypertensive, neural mechanism in tachycardia, 236,5:H35
- paracellular path, gastric mucosal barrier, 241,4:G275
- pathway
- chloride, short-circuited skin (frog), 234,3:F437
  - effects of vasopressin and amiloride, 231:164
  - ileal, 238,1:G326
  - renal collecting tubules, 233,2:F559
  - skin (frog), 232,1:C67
  - sodium flux, 232,1:F461
- pentose
- hydrogen ion transport, urinary epithelia, 235,4:F77
  - ischemic heart, 236,5:R21, R31
- portacaval
- blood-brain transport, 241,4:G163
  - cholesterol biosynthesis, liver, 239,2:G83
  - sulfur amino acid metabolism and, 241,4:G503
- portacaval diversion, lipid metabolism, adipose tissue, 234,3:E579
- portal-systemic
- portal hypertension and, 243,6:G320
  - splanchnic hemodynamics, 242,5:G156
- right heart bypass
- isoproterenol action, venous return, 232,1:H152
  - rubidium-86 integral extraction ratios, 235,4:H794
- small intestinal bypass, hepatic lipid accumulation, 239,2:G358
- sodium ion conductance, stomach (mammalian), 234,3:E228
- veno-right atrial bypass, nitroprusside and, vascular effects, 237,6:H99
- Shwartzman reaction**, leukocytes, peritoneal, 235,4:H333
- Sialic acid**
- calcium exchange, myocardial tissue culture, 237,6:H239
  - electrogenesis, cultured heart cells, embryo (chick), 239,8:C197
  - insulin action, neuraminidase inhibition, adipocytes, 239,2:E186
  - myocardial cell, 235,4:H461
- Sickle cell anemia**: see **Anemia**
- Sieving coefficients**, tubular, renal failure, 237,6:F319
- Signal averager**, dual channel, spontaneous signals, 242,11:H291
- Signal-processing systems**, ultrasonic measurement, urine flow parameters, 232,1:F471
- Silastic**, testosterone implants, 233,2:E495
- Silastic implants**, luteinizing hormone surge (rhesus monkey), 236,5:R102
- Silent period**,  $\beta$ -Sitosterol, pregnancy, 230:754
- Silicone elastomers**, potassium ions loss, renal tissue, 235,4:F228
- Silicone rubber**, filler-free, platelet function, 232,1:H622
- Silver**
- arterial quantitative microautoradiography, 239,8:H289
  - excretion, biliary, metallothionein effects, 234,3:E47
- Silver quantification**, autoradiography, methods, 238,7:H414
- Single-circulation multiple-tracer dilution**, substrate uptake, lung cells, 243,12:C20
- Single nephron filtration rate**: see **Filtration**; see also **Nephron**
- Sinoaortic denervation**
- hypertension and, sympathetic activity, 238,7:H521
  - hypertension: see **Hypertension**
  - nucleus tractus solitarius destruction and, comparison, 236,5:H736
- Sinoaortic reflex**: see **Reflexes**
- Sinoatrial cells**, cholinergic receptors, desensitization, 238,7:H439
- Sinoatrial conduction**: see **Conduction**
- Sinoatrial node**
- excision
  - atrial pacemaker activity, 242,11:H98
  - pacemaker function, 234,3:H465, H471
  - grayanotoxin I effects, 235,4:C136
  - pacemaker activity
    - current flow effects, 238,7:H307
    - ectopic atrial, 238,7:H788  - pacemaker cells: see **Pacemaker cells**
  - primary pacemaking cell, mathematical model, heart, 243,12:H207
  - sensitivity differences, vagal stimulation, 241,10:H684
- Sinoatrial node artery**, cardiac automaticity and, 241,10:H45
- Sinoatrial ring bundle**, role in internodal conduction, 231:319
- Sinusal afferents**, superior cervical ganglion, 242,11:H168
- Sinus node**
- atropine-induced changes, postnatal, 234,3:H412
  - cardiac automaticity and, 233,2:H625
  - chronotropic response, bimodal, 241,10:H311
  - denervated, differential sensitivity to neurotransmitters, 233,2:H211
  - desensitization, cholinergic receptor, 238,7:H439
  - neural control, human disease, 239,8:H581
  - phase control, 238,7:H307
  - responses, carotid baroreceptor stimuli, 242,11:H638
  - sympathetic stimulation responses, heart, 241,10:H850
- Sinus node artery**
- atrioventricular junctional rhythm, 235,4:H308
  - vagal activity, 237,6:H275
  - differential sensitivity, neurotransmitters, 233,2:H211
- Sinusoidal forcing function**, heart muscle, 232,1:H275
- Sinusoidal motion**, peripheral visual field, postural reactions, 239,8:R71, R80
- Sinus venosus**, rhythm (lungfish), 232,1:H24
- Sitting position**: see **Posture**
- Size**
- esophageal sphincter, age-related changes, 233,2:E407
  - heart, ultrasonic dimension gauge, 233,2:H322
- Skeletal mass**, postmenopausal women, 235,4:E82
- Skeletal muscle**: see **Muscle**, skeletal
- Skeleton**, iron-59 uptake, estrogen effects (quail), 236,5:E342
- Skin**
- bath osmolality effects, water permeability (frog), 242,11:C184
  - battery, glabrous epidermis (cavy), 242,11:R358
  - blood flow: see **Blood flow**
  - capillary flow velocity, microscope-television system, 233,2:H318
  - circulation: see **Circulation**
  - cold exposure, reflex cardiac effects, 239,8:H114
  - electrical and transport characteristics (larval frog), 237,6:R74
  - electrical parameters of, furosemide effects (frog), 243,12:F581
  - flux, two active transport mechanisms (frog), 232,1:F550
  - gills and, sodium and water exchange (amphibian), 242,11:R94
  - gland changes, isoproterenol-induced changes, 241,10:C250
  - heat flow, 230:1205
  - hydrogen excretion, active (frog), 233,2:F46
  - isolated, chloride absorption-base excretion coupling (frog), 235,4:F33
  - methylhistidine release, 243,6:E293
  - oxygen consumption, measurement (frog), 236,5:F206
  - peptides, pancreatic acinar cell responses (amphibian), 235,4:E112
  - permeability
    - channel structure and (snake), 242,11:F681
    - larval and adult (salamander), 239,8:R505
    - newt, 238,7:R113
    - sea snake, 235,4:R151  - phosphorus, nuclear magnetic resonance analysis (frog), 243,12:C74
  - protein exclusion, increased venous pressure and, 242,11:H1038
  - reflex effects, thermal stimulation on sympathetic nerve activity, 230:271
  - rubidium ions, active transport across (teleost), 241,10:F482
  - short-circuited, chloride fluxes, amiloride reduction (frog), 234,3:F437
  - sodium entry, kinetics (frog), 235,4:C35
  - sodium entry and transport pool, stratum corneum (frog), 232,1:C37
  - sodium transport
    - epithelia, electrophysiology of, 241,10:F579
    - vasopressin, theophylline, prostaglandin  $E_2$  and, skin (frog), 241,10:F279  - sodium transport pool (frog), 234,3:F1
  - temperature: see **Temperature**, body
  - thermodynamic parameters, furosemide effects (frog), 243,12:F588
  - urea transport through (amphibian), 241,10:R114
- Skin melanophores**, adrenergic receptors (frog), 241,4:E84
- Skylab**: see **Spaceflight**
- Sleep**
- active, motility, species differences (rat, rabbit, human), 241,10:R312
  - ambient temperature (kangaroo rat), 237,6:R80
  - arousal: see **Arousal**
  - autonomic heart rate control, development, newborn, 238,7:H829
  - baroreceptor reflex, behavioral influence (baboon), 241,10:R277
  - circadian, feeding patterns, 238,1:E223
  - circadian timing, sex differences, 243,12:R193
  - desynchronized, neural control of vasomotion, ear, 243,12:R142
  - electrophysiology (ground squirrel), 233,2:R213
  - growth hormone release (monkey), 243,12:R213
  - ischymetric regulation, hypothesis, 238,1:E307
  - neurohumoral regulation, 238,1:E116

**Sleep (continued)**

- rapid eye movement, ventilatory measurements, infant, 243,12:R164
- REM, eye movements, 241,10:R217
- slow-wave, urine sleep-promoting factor effects, 241,4:E269
- slow-wave (marmot), 235,4:R82
- ventilation, breath-to-breath variations in, infant, 243,12:R164
- winter, pituitary-thyroid axis (bear), 237,6:E227

**Sleep-promoting factor**, human urine, cat sleep cycle and, 241,4:E269

**Sleep-promoting material**, urine, relation to factor S from brain, 238,1:E116

**Sleep-wake cycle**, mathematical model, 242,11:R3, R17, R22

**Slow-channel blockers**, Purkinje fiber action potential overshoot, 237,6:H204

**Slow channels**

- atrioventricular node, 236,5:C1
- myocardial, electrophysiology, 235,4:H1
- valinomycin blockade, glucose reversal, 235,4:H46

**Slow-twitch muscles**: see Muscles

**Slow waves**

- adenosine monophosphate, cyclic and calcium, colon, 242,5:G124
- electrical
  - calcium levels and, small intestine, 243,12:C7
  - ethyl alcohol effects, antral muscle, 242,5:G222
- entrainment and propagation, small intestine, 237,6:C237

**Slow-wave sleep**: see Sleep

**Small bowel**, myoelectric activity, substance P effects, 243,6:G493

**Smoking**, carbon monoxide exchange, fetal-placental, 232,1:H311

**Smooth muscle**: see Muscle, smooth

**Sodium**

- absorption, 230:239
  - cholinergic regulation, colon, 242,5:G116
  - cortical collecting tubules, 235,4:F576
  - corticosteroid-induced changes, colon, 241,4:G300
  - descending colon, 242,11:C81
  - electrogenic, ileum, 238,1:G208
  - intestinal, 234,3:E629
  - intestinal (freshwater prawn), 239,8:C1
  - norepinephrine effects, intestinal, 241,4:G264
  - potassium secretion and, cortical collecting tubule, 241,10:F395
  - proximal tubules (snake), 234,3:F68
  - serotonin effects, ileum, gallbladder, colon, 239,2:G463
  - skin (frog), 233,2:F46
  - tryptophan effects, jejunum, newborn, 242,5:G308
- acidification kinetics, renal tubular, 236,5:F434
- active membrane selectivity, atrioventricular node, 236,5:C1
- active transport
  - neuroendocrine control (fiddler crab), 242,11:R505
  - thermodynamics of, corneal epithelium (frog), 242,11:F690
- activity
  - DOCA hypertension, 232,1:F260
  - intracellular, catecholamine effects, heart, 243,12:H670
- $\alpha$ -adrenergic stimulation, lacrimal cells, 239,2:G99
- aldosterone effects, potassium distribution, 243,12:R526
- p-aminohippuric acid transport and, bladder (crab), 238,7:R311
- aminoisobutyric acid uptake, parotid gland, 239,2:G183

**appetite**

- ACTH-elicited (sheep), 239,2:E45
- hypovolemia, 237,6:R45
- appetite osmosensitivity and angiotensin, third ventricle interactions, 236,5:R75
- ATPase dependency, salt gland (duck), 237,6:C200
- balance
  - adrenal enucleation, 238,1:E220
  - adrenocorticotropin/adrenal corticosteroid dose-response curves, 238,1:E543
  - angiotensin antagonists and, hypotensive effects, 234,3:H447
  - angiotensin II, central, 242,11:R498
  - angiotensin II and, awake state, 241,10:F381
  - cirrhosis, 238,7:F353
  - cirrhosis, kidney, 242,11:F390
  - collecting tubule, 237,6:F247
  - excretion and, control, 235,4:F163
  - natriuresis of hypertonic saline infusion, 230:1183
  - neuroendocrine control (fiddler crab), 242,11:R505
  - papillary collecting duct (desert rodent), 239,8:F539
  - perinephritic hypertension, 233,2:F278
  - pregnancy, 239,8:R143
  - renal, following volume expansion, 233,2:F416
  - renal hypertension, 230:311
  - salt intake and, glomerular adaptation, 238,7:F428
  - vasopressin effects, awake state, 243,12:R512
  - vasopressin-treated diabetes, 234,3:F106
- body, age- and race-related changes, 232,1:E419
- calcium absorption, intestinal, 230:1255
- calcium transport, erythrocytes, 237,6:C96
- cell components, vascular smooth muscle, 242,11:H751
- channels
  - activation, islet cells, 237,6:E130
  - tyrosine reagents, bladder epithelium (toad, turtle), 239,8:F299
- chemical maturation, 242,11:R390
- chloride transport, epithelial tissues, 236,5:F1
- clearance
  - diuretics effects on, 230:67
  - shock, 230:724
- concentration
  - cerebrospinal fluid, salt appetite and (sheep), 242,11:R51
  - luminal and electrical properties, distal tubule (snake), 239,8:F412
  - nauplius (shrimp), 234,3:R216
  - osmolality and, plasma, 238,1:E313
  - postprandial changes, gallbladder, 243,6:G365
  - potassium secretion, distal tubule, 236,5:F192
  - variations, proximal tubular response, 238,7:F256
- concentration gradients, cardiac cells, 236,5:H189
- conductance, background, tetrodotoxin effects, heart, 236,5:H561
- content
  - normothermia (marmot), 233,2:R37
  - proximal tubules, hypotonic medium effects, 232,1:F42
- contraction, vascular smooth muscle, 238,7:H761
- cotransport, sodium-potassium-ATPase and, gill (eel), 238,7:R246
- current, *Gymnodinium breve* toxin effects (squid), 232,1:C23
- currents, axon (squid), 238,7:C127
- cyclooxygenase inhibition, renal effects, 239,8:F360

cytosolic, pancreatic acinar secretion, 242,5:G513

**deficiency**

- aldosterone secretion, P-113 effects (sheep), 236,5:F333
- mineralocorticoid and, colon, 238,7:F261
- deficit, growth, sodium excess effects, 242,5:E241
- delivery, distal tubular, volume expansion, 239,8:F228
- depletion
  - angiotensin II, 232,1:F538
  - angiotensinogen production, 238,1:E145
  - cardiovascular responses, 235,4:F199
  - filtration rate, regulation, 232,1:F325
  - glomerular filtration and, 233,2:F366
  - hemodynamics, angiotensin II central infusion, 237,6:H139
  - hepatic, prostacyclin effects, 243,12:H584
  - parotid saliva secretion (sheep), 237,6:E56
  - plasma renin activity, 234,3:H670
  - potassium intake and, 233,2:F225
  - renal hypertension, 233,2:H514
  - renin release with carotid occlusion, 236,5:H108
  - renovascular hypertension, 236,5:H101
  - vagal afferent effects, carotid sinus reflex suppression, 241,10:H255
- deprivation
  - angiotensin II formation blockade, 237,6:F424
  - critical periods, 234,3:F59
  - increased potassium secretion, 239,8:F378
  - prostaglandins in renin release, 243,12:F537
  - renin release and, 234,3:F376
- dietary
  - pressor response, renal arterial hypotension, 233,2:H191
  - prostaglandin production, kidney, 241,10:F517
- efflux
  - active, cardiac cells, 236,5:H189
  - respiration and, skeletal muscle (frog), 243,12:C87
  - saturation of, across skin, 231:995
  - skin, 231:995
  - transepithelial (frog), 232,1:C67
- electrical activity and, pancreatic  $\beta$ -cells, 242,11:C296
- electrolyte excretion and, adaptive changes, renal, 243,12:F211
- entry and transport pool, stratum corneum (frog), 232,1:C37
- entry kinetics, skin (frog), 235,4:C35
- esophageal smooth muscle (opossum), 232,1:E270
- exchange, skin and gills (amphibian), 242,11:R94
- excretion
  - adrenal enucleation, 233,2:F8, 238,1:E220
  - adrenal enucleation effects, 231:1421
  - adrenal enucleation effects, kidney, 242,11:F453
  - $\alpha$ -adrenergic blockade, 232,1:F409
  - angiotensin and, 239,8:F271
  - angiotensin I effects, 234,3:F130
  - angiotensin II, 232,1:F298, F538
  - angiotensin II and III, 236,5:F252
  - angiotensin II effects, renal, 233,2:F388
  - angiotensin II formation, blockade, 237,6:F424
  - angiotensin II hypertension, 239,8:H391
  - aortic clamping, 232,1:F92
  - atrial stretch effects, 242,11:H1056
  - atrial vs. pulmonary stretch, 242,11:H1065



- bradykinin, natriuretic action, 237,6:F182  
 calcitonin stimulation (starling), 238,7:R406  
 cardiac afferent nerve effects, kidney, 241,10:R267  
 caval constriction, 232,1:F507  
 central nervous system regulation of, 230:427  
 central regulation, 239,8:F206  
 central vascular expansion (monkey), 239,8:F343  
 control, 235,4:F163  
 converting enzyme inhibitor, high output failure, 236,5:F541  
 denervated and intact kidney, 237,6:F262  
 deoxycorticosterone and, adrenalectomy, 242,5:E305  
 developing kidney, 235,4:F417  
 diuretics effects on, 230:1225  
 during angiotensin infusion, 230:1042  
 electrolyte circadian rhythm, renal (squirrel monkey), 232,1:F128  
 fractional, renal vein constriction, 238,7:F279  
 furosemide, 232,1:F397  
 gastrointestinal control, lack of evidence, 238,7:F112  
 gastrointestinal control of, 230:1504  
 glomerular ultrafiltration dynamics, 239,8:F171  
 hemorrhagic shock, 232,1:F409  
 hypertension, spontaneous, 234,3:F29  
 hypertensive and normotensive rats, 235,4:F394  
 inner medullary collecting duct, 238,7:F504  
 interstitial pressure control, renal, 243,12:F325  
 metabolic and respiratory acidosis, renal, 233,2:F82  
 natriuresis and, kidney, 241,10:F250  
 nephron function, 232,1:F566  
 neural control of, kidney, 243,12:F425  
 parathyroid hormone effects, 236,5:F311  
 parathyroid hormone effects, renal, 243,12:F514  
 postprandial (sheep), 233,2:F213  
 potassium excretion and, nephron heterogeneity, 239,8:F187  
 pregnancy, 239,8:R143  
 prostaglandin inhibitors, 235,4:F338  
 prostaglandins and, 233,2:F169  
 regulation of, aldosterone effects, 242,11:F30  
 renal perfusion pressure (sheep), 236,5:F546  
 renal (starling), 233,2:F138  
 renovascular hypertension, 235,4:F310  
 salt gland (duck), 237,6:R355  
 saralasin and indomethacin effects (piglet), 238,7:R438  
 secretin, 232,1:F147  
 spontaneous hypertension, 237,6:F38, 241,10:F244  
 thiopental effects, renal, 243,12:F265  
 two-component natriuretic response, 235,4:F126  
 uninephrectomy, 233,2:F428  
 vasopressin effects, 231:28  
 volume expansion and, renal (monkey), 242,11:F649  
 volume expansion effects, 233,2:F118  
 water deprivation and, 242,11:R296  
 exercise effects, 242,11:R482  
 expansion, urine collection device and, 233,2:F615  
 extracellular, antidiuretic hormone-thirst feedback mechanism, 232,1:R145  
 extraction, cerebral, test for extracerebral contamination, 238,7:H868  
 flow-dependent transport processes, renal, 243,12:F1  
 fluid absorption, proximal tubules (snake), 234,3:F68  
 flux  
 bidirectional, placenta (sheep), 235,4:F536  
 cardiac cells, cultured, 236,5:C87  
 dopamine effects, proximal tubule, 242,11:F634  
 proximal tubule (*Necturus*), 232,1:F461  
 ratio, and electromotive force of sodium transport, 233,2:C188  
 ratio, electrochemical gradients and, bladder (toad), 236,5:F405  
 submaxillary duct, 233,2:F22  
 transmural, gastric mucosa, 235,4:E7  
 fractional absorption, amino acid effects, kidney, 243,12:F284  
 glomerular filtration rate, feedback regulation, 233,2:F1  
 D-glucose transport and, brush border membrane vesicles, kidney, 242,11:F340  
 gradient  
 epithelial tissues, 236,5:F1  
 nonelectrolyte transport and, epithelium, 241,4:G451  
 transmembrane, proximal tubules, 238,7:F445  
 hypertension, corticosterone and DOCA, 233,2:F403  
 inorganic phosphate effects, cardiac function, 242,11:H79  
 intake  
 blood pressure and, 239,8:F271  
 carotid sinus reflex, 242,11:H196  
 myohemoglobinuric renal failure and, 241,10:F34  
 potassium excretion and, renal, 233,2:F225  
 renin release, 232,1:F377  
 intestinal interstitial hyperosmolality, absorptive hyperemia, 242,11:H785  
 intracellular, rectal gland (dogfish), 237,6:F468  
 lactate and, cotransport, renal brush border membrane, 239,8:F496  
 loading  
 angiotensin II binding to renal glomeruli, 230:1187  
 blood flow and renin release, renal, 237,6:F441  
 plasma renin activity, 239,8:H342  
 renin release, 234,3:F376  
 low peritubular concentration, vasopressin action and, 243,12:F503  
 luminal concentration, potassium secretion and, cortical collecting tubule, 241,10:F395  
 lung endothelial permeability to, 230:1708  
 magnesium metabolism, 234,3:F466  
 magnesium transport and, nephron, 239,8:F393  
 metabolic hyperemia, gut, 239,2:G12  
 metabolism  
 aortic-caval fistula effects, 231:56  
 intracellular pH effects, skeletal muscle (frog), 242,11:C87  
 pre- and postnatal, 234,3:F59  
 micropuncture, superficial nephrons (avian), 243,12:F561  
 mineralocorticoid escape, nephron sites, 239,8:F149  
 muscarinic stimulation, lacrimal cells, 239,2:G99  
 muscle content, insulin hyperpolarization, 241,10:C145  
 nephron reabsorption, magnesium effects on, 230:398  
 ouabain-mediated uptake, liver, 230:876  
 oxytocin effects, saline-expanded neonates, 239,8:F589  
 parathyroid hormone transport, kidney tubules, 230:256  
 permeability: see also Permeability chloride and, proximal convoluted tubules, 235,4:F592  
 myocardial cell swelling, 239,8:H31  
 proximal tubule (*Necturus*), 232,1:F461  
 skin (frog), 234,3:F437  
 plasma  
 anteroventral third ventricle lesion, 243,12:H614  
 circannual renal function (marmot), 241,10:R87  
 concentration, 232,1:R145, 243,6:E287  
 hyperthermia, 230:74  
 hypertonic infusions, aldosterone effects, 242,11:F30  
 hypertonic intracarotid infusion effects, 243,6:E522  
 levels, angiotensin II infusion, intracerebroventricular, 239,2:E447  
 sinoaortic denervation hypertension, 236,5:H92  
 postglomerular plasma concentrations, 231:822  
 potassium absorption and, urinary bladder (turtle), 241,10:F315  
 potassium and, intracellular activities, 234,3:F261  
 potassium concentration and, vascular smooth muscle reactivity, 241,10:H217  
 potassium control, renin-angiotensin system and, 238,7:R359  
 potassium-free potential difference response to, stomach (frog), 242,5:G620  
 potassium ion loss, renal tissue, 235,4:F228  
 potassium secretion and, luminal chloride effects, kidney, 242,11:F46  
 prostaglandin E release and, 231:1429  
 pumping, 230:158  
 pump: see Pump  
 reabsorption, 230:1067  
 angiotensin II-stimulated, renal, 232,1:F298  
 bicarbonate-dependent oxygen requirements, proximal tubule, 238,7:F175  
 bladder (toad), 236,5:F505  
 chloride concentration gradient, newborn, 239,8:F328  
 cortical collecting tubules, 241,10:F452, F461  
 denervation, renal, 232,1:F16, F26  
 2,4-dinitrophenol effects, renal, 233,2:F207  
 distal, tubular, effects of parathyroid hormone, antidiuretic hormone, and adenosine monophosphate, cyclic, 239,8:F478  
 dopamine and renal energy metabolism, 230:1126  
 ethacrynic acid and ouabain effects, kidney tubules, 242,11:F254  
 glomerular filtration, renal, 233,2:F61  
 glucose stimulation, renal, 233,2:F235  
 mineralocorticoids and sodium-potassium-ATPase in, renal, 233,2:F593  
 oxygen requirement, renal, 232,1:F152  
 papillary collecting duct (desert rodent), 239,8:F539  
 parathyroid hormone effect, distal convoluted, 235,4:F321  
 potassium ion loss, renal tissue, 235,4:F228  
 renal, hypothyroidism, 236,5:F536  
 renal, neonatal, 237,6:F392  
 renal, ureteral obstruction, weanling, 236,5:F260  
 renal vein constriction, 243,12:F19  
 sodium-potassium-ATPase and, kidney, 242,11:F207  
 tubular, neurogenic regulation, 233,2:F73  
 tubular, sympathetic nerve activity, 235,4:F557  
 volume expansion, 232,1:F26  
 volume expansion and, 233,2:F416  
 receptors: see Receptors

**Sodium (continued)**

- reduction, cerebroarterial response, 234,3:H404
- regulation (mussel), 235,4:R35
- renal handling
  - blood pressure and, 235,4:F425
  - hypertensive and normotensive rats, 235,4:F394
  - sympathectomy effects, 236,5:F513
- renin activity and, arterial pressure during anesthesia, 231:1185
- replacement and transport, proximal tubules (salamander), 241,10:F540
- restriction
  - Goldblatt, development, 238,7:H889
  - prostaglandin  $E_2$  biosynthesis, renal, 237,6:F344
  - renin activity, plasma and, 237,6:F367
- retention
  - ascites, 233,2:F572, F586
  - caval constriction, 232,1:F559
  - efferent mechanisms, liver disease, 233,2:F586
  - mechanisms, renovascular hypertension, 235,4:R310
  - nonsteroidal anti-inflammatory drugs, 234,3:F490
  - renal, acute cardiac tamponade, 234,3:F117
- secretion
  - distal convoluted tubule, 243,12:F160
  - teleost, 238,7:R185
- sequestration, aldosterone biosynthesis and, angiotensin II effects, 243,6:E450
- shift, heavy, exercise, sitting and supine, 236,5:R206
- slow inactivation, axonal, trypsin modification (crayfish), 235,4:C238
- strophanthidin toxicity, Purkinje fibers, 234,3:H477
- tetanic hyperpolarization, single medullated nerve fibers, 231:1033
- total body, neutron activation measurement of (guinea pig), 241,10:R419
- tracer kinetics, tissue-cultured heart cells (chick), 243,12:C169
- transepithelial transport, nuclear magnetic resonance analysis, skin (frog), 243,12:C74
- transepithelial voltage, luminal, 239,8:F289
- transport, 231:995
  - acetazolamide, bladder (toad), 232,1:F210
  - active, intact cardiac cells, 236,5:H189
  - active, mammary epithelium, 241,4:E410
  - active, proximal tubule, ionic requirements, 236,5:F268
  - aldosterone receptors and, bladder (toad), 235,4:C90
  - amiloride effects, tissues and cells, 242,11:C131
  - amiloride-sensitive, mineralocorticoid induction, colon, 238,7:F261
  - antidiuretic hormone, bladder (toad), 232,1:F307
  - antidiuretic hormone-prostaglandin  $E_2$  depression, tubular, 241,10:F452
  - aspirin effects, jejunal, 236,5:E495
  - autonomic agents and, 231:252
  - bicarbonate ions, bladder (toad), 232,1:F210
  - bladder, 230:1722, 232,1:F173, F187, F210, F270, F307
  - bladder, magnesium effects (toad), 234,3:F192
  - bladder to kidney (toad), 242,11:F103
  - bladder (trout), 233,2:F525
  - calcium movements and, erythrocytes, 236,6:C10
  - calcium-regulated, intestinal epithelial cells (chicken), 243,12:C116
  - carbamilcholine inhibition, bladder (toad), 235,4:F586
  - central regulation, 239,8:F206
  - cholinergic agents, bladder (toad), 235,4:F564
  - colon, 232,1:F5
  - comparison, species differences (mammal, reptile), 241,10:R350
  - connecting tubules, kidney, 243,12:F330
  - corticosteroid binding and, kidney cells, 242,11:F610
  - coupling to respiration, 231:222
  - cystolic calcium and, bladder (toad), 236,5:F513
  - dependent, ileal, 238,1:G326
  - distal convoluted tubule, 235,4:F492
  - distal tubular, volume expansion, 239,8:F228
  - electrochemical gradients, bladder (toad), 236,5:F405
  - electromotive force, and sodium flux ratio, 233,2:C188
  - energy coupling, skeletal muscle (frog), 235,4:C25
  - epithelia, tight, 232,1:F187
  - esophageal, neurohumoral control (rabbit, opossum), 239,2:G5
  - flow dependence, exocrine pancreas, 242,5:G32
  - freshwater mussel, 235,4:R35
  - furosemide effects, skin (frog), 243,12:F588
  - gluconeogenesis and, oxygen consumption relations, kidney, 242,11:F508
  - glucose metabolism and, free water clearance, 242,11:F491
  - glucose stimulation, renal, 233,2:F235
  - guanosine monophosphate, cyclic, bladder (toad), 235,4:F586
  - homocellular regulatory mechanisms, epithelia, 241,10:F579
  - hyperoncotic albumin effects, nephrons, 237,6:F34
  - inner medullary collecting duct, saline expansion, 238,7:F504
  - insulin effects, kidney cells, 242,11:C121
  - intestinal, organic solutes and (freshwater prawn), 239,8:C11
  - intraluminal and contraluminal magnesium effects, nephron, 238,7:F187
  - jejunum, Hirschsprung's disease, 239,2:G123
  - large intestine (equine), 233,2:E469
  - lower intestine (parrot), 239,8:R285
  - luminal, distal tubule (snake), 239,8:F412
  - medullary collecting tubule, 242,11:F514
  - mitochondria-rich cells, 231:120
  - norepinephrine effects, renal, 235,4:F425
  - osmotic gradients, duodenum and ileum, 237,6:E389
  - ouabain and, sensitivity in urinary bladder, 231:1735
  - papillary collecting duct, 239,8:F92
  - parasympathetic control, submaxillary duct, 233,2:F22
  - pars recta, 233,2:F154
  - phenolphthalein effects (monkey), 243,6:G268
  - piretanide effects, proximal tubules, 238,7:F60
  - proximal tubule, 238,7:F256
  - regulation, kidney (toad), 236,5:F505
  - remnant kidney, 230:1231
  - renal cells, 238,7:F1
  - renal collecting tubules, 233,2:F544, F559
  - renal tubular cells, 236,5:F226
  - rheogenic, electrolyte transport and gallbladder (*Necturus*), 238,1:G358
  - salicylate, 230:319
  - salt gland, 230:514
  - salt gland (duck), 237,6:C200
  - short-circuit inhibition and, bladder (toad), 239,8:F459
  - skin (frog), 233,2:F46
  - skin (larval frog), 237,6:R74
  - sodium pump driving force (toad), 232,1:F448
  - spirolactones and, 231:93
  - theophylline, bladder (toad), 232,1:F173
  - thyroid hormone control, heart, 232,1:C196
  - transcutaneous, larval and adult (salamander), 239,8:R505
  - transepithelial, 234,3:F261
  - transepithelial, novobiocin effects, 231:1886
  - triaminopyrimidine and, bladder (toad), 236,5:C221
  - tyrosine reagents, bladder epithelium (turtle, toad), 239,8:F299
  - urinary bladder (toad), 241,10:F129
  - vasopressin, theophylline, prostaglandin  $E_2$  and, skin (frog), 241,10:F279
  - vasopressin and amiloride effects, 231:164
  - voltage-clamped epithelia (frog, toad), 236,5:F206
  - transport properties, peritubular membrane, cortical collecting tubule, 242,11:F664
  - tubular handling, growth, 242,11:F705
  - uptake, extracellular fluid (dogfish), 232,1:R45
  - urine, plasma potassium concentration and, 242,11:F599
  - urine collection device, 233,2:F615
  - vasopressin secretion and, streptozotocin diabetes, 242,5:E411
  - volume expansion: see Volume expansion
  - washout, myocardial cell swelling, 239,8:H31

**Sodium-22**, influx, lacrimal gland, 239,2:G106

**Sodium acetate**, inhibition, renal adrenergic nerves, 237,6:H326

**Sodium-ammonium exchange**, freshwater mussel, 235,4:R35

**Sodium bicarbonate**

cerebrospinal fluid, salt appetite and (sheep), 242,11:R51

failure to inhibit renin, 231:1050

lactic acidosis and, 242,11:F586

phosphate excretion, parathyroidectomy, 236,5:F184

sodium chloride and, reabsorption coupling, renal, 236,5:F232

solvent drag, proximal tubules, 243,12:F342

uncoupling from sodium phosphate, proximal tubules, by bumetanide, 235,4:F403

volume expansion, nephron transport in, 233,2:F118

**Sodium-calcium exchange**

blood pressure, regulation, 232,1:C165

cellular and paracellular, ileum, 235,4:E726

electric current generation, cardiac fibers, 236,5:C103

intestinal muscle, 238,1:G520

proteinase effects, sarcolemmal vesicles, 243,12:C191

sarcolemmal enzymes and, ischemic heart, 242,11:C288

smooth muscle relaxation, 232,1:C59

sodium transport regulation, bladder (toad), 236,5:F505

vascular smooth muscle, hypoxia, 238,7:H761

vasopressin action and, collecting tubules, 243,12:F503

**Sodium chloride**

atrial tension, 236,5:H629

chronotropic response, atrial, 233,2:H228

cotransport

antidiuretic hormone enhancement of, kidney, 241,10:F432

- antidiuretic hormone-stimulated, nephron, heterogeneity, 241,10:F412
- small intestinal brush-border membrane, 242,5:G263
- coupled entry, proximal tubule cells (*Necturus*), 236,5:F295
- coupled secretion, ileum, 238,1:G208
- depletion, renal acidosis, 236,5:F283
- deprivation, renin secretion and, 235,4:F611
- distal tubular concentration, feedback regulation, glomerular filtration, 239,8:F427
- electrogenic sympot, stomach (frog), 242,5:G620
- entry mechanism, luminal membrane, kidney tubule, 242,11:F561
- hyperosmotic
- hemorrhagic shock and, 239,8:H664
  - hemorrhagic shock and, innervated lung, 241,10:H883
- hyperosmotic vascular resistance, lymph flow and, ileum, 234,3:H14
- hypertonic, cardiac output response, 235,4:H18
- hypertonic infusions, gastrointestinal sodium excretion and, 238,7:F112
- ileal absorption, 230:1517
- infusion, potassium excretion, renal (sheep), 234,3:F371
- intake
- effect on tubuloglomerular feedback, 231:1744
  - hypovolemia, 237,6:R45
  - increased, chronic furosemide administration, 238,7:F509
- lactic acidosis, 242,11:F586
- longevity and, 243,12:F549
- malignant hypertension, 236,5:H665
- metabolism, body fluid properties, 239,8:R489
- papillary cell composition, volume and, 232,1:F111
- potassium transport and, kidney, 242,11:F297
- reabsorption, urinary bladder (teleost), 239,8:R415
- renal responses, 231:593
- renin inhibition, 235,4:F444
- secretion, distal convoluted tubule, 243,12:F160
- sodium bicarbonate and, reabsorption coupling, renal, 236,5:F232
- solute transport, duodenum and ileum, 237,6:E389
- solvent drag, proximal tubules, 243,12:F342
- taste preference, hyperthyroidism, 232,1:E80
- transepithelial addition, osmolality (desert rodent), 236,5:F448
- transport
- gallbladder epithelial cells (salamander), 243,12:C140
  - jejunum, 232,1:E62
  - kidney tubules (salamander), 242,11:F331
  - medullary thick ascending limbs, renal, 241,10:F412, F432, F443
  - renal nerve stimulation and, 243,12:F576
  - thin ascending limb of Henle, 232,1:F201
  - volume expansion, nephron transport in, 233,2:F118
  - water transport, duodenum and ileum, 237,6:E389
  - zinc nutrition, salt preference and, 241,10:R233
- Sodium-coupled solute**, transport, intestinal, 233,2:E249
- Sodium cyanate**, high-energy phosphate levels, heart, 230:1751
- Sodium cyanide**, sinoaortic denervation, in utero, fetal (lamb), 242,11:H916
- Sodium-dependent transport system**,  $\alpha$ -methylglucoside and, intestinal epithelium (chicken), 241,10:C227
- Sodium dodecyl sulfate polyacrylamide gel**
- secretin development, postnatal, 243,6:G511
  - sodium effects, intestinal, 243,6:G148
- Sodium fluoride**, concentrating ability and, 232,1:F335
- Sodium free-energy gradient**, intracellular pH effects, skeletal muscle (frog), 242,11:C87
- Sodium gradient hypothesis**, folic acid transport, small intestine, 235,4:E678
- Sodium gradients**
- hypothesis, ascorbic acid flux, ileal, 233,2:E374
  - intestinal, 233,2:E249
- Sodium hydrogen**, brush border vesicles, acridine orange uptake and, 242,11:F733
- Sodium-hydrogen antiport**, renal tubular acidification, 236,5:F434
- Sodium-hydrogen exchange**
- amiloride effects, tissues and cells, 242,11:C131
  - amiloride inhibition of, microvillus membrane vesicles, renal, 241,10:F374
  - ammonium and lithium interaction, microvillus membrane, renal, 241,10:C220
  - freshwater mussel, 235,4:R35
  - ion transport and (blue crab), 241,10:R370
  - large intestine (equine), 233,2:E469
  - luminal membrane, kidney tubule, 242,11:F561
  - proximal tubules, 238,7:F445
  - renal microvillus membrane vesicles, 238,7:F461
  - renal failure and, brush border vesicles, 243,12:F293
  - reversible, proximal tubular, 241,10:F380
  - skin (frog), 233,2:F46
  - submaxillary duct epithelium, 242,11:F132
- Sodium-hydrogen ion exchange** and, volume regulation, gallbladder (salamander), 243,12:C146
- Sodium-hydrogen ions**, chloride-bicarbonate exchange and, volume regulation, gallbladder (salamander), 243,12:C146
- Sodium ions**
- activity, proximal tubule cells (*Necturus*), 236,5:F295
  - amiloride-sensitive, transport (blue crab), 241,10:R370
  - amino acid absorption, proximal tubules, 236,5:F149
  - binding, sarcolemmal, myocardial contractility, 238,7:H373
  - blood pressure regulation, 232,1:C165
  - calcium ions and, interaction, adenosine monophosphate, cyclic levels, uterus, 237,6:C257
  - calcium transport and, peritubular (teleost), 243,12:R34
  - channel, calcium-regulated intestinal epithelial cells(chicken), 243,12:C116
  - chloride ions and, cotransport, gastric mucosa (frog), 238,1:G403
  - cholera toxin effects, intestinal epithelial cells (chicken), 243,12:C107
  - compartmentalization, subcellular, 234,3:F261
  - concentrations, induced changes, choroid epithelium, 238,7:F399
  - cotransport
    - brush border membrane vesicles, renal, 243,12:F456
    - microvillus membrane vesicles, kidney, 242,11:F126
- dependent hydrogen ion and chloride ion transport, gastric mucosa (frog), 238,1:G403
- electrochemical gradient
- colon, 234,3:F48
  - plasma membrane, 234,3:F89
- excretion, saline-loaded hypertension, age-related changes, 231:1364
- extracellular, venous smooth muscle reactivity, 235,4:H581
- filtered load, kidney, 236,5:F9
- fluxes, across tracheal epithelium, acetylcholine effects, 231:1546
- gastric acid secretion and, gastric glands, 241,4:G431
- glucose and, reabsorption, dissociation by amphotericin B, proximal tubules (*Necturus*), 236,5:F392
- glucose carrier dependence, renal cortex, 234,3:E1
- glycine uptake, peritubular, 238,7:F324
- heterogeneity, intracellular, 234,3:F261
- hexose transport
- kidney cells, 242,11:C94
  - vesicles, renal epithelial cell line, 243,12:C293
- hydrogen efflux, proximal tubular, 241,10:F380
- hydrogen ions and, exchanger, renal microvillus membrane vesicles, 238,7:F461
- inorganic phosphate cotransport, 1,25-dihydroxyvitamin D<sub>3</sub>, duodenal brush-border membrane, 242,5:G533
- intestinal membrane potentials and, 235,4:C73
- intracellular, insulin stimulation and, soleus muscle, 242,5:E193
- isotope exchange, bladder (toad), 237,6:F145
- lithium ions and, countertransport, erythrocytes, 237,6:C102
- loading
- filtered, renal, 236,5:F9
  - renin secretion and, 235,4:F611
- luminal entry, proximal tubule cells (*Necturus*), 236,5:F295
- membrane properties, smooth muscle cells, pulmonary artery, 242,11:H900
- ouabain-sensitive pump, localization, cultured kidney cells (pig), 236,5:C157
- reabsorption
- lactate utilization, perfused kidney, 238,7:F415
  - oxygen utilization, perfused kidney, 238,7:F415
- rubidium-86, efflux, pancreatic islets, 236,5:E139
- sugar transport
- intestinal, 233,2:E357
  - intestinal cells (chick), 237,6:C64
  - intestinal epithelial cells, 238,7:C177
  - isolated intestinal epithelial cells (chick), 237,6:C56
  - membrane potentials and, intestinal cells, 238,7:C73
- transport
- active, temperature effects, aorta (rat, squirrel), 237,6:C23
  - bladder (toad), 238,7:R70
  - cornea, 230:1487
  - gastric mucosal cells, 235,4:E16
  - gill epithelium (fish), 238,7:R224
  - insulin and, perfused kidney, 235,4:F52
  - pars recta, 234,3:F332
  - stomach (mammalian), 234,3:E228
  - testosterone-aldosterone antagonism, bladder (toad), 239,8:F433
  - tetracycline-induced inhibition, bladder (toad), 235,4:F359
  - thyroid hormone-aldosterone interaction, bladder (toad), 236,5:C117
  - toad, 236,5:C117
  - transepithelial, kidney epithelial MDCK cells, 238,7:C43

**Sodium ions (continued)**

- urinary bladder epithelium (toad), 235,4:C82
- urinary bladder (turtle), 242,11:F627
- transport inhibitors, bile acid uptake and, hepatocytes, 243,6:G48
- water permeability and, antidiuretic hormone-induced (toad), 243,12:F476
- Sodium meclofenamate**, adrenergic vessels, hemorrhagic shock, 241,10:H85
- Sodium nitroprusside**
  - lower esophageal sphincter (opossum), 238,1:G40
  - lower esophageal sphincter tone, contraction and (opossum), 237,6:E163
- Sodium oleate**, pancreatic enzyme response, 238,1:G23
- Sodium phosphate**
  - infusion, potassium excretion, renal (sheep), 234,3:F371
  - uncoupling from sodium bicarbonate, proximal tubules, by bumetanide, 235,4:F403
- Sodium pool**, activity, techniques, bladder (toad), 234,3:F1
- Sodium potassium**
  - antiport, stomach (frog), 242,5:G620
  - transport, isolated arterial tissue, 231:1800
- Sodium-potassium-ATPase**
  - activation mechanism, renal, 238,7:F315
  - activity
    - p*-aminohippurate transport, renal, 236,5:F126
    - chronic potassium loading, nephron, 238,7:F380
    - electrolyte excretion, renal, 243,12:F211
    - erythrocytes (chicken), 241,10:C233
    - kidney cortex, time course, 236,5:F9
    - mineralocorticoids, colon, 238,7:F261
    - nephron, 237,6:F105, F114
    - respiratory rate, kidney, 230:1432
    - activation, renal, 239,8:F281
    - aldosterone effects, nephron, 241,10:F273
    - aldosterone release, adrenal, 237,6:E363
    - aorta, renal hypertension, 243,12:H896
    - berberine effects, ileum, 241,4:G253
    - bile acids and, intestinal transport, 241,4:G83
    - bile acid uptake and, hepatocytes, 243,6:G48
    - bile secretion and, 243,6:G243
    - chloride cell function and (eel), 238,7:R246
    - chloride secretion, rectal gland (shark), 233,2:F298
    - choleric properties, bile, 236,5:E434
    - colonic changes and, corticosteroid-induced changes, 243,6:G112
    - contraction, vascular smooth muscle, 238,7:H761
    - corticosteroid-induced changes, colon, 241,4:G300
  - cytochemistry
    - accessory cells, branchial epithelium (teleost), 238,7:R199
    - branchial epithelium (fish), 238,7:R207
  - digoxin effects, heart (sheep), 243,12:H519
  - electrolyte transport, ileum, gallbladder, and colon, 239,2:G463
  - enhancement, rectal gland (dogfish), 236,5:F468
  - enzyme units
    - lean and obese thyroxine-injected mice, 237,6:E265
    - renal, 238,7:F315
  - ethacrynic acid and ouabain effects, kidney tubules, 242,11:F254
  - fatty acid intermediate effects, cardiac sarcolemma, 242,11:H456
  - gastric acid secretion and, gastric glands, 241,4:G431

- gill arch response, salinity change (mullet), 238,7:R160
- glucocorticoid stimulation of, distal tubule segments, 243,12:F463
- heat production, lean and obese mice, 238,1:E193
- hemodynamic effects, liver, 234,3:E584
- hormonal induction of, proximal tubular cells, 241,10:F356
- hormone action, kidney, 241,10:F333
- inhibition, renal, determinants by vanadium, 236,5:F530
- insulin activation (duck), 234,3:C59
- intestinal transport, intraluminal pressure effects, 242,5:G65
- ion composition and, renal cortex, gentamicin nephrotoxicity, 242,11:F477
- ion transport, gill epithelium (fish), 238,7:R224
- localization, tubular system membrane, chloride cell (teleost), 238,7:R171
- maturation, nephron segments, 233,2:F55
- membrane stabilization, vascular smooth muscle, 235,4:C227
- microsomal activity, gastric mucosa (frog), 241,4:G104
- mineralocorticoids and, renal relations, 233,2:F593
- nephron, 235,4:F387
- norepinephrine turnover and, brown fat, 242,5:E253
- ouabain binding
  - gastric mucosa (frog), 243,6:G297
  - MDCK cells, 238,7:C43
  - placenta, 238,1:E38
- ouabain inhibition, intestinal, 234,3:E629
- oxygen requirement, bicarbonate-dependent sodium reabsorption, proximal tubular, 238,7:F175
- phenolphthalein effects (monkey), 243,6:G268
- plasma membranes, distinct, renal medulla, 234,3:F247
- potassium secretion, 239,8:F378
- prostaglandin E release, taenia coli, 232,1:C191
- renal
  - adrenal steroids and, 241,10:F186
  - sodium transport and, 242,11:F207
  - renal function (insect), 241,10:R241
  - renal mass reduction, 239,8:F281
  - renin release and, kidney, 243,12:F598
  - salt gland dissociation (duck), 237,6:C200, 238,7:C184
  - segmentation, nephron, mammalian, 241,10:F203
  - serotonin effects, intestinal, 232,1:E85
  - sodium-calcium exchange and, ischemic heart, 242,11:C288
  - sodium ion transport (toad), 236,5:C117
  - sodium-potassium pump and, disparity of temperature sensitivity (guinea pig, ground squirrel), 235,4:C159
  - sodium reabsorption, oxygen requirement, 232,1:F152
  - temperature effects, skin, 231:1356
  - thermogenesis, brown adipocytes (hamster), 242,11:C46
  - thyroid hormone control, heart, 232,1:C196
  - thyroid hormone effects, brown adipose tissue respiration, newborn, 241,4:E449
  - thyroid-stimulated, heart, 232,1:C202
  - turnover and regulation, HeLa cells, 241,10:C173
  - vanadate and, renal, 239,8:F97
  - vascular reactivity, smooth muscle, 241,10:H217
- Sodium-potassium exchange**
  - cardiac cells, cultured, 236,5:C87
  - vascular heterogeneity, smooth muscle, 243,12:H553

**Sodium-potassium membrane pump: see Pump****Sodium-potassium pump: see Pump****Sodium pump: see Pump****Sodium ricinoleate**, alanine absorption, inhibition, intestinal, 236,5:E534**Sodium salicylate**, febrile response, 231:198**Sodium salts**, renin secretion, 234,3:F10**Sodium space**

- angiotensin II hypertension, 239,8:H391
- hypertension, during antidiuretic hormone and hypertonic saline infusion, 236,5:H314
- vasopressin effects, 237,6:F232

**Sodium sulfate**, infusion, potassium excretion, renal (sheep), 234,3:F371**Sodium-water balance**, prostaglandin E<sub>2</sub> hypertension, 237,6:H449**Sodium-water exchange**, skin (sea-snake), 235,4:R151**Soft tissue**, minerals, magnesium effects in phosphate depletion, 237,6:E152**Solar radiation**, thermoregulatory responses (eland, hartebeest), 237,6:R192**Solenoid valve**, pneumatic cuff, 234,3:H740**Soleus muscle**

- aminoisobutyric acid transport, thioglucose obesity, 243,6:E74
- blood flow, resting, 239,8:H516
- contractile, biochemical, and histochemical properties of thyrotoxic, 238,7:C15
- contractility, training and fatigue effects, 233,2:C86
- disused, insulin resistance for glucose metabolism, 242,5:E12
- fatigue, contractile properties, 233,2:C86
- force development cost, stimulus rate and, 243,12:C242
- gastrointestinal, motility and blood flow, 235,4:H34
- glycogen accumulation, lactate and palmitate effects, 238,7:C149
- hyperpolarization, potassium-free media, 242,11:C12
- inositol incorporation, 232,1:E324
- insulin binding, 234,3:E348, 235,4:E606
- anaerobiosis and ATP effects, 235,4:E606
- insulin resistance, age-dependent, genetic obesity, 239,2:E363
- insulin sensitivity, starvation and aging, 236,5:E519
- insulin stimulation, sodium and potassium activities during, 242,5:E193
- intestinal, longitudinal, Auerbach's plexus stimulation, polarity of effects, 235,4:E345
- lipoprotein lipase activity, obesity, 241,4:E108
- mitochondria: see Mitochondria
- oxygen consumption, 239,8:H516
- protein synthesis, 239,2:E88
- shortening velocity, 233,2:C86
- stiffness, short-range, 232,1:C45
- striated
  - contracting, and precapillary microvessels, interrelations, 235,4:H494
  - oxygen and arteriolar functional vasodilation, 235,4:H505
- substrate utilization, lactate and palmitate effects, 238,7:C149
- sugar transport
  - insulin-stimulated, ATP effect, 234,3:E407
  - regulation, 240,3:E263
- sympathetic vasomotor outflows, hind-limb, 235,4:H482
- thyroid hormone action, 242,11:R401
- thyrotoxicosis, 238,7:C15
- Solids**
  - gastric emptying, proximal and distal, 239,2:G71



- movement, interdigestive and digestive states, jejunum, 239,2:G497
- Solitary tract nucleus**, serotonin effects, area postrema and, 241,10:R158
- Solute-coupled fluid**, transport, ileal, 235,4:E429
- Solutes**
- absorption, forestomach (llama), 235,4:E1
  - carriers, nonelectrolyte transport and, epithelium, 241,4:G451
  - charged, glomerular filtration, 238,7:F126
  - coupled volume absorption, oxygen consumption, ileal, 236,5:E198
  - dispersion, hemorrhagic shock, 236,5:H440
  - gradients, tubular, transepithelial, efferent vessel plasma, 236,5:F119
  - inert, bile clearance, 236,5:E434
  - intracellular, volume abnormalities, 239,8:F195
  - mixing, impaired, after hemorrhagic hypotension, 236,5:H440
  - neutral, transport, porous membranes, 241,10:F469
  - organic
    - fluid absorption and, proximal convoluted tubules, 231:627
    - intestinal transport (freshwater prawn), 239,8:C11
  - permeability: *see* Permeability
  - tissue, natriuresis and, renal, 241,10:F250
  - transport
    - osmotic gradients, duodenum and ileum, 237,6:E389
    - renal tubular, leaked load, 234,3:F480
- Solutions**
- hyperosmotic
    - hemorrhagic shock and, 239,8:H664
    - hemorrhagic shock and, innervated lung, 241,10:H883
    - isosmotic and, transport, duodenum and ileum, 237,6:E389
  - osmotic: *see* Osmosis
- Solvent drag**, 230:1255
- chloride flux, superficial proximal straight tubules, 237,6:F455
  - sodium chloride and sodium bicarbonate, proximal tubules, 243,12:F342
- Somatic afferent**, stimulation, effect on hypothalamic and thalamic blood flow, 231:270
- Somatic integration**, lateral reticular nucleus, site, 233,2:R100
- Somatic receptive fields**, thoracic spinal neurons, coronary artery occlusion and, 238,7:H667
- Somatomedins**, serum, chondrosarcoma growth and, 241,4:E129
- Somatostatin**
- calcium transport and, intestinal, 241,4:G215
  - central nervous system control of, 2-deoxyglucose effects, 243,6:E213
  - chloride transport, rectal gland (dogfish), 237,6:F138
  - clearance and potency, gastric function and, 243,6:G97
  - epinephrine-induced glycogenolysis (baboon), 232,1:E464
  - epinephrine interaction, alloxan-diabetes, 241,4:E328
  - exercise and, 239,2:G136
  - glucagon and
    - exercise, 238,1:E13
    - in hypoglycemia, 238,1:E131
  - glucagon and glucose turnover, extrapancreatic, 234,3:E213
  - glucose output, hepatic, 236,5:E113
  - glucose production,  $\beta$ -adrenergic mediation (baboon), 243,6:E225
  - glucose turnover, 236,5:E255
  - glucose utilization, adipocytes, 234,3:E554
  - growth hormone secretion and, 243,6:E332
  - hormonal content, endocrine pancreas, 238,1:G526
  - hormonal secretion and, ethionine-treated pancreas, 243,6:E505
  - hypoglycemia-induced compensation, glucagon lack, 236,5:E263
  - inhibition
    - glucose-induced electrical activity, islet cells, 233,2:C164
    - hydrogen ion secretion, gastric mucosa (frog), 236,5:E784
  - insulin dependence, paradoxical overeating, 236,5:E205
  - interaction with parathyroid hormone and arginine vasopressin, renal effects, 237,6:E428
  - interdigestive myoelectric complex, 239,2:G215
  - ion transport, intestinal, 238,1:G67
  - ketogenesis
    - hepatic, 237,6:E121
    - lower esophageal sphincter function (baboon), 237,6:E77
  - luminal, pancreatic secretion and, 241,4:G109
  - myoelectrical activity, small bowel, 235,4:E249
  - pancreatic polypeptide role, gastric acid secretion, 236,5:E488
  - plasma, basal level and nutrition effects (monkey), 243,12:R289
  - plasma glucagon and, 231:1377
  - plasma potassium and insulin oscillations, potassium infusion and, 243,12:F44
  - regulatory physiology, gut, 239,2:G237
  - release, antral mucosae, 241,4:G59
  - secretion
    - bombesin-induced, stomach, 241,4:G242
    - neural regulation, 243,6:G442
    - pancreas, obesity, 241,4:E146
    - pancreatic-duodenum (rat, chicken), 238,1:E150
    - perfused stomach, antral peptides and, 238,1:G495
    - starvation and obesity effects, perfused organ system, 241,4:E215
- Somatostatin analogues**, differential effects, pancreatic  $\alpha$ - and  $\beta$ -cells, 236,5:E123
- Somatostatin-like immunoreactivity**, pancreatic and gastric release, during intestinal phase of a meal, 237,6:E555
- Somatotrophic reflexes**: *see* Reflexes
- Somatotropin**, secretion, catecholamine regulation of (baboon), 241,4:E196
- Somatotropin release-inhibiting factor**, gastric function and, 243,6:G97
- Sonomicrometer**
- coronary stenosis, exercise, myocardial blood flow and, 243,12:H698
  - digital, length and velocity measurement, 243,12:H634
  - schematic diagram, 233,2:H322
- Sotalol**, lacrimal gland flow, 230:80
- Space flight**
- anemia, 238,7:R301
  - energy balance, 233,2:R208
  - erythropoiesis, food or water restriction, 238,7:R301
- Sparing effect**,  $\beta$ -hydroxybutyrate, fetal, 233,2:E457
- Species differences**
- p*-aminohippurate transport
  - renal tubules, SITS effects (garter snake), 238,7:F16
  - renal tubules (snake), 236,5:F379
  - arterial muscle contraction, ouabain-induced (monkey, dog), 239,8:H199
  - auxotonic contraction, cardiac muscle segments (cat, ferret, monkey), 237,6:H131
  - bile adenosine monophosphate, cyclic secretion, glucagon effects, 238,1:G119
  - blood flow, cerebral, acetylcholine and vasoactive intestinal peptide effects, 239,8:H73
  - blood flow measurement, cerebral, anesthesia (cat, dog), 241,10:H228
  - blood oxygen transport, organ weight and (shrew), 236,5:R221
  - blood viscosity, temperature dependence (frog, turtle), 239,8:R248
  - calcitonin stimulation, renal (starling), 238,7:R406
  - cardiac energetics, 237,6:H90
  - chloride ions, secretion, gastric mucosa (frog, piglet), 239,2:G151
  - choroid plexus and brain, anatomical relations (fish), 238,7:R76
  - comparative physiology
    - compared to what?, 237,6:R1
    - renal, significance (nonmammalian vertebrates), 238,7:F437
  - electrolyte transport, esophageal (rabbit, opossum), 239,2:G5
  - erythrocytes, deformability (camel, llama, goat, seal), 236,5:H725
  - ethanol elimination kinetics, liver (human and pig), 237,6:E316
  - geometric similarity, aorta and venae cavae, mammals, 241,10:R100
  - gill epithelia, morphology (fish), 238,7:R147
  - glucocorticoid receptors, 235,4:R115
  - hyperosmolality and D600, cardiac responses, 235,4:H276
  - hypoxia, heart muscle response (muskrat, rabbit, guinea pig), 243,12:R245
  - ion concentration gradients, aortic, in cold (rat, squirrel), 237,6:C17
  - ischemia, complete coronary ligation (rabbit, dog, pig, monkey), 241,10:H202
  - load dependence, cardiac muscle relaxation (frog, cat, rat), 237,6:H455
  - magnesium effects, ischemic heart (rat, rabbit), 242,11:H89
  - motility patterns, state-related (rat, rabbit, human), 241,10:R312
  - myoelectrical activity, intestinal, perinatal development (dog, sheep), 237,6:E61
  - nephron function (reptile, bird, mammal), 239,8:R197
  - noncholinergic vasodilator innervation, feet (duck, chicken), 237,6:H112
  - pancreas-duodenum, isolated perfused, secretions (rat, chicken), 238,1:E150
  - phenol red, tubular localization, 238,7:F159
  - placental water and nonelectrolytes, transfer, 236,5:C47
  - plasma dense granule constituents, 243,12:R454
  - potassium homeostasis, anoxia, brain (turtle, rat), 243,12:R281
  - reflex vasoconstriction, carotid sinus, right coronary (dog, pig), 241,10:H149
  - renal medulla structure, 241,10:R3
  - renin inactivation, in vitro (rat, dog, pig), 233,5:F501
  - respiratory mechanics, growth and, newborn, 241,10:R336
  - salt-excreting organs, vertebrate, comparison, 238,7:R219
  - sleep-promoting material, human urine, 238,1:E116
  - sodium channel, tyrosine reagents, bladder epithelium (toad, turtle), 239,8:F299
  - sodium-potassium-ATPase activity, 237,6:F105, F114
  - spike bursts, minute rhythm of, small intestine, 242,5:G654
  - Starling forces, transcappillary, 238,7:H886

**Species differences (continued)**

- steroid secretion, in vitro perfused testes (rabbit, rat), 237,6:E231, E239, E247
- thermoregulatory responses, dehydration (eland, hartebeest), 237,6:R192
- thrombin-platelet interaction, 237,6:H353
- transferrin catabolism, mammalian species of different body sizes, 238,7:R306
- urate transport
  - nephron, 237,6:F85
  - renal tubules (snake), 236,5:F379
- ventricular defibrillation, trapezoidal-wave (pony, dog), 238,7:H231

**Spectral analysis**

- plasma cortisol, normal and in Cushing's syndrome, 236,5:R268
- pulmonic stenosis murmurs (calf), 238,7:H876

**Spectrin**

- erythrocyte membrane elasticity, 235,4:C269
- oxygen affinity, hemoglobin, 234,3:C36

**Spectrometry**

- energy dispersive, 232,1:F391
- energy-dispersive x-ray, microdrop analysis of fluids, 234,3:F255
- fluorescence, acridine orange uptake, brush border vesicles, renal, 242,11:F733
- mass
  - adrenergic blockade, awake state, 241,4:E385
  - carbon dioxide and oxygen fluxes, bladder epithelium (toad), 236,5:F413
  - fatty acid, ischemic heart, 239,8:H257
  - gas chromatography, isotope study of plasma amino acid turnover rates and pools, 237,6:E418
  - leucine metabolism, measurement, from infusion of L-leucine, 238,1:E473
  - myocardial gas tensions, 232,1:H49
  - prostaglandin biosynthesis, renal papilla, 234,3:F64
  - prostaglandin synthesis, renal, 235,4:F180
  - steroid secretion, perfused testes, 237,6:E231, E239, E247
  - water flux measurement, transepithelial (toad), 241,10:C86
- wavelength dispersive, 232,1:F391

**Spectrophotometry**

- arteriovenous oxygen difference, 232,1:H437
- energy production and consumption, gastric mucosa (frog), 236,5:E301
- intact tissue, midgut (hornworm), 238,7:C1
- intracellular pH, gastric mucosa (bull-frog), 237,6:E82
- midgut (hornworm), 238,7:C10
- oxygen delivery
  - improved renal cortical tubule suspensions, 238,7:F50
- kidney, 241,10:F257

**Spectroscopy**

- laser-Doppler
  - renal cortical and medullary blood flow measurement, 236,5:F80
  - tissue-blood flow measurement, 232,1:H441
- optical, cytochrome, kidney, 243,12:F356
- phosphorus nuclear magnetic resonance
  - cardiac and skeletal muscles, 242,11:H729
  - striated muscle, 242,11:C1
- photon correlation, spermatozoa, 242,11:C304
- power and communicational, biology, 234,3:R3

- Sperber technique**, tubular transport capacity (chicken), 232,1:F443

**Sperm**

- motility-inhibiting factor, epididymis, 242,11:R199
- transport, oviduct, 239,8:R332

**Spermatozoa**

- acrosin, 237,6:E40
- motility, epididymis, 242,11:R199

**Spermidine**

- blood levels, pregnancy and lactation, 234,3:E4J1
- cardiac hypertrophy, 239,2:E372
- regulation of content, cultured fibroblasts, 243,12:C262

- Spermine**, regulation of content, cultured fibroblasts, 243,12:C262

- Spermiogenesis**, follicle-stimulating hormone and testosterone effects, seminiferous tubules, 241,4:E233

**Sphincter**

- esophageal: see Esophageal sphincter
- ileocecal: see Ileocecal sphincter
- precapillary
  - cardiac, 235,4:H321
  - central neural influence, 233,2:H141

- Sphincter of Oddi**, histamine effects, motor function (opossum), 241,4:G122

- Sphingomyelinase**, sarcolemma, hydrolysis of, 242,11:H652

- Sphygmomanometry**, ultrasonic, indirect blood pressure determination, Doppler technique, renal hypertension, 237,6:H720

**Spike**

- activity
  - colon, 236,5:E458
  - perinatal development (dog, sheep), 237,6:E61
- episodic, plasma prolactin variations, 241,4:E355
- intestinal, glycemia oscillations and (pig), 242,5:G15
- myoelectric complex, morphine effects, 242,5:G588
- smooth muscle, calcium roles, small intestine, 237,6:C247

**Spike bursts**, 230:1031

- longitudinal and circumferential spread, jejunum, 239,2:G311
- migrating, adenosine monophosphate, cyclic and calcium effects, 242,5:G124
- minute rhythm of, small intestine, species differences, 242,5:G654

**oviduct**

- estrogen and progesterone effects, 234,3:E439

- ovulation effects, 234,3:E430

**Spike potential: see Potentials****Spinal afferents: see Afferents****Spinal anesthesia: see Anesthesia****Spinal cord**

- ascending pressor and depressor pathways, 231:786
- C-1 transection, for digitalis toxicity, 235,4:H531
- repetitive cooling, 230:720
- sympathetic activity, fastigial nucleus stimulation and, 243,12:R25
- sympathetic oscillators, 239,8:H143
- sympathetic pathway stimulation, 230:1095
- sympathetic response, hypoxia, 241,10:H679
- temperature, thermoregulation (pigeon), 243,12:R363
- temperature reception, arousal states (marmot), 236,5:R107
- thermosensitivity, cold (duck), 241,10:R136
- transection
  - arrhythmias, hypothalamic stimulation-induced, 234,3:H199
  - sympathetic activity in spontaneous hypertension, 243,12:R506
  - sympathetic nerve activity, 243,12:H463

**Spinal neurons**

- coronary occlusion effects, 238,7:H667
- extracellular potentials, coronary occlusion, 238,7:H667

- Spinal pathways**, ascending, somatosympathetic A and C reflexes, 237,6:H342

**Spinal section**

- tachycardia induced by nonhypotensive arteriovenous shunt, 236,5:H35
- venous membrane potential, sympathetic control of, spontaneous hypertension, 243,12:C101

**Spine**

- afferent nerves, interaction with descending sympathetic pathway, 234,3:E223
- descending sympathetic pathway, 234,3:H152, H223
- interneurons, baroreceptor reflex arc, 232,1:H657
- subarachnoid perfusion, 230:614
- sympathetic interneurons, identification and discharge patterns, 231:722
- trigeminal complex, hemodynamic responses, 234,3:H67

**Spinovagal reflex: see Reflexes**

- Spin-transfer method**, metabolism, striated muscle, 242,11:C1

**Spirolactone**

- agonist and antimineralocorticoid activities, 231:93
- binding, kidney tubules, 241,10:F605
- corticosteroid-induced changes, colonic function, 241,4:G300
- hypertension, spontaneous, 234,3:F29
- natriuresis, 233,2:F8
- prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532
- sodium-potassium-ATPase activity, after potassium loading, nephron, 238,7:F380
- sodium transport, amiloride-sensitive, colon, 238,7:F261

**Splanchnic arterial occlusion shock: see Shock****Splanchnic artery**

- occlusion shock
  - arachidonic acid, 231:112
  - dopamine action, 234,3:H1
  - prostaglandin E<sub>2</sub> release, occlusion shock, 230:684

- Splanchnic beds**,  $\alpha$ -ketosuccinate disposal, liver, gut and kidney, 243,6:E123

**Splanchnic circulation: see Circulation**

- Splanchnic hemodynamics**, portal hypertension, radiolabeled microspheres, 242,5:G156

**Splanchnic nerves**

- lateral hypothalamic lesion syndrome, 232,1:R128
- stimulation, responses of abdominal vascular capacitance, 231:434
- sympathetic activity, pre- and postganglionic, 241,10:R55

- Splanchnic organs**, blood reservoir function, 232,1:H67

- Splanchnicotomy**, insulin secretion, 232,1:E237

- Splanchnic uptake**, potassium, insulin effects, 238,1:E421

**Spleen**

- blood flow, vasopressin effects, 233,2:H50
- blood reservoir function, 232,1:H67
- catecholamine secretion, ionophore effects, 242,5:E137
- erythrocyte circulation, compartmental analysis, 239,8:H272
- erythrocyte concentration mechanisms, inhibition by isoproterenol, 236,5:H238
- metallothionein induction, cadmium and zinc effects, 243,6:G396
- norepinephrine turnover, 230:564
- $\beta$ -phenylethylamine, 236,5:H592

- platelets, removal, 235,4:H314  
vascular effects, nitroprusside, 237,6:H99
- Splenectomy**  
blood values and, 231:1254  
blood volume, active, in endotoxemic shock, 236,5:H291  
erythrocyte life-span and, 231:1254  
hemorrhaged plasma volume, restoration by gastrointestinal fluid, 234,3:H80
- Splenic circulation:** see Circulation
- Splenic nerves,** reflex responses, 242,11:R247
- Sponge connective tissue,** implanted, deoxythymidine kinase activity, zinc deficiency, 236,5:E272
- SQ 14225,** converting enzyme inhibition, glucocorticoid hypertension, 238,7:H844
- SQ 20881**  
converting enzyme inhibition, endothelial (pig), 232,1:C95  
renal blood flow and renin release responses, hypertonic saline, 237,6:F441
- Starling forces**  
capillary, forelimb, 233,2:H136  
interstitial pressure, during volume expansion, 235,4:F209  
lymph modification, lymph r. des, 243,12:H351  
secretin effects, 232,1:F147  
transcapillary, membrane osmometry, 238,7:H886
- Starling resistor,** 230:886
- Starling's hypothesis,** fluid exchange, single capillaries, intestinal muscle, 242,11:H268
- Starvation:** see Fasting
- Statistical mechanics,** physical causality, brain theories and, 238,7:R277
- Statistical methods:** see Models
- Statistics,** use in journals, 241,4:E169, G197, 241,10:C91, F201, H289, R105
- Steady state,** hemodynamics, hepatic, systems analysis, 233,2:R188
- Steady-state activation,** papillary muscle mechanics, 238,7:H340
- Steady-state concentrations**  
bicarbonate, acidification and, proximal tubules, 243,12:F53  
hyperinsulinuria, diabetic ketoacidosis, 241,4:E396
- Steady-state effects,** extracellular potassium concentration, smooth muscle, 241,10:H217
- Stellate ganglion**  
contractile strength, right atrial, 236,5:H860  
peripheral neural input, neurons, 242,11:R237  
sodium reabsorption, tubular, 235,4:F557  
stimulation  
hemodynamic responses, 231:1062  
ischemic injury, myocardial, 239,8:H359  
myocardial adenosine formation, 236,5:H13  
ventricular electrical stability, 234,3:H503
- Stellectomy,** ventricular electrical stability, 234,3:H503
- Stem cells,** hematopoietic, methylcellulose injection, 233,2:H234
- Stenosis**  
aortic  
fiber orientation, left ventricular hypertrophy, 236,5:H487  
subcoronary, 236,5:H780  
coronary  
arteriography and hydraulic analysis, unsedated dogs, 235,4:H350  
atrial pacing, 232,1:H49  
blood flow and, exercise, 243,12:H698  
isoproterenol-induced myocardial dysfunction and, 242,11:H260  
pressure, distal resistance and vasoconstriction relations, 243,12:H236  
pulmonic, right coronary pressure-flow relations, 238,7:H481  
renal artery  
fluid volume and pressor responses, 243,12:H779  
hypertension and, 233,2:H514
- Stenosis murmurs,** pulmonary arteries, break frequencies (calf), 238,7:H876
- Step-length changes,** cardiac muscle: see Muscle, heart
- Step response,** determination from frequency response, fluid-filled catheters, 236,5:H376
- Step-stretch,** taenia coli smooth muscle, 236,5:C211
- Stereology**  
quantitative, microcirculation, hypertension, 241,10:H306  
skeletal muscle (crayfish), 235,4:C221  
ultrastructural, parotid acinar cells, 242,5:G481
- Stereospecificity,** glucose transport, isolated brain capillaries, 236,5:C96
- Stereospecific stimulation,** brown adipocyte respiration, 238,1:E552
- Steroid hormones**  
brain sequestration, 239,2:E96  
gap junction, myometrium, 239,8:C217  
receptors: see Receptors  
smooth muscle, oviduct, 234,3:C96
- Steroidogenesis**  
antimicrotubule agent effects, luteal cells, 243,6:E380  
inhibitors, 237,6:E239  
insulin and, oocytes (frog), 241,4:E51  
postovulatory, ovulation, PMS-induced, 241,4:E221  
preferred pathways, 237,6:E247  
testes, mathematical model, 239,8:R184  
testicular, 237,6:E231, E239, E247
- Steroids**  
acidic, 230:754  
adrenal  
bone resorption, 230:90  
cation transport, colon, 238,7:F181  
prostaglandin E synthesis and water flow, bladder (toad), 234,3:F532  
regulation of renal sodium-potassium-ATPase, 241,10:F186  
renal hypertension, 234,3:E267  
sodium appetite (sheep), 239,2:E45  
adrenocortical, mechanoreceptor control, fetal (sheep), 243,6:E278  
affinities, cortical tubules, 237,6:F370  
anesthesia, cerebral circulatory response to metabolic depression (baboon), 234,3:H74  
biosynthesis, testes, 237,6:E231, E239, E247  
cardiac lymph effects, ischemia, 232,1:H602  
cardioactive, giant axon (squid), 235,4:C55, C63  
feedback, luteinizing hormone surge (rhesus monkey), 236,5:R102  
glucocorticoid, acid-base metabolism, renal and systemic, 239,8:F30  
gonadal, growth hormone secretory patterns (sheep), 233,2:E519  
induction, bile salt absorption, intestinal, neonatal, 239,2:G319  
insulin augmentation, oocytes (frog), 241,4:E51  
modulation, luteinizing hormone release, 242,5:E164  
muscle atrophy, impaired excitability and, 243,6:E512  
ovarian  
fetal developmental effects (pig), 234,3:E190  
spike bursts, oviduct, 234,3:E439  
pharmacology, 237,6:R251  
plasma  
hibernation (marmot), 234,3:R178  
protein binding, pregnancy (monkey), 234,3:E489  
plasma concentration, renin-angiotensin-aldosterone system (marmot), 233,2:R37  
receptors: see Receptors  
replacement, potassium chloride excretion, 238,7:F509  
secretion, renin-angiotensin system, 232,1:F434
- SEX**  
luteinizing hormone release and synthesis, 238,1:E458  
plasma, protein binding, 234,3:E489  
secretion, adrenal, 239,2:E109  
sodium reabsorption-gluconeogenesis competition, renal, 238,7:F290  
transfer, placental-binding effects, 238,1:E208
- Sterol balance,** breath analysis and, simultaneous, in cholesterol oxidation (primate), 235,4:R55
- Stiffness**  
arterial, normotension and spontaneous hypertension, 237,6:H159  
diastolic  
left ventricular hypertrophy and, myocardial, 242,11:H633  
pressure-overload hypertrophied myocardium, 237,6:H676  
dynamic  
cross-sectional, coronary artery, 237,6:H469  
senescent trabeculae carneae, 232,1:H373  
elastic, aortic pressure-diameter techniques (dog, sheep), 235,4:H610  
heart muscle, inotropic agents, 232,1:H275  
muscle: see Muscle  
papillary muscle, 233,2:H613  
short-range, active and passive components, 232,1:C45
- Stimulation**  
adrenergic: see Adrenergic stimulation  
brain, cerebral blood flow and behavior (goat), 232,1:H495  
carotid baroreceptor, sinus node response to, 242,11:H638  
chronic, muscle fiber profile and capillary density, 243,12:H530  
current, sinoatrial node, heart, 243,12:H207  
electrical  
baroreceptor reflexes from carotid sinus aortic arch, 236,5:H127  
basal forebrain, osmotic thirst inhibition, 236,5:R117  
cardiac response, species differences, 235,4:H276  
carotid sinus baroreceptor-aortic nerve pressor reflexes, interaction, 237,6:H662  
catecholamine and blood pressure responses, 237,6:H305  
conduction, bundle of His and proximal bundle branches, 238,7:H300  
distal colon, peristalsis, 236,5:E464  
esophageal smooth muscle response (opossum), 232,1:E432  
forebrain angiotensin and osmosensitive sites, 235,4:H445  
glucose delivery and uptake, contracting skeletal muscle, 233,2:E514  
heart (lungfish), 232,1:H24  
hepatic nerves, glucose output, 236,5:E323  
hypothalamic, 242,11:R220  
hypothalamic, epinephrine and hyperuricemia, 236,5:E212  
nerve endings, estradiol effects, saphenous vein, 239,8:H450  
norepinephrine disposition, saphenous vein, 239,8:H238  
norepinephrine metabolism, saphenous vein, 234,3:H235

**Stimulation (continued)**

- norepinephrine overflow from saphenous vein, measurement, 236,5:H263
- skeletal muscle, 242,11:C272
- weight reduction, parabiotic, 232,1:R150
- electrical field
  - adenosine monophosphate, cyclic concentration, atrial, 235,4:H281
  - countershock type, cultured myocardial cells, embryo (chick), 235,4:H214
  - dopamine  $\beta$ -hydroxylase release, cardiac, 235,4:H281
  - intrinsic nerve supplies, duodenal, 233,2:E28
  - hepatic nerve, circulatory response, 232,1:H652
  - intestinal hormones, by vasoactive intestinal peptide, 232,1:E197
  - metabolite changes during, muscle fibers, 242,11:C218
  - premature, atrioventricular conduction, heart, 241,10:H26
- residual
  - cholecystokinin, enzyme secretion, pancreas, 242,5:G416
  - cholecystokinin effects, pancreatic enzyme secretion (guinea pig), 243,6:G214
  - restricted, cholecystokinin-induced, pancreatic enzyme secretion, 242,5:G464
  - sustained paired, developing myocardium, 242,11:H13
  - sympathetic, cardiac, 241,10:H850
  - thoracic cardiac nerves, myocardial responses, 232,1:H485
  - ventricular, autonomic neuromediators, release, 238,7:H794
- Stimulus-permeability coupling:** see Coupling
- Stimulus rate,** force development and, soleus muscle, 243,12:C242
- Stimulus-response coupling:** see Coupling
- Stimulus-secretion coupling:** see Coupling
- Stimulus-secretion response,** serous cells, tracheal secretory glands, 241,10:C25
- Stimulus train composition,** heart rate and, 237,6:H366
- Stochastic analysis,** cerebral blood flow, 238,7:H750
- Stoichiometry,** sodium pump, giant axon (squid), 235,4:C55, C63
- Stokes radius,** glomerular pore size, 236,5:F103
- Stomach:** see also entries under gastric
  - antiperistalsis (chicken), 235,4:E670
  - barium ions (frog), 233,2:E298
  - bicarbonate secretion, 234,3:E535
  - cardiac region (llama), 235,4:E1
  - 16,16-dimethyl prostaglandin  $E_2$  effects, 239,2:G44
  - biphasic development, pentagastrin sensitivity, 242,5:G111
  - calcium action potential, smooth muscle cells (toad), 239,8:C162
  - capillaries, permeability, molecules, 241,4:G478
  - carbon monoxide insensitivity (frog), 238,7:G197
  - cell proliferation, deoxyribonucleic acid synthesis and, 235,4:E565
  - cholecystokinin effects, food intake and gastric emptying (monkey), 242,11:R491
  - contraction, pentagastrin-induced, 232,1:E504
  - electrical activity, neurotensin effects, 243,6:G404
  - electrical control activity, 237,6:E279
  - emptying: see Gastric emptying
  - endogenous prostaglandin effects, antral motility, 241,4:G191
  - fixed pyloric opening, emptying and, 230,8:13
  - function, hepatic modulation, 238,7:R346
  - fundic mucosa: see Fundic mucosa
  - gastric mucosal barrier disruption, bile salt and bile acid effects, 242,5:G95
  - gastrin: see Gastrin
  - Heidenhain pouch, interdigestive motor activity, 234,3:E333
  - histamine metabolism, 230,2:19
  - hydrogen ion removal, different mechanisms, 235,4:E692
  - inhibitors, weak bases and (frog), 234,3:E120
  - interdigestive contractions, 238,1:G85, G91
  - intragastic pressure: see Pressure
  - membrane transport energetics, 234,3:E445
  - migrating motor complex, vagal control of, 243,6:G276
  - motility: see Motility
  - mucosa: see Gastric mucosa
  - muscularis, isolated cell responses to cholinergic drugs (frog), 232,1:C144
  - muscularis cells, contraction (frog), 232,1:C138
  - oxyntic cells, ultrastructure (frog), 232,1:E48
  - parietal cells: see Parietal cells
  - pentagastrin stimulated, oxygen uptake, 242,5:G565
  - peptide fragments, gastrin and cholecystokinin, structure-function relations, 233,2:E286
  - perfused, gastrin secretion, antral peptides and, 238,1:G495
  - potassium flux, 230,7:43
  - potential drop, 230,6:1
  - proximal
    - cholecystokinin inhibition, gastric emptying, 234,3:E375
    - interdigestive motor cycles, hormonal control, 237,6:E192
    - proximal and distal, liquid and solid emptying, 239,2:G71
    - pyloroplasty, 230,3:89
    - ruminant, intraduodenal long-chain fatty acid effects (ewe), 243,6:G127
    - salicylate, 230,3:19
  - secretion: see Gastric acid; Gastric secretion
  - smooth muscle cells
    - hyperpolarization (toad), 239,8:C182
    - membrane properties (toad), 239,8:C153
    - rectifying properties (toad), 239,8:C175
    - sodium-chloride, electrogenic symport (frog), 242,5:G620
    - sodium ion transport (mammalian), 234,3:E228
    - solute absorption, cardiac region (llama), 235,4:E1
  - titration
    - gastrin and gastric acid release, 232,1:E542
    - intragastic, bicarbonate secretion, 239,2:G44
    - volume pressure relations, 235,4:E552
- Stop-flow analysis,** lead handling, renal, 237,6:F408
- Stop-flow experiments,** kinins, formation, nephron, 234,3:F36
- Stop-flow pressure:** see Pressure
- Stop-flow studies,** zinc, kidney tubules, 241,10:F532
- Stop-flow technique**
  - folic acid and methotrexate, renal tubular transport (monkey), 242,11:F484
  - glomerular hemodynamics, nephron obstruction, 242,11:F580
- Storage pool deficiency,** platelets (Chediak-Higashi cattle), 237,6:R239

**Storage telemetry:** see Telemetry  
**Strain**

- deformation measurement, epicardium, 239,8:H432
- taenia coli smooth muscle, 236,5:C211
- ventricular: see Heart ventricles
- Strain-energy-density factor,** arterial wall, 234,3:H533
- Strain energy function,** arterial pseudoelasticity, 237,6:H620
- Strain gauge,** high-frequency, low impedance, new, 236,5:H657
- Streamlines,** valve closure, diastole, 241,10:H389
- Strength-interval curve,** left ventricular, physiological determinants, 233,2:H555
- Streptococcus pneumoniae,** ribonucleic acid response, hepatic, 238,1:G303
- Streptozotocin,** 230,6:02
- diabetes: see also Diabetes
  - chondrosarcoma growth, 241,4:E129
  - osmolal effects on vasopressin secretion, 242,5:E411
  - proteolytic enzyme activities, muscle, 241,4:E378
  - diabetes-induced inhibition of contractility and, heart, 242,11:H490
  - diabetes mellitus, calcium homeostasis in, 242,5:E451
  - glomerular basement membrane, diabetes, 242,11:F385
  - glucose tolerance and, pancreas, 241,4:E337
  - glycoprivic feeding, alloxan effects, 243,12:R312
  - potassium homeostasis and, 241,10:F151
- Stress**
  - active, development in arterial smooth muscle, hindlimb, 235,4:H649
  - adrenocorticotropin feedback inhibition, 234,3:R46
  - afterload, left ventricular shortening, 238,7:H126
  - behavioral, cardiac changes, 236,5:H750
  - circulatory
    - coronary heart disease, tests, 233,2:H694
    - sex hormone effects, 231:842
  - cold and heat, 230:932
  - contractile function, right ventricle, 239,8:H794
  - corticosteroid negative feedback, 234,3:R39
  - decompression: see Decompression
  - development
    - arterial smooth muscle, 231:77
    - vascular smooth muscle (swine), 242,11:C109
  - development cost, soleus muscle, 243,12:C242
  - diastolic stiffness, left ventricular hypertrophy, myocardial, 242,11:H633
  - exercise: see Exercise
  - gastric ulcers, neurotensin effects, 242,5:G342
  - gravitational, blood pressure and interstitial fluid pressure and (fish), 242,11:R70
  - heat, open-loop gain, 242,11:R275
  - hemodynamic and metabolic adjustments, 236,5:H225
  - hyperresponsivity, spontaneous hypertension, 234,3:H690
  - hypertrophy: see Hypertrophy
  - hypotensive, vascular smooth muscle activity, ischemia, 238,7:H144
  - immobilization
    - hormonal changes with hypertension, 242,5:E330
    - sympathoadrenal response in spontaneous hypertension, 236,5:H457
  - lipolysis and blood insulin levels, hypothalamic knife cuts and, 243,12:R445
  - metallothionein induction, 234,3:E282
  - myocardial, estimation of, 242,11:H875



- obstruction effects, ureter (rabbit), 243,12:F204
- relaxation  
taenia coli smooth muscle, 236,5:C211  
vascular, salt-induced hypertension, 236,5:R40
- renal function and, 242,11:R482
- responses to  
after cardiac denervation, 230:988  
coronary heart disease, 233,2:H694  
restraint, thyroid treatment and, 243,12:R170
- shear: see Shear stress
- surgical, catecholamines, renal handling, 235,4:F542
- surgical: see Surgical stress
- tail pinch effects, eating, 241,10:R72
- temperature, brain indole and catecholamines during, 230:110
- thermal, ketamine anesthesia and (monkey), 241,10:R301
- transmural distribution, left ventricular wall deformation, 243,12:H379
- wall: see Wall stress
- Stress hormone**, endurance training effects, fasting, 243,12:R179
- Stress modulus**, femoral vein, jugular vein and, 233,2:H15
- Stressor**, bioelectric effect, 239,8:R424
- Stress-strain relations**, 230:205  
age-related changes, esophageal sphincter, 233,2:E407  
arterial pseudoelasticity, 237,6:H620  
femoral vein, 233,2:H15  
muscle: see Muscle  
taenia coli, 233,2:C47
- Stress test**, treadmill: see Exercise
- Stretch**  
activation, cerebral artery, 242,11:H760  
Purkinje fibers, conduction velocity and cable properties (sheep), 237,6:C119  
step, taenia coli smooth muscle, 233,2:C47
- Striation patterns**, sarcomere length measurement, cardiac cells, 242,11:H68
- Stroboscopy**, spermatozoa, 242,11:C304
- Stroke**  
DOCA hypertension, 232,1:F260  
genetic predisposition to, 230:1354  
heat: see Heatstroke  
perfusion pressure, renal, in spontaneous hypertension, 238,7:F317  
proneness, spontaneous hypertension, renin-angiotensin system, 236,5:H409  
spontaneous hypertension, renal hemodynamics and function, 241,10:F244
- Stroke volume**: see Volume
- Stroke work**  
heart, pressure load vs. volume load, 242,11:H942  
hypoxic and carbon monoxide hypoxia, 236,5:H22  
left ventricular systolic pressure-volume area, 237,6:H566  
segment, coronary blood flow (pig), 234,3:H597
- Strontium**  
action potentials, smooth muscle cells, stomach (toad), 239,8:C162  
adenosine and glycogen phosphorylase, cardiac cycle changes, 238,7:H389  
calcium-binding protein regulation, placenta and intestine, 242,5:E47  
calcium-free medium, spontaneous sweat secretion in (monkey), 242,11:C353  
catecholamine secretion, ionophore effects, adrenal gland and spleen, 242,5:E137  
neuromuscular events, esophageal smooth muscle (opossum), 232,1:E547  
potassium exchange, bone, 242,11:H705  
smooth muscle contraction, arterial, 242,11:C25
- spontaneous sweating, transepithelial potential during (monkey), 242,11:C360
- Strontium-85**  
bone resorption, 230:90  
microspheres, bone blood flow measurement, 236,5:H1
- Strophanthidin**  
spontaneous discharge and, cardiac Purkinje fibers, 243,12:H767
- toxicity  
Purkinje fibers, calcium effects, 236,5:H689  
sodium effects, Purkinje fibers, 234,3:H477
- Strophanthin**, G-, vascular smooth muscle contraction, 238,7:H761
- Strouhal number**, pulmonic stenosis murmurs (calf), 238,7:H876
- Structure-activity relations**, saphenous vein, 233,2:H361
- Structure and function**, form and process, 242,11:R409
- S-T segment**  
elevation, cardiogenic shock, 235,4:H657  
stellate stimulation, myocardial flow and, 239,8:H359
- Subclavian baroreceptors**: see Receptors
- Subcutaneous tissue**, interstitial fluid, oncotic pressures, 231:888
- Subendocardial fibers**, ultrastructure, 238,7:H581
- Subendocardial metabolism**, atrial pacing, 233,2:H217
- Subendocardium**  
acute regional ischemia, pressure effects, 242,11:H240  
infarct: see Infarction  
left ventricular hypertrophy, 239,8:H621  
oxygen consumption and supply, atrial pacing, 236,5:H231  
perfusion and heat generation, thermal quantification, 236,5:H345  
underperfusion, volume-overload hypertrophy and, 241,10:H564
- Subepicardium**  
acute regional ischemia, pressure effects, 242,11:H240  
oxygen consumption and supply, atrial pacing, 236,5:H231
- Subfornical organ**  
angiotensin II, pressor and dipsogenic action, 239,8:R382  
macromolecular changes, dehydration and renin-induced, 237,6:R26
- Sublingual gland**, potassium efflux, calcium and, 235,4:C128
- Submandibular cells**  
dispersed mucin secretion, 238,7:C99  
potassium release, 238,7:C90
- Submandibular gland**  
adrenergic agonists, excretory ducts, 235,4:F548  
agonist-induced secretions, 235,4:C256  
blood flow in, kallikrein-kinin system and, 242,11:H1010  
kallikrein, plasma, radioimmunoassay for, 242,11:H602
- Submaxillary duct**, potassium transport, parasympathetic control, 233,2:F22
- Submaxillary duct epithelium**, ion transport, 242,11:F132
- Submaxillary gland**  
renin  
adrenergic agonists, 238,1:E416  
immunofluorescent localization, 234,3:E480  
renin release, effect of sympathetic nervous system, 231:551  
sympathetic control, 230:341  
tonin, dependence on growth hormone and testosterone, 232,1:E522
- Submersion**: see also Diving; Immersion  
underwater weighing, technique for determining body fat, 234,3:E94
- Substance P**  
C-terminal hexapeptide and, gastric and pancreatic secretion, 241,4:G74  
myoelectric activity and, small bowel, 243,6:G493  
proximal tubular reabsorption, 230:1662  
secretagogue receptors, pancreatic acinar cells, 238,1:G63  
synaptic transmission and, colon, 243,6:G259  
xenopsin effects, 243,6:G195
- Substrates**  
cardiac myocytes, amino acid stimulation, 235,4:E461
- cycling  
fructose-6-phosphate, gluconeogenesis, 236,5:E410  
hormonal control of gluconeogenesis, 235,4:E295  
dependency, hydrochloric acid secretion, isolated gastric mucosa (piglet), 238,1:G353  
endothelial uptake, lung, 243,12:C20  
fast-oxidative-glycogenolytic, muscle, 236,5:C66  
gluconeogenic  
fetal, 232,1:E456  
glucose homeostasis, newborn, 234,3:E129  
intracellular, amino acid uptake and, placenta, 243,12:C46  
metabolic levels, blood chemistry homeostasis (seal), 242,11:R591  
metabolism, ketone body effects, kidney and mitochondria, 243,12:F181  
myocardial performance, normoxia and hypoxia, 235,4:H144  
neural  
body fluid homeostasis, 234,3:R122  
thirst, osmotic- and angiotensin-induced, 233,2:F44  
oxidation, heart myocytes, 238,7:H740  
regulation, muscle protein synthesis, 242,5:E184  
selective maintenance, tissue potassium, perfused kidney, 242,11:F360  
turnover  
relations, fasting, neonatal, 239,2:E287  
splanchnic and skeletal muscle, ethanol effects, 233,2:E195  
utilization  
exercise preceded by glucose, 233,2:E188  
lactate and palmitate effects, soleus muscle, 238,7:C149
- Subthalamic lateral zona incerta**, bradycardia mediation, 236,5:H471
- Succinate**, aspartate and glutamate conversion, anoxic heart, 237,6:H535
- Succinate dehydrogenase**  
diabetes, 239,2:E215  
pyruvate-perfused heart, 237,6:R159  
sodium restriction on renin, renal, 237,6:F367  
training and, angina pectoris, 243,12:H830
- Succinic acid dehydrogenase**, skeletal muscle, 233,2:C14
- Succinyl CoA synthetase**, pyruvate-perfused heart, 237,6:R159
- Suckling**: see also Infant; Neonate; Newborn  
age-dependent inhibition, cholecystokinin, 236,5:E567  
development, feeding, digestion and metabolism, 241,4:G199  
feeding controls, ontogeny, 237,6:R187  
galactose metabolism, liver, 236,5:E633  
insulin development, pancreatic and plasma, 242,5:E220  
lead retention, intestinal pinocytes, 239,2:G114  
lipoprotein lipase, muscle, 238,1:E511  
protein turnover, intestinal brush border, 239,2:G524

**Suckling (continued)**

thyroidal response, peroral thyroid-stimulating hormones, 238,1:E428

**Sucrase****circadian rhythm**

intestinal, adurnal feeding, 238,1:G97

intestinal transport, 230:731

**circadian rhythm activity, jejunal, development, 235,4:E437****ethanol effects, jejunal brush border membrane, 237,6:E68****jejunal activity, during development, 235,4:E451****metabolism, germ-free, 242,5:G650****Sucrose****atrial tension, 236,5:H629****blood-brain transport, histamine effects, 243,12:H307****cerebrospinal fluid, salt appetite and (sheep), 242,11:R51****chronotropic response, atrial, 233,2:H228****<sup>14</sup>C-labeled, entry into brain, 238,7:R421****clearance, taurine-conjugated bile acid effects, biliary, 242,5:G40****density gradient centrifugation, sodium restriction on renin, 237,6:F367****diabetes mellitus, reevaluation of sand rat, model, 239,2:E340****distribution, cerebrospinal fluid to brain and blood, 242,11:F171****extracellular marker, heart, 242,11:H671****<sup>3</sup>H-labeled****bulk flow, brain interstitial fluid, 238,7:F42****interstitial anion distribution determination, striated muscle, 237,6:C125****sarcoplasmic reticulum (frog), 234,3:C181****interstitial, hind paw, 239,8:H532****lithium, 230:1132****mannitol-induced, vascular contractile response, 232,1:H59****metabolism, adipocytes, 238,1:E180****nonelectrolyte permeability, cerebrovascular, 235,4:H299****obesity and, 243,12:R347****permeability****heart capillary, 239,8:H464****proximal tubule, adenosine monophosphate, cyclic effects, 236,5:F71****red cell osmotic behavior, 236,5:C238****space****extracellular water measurement, 235,4:F254****stratum corneum (frog), 232,1:C37****transport****bladder, 230:1722****dually perfused placenta, 237,6:C205****Sucrose gap****desensitization of cholinergic receptors, sinoatrial cell, 238,7:H439****hyperpolarized skeletal muscle, 239,2:E21****pacemaker activity, sinoatrial node, 238,7:H307****Suction electrode potentials: see Potentials****Sudden death syndrome, laryngeal reflex and (piglet), 239,8:R25****Sugar****absorption****aspirin effects, 236,5:E495****intestinal motility and (pig), 242,5:G15****nephron, 236,5:F163****renal tubular, 233,2:F274****blood, oscillations, intestinal motility and (pig), 242,5:G15****blood level, homeostasis, high-protein diet, 239,8:R437****blood levels (chicken and carnivorous bird), 234,3:R115****cytochalasin B effects, isolated intestinal epithelial cells (chick), 237,6:C56****dually perfused placenta, 237,6:C205****endothelial uptake, lung, 243,12:C20****fat cells, 237,6:E325****fatty acid esterification, 234,3:E236****gastric emptying, satiety and (monkey), 241,10:R25****interaction with antiluminal surface, proximal tubule, 232,1:F455****phosphorylation, renal cells (flounder), 232,1:F227****reabsorption, renal (flounder), 234,3:F434****sodium-dependent transport system, intestinal epithelium (chicken), 241,10:C227****transport****anion gradient and, intestinal cells (chick), 237,6:C64****ATP-dependent intestinal cells, 238,7:C73****brush border membrane vesicles, kidney, 242,11:F340****crypt cells, intestinal, 239,8:C190****energetics, intestinal (chicken), 234,3:C64****epithelium, 241,4:G451****insulin, heart muscle, 234,3:E70****insulin binding and, correlation, 235,4:E606****insulin-stimulated, ATP effects, soleus muscle, 234,3:E407****intestinal, 235,4:C73****intestinal epithelial cells, regulation by exogenous ATP, 238,7:C177****isolated brain capillaries, 236,5:C96****jejunal, aspirin effects, 236,5:E495****kidney (flounder), 242,11:F415****lung, 241,4:E191****lung cells, 243,12:C14****renal, 231:603****renal (flounder), 234,3:F424****sodium-coupled, intestinal, 233,2:E249****sodium ion-dependent, intestinal, 233,2:E357****sulphydryl groups, erythrocytes (goose), 241,10:C33****vesicles, renal epithelial cell line, 243,12:C293****Sulfate****esterification, intestinal transport of bile salt and, 238,1:G34****excretion, electrolyte and acid excretion (toad), 243,12:F60****hydrogen ion-dependent, kidney tubule (teleost), 243,12:F150****hypermagnesemia, 230:398****potassium secretion and, luminal chloride replacement, kidney, 242,11:F46****radiolabeled, volume, in aging, 238,7:R82****<sup>35</sup>S-labeled, interstitial anion distribution determination, striated muscle, 237,6:C125****transport****peritubular surface, renal tubules (teleost), 239,8:F143****proximal convoluted tubules, 241,10:F300****Sulfate esters, bile salt, intestinal transport, sulfation patterns, 238,1:G34****Sulfate media, energy production and consumption, gastric mucosa (frog), 236,5:E301****Sulphemoglobin-red blood cells, blood flow velocity, microvascular, 238,7:H745****Sulphydryl groups, sugar transport, nucleated erythrocyte (goose), 241,10:C33****Sulfobromophthalein****biliary transport maximum, 236,5:E10****estrogen levels, plasma, extrasplanchnic, 236,5:E347****glycohydrofusidate effects, transport maximum, 231:1875****oxygen consumption, bile flow and, liver (skate), 242,5:G313****Sulfobromophthalein-glutathione, conjugate uptake, hepatocytes, 239,8:C118****Sulfonylureas, renin, plasma, 236,5:E1****Sulfur, metabolism, portal-systemic shunting effects, 241,4:G503****Sulfuric acid, feeding, aldosterone and, kidney, 243,12:F494****Summation, motor units, interactions, 238,7:R119****Supercompensation, insulin effects, during exercise-induced glycogenesis, muscle, 233,2:E509****Superfusate, norepinephrine metabolism, 234,3:H235****Superinfusion****norepinephrine disposition, saphenous vein, 239,8:H238****norepinephrine release, arterial, potassium-free solution, 232,1:H140****right bundle branch-septal muscle, 236,5:H379****Supermarket diet: see Feeding****Supernormal conduction: see Conduction****Superovulation, antimicrotubule agents, microtubules and steroidogenesis, luteal cells, 243,6:E380****Superoxide anions, chemiluminescence, phagocytizing alveolar macrophages, 235,4:C103****Superoxide dismutase, pulmonary, oxygen-induced changes, 231:1196****Superperfusate, norepinephrine overflow, saphenous veins, measurement, 236,5:H263****Superregulation, superior mesenteric flow, 237,6:H174****Supersensitivity: see also Sensitivity****chemical sympathectomy, long-term, 238,7:H527****Suprachiasmatic lesions, body temperature, circadian rhythm of (monkey), 241,10:R385****Suprachiasmatic nucleus****lesions, adrenocorticotropin rhythm, 239,2:E482****proestrus, 238,1:E533****sleep timing, sex differences, 243,12:R193****Supraoptic neurosecretory cells****carotid occlusion, left atrial stretch effects and, 237,6:R63****left atrial distension, 236,5:R261****Supraoptic nucleus****antidiuretic hormone, angiotensin-II stimulated, 234,3:F135****antidiuretic hormone release, angiotensin II-stimulated, 234,3:F135****central cardiovascular regulations, 239,8:R137****left atrial distension, 236,5:R261****Surface charges, membrane, screening by divalent cations, 235,4:C109****Surface potentials: see Potentials****Surface ultraviolet****microreflectometry: see Microreflectometry****Surfactant****hydrophobic****lipid transport and, intestinal, 241,4:G487****lymphatic lipid transport, 239,2:G348****transport, small intestine, 242,5:G408****secretion, cholinergic stimulation effects, 243,12:C39****Surgery, micropuncture preparation: see Micropuncture****Surgical overload, contractile properties during, hindlimb muscles, 242,11:C259****Surgical stress****arginine vasopressin, fetal (lamb), 238,1:E214****catecholamines, renal handling, 235,4:F542**

**Survival**

- after hemorrhage, anesthetics and, 235,4:H753
- anaerobic, 230:1269
- cold tolerance, newborn (northern fur seals), 236,5:R322
- embryo, oxygen dependence (salamander), 236,5:R282

**Survival time**

- coronary occlusion, hydrogen peroxide effects, 234,3:H28
- thermoregulation, pregnancy and lactation, 239,8:R470

**Swallowing**

- esophageal response, 241,4:G129
- intervals, esophageal peristalsis, 238,1:G485
- manometry (opossum), 233,2:E152
- reflex, primary afferent nerves, 239,8:R407

**Swan-Ganz catheter:** *see* Catheters**Sweat, secretion, eccrine myoepithelium (monkey), 237,6:C177****Sweat glands**

- eccrine
  - electrochemical driving forces, 239,8:C90
  - myoepithelial mechanical properties and functions (monkey), 237,6:C177
  - secretion, calcium and (monkey), 241,10:C113
- microelectrode, self-filling and semifloating, glass, 232,1:C207
- spontaneous secretion, calcium-free strontium medium (monkey), 242,11:C353
- Telazol anesthesia (monkey), 239,8:R241
- transepithelial potential, strontium-induced spontaneous sweating (monkey), 242,11:C360

**Sweating**

- ketamine anesthesia and (monkey), 241,10:R301
- rate, impaired heat tolerance, 239,8:R226, R233
- thermal, Telazol anesthesia, 239,8:R241

**Swelling, myocardial, hydrostatic force**

- effects, 241,10:H740

**Swimming:** *see* Exercise**Sylv training:** *see* Exercise**Sylfhydryl agents, carnitine transport, heart, 242,11:H585****Symmetry, physical causality, brain theories and, 238,7:R277****Sympathectomy**

- angiotensin II, central effects, 235,4:H392
- arterial and venous changes, renal hypertension, 241,10:H449
- cardiac
  - left ventricular dP/dt, 238,7:H93
  - tonic circulatory restraint, 237,6:H528
- cardiac enzymes, newborn, 236,5:C30
- cardiac hypertrophy, catecholamine effects, hypertension, 242,11:H1015
- cardiovascular changes, during micturition, 237,6:H213
- carotid, baroreflexes after, 241,10:H600
- cervical, cerebral circulatory response, time course (baboon), 234,3:H74
- chemical
  - brown fat, 242,11:C159
  - circulatory effects, fetal, neonatal and adult (sheep), 243,12:H113
  - long-term, evaluation, 238,7:H527
- epinephrine mediation, plasma glycerol elevation, 233,2:E369
- lumbar, vasopressin and, 242,11:H37
- myocardial blood flow, coronary artery occlusion, 243,12:H566
- neural control of vasomotion, desynchronized sleep, ear, 243,12:R142
- noradrenergic nervous system, colonic mucosa, 241,4:G137
- norepinephrine and, intestinal, 241,4:G264
- reflex circulatory changes, 235,4:H759

- sodium handling, renal, 236,5:F513
- ventricular
  - coronary collateral resistances, 238,7:H196
  - coronary ligation effects, 235,4:H429

**Sympathetic activity**

- A and C reflex, ascending spinal pathways, 237,6:H342
- carotid occlusion, 236,5:H96
- carotid sinus denervation, 237,6:H475
- nonuniform heart regions, 237,6:H606
- pre- and postganglionic, splanchnic nerves, 241,10:R55
- renal, thiopental effects, 243,12:F265
- spinal, fastigial nucleus stimulation and, 243,12:R25
- spontaneous hypertension, 236,5:R147
- baroreceptor reflex gain and, 243,12:R500
- spinal transection, 243,12:R506
- thyroid treatment and, 243,12:R170

**Sympathetic afferents:** *see also*

- Afferents
  - cardiac, epicardial bradykinin effects, 242,11:H148
  - reflexes, chemical activation, 239,8:H316
- renal nerve activity, 237,6:H44
- thoracic, renal nerve activity, 237,6:H44

**Sympathetic control, supraspinal, venous membrane potential, spontaneous hypertension, 243,12:C101** **$\alpha$ -Sympathetic control, glucose output, perfused liver, 236,5:E323****Sympathetic discharges**

- cardiogenic hypertensive chemoreflex, 238,7:H61
- mesenteric artery occlusion, 236,5:H286

**Sympathetic efferents:** *see* Efferents**Sympathetic fibers:** *see* Nerve fibers**Sympathetic ganglions, blockade:** *see* Blockade**Sympathetic hyperresponsiveness, hypothalamic stimulation, young hypertensive rats, 237,6:R39****Sympathetic influences, efficacy, vascular tonicity (frog), 241,10:H691****Sympathetic inhibition, thermogenesis, infant, 233,2:R23****Sympathetic interneurons, spinal, identification and discharge patterns, 231:722****Sympathetic modulation, vagal afferents, 237,6:H528****Sympathetic nerves**

- afferent: *see* Afferent nerves;
- Sympathetic afferents
  - activity
    - indices, sinoaortic-denervated hypertension, 238,7:H521
    - spinal cord, 231:786
    - thermal stimulation, 230:271
  - adrenergic-cholinergic axoaxonic synapse, reciprocal, gut, 236,5:E738
  - angiotensin II, intraventricular, 235,4:H392
  - angiotensin II-induced responses, spontaneous hypertension, 232,1:H426
  - arrhythmias, 233,2:H535
  - arterial pressure oscillation, after hemorrhage, 235,4:R279
  - atrioventricular junctional rhythm, 235,4:H308
  - baroreflex control, heart interval, renal hypertension, 241,10:H332
  - blood flow
    - cerebral, 236,5:H549
    - liver, 232,1:H652
  - renal, redistribution after carotid occlusion, 232,1:F167
- cardiac
  - phenytoin effects, ventricular arrhythmias, 241,10:H67
  - plasma catecholamines, exercise, 241,10:H243
  - regional coronary vasoconstriction, 243,12:H410

- tonic circulatory restraint by vagal afferents, 237,6:H528
- cardiac contractility, 239,8:H56
- carotid sinus reflex, sodium intake effects, 233,2:H196
- catecholamine secretion, ionophore effects, adrenal gland and spleen, 242,5:E137
- cerebral blood flow, intracranial pressure, 241,10:H78
- cerebral vascular response (dog, cat, monkey), 235,4:H544
- cerebral vessels, during seizures, 237,6:H178
- cervical
  - lacrimal gland flow, 230:80
  - stimulation effects on carotid sinus reflex, 230:1026
- changes, hypertrophied right ventricle (guinea pig), 243,12:H175
- control of ileocecal sphincter, 231:296
- coronary circulation and,  $\alpha$ -adrenergic receptor blockade effects awake state, 243,12:H94
- descending pathway, cardiovascular regulation, 232,1:H157
- discharge
  - brain stem, 239,8:R48
  - cardiac-related activity and, 243,12:R49
  - central oscillators, 239,8:H143
  - hypothalamic neurons and, 242,11:R34
- dysfunction, juvenile diabetes mellitus, 243,12:H139
- electromechanical dissociation, 241,10:R213
- fat mobilization, 232,1:E165
- function
  - DOCA-salt hypertension, 239,8:R303
  - vascular reactivity and, hypertension, 241,10:R379
- glucagon mediation, epinephrine effects (baboon), 232,1:E464
- glycogen, pineal cell, 232,1:E584
- heart function, pharmacological analysis, embryo (chick), 232,1:R116
- influence on oxygen uptake, resting skeletal muscle, 231:529
- lateral hypothalamic lesion syndrome, 232,1:R128
- lipomobilization, 236,5:E317
- metabolic changes, experimental obesity, 233,2:R162
- multichannel telemetry system, 236,5:H513
- neurogenic hypertension, 239,8:F474
- norepinephrine turnover, diet and cold exposure effects, pancreas and liver, 236,5:E524
- norepinephrine uptake, 235,4:H289
- postural control of circulation, renin release and, 237,6:H146
- pre- and postganglionic chain, splanchnic activity, 241,10:R55
- renal, cholinergic inhibition, 237,6:H326
- renin activation, 239,8:H232
- renin release
  - responses to tilting and furosemide, 232,1:H500
  - submaxillary glands, 231:551
- renin secretion,  $\alpha$ -adrenoceptors, renal, 242,11:F620
- rhythm, brain stem origin, 239,8:R42
- sodium reabsorption, tubular, 235,4:F557
- stimulation
  - active capacitance and, hepatic, 242,11:H1000
  - bradykinin effects, kidney, 241,10:R146
  - hepatic arterial responses, glucagon inhibition, 233,2:H647
  - myocardial ischemia and, 243,12:H566
  - neurotransmission, cardiovascular system, 238,7:H275
  - salt-induced hypertension, prevention (Dahl strain), 236,5:H48

**Sympathetic nerves (continued)**

- substance P effects, colon, 243,6:G259  
 synchronization, phrenic nerve discharges, 231:1601  
 tone, baroreceptor regulation, behavioral influence (baboon), 241,10:R277  
 vascular reactivity, isolated tibia, 236,5:H904  
 vascular smooth muscle activity, during hemorrhage, 238,7:H144  
 vasomotor outflows, hindlimb muscles, 235,4:H482  
 venous occlusion, 233,2:H264  
**Sympathetic nervous system**  
 activation, renin release and, 242,11:R552  
 activity, tilting effects, 242,11:H161  
 anesthesia, response to hemorrhage and, 243,12:H713  
 autoregulation, 241,4:G143  
 fasting and cold exposure effects, 241,4:E316  
 hyperresponsivity, spontaneous hypertension, 234,3:H690  
 immunoregulation, high- and low-responders, 242,11:R30  
 influences, metabolic rate, fasting and refeeding, 243,12:R339  
 morphine-induced mydriasis and, 241,10:R130  
 norepinephrine and denervation effects, prostaglandin and kallikrein, renal, 241,10:F477  
 norepinephrine turnover, brown fat, 242,5:E253  
 potassium homeostasis and, 241,10:F151  
 right coronary circulation and (dog, pig), 241,10:H149  
 stimulation  
   atrioventricular conduction and, 243,12:H525  
   hypercapnia and (goat), 242,11:R441  
   tetradotoxin effects, vascular smooth muscle, 242,11:H967  
   transients, baroreflex modulation, 242,11:H185  
   ventromedial hypothalamic lesions, obesity-induced, 243,6:E338  
**Sympathetic neurons**  
 brown adipose tissue, 231:34  
 celiac plexus, 237,6:E90  
 preganglionic, spontaneous hypertension, 236,5:R147  
 raphe, classification with cardiac-related activity, 243,12:R49  
**Sympathetic oscillators, brain stem,** 239,8:R48  
**Sympathetic outflow, pithed rats,** 237,6:H305  
**Sympathetic-parasympathetic balance, norepinephrine release, lungs,** 235,4:H803  
**Sympathetic-parasympathetic interaction**  
   glucagon effects, cardiac chronotropic response, 242,11:H7  
   ventricular refractoriness, 241,10:H878  
**Sympathetic pathways, descending,** spinal, afferent nerves and, interaction, 234,3:H223  
**Sympathetic postganglionic nerve fibers, atrioventricular junctional rhythm,** 239,8:H181  
**Sympathetic regulation**  
   cerebral circulation, carotid chemoreceptor reflex and, 238,7:H594  
   coronary vessels, newborn (lamb), 234,3:H173  
**Sympathetic response, pericoronary nerve effects, coronary occlusion,** 243,12:H170  
**Sympathetic stimulation**  
    $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330  
   blood flow, intestinal muscles and mucosa, 235,4:H40

- capillary recruitment, intestinal oxygenation and, 242,5:G435  
 cerebral vascular response (dog, cat, monkey), 235,4:H544  
 inotropic state, heart, 234,3:H562  
 norepinephrine release, lung, 235,4:H803  
 oxygen uptake, intestinal, 236,5:H731  
 pithed spontaneously hypertensive and normotensive rats, 238,7:H365  
 vasoconstriction, middle cerebral artery (goat), 235,4:H131  
**Sympathetic tone**  
   heart rate control, development, neonatal, 238,7:H829  
   hypoxic responses, spinal, 241,10:H679  
   mesenteric artery occlusion, 236,5:H286  
**Sympathetic transmission: see** Transmission  
**Sympathetic trunk, cervical stimulation,** amylase and calcium, parotid, 236,5:E371  
**Sympathetic vasoconstriction: see** Vasoconstriction  
**Sympathetic vasodilation: see** Vasodilation  
**Sympathetic vasomotor tone, cerebral ischemia,** 239,8:H349  
**Sympathoadrenal discharge, heart failure, arteriovenous shunt,** 236,5:H698  
**Sympathoadrenal mechanisms, hemodynamic responses, gastric distension,** 243,12:H748  
**Sympathoadrenal medullary response, fasting and cold exposure effects,** 241,4:E316  
**Sympathoadrenal response**  
   alloxan, fourth ventricle, 243,12:R312  
   immobilization stress, spontaneous hypertension, 236,5:H457  
**Sympathoexcitation, spinal interneurons,** 231:722  
**Sympathoinhibitory pathways, spinal,** 232,1:H657  
**Sympathomimetic agents**  
   ion transport, ileum, 242,5:G237  
   norepinephrine effects, intestinal, 241,4:G264  
   salivary secretion (tick), 235,4:R76  
**Sympathomimetic amines: see** Amines  
**Synapses**  
   adrenergic-cholinergic axoaxonic, reciprocal, gut, 236,5:E738  
    $\beta$ -adrenergic, norepinephrine effects, free fatty acid mobilization, 242,5:E248  
   pharmacokinetics, 237,6:R251  
   sensory, transduction mechanisms, carotid body, 239,8:C135  
**Synaptic activators, miniature end-plate potentials, timing (frog),** 237,6:C264  
**Synaptic blockade: see** Blockade  
**Synaptic cleft, norepinephrine levels in, vascular tissue,** 242,11:H233  
**Synaptic sprouting, choline acetyltransferase activity, cardiac,** 236,5:H620  
**Synaptic transmission: see also** Transmission  
   lower esophageal sphincter (opossum), 234,3:E273  
   substance P effects, colon, 243,6:G259  
**Synaptosomes, brain, triiodothyronine and thyroxine,** 235,4:E638  
**Synchronization**  
   circadian: *see* Rhythms, circadian  
   internal, renal electrolytes (squirrel monkey), 232,1:F128  
**Synergetics, reviewing the reviewers,** 241,10:R107  
**Synthesis-secretion coupling: see** Coupling  
**Synthesis: see** specific subject and site  
**Synthetic grafts: see** Grafts  
**Synthetic materials, gas nuclei, effects on protein and platelet adhesion (swine),** 233,2:H100  
**Systemic vessels, responses to prosta-**

glandin  $E_1$  and  $E_2$ , perinatal (goat), 236,5:H828

**Systole**

- coronary collateral blood flow, 233,2:H541  
 coronary pressure-flow relations, right ventricle, 238,7:H481  
 ventricular, adenosine and glycogen phosphorylase activity, 238,7:H389  
**Systolic blood pressure: see** Blood pressure  
**Systolic elasticity, ventricular, flow-pulse responses,** 237,6:H282  
**Systolic force: see** Force  
**Systolic hypertension: see** Hypertension  
**Systolic performance, diastolic pressure-diameter relations and,** 237,6:H644  
**Systolic pressure: see** Pressure  
**Systolic pressure-volume area, left ventricular, correlation with oxygen consumption,** 237,6:H566  
**Systolic time intervals, ear-pulse derivative,** 238,7:H355  
**Systolic wall, thickening, myocardial blood flow and, exercise,** 243,12:H698

**T****Tachyarrhythmias**

- atrioventricular junctional, 233,2:H535  
 strength-interval curve, left ventricular, 233,2:H555

**Tachycardia**

- atrioventricular reentrant, anomalous pathway, 233,2:H44  
 autonomic spinal afferents, 232,1:H464  
 hypoxic, reversal, 231:179  
 left ventricular blood flow, 230:1072  
 left ventricular hypertrophy, 239,8:H621  
 nonhypertensive arteriovenous shunt, neural mechanisms, 236,5:H35  
 reflexes, hindlimb, 237,6:H359  
 reflex sympathetic, during intravenous infusions, 230:25  
 sinus, pacemaker cell rhythm, 235,4:H379  
 supraventricular, closed-chest electrode catheter technique, 241,10:H283

**Tachygastric, antral,** 239,2:G59**Tachyphylaxis, 230:1042****angiotensin II, ileum,** 232,1:H223**fibrinogen synthesis,** 233,2:H1**Tachypnea, after cardiac nerve stimulation,** 230:1003**Taenia coli**

- chemical energetics, single isometric tetani, 235,4:C1  
 contracting, oscillating prostaglandin release, 239,2:G53  
 contractions, Tris effects, 241,10:H337  
 mechanical properties, spontaneous contraction, 233,2:C47  
 prostaglandin E release, 232,1:C191  
 prostaglandin in, 230:149  
 relaxation, sodium activity, 232,1:C59  
 resting smooth muscle, mechanical properties, 236,5:C211

**Tail artery**

- barostasis between different steady-state flows, 232,1:H197  
 lead effects, vascular reactivity, 241,10:H211  
 instantaneous arterial blood pressure measurement, 237,6:H632  
 norepinephrine release, potassium-free solution, 232,1:H140

**Tamponade**

- cardiac  
   acute, renal function, 234,3:F117  
   electromechanical dissociation, 241,10:R213  
   hemodynamics, autonomic blockade effects, 232,1:H5

**Tantalum, screws, radiopaque markers, heart rotation,** 239,8:H573



**Taste:** *see* Feeding

# **Taurine**

- active transport, sodium-dependent, kidney (fish), 242,11:R64
- bile acid conjugation, 232,1:E75
- bile acids, lipid secretion and sucrose clearance and, biliary, 242,5:G40
- cholesterol saturation and, bile enrichment (hamster), 243,6:G424
- excretion, kidney (fish), 242,11:R64
- uptake, placenta, maternal and fetal, 241,10:C106

# **Taurochenodeoxycholate, sulfobromophthalein transport, biliary, 236,5:E10**

# **Taurocholate**

- absorption, intestinal, neonate, 239,2:G319
- cholereses, 234,3:E146
- gastric mucosal damage, alkaline secretion response, 241,4:G509
- hemodynamic effects, bile secretion, liver, 234,3:E584
- intestinal transport, bile salts postnatal (guinea pig), 243,6:G189
- metabolic damage, gastric mucosa, 239,2:G457
- oxygen consumption, bile flow and, liver (skate), 242,5:G313
- phenol 3,6-dibromophthalein disulfonate, hepatic uptake, facilitation, 232,1:E560
- sodium, 230:974
- sulfobromophthalein transport, kidney, 236,5:E10
- synthesis, fetal liver, effects in cortisol in vitro, 237,6:E177
- transfer, placental (sheep), 239,2:G354
- vitamin D absorption and, 242,5:G326

# **Taurocholic acid, gastric mucosal barrier disruption, mechanism of, 242,5:G95**

# **Tauroursodeoxycholic acid, bile enrichment (hamster), 243,6:G424**

# **Taylor dispersion, oxygen uptake, myocardial reactive hyperemia, 235,4:H87**

# **Teat sphincter, rhythmic contractions in, expulsion mechanism (cow), 242,11:R181**

# **Technetium-99m**

- gastric emptying, scintigraphy, 239,2:G39
- pyrophosphate, bone clearance, 236,5:H1

# **Teeth**

- developing
  - calcification and pH gradients, 232,1:F364
  - water compartments, 232,1:F358

# **Telazol anesthesia, thermoregulation (monkey), 239,8:R241**

# **Telemetry**

- arterial baroreceptors, exercise and, 230:85
- multichannel system, recording cardiovascular neural signals, 236,5:H513
- oviductal contractile activity, 239,8:R326, R332
- radio
  - aortic pressure-dimension techniques (dog, sheep), 235,4:H610
  - circulation, 24-hour pattern, 236,5:R231
  - exercise and excitement, mesenteric and renal dynamics (baboon), 234,3:H210
  - pressure-sensitive device, pancreatic polypeptide effects, gallbladder (pig), 243,6:G204
  - storage, radionuclide tracers by implantable thermoluminescent dosimeters, 233,2:E479

# **Telemetry systems**

- cardiovascular, pressure monitoring, 239,8:H570
- demodulator, 239,8:H133

# **Television-microscope systems, flow velocity, skin capillaries, 233,2:H318**

# **Temperature**

- acclimation, 230:110
  - hepatocytes (rainbow trout), 243,12:R223
  - norepinephrine turnover, 230:564
  - pregnancy and lactation, 239,8:R470
- adrenergic receptors, skin melanophores (frog), 241,4:E84
- ambient
  - energy balance (fowl), 232,1:R137
  - heart rate (squirrel monkey), 233,2:H10
- antidiuretic hormone and, interactions, cortical collecting tubules, 238,7:F470
- antidiuretic hormone response, collecting tubules, 239,8:F595
- bicarbonate-chloride exchange, erythrocytes (dogfish), 237,6:R132
- blood flow and heart rate, control of, 231:1457
- blood viscosity (frog, turtle), 239,8:R428
- calcium ion sensitivity, smooth muscle actomyosin ATPase, regulation (chicken gizzard), 237,6:C213
- carbonic anhydrase (tobacco hornworm), 241,10:R92
- changes, erythrocyte permeability to lipophilic solutes, 242,11:C74
- circadian rhythms,  $\alpha$ -methyl-*p*-tyrosine effects, 243,12:R218
- circadian rhythm synchronization (squirrel monkey), 234,3:R130
- cold: *see* Cold
- compensation, circadian pacemaker, dual system theory (insect), 241,10:R322
- conflicting circadian synchronizers (monkey), 235,4:R175
- contraction, vascular smooth muscle, 238,7:H761
- critical thermal maximum, concept, 237,6:R366
- dynamics, fertile egg (chicken), 234,3:R183
- electrical field stimulation, esophageal smooth muscle response (opossum), 232,1:E432
- electromyogram, colon, 239,2:G173
- electrophysiological effects (lungfish), 232,1:H24
- environmental
  - acclimation, membrane, neuron (snail), 239,8:C47
  - air, arousal state (marmot), 236,5:R107
  - effect on food intake, 231:1220
  - ionic transport, aorta (rat, squirrel), 237,6:C23
  - sleep, responses (kangaroo rat), 237,6:R80
- force-velocity relations, trachea, 233,2:C92
- heat, effect on mechanism of temperature regulation, 231:707
- heat production, sodium-potassium-ATPase units and, obesity, 238,1:E193
- heat: *see* Heat
- interconversion, renal adrenoceptors, 243,12:F23
- low
  - adipose tissue morphology and, 242,5:E93
  - resting smooth muscle, mechanical properties, 236,5:C211
  - measurements, regional blood flow measurements and, 238,7:H682
  - mechanical and hypothermic properties, smooth muscle, 238,7:C49
  - membrane characteristics, carotid body cells, 233,2:C35
  - membrane lipid comparison, liver (rainbow trout), 236,5:R91
  - membrane lipid transitions (hedgehog), 236,5:E589

- membrane permeability and, lung cells, 243,12:C285
  - metabolic adaptation and, brown adipose tissue, 231:153
  - metabolic heat production, brain serotonin and, 235,4:R41
  - motility and, spermatozoa, 242,11:C304
  - muscle resistance, to stretch, 231:1349
  - neurons and, preoptic region (sunfish), 241,10:R259
  - organic acid transport, renal, 233,2:F382
  - rapid change, mean body temperature and gill ventilation, 231:837
  - reception, arousal state (marmot), 236,5:R107
  - reduced, calcium-45 efflux, aortic, 234,3:C139
  - regulation
    - blood flow distribution, heat stress (baboon), 237,6:H705
    - $\beta$ -endorphin effects, 243,12:R104
    - mechanisms in heat acclimation, 231:707
    - monoamine effects, 231:148
    - open-loop gain, 242,11:R275
    - synaptic blockade effects, hypothalamus, 243,12:R480
    - thermosensitivity, hypothalamic slices, 242,11:R77
  - repetitive firing frequency, mechanism for minimizing effects (mollusc), 234,3:C155
  - selection, cold acclimation and (fish), 242,11:R157
  - selection (turtle), 238,7:R443
  - sensitivity, sodium-potassium pump and sodium-potassium-ATPase disparity (guinea pig, ground squirrel), 235,4:C159
  - sodium-potassium-ATPase effects and, skin, 231:1356
  - subcellular membrane fatty acids and, heart, 231:650
  - tension and, papillary muscle, 238,7:H340
  - thermogenesis: *see* Thermogenesis
  - thyroxine effects, brown fat mitochondria, 241,10:C134
  - transepithelial potentials, proximal tubules, 236,5:F302
  - transients, gas exchange and acid-base balance, 230:1389
  - variation, series elastic component, 232,1:H122
  - ventilation (turtle), 239,8:R254
- # **Temperature, body**
- barostasis, arterial, 232,1:H197
  - biothermal injury, subclinical and clinical, 235,4:R228
  - blood flow, cutaneous (alligator), 235,4:R160
  - bone blood flow responses, 236,5:H1
  - brain, corneal convection and (pigeon), 242,11:R577
  - central nervous system regulation (marmot), 232,1:R203
  - changes
    - produced by prostaglandins and pyrogens, 230:1284
    - rectal, in exercise, 230:1416
    - skin, variability, 230:449
  - circadian rhythms
    - aberrations of, medial preoptic lesion, 242,11:R352
    - storage telemetry, 233,2:E479
    - suprachiasmatic lesions (monkey), 241,10:R385
    - under constant light, 235,4:R243
  - colon
    - circadian control (squirrel monkey), 236,5:R153
    - pregnancy and lactation, 239,8:R470
  - core
    - effect of ovariectomy and induction of pseudopregnancy, 231:361
    - effect of pinealectomy or altered lighting, 231:255

**Temperature, body (continued)**

impaired heat tolerance, 239,8:R226, R233

cryogen effects, urine, 243,12:R241

daily activity and, 242,11:R1

dependence, circadian pacemaker,

241,10:R17

endogenous ultradian rhythms, prolonged exposure to continuous light, 235,4:R250

energy balance (fowl), 232,1:R137

energy budget (chicken), 239,8:R57

growth hormone and thyrotropin, endo-

toxin effects, 243,6:E332

hibernation: see Hibernation

hot flashes, ambulatory monitoring, 237,6:R306

human circadian system, mathematical model, 242,11:R3, R17, R22

hypothalamic

alterations (seal), 232,1:R18

euthermia (marmot), 232,1:R203

shivering (seal), 232,1:R18

sleep, responses (kangaroo rat),

237,6:R80

thermoregulation (pigeon),

243,12:R363

independence of brain temperature

(flying kestrel), 237,6:R58

liver, heat production, 237,6:R334

long-term fasting effects (geese),

241,4:E342

membrane stabilization, by calcium, vas-

cular smooth muscle, 235,4:C227

oxygen consumption, baroreflexive de-

pression (monkey), 232,1:H451

pyrogen

effects (lizard), 241,10:R198

neonatal, 241,10:R167

rapid temperature change effects,

231:837

rectal

estradiol effects, ovariectomy,

243,12:R70

estrogen and, 238,7:R400

regulation

avian (duck), 235,4:R130

endogenous cryogen excretion, kidney,

241,10:R271

hibernation (marmot), 235,4:R82

6-hydroxydopamine (chicken),

239,8:R296

ketamine anesthesia and (monkey),

241,10:R301

liver, 237,6:R334

membrane lipid transitions (hedge-

hog), 236,5:E589

metabolic heat production, cold,

235,4:R41

newborn, cold (northern fur seal),

236,5:R322

newborn (harp seal), 236,5:R188

noncholinergic vasodilator innerva-

tion, feet (duck, chicken),

237,6:H112

sympathetic inhibition, infant,

233,2:R23

Telazol anesthesia (monkey),

239,8:R241

thermal protection (polar bear cub),

236,5:R67

set-point (chicken), 239,8:R62

shivering: see Shivering

skin, thermoregulation, two-dimensional

transient mathematical model,

237,6:R266

sleep (ground squirrel), 233,2:R213

tail-skin, isoproterenol effects, hyperten-

sion, 241,10:H497

terminal heat exposure, pregnancy and

lactation, 239,8:R470

thermoregulation: see Thermoregulation

thyroid, function, 233,2:E363

transmural distribution, myocardial

quantification, 236,5:H345

ventilation, central chemical control

(turtle), 235,4:R257

**Template, chromatin, postnatal, myocar-**

dial, 235,4:H338

**Temporal decoupling:** see Decoupling

**Temporal structure, locomotor rhythm-**

icity, 239,8:R149

**Temporal variations:** see Rhythm,

circadian

**Tenotomy, muscle properties and,**

241,10:C150

**Tension**

atrial, in hyperosmolality, 233,2:H222

development, peak rate, soleus muscle,

233,2:C86

hyperosmolality effects, heart muscle,

232,1:C155

hypoxia, myocardial, 232,1:H526

isometric, mesotubarium superius,

233,2:C180

muscle: see Muscle

myocardial: see Myocardium; Muscle,

heart

regulation, magnesium-ATP effects,

muscle fibers (crayfish), 233,2:C127

tetanic, fatigue and (frog), 232,1:C185

wall, vascular (bat wing), 237,6:H59

**Tension decay, 230:1138**

**Teprotide, renal blood flow and,**

243,12:H277

**Terminology, physiological, 235,4:H117**

**Terrestrial locomotion:** see Exercise

**Testicular development, hypophyse-**

ctomy (calf, heifer), 232,1:E497

**Testis**

body weight regulation, hypothalamic

damage, 242,11:R265

function, active immunization against

testosterone and luteinizing hor-

mone-releasing hormone (lamb),

242,5:E201

metabolic pathways, 239,8:R184

perfused in vitro, steroid secretion,

237,6:E231, E239, E247

sperm, motility-inhibiting factor,

242,11:R199

**Test meals:** see Feeding

**Testosterone**

active immunization against (lamb),

242,5:E201

aldosterone and, antagonism, bladder

(toad), 239,8:F433

biosynthesis

intermediates, 237,6:E231, E239, E247

testes inhibition, 237,6:E239

blood pressure responses, 232,1:H617

circannual body weight rhythms and

(squirrel), 243,12:R546

growth hormone secretory patterns

(sheep), 233,2:E519

luteinizing hormone activity, sex differ-

ences, 235,4:E291

luteinizing hormone release and synthe-

sis, 238,1:E458

luteinizing hormone secretion and, male,

241,4:E246

occlusive arterial thrombosis,

234,3:H454

platelet aggregation, 232,1:H381

secretion

adrenal, 239,2:E109

luteinizing hormone and, age effects,

243,6:E257

seminiferous tubules, hypophysectomy,

241,4:E233

sex differences, cardiovascular responses,

235,4:H242

social rank, male, 233,2:E495

sodium-potassium-ATPase stimulation,

distal tubule segments, 243,12:F463

tonin activity, submaxillary gland,

232,1:E522

transport, human serum and, brain,

239,2:E103

vascular connective tissue responses,

232,1:H617

zinc deficiency, 230:1730

**Tetanus**

isometric

chemical energetics, smooth muscle,

235,4:C1

heat production, latissimus dorsi mus-

cle (chick), 233,2:C1

muscle fiber fatigue, caffeine and (frog),

241,10:C160

**Tetanus amplitude, skeletal muscle, fast**

and slow, 239,8:C98

**Tetanus parameters, 230:1138**

**Tethering system, cardiovascular func-**

tion measurement (caged baboon),

236,5:H775

**Tetracaine, prostaglandin E<sub>2</sub> synthesis,**

medullary, 235,4:F213

**2,3,7,8-Tetrachlorodibenzo-p-dioxin,**

iron absorption, 236,5:E763

**Tetracycline, sodium ion transport, inhi-**

bition, bladder (toad), 235,4:F359

**O-Tetradecanoyl phorbol-13-acetate,**

insulin receptor alterations and,

243,6:E319

**Tetraethylammonium**

absorption, pulmonary, neonatal,

234,3:C191

action potentials, arterial smooth mus-

cle, 237,6:C75

azotemia effects, renal clearance, 230:901

competitive inhibition, renal (chicken),

232,1:F443

effects, pulmonary artery membrane

properties, 242,11:H900

p-aminohippurate transport, renal tubu-

lar, 238,7:F99

transport and metabolism, kidney,

241,10:F9, F308

**Tetraethylammonium chloride**

action potential and, Purkinje fibers,

cardiac, 241,10:H139

smooth muscle cells, stomach (toad),

239,8:C162

**Tetraglycine, metabolism, plasma and**

tissue concentrations, 243,6:E413

**Tetranitromethane, sodium channel,**

bladder epithelium (turtle, toad),

239,8:F299

**Tetrodotoxin**

action potentials, cardiac conducting

system, 236,5:H561

blockade, skeletal muscle (frog),

234,3:C181

calcium and sodium selectivity, atrioven-

tricular node, active membrane,

236,5:C1

depolarization, diastolic, 243,12:H767

esophageal sphincter relaxation (opus-

sum), 236,5:E153

membrane potentials and, vascular

smooth muscle, 242,11:H967

membrane sensitivity (crayfish, sala-

mander, frog), 235,4:C204

norepinephrine release, nerves, colonic

mucosa, 241,4:G416

smooth muscle cells, stomach (toad),

239,8:C162

sodium channels, activation, islet cells,

237,6:E130

**Thallium-201, kinetics, regional myocar-**

dial, 242,11:H849

**Theophylline**

adenosine monophosphate, cyclic, lutei-

nizing hormone synthesis and release,

241,4:E14

alkaline secretion and, duodenum (bull-

frog), 241,4:G528

antidiuretic hormone and, bladder

(toad), 239,8:F250

bicarbonate transport, small intestine

(Amphiuma), 236,5:E775

bile adenosine monophosphate, cyclic se-

cretion, 238,1:G119

bladder responses, potassium effects

(toad), 232,1:F173

calcitonin effects, insulin secretion,

242,5:E206

- calcium ion release, skeletal muscle (frog), 234,3:C110  
 chloride transport, rectal gland (dogfish), 237,6:F138  
 cholera toxin effects, intestinal epithelial cells (chicken), 243,12:C107  
 estrogen interaction and, ovary role in, uterus, 242,5:E121  
 exercise vasodilation, adenosine role, gracilis muscle, 238,7:H703  
 hyperpolarization, thyroid cells, 231:52  
 hypoxic hyperemia, cerebral, 241,10:H134  
 inhibition, ventricular contraction, 242,11:H349  
 ion transport and, ileal, 243,6:G36  
 lipolysis, adipose tissue, exercise, 239,2:E422  
 lower esophageal sphincter, tone and contractions (opossum), 237,6:E163  
 3-O-methylglucose transport, intestinal epithelial cells (chicken), 234,3:C64  
 oxyntic cell adenosine monophosphate, cyclic and hydrochloric acid, gastric mucosa (bullfrog), 235,4:E140  
 pepsinogen secretion, esophagus (frog), 238,1:G79  
 phosphodiesterase inhibitor effects, pancreatic acini, 242,5:G547  
 renin stimulation, isolated perfused kidney, 232,1:F248  
 rest-twitch potentiation and, ventricular muscle, 241,10:H583  
 rubidium-86 efflux, pancreatic islets, 236,5:E139  
 secretagogue-stimulated amylase release, pancreatic acini, 239,2:G324  
 secretory mechanism, pancreatic development, 236,5:E446  
 short-circuit current responses, after cholera toxin, 232,1:E210  
 sodium entry kinetics, skin (frog), 235,4:C35  
 sodium transport and, skin (frog), 241,10:F279  
 strophanthidin toxicity, Purkinje fibers, 236,5:H689  
**Therapy**, cardiac performance and, spontaneous hypertension, 242,11:H776  
**Thermal acclimation**, membrane lipid composition, liver (rainbow trout), 236,5:R91  
**Thermal balance**, ketamine anesthesia and (monkey), 241,10:R301  
**Thermal conductance**, ketamine anesthesia and (monkey), 241,10:R301  
**Thermal dependence**, locomotory energetics (lizard), 241,10:R342  
**Thermal maxima**  
   correction of equation, 243,12:R563  
   critical, concept, 237,6:R366  
**Thermal pressure**: see Pressure  
**Thermal quantification**, regional myocardial perfusion, heat generation, 236,5:H345  
**Thermal sensitivity**, peripheral (eland, hartebeest), 237,6:R192  
**Thermal stimulation**, midbrain neuronal responses, 231:1573  
**Thermistor**, urine flow rate monitoring, 234,3:F452  
**Thermistor probe**, regional myocardial perfusion, heat generation and, 236,5:H345  
**Thermomodulation**, cardiac output measurement, 237,6:H491  
**Thermodynamic pressure**: see Pressure  
**Thermodynamics**  
   active transport, mass spectrometry, bladder (toad), 236,5:F413  
   application to biology, 234,3:R85  
   application to language and communication, 234,3:R3  
   field and circuit  
     for integrative physiology, 234,3:R3, R81, R83  
     integrative physiology, 233,2:R171  
   furosemide effects, skin (frog), 243,12:F588  
   irreversible  
     isometric twitch, 238,7:R413  
     osmosis, 235,4:R3  
   linear nonequilibrium, experimental perturbations, 236,5:F211  
   network, cellular energy conversion, brown adipose tissue, 235,4:R121  
   network model, salt and water flow, proximal tubule, 235,4:F633  
   nonequilibrium, neutral solute transport, porous membranes, 241,10:F469  
   physical causality, brain theories and, 238,7:R277  
   proton semiconductors, energy transduction and, 235,4:R99  
   renal medulla, central core model, 234,3:F402  
   sodium and potassium active transport, corneal epithelium (frog), 242,11:F690  
**Thermodynamic technique**, blood flow, renal, quantification, 238,7:H682  
**Thermogenesis**  
    $\beta$ -adrenergic blockade effects, glucoprivation, 243,12:R379  
   bond graph, brown fat, 235,4:R121  
   brown adipose tissue, ventromedial hypothalamic lesions, 243,6:E338  
   brown fat, regulation, 238,1:E552  
   capillary density, skeletal muscle, 241,10:R357  
   cellular, thyroxine and sodium ion transport (toad), 236,5:C117  
   endocrine, hypothalamic control (goat), 241,4:E420  
   glucagon effects (pigeon), 232,1:E451  
   glucostatic control, infant, 233,2:R23  
   hyperlasia, brown adipose tissue, 242,5:E353  
   iron-deficiency, 237,6:R297  
   nonshivering, 230:522  
     brown adipose tissue, diet and, 241,4:E116  
     brown fat, thyroxine effects, 241,10:C134  
     brown fat peroxisomal  $\beta$ -oxidation, 239,8:C208  
     butyrate effects, brown adipocytes (hamster), 242,11:C46  
     calcium uptake, muscle mitochondria, 234,3:C7  
     catecholamine sensitivity, brown fat cells, 242,11:C250  
     during fasting, infant, 233,2:R23  
     liver heat production, 237,6:R334  
     newborn (harp seal), 236,5:R188  
     newborn (northern fur seal), 236,5:R322  
     obesity, 239,2:E301  
     propranolol and pyrogen effects, 230:637  
     repetitive cooling of spinal cord, 230:720  
     skeletal muscle, 241,10:R185  
     thyroxine effects, genetic obesity, 241,4:E436  
   protein metabolism, muscle, 231:174  
   shivering, glucose uptake and, diabetes, muscles, 242,11:R109  
   thyroid, 232,1:C196  
     brown adipose tissue respiration, 241,4:E449  
**Thermopiles**, metal-film, right ventricular papillary muscle, 233,2:C146  
**Thermoreceptor**, 230:271  
**Thermoregulation**  
    $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330  
   alligator, 230:1205  
   arousal from hibernation, 230:368  
   arteriolar vasoconstriction and, cremaster muscle, 242,11:H996  
   autonomic, desynchronized sleep, ear, 243,12:R142  
   avian, 230:920  
   biogenic amines  
     during arousal from hibernation (ground squirrel), 236,5:R162  
     impact on energy balance (fowl), 232,1:R137  
   blood flow and, foot (chicken), 242,11:R582  
   blood pressure, arterial, 232,1:H459  
   blood viscosity (frog, turtle), 239,8:R248  
   central nervous system (marmot), 232,1:R203  
   central nervous system temperature, negative and positive feedback (pigeon), 243,12:R363  
   circadian control (squirrel monkey), 236,5:R153  
   circadian rhythms, aberrations of, medial preoptic lesion, 242,11:R352  
   cold sensitivity (duck), 241,10:R136  
   dehydration effects (eland, hartebeest), 237,6:R192  
   2-deoxy-D-glucose, 239,8:R291  
   injections, hypothalamic, 239,8:R265, R270  
   dopamine receptor activation, brain, 242,11:R471  
   electrolytes and exercise, 230:74  
   endogenous cryogen excretion, kidney, 241,10:R271  
   energy balance, biogenic amines impact (fowl), 232,1:R137  
   energy budget (chicken), 239,8:R87  
   energy expenditure, 231:903  
   external, fertile egg (chicken), 234,3:R183  
   fasting, 231:913  
   glucocorticosteroids and, circadian zeitgeber, 243,12:R373  
   growth hormone control, 233,2:E61  
   hot flashes, ambulatory monitoring, 237,6:R306  
   6-hydroxydopamine, 230:932  
   lactation, 239,8:R470  
   monoamine depletion, brain, 238,7:R364  
   nonshivering thermogenesis, 230:522  
   norepinephrine turnover, 230:564  
   physiological, cutaneous blood flow (alligator), 235,4:R160  
   physiological integration, 237,6:R255  
   pyrogen and, neonatal, 241,10:R167  
   shivering: see Shivering  
   skin and brain temperature, 230:449  
   sleep (ground squirrel), 233,2:R213  
   sleep (kangaroo rat), 237,6:R80  
   sodium and calcium injections, intraventricular (chicken), 239,8:R62  
   two-dimensional transient mathematical model, 237,6:R266  
   wakefulness, sleep, and hibernation (marmot), 235,4:R82  
**Thermoregulatory pattern**, pregnancy and lactation, 239,8:R470  
**Thermosensitivity**  
   deep-body, cold (duck), 241,10:R136  
   hypothalamic (duck), 235,4:R130  
   hypothalamic slices, 242,11:R77  
   hypothalamus (marmot), 232,1:R203  
   local, neurons, preoptic region (sunfish), 241,10:R259  
**Thermostasis**, pregnancy and lactation, 239,8:R470  
**Thiamine**  
   deficiency, cardiac muscle mechanics and, 231:1390  
   transport, central nervous system, 230:1101  
**Thin layer chromatography**: see Chromatography  
**Thiocyanate**  
   chloride transport, tracheal epithelium, 239,8:C112  
   efflux, brain, after injection into caudate nucleus, 235,4:F331  
   gastric acid inhibition, oxygen consumption and, 234,3:E445  
   inhibition, electrophysiology and secretion, stomach (frog), 234,3:E120

- Thiocyanate** (*continued*)  
intracellular pH and, gastric mucosa (bullfrog), 237,6:E82
- Thioglucose**, obesity, amino acid transport and, soleus muscle, 243,6:E74
- 5-Thio-D-glucose**  
feeding increase, 238,1:E141  
hypothermia, 239,8:R214
- Thiol**, oxidizing, neuromuscular transmission and (lobster), 242,11:C59
- Thiopental**, sodium and water excretion and, renal, 243,12:F265
- Thiopental sodium**, left ventricular function, 232,1:H44
- Thioreactive agent**, neuromuscular transmission and (lobster), 242,11:C59
- Thiosulfate**, sulfate transport and, proximal convoluted tubules, 241,10:F300
- Thiouracil**, thyroid hyperplasia (chick), 237,6:E147
- Thiourea analogues**, inhibition, vasopressin-stimulated urea transport (toad), 243,12:C27
- Thiourea compounds**, synthesis and characterization, 238,7:H776
- Thirst**: see Drinking
- Thiry-Vella loop**: see Loop
- THO**, diffusion, cortical collecting tubules, 238,7:F470
- Thoracic afferents**, stimulation, cardiac responses, 231:1279
- Thoracic aorta**: see Aorta
- Thoracic duct**  
lymph flow  
furosemide effects, 238,7:F363  
hypothermia, 233,2:H605  
maturity, 232,1:H236
- Thoracic impedance**  
plethysmography: see Plethysmography
- Thoracic nerves**  
preganglionic, regulation, 234,3:H223  
upper roots, stimulation, endocardial response, 233,2:H655
- Thoracotomy**, microsphere injection, left atrium, awake state, 243,12:H488
- Three-compartment models**: see Models
- Thrombin**  
anand-induced afibrinogenemia and, 233,2:H562  
binding, 237,6:H353  
coagulation, reticuloendothelial function and, 234,3:H323  
fibrinogen synthesis stimulated, 230:996  
fibrin production, 232,1:H629  
infusion, fibrinogen synthesis and, 232,1:H478
- Thrombocytopenia**  
methylcellulose injection, 233,2:H234  
monocrotaline and, 242,11:H573
- Thrombosis**, occlusive arterial, gonadal hormones and pathogenesis, 234,3:H454
- Thromboxane**  
inflammatory response modification aspiration, 243,12:H903  
acute pulmonary hypertension and, extracorporeal perfusion (sheep), 243,12:H471  
bilateral ureteral obstruction and, 243,12:F532  
coronary responses, 235,4:H400  
generation, lung, blood flow during bypass (sheep), 242,11:H462  
glomeruli, ureteral ligation, 241,10:F289  
lung lobes, 242,11:H745  
prostacyclin interactions, platelet perfused heart (guinea pig), 241,10:H18  
urinary excretion of, arterial blood, 242,5:E171  
vascular actions of, gastric, 242,5:G582  
vasopressin effects, bladder epithelial cells, 243,12:F593  
water flow, vasopressin-stimulated (toad), 239,8:F160
- Thromboxane A<sub>2</sub>**, adrenocorticotrophic-stimulated flow, endoperoxide analogues and (toad), 242,11:F119
- Thromboxane A<sub>2</sub>**  
ductus arteriosus (lamb), 234,3:H117  
papillary plasma flow, potassium deficiency effects, 237,6:F226
- Thromboxane B<sub>2</sub>**  
ischemic myocardium, 238,7:H87  
positive end-expiratory pressure effects, negative inotropism, 241,10:H783  
splanchnic arterial occlusion shock (pig), 241,10:H34  
unilateral ureteral obstruction and, kidney, 242,11:F220
- Thrombus**, formation, platelet adhesion to synthetic material (swine), 233,2:H100
- Thymidine**  
<sup>3</sup>H-labeled  
brown adipose tissue hyperplasia, 242,5:E353  
luteinizing hormone-releasing hormone, pituitary, 242,5:E392  
incorporation, glucose transport and, adipocytes, 242,5:E368
- Thymidine kinase**  
activity, gastric mucosal cell proliferation, 242,5:G135  
developmental changes, Zucker obese rats, 236,5:E508  
myocardial, age-dependent stimulation by growth hormone, 236,5:H73
- Thymothroid hormone**, leucogenol, 238,1:E540
- Thymus**  
leucogenol, 238,1:E540  
polyamine decarboxylases, biosynthetic endocrine regulation, 237,6:E6
- Thyrocalcitonin**, plasma renin activity, sodium excretion and, 236,5:F311
- Thyroid**  
activity, comparison, species differences (mammal, reptile), 241,10:R350  
deficiency  
cardiac enzymes, newborn, 236,5:C30  
enzyme changes, skeletal muscle, neonate, 235,4:C97  
influences, metabolic rate, fasting and refeeding, 243,12:R339  
status, lipoprotein lipase activity, skeletal muscle, 238,1:E518  
treatment, sympathetic activity in, 243,12:R170
- Thyroid cells**, hyperpolarization, thyrotropin and adenosine monophosphate, cyclic, 231:52
- Thyroidectomy**  
bilirubin uptake, hepatic, 236,5:E638  
calcium homeostatic system and, awake state (pig), 243,12:R125  
extensor muscle properties, 234,3:C90  
membrane lipid transition, seasonal changes (hedgehog), 236,5:E589  
pituitary and thyroid function, aging, 237,6:E224  
protein turnover, skeletal muscle, 235,4:E231  
training response, muscle, 230:1194
- Thyroid glands**  
blood flow: see Blood flow  
cold acclimation, brown fat norepinephrine metabolism, 232,1:E565  
colloid droplets, cold effects, 239,2:E223  
development, hypophysectomy (calf, heifer), 232,1:E497  
function, 237,6:E147  
aging effects, 237,6:E224  
diphenylhydantoin effects, 239,2:E468  
hibernator, 230:1211  
hyperthermic obese, 233,2:R110  
oxygen toxicity, 235,4:E628  
seasonal changes (hedgehog), 236,5:E589  
winter sleep (bear), 237,6:E227  
function (chicken), 234,3:E168, E177
- iodide transport, compartmental analysis, 232,1:E343
- iodine  
dietary, accumulation (chicken), 234,3:E168  
dietary transport, organic binding blocked (chicken), 234,3:E177  
leucogenol, 238,1:E540  
microwave stimulation, 233,2:E363  
plasma creatine kinase clearance and, 235,4:E614  
sodium-potassium-ATPase stimulation, 232,1:C202  
thermogenesis, 232,1:C196
- Thyroid hormone**  
action, comparison, species differences (mammal, reptile), 241,10:R350  
aldosterone interaction, sodium ion transport, bladder (toad), 236,5:C125  
biological property, thyrotropic cells, 237,6:E142  
brain synaptosomes, 235,4:E638  
brown adipose tissue and, respiration, newborn, 241,4:E449  
cardiac muscle performance, hypoxia, 237,6:E142  
catecholamine interactions, myocardial ornithine decarboxylase, 243,6:E305  
direct action, muscle properties, 242,11:R401  
hepatic binding, 230:1113  
malnutrition and biochemical composition and, developing lung, 242,5:E378  
metabolism, 233,2:R134  
resistance: see Resistance  
sarcoplasmic reticulum, skeletal muscle, 243,12:C151  
serum, exercise, 233,2:E115  
starvation and, 239,2:E277  
sympathetic activity and, 243,12:R170  
syndromes, 243,6:E88  
T<sub>3</sub>-induced increase, time course, soleus muscle mitochondria, 236,5:C132  
thyroid-stimulating hormone effects, suckling and weanling, 238,1:E428  
uridine kinase activity, heart and skeletal muscle, 238,1:E443  
vascular  
anesthesia and response to hemorrhage, 243,12:H713  
renal, anesthetics and, 243,12:F253  
salt-loading effects, indomethacin in stroke-prone spontaneous hypertension, 243,12:H360  
splanchnic, prostacyclin effects, 243,12:H584  
vasopressin stimulation and, 243,12:H560  
water retention effects, 243,12:H934
- Thyroid states**, insulin secretion, adrenergic modulation, 234,3:E106
- Thyroid-stimulating hormone**  
absorption, gastrointestinal, suckling and weanling, 238,1:E428  
estrogen effect, response to thyrotropin-releasing hormone, 233,2:E235  
lactase activity and, jejunum, 243,6:G359
- Thyroparathyroidectomy**  
acid buffering, extrarenal, 239,8:F533  
acute acid-buffering response and, 243,12:F141  
bone maturation arrest, role of calcium, 232,1:F33  
bone resorption, 230:90  
calcium  
magnesium, and phosphate, renal handling, 233,2:F514  
metabolism, 233,2:E160  
reabsorption, renal, 233,2:F197  
calcium excretion, urinary, 232,1:F545  
calcium fluxes, 232,1:E535  
1,25-dihydroxyvitamin D regulation, 239,2:E119  
electrolyte secretion and, kidney, 243,12:F514



- glucose-mediated inhibition, phosphate reabsorption, renal, 235,4:F430  
 inorganic phosphate levels, fasting effects, renal, 241,10:F509  
 metabolic acidosis effects, kidney, 241,10:F23  
 phosphate, inorganic, renal handling, 234,3:F497  
 phosphate reabsorption  
   distal convoluted, 235,4:F321  
   nephron, 234,3:F287  
   renal tubular, calcium effects, 234,3:F22  
 phosphate secretory flux, proximal tubule, 232,1:F235  
 phosphate transport  
   kidney tubules, 242,11:F353  
   renal, 234,3:F199  
 phosphaturic effects of furosemide, 232,1:F105  
 urine concentration, 239,8:F244
- Thyrototoxicosis**  
 awake state, left ventricular performance in (calf), 242,11:H113  
 contractile, biochemical and histochemical properties, soleus muscle, 238,7:C15  
 mitochondria, skeletal muscle, 232,1:C180  
 sarcoplasmic reticulum and, skeletal muscle, 243,12:C151  
 soleus muscle mitochondria and, 236,5:C132
- Thyrotrophs**, thyrotropin-releasing hormone action, pituitary cells, 241,4:E298
- Thyrotropic cells**  
 membrane calcium in, thyrotropin-releasing hormone effects, 243,6:E298  
 receptor affinity, thyroid hormones, 237,6:E142
- Thyrotropic tumor cells**, thyrotropin secretion, calcium effects, 242,5:E109
- Thyrotropin**  
 aging, 237,6:E224  
 altered release of, endotoxin effects, 243,6:E332  
 hyperpolarization, thyroid cells, 231:51  
 hypothalamic control, endocrine thermogenesis (goat), 241,4:E420  
 hypothermic obese, 233,2:R110  
 maturation, cold effects, 239,2:E223  
 membrane calcium and, thyrotropic cells, 243,6:E298  
 pituitary, diphenylhydantoin effects, 239,2:E468  
 production, thyrotropic tumor cells, 237,6:E142  
 secretion, thyrotropin-releasing hormone stimulated, calcium effects, 242,5:E109  
 thyrotropin-releasing hormone effects, pituitary cells, 241,4:E298  
 winter sleep (bear), 237,6:E227
- Thyrotropin-releasing hormone**  
 action, mammoth and thyrotrophs, pituitary cells, 241,4:E298  
 aging, 237,6:E224  
 growth hormones and, endotoxin effects, 243,6:E332  
 hypothalamic, diphenylhydantoin effects, 239,2:E468  
 hypothermic obese, 233,2:R110  
 inhibition, dopamine-induced growth hormone release (baboon), 233,2:E430  
 maturation, cold effects, 239,2:E223  
 membrane calcium, thyrotropic cells, 243,6:E298  
 pituitary cell culture system, pregnancy, 236,5:E239  
 prolactin secretion and, pituitary, 242,5:E226  
 receptors: *see* Receptors  
 response to thyroid-stimulating hormone, estrogen effects, 233,2:E235
- stress-induced eating and, 241,10:R72  
 thyroid axis-pineal gland interaction, 236,5:E416  
 thyrotropin secretion and, calcium effects, 242,5:E109  
 verapamil effects, clonal pituitary cells, 243,6:E68  
 vitamin A and, 238,1:E174  
 winter sleep (bear), 237,6:E227
- Thyroxine**  
 abnormal brown adipose tissue and, obesity, 241,4:E436  
 action, muscle properties, 242,11:R401  
 $\delta$ -aminolevulinic acid synthetase induction, muscle, 236,5:R180  
 bovine, pituitary and thyroid function, aging, 237,6:E224  
 brown fat thermogenesis, guanosine diphosphate binding, 241,10:C134  
 cardiac hypertrophy, 239,2:E372  
 comparison, species differences (mammal, reptile), 241,10:R350  
 conversion, vitamin A and, 238,1:E174  
 heat loss, estradiol effects, ovariectomy, 243,12:R70  
 hypothalamic control, endocrine thermogenesis (goat), 241,4:E420  
 hypothermic obese, 233,2:R110  
<sup>125</sup>I-labeled, brain synaptosomes, 235,4:E638  
 lactase decrease and, jejunal, 243,6:G359  
 lung, 230:295  
 maturation, cold effects, 239,2:E223  
 microwave stimulation, 233,2:E363  
 ontogeny of corticosterone and corticosterone-binding globulin, postnatal development, 242,5:E33  
 postnatal development and, 241,4:G199  
 protein turnover, skeletal muscle, 235,4:E231  
 serum, muscular exercise, 233,2:E115  
 skeletal muscle mitochondria, thyrotoxicosis, 232,1:C180  
 sodium ion transport, bladder (toad), 236,5:C125  
 sodium-potassium-ATPase enzyme units, lean and obese, 237,6:E265  
 subcellular membrane fatty acids and, heart, 231:650  
 taste preference, hypothyroidism, 232,1:E80  
 transport (toad), 236,5:C117  
 treatment, exogenous myocardial lactate oxidation, 243,12:H722  
 uridine kinase activity, heart and skeletal muscle, 238,1:E443  
 winter sleep (bear), 237,6:E227
- Thyroxine-triiodothyronine**, conversion, kinetic experiment, 233,2:R134
- Tibia**  
 chondroosseous circulation, regional, 242,11:H365  
 isolated, vascular reactivity, 236,5:H904  
 length, cardiac hypertrophy and, 243,12:H941
- Tibialis anterior muscle**, protein synthesis, 239,2:E88
- Tibial nerve**, nutritional and nonnutritional circuits, 234,3:H384
- Tidal volume**: *see* Volume
- Tides of human consciousness**, 242,11:R163
- Tight junction**: *see* Junction
- Tilting**: *see* Posture
- Time constant**, isovolumic pressure fall, working left ventricle, 235,4:H701
- Time dependence**, restitution of contraction, heart (sheep), 243,12:H68
- Time series**, analysis, glucose oscillations, 238,1:E395
- Timolol**  
 cardiac hypertrophy, development, 232,1:H639  
 catechol effects, hypertrophied heart or nithine decarboxylase, 243,6:E305
- Tin**, lead transport, renal, inhibitory effects, 236,5:F373
- Tip potential**: *see* Potentials
- Tissue**: *see also* specific type and site  
 alkaline phosphatase activity, fat feeding effects, 241,4:G461  
 angiotensin uptake, radioimmunoassay (sheep), 233,2:H527  
 blood flow, laser-Doppler spectroscopy, 232,1:H441  
 calcium ion exchange, reoxygenation and, hypoxia, myocardium, 242,11:H437  
 cardiac, electrical activity, ionic basis, 234,3:H101  
 cervical, nuclear progesterin and, 241,4:E160  
 culture  
   glutamine deprivation, glucose and amino acid metabolism, 236,5:E234  
   ventricular cells, embryo (chick), 239,8:H651  
 cytoplasmic dipeptidase activities, 233,2:E450  
 diphosphonate uptake, 232,1:H341  
 extrapancreatic, enteropancreatic hormones, 238,1:E258  
 fixation, Evans blue dye-albumin accumulation, aorta, 233,2:H66  
 fluids: *see* Fluid  
 fluorescence: *see* Fluorescence  
 fluoride distribution, short-term kinetics, 236,5:F141  
 gastrin concentration, fetal and neonatal (sheep), 241,4:G235  
 growth, polyamine metabolism, 243,12:C212  
 heat transfer, regional blood flow measurement, 238,7:H682  
 hemopoietic, iron-59 uptake, estrogen effects (quail), 236,5:E342  
 hydration: *see* Hydration  
 insulin sensitivity, glucose clamp technique, 237,6:E214  
 interstitium, plasma protein exclusion, hind paw, 239,8:H532  
 iron deficiency, hypothermia, 239,8:R377  
 metabolism, comparison, species differences (mammal, reptile), 241,10:R350  
 nonpituitary, gonadotropin-releasing hormone, membrane binding, 235,4:E227  
 osmolality: *see* Osmolality  
 oxygen pressure, during reactive hypoxemia, skeletal muscle (chicken), 233,2:H379  
 oxygen tension, maturation, striated muscle (hamster), 241,10:H325  
 pressure: *see* Pressure  
 protein synthesis, tyrosine, 231:1018  
 regeneration, renal, diabetes, 238,1:E349  
 respiration, ouabain-sensitive, salt gland (duck), 237,6:C200  
 sampling, cardiac cycle, 238,7:H389  
 sodium transport, amiloride effects, 242,11:C131  
 solutes, natriuresis and, renal, 241,10:F250  
 structured, transport, mathematical modeling, 234,3:F215  
 vein, norepinephrine metabolism, 234,3:H235
- Titration**, intragastric, gastrin and gastric acid release, vagal influence, 232,1:E542
- Toes**: *see* Digits
- Tolazoline**, lacrimal gland flow, 230:80
- Tolbutamide**  
 acid-base alterations, 234,3:E426  
 insulin secretion, 234,3:E416  
 plasma renin activity, 236,5:E1  
 pulses, early insulin and glucagon response, 236,5:E85  
 rubidium-86 efflux, pancreatic islets, 236,5:E139  
 stimulation with, perfused organ system, 241,4:E215

**Tomography**

computed, axial, reflexes, cardiac afferent nerves, 239,8:H316  
physiologic, cerebral metabolic rate of glucose, 238,1:E69

**Tongue**, lipase, enzyme activity and secretion, 235,4:E416**Tonic force**, reduced shortening velocity, smooth muscle, arterial (swine), 242,11:C102**Tonicity**, medium, influence on human platelet respiration, 231:185**Tonic muscle**: see Muscle, skeletal**Tonin**, angiotensin conversion, submaxillary gland, 232,1:E522**Torpor**

electrophysiology (ground squirrel), 233,2:R213  
membrane lipid transitions, thyroid function and (hedgehog), 236,5:E589  
temperature regulation (marmot), 235,4:R82

**Toxicity**: see also specific type

bile acids, 241,4:G337  
lithium, urinary acidification and, 242,11:F23  
strophanthidin, sodium effects, Purkinje fibers, 234,3:H477

**Toxicology**, lead, renal, 237,6:F398, F408**Toxin**

cholera: see Cholera toxin  
*Gymnodinium breve*, axonal repetitive firing (squid), 232,1:C23  
heat-stable, small intestinal motility and, 242,5:G360

**Trabecula**, ventricular volume measurement, 236,5:H506**Trabeculae carneae**

contracture, hypoxic and posthypoxic, 232,1:H526  
stiffness, dynamic, 232,1:H373

**Tracellular water**, arterial wall changes, renal hypertension, 242,11:H477**Trace metals**: see Metals**Tracer**

experiment design, nonlinear systems, 230:476  
flux, biochemical oscillations, 237,6:R350  
kinetics, 230:476  
experiment design for thyroid hormone parameters, 233,2:R134  
extracellular water measurements, 235,4:F254  
identifiability concepts, 239,8:R7  
thyroid hormone parameters, experimental design for, 233,2:R134  
positron-emitting, beta probe and, myocardial metabolism, 242,11:H62  
radioactive, inner ear and cerebrospinal fluids, 243,12:F173

**Trachea**

effect of acetylcholine, chloride and sodium ion fluxes, epithelium, 231:1546  
intubation, anesthesia effects, hypertension, 241,10:H821  
maximal force potential, smooth muscle, 242,11:C283  
pH, intracellular, in hypoxia, 232,1:E330  
smooth muscle: see Muscle, smooth

**Tracheal epithelium**

chloride transport, anion selectivity, 239,8:C112  
ion content, cells, 241,10:C184  
ion pathways, 239,8:F215

**Trachealis muscle**

acetylcholine contractions, electrochemical coupling, 236,5:C177  
mechanics and energetics of lengthening, 241,10:C42

**Tracheal mucosa**, halide selectivity, 239,8:C112**Tracheal secretory glands**, stimulus-induced vacuolation, tracheal secretory glands, 241,10:C25**Tracheal submucosal glands**, vacuolation, serous cells, 241,10:C18**Training**: see Exercise**Tranquilization**, vasodilation, pressor response buffering, 236,5:H165**Transaminase inhibitor**, lung redox state**Transamination**

branched-chain keto acids, kidney, 235,4:E47

leucine metabolism, fasting, 241,4:E72

**Transamino acid**, transport, serum effects, lung macrophages, 236,5:C111**Transcapillary exchange**

intestinal muscle, 242,11:H268  
molecular weight markers, postglomerular circulation, model, 242,11:F436

**Transcapillary fluid**: see Fluid**Transcapillary water**, flux, renal inner medulla, 231:313**Transcendental meditation**, blood flow redistribution, 235,4:R89**Transcobalamins**, absorption, intestinal, 241,4:G294**Transcortin**

corticosteroid-binding globulin production, regulation, liver, 237,6:E493  
otogeny, thyroxine effects, postnatal development, 242,5:E33

**Transcription**, postnatal, myocardial, 235,4:H338**Transducers**

cantilever, arterial graft measurements, 233,2:H568  
electromagnetic flow, calibration (baboon), 236,5:H508  
force

contractile activity, postprandial changes, gallbladder, 243,6:G365  
diurnal pH changes, duodenum, 238,1:G91  
exocrine pancreas, 241,4:G98  
extraluminal, cholecystokinin octapeptide action, smooth muscle, 232,1:E306  
gastric interdigestive contractions, 238,1:G85

interdigestive motor activity, Heidenhain pouch, 234,3:E333

miniature, intestinal motility in unrestrained chronic rats, 235,4:E532

motor recording, gastric antral arrhythmias, 239,3:C59

optoelectric, contractile activity, oviductal, 239,8:R326, R332

phonocardiogram, impedance-matched, 238,7:H604

photoelectric force, 243,12:C299  
piezoelectric force, for single muscle cells, 235,4:C143

strain, epicardial, 236,5:H657  
strain-gauge, intestinal motility, 235,4:E532

umbilical artery flow, 238,7:H656

**Transduction mechanism**, carotid body, 239,8:C135**Transepithelial excretion**, methylene blue, mitochondria-rich cells, 231:120**Transepithelial force**, measurement in vivo, 239,8:F466**Transepithelial movement**, calcium, stimulus-secretion coupling (blowfly), 241,4:G150**Transepithelial voltage**: see Voltage**Transfer coefficients**, hepatic, model, 243,6:G518, G532**Transferrin**

catabolism, mammalian species of different body sizes, 238,7:R306

diferic vs. monoferric, saturation, iron delivery, 235,4:R18

iron metabolism, liver, 238,1:G30

turnover, species size and, 238,7:R306

**Transinhibition**, amino acid uptake and, placenta, 243,12:C47**Transit time****analysis**

insulin, plasma, 235,4:E577  
microregional, brain cortex, reflectometry, 236,5:H759  
phase plane, dye-dilution curves, 236,5:H796  
capillaries, skeletal muscle, 233,2:H122  
vascular capacitance, intestinal, 234,3:H7

**Transmembrane flux**, sodium tracer kinetics and, tissue-cultured heart cells (chick), 243,12:C169**Transmembrane gradients**, intestinal transport system, 235,4:C73**Transmembrane movement**, calcium, stimulus-secretion coupling (blowfly), 241,4:G150**Transmembrane potential difference**: see Potential difference**Transmembrane potentials**: see Potentials**Transmission****adrenergic**

angiotensins and mesentery, 236,5:H211  
bradykinin and, kidney, 241,10:R146  
pancreatic, 232,1:E201  
adrenergic neuromuscular, cadmium effects, 232,1:C128  
ephaptic, giant axons (squid), 234,3:C162

**neuro**

adrenergic, intralobar pulmonary artery and vein, 240,9:H274  
adrenergic, prejunctional cholinergic modulation, cardiovascular, 238,7:H275  
facilitation, angiotensin II effects, cardiac, 235,4:H281  
gastrin-cholecystokinin system, 240,9:G255  
presynaptic  $\alpha$ -receptor function, renal vascular bed, 239,8:H422  
renal, presynaptic inhibition, 237,6:H326

**neuromuscular**

acetylcholine and protein, 236,5:C225  
diamide effects (lobster), 242,11:C59  
diltiazem effects, mesenteric artery, 242,11:H325  
myasthenia (frog), 236,5:C53  
presynaptic receptors and, 242,11:C366

**neurotransmitters**

adrenocorticotropin feedback inhibition, 234,3:R46  
choline acetyltransferase, cardiac, embryo (chick), 233,2:H642  
denervated sinus node, differential sensitivity, 233,2:H211  
norepinephrine, 234,3:E252  
norepinephrine, overflow from saphenous vein, 236,5:H263  
pancreatic secretion of fluid and bicarbonate (pig), 237,6:E535  
putative, transduction mechanisms, carotid body, 239,8:C135  
synaptosomal triiodothyronine and thyroxine, 235,4:E638  
vasoactive intestinal polypeptide, pancreatic (pig), 237,6:E535  
stimulation, saphenous vein, 239,8:H238  
sympathetic, modulation, 232,1:E201  
synaptic

Auerbach's plexus, 232,1:E100  
Auerbach's plexus, calcium depletion, 236,5:C78  
lower esophageal sphincter (opossum), 234,3:E273  
Meissner's plexus, 232,1:E109

**Transmission electron microscopy**: see Microscopy**Transmitters**: see also Neurotransmitters

- antagonists and, action on salivary secretion (tick), 235,4:R76  
central, energy balance (avian), 239,8:R57  
depression, facilitation, mobilization and, diaphragm neuromuscular junction, 237,6:C31  
hormones and, bicarbonate transport, gastric and duodenal (bullfrog), 242,5:G100  
metabolism, uterine nerves, pregnancy, 236,5:C277  
release  
  diamide effects (lobster), 242,11:C59  
  hyperbaric oxygen and (lobster), 235,4:C233  
  miniature end-plate potentials (frog), 237,6:C264  
  neuromuscular junction, 233,2:C157  
  serotonin, rhythms, eye (mollusk), 242,11:R333  
  sympathetic pancreas, 232,1:E201  
**Transmucosal potential difference:** *see* Potential difference  
**Transplantation**  
  adrenal, angiotensin metabolism (sheep), 235,4:C233  
  chondrosarcoma, metabolism, 239,2:E501  
  extensor digitorum longus muscle, contractile properties, 238,7:C120  
  pancreas  
    atropine and vagotomy effects, 236,5:E186  
    prandial insulin release, 235,4:E103  
  pancreatic  $\beta$ -cells, 235,4:E119, E266  
  pancreatic islets, cephalic phase insulin secretion, 238,1:E336  
**Transport kinetics, transepithelial,** 231:1866  
**Transport maximum, sulfobromophthal-**  
  **ein, glucosylhydrofusidate effects,**  
  231:1875  
**Transport:** *see* specific site or substance  
**Trasmpulmonary pressure:** *see* Pressure  
**Tranlycypromine**  
  cerebrovascular response, 5-hydroxytryptamine (baboon), 234,3:H300  
  prostaglandin actions on cerebral peripheral arteries, 238,7:H111  
**Trapezoidal waves:** *see* Waves  
**Trauma**  
  burn: *see* Burn  
  protein synthesis, nutritional importance, 233,2:E348  
  reticuloendothelial function, 234,3:H323  
  whole-body protein metabolism, L-alanine, 241,4:E64  
**Treadmill running:** *see* Exercise  
**Treadmill stress test:** *see* Exercise  
**Tremor, postural, ankle, 233,2:R8**  
**Triacylglycerol**  
  lipoprotein lipase and, muscle, during suckling, 238,1:E511  
  metabolism, diabetes and, heart, 242,11:H1084  
**Triacylglycerol lipase, sarcolemma,**  
  hydrolysis of, 242,11:H652  
**Triadic junction:** *see* Junction  
**Triamcinolone**  
  acid-base metabolism and, renal and systemic, 239,8:F30  
  aldosterone receptors, distribution, cortical tubules, 237,6:F360  
  prostaglandin E synthesis, water flow and, bladder (toad), 234,3:F532  
  treatment, hindlimb muscles, 238,1:E124  
**Triaminopyrimidine, short-circuit current inhibition, bladder (toad),**  
  236,5:C221  
**Triamterene, clearance of calcium and sodium, 230:67**  
**Tricarboxylic acid cycle**  
  ammonia metabolism, 235,4:F265  
  intermediates, renal, 235,4:F137  
**Tricarboxylic acid cycle intermedi-**  
  **ates, brush border membrane ves-**  
  **icles, renal, 243,12:F456**  
**Trichinella spiralis**  
  enteric infection, hormone-regulated pancreatic secretion, 237,6:R232  
  inflammation, intestinal mucosa, 234,3:R72  
  myoelectric activity, intestinal, 234,3:R188  
**1,1,1-Trichloro-2,2-bis(p-chloro-**  
  **phenyl)ethane, iron absorption,**  
  236,5:E763  
**Tricuspid valve, electrophysiology, ultra-**  
  **structure and, 230:1366**  
**Triethylenetetramine-polystyrene**  
  **resin, technetium-99m-labeled, gas-**  
  **tric emptying, scintigraphy,**  
  239,2:G39  
**Trifluoperazine**  
  secretion, ileal, 239,2:G18  
  vasopressin stimulation, prostaglandin synthesis, kidney medulla, 241,10:F649  
**Trigeminal reflexes:** *see* Reflexes  
**Trigeminal vasodepressors:** *see* Vasodepressors  
**Triggering cycle, homeostasis and, bio-**  
  **logical fluid membrane,**  
  243,12:R229  
**Triglyceride**  
  apoprotein B and, very-low-density lipoproteins, 239,2:E354  
  chylomicron, removal, pregnancy, 239,2:E81  
  diabetes mellitus, reevaluation of sand rat as model, 239,2:E340  
  hepatic, intestinal bypass, 239,2:G358  
  lipoproteins, binding and removal, liver, 243,6:G389  
  lymphatic transport, small intestine, 242,5:G408  
  plasma  
    endotoxic shock, 238,7:H325  
    hepatic clearance, fatty acid deficiency, 238,1:E499  
    Triton-induced hyperlipidemia, intestinal model, 238,1:G453  
  serum, age-related changes with food restriction, 238,1:E253  
  uptake, thyroid status effects, skeletal muscle, 238,1:E518  
  utilization, aorta, 243,12:H128  
**Triglyceride lipase, intestinal, phospho-**  
  **lipase A and, fasting effects,**  
  242,5:G168  
**Triglycerides**  
  exercise, 230:385  
  feeding, glucose homeostasis, newborn, 234,3:E129  
  infusion, chylomicron composition, duodenal, 235,4:E183  
  lingual lipase and, 237,6:E541  
  lymph, intestinal secretion, 234,3:E277  
  metabolic alterations, experimental obesity, 233,2:R162  
  metabolism  
    erucic acid and, 235,4:E509  
    regulation, liver, 237,6:E23  
  obesity, 230:1336  
  secretion, reduced, chronic exercise, 234,3:E221  
  synthesis and release, fatty liver, 234,3:E511  
**Triglycine, metabolism, plasma and tis-**  
  **sue concentrations, 243,6:E413**  
**Triiodothyronine**  
  aging, 237,6:E224  
  conversion, vitamin A and, 238,1:E174  
  creatinuria, mechanisms, 233,2:E91  
  dialyzable function, muscular exercise, 233,2:E115  
  enzyme responses, heart, 232,1:C196  
  fructose metabolism, hypophysectomy, 237,6:E325  
  hyperthyroidism, fetal, cardiac output and oxygen consumption, 239,8:H302  
  hypothalamic control, endocrine thermogenesis (goat), 241,4:E420  
  hypothermic obesity, 233,2:R110  
  <sup>125</sup>I-labeled, brain synaptosomes, 235,4:E638  
  lipoprotein lipase activity, skeletal muscle, 238,1:E518  
  metabolic activity effects, brown adipose tissue, 231:161  
  metabolism, hypothermia in iron deficiency, 239,8:R377  
  receptors and effectors, kidney, 241,10:F333  
  renal response, time course, 236,5:F9  
  ribonucleic acid synthesis and endogenous polymerases, myocardium, in hyperthyroidism, 236,5:H451  
  skeletal muscle mitochondria, thyrotoxicosis, 232,1:C180  
  sodium ions, transport, bladder (toad), 236,5:C125  
  thyroid axis-pineal gland interactions, 236,5:E416  
  winter sleep (bear), 237,6:E227  
**3,5,3'-Triiodothyronine, uridine kinase**  
  **activity, heart and skeletal muscle,**  
  238,1:E443  
**Trimazosin, coronary effects, awake**  
  **state, 243,12:H94**  
**Trimethylamine oxide, 230:925**  
**Triolein, intestinal hyperemia, postpran-**  
  **dial, 238,1:G284**  
**Tripeleannamine**  
  hyperemia, postprandial intestinal, 243,6:G248  
  myoelectric activity, small bowel, 238,1:G50  
  reflex limb dilatation, 230:557  
**Tripeptides, digestion, relations with**  
  **brush border hydrolases, 231:87**  
**Triphenylmethylphosphonium ion, fu-**  
  **roseamide effects, skin (frog),**  
  243,12:F581, 243,12:F588  
**Triphosphoinositol, metabolism, spon-**  
  **taneous hypertension, erythrocytes,**  
  243,12:H590  
**Tris**  
  smooth muscle contraction, 241,10:H337  
  vascular smooth muscle responses, 237,6:H409  
**Tris-buffered solutions, atrial myocar-**  
  **dial inotropic response, 237,6:H318**  
**Tris(hydroxymethyl)aminomethane**  
  **buffered Krebs-Ringer, contraction, vas-**  
  **cular smooth muscle, 235,4:H208**  
  cardiac output response, hypertonic sodium chloride infusion, 235,4:H18  
  hydrogen ion secretion, distal, in respiratory alkalosis, 235,4:F203  
  ischemic myocardium, 235,4:H167  
**Tritium:** *see also* Water  
  body water, total, 232,1:R54, R60  
  incorporation from tritiated water, into pulmonary lipids, 239,2:E407  
  metabolism, starvation 241,4:E121  
**Triton**  
  adenosine triphosphate protective action, lysosomes, 242,11:C192  
  fatty liver, hypervitaminosis A, 234,3:E511  
  method, triglyceride secretion, exercise, 234,3:E221  
**Triton WR-1339**  
  essential fatty acid deficiency and plasma triglyceride turnover, 238,1:E499  
  hyperlipidemia, lipoprotein production and, intestinal, 238,1:G453  
**Trophoblast:** *see* Placenta  
**Troponin, inhibitory subunit, phosphory-**  
  **lation, heart, 241,10:H117**  
**Trotting:** *see* Exercise  
**Trypsin**  
   $\alpha_2$ -antitrypsin-bound, 237,6:E474

**Trypsin (continued)**

modification of slow sodium inactivation, axonal (crayfish), 235,4:C238  
mucosal gastrin binding, 237,6:E295  
pancreatic secretion of, atropine effects, 242,5:G608  
renin release and, plasma, 243,6:E206  
treatment, lipase-colipase activity inhibition, pancreatic, 241,4:G328

**Trypsin inhibitors, pancreatic exocrine response, obesity, 242,5:G612****Trypsinization, cardiac mouse cells, supersensitivity, embryo (chick), 233,2:C172****Trypsinogen**

caerulein-secretin interaction, trophic effects, pancreas, 235,4:E714  
cationic, pancreatic radioimmunoassay, 236,5:E77  
circulating, pancreatic, clearance, 239,2:G511  
fasting and refeeding effects, pancreas, 242,5:G215  
pancreatitis sera, 237,6:E474  
plasma pancreatic, renal failure and nephrectomy, 242,5:G177

**Tryptophan**

absorption, jejunum, newborn, 239,2:G306  
blood-brain transport, portacaval shunt effects, 241,4:G163  
dietary, protein intake regulation, weanling, 236,5:R307  
insulin effects, hepatic metabolites, 233,2:E13  
myoelectric activity, small bowel, 232,1:E44  
pancreatic enzyme response, 238,1:G23  
plasma levels, uremia, 232,1:E526  
receptors: see Receptors  
transport properties, jejunum, newborn, 242,5:G308

**Tryptophan oxygenase, glucocorticoid induction, liver, 235,4:E374****T-1824: see Evans blue dye****T-SR junction, intracellular localization of markers, muscle fibers (frog), 237,6:C50****T system**

intracellular localization, markers (frog), 237,6:C50  
physiology, quantitative ultrastructural analysis, 235,4:C147

**d-Tubocurarine, presynaptic receptors, neuromuscular transmission and, 242,11:C366****Tubular system membranes, chloride cell (teleost), 238,7:R171****Tubules: see Kidney tubules****Tubulin, antimicrotubule agent effects, luteal cells, 243,6:E380****Tubuloglomerular feedback: see Feedback****Tumor cells, ornithine decarboxylase and putrescine metabolism, isogabaculine and  $\alpha$ -aminobutyric acid effects, 243,12:C35****Tumor promoter, sodium-dependent hexose transport, kidney cells, 242,11:C94****Tumors**

estrogen-treated, copper absorption, 236,5:E309  
implants, folate kinetics and, 241,4:G516  
juxtaglomerular cell, 237,6:F333  
transplantable, metabolism, 239,2:E201  
visceral, protein synthesis and, 234,3:E648

**Turpentine, fibrinogen response, 235,4:H223****T wave form, ventricular repolarization and, 236,5:H391****Tween 80: see also Polysorbate 80 and dextran, as radioactive microsphere suspending agent, hypotensive effects, 235,4:H587****Tyramine**

aortic contractile response, diabetes, 236,5:H301  
isometric contractions, atrial, 235,4:H295  
norepinephrine metabolism, saphenous vein, 234,3:H235  
norepinephrine release  
intestinal ion transport modulation, 241,4:G264  
nerves, colonic mucosa, 241,4:G416  
salt-induced hypertension, prevention, 236,5:H48

**Tyrosine solution, perfusion, right bundle branch-septal model, 236,5:H379****Tyrosine**

adrenal medullary function, development (swine), 234,3:E137  
infusion, normotension and hypertension, 239,8:H206  
U-<sup>14</sup>C-labeled, tissue protein synthesis and, 231:1018

**Tyrosine aminotransferase, glucocorticoid induction, liver, 235,4:E374****Tyrosine hydroxylase**

activity  
brown fat, thyroid cold acclimation influences, 232,1:E565  
ischemic heart, 243,12:H788  
sympathetic nerve changes, hypertrophied right ventricle (guinea pig), 243,12:H175

**Tyrosine reagents, sodium channel, bladder epithelium (toad, turtle), 239,8:F299**

## U

**U0521,  $\alpha$ -adrenoceptor affinity, cutaneous veins, 234,3:H330****Ulcer**

cell proliferation and loss, aspirin-induced gastric damage and, 243,6:G463  
gastric  
after pylorotomy, 242,5:G9  
stress-induced, neurotensin effects, 242,5:G342  
necrotic, prednisolone-induced, intestinal, 235,4:E703  
phenylbutazone, glucose effects, 242,5:G429

**Ultradian rhythm: see Rhythm****Ultrafiltration: see also Filtration barrier function, based on molecular size and charge, 234,3:F455****glomerular**

acute renal failure, 234,3:F171  
antidiuretic hormone actions, 233,2:F102  
euvolemia and plasma volume expansion, 239,8:F171  
maturation development, 236,5:F465  
methodologic considerations, 242,11:F1  
glomerular dynamics, plasma protein concentration, 232,1:F58  
growth effects, 232,1:F97  
lead, plasma, 233,2:F532  
membrane, colloid osmotic pressure and plasma protein, relations, 233,2:H295  
parathyroid hormone effects, 234,3:F393  
transcapillary fluid exchange, 230:1148  
zinc, serum, 235,4:F40

**Ultramicroanalysis**

electrolyte loss, tubular fluid samples, kidney, 242,11:F202  
review, 232,1:F391

**Ultrasonic attenuation, ischemic injury, myocardial, 236,5:H340****Ultrasonic dimension crystals, left ventricular dimensions, after myocardial infarction (baboon), 235,4:H413****Ultrasonic dimension gauge**

papillary muscle dynamics, 233,2:H384  
postextrasystolic potentiation, ischemia, 233,2:H392  
signal processor, 233,2:H322

**Ultrasonic elements, myocardial chord length, isoproterenol infusion, 239,8:H594****Ultrasonic flowmeter: see Flowmeter****Ultrasonic measurement, signal-processing system, urine flow parameters, 232,1:F471****Ultrasonic micrometer, viscoelasticity, femoral artery, 236,5:H720****Ultrasonic recordings, hemodynamic responses, aortic occlusion, 238,7:H423****Ultrasonic sphygmomanometry: see Sphygmomanometry****Ultrasonic technique, inotropy and preload, at high heart rate, independent cardiac effects, 236,5:H568****Ultrasound, hypertrophy, ventricular, inotropic state, 232,1:H418****Ultrastructure**

analysis, quantitative, cardiac membrane physiology, 235,4:C147  
subendocardial fibers, 238,7:H581

**Umbilical artery, calcium uptake, 231:1074****Umbilical cord**

blood flow, fetal (lamb), 237,6:H724  
blood flow distribution, maternal and fetal (sheep), 241,10:H486  
compression, fetal, cardiovascular function, mathematical model, 239,8:R317  
nutrient uptake, nutritional supplementation effects, fetal (sheep), 241,4:E178  
unstirred layer, fatty acid uptake, jejunal, 239,2:G363

**Wharton's jelly, pressure measurement, 232,1:H608****Umbilicus, compliance (sheep), 233,2:H660****Uncoupling**

electromechanical  
myocardial, 235,4:H46  
slow inward current, myocardial, embryo (chick), 233,2:C99  
excitation-contraction, magnesium fluxes, myocardial contracture, 234,3:C115  
nonexcised papillary muscle, 233,2:H711  
proximal sodium bicarbonate, sodium phosphate transport by bumetanide, 235,4:F403

**Uninephrectomy: see also Nephrectomy compensatory kidney growth, 230:1067 urea excretion, 233,2:F428****Uracil nucleotides, thyroid hormone effects, heart and skeletal muscle, 238,1:E443****Uranyl ions, isometric contraction, atrial, 235,4:H295****Uranyl nitrate, bladder transport, 230:1582****Urate**

absorption, D-glucose effects, proximal tubule, 236,5:F526  
binding, renal brush border membrane vesicles, 236,5:F519

**<sup>14</sup>C-labeled, accumulation, proximal tubular segments, 239,8:F22****metabolism, proximal convoluted tubules, 231:509****muscular dystrophy, 234,3:E421****reabsorption**

probenecid uricosuria, 232,1:F222  
proximal convoluted tubule, 231:509  
renal excretion, 231:326  
at various plasma concentrations, 231:387

**transport**

inhibitors, renal tubules (garter snake), 236,5:F379



- kinetic constants for, 242,11:F100  
nephron, 237,6:F85  
proximal tubules, 241,10:F565
- uptake**  
copper effects, kidney membrane vesicles, 242,11:F158  
proximal tubular segments, kidney (pig), 241,10:F591
- Urea**  
active transport, skin (amphibian), 241,10:R114  
antidiuresis and water diuresis, renal papillary epithelium, 235,4:F69  
appearance, acute uremia, hindquarter, 241,4:E415  
atrial tension, 236,5:H629  
cell volume regulation, proximal convoluted tubules, 243,12:F408  
central core model, renal medulla, 234,3:F402  
cerebrospinal fluid, salt appetite and (sheep), 242,11:R51  
chronotropic response, atrial, 233,2:H228  
<sup>14</sup>C-labeled, ontogeny of cerebrospinal fluid sink action, 243,12:R400  
concentration, pelvic fluid, renal concentrating ability and, 239,8:F609  
equilibration, 230:1326  
excretion  
  hypothalamic obesity, 238,1:E32  
  uninephrectomy, 233,2:F428  
  vasopressin-treated diabetes, 234,3:F106  
flux, epinephrine effects (trout), 232,1:R110  
kinetics, protein metabolism, trauma, 241,4:E64  
labeled, water distribution indicator, developing teeth, 232,1:F358  
lactate metabolism, renal epithelia (pig), 242,11:C41  
metabolic response, adrenergic blockade, awake state, 241,4:E385  
metabolism, recycling (ground squirrel), 239,8:R168  
osmoregulation, 230:925  
peritubular osmolality and, kidney, 241,10:F443  
permeability, colon, 232,1:F5  
pharmacokinetics, brain and cerebrospinal fluid, 242,11:R339  
plasma, transplacental gradients, 235,4:H200  
prostaglandin effects, kidney collecting duct, 241,10:F53  
prostaglandin synthesis and, renal, 241,10:F649  
protein turnover measurement, end product, 235,4:E165  
reabsorption, tubular, 239,8:F107  
secretion  
  proximal convoluted tubule, 239,8:F383  
  proximal tubules, 239,8:F545  
  synthesis, arginine metabolism and, skeletal muscle cells, 242,5:E87  
  transport  
    bladder, 230:1722  
    bladder (trout), 233,2:F525  
    placental, 233,2:E308  
    thin ascending limb of Henle, 232,1:F201  
    vasopressin-stimulated (toad), 243,12:C27  
  uptake, central nervous system (dogfish), 232,1:R45  
  washout, saline-induced natriuresis and, kidney, 241,10:F250
- Urea analogues**, inhibition, vasopressin-stimulated urea transport (toad), 243,12:C27
- Urea cycle**  
arginine metabolism, renal, 235,4:F376  
enzymes, zinc deficiency, 235,4:E203
- Ureagenesis**  
arginine-free meal effects, 241,4:E310
- skeletal muscle cells, 242,5:E87
- Urea nitrogen**, blood, hibernation (marmot), 234,3:R178
- Urease**, immunity, ammonia-incubated intestinal cells (chick, rat), 233,2:E341
- Urechole**  
gastrin release, gastric fistula, 235,4:E720  
prostaglandin E<sub>2</sub>, 230:251  
vagotomy, 230:105
- Uremia**  
acute, amino acid release, hindquarter, 241,4:E415  
calcium transport  
  ileum, 242,5:G128  
  intestinal, calcium ATPase and, 238,1:G424  
compensatory renal hypertrophy, 232,1:F405  
deep nephron function, 236,5:F454  
glucose transport, renal, volume expansion effects, 236,5:F567  
histidine, renal, 237,6:E1  
hypoalbuminemia, mechanism of, 243,12:F372  
obstruction, compensatory renal hypertrophy, 232,1:F405  
protein intake, weight gain, and plasma amino acid levels, 230:1455  
serotonin turnover, brain, 232,1:E526
- Uremic toxin**, parathyroid hormone and, 239,8:F1
- Ureter**  
bilateral ligation, amino acid release, acute uremia, hindquarter, 241,4:E415  
bilateral obstruction, imidazole effects, 243,12:F532  
compensatory adaptation, renal nerves in, 238,7:F229  
constriction, glomerular filtration and metabolic rates, renal, 233,2:F61  
force-length curves, obstruction effects (rabbit), 243,12:F204  
ligation, prostaglandins, glomeruli, 241,10:F289  
ligation and inhibition, transmembrane potassium transfer, 231:1660  
obstruction, 230:1550  
  effect of inner medullary blood flow, 231:1315  
  glomerular function, 237,6:F379  
  glomerular response, 236,5:F131  
  phosphate transport, brush border vesicles, 243,12:F29  
  protein synthesis, 237,6:F299  
  release, phosphaturia following, 237,6:F14  
  terminal collecting duct function, weanling, 236,5:F260  
  time course of changes, 231:393  
  unilateral, and renal hydrogen ion secretion, 231:1233
- occlusion**  
  bilateral renal perfusion and intratubular pressure, 238,7:F205  
  renin release and, 242,11:F267  
  smooth muscle microvibration, 236,5:C192  
  time course, changes with obstruction, 231:393  
  unilateral obstruction, thromboxane B<sub>2</sub> and, kidney, 242,11:F220
- Urethan**, microvascular effects of, 243,12:H837
- Urethan-chloralose**, hemodynamics, spontaneously hypertensive and Wistar Kyoto rats, 238,7:H539
- Uric acid**  
clearance, renal, 233,2:F373  
metabolism, muscular dystrophy, homozygous and heterozygous, 234,3:E421  
nephron function, 239,8:R197  
plasma, hyperuricemia induced by hypothalamic stimulation, 236,5:E212
- renal excretion, 230:768, 1654  
salt load (starling), 234,3:F270  
secretion, proximal tubular, 239,8:F545  
specific activity ratio, renal (chicken), 234,3:F446  
synthesis, renal, quantification, 238,7:F481
- transport**  
  kidney slices, hereditary variation, 231:1147  
  proximal tubules, 241,10:F565  
  renal, use of pyrazinamide to assess, 230:1276  
  renal brush border membrane vesicles, 236,5:F519  
  uptake, separated tubules, renal fuels for, 235,4:F137
- Uricase**  
muscular dystrophy, 234,3:E421  
urate uptake, kidney cortex, 242,11:F158
- Uricosuria**, probenecid, organic acid transport, 232,1:F222
- Uridine**  
plasma concentration, liver, 242,11:R465  
regulation, liver, 242,11:R465
- Uridine diphosphogalactose-4-epimerase**, liver, suckling, 236,5:E633
- Uridine kinase**, thyroid hormone effects, heart and skeletal muscle, 238,1:E443
- Uridine triphosphate**, synthesis, diabetes-induced renal growth, 238,1:E349
- Urinary acidification**: see Acidification
- Urinary bladder**  
absorption (teleost), 235,4:R48  
acidification, lithium effects, 242,11:F23  
adenylate cyclase inhibition, anesthetic-induced (toad), 237,6:F372  
adrenocorticotrophic-stimulated flow, endoperoxide analogues and (toad), 242,11:F119  
aldosterone binding, epithelial cytoplasmic and nuclear receptors (toad), 235,4:C82  
aldosterone receptor occupancy (toad), 235,4:C90  
aldosterone (toad), 232,1:C174  
p-aminohippuric acid secretion (crab), 238,7:R311, 243,12:R147  
luminal and serosal steps (rock crab), 242,11:R25  
antidiuretic hormone, hydroosmotic response, verapamil effects (toad), 239,8:F520  
antidiuretic hormone-induced intramembranous particle aggregation, time course (toad), 234,3:F461  
apical membrane function (toad), 233,2:F607  
bioelectric properties, transmural (toad), 237,6:F145  
carbon dioxide and oxygen fluxes, voltage-clamped epithelia, mass spectrometry (toad), 236,5:F413  
carbonic anhydrase and granular cells, specialized function of (turtle), 242,11:F627  
cells, epithelial organization and hormone sensitivity (toad), 241,10:F129  
chloride transport (toad), 233,2:F421  
compliance, water permeability and, stretch (toad), 242,11:F8  
coupling of sodium transport and respiration, 231:222  
diuretics and indanone, comparison (toad), 238,7:R70  
electrical properties, 232,1:F187  
electrophysiology, epithelial (toad), 235,4:F507  
epithelial cells  
  isolation (toad), 238,7:F140  
  vasopressin effects, prostaglandin synthesis (toad), 243,12:F593  
epithelial transport (crab), 238,7:R311  
epithelium, ion transport and, 231:501

**Urinary bladder (continued)**

- fluoride absorption, pH dependence, 232,1:F10
- function (teleost), 239,8:R415
- hydrogen ion response, carbon dioxide and carbonic anhydrase inhibition, 231:565
- hydrogen ion secretion
  - metabolic energy and carbon dioxide pressure as determinants (turtle), 233,2:F145
  - transport against electrochemical gradients (turtle), 233,2:F502
- hydrogen ion transport, gluconeogenesis (turtle), 239,8:F366
- intramembranous, particle aggregates (toad), 236,5:F14
- membrane impermeant reagents (toad), 233,2:F607
- membrane structure and transport physiology, freeze-fracture electron microscopic studies (toad), 232,1:F77
- metabolism, osmolar influences (toad), 239,8:F565
- mineralocorticoid activity (toad), 241,4:E406
- morphology, and ouabain-sensitive sodium and chloride transport, 231:1735
- oxidative glycolysis (turtle), 233,2:F145
- oxygen consumption, measurement (toad), 236,5:F206
- permeability, osmotic and solute (trout), 233,2:F525
- pH, mucosal and serosal, antidiuretic effect (frog), 237,6:F483
- phosphate transport, two modes (turtle), 238,7:F31
- phosphorus nuclear magnetic resonance analysis, skin (frog), 243,12:C74
- plasma membrane potentials, epithelial cells (toad), 232,1:F196
- potassium absorption, luminal membrane (turtle), 241,10:F315
- prostaglandin  $E_2$  production, 239,8:F452
- prostaglandin  $E$  synthesis, water flow and (toad), 234,3:F532
- protein synthesis (toad), 232,1:F307
- series elasticity, smooth muscle, 231:1337
- short-circuit current, inhibition by triaminopyrimidine (toad), 236,5:C221
- sodium and potassium ions, antidiuretic hormone-induced water permeability (toad), 243,12:F476
- sodium channel, tyrosine reagents, epithelial (turtle, toad), 239,8:F299
- sodium ion transport
  - tetracycline-induced inhibition (toad), 235,4:F359
- thyroid hormone-aldosterone interaction (toad), 236,5:C125
- sodium transport
  - carbamylocholone inhibition (toad), 235,4:F586
  - cholinergic agents (toad), 235,4:F564
  - electrochemical gradients, bladder (toad), 236,5:F405
  - epithelia, electrophysiology of, 241,10:F579
  - magnesium effects (toad), 234,3:F192
  - pool (toad), 234,3:F1
  - toad, 232,1:F210, F270, F307, 236,5:C117
  - trout, 233,2:F525
- testosterone-aldosterone antagonism (toad), 239,8:F433
- theophylline responses, effect of potassium (toad), 232,1:F173
- transepithelial ion transport, kidney (toad), 242,11:F103
- transport, hydrazine effects (toad), 239,8:F319
- urine collection device, 233,2:F615

- vasopressin, microfilaments and (toad), 243,12:C200
- vasopressin-prostaglandin interaction, multiple sites for (toad), 241,10:F625
- wall tension, compliance and permeability (toad), 242,11:F8
- water flow, vasopressin-stimulated thromboxane and (toad), 239,8:F160
- water flux measurement, transepithelial, mass spectrometry (toad), 241,10:C86
- water (newt), 238,7:R113
- water transport, cholinergic modulation (toad), 239,8:F154
- Urinary clearance**, organic cations, kidney, 241,10:F308
- Urinary concentrating mechanism**
  - aging effects, 243,12:F121
  - antidiuretic therapy, diabetes insipidus, 243,12:R491
  - desert rodent, 236,5:F448
  - micropuncture study, superficial nephron (desert rodent), 241,10:F612
  - newborn, 234,3:F16
  - papillary collecting duct, remnant kidney, 242,11:F657
  - thin loop of Henle, 235,4:F192
- Urinary concentration**
  - dilution and, prostaglandin effects, 241,10:F53
  - hydration, 237,6:F100
  - mechanisms, renal cortical blood flow and, 232,1:F111
  - potassium deficiency, 237,6:F226
  - prostaglandin synthesis inhibition, 232,1:F529
  - thin ascending limb of Henle, 232,1:F201
  - ureteral obstruction, weanling, 236,5:F260
  - vasopressin action, 232,1:F529
- Urinary constituents**: see specific constituent
- Urinary epithelia**, hydrogen ion transport, 235,4:F77
- Urinary excretion**
  - acetylcholine, ketosis, 243,6:E168
  - $\alpha$ -adrenergic blockade, 232,1:F409
  - antidiuretic hormone and, 231:1754
  - circadian, epilepsy (baboon), 239,8:R35
  - 24,25-dihydroxyvitamin  $D_3$ , 243,6:E370
- Urinary output**, arterial pressure and, relations in hypertension, 234,3:R98
- Urinary volume**: see Volume
- Urine**
  - acidity, 230:239
  - alkalinization, phosphate excretion and, 236,5:F184
  - catecholamine uptake and excretion, kidney, 242,11:F56
  - collection, without ureteral cannulation, device, 233,2:F615
  - composition, pelvic, renal concentration and, 239,8:F609
  - concentration in potassium ion-depleted kidney, vasopressin and adenosine monophosphate, cyclic, 231:1204
  - crystal growth inhibitors, 233,2:F455
  - dilute, nonoxidative glucose metabolism and, 242,11:F491
  - dilution, catecholamine effects, 233,2:F39
  - endogenous cryogen, 243,12:R241
  - exercise effects, 242,11:R482
  - flow
    - average frequency circuit, 232,1:F471
    - bradykinin, natriuretic action, 237,6:F182
    - calcitonin stimulation (starling), 238,7:R406
    - hypoxia effects, 243,12:R265
    - rate, prostaglandin  $E$  excretion and, 238,7:F107
    - renal sympathetic nerve activity, 235,4:F557

- human, sleep-promoting factor effects, cat sleep cycle, 241,4:E269
- hypertonic
  - formation in thin ascending limb of Henle's loop, 232,1:F348
  - Henle's loop permeability, 239,8:F57, F72
- kallikreinlike activity, 231:1383
- marking, castration and testosterone implants, 233,2:E495
- microdrop analysis technique, with energy-dispersive x-ray spectrometer on a scanning electron microscope, 234,3:F255
- osmolality: see also Osmolality
  - aging effects, 243,12:F121
  - uninephrectomy, 233,2:F428
- vasopressin role in, fetal (lamb), 242,11:F740
- output, perinephritic hypertension, 233,2:F278
- plasma, muscular dystrophy, 234,3:E421
- prostaglandin and thromboxane excretion, arterial blood, 242,5:E171
- reinfusion, renal growth stimulation, 237,6:F299
- sleep-promoting material, relation to factor S from brain, 238,1:E116
- thermistor flowmeter, 234,3:F452
- Urodynamics**
  - multicystic kidney (minipig), 241,10:R398
  - multiple-coupled pacemaker system, 241,10:R412
- Ursodeoxycholate**, conjugation, hepatic transport, 243,6:G208
- Ursodeoxycholic acid**, 7-ketolithocholic acid metabolism and, 239,2:G161
- Ussing chamber**, intestinal filtration-secretion, intraluminal pressure effects, 242,5:G65
- Uterine nerves**, norepinephrine, uptake and metabolism, pregnancy, 236,5:C277
- Uterus**
  - acid hydrolase activities, lysosomal ovarian hormone effects, 232,1:E423
  - autonomic nerves, distribution, 233,2:C25
  - blood flow
    - chronic reduction, pregnancy (sheep), 242,11:H297
    - fetal size and (guinea pig), 243,12:H404
    - placental transfer as a function of (ewe), 242,11:H429
  - prostaglandin effects (sheep), 234,3:H557
  - blood flow distribution, maternal and fetal (sheep), 241,10:H486
  - calcium transport, laying and nonlaying birds, 232,1:E437
  - depolarized, contractions, calcium- and angiotensin-induced, 236,5:C171
  - estrogen-theophylline interaction, ovary role in, 242,5:E121
  - gap junction formation, myometrial, 238,7:C81
  - ionic environment and metabolism in, 230:158
  - isoproterenol-induced adenosine monophosphate, cyclic increases, calcium effects, 237,6:C257
  - pregnancy: see Pregnancy
  - renin, blood pressure regulation, 239,8:H266
  - sinoarctic denervation, fetal (lamb), 242,11:H916
  - sympathetic innervation, 230:1400

**V****Vacuolation**  
mechanisms

- secretory glands, tracheal, 241,10:C25

- submucosal glands, tracheal, 241,10:C18
- Vacuoles**  
stimulus-induced  
secretory glands, tracheal, 241,10:C25  
submucosal glands, tracheal, 241,10:C18
- Vagal afferents:** *see also* Afferents  
antidiuretic hormone, baroreflex control, 241,10:H431  
baroreceptor and Bezold-Jarisch reflexes, interaction, 237,6:H655  
blunted reflex reversal, sodium-depletion, 241,10:H255  
cardiopulmonary, antidiuretic hormone inhibition, 237,6:H299  
cardiopulmonary baroreflexes, digoxin effects, 243,12:H815  
circulatory control, renal, receptor interaction, 237,6:H560  
coronary artery occlusion and, 243,12:H170  
nitroglycerin effects, cardiac function and regional blood flow, 234,3:H244  
nonhypotensive arteriovenous shunt, 236,5:H35  
pulsatile hemodynamics, carotid sinus control, halothane and, 238,7:H294  
reflex cardiovascular changes, veratridine and, awake state, 242,11:H810  
renin release  
coronary occlusion, 242,11:H107  
reflex suppression, 233,2:H181  
sensitization, intracoronary acetylcholine, 239,8:H628  
sympathetic modulation, 237,6:H528  
systemic blood pressure restraint during hemorrhage, 234,3:H192  
vasodepressor effects, prostaglandin E<sub>2</sub>, spontaneous hypertension, 236,5:H635  
volume expansion  
carotid baroreflex function and, 237,6:H153  
renal nerve activity and, 243,12:H810
- Vagal arrest,** coronary sinus occlusion, 239,8:H57
- Vagal blockade:** *see* Blockade
- Vagal bradycardia:** *see* Bradycardia
- Vagal C-fibers**  
afferent, anodal blockade of myelinated fibers, 239,8:H454  
cardiac, *d*- and *l*-propranolol effects, 238,7:H465
- Vagal-cholinergic control,** pancreatic polypeptide release, 235,4:E443
- Vagal cold block**  
antidiuretic hormone, baroreflex control, 241,10:H431  
left ventricular dP/dt, 238,7:H93  
reflex hypotension, bradycardia and, 239,8:H172
- Vagal control,** atrioventricular junctional rhythm, 237,6:H275
- Vagal cooling,** esophageal function (opossum), 232,1:E159
- Vagal efferents**  
nonhypotensive arteriovenous shunt, 236,5:H35  
plasma insulin levels, 241,4:E22
- Vagal fibers**  
afferent, nucleus tractus solitarius destruction, 236,5:H736  
efferent, discharge, gastric antrum, 235,4:E366
- Vagal inhibitory neurons,** distribution, medulla, 238,7:H57
- Vagal inhibitory pathway,** 5-hydroxytryptamine participation, lower esophageal sphincter (opossum), 234,3:E273
- Vagal innervation,** esophagus (opossum), 234,3:E359
- Vagal mediation,** fluid and bicarbonate secretion, pancreatic, vasoactive intestinal polypeptides and (pig), 237,6:E535
- Vagal nucleus,** dorsal, subthalamic-mediated bradycardia, 236,5:H471
- Vagal reflex:** *see* Reflexes
- Vagal release,** antral gastrin, augmented by 2-deoxyglucose, 236,5:E173
- Vagal stimulation**  
acetylcholine and, differential sensitivity, cardiac, 234,3:H460  
esophageal  
contractions (opossum), 235,4:E392  
function (opossum), 234,3:E359  
peristalsis (opossum), 237,6:E561  
responses, 235,4:E63  
intestinal transport, 234,3:E417
- Vagal stimuli**  
atrial, contractility and frequency-force interaction, 239,8:H333  
cardiac, contractility responses, 239,8:H494
- Vagal tone,** ventricular electrical stability, 234,3:H503
- Vagina,** neutrophil chemotactic activity, hormonal control, 233,2:H59
- Vagolytic drugs,** diving bradycardia (duck), 238,7:H50
- Vagosympathetic reflex:** *see* Reflexes
- Vagosympathetic trunk,** ventral root mapping, cardiac nerves, 232,1:H590
- Vagotomy**  
aortic constriction and, myocardial oxygen extraction, 242,11:H310  
arterial pressure regulation, carotid baroreflex and, exercise, 241,10:H838  
atrial receptor modulation, renal nerve activity (monkey), 242,11:F592  
bilateral cervical, angiotensin receptor, esophageal (opossum), 235,4:E738  
cardiac contractility, 239,8:H65  
carotid baroreflexes after, 241,10:H600  
carotid sinus reflex control, arterial hemodynamics, 239,8:H681  
choline acetyltransferase activity, cardiac, 236,5:H620  
cholinergic receptors after, 230:105  
esophageal function (opossum), 232,1:E159  
motor (opossum), 232,1:E19  
fundic  
gastric response to, 242,5:G660  
gastrin release, 235,4:E720  
gastrin release, antral, 236,5:E173  
gastric emptying, 234,3:E375  
gastrin and gastric acid response, gastric and intestinal meals, 232,1:E542  
glucagon suppression, feeding, 234,3:E314  
hepatic baroreceptor reflexes and, 238,7:H390  
hepatic-portal nutrient infusion and, 232,1:E119  
jejunal electrical activity, 230:1538  
mucosal gastrin receptors and, 242,5:G243  
nonhypotensive arteriovenous shunt, 236,5:H35  
ouabain, 230:1168  
pancreas, transplanted, 236,5:E186  
plasma renin activity, 234,3:H670  
reflexes, carotid sinus, 238,7:H815  
relaxation, pentagastrin-induced, gastric fundus, 232,1:E504  
satiety, 235,4:R23  
satiety controls, intestinal (pig), 236,5:R328  
subdiaphragmatic  
dietary obesity, 238,7:R447  
dietary self-selection following, 231:1790  
thoracic, esophageal function (opossum), 234,3:E359  
truncular, feeding and metabolic patterns, 235,4:E119  
ventricular electrical stability, 234,3:H503
- weight and food intake, responses, 236,5:R61
- Vagus nerve**  
arrhythmias, hypothalamic stimulation-induced, 234,3:H199  
atrial vulnerability (puppy), 235,4:H683  
atrioventricular junctional rhythm, 235,4:H308  
cardiac preganglionic, location, 243,12:R92  
cardiac tamponade, 232,1:H5  
cardiovascular respiratory reflex interactions (monkey), 234,3:H293  
cervical, carotid sinus pressure, renal blood flow and, 242,11:H220  
chronotropic responses, sympathetic stimulation and, 241,10:H850  
circulatory mechanoreceptors (turtle), 242,11:R216  
cold block, hemorrhage, 237,6:R203  
contractile strength, right atrial, 236,5:H860  
control, migrating motor complex, 243,6:G276  
denervation, deoxyribonucleic acid synthesis, fundic mucosa, 235,4:E32  
deoxyribonucleic acid synthesis, gastric, 235,4:E565  
desensitization, sinus node, 238,7:H439  
efferent activity, cardiac, atropine effects, 232,1:H146  
electrical activity, small intestine (opossum), 239,2:G406  
electrical stimulation, gastrin and somatostatin secretion and, 243,6:G442  
electromechanical dissociation, 241,10:R213  
gastric motility, control, 235,4:E366  
gastrin and gastric acid responses, gastric and intestinal meals, 232,1:E542  
gastrin release  
antral, 236,5:F173  
gastric fistula, 235,4:E720  
heart rate, 238,7:H515  
hepatic, gastric function and, 238,7:R346  
hypothalamic obesity, 235,4:E266, 239,2:E437  
insulin release, prandial, two stages, 235,4:E103  
left atrial pressure elevation, reflex effects of, 241,10:H760  
metabolic changes, experimental obesity, 233,2:R162  
osmoreceptors, hemorrhagic shock, 241,10:H883  
phenytoin effects, ventricular arrhythmias, 241,10:H67  
postural control of circulation, renin release and, 237,6:H146  
pyloropancreatic reflex, 234,3:E468  
reflexes, chemical activation, 239,8:H316  
reflex hypotension and bradycardia, 239,8:H172  
reflex mediation, hemorrhage and, 237,6:R203  
relaxation, modulation, lower esophageal sphincter (opossum), 237,6:E481  
renin secretion, 230:777  
sensitization, intracoronary acetylcholine, 239,8:H628  
stimulation  
atrioventricular conduction and, 243,12:H525  
cardiac function and metabolism, newborn (lamb), 233,2:H451  
gastrooduodenal junctional characterization, 236,5:E45  
glucagon effects, cardiac chronotropic response, 242,11:H7  
sinoatrial and atrioventricular nodes, 241,10:H684  
subthalamic-mediated bradycardia, 236,5:H471  
surfactant secretion, cholinergic stimulation of, 243,12:C39

- Vagus nerve** (*continued*)  
tone, baroreceptor regulation, behavioral influence (baboon), 241,10:R277  
tonic stimulation, cardiac responses during, 243,12:H219  
volume-induced tachycardia, 232,1:H464
- Valinomycin**  
blockade, myocardial slow channels, glucose reversal, 235,4:H46  
electrodes, flexible, potassium ion-selective, 235,4:H455  
D-glucose transport and, brush border membrane vesicles, kidney, 242,11:F340  
rubidium-86 efflux, pancreatic islets, 236,5:E139  
sodium-hydrogen exchange and, brush border vesicles, renal failure, 243,12:F293
- Valsalva-like maneuvers**, pressure-flow changes, 233,2:H93
- Valsalva responses**, coronary heart disease, 233,2:H694
- Vanadate**  
cardiovascular effects, 239,8:H47  
sodium-potassium-ATPase inhibition, renal, 236,5:F530  
sodium pump, renal, 239,8:F97
- Vanadium**  
sodium-potassium-ATPase inhibition, renal, 236,5:F530  
sodium pump, renal, 239,8:F97
- Vapor pressure**: see Pressure
- Vasa recta**  
blood flow: see Blood flow  
chloride, analysis, 235,4:F192  
comparative and functional aspects, renal medulla, species differences, 241,10:R3  
concentrating process, integrative hypothesis, 239,8:F578
- Vasa vasorum**, oxygen consumption rate, 243,12:H948
- Vascular access**, chronic, unrestrained rat, 233,7:H599
- Vascular bed**  
hepatic, model, 233,2:R188  
mesenteric, prostaglandins, 235,4:H326  
peripheral, atrium-pulmonary vein baroreflex, 233,2:H587  
renal, presynaptic  $\alpha$ -receptor function, 239,8:H422
- Vascular changes**, skeletal muscle, during asphyxia, 235,4:H72
- Vascular compliance**: see Compliance
- Vascular compromise**, uterine, model, 242,11:H297
- Vascular connective tissue**: see Connective tissue
- Vascular contractility**: see Muscle, heart
- Vascular control**  
local, intestinal, 243,6:G91  
renal and hindlimb, during acute emotion (baboon), 236,5:R198
- Vascular diameter**, oxygen effects, aorticus muscle, 241,10:H807
- Vascular dysfunction**, juvenile diabetes mellitus and, 243,12:H139
- Vascular expansion**, central, renal responses at night (monkey), 239,8:F343
- Vascular hindrance**, 233,2:H106  
coronary, hemorrhage effects, 239,8:H326  
hematocrit variation, effects, 238,7:H545  
hypothermia, 235,4:H136
- Vascular hormones**, mesenteric, interactions, 232,1:H305
- Vascular impedance**: see Impedance
- Vascular inelasticity**, barostasis and, 232,1:H197
- Vascular innervation**, 233,2:C25
- Vascular isolation**, reversible, carotid sinuses, 238,7:H809
- Vascularity**, red cell space, in hypocalemia, 234,3:E6
- Vascularization**, gill epithelia (fish), 238,7:R147
- Vascular lesions**, malignant hypertensive, sodium chloride effects, 236,5:H665
- Vascular pressure**: see Pressure
- Vascular reactivity**  
alloxan diabetes mellitus, 239,2:E412  
angiotensin II, normotensive and hypertensive pregnancy (ewe), 238,7:H209  
angiotensin II-induced, central, in spontaneous hypertension, 232,1:H426  
argining vasotocin, renal and peripheral (bullfrog), 239,8:R156  
DOCA-salt hypertension, 239,8:R303  
gastrointestinal hormones, 232,1:H103  
lead effects, 241,10:H211  
lung, red blood cells and platelets, 234,3:H186  
mannitol, in vitro, 232,1:H59  
prostaglandin inhibitors, 232,1:H571  
pulmonary  
hypoxia, 238,7:H849  
pregnancy, 239,8:H297  
renal  
neurogenic control, in hypertension, 238,7:H770  
neurogenic hypertension, 239,8:F474  
spontaneous hypertension, 237,6:F128  
striated muscle, maturation and (hamster), 241,10:H325  
sympathetic nerve function and, hypertension, 241,10:R379  
tibia, isolated, 236,5:H904
- Vascular resistance**: see Resistance
- Vascular response**  
peripheral, hemorrhage, 236,5:H206  
placenta, indomethacin (ovine), 236,5:H61  
pulmonary  
hypoxia, 236,5:H818  
to ventilation, indomethacin effects, fetus (goat), 234,3:H346  
renal  
mesotocin (bullfrog), 235,4:F151  
prostaglandin endoperoxides, 236,5:H427  
to prostaglandin analogues, 233,2:H573  
to prostaglandin inhibitors, 234,3:H496  
to renal nerve stimulation and intra-arterial drug administration, 234,3:H219  
subcutaneous adipose tissue, hypothalamic stimulation, 237,6:H386
- Vascular route**, portal, hypophyseal stalk/neural lobe to adeno-hypophysis, 239,8:R463
- Vascular smooth muscle**: see Muscle, smooth
- Vascular space**, epinephrine, 230:1555
- Vascular stress relaxation**, 236,5:R40
- Vascular strips**, helically cut, 238,7:H107
- Vascular structure**, renal, spontaneous hypertension, 238,7:H287
- Vascular tissue**  
norepinephrine accumulation, plasma effects, saphenous vein, 243,12:H424  
synaptic cleft, norepinephrine levels and, 242,11:H233
- Vascular tonicity**, sympathetic influences (frog), 241,10:H691
- Vascular wall**  
tension (bat wing), 237,6:H59  
thickness, measurement, 237,6:H265  
water content, sympathectomy effects, renal hypertension, 241,10:H449
- Vascular waterfall**  
blood flow, myocardial, 239,8:H308  
cardiac contraction and, 233,2:H541  
coronary artery resistance and, 243,12:H259  
coronary pressure-flow relations, 239,8:H57  
critical closing and opening phenomena, coronary vasculature, 238,7:H533
- fibrillating heart, 237,6:H191  
luminal distension, intestines, 239,2:G516  
myocardial, 236,5:H121  
systole, right ventricular, 238,7:H481
- Vasculature**, renal, neural input, humoral and mechanical factors, 235,4:R64
- Vas deferens**, norepinephrine release, antihypertensive-B-stimulated, adrenergic nerves (guinea pig), 243,12:C237
- Vasoactive agents**, oxygen uptake and, splanchnic, 243,6:G1
- Vasoactive drugs**, blood flow and, foot (chicken), 242,11:R582
- Vasoactive intestinal peptides**: see Peptides
- Vasoactive intestinal polypeptides**: see Polypeptides
- Vasoactive substance**, vagally mediated responses, prostaglandin  $E_2$  in spontaneous hypertension, 236,5:H635
- Vasoactivity**, pulmonary, prostaglandins and (lamb), 238,7:H631
- Vasoconstriction**  
adrenergic  
hindlimb muscles, 235,4:H482  
middle cerebral artery (goat), 235,4:H131  
 $\alpha$ -adrenergic  
gastric distension and, 243,12:H748  
hypothalamic stimulation, 237,6:H386  
adrenergic coronary, exercise, awake state, 242,11:H805  
adrenergic vessels, hemorrhagic shock, 241,10:H85  
arterial, arginine vasopressin, 234,3:H167  
arteriolar, heat stress and, cremaster muscle, 242,11:H996  
autonomic control, submergence and emergence (bullfrog), 237,6:R210  
bypass, lung thromboxane effects (sheep), 242,11:H462  
cerebral  
fatty acids and cyclooxygenase, 242,11:H629  
metabolic depression (baboon), 234,3:H74  
cerebral arterial and arteriolar, hypotension and hypertension, 234,3:H371  
cholinergic, gills (trout), 233,2:R222  
coronary  
angiotensin II, 238,7:H895  
mannitol and, 235,4:H728  
stellate ganglia stimulation and, 243,12:H410  
coronary stenosis and, 243,12:H236  
during hemorrhage, 230:569  
escape from norepinephrine-induced, 230:1461  
hepatic artery, glucagon inhibition of response to hepatic nerve stimulation, 233,2:H647  
hormone effects, blood vessels, bone, 241,10:H91  
hypoxic, isogravimetric capillary pressures, 241,10:H732  
intestinal  
myogenic, 235,4:H157  
myogenic, oxygen extraction, 238,7:H836  
lung, hypoxic (duck), 234,3:R146  
mesenteric  
adrenergic mechanisms (baboon), 234,3:E457  
excitement-induced (baboon), 234,3:H210  
methoxamine effects, heart, 241,10:H370  
microvascular rarefaction, spontaneous hypertension, 243,12:H243  
pial arterioles, prostaglandins, 238,7:H226  
postocclusive renal, blockade by angiotensin II antagonists, 237,6:F463  
pulmonary  
blunted, hypoxic, 238,7:H849



- platelets and, 234,3:H186  
pressor responses to hypoxia, 235,4:H104
- renal**  
acute renal failure, 234,3:F171  
compensatory adaptation to ureteral occlusion, 238,7:F229  
fatty acid-deficient diet effects, 243,12:H61  
functional reinnervation and supersensitivity to norepinephrine, 238,7:R353  
parabrachial pons mediation, 234,3:R223  
sympathetic, cerebral blood flow and behavior (goat), 232,1:H495  
sympathetic reflex, 233,2:H264  
vasopressin effects, hypertension, 242,11:H37
- Vasoconstrictor nerves**, feet (duck, chicken), 237,6:H112
- Vasoconstrictor response**  
mesenteric, vasopressin, 236,5:H200  
prostaglandins, pancreatic, 232,1:E201
- Vasodilators**  
cardiovascular effects, 231:1579  
DOCA-salt hypertension, 239,8:R303  
intestinal vascular resistance, oxygen extraction and, 230:298  
pulmonary vascular bed, 239,8:H40
- Vasodepressors**  
antidiuretic hormone, DOCA hypertension, 232,1:F260  
heart rate, 238,7:H515  
hormones, action, awake state (chicken), 243,12:H456  
prostaglandin E<sub>1</sub> and E<sub>2</sub>, pulmonary and systemic responses, perinatal (goat), 236,5:H828  
trigeminal and aortic, hemodynamic responses, 234,3:H67
- Vasodilation**  
acetylcholine-induced, interstitial pressure control, renal, 243,12:F325  
active reflex, pressor response buffering, 236,5:H165  
adenosine and, myocardial, 239,8:H7  
adenosine monophosphate, cyclic-induced, mesenteric artery, 232,1:H191  
 **$\beta$ -adrenergic**  
epinephrine, adrenal medulla, 242,11:H593  
hypothalamic stimulation, 237,6:H386  
adrenergic vessels, hemorrhagic shock, 241,10:H85  
amines, biogenic (fowl), 232,1:R137  
arteriolar, oxygen and, 235,4:H505  
bicarbonate ion modulation, cerebral blood flow, hypoxia and hypercapnia, 243,12:H33  
blood flow and, foot (chicken), 242,11:R582  
capillary, exercise and, 238,7:H31  
**cerebral**  
atropine effects, hypercapnia, 242,11:H683  
fastigial cerebellar nucleus stimulation and, 243,12:H226  
cerebral arterial and arteriolar, hypotension and hypertension, 234,3:H371  
cerebral arterioles  
hypoxia, 234,3:H582  
prostaglandins and, 237,6:H381  
vasoactive intestinal polypeptide effects, 239,8:H765  
cerebral blood flow regulation (monkey), 239,8:H539  
cholinergic, hindlimb muscles, 235,4:H482  
cold-induced, homeotherm, 239,8:R126  
control of, 230:1577  
coronary  
adenosine role in, 243,12:H538  
indomethacin and, 235,4:H372  
mannitol and, 235,4:H728  
nonmetabolically coupled, inosine infusion, 238,7:H569  
postocclusive, adenosine and, 238,7:H214  
effect of H<sub>1</sub> and H<sub>2</sub> histamine receptors, 231:1002  
exercise, nerves and metabolites in, 236,5:H705  
exercise hyperemia, potassium depletion and, 236,5:H480  
exercise-induced, adenosine role, gracilis muscle, 238,7:H703  
functional, capillary control, red muscle, 243,12:H196  
histaminergic mediation, exercise effects, 233,2:H27  
hyperosmolar-induced, antihistamines and indomethacin effects, 242,11:H450  
increased venous pressure, cerebral arterioles, 243,12:H442  
intestinal, histamine receptors, 233,2:E219  
mannitol effects, 232,1:H59  
mechanisms, adenosine and adenine nucleotide action, 233,2:H114  
mesenteric, adrenergic mechanisms (baboon), 234,3:E457  
metabolic, hypoxia, 243,12:H1010  
microvascular, hepatic, cholinergic receptors and, 236,5:E728  
nitroglycerin effects, heart failure, awake state, 243,12:H974  
osmotic  
ileal, 234,3:H14  
intestinal, 234,3:H14  
metabolic hyperemia, gut, 239,2:G12  
parasympathetic coronary, myocardial oxygen extraction and, 242,11:H310  
postcontraction, 230:493  
prolonged, prostaglandin E release, skeletal muscle exercise, 236,5:H596  
purine metabolism, heart, computer model, 232,1:H386, H394  
 **$\beta$ -receptors**, 230:1444  
redistribution of microspheres, intestines, 243,12:H123  
reflex, cholinergic and histaminergic components, relations, 234,3:H305  
**renal**  
acute failure, norepinephrine-induced, 235,4:F131  
kallikrein-kinin system, 238,7:F247  
renin release and, dissociation by prostaglandin inhibitors, 237,6:F20  
secretin effects, renal, 232,1:F147  
skeletal muscle, adenosine release, 238,7:H156  
sympathetic cerebral blood flow, behavior and (goat), 232,1:H495  
vasopressin effects, hypertension, 242,11:H37
- Vasodilators**  
cardiac functions and regional blood flow distribution, 234,3:H244  
fibrinogen synthesis, 233,2:H1  
mesenteric circulation and, 242,5:G541  
metabolic hyperemia, gut, 239,2:G12  
metabolic, myocardial, 236,5:H13  
metabolites, cerebrovascular, 234,3:H582  
prostaglandin inhibitors, renal vascular response, 234,3:H496  
pulmonary vascular bed, 239,8:H40
- Vasoeffectors**, cardiac, coronary blood flow and, 243,12:H159
- Vasomotion**  
coronary, 230:1569  
foot (chicken), 242,11:R582  
neural control of, desynchronized sleep, ear, 243,12:R142  
prostaglandins, microcirculatory control, 243,12:H51
- Vasomotor control mechanism**, atropine effects, 232,1:H146
- Vasomotor nerves**,  $\beta$ -adrenergic dilator effects, skeletal muscle, 243,12:H819
- Vasomotor outflow**, sympathetic, hindlimb muscles, 235,4:H482
- Vasomotor response**  
cutaneous, 230:1205  
ventrolateral medulla, cerebral ischemia, 239,8:H349
- Vasopressin**: see also Antidiuretic hormones  
absence, urinary concentrating ability, 237,6:F100  
action, low peritubular sodium concentration and, 243,12:F503  
adenosine monophosphate, cyclic analogues and, 232,1:F368  
adenosine monophosphate, cyclic content, plasma, urine, and renal papilla, 237,6:F218  
adenylate cyclase inhibition, anesthetic-induced, bladder (toad), 237,6:F372  
adenylate cyclase responsiveness, renal, newborn, 234,3:F16  
and angiotensin, reciprocal control of mesenteric conductance, 232,1:H260  
angiotensin II, intrapituitary infusion, 233,2:E273  
angiotensin II effects, awake state, 243,12:R82  
antagonist, anesthesia (chicken), 242,11:H314  
anteroventral third ventricle lesions, 236,5:E610  
antidiuretic therapy, diabetes insipidus, 243,12:R491  
arginine  
constant infusion, 235,4:E591  
endotoxin fever and, 242,11:R116  
fetal response, renal (ewe), 238,7:F407  
hemorrhage and, fetal (lamb), 238,1:E214  
hypoxia, renal and endocrine function, 243,12:R265  
interaction with somatostatin and parathyroid hormone, renal effects, 237,6:E428  
metabolic clearance rate, 235,4:E591, E598  
metabolism, modeling and systems analysis, 235,4:E598  
metabolism, receptor-mediated mechanism, 235,4:E591  
osmotic water exchange, circulatory effects (frog), 234,3:R172  
physiological dose, arterial wall mechanics, 234,3:H167  
plasma osmolality and log linear relations (sheep), 233,2:E37  
prostaglandin E synthesis, bladder (toad), 234,3:F532  
prostaglandin synthesis, collecting tubule, 241,10:F94  
prostaglandin synthesis and, bladder epithelial cells (toad), 243,12:F593  
release after hemorrhage, osmolality effect, 238,1:E62  
secretion, episodic, 233,2:E32  
sodium and water balance, awake state, 243,12:R512  
supraoptic neurosecretory activity, right atrial stretch effects, 241,10:R44  
thin ascending limb, Henle's loop (hamster), 243,12:F167  
atrial stretch effects, heart, 242,11:H1056  
bilateral ureteral obstruction and, 243,12:F532  
bladder responses (toad), 232,1:F173  
blood flow, renal cortical, 232,1:F111  
blood pressure, acute and chronic effects, 237,6:F232  
blood pressure homeostasis, 239,8:H81  
calcium-prostaglandin interaction and, 242,11:F313  
cardiovascular effects, central nervous system, 242,11:R545  
cardiovascular effects of, 243,12:H560

**Vasopressin (continued)**

- cell sensitivity to, urinary bladder (toad), 241,10:F129
- central dipsogenic effect of, 242,11:R372
- central infusion, plasma vasopressin concentration and, 243,6:E365
- circadian rhythms of, cerebrospinal fluid, 243,6:E489
- clearance, renal, with reduced blood flow, 232,1:F341
- collecting duct intramembranous particle clusters, dose-response relations, 239,8:F560
- compliance and permeability, stretch responses and, bladder (toad), 242,11:F8
- concentrating ability and, 232,1:F335
- cortical tubules, isolated, 237,6:F350
- coupling, sodium transport and respiration, 231:222
- 1-deamino-8-D-arginine
  - adenosine monophosphate, cyclic, content, plasma, urine, and renal papilla, 237,6:F218
  - electrolyte excretion, 236,5:F66
  - diluting and concentrating ability, 230:1524
- DOCA hypertension, 232,1:F260
- dopamine-induced diuresis, 232,1:F524
- effect on cardiac function, blood flow distribution and, 231:1579
- electrical parameters and, skin (frog), 243,12:F581
- electrolytes, fluid volume and, acute and chronic effects, 237,6:F232
- electrolyte transport, esophageal (rabbit, opossum), 239,2:G5
- endocrine responses, arterial hypotension (sheep), 242,5:E215
- fetal homeostasis and (lamb), 242,11:F740
- glomerular action, 233,2:F102
- glycogen metabolism, hepatocytes, 242,5:E262
- hepatic artery response, 239,2:G378
- <sup>3</sup>H-labeled, plasma membrane, renal medulla, 234,3:F247
- hydrogen excretion, skin (frog), 233,2:F46
- hydroosmotic action of, urinary bladder (toad), 243,12:C200
- hypertension and, 242,11:F727
  - anteroventral third ventricle lesion, 243,12:H614
- hypotensive water restriction effects and, hypertension, 241,10:F525
- infusion
  - cardiac output during, awake state, 243,12:H663
  - hypertension, 236,5:H314
- interaction, desoxycorticosterone and salt hypertension, 242,11:H37
- isolated epithelial cells, bladder (toad), 238,7:F140
- kallikrein secretion, renal, 239,8:F388
- lithium-induced diuretic effects, 231:1754
- membrane transport physiology, bladder (toad), 232,1:F77
- mesenteric vasoconstrictor response, hypophysectomy and saralasin effects, 236,5:H200
- modulation, reducing agents (toad), 243,12:C52
- NADH fluorescence, oxygen consumption, hepatocytes, 242,11:C172
- osmotic effects, streptozotocin diabetes, 242,5:E411
- oxygen consumption, intestinal, 238,1:G502
- oxygen extraction, gut, 230:298
- pituitary content, hypertension, 235,4:H361
- plasma
  - ethanol effects, 242,11:R522
  - osmolality, plasma relations, 238,1:E313
  - osmotic control of, 243,6:E287
  - radioimmunoassay, 234,3:E463
- plasma concentration, hypertonic intracarotid infusion effects, 243,6:E522
- portal venous blood mixing, 233,2:H50
- potassium-depleted kidney, impaired urinary concentrating ability, 231:1204
- preservative, 230:306
- pressor response to, desoxycorticosterone-salt hypertension, 242,11:H44
- prolonged treatment, diabetes insipidus, 234,3:F106
- prostaglandin-dependent polyuria, hypercalcemia, 241,10:F224
- prostaglandin inhibition, renal response, 232,1:F416
- prostaglandin interaction, urinary bladder (toad), 241,10:F625
- prostaglandin production, renal, 233,2:F539
- prostaglandins, excretion, renal, 235,4:E624
- prostaglandin synthesis and bladder epithelial cells (toad), 243,12:F593
- renal, 241,10:F649
- prostaglandin synthesis inhibition, 232,1:F529
- protein kinase
  - regulation, renal medulla (bovine), 232,1:F50
  - renal medullary tubules, 238,7:F269
- reflexes, atrial vs. pulmonary stretch, 242,11:H1065
- release
  - angiotensin II-induced (monkey), 237,6:R20
  - cis-dichlorodiammine platinum effects, 243,12:F36
  - hypertonic solution infusions, third ventricle, 238,7:R340
  - osmotic threshold (sheep), 234,3:E339
  - thirst and, osmoreceptor or sodium receptor mechanism, 238,7:F333
  - threshold and sensitivity, 236,5:F321
- renal hypertension, 239,8:H81
- secretion, angiotensin II infusion, 234,3:R66
- shock, 230:724
- short-circuit inhibition, bladder (toad), 239,8:F459
- shunt pathways and, 231:164
- sodium and water balance, awake state, 243,12:R512
- sodium channel, bladder epithelium (turtle, toad), 239,8:F299
- sodium excretion, plasma antinatriotic activity and, 231:28
- sodium ion transport, bladder (toad), 235,4:F359
- sodium transport
  - bladder (toad), 234,3:F192
  - skin (frog), 241,10:F279
- spontaneous hypertension, brain, 242,11:H496
- supraoptic neurosecretory cells, 237,6:R63
- transport, hydrazine effects, bladder (toad), 239,8:F319
- urea transport, molecular size and hydrogen bonding effects (toad), 243,12:C27
- urine flow rate alterations, prostaglandin E excretion and, 238,7:F107
- vascular resistance and reactivity, renal, spontaneous hypertension, 238,7:H287
- water diuresis, indomethacin effects, diabetes insipidus, 241,10:F231
- water flow stimulation, thromboxane and (toad), 239,8:F160
- water retention and, systemic hemodynamics, 243,12:H934

**Vasopressin antagonist, cardiovascular effects of, 243,12:H560****Vasospasm**

- coronary, carotid sinus reflex vasoconstriction (dog, pig), 241,10:H149
- renal, transient postocclusive (monkey), 233,2:H622
- Vasotocin**
  - argining: see Arginine vasotocin
  - renal responses, 231:593
- Vectorcardiography**
  - hematocrit effects (pig), 232,1:H406
  - resultant dipole moment, hypertension, heart, 241,10:H541
- Veins: see also specific vein**
  - adenine nucleotides and adenosine, action in, 233,2:H114
  - angiotensin and  $\alpha$ -adrenergic receptor blockade, 235,4:F199
  - capacitance, responses, in baroreflex, 235,4:H488
  - contractility, spontaneous-hypertension and, 241,10:H421
  - cutaneous, aortic arch, chemoreceptor stimulation and, 242,11:H1050
  - distensibility, 232,1:H584
  - geometric similarity, aorta and venae cavae, 241,10:R100
  - grafts: see Grafts
  - hemorrhage, 238,7:H144
  - occlusion, sympathetic response, 233,2:H264
  - pseudoeelasticity, 237,6:H620
  - small
    - norepinephrine effects, hypertension, 236,5:H545
    - responses to hemorrhage, anesthetics and, 235,4:H753
  - sympathectomy effects, renal hypertension, 241,10:H449
  - thermoregulatory behavior,  $\alpha$ -adrenoceptor affinity and, 234,3:H330
  - tissue, norepinephrine metabolism, 234,3:H235
  - vascular smooth muscle, tetrodotoxin effects, 242,11:H967
- Velocimetry, laser-Doppler, mucosal blood flow, intestines, 242,5:G668**
- Velocity**
  - blood flow: see Blood flow
  - capillary distribution, effect on red cell distribution, 235,4:H251
  - conduction, ventral roots, cardiac nerves, 232,1:H590
  - lengthening, papillary muscle, 237,6:H83
  - measurement, digital sonomicrometer, 243,12:H634
  - microvascular (bat wing), 232,1:H400
  - potentials: see Potentials
  - red cell, reactive hyperemia, 233,2:H289
  - shortening, soleus muscle, 233,2:C86
  - tissue, laser-Doppler spectroscopy, 232,1:H441
- Velocity meter, Doppler, cerebral blood flow, anesthesia (cat, dog), 241,10:H228**
- Velocity-pressure relations, microvascular (bat wing), 232,1:H400**
- Vena cava**
  - cannulation, for hepatic venous blood samples, 235,4:H262
  - chronic constriction, plasma flow and tissue osmolality, papillary, 242,11:F370
  - constriction, intrarenal, 232,1:F507
  - geometric similarity, mammals, 241,10:R100
  - inferior
    - blood flow and distribution, fetal (lamb), 237,6:H724
    - prostaglandin synthesis, hypertension, 233,2:H493
  - inferior thoracic constriction, renin release, 234,3:F10
  - obstruction, hormonal responses to, fetal (sheep), 243,6:E278
  - occlusion, sympathetic reflex control, awake state, 241,10:H857

- renin-angiotensin-aldosterone system, 232,1:F559  
 sphincter, diving (beaver, nutria), 242,11:R434  
 superior, stretching effects, heart rate, 241,10:H248  
 venal caval obstruction, fetal (sheep), 243,6:E278
- Venoconstriction**  
 hepatic, active capacitance, 242,11:H1000  
 intestinal, indicator-dilution mean transit time, 234,3:H7
- Venoconstrictor substances**, saphenous vein, 233,2:H361
- Venodilation**, isoproterenol action, venous return, 232,1:H152
- Venom**, actions, dispersed acini, pancreas, 242,5:G470
- Venous capacity**, sympathectomy effects, renal hypertension, 241,10:H449
- Venous collaterals**, hindlimb, anatomic response to venous occlusion, 232,1:H584
- Venous drainage**  
 anterior descending vs. circumflex, cardiac vein and coronary sinus, quantitation, 234,3:H163  
 coronary, 230:486
- Venous occlusion**  
 admittance plethysmography, human limb blood flow, 235,4:H821  
 anatomic response, hindlimb vasculature, 232,1:H584  
 blood flow and oxygenation, colon, 238,1:G478  
 blood pressure fluctuations, nailfold capillaries, 236,5:H888
- Venous pressure**: see Pressure
- Venous return**  
 airway pressure effects, 232,1:H35  
 angiotensin II hypertension, 239,8:H391  
 aortic occlusion and, 243,12:R152  
 endotoxin-induced myocardial failure, 235,4:H150  
 hemodynamic, hormonal and drinking responses to, 243,12:R354  
 isoproterenol mechanism of action, 232,1:H146  
 positive end-expiratory pressure and, 233,2:H635  
 spontaneous hypertension, 237,6:H584  
 umbilical, hemorrhage effects, fetus (lamb), 242,11:H543
- Venous saturation**, oxygen, methoxamine effects, myocardial, 241,10:H370
- Venous tone**, pressure-volume relations, 238,7:H823
- Venous wall**, characteristics, hindlimb, 232,1:H584
- Ventilation**  
 aestivating (lungfish), 233,2:R181  
 artificial, acid-base equilibrium, 236,5:R126  
 breath-to-breath variations, sleeping infant, 243,12:R164  
 central chemical control (turtle), 235,4:R257  
 laryngeal reflex apnea, chemodenervated newborn (pig), 237,6:R10  
 minute, heart rate response, 234,3:H129  
 oxygen exchange, vascular resistance and, totally perfused heart, 234,3:R201  
 positive end-expiratory pressure, anti-diuretic hormone levels, plasma, 239,2:E474  
 positive-pressure, ventricular dimensions during, 242,11:H549  
 prostaglandin-like material, release from fetal lung (goat, sheep), 238,7:H282  
 prostaglandin production and, perinatal (lamb), 241,10:H756  
 pulmonary vascular response, indomethacin, fetus (goat), 234,3:H346  
 temperature effects (turtle), 239,8:R254
- Ventilation-perfusion ratio**  
 simulated gill secondary lamella (trout), 233,2:R145  
 veranid (lizard), 233,2:R89
- Ventilatory control**  
 cisternal cerebrospinal fluid cannula, 236,5:R132  
 neurohumoral, computer simulation, 238,7:R28  
 potassium depletion effects, 231:588  
 sensory nerve block, 237,6:H433
- Ventilatory period**, carbon dioxide fraction timing changes (chicken), 237,6:R260
- Ventilatory rate**, prostaglandin efflux, renal venous, 242,11:F38
- Ventral medulla**, extracellular fluid pH, blood flow and, hypoxia, 242,11:R195
- Ventral premammillary nucleus**, 2-deoxy-D-glucose injections, hypothermia, 239,8:R265, R270
- Ventral roots**  
 cardiac nerves, mapping with evoked potentials, 232,1:H590  
 stimulation, endocardial response, 233,2:H655
- Ventricles**: see Cerebral ventricles; Heart ventricles
- Ventricular fibrillation**: see Fibrillation
- Ventricular muscle**: see Muscle, heart
- Ventriculoatrial conduction**, structure and function of atrioventricular node, 243,12:H41
- Ventriculocisternal perfusion**, bulk flow, brain interstitial fluid, 238,7:F42
- Ventriculography**, cardiac kinetics, analysis, 238,7:H98
- Ventrolateral medulla**, lesions, vasomotor response, 239,8:H349
- Venular capillary limb**, blood pressure fluctuations, nailfold, 236,5:H888
- Venules**  
 spontaneous hypertension and, cremaster muscle, 242,11:H381  
 sulfhemoglobin-red blood cells, mean transit time and blood flow velocity, 238,7:H745
- Verapamil**  
 acetylcholine contractions, trachealis muscle, 236,5:C177  
 action potentials and, arterial smooth muscle, 237,6:C75  
 anti-diuretic hormone and, bladder, 239,8:F250  
 anti-diuretic-parathyroid hormone interaction, urine, 239,8:F244  
 atrioventricular nodal membrane selectivity, 236,5:C1  
 calcium and, adrenal glomerulosa cell response, 241,4:E42  
 calcium channel and prolactin release, clonal pituitary cells, 243,6:E68  
 calcium effects, prostaglandin release, 241,10:F77  
 calcium fluxes, pancreatic islets, 238,1:E96  
 calcium ion influx and, pancreatic  $\beta$ -cell, 242,5:E59  
 calcium ion uptake, platelets, 239,8:H483  
 calcium sources, basilar artery, 241,10:H129  
 calcium uptake and, vascular smooth muscle, 242,11:H797  
 cardiac action potentials, low-calcium solution (frog), 242,11:H827  
 contractions, depolarized uterus, 236,5:C171  
 digoxin-norepinephrine response, vascular smooth muscle, 236,5:H613  
 glucagon release, pancreas, 236,5:E98  
 heart and circulation, hemorrhagic shock, 241,10:H12  
 interaction, platelet  $\alpha$ -adrenergic receptors and, 242,11:H19
- lower esophageal sphincter tone and contractions (opossum), 237,6:E163, 238,1:G40  
 prostaglandin  $E_2$  synthesis, medullary, 235,4:F213  
 rubidium-86 efflux, pancreatic islets, 236,5:E139  
 secretion, ileal, 239,2:G18
- Veratridine**  
 baroreceptor and Bezold-Jarisch reflexes, interaction, 237,6:H655  
 norepinephrine release, nerves, colonic mucosa, 241,4:G416  
 rubidium-86 efflux, pancreatic islets, 236,5:E139  
 sodium channels, activation, islet cells, 237,6:E130
- Veratrine**  
 renal nerve activity, 238,7:H801  
 salt gland secretory response (goose), 232,1:R185
- Veratrum alkaloids**  
 cardiac receptors, stimulation, anti-diuretic hormone and, 239,8:H784  
 renin release, ventricular reflex suppression, 233,2:H181
- Vertebral artery**, angiotensin II effects, awake state, 243,12:R82
- Vessel**, branched elastic transparent, model, 242,11:H122
- Vibration**, smooth muscle activity, ureteral and portal, 236,5:C192
- Video techniques**, epithelial transport processes, 237,6:F167
- Villous cells**, intestinal cell proliferation inhibition, 241,4:G520
- Vinblastine**  
 calcium, lacrimal gland, 230:99  
 gastric secretion and (frog), 236,5:E550  
 thymidine kinase activity, myocardial, 236,5:H73
- Vincristine**  
 cellular processing of insulin, 243,6:E140  
 lactose inhibition, mammary gland, 234,3:C177
- VIP**: see Peptides
- Viral infection**  
 heart cell electrical parameters, embryo (chick), 234,3:C170  
 herpes, parotid acinar cells, 239,2:G288
- Viscera**  
 composition, aging, 238,7:R92  
 portal-drained  
 amino acid metabolism (sheep), 239,2:E248  
 glutamate metabolism (sheep), 241,4:E465  
 glutamine (sheep), 234,3:E197  
 protein synthesis, 230:1108
- Visceral artery**, adrenergic innervation, 239,8:H252
- Visceral pathways**, central, amygdaloid lesion in, ingestive responses and, 242,11:R129
- Viscoelasticity**, 230:462  
 arterial, mathematical expression, 237,6:H620  
 low-frequency, femoral artery, 236,5:H720  
 myocardial, left ventricular diastolic mechanics, 236,5:H323  
 pressure-dependent, femoral artery, 236,5:H720  
 trabeculae carnea, 232,1:H373
- Viscometry**, hemorrhheology of hypofibrinogenemia, 236,5:H447
- Viscosity**  
 blood: see Blood  
 hemodynamic functions, surface hypothermia, 235,4:H136  
 microvascular (bat wing), 232,1:H400
- Vision**, postural reactions, 239,8:R71, R80
- Visual field**, sinusoidal motion, postural reactions, 239,8:R71, R80
- Vitamin A**  
 deficiency, fetal, 233,2:E263

**Vitamin A** (*continued*)

excess, thyroid and, 238,1:E174  
fatty liver and, 234,3:E511

**Vitamin A<sub>1</sub>**

absorption, intestinal, 232,1:E471  
transport, intestinal, luminal factors, 232,1:E471

**Vitamin B<sub>6</sub>**

absorbed, jejunal metabolism, 235,4:E272  
deficiency, amino acid transport, 235,4:E316  
platelet function, 238,7:H54

**Vitamin B<sub>12</sub>**

absorption, intestines, 241,4:G294  
binding, intestinal brush border membrane vesicles, 239,2:G452  
uptake, renal, as extracellular marker, 237,6:F25

**Vitamin D**

absence, phosphorus adaptation, 239,2:G261  
activity, bone (chicken), 238,1:E494  
bone levels, alcohol and, 238,1:E507  
calcium absorption and, intestinal, 241,4:G49  
calcium and phosphorus deficiency, 236,5:E118  
calcium-binding protein, kidney, 243,12:F243  
calcium transport  
  ileum, 235,4:E726  
  intestinal, uremia, 238,1:G424  
  small intestine, 239,2:G463  
  small intestine, pregnancy and lactation, 239,2:E64  
deficiency  
  calcium absorption and, intestinal, 241,4:G49  
  gonadal hormones and, duodenum (chick), 237,6:E409  
  magnesium metabolism, 239,2:E515  
  renal adenylate cyclase response to parathyroid hormone, 239,2:E396  
dependence, calcium-binding proteins, 243,6:E483  
depletion, biliary excretion in, 242,5:G522  
dietary magnesium and, calcium and phosphorus homeostasis, 241,4:E35  
1,25-dihydroxy-  
  aging and, 239,2:E322  
  calcium transport, small intestine, 239,2:G463  
  perinatal, 239,2:E385  
  plasma levels, parturient paresis (cow), 235,4:E634  
  regulation, calcium-dependent, parathyroid hormone-independent, 239,2:E119  
24,25-dihydroxy-, perinatal, 239,2:E385  
hematopoietic stem cells, rickets, 243,12:C303  
25-hydroxy-, comparison with, absorption, 242,5:G326  
hypercalciuria, 237,6:F415  
intestinal calcium absorption, 230:1255  
lead absorption, retention and, 238,1:G124  
lead absorption and retention, 239,2:G437  
magnesium absorption, jejunal, 238,1:G349  
metabolism  
  calcium, dietary, effects (quail), 234,3:E622  
  calcium and estrogen effects, aging (quail), 241,4:E275  
  egg-laying (quail), 230:1609  
  parathyroid hormone receptors and, kidney (chick), 242,5:E154  
  phosphate transport, intestinal (chick), 234,3:E379  
  renal cell cultures, 238,7:F1  
**Vitamin D hydroxylases**, estrogen effects, renal (chick), 235,4:E338

**Vitamin D metabolites**

parathyroid hormone release (bovine), 238,1:E384  
perinatal, 239,2:E385

**Vitamin D<sub>3</sub>**

1,25-dihydroxy-  
  bone mineral mobilization, neonatal calvaria, 237,6:E113  
  calcium and phosphorus absorption, metabolic acidosis, 239,2:G480  
  calcium deficiency, 236,5:E118  
  calcium handling, renal, 236,5:F349  
  calcium metabolism and, 233,2:E160  
  calcium transport and, colon, 238,1:G75  
  calcium transport, somatostatin effects, intestinal, 241,4:G215  
  chlorothiazide effects, intestinal absorption, 242,5:G575  
  inorganic phosphate transport, brush-border membrane, duodenal, 242,5:G533  
  intestinal calcium and phosphate transport, 233,2:E488  
  low-calcium diet, uremia, ileum, 242,5:G128  
  magnesium absorption, jejunal, renal disease, 238,1:G349  
  metabolic acidosis effects, low calcium diet and, 243,12:F570  
  metabolism, aging (quail), 234,3:E622, 241,4:E275  
  metabolism, isolated perfused kidney, 239,2:E12  
  phosphate restriction, kidney tubules, 242,11:F353  
  phosphate transport and, intestinal, 243,6:E470  
  phosphate uptake and, renal cells (chick), 242,11:C312  
  streptozotocin-induced diabetes mellitus, 242,5:E451  
1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub>, estrogen effects (chick), 235,4:E338  
24,25-dihydroxy-  
  intestinal calcium and phosphate transport, 233,2:E488  
  metabolism (quail), 234,3:E622  
  physiology of, 243,6:E370  
  gonadal hormones and, duodenum (chick), 237,6:E409  
[<sup>3</sup>H]-25-hydroxy-, biliary excretion of, vitamin D depletion, 242,5:G522  
25-hydroxy-  
  absorption, intestinal, 236,5:E441  
  antiphosphatase action in Fanconi syndrome, 236,5:E90  
  metabolism, calcium and phosphorus deficiency, 236,5:E118  
  inhibition, metabolic acidosis, 243,6:E265  
  inorganic phosphate and, kidney tubules, 241,10:F123  
  phosphate, inorganic, renal handling, 234,3:F497  
  phosphatase action of calcitonin, renal, 232,1:E515

**Vitamin D<sub>3</sub>-1-hydroxylase**, 25-dihydroxy-, acidosis effects, kidney, 243,6:E265

**Vitamin D<sub>3</sub> metabolites**, calcium and phosphate transport, intestinal, differential responses, 233,2:E488

**Vitamin K**

bacterial synthesis, colon and ileum, 233,2:E124  
deficiency, estrogen and prothrombin synthesis, 232,1:H12

**Vitamin K<sub>1</sub>**

absorption  
  estrogen synthesis, 232,1:H12  
  fatty acids, 232,1:E69  
  luminal, thoracic duct lymph, 234,3:E54  
transport, luminal contents, intestinal, 232,1:E69

**Vitamin K<sub>2</sub>**

absorption  
  colonic, 233,2:E124  
  small intestine, 231:415  
  colonic absorption, 230:251

**Vitamins**

fat-soluble  
  lymphatic absorption, 234,3:E54  
  lymphatic and portal transport, 239,2:G210  
water-soluble  
  ileal flux, 233,2:E374  
  intestinal transport, 235,4:E678

**Vitellogenin**, gene expression, estrogen receptors in (frog), 243,12:C1

**Voltage**

gastric mucosa, 230:61  
Henle's loop, 236,5:F357  
interspike trajectory, temperature and (mollusc), 234,3:C155  
intracellular, sodium transport, skin (frog), 241,10:F279  
transepithelial, 230:239  
  calcium movement, cortical collecting duct, 242,11:F285  
  luminal sodium concentration and, distal tubule (snake), 239,8:F412  
  potassium secretion, 239,8:F289  
  potassium secretion and, cortical collecting tubule, 241,10:F395  
  renal collecting tubules-, 233,2:F544  
  sodium chloride cotransport, 241,10:F432  
  sodium transport, connecting tubules, 243,12:F330

**Voltage clamp**

amplifier, operational, 235,4:C69  
automatic, 235,4:C79  
calcium transport, ileum, 235,4:E726  
carbon dioxide and oxygen fluxes, bladder epithelia, mass spectrometry (toad), 236,5:F413  
chemical  
  calcium transport, Henle's loop, 239,8:F121  
  chloride fluxes, proximal tubule (*Necturus*), 235,4:F617  
  ionic activities, cardiac, 234,3:H101  
  sodium transport, magnesium effects, bladder (toad), 234,3:F192  
  trypsin modification, slow sodium inactivation, axonal (crayfish), 235,4:C238

**Voltage-clamp technique**, 233,2:H625  
*Gymnodinium breve* toxin, production of axonal repetitive firing (squid), 232,1:C23

**Voltage-current relations**, skeletal muscle, ionic conductance, 232,1:C109

**Voltage dependence**

calcium transport, thick ascending limb of Henle's loop, 236,5:F357  
digitalis oscillations, inotropy and, heart, 241,10:H646  
potassium ion conductance, pancreatic  $\beta$ -cells, 237,6:C137  
restitution of contraction, heart (sheep), 243,12:H68

**Voltage gradients**, skin battery, glabrous epidermis (cavy), 242,11:R358

**Volume**: see also Blood volume absorption

  intestinal, interstitial matrix and, 238,1:G183  
  pars recta, 234,3:F332, F340, F349  
  proximal, nonelectrolytes, 236,5:F163  
  proximal straight tubules, 241,10:F597  
  solute-coupled, oxygen consumption, ileal, 236,5:E198  
  adipocytes, hypergravity, 238,1:E330  
  atrial, isovolumic contraction, 236,5:H672  
  bleeding, adrenocortical hormone effects, 233,2:R239  
  blood, renal artery stenosis and, 243,12:H779



- body, regulation by salivation (tick), 238,7:R102
- calibrated impedance, plethysmograph, 239,8:H283
- cardiac, Frank-Starling mechanism, 234,3:H338
- cardiac muscle, isolated, measurement, 236,5:H519
- cardiac myocytes, 234,3:H123
- cardiac output, regulation, 237,6:R197
- cell
- abnormalities, functional consequences, 239,8:F195
  - bath osmolality effects (frog), 242,11:C184
  - deoxycorticosterone acetate administration, proximal tubules, 241,10:F502
  - glucose effects, 242,11:C326
  - interactions with membrane potential and membrane transport, 238,7:C196
  - membrane potential and transport, interactions, 238,7:C196
  - proximal tubules, 241,10:F502
  - regulation, abnormalities, functional consequences, 239,8:F195
  - regulation, gallbladder (salamander), 243,12:C146
  - regulation, proximal convoluted tubule, 243,12:F408
  - renal tubular, regulation, 236,5:F226
  - sodium-chloride transport, gallbladder (salamander), 243,12:C140
- covariations, cardiovascular activity, 236,5:H434
- depletion
- furosemide effects, 232,1:F397
  - Goldblatt hypertension, 237,6:H18
  - renal, prostaglandin E<sub>2</sub> and, 237,6:F344
- dilution, myocardial mitochondrial function, 237,6:H224
- distribution
- brain pharmacokinetics, 242,11:R339
  - compartmental analysis, 243,12:R1
- end-diastolic
- ventricular, vectorcardiographic potentials (pig), 235,4:H182
  - ventricular dimensions, 242,11:H549
- epithelial, regulation, 239,8:F466
- erythrocytes
- hypothermia, 233,2:H605
  - regulation, 237,6:C10
  - sinoatrial denervation hypertension, 236,5:F92
- extracellular
- anion distribution, striated muscle, 237,6:C125
  - heart, 242,11:H671
  - salt gland secretion (duck), 237,6:R355
  - spontaneous hypertension, 237,6:F38
- extracellular cirrhosis, 238,7:F353
- extracellular fluid
- antidiuretic hormone-thirst feedback mechanism, sodium control, 232,1:R145
  - hypertension, corticosterone and DOCA, 233,2:F403
  - overhydration, 238,7:H645
  - spontaneous hypertension, 234,3:F29, 235,4:H52
  - water deprivation, 232,1:R93
- flow, osmotic, cortical collecting tubules, 238,7:F470
- fluid
- capillary, isogravimetric capillary pressure and, 233,2:H130
  - renal artery stenosis, two-kidney, 243,12:H779
  - vasopressin effects, acute and chronic, 237,6:F232
- heart, radioactive microsphere suspensions, 232,1:H331
- high heart rate and, inotropy and preload effects, 236,5:H568
- hypoxic and carbon monoxide hypoxia, 236,5:H22
- infusion, pressure-flow changes during Valsalva-like maneuvers, 233,2:H93
- interstitial
- change, monitoring device, 242,11:H698
  - myocardial cell swelling, 239,8:H31
- intracellular, proximal tubules, 232,1:F42
- intravascular
- atrial pressure reflex effects, 241,10:H760
  - cardiopulmonary sympathetic afferent influences, 233,2:H592
- juxtaglomerular, renin activity, 238,7:F488
- left ventricular
- aortic occlusion, 238,7:H423
  - catecholamine cardiomyopathy, 238,7:H257
- load, maintained, cardiac output, 235,4:H670
- loading
- aging and hypertensive heart, 237,6:H461
  - aortic smooth muscle, activity, 238,7:H379
  - Bainbridge reflex, 242,11:R244
  - epidural, cerebrospinal fluid pressure transients, 234,3:R167
  - Frank-Starling mechanism, 234,3:H338
  - myocardium, 243,12:H862
  - overload, contractile state of hypertrophied left ventricle, 234,3:H88
  - oxygen consumption rate and, heart, 242,11:H942
  - pathways regulating cardiovascular changes, 231:854
  - ventricular, cerebrospinal fluid pressure transients, 234,3:R167
- lung, heart rate and, 241,10:H620
- myocardial and ventricular, surface representation, 241,10:H1
- osmolality effect, after hemorrhage, 238,1:E62
- overload
- heart failure, 235,4:H690
  - heart rate responses, hemorrhage, 235,4:H422
  - left ventricle, aortic valve damage, 241,10:H95
  - left ventricular shortening, 238,7:H127
  - myocardial failure and, 243,12:H876
  - nitroglycerin effects, awake state, 243,12:H974
  - ventricular adaptation to, 242,11:H973
  - ventricular contractility and compliance, 237,6:H575
- pancreatic  $\alpha$ -cell, dietary modulation of, 242,5:G354
- planimetric measurement of, carotid sinus deformation, 242,11:H921
- plasma
- acclimation to water restriction, 235,4:R237
  - ascites mobilization, diuresis and, 235,4:F12
  - heavy exercise, sitting and supine positions, 236,5:R206
  - hemorrhaged, restoration by gastrointestinal fluid, 234,3:H80
  - hypothermia, 233,2:H605
  - micropuncture surgery effects, 233,2:F600
  - renal artery stenosis and, 243,12:H779
  - salt intake, glomerular adaptations, 238,7:F428
- protein exclusion
- venous pressure and, muscle, 242,11:H1044
  - venous pressure and, skin, 242,11:H1038
- Purkinje cell, osmotic pressure and, 238,7:H561
- radiosulfate, aging, 238,7:R82
- reabsorption
- anion permeability, proximal convoluted tubules, 241,10:F386
  - proximal tubules, 236,5:F58, 242,11:F499
- receptors: see Receptors
- red cells
- regulation, 237,6:C10
  - striated muscle, resting and contracting, 237,6:H481
- renal cells, hypotonic media, collagenase and ouabain effects, 238,7:F491
- renal tubule cells
- basement membrane effects, 233,2:F325
  - ouabain and colloid osmotic pressure effects, 235,4:F480
- sarcoplasmic reticulum, sucrose compartments (frog), 234,3:C181
- stroke
- adrenergic effects, cardiac, 234,3:H525
  - cardiac output-rate coherence, 243,12:H501
  - circadian pattern, radiotelemetry, 236,5:R231
  - diabetic acidosis, insulin effects (lamb), 241,10:H401
  - graded activity (lizard), 239,8:R174
  - impedance cardiography, 237,6:H491
  - neonatal growth (sheep), 234,3:H520
  - pressure overload, 230:199
- tidal
- breath-to-breath relations, sleeping infant, 243,12:R164
  - heart rate and, 241,10:H620
  - tissue, change, monitoring device, 242,11:H698
  - unstressed, spontaneous hypertension, 237,6:H584
  - urinary, conflicting circadian synchronizers (monkey), 235,4:R175
- vascular
- nitroprusside effects, 237,6:H99
  - placental (guinea pig), 241,10:H73
  - unloaded, blood pressure measurements, 237,6:H632
  - unstressed, intestinal, 234,3:H660
- ventricular
- absolute measurement, 236,5:H506
  - high heart rate and, inotropy and preload effects, 236,5:H568
  - internal calibration, cineangiographic, 232,1:H434
  - servo pump control of, 243,12:H346
  - water displacement, submersion, body fat determination, 234,3:E94
- Volume-axis intercept**, isovolumic contraction, right atrium, 236,5:H672
- Volume clamp**, ventricular, end-diastolic and end-systolic, 233,2:H718
- Volume control**
- extracellular, cirrhosis, kidney, 242,11:F390
  - left atrial pressure effects, awake state, 243,12:R119
  - oral antidiuretic therapy, diabetes insipidus, 243,12:R491
- Volume expansion**
- albumin, 232,1:F123
  - radioiodinated, escape rate, 234,3:F386
  - urine collection device, 233,2:F615
  - allantoin excretion, renal, 233,2:F373
  - anion transport, nephron, 233,2:F118
  - aortic clamping, 232,1:F92
  - atrial receptor modulation, renal nerve activity (monkey), 242,11:F592
  - Bainbridge reflex, 242,11:R244
  - bicarbonate reabsorption, kidney, 232,1:F484
  - blood, left atrial stretch effects, heart, 242,11:H1056
  - carbonic anhydrase inhibition, proximal reabsorption and, 242,11:F274
  - cardiac output, 234,3:H21
  - cardiac receptor sensitization, acetylcholine, 239,8:H628

**Volume expansion (continued)**

- carotid baroreflex, modulation, 237,6:H153
- chloride gradient, proximal tubular alterations, 237,6:F473
- chloride reabsorption, segmental, nephron, 234,3:F97
- decrease in plasma renin activity during, 230:1550
- digoxin effects, cardiopulmonary baroreflexes, 243,12:H815
- distal tubular function, 239,8:F228
- diuresis, exaggerated, spontaneous hypertension, 235,4:F409
- diuretics and compensatory adaptation, interactions, 235,4:F528
- electrolyte transport, remnant kidney, 230:1231
- erythrocytes, <sup>51</sup>Cr-labeled, escape rate, 234,3:F386
- erythrocyte velocity, vasa recta, 237,6:F326
- excretory response, renal, neonatal, 237,6:F392
- extracellular
  - bicarbonate reabsorption, renal insufficiency, 234,3:F472
  - denervated and intact kidney, 237,6:F262
  - renal, phosphate deprivation, 234,3:F199
  - renal denervation, 232,1:F26
  - saline effects, filtration fraction, kidney, 243,12:F96
- extracellular fluid
  - bicarbonate reabsorption, renal, hypothyroidism, 236,5:F536
  - papillary collecting duct, 239,8:F92
- Fanconi syndrome, antiphasphatase action of 25(OH)vitamin D<sub>3</sub>, 236,5:E90
- furosemide effects, renal, 232,1:F438
- glucose transport, renal, normal and uremic, 236,5:F567
- hypertension, perinephritic, 233,2:F278
- induction and recovery, renal, 233,2:F416
- interstitial pressure, renal, 235,4:F209
- intravascular, renin response, neural pathways, 238,7:H611
- isotonic, catecholamine plasma levels, 235,4:F119
- isotonic saline, renal nerve stimulation effects, 243,12:F576
- natriuresis, 232,1:F566
- urea washout and, kidney, 241,10:F250
- permeability changes, proximal tubule (*Necturus*), 234,3:F225
- plasma
  - glomerular ultrafiltration dynamics, 239,8:F171
  - portal cirrhosis, 233,2:F572
  - renal response, 235,4:F156
  - uremia, 243,12:F372
  - water retention effects, 243,12:H934
- prolonged central, renal responses, awake state, 242,11:F649
- prostaglandins and, 233,2:F169
- proximal tubular absorption, 236,5:F495
- rapid, effect of single-nephron function and renal oxygen consumption, 231:1166
- regulation, central vascular, renal response (monkey), 239,8:F343
- renal, renin vein constriction, 238,7:F279
- renal nerve activity and, baroreflex regulation of, 243,12:H810
- renin activity, juxtaglomerular apparatus, 238,7:F488
- saline, renal clearance, 232,1:F178
- salt gland secretory response (goose), 232,1:R185
- sodium, filtration rate, regulation, 232,1:F325
- sodium balance, 230:1183

- sodium reabsorption, renal vein constriction, 243,12:F19
- systemic arterial input impedance, 238,7:H902
- two-component natriuretic response, 235,4:F126
- uric acid transport, 230:1276
- Volume-flow rate**, kidney medulla, central core model, 234,3:F402
- Volume markers**, extracellular, stratum corneum (frog), 232,1:C37
- Volume-pressure relations**, gastric, 235,4:E552
- Volume regulation**
  - cell, gallbladder (salamander), 243,12:C146
  - hydrostatic forces and, myocardial, 241,10:H740
  - hypovolemia, 237,6:R45
  - kidney response, awake state (monkey), 242,11:F649
  - whole-body capillary transport parameters, 242,11:R227
- Volume shift**, intraplacental (guinea pig), 241,10:H73
- Volumetric properties**
  - Purkinje cell compartments, 238,7:H561
  - regulation, kidney cells, dilute media, 238,7:F491
- Vomiting**, myoelectric correlates, 233,2:E131
- Von Willebrand factor**
  - disease, factor VIII synthesis, 230:1342
  - dissociation, 230:434
  - platelet agglutination mediated by, 230:1406
  - prostaglandin I<sub>2</sub>, platelet cohesion, 241,10:H54
- Vortex**, valve closure and, diastole, 241,10:H389

**W**

- Wakefulness**, temperature regulation (marmot), 235,4:R82
- Walking**: see Exercise
- Wall**: see specific site
- Walton-Brodie arch**, left ventricular, 234,3:H88
- Washout**
  - coronary, cardiac function, ischemia and hypoxia (swine), 239,8:H371
  - metabolites, reactive hyperemia, 234,3:H625
  - sodium, myocardial cell swelling, 239,8:H31
- Washout kinetics**, spleen, 231:1665
- Water**
  - absorption, 231:1588
  - corticosteroid-induced changes, colon, 241,4:G300
  - forestomach (llama), 235,4:E1
  - Henle's loop, 237,6:F196
  - intestinal, 234,3:E629
  - lymph capillary pressure, intestinal, 237,6:E301
  - osmosis and, 231:1588
  - absorption and secretion, chloroquine effects, ileal, 243,6:G117
  - adipose tissue, cell size relations, 231:1568
  - adrenocorticotrophic-stimulated flow, endoperoxide analogues and (toad), 242,11:F119
- balance**
  - angiotensin II, 230:1063
  - capillary, 230:1121
  - ethanol effects, 242,11:R522
  - ileum (arthropod, scorpion), 233,2:R198
  - papillary collecting duct (desert rodent), 239,8:F539
  - renovascular hypertension, 236,5:H101
  - vasopressin effects, awake state, 243,12:R512
- zona incerta lesions, 230:1049
- balance**
  - embryo, seawater (*Fundulus*), 238,7:R36
  - newt, 238,7:R113
  - tritiated water method, potential errors, 238,7:R454
- blood-brain barrier permeability, 230:543
- body, chemical maturation, 242,11:R390
- cellular content, 230:514
- clearance
  - $\alpha$ -adrenergic blockade, 232,1:F409
  - dopamine effects, 232,1:F524
  - hemorrhagic shock, 232,1:F409
  - sodium fluoride effects, 232,1:F335
- compartments, developing teeth, 232,1:F358
- content
  - arterial, 234,3:H533
  - myocardial, during hemodilution, 235,4:H767
- deprivation
  - angiotensin II antagonists, 232,1:H110
  - physiological mechanisms for thirst (monkey), 242,11:R423
  - renal and endocrine responses, 242,11:R296
  - subjective sensations, 239,8:R476
  - thirst following, 232,1:R93
  - zona incerta lesions, 233,2:R53
- deuterated, doubly labeled water errors, 238,7:R466
- diuresis: see Diuresis
- economy, periventricular preoptic-hypothalamus and, 234,3:R122
- entry, inner ear and cerebrospinal fluid, 243,12:F173
- evaporative loss, pregnancy and lactation, 239,8:R470
- exchange
  - placental, mathematical model, 235,4:R181, 237,6:R89
  - skin and gills (amphibian), 242,11:R94
- excretion
  - cardiac afferent nerve effects, kidney, 241,10:R267
  - calcitonin effects, 239,8:F524
  - chronic unilateral renal denervation, awake state, 242,11:F140
  - glomerular ultrafiltration dynamics, 239,8:F171
  - micropuncture surgery effects, 233,2:F600
  - prostaglandin synthetase inhibitors, 232,1:F529
  - renal, prostaglandins and, 233,2:F169
  - renal electrolyte circadian rhythm (monkey), 232,1:F128
  - renovascular hypertension, 235,4:F310
  - thiopental effects, renal, 243,12:F265
  - thirst and, 239,8:R476
- extracellular
  - hypertrophied myocardium, 236,5:H79
  - measurement, 235,4:F254
  - extraction (desert rodent), 236,5:F448
  - filtration, gastric mucosa (frog), 235,4:E361
- flux
  - adrenal steroid effects, bladder (toad), 234,3:F532
  - osmotic, gastric mucosa (frog), 236,5:E63
  - osmotic, pars recta, 234,3:F340
  - proximal tubular, 235,4:F638
- flux
  - branchial, epinephrine effects (trout), 232,1:R110
  - osmotic gradient, duodenum and ileum, 237,6:E389
- flux measurement, transepithelial, mass spectrometry (toad), 241,10:C86
- free, clearance, renin inhibition by chloride and, 235,4:F444
- heavy
  - potassium-stimulated respiration and, skeletal muscle (frog), 243,12:C87

- skeletal muscle contraction (frog), 239,8:C105
- homeostasis  
angiotensin II, central, 242,11:R498  
forebrain control, 239,8:R372
- immersion, volume expansion and, renal (monkey), 242,11:F649
- intake: *see also* Drinking  
inhibition by basal forebrain stimulation, 236,5:R117  
zona incerta lesions, 233,2:R53
- lung content, hypercapnia, 232,1:H236
- membrane permeability, temperature effects, lung cells, 243,12:C285
- metabolism  
antidiuretic hormone and, 234,3:F291  
*cis*-dichlorodiammine platinum and, 243,12:F36  
pre- and postnatal, 234,3:F59  
nonelectrolytes and, placental transfer during single circulatory passage (sheep, guinea pig), 236,5:C47  
octanol and, partition coefficient, brain, 238,7:H776  
osmotic, permeability, kidney tubules, 242,11:F321  
osmotic conductivity, gastric mucosa (frog), 238,1:G298  
osmotic flow, bladder, theophylline effects (toad), 232,1:F173  
permeability: *see also* Permeability  
angiotensin II effects, renal, 232,1:F298  
bladder, pH effects (frog), 237,6:E483  
collecting duct, vasopressin-induced, 239,8:F560  
collecting tubules, 232,1:F368  
colon, 232,1:F5  
placental (sheep), 233,2:H475  
radioactive, absorption, intraluminal pressure effects, intestinal, 242,5:G65
- reabsorption  
carbonic anhydrase inhibition and, proximal, 242,11:F274  
distal tubular, 239,8:F478  
papillary collecting duct, remnant kidney, 242,11:F657  
papillary collecting duct (desert rodent), 239,8:F539  
proximal tubules, 242,11:F499  
renal, ureteral obstruction, weanling, 236,5:F260  
tubular, 241,10:F219
- regulation, 231:1  
dorsomedial hypothalamic lesion, weanling, 242,11:R285
- renal handling, somatostatin and, 237,6:E428
- restriction  
acclimation and body fluid distribution, 235,4:R237  
anemia of space flight and, 238,7:R301  
corticosterone regulation, female, 241,10:R21  
hypertension, 241,10:F525  
red blood cell survival, 239,8:C27
- retention  
desmopressin-induced, systemic hemodynamics and, 243,12:H934  
kidney, ascites, 232,1:F315  
nonsteroidal anti-inflammatory drugs, 234,3:F490
- total body  
compartments, aging, 236,5:R215, 238,7:R82  
hydrogen, exchangeable, 232,1:R54, R60  
renal artery stenosis and, 243,12:H779  
spontaneous hypertension, 234,3:F29, 235,4:H52
- transfer, placental, 232,1:H666
- transport  
ammonia, 232,1:R124  
bladder (trout), 233,2:F525  
cholinergic modulation, bladder (toad), 239,8:F154
- cortical collecting tubules, 243,12:F481
- ileum (scorpion), 233,2:R198
- intestinal, ileal blood flow and, 236,5:E482
- intestinal, respiratory disorder effects, 242,5:G486
- intraluminal pressure effects, small intestine, 242,5:G58, G65
- jejunum, 232,1:E62
- luminal berberine and, ileum, 241,4:G248
- phenolphthalein effects (monkey), 243,6:G268
- renal nerve stimulation and, 243,12:F576
- tritiated, 230:94
- fatty acid incorporation, lung, 232,1:E358
- gastrointestinal tissue blood flow measurement, 243,6:G155
- lipid metabolism, pulmonary, 239,2:E407
- myocardial blood flow measurement, 232,1:H173
- osmotic exchange, circulatory effects (frog), 234,3:R172
- prostaglandin metabolism and transport, lung, 232,1:E382
- turnover  
angiotensin (killifish), 239,8:R31  
body, long-term fasting effects (geese), 241,4:E342
- unstirred layer  
cholesterol uptake and, jejunum, 241,4:G270  
D-glucose transport, jejunal, 236,5:E685  
intestinal, 241,4:G83  
jejunum, 242,5:G364  
kidney tubules, 242,11:F321  
sodium and potassium ions and (toad), 243,12:F476  
uptake, central nervous system (dogfish), 232,1:R45
- Waterfall**, vascular: *see* Vascular waterfall
- Waterfall phenomenon**, fetal placental, 230:886
- Water-hammer equation**, digital arterial pressure, compliance measurement and, 233,2:H168
- Water-sodium exchange**, skin (sea-snake), 235,4:R151
- Water spaces**, exercise, skeletal muscle, 243,12:R271
- Water-to-food intake ratio**, dorsomedial hypothalamic lesion and, weanling, 242,11:R285
- Wave**  
duration, peristalsis, esophageal, 238,1:G485  
propagation, thermodynamics, 234,3:R85  
trapezoidal, ventricular defibrillation (pony, dog), 238,7:H231
- Waveforms**, defibrillator, safety factor for, heart cells, 242,11:H662
- Wave-front**, velocity and reflection, coronary artery, 237,6:H469
- Weaning**  
circadian rhythm, development, 234,3:E500  
circadian rhythm of jejunal sucrose activity, 235,4:E437  
genetic obesity, development, 234,3:E568
- Weanling**  
endocrine responses, arterial hypotension (sheep), 242,5:E215  
feeding controls, ontogeny, 237,6:R187  
plasma and diet amino acid relations, 243,12:R99  
postnatal development, 241,4:G199  
protein intake, diabetes, 236,5:R307  
thyroidal response, preoral thyroid-stimulating hormones, 238,1:E428  
ureteral obstruction, terminal collecting duct function, 236,5:F260
- water regulation, dorsomedial hypothalamic lesion and, 242,11:R285
- Wedge pressure**: *see* Pressure
- Weight**  
body  
cardiac cell dimension and, allometric relations, 234,3:H123  
circannual rhythms, gonadal hormone effects (squirrel), 243,12:R546  
forelimb, histamine infusion effects, 233,2:H148  
gain, food intake effects, 243,12:R531  
gain, protein intake effects on uremia, 230:1455  
glomerular filtration rate and, 242,11:R303  
humoral factor involvement, 232,1:R150  
hypothalamic lesions and, 242,5:E273  
intestinal bypass surgery, 234,3:E389  
loss, starvation, 236,5:E105  
metabolic alterations, experimental obesity, 233,2:R162  
postinsulin hypophagia, 243,12:R304  
pyloroplasty, 236,5:R61  
reduction, protein wasting due to acidosis, fasting, 243,6:E251  
regulation, hypothalamic damage, 242,11:R265  
regulation, hypothalamic extract and, 234,3:E554  
regulation, hypothalamic lesions and, 237,6:R68  
ventricular function and, diabetic acidosis (lamb), 241,10:H401
- duodenal, gonadal hormones and (chick), 237,6:E409
- fetal, placental blood flow and (guinea pig), 243,12:H404
- gain, circulating ergostatic factor, 239,8:R344
- heart  
carbon monoxide-induced cardiomegaly, 235,4:H516  
exercise-induced hypertrophy, 236,5:H268  
microvascular response to hemorrhage, 235,4:H753  
muscle, jejunoileal bypass and, intestinal, 241,4:G259  
normal, carnitine metabolism, fasting and, 238,1:E409
- organ  
oxygen transport and (shrew), 236,5:R221  
starvation, age and obesity effects, 239,2:E269
- total body  
basal and cephalic phase, gastric acid output, 239,2:G221  
glucocorticoid effects, hemichorus, 238,1:E564  
hypothalamic lesions, lateral, 239,8:R337
- Wharton's jelly**, pressure measurement, 232,1:H605
- White blood cells**: *see* Leukocytes
- Wilson's disease**  
copper excretion defect (dog), 243,6:G231  
copper-loading disease comparison, species differences (dog, human), 243,6:G226
- Wolff-Parkinson-White syndrome**, tachycardia, atrioventricular reentrant, 233,2:H44
- Work**: *see also* Exercise  
displacement, strain gauge, 236,5:H657  
heart muscle, weak and strong myocardium in series, 235,4:H776  
hypothesis, compensatory renal hypertrophy, 232,1:F405  
inositol incorporation, skeletal muscle, 232,1:E324  
mechanical, relaxing ventricle, 236,5:H494  
stroke: *see* Stroke work

- Work-jump**, computer simulated, glucose-perfused heart, 243,12:R389  
**Wound currents**, skin battery, glabrous epidermis (cavy), 242,11:R358

## X

- Xanthine**, secretion, jejunal, 238,1:G141  
**Xanthine oxidase**, albumin clearance and, intestinal mucosa, 242,5:G448

**Xenon**

- clearance  
 blood flow, cerebral (bird, duck), 234,3:H230  
 blood flow, cerebral (duck), 236,5:H744  
 metabolic depression, cerebral (baboon), 234,3:H74  
 washout, coronary, hemorrhage, 239,8:H326

**Xenon-133**

- blood flow, 232,1:H441  
 carbon dioxide, arterial, cerebral blood flow and (duck), 232,1:H596  
 cerebrovascular response, 5-hydroxytryptamine (baboon), 234,3:H300  
 clearance, heating and cooling, skin (alligator), 235,4:R160  
 intracarotid injection  
 calculating cerebral blood flow, 238,7:H750  
 cerebral blood flow estimates, scattering, 236,5:H680  
 washout, intrarenal blood flow measurement, 237,6:H395

**Xenon studies**

- cerebrovascular response, noradrenaline (baboon), 233,2:H458  
 portal venous blood mixing, vasopressin effects, 233,2:H50

**Xenon washout**, hematocrit variations, effects on coronary hemodynamics and oxygen utilization, 233,2:H106**Xenopsin**, blood flow, hormone release and acid secretion, 243,6:G195**X-ray**

- analysis, biological fluids, technique, 234,3:F255  
 detectors, dopa transport, blood-brain barrier (monkey), 238,7:R318  
 microanalysis

- arteries, 239,8:H289  
 red blood cells (human, sheep), 235,4:C245

spectrometry: *see* Spectrometry

**Xylose**

- fetomaternal transfer, placental (sheep), 234,3:E32  
 transport, pathways, ileum, 238,1:G326  
**D-Xylose**, gastric emptying, satiety and (monkey), 241,10:R25

## Y

- Yohimbine**, presynaptic  $\alpha$ -receptor function, renal vascular bed, 239,8:H422

**Yolk sac**

- function, suppression, 233,2:C111  
 visceral, creatine transport, 233,2:E308

**Ytterbium-169**, physiological parameters, indicator-dilution curves, 233,2:H350

## Z

**Zeitgeber**

- circadian (monkey), 232,1:R31  
 circadian rhythm synchronization, light and food (squirrel monkey), 234,3:R130  
 conflicting temporal information (monkey), 235,4:R175

**Zinc**

- absorption  
 intestinal zinc-binding ligands, milk, 235,4:E556  
 kinetics, 237,6:R340  
 prostaglandin  $E_2$  role, 234,3:E99  
 bacterial infection, liver, 234,3:E399  
 blood, serum and liver concentrations, cadmium effects, renal, 232,1:H114  
 cadmium transport, liver, 236,5:C139  
 clearance  
 cysteine effects, renal, 241,10:F487  
 kidney tubules, 241,10:F532  
 concentration, serum, ultrafilterable, 235,4:F40  
 content, lymph, 236,5:E180  
 deficiency  
 liver ornithine transcarbamoylase activity, 235,4:E203

- mammary gland function and development, 238,1:E26  
 pituitary-gonadal axis, 230:1730  
 excretion, biliary, metallothionein effects, 234,3:E47  
 immobilization, storage and, aging effects, 237,6:E18  
 intake, nitrogen retention and, pregnancy, 239,2:E113  
 metabolism, kinetic model, 237,6:R340  
 metallothionein induction and, small bowel, 243,6:G396  
 nutrition, salt preference and, 241,10:R233  
 physiologic-metabolic changes, cardiac, 239,8:H22

**plasma**

- endogenous leukocytic mediator and, 235,4:C118  
 leukocytic endogenous mediator effects, 232,1:C15  
 redistribution, kidney, 234,3:E282

**Zinc-65**, absorption, intestinal zinc-binding ligand, milk, 235,4:E556**Zinc sulfate**, infusions, urinary zinc excretion, 235,4:F40

- ZnSO<sub>4</sub>**, metabolic rates, carbon dioxide effects, 241,10:R264

**Zona incerta**

- lesions  
 fluid ingestion impairment, 233,2:R53  
 oral motor deficits, 237,6:R126  
 water intake and, 230:1049  
 subthalamic lateral, bradycardia mediation, 236,5:H471

**Zona intermedia**, interneurons, 232,1:H657**Zona occludens**, ion-secreting epithelia, chloride cells (teleost), 238,7:R185**Z protein**

- fasting effects, 231:1371  
 hepatic binding, thyroid hormones, 230:1113

**Zymogen granules**

- lingual lipase, enzyme activity and secretion, 235,4:E416  
 secretory proteins and, pancreas, 241,4:G67

**Zymogens**, circulating metabolism, 239,2:G504**Zymosan**, binding and internalization, phagocytosis, 242,11:C339







C 26

05E2 P  
13E5  
2235  
3E28  
4283  
55E2  
6385 78E3

05E2 P  
13E5  
2235  
3E28  
4283  
55E2  
6385 78E3